

Water System Operation Report For Fluoridating Systems - Form DOH-360CFL

Instructions for use of Form DOH-360CFL. This form is designed for use by systems with Fluoride treatment.

Items marked 1 through 6 provide specific instructions for use of the form.

Item 1. Enter information specific to fluoride treatment plant, type of fluoride compound used, injection point locations and date of required monthly split sample.

Item 2. Water system operators will continue to record daily chlorine residual under the *Chlorination* columns. (Note: This information is provided so that only one operation report form needs to be completed.)

Item 3. Record fluoridation information in the *Fluoridation* columns. These columns are listed with subheadings: *Scale/Meter Reading*, *Fluoride compound used per day* and *Fluoride finished water concentration*.

Item 4. Blank columns under the general heading *Other Treatments/Reading* may be used by water supply operators to record additional treatments and readings.

Item 5. (Page 2) DOH-360CFL provides an area to record microbiological sample results. Note that references to turbidity sampling has been removed from the *Sample Type* column. Collection of turbidity reading will continue to be recorded on forms provided by the Department including new DOH – 4303, Water System Operation Report – Filtration Component.

Item 6. Recording of M & R and MCL violations has been simplified. A reminder to water system operators to submit the water system operation report by the 10th day of the following month has been added in the section.

This form is designed to facilitate recording chlorine residual, fluoride concentration and microbiological results on a single form for fluoridating systems. We anticipate that this form and all subsequent operation report forms will be available on the Department's web site for immediate access. We intend to make a fill-in version of DOH-360CFL to provide water supply operators with the option of completing (and submitting) DOH-360CFL electronically.

If you have questions regarding this form or require additional clarification on completion of DOH-360CFL, please contact your local field coordinator.

Thank You.