

**Incidence of Suicide and Self-Inflicted Injuries
Deaths, Hospitalizations, and Emergency Department[†] (ED) Visits
New York State Residents, 1995-2014**

Year of Discharge / Death	Deaths***		Hospitalizations		ED Visits	
	Annual Frequency	Rate per 100,000 Residents	Annual Frequency	Rate per 100,000 Residents	Annual Frequency	Rate per 100,000 Residents
1995	1,469	7.9	9,257	50.0	n/a	n/a
1996	1,415	7.6	8,992	48.4	n/a	n/a
1997	1,369	7.3	8,848	47.4	n/a	n/a
1998	1,381	7.4	8,020	42.6	n/a	n/a
1999	1,276	6.8	7,749	41.0	n/a	n/a
2000	1,266	6.7	8,172	43.0	n/a	n/a
2001	1,272	6.7	8,451	44.3	n/a	n/a
2002	1,317	6.9	8,586	44.8	n/a	n/a
2003	1,252	6.5	9,199	48.0	n/a	n/a
2004	1,261	6.6	9,627	50.1	n/a	n/a
2005	1,310	6.8	9,694	50.3	8,992	46.7
2006	1,292	6.7	9,675	50.1	8,780	45.5
2007	1,378	7.1	9,739	50.5	8,967	46.5
2008	1,392	7.1	10,148	52.1	9,576	49.1
2009	1,376	7.0	9,958	51.0	9,837	50.3
2010	1,514	7.7	10,579	54.0	9,904	50.6
2011	1,595	8.2	10,726	55.1	8,151	41.9
2012	1,635	8.4	11,029	56.4	8,340	42.6
2013	1,637	8.3	10,743	54.7	10,956	55.8
2014	1,624	8.2	10,282	52.1	10,977	55.6

[†]The incidence of ED visits does not include those that were admitted into the hospital.

Rate = Frequency/Population *100,000

***In 1999 the United States began using the World Health Organization's revised International Classification of Diseases coding book (ICD 10) for mortality data. Differences seen between data coded using the 9th revision (ICD 9) and ICD 10 may be due to coding changes and not actual differences in injury causes.