Stroke Designation Update

Public Health and Health Planning Council June 12, 2014

Anna Colello, Esq.

Director of Regulatory Compliance, OQPS

- NYS has the lowest Stroke Mortality Rate in the US
- Stroke is the fourth leading cause of death in the US
- #1 cause of disability
- 119 Hospitals are Designated Stroke Centers including Rural counties

- Stroke Designation is a quality initiative which represents a coordinated system of care to expedite treatment
- Designation Requirements for Stroke Center
 - Stroke team
 - Education
 - 24/7 capabilities
 - Quality assurance/data/registry

Results from Evaluation of Stroke Center Mortality Study

Table 4. Sensitivity Analysis: 30-Day Mortality at Designated Stroke Centers and Nondesignated Hospitals

ĺ	No./Total No. (%)						
		Designated Stroke Center		Nondesignated Hospital		Adjusted Mortality Difference (95% CI) ^a	<i>P</i> Value
/[Location ^b						
	Metropolitan New York	1034/11 120	(9.3)	715/6881	(10.4)	-2.0 (-3.4 to -0.5)	.01
	Upstate New York	509/4177	(12.2)	1236/8769	(14.1)	-2.0 (-3.8 to -0.3)	.02
Ī	Race/ethnicity ^c						
/	Non-Hispanic white	1091/8865	(12.3)	1635/11 649	(14.0)	−2.5 (−3.9 to −1.1)	<.001
	Non-Hispanic black	204/3337	(6.1)	148/2303	(6.4)	-2.4 (-4.8 to -0.0)	.05
	Hispanic	117/1507	(7.8)	73/784	(9.3)	-5.2 (-9.4 to -0.9)	.02
	Other	131/1588	(8.3)	95/914	(10.4)	-3.2 (-7.3 to 0.9)	.12


Abbreviation: CI, confidence interval.

^aNegative values indicate lower mortality at designated stroke center vs nondesignated hospital.

bStratified by location.

^CStratified by race/ethnicity group.


Acute Treatment and Care: Percentage of Stroke Discharges Resulting in In-Hospital Mortality, SPARCS NY 2003-2011



Data Source: Statewide Planning and Research Cooperative System (SPARCS) 2003-2011; Acute Stroke defined as ICD-9-CM of 430-436

In-Hospital mortality defined as disposition 20

Percentage of Hospital Discharges for Ischemic Stroke (ICD-9-CM 433 434) in which tPA was administered, SPARCS NY 2003-2011



Ischemic Stroke as defined by principal diagnosis of ICD-9-CM 433-434
tPA defined as any procedure code of ICD-9-CM 99.10 or AP DRG of 880 or Federal DRG of 061 or 062 or 063 in 2008
to 2011 or Federal DRG of 559 in 2006 or 2007