




Countywide Percent



Number of recipients included in these data				
Monroe	910	Ontario	54	
Chemung	94	Seneca	<30	
Steuben	74	Yates	<30	
Wayne	54	Livingston	<30	
Schuyler <30				



Finger Lakes Adherence to Antipsychotic **Medications for People Living** With Schizophrenia



Lower Average Higher No data

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with schizophrenia, ages 19 to 64 years, during the measurement year who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.

Countywide Percent

Ontario	6
Steuben	63
Chemung	43
Monroe	43
Wayne	42
Upstate	1 5µ
Statewide	49
Finger Lakes	46


66

Number of recipients included in these data				
Monroe	665	Steuben	41	
Chemung	79	Livingston	<30	
Wayne	57	Yates	<30	
Ontario	44	Seneca	<30	
		Schuyler	<30	



Finger Lakes Antidepressant Medication

Antidepressant Medication Management - Effective Treatment for Acute Phase



Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health


Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients who remained on antidepressant medication during the entire 12-week acute treatment phase.

Countywide Percent


Monroe	65
Statewide	68
Upstate	66
Finger Lakes	65

Number of recipients included in these data				
Monroe	216	Ontario	<30	
Chemung	<30	Yates	<30	
Steuben	<30	Seneca	<30	
Wayne	<30	Livingston	<30	



Finger Lakes Diabetes Monitoring for

People Living With Diabetes and Schizophrenia



Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health


Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with schizophrenia and diabetes, ages 18 to 64 years, who had both an LDL-C test and an HbA1c test during the measurement year.

Countywide Percent


88
87

Number of recipients included in these data Monroe 762 Steuben 43 <30 Chemung 72 Livingston Ontario 47 Seneca <30 Wayne 43 Yates <30 <30 Schuyler



Finger Lakes

Diabetes Screening for People Living With Schizophrenia or Bipolar Disorder Who Are




Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health


Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with schizophrenia or bipolar disorder, ages 18 to 64 years, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.




Steuben	1	72
Wayne	1	72
Livingston	। । 68 ।	3
Yates	l 67	
Monroe	i i 66	
Schuyler	66	
Seneca 5	7	
Chemung 55		
Ontario 55		
Finger Lakes	65	
	Б9	
Statewide 55		


Number of recipients included in these data				
Monroe	1,382	Wayne	115	
Chemung	315	Livingston	65	
Steuben	259	Seneca	56	
Ontario	145	Schuyler	32	
		Yates	30	



Finger Lakes

Follow-up After Hospitalization for Mental Illness within 30 Days







Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients who were seen on an ambulatory basis or who were in intermediate treatment with a mental health provider within 30 days of discharge following a mental health related admission.




Number of recipients included in these data				
Monroe	1,235	Steuben	118	
Wayne	141	Livingston	69	
Chemung	139	Yates	41	
Ontario	137	Seneca	35	
Schuyler <30				



Finger Lakes Follow-Up Care for Children

Follow-Up Care for Children Prescribed ADHD Medication-Initiation Phase



Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of children with a new prescription for ADHD medication and who had one follow-up visit with a practitioner within the 30 days after starting the medication.

84

L

8¹1

и 8ф

79

76

75

73

68

82

Countywide Percent

Schuyler

Livingston

Wayne

Monroe

Chemung

Ontario


Seneca

Steuben

Yates

Finger Lakes

Initiation of Alcohol and Other Drug Dependence Treatment




Lower Average

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients who initiated treatment within 14 days of the diagnosis after the first new episode of alcohol or drug dependence, .




Finger Lakes	5		8¢	
Statewide			78	
Upstate			78	
Number of Monroe	o <mark>f recipie</mark> n 5,304	ts includeo Ontario	d in these data 372	а
Chemung	617	Livingston	221	

5,304	Ontario	372
617	Livingston	221
509	Seneca	138
412	Yates	117
	Schuyler	93
	617 509	617Livingston509Seneca412Yates


Countywide Percent Livingston

Livingston	81 [.] 1
Seneca	ו 81ן
Ontario	78
Steuben	78
Monroe	77
Schuyler	77
Yates	76
Wayne	75
Chemung	73
Statewide	80
Finger Lakes	77
Upstate	76

Number of recipients included in these data Monroe 5,499 Ontario 404 287 Chemung 690 Livingston Steuben 597 Seneca 164 133 Wayne 428 Yates 106 Schuyler



Finger Lakes Comprehensive Diabetes Care HbA1c Testing



Lower Average

Higher


Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics C. Diabetes

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of recipients living with diabetes who received at least one Hemoglobin A1c (HbA1c) test within the past year.

Countywide Percent		
Seneca	68	
Monroe	66 I	
Ontario	66 I	
Yates	65 <mark> </mark>	
Livingston	64	
Chemung	62	
Steuben	62 I	
Wayne	62	
Schuyler	60	
Statewide	67	
Finger Lakes	65 I	
Upstate	63	

Number	Number of recipients included in these data				
Monroe	27,232	Ontario	2,594		
Chemung	3,336	Livingston	1,597		
Steuben	3,068	Seneca	905		
Wayne	2,621	Yates	823		
		Schuyler	660		



Finger Lakes Cervical Cancer Screening



Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS


Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of women, ages 24 to 64 years, who had had cervical cytology performed every 3 years or women, ages 30 to 64 years, who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.


Countywide Percent

Monroe				I
Chemung		54		
Seneca		53		י ו ו
Ontario		50		I
Schuyler	46			
Wayne	45			י ו
Yates	43			I
Steuben	38			
Livingston 18				i I
Statewide				66
Finger Lakes			60	
Upstate			58	I

Number	of recipien	ts included	In these data
Monroe	7,839	Ontario	673
Chemung	987	Livingston	573
Steuben	975	Yates	261
Wayne	692	Seneca	239
		Schuyler	176



Finger Lakes Chlamydia Screening Among Young Women




Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of sexually active young women, ages 16 to 24 years, who had at least one test for chlamydia during the measurement year.



Countywide Percent


	1
Monroe	¹ 95
Finger Lakes	ι 94
Upstate	be
Statewide	891 891

Number c	of recipien	ts included	in these data
Monroe	547	Steuben	<30
Chemung	<30	Livingston	<30
Ontario	<30	Seneca	<30
Wayne	<30		



Finger Lakes Comprehensive Care for

Comprehensive Care for People Living with HIV or AIDS - Engagement in Care





Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with HIV/AIDS, ages 2 years and older, who had two visits for primary care or HIV related care with at least one visit during each half of the past year.





65


Т

59

Number	of recipien	ts included	in these data
Monroe	539	Steuben	<30
Chemung	<30	Livingston	<30
Ontario	<30	Seneca	<30
Wayne	<30		


Finger Lakes

Upstate



Finger Lakes Comprehensive Care for


Comprehensive Care for People Living with HIV or AIDS - Syphilis Screening




Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with HIV/AIDS, ages 19 years and older, who were screened for syphilis in the past year.



Number o	f recipien	ts included i	n these data
Monroe	547	Steuben	<30
Chemung	<30	Livingston	<30
Ontario	<30	Seneca	<30
Wayne	<30		



The percentage of recipients living with HIV/AIDS, ages 2 years and older, who had two viral load tests performed with at least one test during each half of the past year.


ZIP Codes combined so at least 30 recipients are included in areas. Data Source Office of Quality and Patient Safety, 2014 Created by Office of Health Systems Management, NYSDOH

(HEDIS), Medicaid Recipients, 2012

Finger Lakes Comprehensive Care for


Higher

People Living with HIV or AIDS - Viral Load Monitoring




Schuyler	94
Monroe	βO
Seneca	90
Wayne	8 9
Yates	89
Ontario	86
Steuben	83
Livingston	81
Chemung 32	
Upstate	87
Statewide	851
Finger Lakes	84

Number of recipients included in these data Monroe 3,598 Ontario 358 232 Chemung 519 Livingston Steuben 429 Yates 140 126 Wayne 403 Seneca 70 Schuyler



Finger Lakes Well-Child Visits in the First 15 Months of Life



Lower Average Higher


Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics F. Perinatal Care

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of children who had five or more well-child visits with a primary care provider in their first 15 months of life.

60 ^I
I
58 I
57 I
6 I
l l
i I
63
6 I
5 1

Number	of recipien	ts included	in these data
Monroe	9,044	Wayne	775
Chemung	1,097	Livingston	498
Steuben	1,070	Seneca	267
Ontario	804	Yates	242
		Schuyler	213



Finger Lakes Breast Cancer Screening Among Women



Lower Average Higher


Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of women, ages 50 to 74 years, who had a mammogram anytime on or between October 1 two years prior to the measurement year and December 31 of the measurement year.

Countywide Dercent			
Countywide Percent Seneca			49
Ontario			46 I
Monroe		43	
Yates		43	l
Chemung		42	1
Livingston	38		:
Steuben	38		l
Wayne	37		1
Schuyler	36		i I
Statewide			49
Finger Lakes		42	l
Upstate		41	1

Number o	of recipien	ts included	in these data
Monroe	7,931	Ontario	609
Steuben	1,002	Livingston	357
Chemung	995	Yates	195
Wayne	642	Schuyler	195
		Seneca	187



Finger Lakes Colorectal Cancer Screening



Lower Average Higher

Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics

Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of adults, ages 50 to 75 years, who had appropriate screening for colorectal cancer.