



### Number of recipients included in these data Franklin 63 Washington 40

TTATIKITT	05	washington	40
Warren	50	Essex	<30
Clinton	44	Hamilton	<30



North Country Adherence to Antipsychotic

Medications for People Living With Schizophrenia




Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with schizophrenia, ages 19 to 64 years, during the measurement year who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.



40

36

Essex


Hamilton

Franklin

Washington


<30

<30



North Country

Antidepressant Medication Management - Effective Treatment for Acute Phase




Lower Average Higher


Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients who remained on antidepressant medication during the entire 12-week acute treatment phase.







Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health


# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with schizophrenia and diabetes, ages 18 to 64 years, who had both an LDL-C test and an HbA1c test during the measurement year.

# **Countywide Percent** 92 Franklin Т Washington 1 88 Warren 79 73 Clinton North Country 84 Statewide 79 77 I Upstate


### Number of recipients included in these data

Clinton	41	Washington	34
Warren	38	Essex	<30
Franklin	36	Hamilton	<30



North Country

Diabetes Screening for People Living With Schizophrenia or Bipolar Disorder Who Are



Lower Average Higher


Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with schizophrenia or bipolar disorder, ages 18 to 64 years, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

### North Country Follow-up After

Hospitalization for Mental Illness within 30 Days



Percent of Patients with recommended care


Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012


The percentage of recipients who were seen on an ambulatory basis or who were in intermediate treatment with a mental health provider within 30 days of discharge following a mental health related admission.

ZIP Codes combined so at least 30 recipients are included in areas. Data Source Office of Quality and Patient Safety, 2014 Created by Office of Health Systems Management, NYSDOH




### Number of recipients included in these data


Clinton	273	Franklin	130
Warren	220	Essex	109
Washington	159	Hamilton	<30



North Country Follow-Up Care for Children Prescribed ADHD Medication-

**Initiation Phase** 






Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health


# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of children with a new prescription for ADHD medication and who had one follow-up visit with a practitioner within the 30 days after starting the medication.




### Number of recipients included in these data

Clinton	464	Warren	258
Franklin	294	Essex	170
Washington	267	Hamilton	<30



North Country Initiation of Alcohol and Other Drug Dependence Treatment



Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics A. Behavioral Health


No data


# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients who initiated treatment within 14 days of the diagnosis after the first new episode of alcohol or drug dependence, .

### North Country

Comprehensive Diabetes Care HbA1c Testing






No data


Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics C. Diabetes

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of recipients living with diabetes who received at least one Hemoglobin A1c (HbA1c) test within the past year.

### North Country Cervical Cancer Screening






Lower Average Higher

Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of women, ages 24 to 64 years, who had had cervical cytology performed every 3 years or women, ages 30 to 64 years, who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.



# <section-header>

CLINTON

**ESSE** 

WARREN

WASHINGTON


Percent of Patients with recommended care


Lower Average Higher


Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics E. HIV/AIDS

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of sexually active young women, ages 16 to 24 years, who had at least one test for chlamydia during the measurement year.







Washington

Warren

Clinton

Essex


Franklin


Upstate

Statewide

North Country

### North Country Well-Child Visits in the First 15 **Months of Life**





Higher Lower Average No data

**Delivery System Reform Incentive Payment Domain 3: Clinical Improvement Metrics** F. Perinatal Care

### Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

WASHINGTON

The percentage of children who had five or more well-child visits with a primary care provider in their first 15 months of life.


ZIP Codes combined so at least 30 recipients are included in areas. Data Source Office of Quality and Patient Safety, 2014 Created by Office of Health Systems Management, NYSDOH

### Number of recipients included in these data


Clinton	342	Warren	218
Washington	298	Essex	136
Franklin	239	Hamilton	<30


### North Country

Breast Cancer Screening Among Women



Number	or recipien	ts included	in these data
Clinton	920	Warren	486
Franklin	574	Essex	379
Washington	552	Hamilton	34





No data

Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics

# Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of women, ages 50 to 74 years, who had a mammogram anytime on or between October 1 two years prior to the measurement year and December 31 of the measurement year.


Clinton

Warren

Essex


Upstate


### **North Country Colorectal Cancer Screening**



### Number of recipients included in these data

Clinton	/31	Warren	390
Franklin	568	Essex	356
Washington	464	Hamilton	31





Higher Lower Average No data

**Delivery System Reform Incentive Payment Other Clinical Improvement Process Metrics** 

### Healthcare Effectiveness Data & Information Set (HEDIS), Medicaid Recipients, 2012

The percentage of adults, ages 50 to 75 years, who had appropriate screening for colorectal cancer.