### Expanded BRFSS, 2003

### Westchester Locality

#### Table of Contents:

Optional Module 4: Cholesterol Awareness	
Optional Module 6: Disability	
Optional Module 9: Fruits and Vegetables	8
Optional Module 10: Health Care Coverage	9
Optional Module 13: Injury Control - Falls	11
Optional Module 14: Immunization	12
Optional Module 19: Tobacco Consumption	16
Optional Module 22: Tobacco – Work site ETS	17
Optional Module 24: Weight Control	19
Optional Module 25: Cervical Cancer	23

New York State Department of Health

This page left blank intentionally

This page left blank intentionally

#### **Ever had Blood Cholesterol Checked**

Demographic		Yes		No	
Groups	n¹	%2	n	%	C.I. <sup>3</sup>
Total	505	82.3	80	17.7	4.2
Gender					
Male	201	80.1	33	19.9	7.0
Female	304	84.3	47	15.7	4.8
Age					
18-34	75	65.2	32	34.8	11.2
35-54	223	82.9	37	17.1	5.8
≥55	197	95.5	11	4.5	2.8
Education					
≤High School	131	72.1	35	27.9	9.0
>High School	371	86.6	44	13.4	4.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# **Had Blood Cholesterol Checked in the Past Five Years**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	479	78.7	102	21.3	4.4
Gender					
Male	186	75.1	47	24.9	7.2
Female	293	82.1	55	17.9	5.0
Age					
18-34	71	62.3	36	37.7	11.2
35-54	207	77.7	51	22.3	6.2
≥55	191	93.9	15	6.1	3.3
Education					
≤High School	127	71.1	37	28.9	9.0
>High School	349	82.0	64	18.0	4.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

#### **Adults with a Disability**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	103	14.0	497	86.0	2.9
Gender					
Male	42	13.3	196	86.7	4.4
Female	61	14.5	301	85.5	3.9
Age					
18-34	11	8.5	105	91.5	5.4
35-54	36	12.0	228	88.0	4.3
≥55	54	21.4	156	78.6	5.8
Education					
≤High School	33	15.8	137	84.2	5.8
>High School	70	13.3	356	86.7	3.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

This page left intentionally blank

This page left intentionally blank

### **Eat Five Fruits or Vegetable Servings per Day**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	194	31.6	400	68.4	4.3
Gender					
Male	57	25.3	181	74.7	6.4
Female	137	37.5	219	62.5	5.8
Age					
18-34	33	25.9	80	74.1	9.0
35-54	85	33.3	178	66.7	6.6
≥55	72	33.7	136	66.3	7.3
Education					
≤High School	45	25.3	123	74.7	7.7
>High School	147	34.2	276	65.8	5.3

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

## **Main Reason for Not Having Health Care Coverage**

Demographic	Changed or lost job			Could not afford				Other	_
Groups	n¹	% <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	1.5	18.8	0.0	13	15.9	0.1	34	65.2	12.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# No Health Care Coverage for Past Two Years Among Uninsured *Westchester*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	27	39.3	32	60.7	14.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Had a Fall in Past Three Months**

Demographic Groups	n¹	No fall	C.I. <sup>3</sup>		Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	280	87.2	4.1	16	4.3	2.4	30	8.6	3.5

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Had a Flu Shot in the Past 12 Months, Aged 65 and Older *Westchester*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	97	67.8	39	32.2	9.0

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Had a Flushot in the Past 12 Months**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	215	32.0	375	68.0	4.3
Gender					
Male	83	30.7	151	69.3	6.6
Female	132	33.1	224	66.9	5.5
Age					
18-64	112	23.2	332	76.8	4.5
≥65	97	67.8	39	32.2	9.0
Education					
≤High School	57	29.6	108	70.4	7.9
>High School	156	32.9	265	67.1	5.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>395%</sup> Confidence Interval

# **Ever Had a Pneumonia Shot, Aged 65 and Older**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	71	53.0	54	47.0	9.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Ever Had a Pneumonia Shot**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	133	22.2	415	77.8	4.1
Gender					
Male	54	25.4	157	74.6	7.0
Female	79	19.5	258	80.5	4.5
Age					
18-64	58	14.8	356	85.2	4.3
≥65	71	53.0	54	47.0	9.8
Education					
≤High School	47	28.1	109	71.9	8.3
>High School	84	19.4	304	80.6	4.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Number of Cigarettes Smoked per day among Everyday Smokers *Westchester*

Demographic Groups	n¹	1-10 cigarettes %	n	≥11 cigarettes %	C.I. <sup>3</sup>
Total	34	60.9	30	39.1	13.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

## **Work Indoors Most of the Time**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	304	80.6	60	19.4	5.1

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Smoking Policy at Place of Work among Indoor Workers**

Demographic Groups	n¹	Not allowed anywhere %2	C.I. <sup>3</sup>	n	Allowed in some or all places	C.I.	n	No official policy %	C.I.
Total	278	91.7	3.6	14	5.2	3.0	10	3.1	2.1
Gender									
Male	118	90.7	5.8	7	5.8	4.7	4	3.4	3.5
Female	160	92.7	4.4	7	4.6	3.7	6	2.7	2.4
Age									
18-34	54	87.5	8.7	5	7.8	7.6	5	4.7	4.6
35-54	159	92.3	4.6	8	4.9	3.6	4	2.8	3.1
≥55	62	97.0	4.2	1	1.7	3.4	1	1.3	2.5
Education									
≤High School	49	84.7	9.4	7	10.9	8.3	4	4.4	4.9
>High School	228	93.6	3.8	7	3.7	3.1	6	2.7	2.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Trying to Lose Weight**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	276	45.4	314	54.6	4.7
Gender					
Male	79	33.1	155	66.9	7.2
Female	197	56.6	159	43.4	6.0
Age					
18-34	46	37.4	67	62.6	10.6
35-54	129	47.4	131	52.6	6.9
≥55	100	51.0	107	49.0	7.9
Education					
≤High School	75	43.0	91	57.0	8.8
>High School	200	46.6	220	53.4	5.6

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

# Trying to Maintain Current Weight of Those not Trying to Lose Weight *Westchester*

Demographic	n¹	Yes	_	No	C.I. <sup>3</sup>
Groups	111-	%0-	n	%	C.I.
Total	214	65.9	98	34.1	6.3
Gender					
Male	102	65.1	52	34.9	8.6
Female	112	67.2	46	32.8	9.0
Age					
18-34	36	52.2	31	47.8	13.8
35-54	90	70.3	39	29.7	9.0
≥55	84	76.8	23	23.2	9.3
Education					
≤High School	54	58.1	37	41.9	12.0
>High School	157	69.1	61	30.9	7.4

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# Eating Fewer Calories or Less Fat to Lose or Maintain Weight *Westchester*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	366	76.1	113	23.9	4.6
Gender					
Male	130	72.5	47	27.5	8.0
Female	236	78.9	66	21.1	5.2
Age					
18-34	57	70.6	22	29.4	12.9
35-54	161	73.3	56	26.7	6.6
≥55	145	84.0	33	16.0	5.6
Education					
≤High School	95	74.8	27	25.2	9.6
>High School	269	76.8	84	23.2	5.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent

<sup>&</sup>lt;sup>3</sup>95% Confidence Interval

# Expanded BRFSS, 2003 - New York State Department of Health **Using Physical Exercise to Lose or Maintain Weight** *Westchester*

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	348	72.6	140	27.4	4.6
Gender					
Male	132	74.9	48	25.1	7.3
Female	216	70.7	92	29.3	5.8
Age					
18-34	66	81.4	15	18.6	10.3
35-54	167	75.3	52	24.7	6.6
≥55	112	63.2	71	36.8	8.0
Education					
≤High School	69	57.5	58	42.5	10.2
>High School	276	78.2	81	21.8	4.9

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>&</sup>lt;sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Ever Had a Pap Smear**

Demographic Groups	n¹	Yes %2	n	No %	C.I. <sup>3</sup>
Total	298	95.5	11	4.5	3.2

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval

#### **Had a Pap Smear in Past 3 Years**

Demographic Groups	n¹	Yes	n	No %	C.I. <sup>3</sup>
Total	269	86.9	38	13.1	4.8

<sup>&</sup>lt;sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution <sup>2</sup>Weighted Percent <sup>3</sup>95% Confidence Interval