

Expanded BRFSS, 2003

Jefferson, Lewis, St. Lawrence

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

Ever had Blood Cholesterol Checked

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	512	80.1	98	19.9	4.3
Gender					
Male	180	75.7	49	24.3	7.2
Female	332	84.6	49	15.4	4.6
Age					
18-34	79	62.5	45	37.5	10.2
35-54	208	84.7	39	15.3	5.2
≥55	224	95.1	14	4.9	2.7
Education					
≤High School	255	75.3	61	24.7	6.7
>High School	255	85.0	37	15.0	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had Blood Cholesterol Checked in the Past Five Years

Jefferson, Lewis, St. Lawrence

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	475	74.4	129	25.6	4.7
Gender					
Male	167	68.9	59	31.1	7.7
Female	308	79.9	70	20.1	4.9
Age					
18-34	72	55.7	49	44.3	10.4
35-54	191	78.6	55	21.4	5.8
≥55	212	90.2	24	9.8	4.3
Education					
≤High School	234	69.1	78	30.9	7.0
>High School	240	79.8	51	20.2	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with a Disability

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	140	17.9	485	82.1	3.4
Gender					
Male	52	17.4	187	82.6	5.2
Female	88	18.4	298	81.6	4.2
Age					
18-34	10	6.4	119	93.6	4.6
35-54	51	18.6	202	81.4	5.5
≥55	79	30.7	163	69.3	6.7
Education					
≤High School	81	20.7	242	79.3	5.2
>High School	59	15.1	241	84.9	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Jefferson, Lewis, St. Lawrence

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	183	30.3	444	69.7	4.6
Gender					
Male	60	28.6	179	71.4	7.4
Female	123	32.1	265	67.9	5.5
Age					
18-34	36	30.1	94	69.9	9.7
35-54	70	27.7	183	72.3	6.5
≥55	76	33.5	167	66.5	7.1
Education					
≤High School	78	24.6	247	75.4	6.0
>High School	104	36.2	196	63.8	6.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Jefferson, Lewis, St. Lawrence

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	200	29.3	423	70.7	4.3
Gender					
Male	75	28.1	163	71.9	6.5
Female	125	30.6	260	69.4	5.3
Age					
18-34	12	10.4	117	89.6	6.0
35-54	53	24.5	199	75.5	6.6
≥55	135	57.9	106	42.1	7.3
Education					
≤High School	119	35.3	202	64.7	6.4
>High School	81	23.5	219	76.5	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Fall in Past Three Months

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	No fall % ²	C.I. ³	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	283	83.3	4.2	25	5.3	2.2	46	11.4	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months, Aged 65 and Older

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	103	74.4	37	25.6	8.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	244	36.5	379	63.5	4.6
Gender					
Male	89	35.5	149	64.5	7.3
Female	155	37.4	230	62.6	5.7
Age					
18-64	141	29.0	341	71.0	5.0
≥65	103	74.4	37	25.6	8.2
Education					
≤High School	124	34.3	198	65.7	6.4
>High School	120	39.0	179	61.0	6.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot, Aged 65 and Older

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	106	77.0	30	23.0	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	192	30.6	382	69.4	4.6
Gender					
Male	67	29.3	142	70.7	7.4
Female	125	32.0	240	68.0	5.6
Age					
18-64	86	20.8	351	79.2	4.9
≥65	106	77.0	30	23.0	8.5
Education					
≤High School	103	31.2	199	68.8	6.6
>High School	89	30.4	181	69.6	6.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

Jefferson, Lewis, St. Lawrence

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	368	52.7	238	47.3	5.0
Gender					
Male	129	47.8	103	52.2	7.7
Female	239	57.8	135	42.2	6.1
Age					
18-34	35	25.3	92	74.7	8.5
35-54	141	54.4	107	45.6	7.2
≥55	192	83.8	38	16.2	5.5
Education					
≤High School	229	62.9	86	37.1	7.3
>High School	139	42.2	151	57.8	6.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Having Seen a Dental Professional in the Past 12 Months

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	402	71.4	147	28.6	4.9
Gender					
Male	151	68.7	65	31.3	7.8
Female	251	74.4	82	25.6	5.6
Age					
18-34	85	68.1	41	31.9	9.8
35-54	174	70.9	65	29.1	7.0
≥55	142	76.9	41	23.1	7.2
Education					
≤High School	170	61.0	93	39.0	7.7
>High School	230	80.9	54	19.1	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Lose Weight

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	283	46.7	341	53.3	4.9
Gender					
Male	101	43.8	138	56.2	7.7
Female	182	49.8	203	50.2	5.9
Age					
18-34	62	46.5	67	53.5	10.2
35-54	122	49.0	130	51.0	7.2
≥55	99	44.4	143	55.6	7.3
Education					
≤High School	136	44.9	187	55.1	6.9
>High School	145	48.1	154	51.9	7.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Maintain Current Weight of Those not Trying to Lose Weight

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	203	61.5	135	38.5	6.4
Gender					
Male	78	58.8	60	41.2	9.7
Female	125	64.8	75	35.2	8.0
Age					
18-34	40	60.3	27	39.7	13.2
35-54	79	63.2	51	36.8	9.6
≥55	83	60.9	57	39.1	9.6
Education					
≤High School	102	55.5	83	44.5	9.0
>High School	101	68.2	52	31.8	8.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eating Fewer Calories or Less Fat to Lose or Maintain Weight

Jefferson, Lewis, St. Lawrence

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	354	74.2	125	25.8	4.8
Gender					
Male	120	70.8	54	29.2	8.0
Female	234	77.5	71	22.5	5.5
Age					
18-34	68	69.4	33	30.6	10.4
35-54	157	77.2	42	22.8	6.8
≥55	129	76.4	49	23.6	6.9
Education					
≤High School	165	71.5	69	28.5	7.2
>High School	189	77.0	55	23.0	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Using Physical Exercise to Lose or Maintain Weight

Jefferson, Lewis, St. Lawrence

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	366	78.1	119	21.9	4.3
Gender					
Male	137	77.9	42	22.1	7.0
Female	229	78.3	77	21.7	5.0
Age					
18-34	89	89.1	13	10.9	6.5
35-54	160	77.1	41	22.9	7.2
≥55	116	66.3	65	33.7	7.8
Education					
≤High School	165	72.0	72	28.0	7.0
>High School	199	83.7	47	16.3	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pap Smear

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	273	97.7	9	2.3	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Pap Smear in Past 3 Years

Jefferson, Lewis, St. Lawrence

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	241	87.7	39	12.3	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval