

Expanded BRFSS, 2003

Cortland, Tompkins

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

Ever had Blood Cholesterol Checked

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	496	73.7	125	26.3	4.5
Gender					
Male	194	72.7	60	27.3	6.6
Female	302	74.6	65	25.4	6.3
Age					
18-34	91	54.0	76	46.0	8.6
35-54	200	83.1	40	16.9	5.2
≥55	201	96.4	9	3.6	2.4
Education					
≤High School	164	74.5	41	25.5	8.1
>High School	332	73.3	84	26.7	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had Blood Cholesterol Checked in the Past Five Years

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	447	67.0	166	33.0	4.7
Gender					
Male	176	65.7	77	34.3	6.9
Female	271	68.2	89	31.8	6.4
Age					
18-34	80	48.8	86	51.2	8.6
35-54	176	74.3	59	25.7	6.2
≥55	187	89.8	21	10.2	4.4
Education					
≤High School	154	69.5	50	30.5	8.2
>High School	293	65.8	116	34.2	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with a Disability

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	133	17.4	497	82.6	3.2
Gender					
Male	52	17.7	205	82.3	5.1
Female	81	17.2	292	82.8	4.1
Age					
18-34	20	11.5	152	88.5	5.1
35-54	49	17.9	193	82.1	5.0
≥55	61	26.4	151	73.6	6.3
Education					
≤High School	62	25.7	146	74.3	6.6
>High School	71	13.7	351	86.3	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	192	27.0	441	73.0	3.9
Gender					
Male	67	23.7	192	76.3	5.7
Female	125	30.1	249	69.9	5.4
Age					
18-34	46	23.0	127	77.0	6.6
35-54	70	28.0	173	72.0	6.1
≥55	75	33.3	138	66.7	6.9
Education					
≤High School	39	17.4	170	82.6	6.0
>High School	153	31.4	271	68.6	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	133	17.6	497	82.4	3.4
Gender					
Male	59	18.6	198	81.4	4.9
Female	74	16.7	299	83.3	4.6
Age					
18-34	9	6.4	164	93.6	4.8
35-54	39	15.5	203	84.5	5.1
≥55	83	39.9	128	60.1	7.2
Education					
≤High School	61	27.1	147	72.9	7.4
>High School	72	13.3	350	86.7	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Fall in Past Three Months

Cortland, Tompkins

Demographic Groups	n ¹	No fall % ²	C.I. ³	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	261	79.1	4.5	28	7.0	2.7	55	13.9	3.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months, Aged 65 and Older

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	81	70.4	33	29.6	9.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flusht in the Past 12 Months

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	229	31.1	401	68.9	4.1
Gender					
Male	89	31.0	168	69.0	6.2
Female	140	31.2	233	68.8	5.3
Age					
18-64	145	24.9	367	75.1	4.2
≥65	81	70.4	33	29.6	9.2
Education					
≤High School	78	29.7	130	70.3	6.7
>High School	151	31.7	271	68.3	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot, Aged 65 and Older

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	85	75.4	27	24.6	8.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	140	21.2	443	78.8	3.9
Gender					
Male	54	24.7	176	75.3	6.8
Female	86	18.1	267	81.9	4.1
Age					
18-64	54	12.2	413	87.8	3.8
≥65	85	75.4	27	24.6	8.7
Education					
≤High School	64	25.5	134	74.5	6.5
>High School	76	19.1	309	80.9	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	299	39.3	322	60.7	4.4
Gender					
Male	111	37.2	143	62.8	6.5
Female	188	41.3	179	58.7	5.9
Age					
18-34	29	15.8	141	84.2	5.7
35-54	114	46.2	125	53.8	6.9
≥55	153	73.2	55	26.8	6.8
Education					
≤High School	151	65.0	53	35.0	8.5
>High School	148	27.6	269	72.4	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Having Seen a Dental Professional in the Past 12 Months

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	414	72.1	155	27.9	4.4
Gender					
Male	165	69.2	69	30.8	6.8
Female	249	74.9	86	25.1	5.6
Age					
18-34	112	68.2	57	31.8	7.7
35-54	168	73.3	65	26.7	6.2
≥55	131	79.0	33	21.0	7.1
Education					
≤High School	102	61.5	61	38.5	8.9
>High School	312	76.3	94	23.7	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Lose Weight

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	275	40.2	355	59.8	4.6
Gender					
Male	98	34.9	159	65.1	6.7
Female	177	45.2	196	54.8	6.1
Age					
18-34	57	32.1	115	67.9	8.0
35-54	130	53.5	112	46.5	6.8
≥55	86	39.3	126	60.7	7.3
Education					
≤High School	98	43.7	110	56.3	8.0
>High School	177	38.6	245	61.4	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Maintain Current Weight of Those not Trying to Lose Weight

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	214	58.4	139	41.6	6.1
Gender					
Male	82	53.0	77	47.0	8.8
Female	132	64.5	62	35.5	8.4
Age					
18-34	71	60.2	43	39.8	10.0
35-54	68	59.1	44	40.9	9.9
≥55	74	54.0	51	46.0	9.6
Education					
≤High School	61	50.2	47	49.8	10.9
>High School	153	61.7	92	38.3	7.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eating Fewer Calories or Less Fat to Lose or Maintain Weight

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	353	68.6	134	31.4	5.2
Gender					
Male	117	62.2	62	37.8	8.5
Female	236	73.7	72	26.3	6.2
Age					
18-34	77	59.9	49	40.1	9.8
35-54	148	74.7	50	25.3	6.6
≥55	127	76.6	33	23.4	7.7
Education					
≤High School	122	73.0	37	27.0	8.5
>High School	231	66.7	97	33.3	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Using Physical Exercise to Lose or Maintain Weight

Cortland, Tompkins

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	361	76.3	126	23.7	4.4
Gender					
Male	132	76.5	46	23.5	6.8
Female	229	76.2	80	23.8	5.7
Age					
18-34	100	79.4	28	20.6	7.7
35-54	154	77.7	44	22.3	6.4
≥55	107	70.5	51	29.5	7.7
Education					
≤High School	97	66.6	61	33.4	8.3
>High School	264	80.4	65	19.6	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pap Smear

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	273	89.4	20	10.6	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Pap Smear in Past 3 Years

Cortland, Tompkins

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	244	81.9	48	18.1	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval