

# Expanded BRFSS, 2003

## Broome

### Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

## Ever had Blood Cholesterol Checked

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	496	76.4	115	23.6	4.1
Gender					
Male	192	72.8	59	27.2	6.5
Female	304	79.7	56	20.3	5.2
Age					
18-34	73	50.9	58	49.1	9.5
35-54	181	78.5	45	21.5	6.1
≥55	235	95.4	11	4.6	3.0
Education					
≤High School	215	82.1	40	17.9	6.0
>High School	279	72.4	75	27.6	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Blood Cholesterol Checked in the Past Five Years

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	456	71.3	150	28.7	4.3
Gender					
Male	174	66.8	76	33.2	6.7
Female	282	75.3	74	24.7	5.4
Age					
18-34	66	46.1	64	53.9	9.4
35-54	165	72.7	61	27.3	6.4
≥55	220	91.1	22	8.9	4.0
Education					
≤High School	200	77.5	51	22.5	6.3
>High School	254	67.0	99	33.0	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with a Disability

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	160	22.4	468	77.6	3.6
Gender					
Male	53	17.6	208	82.4	4.8
Female	107	26.6	260	73.4	5.1
Age					
18-34	18	12.4	121	87.6	6.3
35-54	57	23.0	172	77.0	6.0
≥55	84	30.3	168	69.7	6.1
Education					
≤High School	80	27.9	182	72.1	6.1
>High School	80	18.7	284	81.3	4.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eat Five Fruits or Vegetable Servings per Day

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	167	27.6	461	72.4	4.0
Gender					
Male	45	19.2	217	80.8	5.5
Female	122	35.2	244	64.8	5.6
Age					
18-34	37	27.9	102	72.1	8.5
35-54	52	24.3	178	75.7	6.3
≥55	75	30.2	177	69.8	6.4
Education					
≤High School	60	24.3	203	75.7	6.1
>High School	106	29.9	257	70.1	5.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Been Told Have High Blood Pressure by a Medical Professional

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	184	25.8	443	74.2	3.7
Gender					
Male	72	26.0	189	74.0	5.8
Female	112	25.6	254	74.4	4.8
Age					
18-34	8	4.8	131	95.2	3.6
35-54	49	20.8	180	79.2	5.9
≥55	125	49.1	126	50.9	6.9
Education					
≤High School	99	33.0	162	67.0	6.3
>High School	84	20.8	280	79.2	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Fall in Past Three Months

*Broome*

Demographic Groups	n <sup>1</sup>	No fall % <sup>2</sup>	C.I. <sup>3</sup>	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	289	78.5	4.7	29	8.0	3.1	50	13.5	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months, Aged 65 and Older

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	113	65.7	47	34.3	8.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flusht in the Past 12 Months

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	204	28.5	420	71.5	3.8
Gender					
Male	78	27.5	182	72.5	5.9
Female	126	29.4	238	70.6	5.0
Age					
18-64	86	17.8	370	82.2	3.9
≥65	113	65.7	47	34.3	8.6
Education					
≤High School	97	32.6	163	67.4	6.1
>High School	105	25.4	257	74.6	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot, Aged 65 and Older

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	107	60.6	54	39.4	8.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	173	25.6	418	74.4	3.8
Gender					
Male	68	26.0	169	74.0	6.1
Female	105	25.3	249	74.7	4.8
Age					
18-64	65	15.2	358	84.8	3.9
≥65	107	60.6	54	39.4	8.7
Education					
≤High School	89	32.4	163	67.6	6.4
>High School	83	20.7	254	79.3	4.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	323	48.3	287	51.7	4.5
Gender					
Male	128	45.2	131	54.8	6.7
Female	195	51.2	156	48.8	5.9
Age					
18-34	22	15.6	117	84.4	6.8
35-54	103	44.9	121	55.1	7.2
≥55	194	80.8	46	19.2	5.5
Education					
≤High School	180	66.8	70	33.2	6.9
>High School	141	35.9	217	64.1	5.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Having Seen a Dental Professional in the Past 12 Months

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	445	76.1	132	23.9	4.0
Gender					
Male	182	74.4	65	25.6	6.1
Female	263	77.6	67	22.4	5.3
Age					
18-34	96	70.1	41	29.9	8.7
35-54	172	77.4	52	22.6	6.0
≥55	170	80.0	38	20.0	6.3
Education					
≤High School	168	71.3	54	28.7	7.3
>High School	275	78.9	78	21.1	4.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Trying to Lose Weight**

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	282	42.9	344	57.1	4.3
Gender					
Male	97	33.8	164	66.2	6.2
Female	185	51.0	180	49.0	5.8
Age					
18-34	57	38.0	82	62.0	8.8
35-54	105	44.4	124	55.6	7.1
≥55	115	44.4	135	55.6	6.8
Education					
≤High School	118	45.4	142	54.6	6.9
>High School	163	41.2	201	58.8	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Maintain Current Weight of Those not Trying to Lose Weight

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	206	59.1	133	40.9	6.0
Gender					
Male	87	51.5	76	48.5	8.6
Female	119	68.4	57	31.6	7.6
Age					
18-34	46	55.1	35	44.9	12.0
35-54	79	63.2	44	36.8	9.6
≥55	78	58.0	54	42.0	9.5
Education					
≤High School	74	49.9	68	50.1	9.4
>High School	131	64.8	65	35.2	7.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eating Fewer Calories or Less Fat to Lose or Maintain Weight

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	379	78.3	106	21.7	4.1
Gender					
Male	145	79.4	38	20.6	6.4
Female	234	77.4	68	22.6	5.3
Age					
18-34	78	77.5	25	22.5	8.7
35-54	143	76.9	41	23.1	6.7
≥55	152	79.9	38	20.1	6.4
Education					
≤High School	153	79.7	37	20.3	6.4
>High School	226	77.7	67	22.3	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Using Physical Exercise to Lose or Maintain Weight

*Broome*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	373	77.8	114	22.2	4.1
Gender					
Male	145	78.0	39	22.0	6.7
Female	228	77.6	75	22.4	5.1
Age					
18-34	91	89.0	12	11.0	6.6
35-54	148	78.6	36	21.4	6.8
≥55	127	66.7	65	33.3	7.3
Education					
≤High School	139	75.0	52	25.0	6.7
>High School	233	79.6	61	20.4	5.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pap Smear

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	263	95.8	11	4.2	2.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Pap Smear in Past 3 Years

*Broome*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	240	89.6	34	10.4	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval