Expanded BRFSS, 2003

Steuben, Yates

Γable of Contents:	
Optional Module 4: Cholesterol Awareness	. 1
Optional Module 6: Disability	. 3
Optional Module 9: Fruits and Vegetables	. 4
Optional Module 12: Hypertension Awareness	. 5
Optional Module 13: Injury Control - Falls	. 6
Optional Module 14: Immunization	. 7
Optional Module 15: Oral Health	11
Optional Module 24: Weight Control	13
Dptional Module 25: Cervical Cancer	17

Expanded BRFSS, 2003 - New York State Department of Health **Ever had Blood Cholesterol Checked** Steuben, Yates

Demographic Groups	n1	Yes %02	n	No %	C.I. ³
Total	507	77.8	118	22.2	4.1
Gender					
Male	180	75.6	53	24.4	6.7
Female	327	79.9	65	20.1	4.9
Age					
18-34	65	50.3	54	49.7	10.3
35-54	219	80.4	53	19.6	5.6
≥55	216	95.5	11	4.5	2.7
Education					
≤High School	244	76.4	66	23.6	5.5
>High School	262	79.0	52	21.0	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

1

Expanded BRFSS, 2003 - New York State Department of Health Had Blood Cholesterol Checked in the Past Five Years Steuben, Yates

Demographic Groups	n1	Yes %	n	No %	C.I. ³
Total	481	72.9	142	27.1	4.5
Gender					
Male	169	70.0	63	30.0	7.4
Female	312	75.6	79	24.4	5.2
Age					
18-34	59	45.7	60	54.3	10.1
35-54	202	72.3	68	27.7	7.0
≥55	213	94.0	14	6.0	3.2
Education					
≤High School	234	73.3	76	26.7	5.7
>High School	246	72.4	66	27.6	6.9

Expanded BRFSS, 2003 - New York State Department of Health Adults with a Disability Steuben, Yates

Demographic Groups	n ¹	Yes %02	n	No %	C.I. ³
Total	152	22.8	485	77.2	3.9
Gender					
Male	53	23.1	182	76.9	6.5
Female	99	22.5	303	77.5	4.4
Age					
18-34	16	12.4	110	87.6	6.0
35-54	58	23.3	215	76.7	6.8
≥55	74	29.9	157	70.1	6.5
Education					
≤High School	78	21.9	241	78.1	5.0
>High School	73	23.3	243	76.7	5.9

Expanded BRFSS, 2003 - New York State Department of Health Eat Five Fruits or Vegetable Servings per Day *Steuben, Yates*

Demographic Groups	n ¹	Yes %	n	No %	C.I. ³
Total	148	22.9	491	77.1	3.7
Gender					
Male	40	16.8	196	83.2	5.4
Female	108	28.5	295	71.5	5.0
Age					
18-34	24	19.9	102	80.1	7.8
35-54	51	15.2	222	84.8	4.6
≥55	70	33.5	163	66.5	6.9
Education					
≤High School	61	18.6	260	81.4	4.6
>High School	87	27.3	229	72.7	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Ever Been Told Have High Blood Pressure by a Medical Professional Steuben, Yates

Demographic Groups	n1	Yes	n	No %	C.I. ³
Total	178	25.0	459	75.0	3.7
Gender					
Male	74	26.6	161	73.4	6.1
Female	104	23.5	298	76.5	4.5
Age					
18-34	2	1.5	124	98.5	2.2
35-54	52	17.4	220	82.6	5.1
≥55	121	52.7	111	47.3	7.2
Education					
≤High School	98	27.0	221	73.0	5.3
>High School	80	23.2	236	76.8	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health Had a Fall in Past Three Months *Steuben, Yates*

Demographic Groups	n1	No fall %0 ²	C.I. ³		Fall with injury %	C.I.		Fall no injury %	C.I.
Total	308	82.8	4.3	21	5.3	2.6	49	11.9	3.6

Expanded BRFSS, 2003 - New York State Department of Health Had a Flu Shot in the Past 12 Months, Aged 65 and Older *Steuben, Yates*

Demographic Groups	n1	Yes %	n	No %	C.I. ³
Total	97	73.3	34	26.7	8.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health Had a Flushot in the Past 12 Months *Steuben, Yates*

Demographic Groups	n1	Yes %02	n	No %	C.I. ³
Total	222	32.4	410	67.6	4.1
Gender					
Male	82	30.5	150	69.5	6.4
Female	140	34.0	260	66.0	5.2
Age					
18-64	120	21.9	374	78.1	4.1
≥65	97	73.3	34	26.7	8.5
Education					
≤High School	112	31.7	205	68.3	5.6
>High School	110	33.3	203	66.7	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ³95% Confidence Interval 8

Expanded BRFSS, 2003 - New York State Department of Health Ever Had a Pneumonia Shot, Aged 65 and Older Steuben, Yates

Demographic Groups	n1	Yes %	n	No %	C.I. ³
Total	87	65.2	43	34.8	9.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health Ever Had a Pneumonia Shot *Steuben, Yates*

Demographic Groups	n1	Yes %02	n	No %	C.I. ³
Total	145	23.1	451	76.9	3.8
Gender					
Male	52	22.9	151	77.1	6.2
Female	93	23.3	300	76.7	4.7
Age					
18-64	55	11.3	404	88.7	3.4
≥65	87	65.2	43	34.8	9.0
Education					
≤High School	74	22.2	227	77.8	5.1
>High School	71	24.1	223	75.9	5.6

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease Steuben, Yates

Demographic Groups	n1	Yes %	n	No %	C.I. ³
Total	366	56.3	256	43.7	4.6
Gender					
Male	137	54.9	93	45.1	7.5
Female	229	57.5	163	42.5	5.5
Age					
18-34	35	26.8	90	73.2	8.7
35-54	141	53.3	124	46.7	7.3
≥55	186	83.8	40	16.2	5.2
Education					
≤High School	217	67.2	92	32.8	6.0
>High School	148	45.8	163	54.2	6.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health Having Seen a Dental Professional in the Past 12 Months *Steuben, Yates*

Demographic Groups	n1	Yes %02	n	No %	C.I. ³
Total	390	67.7	176	32.3	4.6
Gender					
Male	132	62.9	77	37.1	7.6
Female	258	72.1	99	27.9	5.4
Age					
18-34	81	64.6	41	35.4	9.6
35-54	170	63.0	91	37.0	7.4
≥55	135	77.8	41	22.2	6.7
Education					
≤High School	162	59.7	102	40.3	6.7
>High School	226	74.7	74	25.3	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health **Trying to Lose Weight** Steuben, Yates

Demographic Groups	n ¹	Yes %	n	No %	C.I. ³
Total	310	45.2	324	54.8	4.5
Gender					
Male	78	31.8	156	68.2	6.6
Female	232	57.2	168	42.8	5.5
Age					
18-34	56	39.9	69	60.1	9.4
35-54	144	49.2	129	50.8	7.1
≥55	105	43.7	124	56.3	7.2
Education					
≤High School	141	40.0	176	60.0	5.9
>High School	169	50.6	146	49.4	6.7

Trying to Maintain Current Weight of Those not Trying to Lose Weight Steuben, Yates

Demographic Groups	n1	Yes %	n	No %	C.I. ³
Total	196	57.5	128	42.5	6.6
Gender					
Male	78	48.8	76	51.2	9.2
Female	118	69.7	52	30.3	7.8
Age					
18-34	42	56.9	26	43.1	14.0
35-54	74	53.8	54	46.2	10.8
≥55	79	62.2	47	37.8	9.4
Education					
≤High School	105	59.7	72	40.3	8.1
>High School	90	55.2	55	44.8	10.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health **Eating Fewer Calories or Less Fat to Lose or Maintain Weight** *Steuben, Yates*

Demographic Groups	n1	Yes %02	n	No %	C.I. ³
Total	375	73.6	123	26.4	4.5
Gender					
Male	100	64.5	54	35.5	8.2
Female	275	79.7	69	20.3	4.8
Age					
18-34	65	64.9	33	35.1	10.4
35-54	158	72.4	54	27.6	7.0
≥55	147	80.8	35	19.2	6.3
Education					
≤High School	178	71.0	65	29.0	6.6
>High School	196	75.8	58	24.2	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

Expanded BRFSS, 2003 - New York State Department of Health Using Physical Exercise to Lose or Maintain Weight Steuben, Yates

Demographic Groups	n1	Yes	n	No %	C.I. ³
Total	355	71.7	150	28.3	4.4
Gender					
Male	109	72.0	47	28.0	7.6
Female	246	71.5	103	28.5	5.2
Age					
18-34	80	84.0	18	16.0	7.3
35-54	166	74.1	52	25.9	6.9
≥55	104	59.2	79	40.8	7.9
Education					
≤High School	158	64.6	87	35.4	6.7
>High School	196	78.4	63	21.6	5.4

Expanded BRFSS, 2003 - New York State Department of Health Ever Had a Pap Smear Steuben, Yates

Demographic Groups	n1	Yes %02	n	No %	C.I. ³
Total	292	96.9	8	3.1	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent ^{305%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Had a Pap Smear in Past 3 Years Steuben, Yates

Demographic Groups	n1	Yes %	n	No %	C.I. ³
Total	274	92.0	24	8.0	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent