

# Expanded BRFSS, 2003

## Orange

### Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

## Ever had Blood Cholesterol Checked

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	537	82.5	84	17.5	4.0
Gender					
Male	203	81.6	32	18.4	6.6
Female	334	83.4	52	16.6	4.5
Age					
18-34	83	65.6	41	34.4	10.0
35-54	267	88.4	32	11.6	4.2
≥55	180	92.7	11	7.3	4.4
Education					
≤High School	221	77.4	48	22.6	6.3
>High School	315	86.2	36	13.8	5.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Blood Cholesterol Checked in the Past Five Years

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	514	80.0	100	20.0	4.1
Gender					
Male	198	80.2	35	19.8	6.7
Female	316	79.8	65	20.2	4.7
Age					
18-34	78	63.1	45	36.9	10.1
35-54	252	85.1	43	14.9	4.6
≥55	178	92.0	12	8.0	4.5
Education					
≤High School	211	75.4	54	24.6	6.4
>High School	302	83.4	46	16.6	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with a Disability

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	131	17.9	494	82.1	3.2
Gender					
Male	44	14.2	194	85.8	4.4
Female	87	21.6	300	78.4	4.5
Age					
18-34	10	5.7	115	94.3	3.7
35-54	58	18.1	242	81.9	4.8
≥55	61	32.9	132	67.1	7.3
Education					
≤High School	73	23.4	199	76.6	5.5
>High School	58	13.8	294	86.2	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eat Five Fruits or Vegetable Servings per Day

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	180	25.2	450	74.8	3.9
Gender					
Male	53	20.9	187	79.1	6.2
Female	127	29.4	263	70.6	4.8
Age					
18-34	26	19.6	101	80.4	8.5
35-54	91	27.2	211	72.8	5.5
≥55	61	28.8	133	71.2	6.8
Education					
≤High School	57	20.0	218	80.0	5.4
>High School	123	29.1	231	70.9	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Been Told Have High Blood Pressure by a Medical Professional

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	170	23.2	458	76.8	3.6
Gender					
Male	69	22.5	170	77.5	5.6
Female	101	23.9	288	76.1	4.6
Age					
18-34	6	4.3	120	95.7	3.6
35-54	59	20.7	243	79.3	5.4
≥55	103	51.9	90	48.1	7.7
Education					
≤High School	84	25.6	190	74.4	5.5
>High School	86	21.4	267	78.6	4.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Fall in Past Three Months

*Orange*

Demographic Groups	n <sup>1</sup>	No fall % <sup>2</sup>	C.I. <sup>3</sup>	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	269	81.5	4.6	27	6.9	2.8	40	11.6	3.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months, Aged 65 and Older

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	79	66.9	38	33.1	9.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flushot in the Past 12 Months

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	207	31.6	418	68.4	4.4
Gender					
Male	82	31.8	156	68.2	7.0
Female	125	31.3	262	68.7	5.3
Age					
18-64	126	25.9	375	74.1	4.8
≥65	79	66.9	38	33.1	9.1
Education					
≤High School	84	28.7	188	71.3	6.2
>High School	123	33.8	229	66.2	6.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot, Aged 65 and Older

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	70	60.4	44	39.6	9.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Had a Pneumonia Shot**

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	118	20.0	469	80.0	3.9
Gender					
Male	53	22.8	161	77.2	6.6
Female	65	17.4	308	82.6	4.2
Age					
18-64	47	12.9	419	87.1	4.1
≥65	70	60.4	44	39.6	9.7
Education					
≤High School	57	20.4	200	79.6	5.6
>High School	61	19.7	268	80.3	5.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	342	51.0	272	49.0	4.7
Gender					
Male	135	50.0	98	50.0	7.5
Female	207	51.9	174	48.1	5.6
Age					
18-34	27	21.1	98	78.9	8.1
35-54	154	54.4	143	45.6	6.4
≥55	157	84.4	28	15.6	5.7
Education					
≤High School	183	62.2	79	37.8	7.0
>High School	158	42.7	193	57.3	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Having Seen a Dental Professional in the Past 12 Months

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	427	73.7	161	26.3	4.1
Gender					
Male	158	72.3	65	27.7	6.7
Female	269	75.1	96	24.9	4.8
Age					
18-34	87	70.7	38	29.3	8.9
35-54	224	77.1	73	22.9	5.3
≥55	112	71.0	48	29.0	7.6
Education					
≤High School	171	71.9	76	28.1	6.3
>High School	256	74.9	85	25.1	5.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Lose Weight

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	329	50.0	294	50.0	4.7
Gender					
Male	96	40.7	141	59.3	7.3
Female	233	59.2	153	40.8	5.5
Age					
18-34	57	42.7	68	57.3	10.0
35-54	169	55.5	130	44.5	6.4
≥55	99	49.0	94	51.0	7.7
Education					
≤High School	133	46.3	137	53.7	6.8
>High School	195	52.6	157	47.4	6.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Trying to Maintain Current Weight of Those not Trying to Lose Weight**

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	171	54.7	122	45.3	6.9
Gender					
Male	76	50.4	65	49.6	9.8
Female	95	60.8	57	39.2	8.8
Age					
18-34	35	49.0	33	51.0	13.9
35-54	78	55.0	52	45.0	9.7
≥55	56	61.5	37	38.5	10.7
Education					
≤High School	78	53.8	59	46.2	9.5
>High School	93	55.4	63	44.6	9.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eating Fewer Calories or Less Fat to Lose or Maintain Weight

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	396	79.0	97	21.0	4.4
Gender					
Male	126	75.0	40	25.0	7.6
Female	270	82.2	57	17.8	4.9
Age					
18-34	75	78.8	17	21.2	10.1
35-54	194	77.4	50	22.6	6.1
≥55	122	82.0	29	18.0	6.5
Education					
≤High School	158	74.7	48	25.3	7.3
>High School	237	81.9	49	18.1	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval



Expanded BRFSS, 2003 - New York State Department of Health

## Using Physical Exercise to Lose or Maintain Weight

*Orange*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	358	74.0	141	26.0	4.4
Gender					
Male	131	78.4	40	21.6	7.0
Female	227	70.4	101	29.6	5.4
Age					
18-34	73	81.0	18	19.0	9.0
35-54	190	78.0	57	22.0	5.9
≥55	91	59.4	64	40.6	8.4
Education					
≤High School	129	65.0	81	35.0	7.2
>High School	228	80.2	60	19.8	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pap Smear

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	321	96.4	10	3.6	2.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Pap Smear in Past 3 Years

*Orange*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	280	85.9	47	14.1	4.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval