Expanded BRFSS, 2003

Table of Contents:	
Optional Module 4: Cholesterol Awareness	1
Optional Module 6: Disability	3
Optional Module 9: Fruits and Vegetables	4
Optional Module 12: Hypertension Awareness	
Optional Module 13: Injury Control - Falls	6
Optional Module 14: Immunization	7
Optional Module 15: Oral Health	11
Optional Module 24: Weight Control	13
Optional Module 25: Cervical Cancer	17

Expanded BRFSS, 2003 - New York State Department of Health

Ever had Blood Cholesterol Checked

Albany

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	518	82.5	89	17.5	3.8
Gender					
Male	203	81.0	39	19.0	6.0
Female	315	83.9	50	16.1	4.8
Age					
18-34	101	61.1	55	38.9	9.0
35-54	209	89.3	23	10.7	5.0
≥55	200	95.6	11	4.4	2.6
Education					
≤High School	145	77.3	32	22.7	7.7
>High School	372	84.7	57	15.3	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Had Blood Cholesterol Checked in the Past Five Years *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	488	78.8	112	21.2	4.0
Gender					
Male	193	78.0	47	22.0	6.2
Female	295	79.4	65	20.6	5.2
Age					
18-34	93	56.7	62	43.3	9.1
35-54	194	83.9	36	16.1	5.7
≥55	194	94.2	14	5.8	3.1
Education					
≤High School	137	74.8	37	25.2	7.9
>High School	350	80.4	75	19.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Adults with a Disability

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	131	19.2	495	80.8	3.5
Gender					
Male	48	17.4	202	82.6	5.2
Female	83	20.8	293	79.2	4.6
Age					
18-34	17	11.1	147	88.9	6.1
35-54	55	22.4	185	77.6	6.1
≥55	58	24.5	155	75.5	6.0
Education					
≤High School	47	23.3	133	76.7	6.8
>High School	84	17.5	361	82.5	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Eat Five Fruits or Vegetable Servings per Day** *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	195	29.6	436	70.4	3.9
Gender					
Male	58	22.7	193	77.3	5.6
Female	137	35.8	243	64.2	5.4
Age					
18-34	39	21.7	126	78.3	6.7
35-54	78	33.5	163	66.5	6.8
≥55	74	32.8	142	67.2	6.8
Education					
≤High School	46	24.0	137	76.0	6.8
>High School	149	32.0	298	68.0	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Been Told Have High Blood Pressure by a Medical Professional *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	161	25.3	466	74.7	3.9
Gender					
Male	73	29.0	176	71.0	6.3
Female	88	21.9	290	78.1	4.6
Age					
18-34	9	7.4	155	92.6	5.7
35-54	43	16.9	197	83.1	5.3
≥55	107	52.7	107	47.3	7.3
Education					
≤High School	59	30.0	122	70.0	7.3
>High School	102	23.4	343	76.6	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Had a Fall in Past Three Months

Demographic Groups	n¹	No fall	C.I. ³		Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	278	79.4	4.9	32	8.7	3.3	41	11.9	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Had a Flu Shot in the Past 12 Months, Aged 65 and Older *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	87	78.3	23	21.7	8.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Had a Flushot in the Past 12 Months** *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	229	35.3	393	64.7	4.2
Gender					
Male	82	31.7	167	68.3	6.4
Female	147	38.6	226	61.4	5.6
Age					
18-64	137	25.5	366	74.5	4.4
≥65	87	78.3	23	21.7	8.2
Education					
≤High School	80	41.8	99	58.2	8.1
>High School	148	32.5	294	67.5	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Ever Had a Pneumonia Shot, Aged 65 and Older *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	80	74.6	26	25.4	8.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Ever Had a Pneumonia Shot**

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	152	25.7	422	74.3	4.0
Gender					
Male	55	24.8	162	75.2	6.3
Female	97	26.5	260	73.5	5.1
Age					
18-64	72	14.7	388	85.3	3.8
≥65	80	74.6	26	25.4	8.9
Education					
≤High School	52	32.3	113	67.7	8.3
>High School	99	22.8	309	77.2	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

^{395%} Confidence Interval

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	282	43.5	327	56.5	4.4
Gender					
Male	118	43.4	125	56.6	6.8
Female	164	43.6	202	56.4	5.8
Age					
18-34	22	11.1	142	88.9	4.8
35-54	103	44.3	132	55.7	7.3
≥55	153	77.3	49	22.7	6.2
Education					
≤High School	106	57.8	66	42.2	8.5
>High School	175	37.7	261	62.3	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

^{395%} Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Having Seen a Dental Professional in the Past 12 Months** *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	468	78.3	127	21.7	3.8
Gender					
Male	180	75.2	58	24.8	6.1
Female	288	81.1	69	18.9	4.5
Age					
18-34	117	72.6	47	27.4	7.6
35-54	194	82.4	43	17.6	5.5
≥55	150	80.1	35	19.9	6.5
Education					
≤High School	123	75.1	38	24.9	7.6
>High School	345	79.4	89	20.6	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Trying to Lose Weight

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	290	44.8	333	55.2	4.4
Gender					
Male	96	37.2	153	62.8	6.5
Female	194	51.7	180	48.3	5.8
Age					
18-34	57	32.0	107	68.0	7.7
35-54	131	54.8	109	45.2	7.1
≥55	98	47.1	112	52.9	7.4
Education					
≤High School	70	39.1	109	60.9	8.1
>High School	220	47.2	223	52.8	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent ³95% Confidence Interval

Trying to Maintain Current Weight of Those not Trying to Lose Weight *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	228	67.2	105	32.8	5.8
Gender					
Male	87	56.6	65	43.4	8.9
Female	141	79.6	40	20.4	6.2
Age					
18-34	75	67.3	32	32.7	10.7
35-54	72	66.2	37	33.8	9.6
≥55	79	69.4	33	30.6	9.3
Education					
≤High School	69	59.5	41	40.5	10.7
>High School	159	71.1	63	28.9	6.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Eating Fewer Calories or Less Fat to Lose or Maintain Weight *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	396	75.8	117	24.2	4.3
Gender					
Male	134	72.9	45	27.1	7.6
Female	262	77.8	72	22.2	5.0
Age					
18-34	88	65.3	43	34.7	9.5
35-54	165	81.9	38	18.1	5.7
≥55	140	80.5	33	19.5	6.6
Education					
≤High School	111	81.1	26	18.9	7.3
>High School	285	73.8	91	26.2	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health **Using Physical Exercise to Lose or Maintain Weight** *Albany*

Demographic Groups	n¹	Yes	n	No %	C.I. ³
Total	401	76.8	115	23.2	4.1
Gender					
Male	143	77.4	40	22.6	6.5
Female	258	76.4	75	23.6	5.2
Age					
18-34	107	81.6	25	18.4	7.1
35-54	173	81.0	30	19.0	6.7
≥55	117	68.0	58	32.0	7.5
Education					
≤High School	96	68.4	42	31.6	8.9
>High School	305	80.0	73	20.0	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Ever Had a Pap Smear

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	305	95.9	10	4.1	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health Had a Pap Smear in Past 3 Years *Albany*

Demographic Groups	n¹	Yes %2	n	No %	C.I. ³
Total	291	92.2	22	7.8	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution ²Weighted Percent

³95% Confidence Interval