

Expanded BRFSS, 2003

State and Locality Summary Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	1
Core 2: Health Care Access	7
Core 3: Exercise	15
Core 4: Diabetes	17
Core 5: Asthma	19
Core 6: Arthritis	23
Core 7: Tobacco Use	27
Core 8: Tobacco ETS	37
Core 9: Alcohol Consumption	41
Core 10: Weight Status	45
Core 11: Mammography	49
Core 12: Sexual Behavior	55
Core 13: Family Planning	63
Core 14: Cardiovascular Disease	65
Core 15: Prostate Cancer Screening	69
Core 16: Colorectal Cancer Screening	77

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status*New York State*

Demographic Groups	n¹	Fair or Poor %²	n	Good to Excellent %	C.I.³
Total	3881	16.9	20188	83.1	0.9
Gender					
Male	1459	16.4	7977	83.6	1.5
Female	2422	17.4	12211	82.6	1.2
Age					
18-24	115	10.6	1503	89.4	3.1
25-34	292	10.2	3336	89.8	1.9
35-44	521	11.6	4579	88.4	1.8
45-54	687	16.4	4051	83.6	2.1
55-64	720	22.2	2789	77.8	2.6
≥65	1498	32.5	3646	67.5	2.6
Race/Ethnicity					
White	2948	13.2	16892	86.8	0.8
Black	275	20.9	1035	79.1	3.3
Hispanic	372	29.2	1026	70.8	3.5
Other	211	14.3	998	85.7	3.5
Education					
<High School	892	40.7	1474	59.3	4.0
High School	1522	20.5	6165	79.5	1.8
>High School	1445	10.4	12482	89.6	0.9
Household Income					
<\$10,000	539	44.6	725	55.4	5.3
\$10,000- 24,999	1416	28.7	3819	71.3	2.6
\$25,000- 49,999	855	14.9	5799	85.1	1.8
≥\$50,000	424	5.8	7330	94.2	0.9
Region					
NYC	666	23.0	2435	77.0	2.0
Rest of State	3215	12.4	17753	87.6	0.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Locality	n¹	Fair or Poor %²	n	Good to Excellent %	C.I.³
Albany	86	14.5	551	85.5	3.4
Allegany, Wyoming	112	15.5	524	84.5	3.1
Broome	111	16.1	529	83.9	3.1
Cattaraugus, Chautauqua	106	14.2	525	85.8	2.9
Cayuga, Seneca, Wayne	112	13.9	533	86.1	2.8
Chemung, Schuylar, Tioga	111	15.5	521	84.5	3.0
Chenango, Madison	124	16.0	535	84.0	3.0
Clinton, Essex, Franklin	96	13.4	550	86.6	2.9
Columbia, Greene	103	14.5	531	85.5	2.9
Cortland, Tompkins	78	9.8	565	90.2	2.6
Delaware, Otsego, Schoharie	97	14.2	532	85.8	3.1
Dutchess, Putnam	71	12.0	554	88.0	3.1
Erie	117	16.3	514	83.7	3.1
Fulton, Montgomery	123	17.8	505	82.2	3.3
Genesee, Orleans	112	16.1	520	83.9	3.1
Hamilton, Herkimer	118	17.2	499	82.8	3.3
Jefferson, Lewis, StLawrence	114	15.7	525	84.3	3.5
Livingston, Ontario	92	11.8	543	88.2	2.6
Monroe	83	11.1	538	88.9	2.6
Nassau	55	7.9	557	92.1	2.3
Niagara	122	16.4	507	83.6	3.0
Oneida, Oswego	91	11.6	559	88.4	2.6
Onondaga	89	11.9	557	88.1	3.0
Orange	96	13.6	541	86.4	3.0
Rensselaer	95	12.3	543	87.7	2.6
Rockland	69	11.4	559	88.6	3.0
Saratoga	67	8.5	577	91.5	2.2
Schenectady	89	11.7	544	88.3	2.5
Steuben, Yates	118	17.9	532	82.1	3.5
Suffolk	78	10.2	560	89.8	2.4
Sullivan, Ulster	100	13.4	541	86.6	2.9
Warren, Washington	100	13.9	547	86.1	2.9
Westchester	80	12.8	535	87.2	3.0
Bronx	184	31.5	441	68.5	4.6
Kings (Brooklyn)	142	24.1	495	75.9	4.0
New York (Manhattan)	113	18.8	501	81.2	3.9
Queens	132	22.1	475	77.9	3.9
Richmond (Staten Island)	95	14.7	523	85.3	3.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month*New York State*

Demographic Groups	n¹	≥14 days %²	n	< 14 days %	C.I.³
Total	2695	10.0	20935	90.0	0.7
Gender					
Male	896	8.4	8410	91.6	1.0
Female	1799	11.5	12525	88.5	0.9
Age					
18-24	93	4.5	1514	95.5	1.7
25-34	217	4.8	3395	95.2	1.3
35-44	446	8.1	4607	91.9	1.5
45-54	578	11.1	4113	88.9	1.6
55-64	497	15.2	2948	84.8	2.2
≥65	844	17.7	4054	82.3	2.1
Race/Ethnicity					
White	2157	9.5	17328	90.5	0.7
Black	149	10.6	1131	89.4	2.3
Hispanic	181	11.8	1187	88.2	2.4
Other	165	9.6	1013	90.4	3.1
Education					
<High School	501	17.7	1734	82.3	3.0
High School	966	11.7	6537	88.3	1.3
>High School	1219	7.6	12590	92.4	0.8
Household Income					
<\$10,000	368	27.0	828	73.0	4.7
\$10,000- 24,999	907	16.0	4195	84.0	2.0
\$25,000- 49,999	623	7.8	5967	92.2	1.2
≥\$50,000	398	4.9	7326	95.1	0.7
Region					
NYC	364	11.4	2662	88.6	1.5
Rest of State	2331	9.0	18273	91.0	0.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Locality	n¹	≥14 days %²	n	< 14 days %	C.I.³
Albany	54	8.6	580	91.4	2.8
Allegany, Wyoming	76	11.2	546	88.8	2.7
Broome	87	12.6	540	87.4	2.8
Cattaraugus, Chautauqua	82	11.0	533	89.0	2.6
Cayuga, Seneca, Wayne	76	11.1	552	88.9	2.7
Chemung, Schuylar, Tioga	77	11.1	542	88.9	2.6
Chenango, Madison	77	9.9	572	90.1	2.4
Clinton, Essex, Franklin	70	9.1	562	90.9	2.5
Columbia, Greene	76	10.8	535	89.2	2.7
Cortland, Tompkins	58	7.4	570	92.6	2.1
Delaware, Otsego, Schoharie	73	11.2	545	88.8	3.0
Dutchess, Putnam	50	8.5	563	91.5	2.6
Erie	73	11.2	550	88.8	2.7
Fulton, Montgomery	95	15.0	524	85.0	3.3
Genesee, Orleans	79	11.1	552	88.9	2.6
Hamilton, Herkimer	79	11.9	523	88.1	2.8
Jefferson, Lewis, StLawrence	89	11.9	542	88.1	2.8
Livingston, Ontario	69	8.9	554	91.1	2.3
Monroe	56	7.8	557	92.2	2.2
Nassau	44	6.6	563	93.4	2.2
Niagara	89	12.3	525	87.7	2.7
Oneida, Oswego	82	11.4	551	88.6	2.7
Onondaga	56	7.5	578	92.5	2.1
Orange	68	10.3	558	89.7	2.9
Rensselaer	64	9.0	566	91.0	2.4
Rockland	48	7.2	575	92.8	2.2
Saratoga	62	8.5	568	91.5	2.5
Schenectady	71	9.8	552	90.2	2.4
Steuben, Yates	76	10.0	564	90.0	2.4
Suffolk	50	7.0	580	93.0	2.2
Sullivan, Ulster	87	12.3	547	87.7	2.8
Warren, Washington	83	11.4	554	88.6	2.6
Westchester	55	7.7	550	92.3	2.2
Bronx	91	13.6	513	86.4	3.0
Kings (Brooklyn)	73	12.0	544	88.0	3.1
New York (Manhattan)	65	8.8	533	91.2	2.3
Queens	71	11.7	523	88.3	3.1
Richmond (Staten Island)	64	9.4	549	90.6	2.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month*New York State*

Demographic Groups	n¹	≥14 days %²	n	< 14 days %	C.I.³
Total	2485	10.4	21229	89.6	0.7
Gender					
Male	783	8.3	8533	91.7	1.0
Female	1702	12.2	12696	87.8	0.9
Age					
18-24	206	11.9	1403	88.1	2.5
25-34	446	12.0	3162	88.0	1.7
35-44	618	10.7	4428	89.3	1.5
45-54	552	11.8	4128	88.2	1.6
55-64	357	10.9	3098	89.1	2.0
≥65	284	5.6	4712	94.4	1.1
Race/Ethnicity					
White	1964	9.9	17576	90.1	0.7
Black	155	10.3	1140	89.7	2.4
Hispanic	205	13.4	1180	86.6	2.4
Other	128	7.6	1053	92.4	2.1
Education					
<High School	373	14.3	1907	85.7	2.6
High School	876	11.4	6675	88.6	1.3
>High School	1228	9.2	12574	90.8	0.8
Household Income					
<\$10,000	307	22.5	925	77.5	4.2
\$10,000- 24,999	754	12.9	4369	87.1	1.6
\$25,000- 49,999	623	9.9	5966	90.1	1.3
≥\$50,000	499	7.0	7222	93.0	1.0
Region					
NYC	389	11.8	2663	88.2	1.4
Rest of State	2096	9.4	18566	90.6	0.6

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution² Weighted Percent³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Locality	n¹	≥14 days %²	n	< 14 days %	C.I.³
Albany	61	10.6	576	89.4	3.0
Allegany, Wyoming	72	10.0	548	90.0	2.7
Broome	69	11.3	563	88.7	3.0
Cattaraugus, Chautauqua	61	9.5	559	90.5	2.7
Cayuga, Seneca, Wayne	59	9.4	572	90.6	2.8
Chemung, Schuyler, Tioga	73	10.3	549	89.7	2.5
Chenango, Madison	58	9.2	586	90.8	2.6
Clinton, Essex, Franklin	65	9.8	573	90.2	2.7
Columbia, Greene	62	8.3	554	91.7	2.2
Cortland, Tompkins	50	6.9	581	93.1	2.2
Delaware, Otsego, Schoharie	63	11.1	558	88.9	3.1
Dutchess, Putnam	66	11.6	558	88.4	3.1
Erie	79	10.7	536	89.3	2.5
Fulton, Montgomery	68	9.4	547	90.6	2.4
Genesee, Orleans	62	9.8	565	90.2	2.6
Hamilton, Herkimer	72	10.4	531	89.6	2.6
Jefferson, Lewis, StLawrence	52	7.3	576	92.7	2.3
Livingston, Ontario	71	10.5	558	89.5	2.6
Monroe	65	12.1	550	87.9	3.1
Nassau	42	5.8	567	94.2	1.9
Niagara	69	9.8	559	90.2	2.5
Oneida, Oswego	69	10.2	570	89.8	2.6
Onondaga	62	8.9	573	91.1	2.4
Orange	62	10.7	563	89.3	3.0
Rensselaer	63	9.4	563	90.6	2.5
Rockland	50	8.1	573	91.9	2.7
Saratoga	55	7.4	587	92.6	2.3
Schenectady	67	9.6	551	90.4	2.4
Steuben, Yates	65	10.5	575	89.5	3.0
Suffolk	58	8.9	576	91.1	2.6
Sullivan, Ulster	82	11.9	547	88.1	2.9
Warren, Washington	68	9.8	571	90.2	2.6
Westchester	56	9.3	551	90.7	2.7
Bronx	86	13.0	531	87.0	3.0
Kings (Brooklyn)	84	11.7	542	88.3	2.8
New York (Manhattan)	78	13.2	523	86.8	3.1
Queens	59	9.7	540	90.3	2.7
Richmond (Staten Island)	82	14.1	527	85.9	3.3

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Health Insurance Coverage, 18-64 Years of Age
New York State

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	16182	83.0	2454	17.0	1.1
Gender					
Male	6353	79.4	1188	20.6	1.9
Female	9829	86.4	1266	13.6	1.3
Age					
18-24	1155	68.9	452	31.1	4.2
25-34	2986	77.0	657	23.0	2.6
35-44	4497	84.2	622	15.8	2.1
45-54	4274	89.8	475	10.2	1.6
55-64	3270	93.0	248	7.0	1.7
Race/Ethnicity					
White	13315	90.2	1698	9.8	0.7
Black	951	80.0	189	20.0	3.6
Hispanic	934	63.2	348	36.8	4.0
Other	830	79.5	181	20.5	4.6
Education					
<High School	1074	58.9	468	41.1	5.0
High School	4586	78.5	948	21.5	2.3
>High School	10488	89.0	1025	11.0	1.1
Household Income					
<\$10,000	658	64.2	244	35.8	6.4
\$10,000- 24,999	2481	64.0	963	36.0	3.4
\$25,000- 49,999	4680	85.1	668	14.9	1.9
≥\$50,000	6818	95.0	267	5.0	1.0
Region					
NYC	2156	78.1	419	21.9	2.3
Rest of State	14026	86.6	2035	13.4	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Health Insurance Coverage, 18-64 Years of Age

Locality	n ¹	Yes % ²	n	No %	C.I. ³
Albany	469	90.0	42	10.0	3.4
Allegany, Wyoming	433	85.4	62	14.6	3.8
Broome	399	84.1	66	15.9	4.1
Cattaraugus, Chautauqua	374	80.3	75	19.7	4.6
Cayuga, Seneca, Wayne	405	85.3	57	14.7	4.1
Chemung, Schuylar, Tioga	394	82.1	84	17.9	3.9
Chenango, Madison	431	84.0	74	16.0	3.8
Clinton, Essex, Franklin	414	82.1	75	17.9	4.2
Columbia, Greene	413	83.4	75	16.6	3.9
Cortland, Tompkins	464	86.6	57	13.4	3.8
Delaware, Otsego, Schoharie	405	84.1	69	15.9	4.3
Dutchess, Putnam	459	89.0	50	11.0	3.4
Erie	433	92.3	37	7.7	2.8
Fulton, Montgomery	413	87.0	59	13.0	3.5
Genesee, Orleans	429	85.9	62	14.1	3.7
Hamilton, Herkimer	387	83.5	66	16.5	4.4
Jefferson, Lewis, StLawrence	417	82.6	79	17.4	4.4
Livingston, Ontario	447	88.0	58	12.0	3.2
Monroe	440	88.9	52	11.1	3.3
Nassau	434	90.5	32	9.5	3.7
Niagara	423	88.9	40	11.1	3.8
Oneida, Oswego	431	84.6	66	15.4	3.8
Onondaga	436	85.3	57	14.7	4.1
Orange	434	80.8	76	19.2	4.7
Rensselaer	434	89.7	49	10.3	3.1
Rockland	441	85.2	53	14.8	4.3
Saratoga	450	88.6	51	11.4	3.4
Schenectady	405	87.3	47	12.7	3.7
Steuben, Yates	423	80.9	86	19.1	4.3
Suffolk	445	86.6	56	13.4	3.9
Sullivan, Ulster	423	82.8	84	17.2	4.1
Warren, Washington	420	84.0	73	16.0	3.9
Westchester	401	82.9	66	17.1	4.5
Bronx	431	72.1	113	27.9	5.1
Kings (Brooklyn)	456	78.8	97	21.2	4.2
New York (Manhattan)	421	83.2	63	16.8	4.6
Queens	393	74.9	98	25.1	5.0
Richmond (Staten Island)	455	87.9	48	12.1	3.7

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Health Insurance Coverage, Aged 18 and Older
New York State

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	21563	85.7	2580	14.3	0.9
Gender					
Male	8228	82.3	1225	17.7	1.6
Female	13335	88.7	1355	11.3	1.0
Age					
18-24	1155	68.9	452	31.1	4.2
25-34	2986	77.0	657	23.0	2.6
35-44	4497	84.2	622	15.8	2.1
45-54	4274	89.8	475	10.2	1.6
55-64	3270	93.0	248	7.0	1.7
≥65	5072	98.2	98	1.8	0.7
Race/Ethnicity					
White	18073	92.1	1789	7.9	0.6
Black	1119	82.3	205	17.7	3.1
Hispanic	1058	65.6	354	34.4	3.8
Other	1024	81.1	189	18.9	4.1
Education					
<High School	1878	67.9	498	32.1	4.1
High School	6697	83.2	1005	16.8	1.8
>High School	12915	90.4	1063	9.6	0.9
Household Income					
<\$10,000	1011	70.8	257	29.2	5.4
\$10,000- 24,999	4238	72.5	1016	27.5	2.8
\$25,000- 49,999	5993	87.6	686	12.4	1.6
≥\$50,000	7505	95.4	272	4.6	0.9
Region					
NYC	2690	81.4	432	18.6	1.9
Rest of State	18873	88.8	2148	11.2	0.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Health Insurance Coverage, Aged 18 and Older

Locality	n ¹	Yes % ²	n	No %	C.I. ³
Albany	597	91.7	44	8.3	2.8
Allegany, Wyoming	573	87.6	65	12.4	3.2
Broome	569	87.3	71	12.7	3.2
Cattaraugus, Chautauqua	552	83.9	81	16.1	3.7
Cayuga, Seneca, Wayne	583	87.8	61	12.2	3.4
Chemung, Schuylar, Tioga	545	85.4	88	14.6	3.2
Chenango, Madison	582	86.2	81	13.8	3.2
Clinton, Essex, Franklin	564	84.6	82	15.4	3.5
Columbia, Greene	557	86.9	76	13.1	3.1
Cortland, Tompkins	585	88.3	58	11.7	3.3
Delaware, Otsego, Schoharie	557	86.8	74	13.2	3.5
Dutchess, Putnam	576	90.5	52	9.5	2.9
Erie	593	93.9	38	6.1	2.2
Fulton, Montgomery	568	89.8	61	10.2	2.7
Genesee, Orleans	572	88.4	64	11.6	3.1
Hamilton, Herkimer	546	86.5	71	13.5	3.5
Jefferson, Lewis, StLawrence	556	85.2	84	14.8	3.7
Livingston, Ontario	576	89.8	61	10.2	2.7
Monroe	567	90.3	56	9.7	2.8
Nassau	580	92.1	36	7.9	3.0
Niagara	594	91.2	40	8.8	3.1
Oneida, Oswego	583	87.3	70	12.7	3.1
Onondaga	584	87.8	60	12.2	3.4
Orange	560	83.5	77	16.5	4.1
Rensselaer	584	91.2	53	8.8	2.6
Rockland	578	87.4	56	12.6	3.6
Saratoga	590	90.2	56	9.8	2.8
Schenectady	580	89.5	52	10.5	3.0
Steuben, Yates	564	84.8	88	15.2	3.5
Suffolk	582	88.4	59	11.6	3.3
Sullivan, Ulster	557	85.6	86	14.4	3.4
Warren, Washington	570	86.9	76	13.1	3.2
Westchester	549	85.4	71	14.6	3.7
Bronx	512	75.2	119	24.8	4.6
Kings (Brooklyn)	541	82.1	99	17.9	3.6
New York (Manhattan)	547	85.4	66	14.6	4.0
Queens	514	79.5	99	20.5	4.2
Richmond (Staten Island)	576	90.0	49	10.0	3.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	21382	89.2	2613	10.8	0.7
Gender					
Male	7879	85.2	1517	14.8	1.3
Female	13503	92.7	1096	7.3	0.8
Age					
18-24	1392	88.5	205	11.5	2.5
25-34	3040	84.0	572	16.0	2.1
35-44	4330	86.4	745	13.6	1.8
45-54	4150	88.3	578	11.7	1.6
55-64	3237	92.8	267	7.2	1.6
≥65	4931	96.9	221	3.1	0.7
Race/Ethnicity					
White	17535	88.9	2208	11.1	0.7
Black	1259	95.1	60	4.9	1.8
Hispanic	1241	86.7	162	13.3	2.7
Other	1057	86.7	148	13.3	3.6
Education					
<High School	2125	87.7	232	12.3	3.1
High School	6815	89.4	856	10.6	1.3
>High School	12370	89.3	1512	10.7	0.9
Household Income					
<\$10,000	1127	88.1	135	11.9	3.6
\$10,000- 24,999	4608	86.6	611	13.4	2.1
\$25,000- 49,999	5869	90.2	771	9.8	1.2
≥\$50,000	6906	89.5	838	10.5	1.1
Region					
NYC	2814	89.8	288	10.2	1.4
Rest of State	18568	88.7	2325	11.3	0.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	579	88.8	61	11.2	2.9
Allegany, Wyoming	547	84.2	87	15.8	3.5
Broome	549	87.2	86	12.8	2.8
Cattaraugus, Chautauqua	553	85.3	74	14.7	3.7
Cayuga, Seneca, Wayne	562	85.1	79	14.9	3.5
Chemung, Schuyler, Tioga	537	85.2	89	14.8	3.1
Chenango, Madison	568	84.2	87	15.8	3.5
Clinton, Essex, Franklin	546	81.1	99	18.9	3.9
Columbia, Greene	562	88.9	71	11.1	2.8
Cortland, Tompkins	550	84.7	87	15.3	3.4
Delaware, Otsego, Schoharie	556	86.7	67	13.3	3.6
Dutchess, Putnam	551	89.2	70	10.8	2.7
Erie	587	94.0	39	6.0	2.0
Fulton, Montgomery	561	89.1	61	10.9	3.0
Genesee, Orleans	567	88.4	68	11.6	3.0
Hamilton, Herkimer	552	89.9	61	10.1	2.8
Jefferson, Lewis, StLawrence	558	83.3	82	16.7	4.2
Livingston, Ontario	555	86.3	79	13.7	3.2
Monroe	537	86.0	87	14.0	3.0
Nassau	567	92.5	47	7.5	2.4
Niagara	579	90.7	52	9.3	2.9
Oneida, Oswego	569	86.6	80	13.4	3.1
Onondaga	580	87.0	62	13.0	3.7
Orange	570	89.0	64	11.0	2.8
Rensselaer	579	90.3	55	9.7	2.7
Rockland	551	85.7	75	14.3	3.4
Saratoga	582	89.9	58	10.1	2.9
Schenectady	570	87.7	62	12.3	3.2
Steuben, Yates	584	89.3	63	10.7	2.7
Suffolk	569	87.6	65	12.4	3.2
Sullivan, Ulster	571	89.5	68	10.5	2.7
Warren, Washington	557	84.1	87	15.9	3.5
Westchester	563	91.3	53	8.7	2.6
Bronx	589	92.9	38	7.1	2.6
Kings (Brooklyn)	573	89.8	64	10.2	2.8
New York (Manhattan)	539	88.0	70	12.0	3.1
Queens	547	89.2	61	10.8	3.1
Richmond (Staten Island)	566	90.3	55	9.7	2.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	1435	7.6	22723	92.4	0.7
Gender					
Male	466	6.3	9012	93.7	1.0
Female	969	8.7	13711	91.3	0.9
Age					
18-24	169	10.9	1456	89.1	2.8
25-34	314	11.7	3327	88.3	2.0
35-44	378	8.8	4740	91.2	1.5
45-54	319	7.0	4433	93.0	1.5
55-64	153	4.9	3364	95.1	1.4
≥65	89	1.6	5074	98.4	0.6
Race/Ethnicity					
White	956	4.2	18920	95.8	0.5
Black	120	7.6	1202	92.4	1.9
Hispanic	215	18.6	1197	81.4	3.0
Other	115	10.6	1099	89.4	3.1
Education					
<High School	252	14.8	2125	85.2	3.1
High School	459	8.0	7248	92.0	1.4
>High School	716	5.9	13268	94.1	0.7
Household Income					
<\$10,000	192	18.2	1077	81.8	4.7
\$10,000- 24,999	597	15.0	4663	85.0	2.1
\$25,000- 49,999	332	6.4	6343	93.6	1.2
≥\$50,000	154	2.4	7622	97.6	0.6
Region					
NYC	282	10.7	2840	89.3	1.5
Rest of State	1153	5.3	19883	94.7	0.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	32	5.7	611	94.3	2.3
Allegany, Wyoming	35	5.1	603	94.9	2.0
Broome	38	6.6	603	93.4	2.5
Cattaraugus, Chautauqua	44	7.6	588	92.4	2.5
Cayuga, Seneca, Wayne	29	4.3	617	95.7	1.8
Chemung, Schuyler, Tioga	38	5.5	597	94.5	1.9
Chenango, Madison	40	5.6	624	94.4	2.0
Clinton, Essex, Franklin	32	4.2	618	95.8	1.6
Columbia, Greene	43	5.8	593	94.2	1.9
Cortland, Tompkins	34	4.7	609	95.3	1.8
Delaware, Otsego, Schoharie	38	6.5	592	93.5	2.4
Dutchess, Putnam	31	4.1	596	95.9	1.6
Erie	29	4.3	602	95.7	1.8
Fulton, Montgomery	41	6.1	589	93.9	2.0
Genesee, Orleans	31	4.8	605	95.2	1.9
Hamilton, Herkimer	37	6.4	581	93.6	2.3
Jefferson, Lewis, StLawrence	36	4.9	604	95.1	1.8
Livingston, Ontario	27	4.3	612	95.7	1.8
Monroe	29	5.0	596	95.0	2.0
Nassau	15	2.7	601	97.3	1.5
Niagara	26	4.3	606	95.7	2.0
Oneida, Oswego	39	5.5	613	94.5	2.0
Onondaga	31	5.4	615	94.6	2.5
Orange	43	7.9	593	92.1	2.9
Rensselaer	31	4.6	608	95.4	1.9
Rockland	37	6.5	596	93.5	2.5
Saratoga	21	3.1	625	96.9	1.6
Schenectady	39	6.0	594	94.0	2.0
Steuben, Yates	31	6.1	619	93.9	2.7
Suffolk	35	5.6	607	94.4	2.0
Sullivan, Ulster	55	8.9	586	91.1	2.7
Warren, Washington	45	6.3	603	93.7	2.1
Westchester	41	7.4	577	92.6	2.4
Bronx	80	14.0	548	86.0	3.6
Kings (Brooklyn)	64	10.3	576	89.7	2.7
New York (Manhattan)	49	10.3	567	89.7	3.4
Queens	56	10.6	556	89.4	2.9
Richmond (Staten Island)	33	5.6	593	94.4	2.2

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	18057	74.6	6115	25.4	1.0
Gender					
Male	7353	77.7	2128	22.3	1.6
Female	10704	71.7	3987	28.3	1.3
Age					
18-24	1324	79.1	305	20.9	3.4
25-34	2901	78.8	744	21.2	2.3
35-44	4012	75.9	1109	24.1	2.2
45-54	3633	75.1	1129	24.9	2.3
55-64	2597	73.1	919	26.9	2.8
≥65	3336	65.4	1823	34.6	2.6
Race/Ethnicity					
White	15187	78.7	4690	21.3	1.0
Black	890	70.1	438	29.9	3.5
Hispanic	862	61.3	552	38.7	3.6
Other	889	75.5	329	24.5	4.3
Education					
<High School	1281	54.7	1106	45.3	4.0
High School	5242	68.4	2474	31.6	2.0
>High School	11483	81.6	2496	18.4	1.2
Household Income					
<\$10,000	728	59.8	546	40.2	5.1
\$10,000- 24,999	3372	62.6	1890	37.4	2.7
\$25,000- 49,999	5066	73.7	1615	26.3	2.0
≥\$50,000	6690	86.5	1086	13.5	1.2
Region					
NYC	2194	70.3	933	29.7	2.1
Rest of State	15863	77.6	5182	22.4	1.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	518	80.6	123	19.4	3.6
Allegany, Wyoming	462	74.1	176	25.9	3.8
Broome	519	83.2	123	16.8	3.1
Cattaraugus, Chautauqua	437	72.5	195	27.5	3.9
Cayuga, Seneca, Wayne	475	77.1	171	22.9	3.6
Chemung, Schuylers, Tioga	470	75.3	164	24.7	3.7
Chenango, Madison	471	72.4	192	27.6	3.9
Clinton, Essex, Franklin	479	73.6	171	26.4	4.0
Columbia, Greene	477	75.7	158	24.3	3.7
Cortland, Tompkins	505	79.9	138	20.1	3.5
Delaware, Otsego, Schoharie	486	77.5	147	22.5	3.8
Dutchess, Putnam	496	78.8	131	21.2	3.8
Erie	470	76.2	162	23.8	3.6
Fulton, Montgomery	445	73.1	186	26.9	3.8
Genesee, Orleans	443	72.3	193	27.7	3.8
Hamilton, Herkimer	437	72.4	182	27.6	4.0
Jefferson, Lewis, StLawrence	480	78.3	163	21.7	3.7
Livingston, Ontario	496	80.7	140	19.3	3.3
Monroe	505	83.5	121	16.5	3.1
Nassau	485	75.6	132	24.4	4.3
Niagara	462	74.5	172	25.5	3.8
Oneida, Oswego	487	77.3	165	22.7	3.5
Onondaga	514	80.4	129	19.6	3.8
Orange	460	73.5	176	26.5	4.1
Rensselaer	494	78.7	145	21.3	3.5
Rockland	456	72.0	179	28.0	4.0
Saratoga	509	79.8	136	20.2	3.5
Schenectady	488	80.1	146	19.9	3.3
Steuben, Yates	471	74.9	180	25.1	3.7
Suffolk	515	78.3	128	21.7	3.8
Sullivan, Ulster	488	78.9	155	21.1	3.4
Warren, Washington	482	74.3	164	25.7	3.8
Westchester	481	80.1	139	19.9	3.6
Bronx	393	62.9	238	37.1	4.5
Kings (Brooklyn)	450	70.1	193	29.9	4.1
New York (Manhattan)	493	78.3	120	21.7	4.0
Queens	413	68.2	200	31.8	4.3
Richmond (Staten Island)	445	73.8	182	26.2	3.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	1874	7.2	22311	92.8	0.6
Gender					
Male	806	7.6	8677	92.4	0.9
Female	1068	6.7	13634	93.3	0.8
Age					
18-24	12	0.3	1617	99.7	0.3
25-34	51	1.5	3592	98.5	0.6
35-44	176	3.6	4948	96.4	1.0
45-54	349	8.2	4410	91.8	1.5
55-64	447	14.4	3075	85.6	2.3
≥65	812	16.3	4357	83.7	2.0
Race/Ethnicity					
White	1480	6.5	18412	93.5	0.6
Black	169	11.6	1158	88.4	2.4
Hispanic	107	6.8	1305	93.2	1.7
Other	87	6.4	1131	93.6	2.5
Education					
<High School	338	11.7	2048	88.3	2.3
High School	703	9.2	7020	90.8	1.3
>High School	823	5.3	13163	94.7	0.6
Household Income					
<\$10,000	185	14.1	1090	85.9	3.7
\$10,000- 24,999	602	10.0	4661	90.0	1.5
\$25,000- 49,999	477	7.5	6202	92.5	1.3
≥\$50,000	336	4.4	7443	95.6	0.8
Region					
NYC	243	8.0	2883	92.0	1.2
Rest of State	1631	6.6	19428	93.4	0.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	40	6.3	603	93.7	2.2
Allegany, Wyoming	51	6.2	588	93.8	1.8
Broome	50	7.3	591	92.7	2.2
Cattaraugus, Chautauqua	55	7.6	579	92.4	2.2
Cayuga, Seneca, Wayne	59	7.4	586	92.6	2.2
Chemung, Schuyler, Tioga	54	8.3	581	91.7	2.4
Chenango, Madison	48	5.3	616	94.7	1.6
Clinton, Essex, Franklin	53	6.5	596	93.5	1.9
Columbia, Greene	40	6.2	596	93.8	2.0
Cortland, Tompkins	33	4.0	611	96.0	1.5
Delaware, Otsego, Schoharie	54	6.9	579	93.1	1.9
Dutchess, Putnam	46	7.5	581	92.5	2.3
Erie	55	7.3	577	92.7	2.1
Fulton, Montgomery	56	9.1	575	90.9	2.6
Genesee, Orleans	46	6.7	591	93.3	2.1
Hamilton, Herkimer	59	8.4	560	91.6	2.3
Jefferson, Lewis, StLawrence	73	10.2	569	89.8	2.7
Livingston, Ontario	40	5.3	599	94.7	1.8
Monroe	53	7.9	572	92.1	2.3
Nassau	43	5.8	575	94.2	1.9
Niagara	59	7.7	574	92.3	2.1
Oneida, Oswego	47	6.6	605	93.4	2.1
Onondaga	48	6.2	597	93.8	1.9
Orange	44	6.1	594	93.9	1.9
Rensselaer	60	8.2	579	91.8	2.2
Rockland	43	6.6	591	93.4	2.3
Saratoga	44	5.5	602	94.5	1.9
Schenectady	49	6.1	584	93.9	1.8
Steuben, Yates	64	8.2	589	91.8	2.2
Suffolk	37	5.9	605	94.1	2.2
Sullivan, Ulster	44	7.2	599	92.8	2.4
Warren, Washington	50	7.0	598	93.0	2.1
Westchester	34	4.8	586	95.2	1.8
Bronx	68	10.0	562	90.0	2.7
Kings (Brooklyn)	50	7.9	592	92.1	2.4
New York (Manhattan)	34	5.9	582	94.1	2.2
Queens	50	8.8	564	91.2	2.7
Richmond (Staten Island)	41	6.2	583	93.8	2.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2980	11.5	21191	88.5	0.7
Gender					
Male	882	9.4	8597	90.6	1.1
Female	2098	13.4	12594	86.6	0.9
Age					
18-24	306	15.1	1323	84.9	2.6
25-34	503	13.5	3141	86.5	1.8
35-44	600	10.1	4521	89.9	1.4
45-54	581	11.5	4176	88.5	1.6
55-64	464	11.9	3053	88.1	1.9
≥65	491	8.6	4670	91.4	1.4
Race/Ethnicity					
White	2365	11.0	17517	89.0	0.7
Black	214	14.5	1112	85.5	2.7
Hispanic	211	11.9	1205	88.1	2.1
Other	144	9.5	1069	90.5	3.0
Education					
<High School	387	13.6	1996	86.4	2.5
High School	926	10.8	6793	89.2	1.2
>High School	1663	11.6	12316	88.4	0.9
Household Income					
<\$10,000	274	19.5	1000	80.5	4.1
\$10,000- 24,999	741	12.4	4516	87.6	1.7
\$25,000- 49,999	764	11.6	5915	88.4	1.5
≥\$50,000	829	10.3	6948	89.7	1.1
Region					
NYC	388	11.9	2742	88.1	1.4
Rest of State	2592	11.3	18449	88.7	0.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	91	14.6	552	85.4	3.4
Allegany, Wyoming	71	10.6	565	89.4	2.7
Broome	60	8.9	581	91.1	2.5
Cattaraugus, Chautauqua	67	10.1	567	89.9	2.6
Cayuga, Seneca, Wayne	73	10.9	573	89.1	2.8
Chemung, Schuyler, Tioga	79	12.9	556	87.1	3.0
Chenango, Madison	90	14.4	574	85.6	3.3
Clinton, Essex, Franklin	83	11.3	566	88.7	2.7
Columbia, Greene	83	12.0	552	88.0	2.7
Cortland, Tompkins	88	13.9	551	86.1	3.2
Delaware, Otsego, Schoharie	78	12.9	555	87.1	3.2
Dutchess, Putnam	78	13.2	549	86.8	3.0
Erie	67	10.2	564	89.8	2.6
Fulton, Montgomery	97	16.2	533	83.8	3.5
Genesee, Orleans	87	13.7	550	86.3	3.0
Hamilton, Herkimer	69	10.7	549	89.3	2.9
Jefferson, Lewis, StLawrence	75	13.0	568	87.0	3.4
Livingston, Ontario	81	11.9	556	88.1	2.8
Monroe	77	12.1	547	87.9	2.9
Nassau	58	9.3	560	90.7	2.7
Niagara	82	12.3	551	87.7	2.8
Oneida, Oswego	75	12.0	576	88.0	3.0
Onondaga	82	11.6	563	88.4	2.7
Orange	86	13.5	552	86.5	3.2
Rensselaer	86	13.1	553	86.9	2.9
Rockland	61	8.3	572	91.7	2.2
Saratoga	86	12.2	558	87.8	2.9
Schenectady	89	14.7	545	85.3	3.3
Steuben, Yates	77	10.6	576	89.4	2.6
Suffolk	71	9.7	571	90.3	2.5
Sullivan, Ulster	85	14.0	557	86.0	3.3
Warren, Washington	95	15.4	553	84.6	3.3
Westchester	65	10.5	554	89.5	2.8
Bronx	93	14.0	539	86.0	3.2
Kings (Brooklyn)	81	11.4	561	88.6	2.7
New York (Manhattan)	77	12.7	539	87.3	3.1
Queens	69	11.0	545	89.0	2.9
Richmond (Staten Island)	68	10.5	558	89.5	2.8

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2149	7.9	21956	92.1	0.6
Gender					
Male	553	5.6	8903	94.4	0.9
Female	1596	10.0	13053	90.0	0.8
Age					
18-24	194	9.6	1426	90.4	2.2
25-34	331	8.3	3302	91.7	1.5
35-44	440	7.4	4673	92.6	1.3
45-54	438	8.2	4309	91.8	1.3
55-64	349	9.2	3157	90.8	1.8
≥65	374	6.0	4770	94.0	1.2
Race/Ethnicity					
White	1710	7.4	18119	92.6	0.6
Black	154	10.1	1169	89.9	2.3
Hispanic	147	8.1	1263	91.9	1.7
Other	104	6.5	1106	93.5	2.7
Education					
<High School	316	10.7	2056	89.3	2.2
High School	702	7.9	6998	92.1	1.0
>High School	1127	7.5	12816	92.5	0.8
Household Income					
<\$10,000	227	16.4	1043	83.6	3.9
\$10,000- 24,999	573	9.1	4670	90.9	1.4
\$25,000- 49,999	551	8.0	6112	92.0	1.2
≥\$50,000	539	6.2	7223	93.8	0.8
Region					
NYC	272	8.0	2852	92.0	1.2
Rest of State	1877	7.9	19104	92.1	0.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	60	9.8	580	90.2	2.9
Allegany, Wyoming	50	7.1	583	92.9	2.3
Broome	43	6.5	597	93.5	2.2
Cattaraugus, Chautauqua	52	7.7	581	92.3	2.3
Cayuga, Seneca, Wayne	55	7.9	589	92.1	2.4
Chemung, Schuyler, Tioga	58	9.2	577	90.8	2.5
Chenango, Madison	70	10.4	594	89.6	2.7
Clinton, Essex, Franklin	59	7.4	588	92.6	2.1
Columbia, Greene	64	9.1	569	90.9	2.4
Cortland, Tompkins	59	8.6	575	91.4	2.5
Delaware, Otsego, Schoharie	63	10.4	569	89.6	2.9
Dutchess, Putnam	57	9.3	570	90.7	2.5
Erie	47	7.0	583	93.0	2.1
Fulton, Montgomery	75	12.7	551	87.3	3.2
Genesee, Orleans	62	9.6	574	90.4	2.6
Hamilton, Herkimer	47	6.8	569	93.2	2.2
Jefferson, Lewis, StLawrence	61	11.2	580	88.8	3.2
Livingston, Ontario	56	8.1	579	91.9	2.3
Monroe	59	9.2	562	90.8	2.5
Nassau	40	6.3	578	93.7	2.3
Niagara	61	9.4	567	90.6	2.6
Oneida, Oswego	55	8.1	594	91.9	2.4
Onondaga	61	8.8	582	91.2	2.4
Orange	60	9.0	577	91.0	2.6
Rensselaer	66	10.0	572	90.0	2.6
Rockland	43	6.1	588	93.9	2.0
Saratoga	58	7.8	584	92.2	2.4
Schenectady	61	9.5	570	90.5	2.6
Steuben, Yates	58	7.6	591	92.4	2.1
Suffolk	46	5.9	596	94.1	1.9
Sullivan, Ulster	55	8.6	585	91.4	2.7
Warren, Washington	70	10.8	578	89.2	2.7
Westchester	46	7.5	572	92.5	2.4
Bronx	70	10.9	562	89.1	2.9
Kings (Brooklyn)	59	7.9	582	92.1	2.2
New York (Manhattan)	50	8.0	564	92.0	2.6
Queens	43	6.7	569	93.3	2.4
Richmond (Staten Island)	50	6.9	575	93.1	2.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	7779	25.7	16351	74.3	1.0
Gender					
Male	2606	21.4	6863	78.6	1.4
Female	5173	29.7	9488	70.3	1.3
Age					
18-24	105	4.5	1522	95.5	1.6
25-34	372	8.1	3267	91.9	1.4
35-44	978	16.0	4137	84.0	1.8
45-54	1595	29.1	3151	70.9	2.2
55-64	1654	43.7	1854	56.3	3.1
≥65	2964	55.4	2191	44.6	2.6
Race/Ethnicity					
White	6684	29.5	13168	70.5	1.1
Black	340	22.0	985	78.0	3.1
Hispanic	291	16.4	1115	83.6	2.6
Other	344	20.0	870	80.0	3.8
Education					
<High School	1017	29.9	1369	70.1	3.3
High School	2811	30.5	4894	69.5	1.9
>High School	3921	22.6	10028	77.4	1.2
Household Income					
<\$10,000	557	32.4	717	67.6	4.6
\$10,000- 24,999	2110	31.0	3139	69.0	2.4
\$25,000- 49,999	2046	25.9	4621	74.1	1.9
≥\$50,000	1898	20.6	5861	79.4	1.4
Region					
NYC	759	22.7	2359	77.3	1.9
Rest of State	7020	28.0	13992	72.0	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	184	26.5	457	73.5	3.7
Allegany, Wyoming	221	29.1	415	70.9	3.8
Broome	233	32.4	406	67.6	4.0
Cattaraugus, Chautauqua	226	29.4	406	70.6	3.9
Cayuga, Seneca, Wayne	238	31.2	408	68.8	4.0
Chemung, Schuylar, Tioga	203	28.1	431	71.9	3.8
Chenango, Madison	234	30.1	429	69.9	3.8
Clinton, Essex, Franklin	197	25.9	452	74.1	3.7
Columbia, Greene	220	32.7	415	67.3	4.1
Cortland, Tompkins	190	23.8	452	76.2	3.7
Delaware, Otsego, Schoharie	215	31.5	416	68.5	4.1
Dutchess, Putnam	161	23.3	465	76.7	3.7
Erie	225	32.9	405	67.1	4.1
Fulton, Montgomery	241	36.4	390	63.6	4.2
Genesee, Orleans	214	32.7	420	67.3	4.1
Hamilton, Herkimer	231	34.0	388	66.0	4.2
Jefferson, Lewis, StLawrence	254	35.4	384	64.6	4.4
Livingston, Ontario	205	28.7	432	71.3	3.8
Monroe	216	30.8	408	69.2	3.9
Nassau	177	25.8	437	74.2	3.9
Niagara	233	32.6	401	67.4	3.9
Oneida, Oswego	236	32.8	415	67.2	4.0
Onondaga	211	28.9	432	71.1	3.8
Orange	173	23.2	464	76.8	3.5
Rensselaer	239	33.8	396	66.2	4.1
Rockland	188	26.0	447	74.0	3.7
Saratoga	211	28.6	433	71.4	3.9
Schenectady	226	29.6	406	70.4	3.8
Steuben, Yates	240	32.9	410	67.1	4.1
Suffolk	184	23.6	457	76.4	3.5
Sullivan, Ulster	219	30.8	423	69.2	4.2
Warren, Washington	216	28.7	432	71.3	3.8
Westchester	159	22.7	460	77.3	3.6
Bronx	143	20.7	485	79.3	3.7
Kings (Brooklyn)	153	24.1	488	75.9	3.9
New York (Manhattan)	145	21.9	467	78.1	3.7
Queens	145	22.2	467	77.8	3.8
Richmond (Staten Island)	173	26.2	452	73.8	3.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

New York State

Demographic Groups	n¹	Doctor Diagnosed %²	C.I.³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	7779	25.9	1.0	3582	14.9	0.8	12675	59.3	1.1
Gender									
Male	2606	21.5	1.4	1611	15.7	1.2	5218	62.8	1.7
Female	5173	29.8	1.3	1971	14.1	1.0	7457	56.1	1.4
Age									
18-24	105	4.5	1.6	248	12.3	2.4	1268	83.2	2.8
25-34	372	8.1	1.4	578	15.4	2.0	2679	76.5	2.3
35-44	978	16.0	1.8	927	17.5	1.8	3197	66.5	2.3
45-54	1595	29.2	2.2	821	18.3	2.0	2312	52.4	2.6
55-64	1654	43.8	3.1	506	15.1	2.3	1340	41.1	3.1
≥65	2964	55.8	2.6	461	9.1	1.4	1702	35.1	2.5
Race/Ethnicity									
White	6684	29.6	1.1	2956	15.2	0.9	10147	55.2	1.2
Black	340	22.2	3.2	182	14.1	2.7	796	63.7	3.7
Hispanic	291	16.5	2.7	219	14.6	2.6	889	68.9	3.4
Other	344	20.1	3.8	181	14.7	3.4	677	65.2	4.6
Education									
<High School	1017	30.3	3.4	325	13.9	2.6	1032	55.8	3.9
High School	2811	30.6	1.9	1056	13.5	1.4	3813	55.8	2.1
>High School	3921	22.7	1.2	2187	15.7	1.0	7784	61.6	1.4
Household Income									
<\$10,000	557	32.5	4.6	195	15.3	3.5	520	52.2	5.3
\$10,000- 24,999	2110	31.2	2.4	735	13.5	1.8	2382	55.3	2.7
\$25,000- 49,999	2046	26.0	2.0	980	14.4	1.6	3615	59.6	2.2
≥\$50,000	1898	20.6	1.4	1278	16.6	1.3	4570	62.7	1.7
Region									
NYC	759	22.8	1.9	461	14.4	1.6	1880	62.8	2.2
Rest of State	7020	28.1	0.9	3121	15.2	0.8	10795	56.7	1.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Locality	n ¹	Doctor Diagnosed % ²	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Albany	184	26.5	3.7	78	14.2	3.5	379	59.3	4.4
Allegany, Wyoming	221	29.2	3.8	97	16.9	3.6	314	53.9	4.4
Broome	233	32.5	4.0	93	15.6	3.4	311	51.9	4.4
Cattaraugus, Chautauqua	226	29.5	3.9	105	18.7	3.6	298	51.8	4.5
Cayuga, Seneca, Wayne	238	31.3	4.0	89	14.8	3.4	317	53.9	4.5
Chemung, Schuylar, Tioga	203	28.4	3.8	114	18.6	3.5	313	53.1	4.3
Chenango, Madison	234	30.1	3.8	100	17.2	3.5	327	52.7	4.4
Clinton, Essex, Franklin	197	25.9	3.7	109	16.8	3.5	341	57.2	4.4
Columbia, Greene	220	32.9	4.1	107	17.2	3.4	304	49.9	4.4
Cortland, Tompkins	190	23.9	3.7	90	14.3	3.2	359	61.8	4.4
Delaware, Otsego, Schoharie	215	31.6	4.1	90	14.8	3.5	324	53.6	4.6
Dutchess, Putnam	161	23.4	3.7	106	15.7	3.2	356	60.9	4.4
Erie	225	33.0	4.1	92	14.8	3.1	311	52.2	4.4
Fulton, Montgomery	241	36.5	4.2	93	15.1	3.2	295	48.4	4.4
Genesee, Orleans	214	32.8	4.1	88	14.0	3.1	329	53.2	4.4
Hamilton, Herkimer	231	34.4	4.3	82	14.9	3.5	301	50.7	4.6
Jefferson, Lewis, StLawrence	254	35.4	4.4	73	11.8	3.4	310	52.8	4.8
Livingston, Ontario	205	28.7	3.9	100	16.7	3.4	331	54.7	4.4
Monroe	216	30.8	3.9	94	15.3	3.1	314	53.9	4.4
Nassau	177	25.8	3.9	77	12.4	3.0	360	61.8	4.4
Niagara	233	32.8	4.0	103	17.6	3.4	294	49.6	4.4
Oneida, Oswego	236	32.8	4.0	94	14.6	3.1	320	52.6	4.4
Onondaga	211	29.0	3.8	96	15.4	3.2	335	55.6	4.4
Orange	173	23.4	3.6	101	15.4	3.1	358	61.2	4.3
Rensselaer	239	33.9	4.1	77	12.8	3.3	316	53.2	4.5
Rockland	188	26.1	3.7	80	13.0	3.0	363	60.9	4.3
Saratoga	211	28.7	3.9	95	17.0	3.6	336	54.3	4.5
Schenectady	226	29.7	3.8	87	14.8	3.3	316	55.5	4.4
Steuben, Yates	240	32.9	4.1	92	15.5	3.6	318	51.6	4.5
Suffolk	184	23.6	3.5	98	14.6	3.0	359	61.8	4.2
Sullivan, Ulster	219	30.9	4.2	107	17.0	3.6	314	52.1	4.6
Warren, Washington	216	28.7	3.8	105	18.0	3.5	327	53.3	4.4
Westchester	159	23.0	3.7	109	18.7	3.7	345	58.3	4.5
Bronx	143	20.7	3.7	93	14.7	3.3	391	64.6	4.5
Kings (Brooklyn)	153	24.1	3.9	105	16.0	3.3	382	59.9	4.4
New York (Manhattan)	145	22.0	3.8	80	13.4	3.3	384	64.6	4.5
Queens	145	22.5	3.9	87	13.1	2.9	372	64.5	4.4
Richmond (Staten Island)	173	26.5	3.9	96	15.0	3.2	351	58.5	4.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Ever Smoked 100 Cigarettes in Your Lifetime
New York State

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	12448	45.9	11685	54.1	1.1
Gender					
Male	5358	50.1	4109	49.9	1.8
Female	7090	42.2	7576	57.8	1.4
Age					
18-24	695	33.9	930	66.1	3.7
25-34	1627	38.3	2015	61.7	2.6
35-44	2479	43.5	2639	56.5	2.5
45-54	2637	51.8	2116	48.2	2.6
55-64	2134	57.4	1385	42.6	3.1
≥65	2702	51.4	2436	48.6	2.7
Race/Ethnicity					
White	10698	53.1	9150	46.9	1.2
Black	522	34.9	800	65.1	3.7
Hispanic	511	31.7	903	68.3	3.4
Other	567	38.0	646	62.0	4.7
Education					
<High School	1431	45.1	952	54.9	3.9
High School	4418	50.9	3283	49.1	2.2
>High School	6557	43.9	7403	56.1	1.4
Household Income					
<\$10,000	712	42.8	560	57.2	5.1
\$10,000- 24,999	2990	48.0	2262	52.0	2.8
\$25,000- 49,999	3598	49.2	3074	50.8	2.3
≥\$50,000	3649	45.5	4121	54.5	1.8
Region					
NYC	1369	39.8	1751	60.2	2.2
Rest of State	11079	50.4	9934	49.6	1.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Ever Smoked 100 Cigarettes in Your Lifetime

Locality	n ¹	Yes % ²	n	No %	C.I. ³
Albany	303	45.3	339	54.7	4.4
Allegany, Wyoming	343	52.1	294	47.9	4.5
Broome	313	49.2	329	50.8	4.4
Cattaraugus, Chautauqua	336	52.9	298	47.1	4.5
Cayuga, Seneca, Wayne	341	51.4	305	48.6	4.5
Chemung, Schuylar, Tioga	340	54.1	293	45.9	4.3
Chenango, Madison	353	53.8	308	46.2	4.4
Clinton, Essex, Franklin	358	54.7	290	45.3	4.5
Columbia, Greene	371	56.5	263	43.5	4.4
Cortland, Tompkins	280	41.0	362	59.0	4.5
Delaware, Otsego, Schoharie	354	57.0	275	43.0	4.6
Dutchess, Putnam	350	53.6	278	46.4	4.6
Erie	332	51.4	299	48.6	4.4
Fulton, Montgomery	374	57.9	256	42.1	4.4
Genesee, Orleans	359	54.3	278	45.7	4.4
Hamilton, Herkimer	342	55.1	276	44.9	4.5
Jefferson, Lewis, StLawrence	328	52.1	311	47.9	4.8
Livingston, Ontario	343	51.5	294	48.5	4.4
Monroe	298	46.7	328	53.3	4.4
Nassau	320	49.9	297	50.1	4.7
Niagara	376	57.0	257	43.0	4.4
Oneida, Oswego	353	54.7	299	45.3	4.4
Onondaga	361	54.3	284	45.7	4.5
Orange	331	51.1	302	48.9	4.6
Rensselaer	333	51.0	305	49.0	4.5
Rockland	276	42.3	356	57.7	4.4
Saratoga	324	49.8	321	50.2	4.5
Schenectady	316	49.0	318	51.0	4.4
Steuben, Yates	332	53.2	318	46.8	4.5
Suffolk	324	48.8	316	51.2	4.5
Sullivan, Ulster	387	58.9	252	41.1	4.6
Warren, Washington	342	54.2	304	45.8	4.4
Westchester	286	45.1	329	54.9	4.6
Bronx	226	35.3	402	64.7	4.5
Kings (Brooklyn)	260	38.2	382	61.8	4.4
New York (Manhattan)	285	44.7	329	55.3	4.6
Queens	242	37.0	370	63.0	4.5
Richmond (Staten Island)	356	57.5	268	42.5	4.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	5587	20.3	18532	79.7	0.9
Gender					
Male	2280	21.8	7179	78.2	1.5
Female	3307	19.0	11353	81.0	1.1
Age					
18-24	529	24.6	1095	75.4	3.3
25-34	1058	23.9	2583	76.1	2.2
35-44	1453	22.5	3665	77.5	2.0
45-54	1208	22.7	3540	77.3	2.0
55-64	724	17.9	2792	82.1	2.3
≥65	555	10.2	4581	89.8	1.5
Race/Ethnicity					
White	4602	21.6	15238	78.4	1.0
Black	328	20.7	993	79.3	3.1
Hispanic	284	15.9	1130	84.1	2.5
Other	307	19.2	905	80.8	3.8
Education					
<High School	819	24.7	1562	75.3	3.2
High School	2210	24.6	5485	75.4	1.7
>High School	2540	17.5	11414	82.5	1.1
Household Income					
<\$10,000	434	25.4	837	74.6	4.1
\$10,000- 24,999	1553	25.1	3694	74.9	2.3
\$25,000- 49,999	1737	23.9	4931	76.1	1.8
≥\$50,000	1286	16.5	6481	83.5	1.3
Region					
NYC	628	17.9	2489	82.1	1.7
Rest of State	4959	22.1	16043	77.9	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	120	16.8	522	83.2	3.2
Allegany, Wyoming	177	27.0	460	73.0	4.0
Broome	149	23.2	493	76.8	3.7
Cattaraugus, Chautauqua	175	29.4	459	70.6	4.2
Cayuga, Seneca, Wayne	158	24.3	487	75.7	3.9
Chemung, Schuylar, Tioga	179	28.8	453	71.2	4.0
Chenango, Madison	182	29.3	478	70.7	4.1
Clinton, Essex, Franklin	151	25.3	497	74.7	4.0
Columbia, Greene	163	24.9	471	75.1	3.8
Cortland, Tompkins	128	20.4	514	79.6	3.8
Delaware, Otsego, Schoharie	139	24.7	490	75.3	4.3
Dutchess, Putnam	145	23.4	482	76.6	4.1
Erie	146	23.5	483	76.5	3.9
Fulton, Montgomery	195	29.7	435	70.3	4.0
Genesee, Orleans	160	24.6	477	75.4	3.7
Hamilton, Herkimer	162	25.7	456	74.3	4.0
Jefferson, Lewis, StLawrence	147	22.2	492	77.8	4.1
Livingston, Ontario	167	25.3	469	74.7	3.7
Monroe	113	19.0	513	81.0	3.5
Nassau	112	17.7	505	82.3	3.5
Niagara	173	26.6	460	73.4	3.8
Oneida, Oswego	172	27.9	480	72.1	4.0
Onondaga	163	25.8	481	74.2	4.0
Orange	148	24.3	484	75.7	4.0
Rensselaer	151	24.3	486	75.7	4.0
Rockland	100	16.0	532	84.0	3.3
Saratoga	126	20.4	518	79.6	3.8
Schenectady	137	22.8	497	77.2	3.9
Steuben, Yates	185	30.8	465	69.2	4.4
Suffolk	125	19.9	515	80.1	3.6
Sullivan, Ulster	149	25.4	490	74.6	4.2
Warren, Washington	154	25.9	492	74.1	4.0
Westchester	108	19.0	507	81.0	3.9
Bronx	130	18.4	498	81.6	3.5
Kings (Brooklyn)	126	18.0	515	82.0	3.3
New York (Manhattan)	114	19.3	500	80.7	3.7
Queens	97	14.6	515	85.4	3.2
Richmond (Staten Island)	161	27.2	461	72.8	4.2

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking*New York State*

Demographic Groups	n¹	Everyday Smoker		n	Someday Smoker		n	Former or Never Smoked	
		%²	C.I.³		%	C.I.		%	C.I.
Total	4258	14.2	0.7	1329	6.1	0.6	18532	79.7	0.9
Gender									
Male	1718	14.6	1.2	562	7.2	1.0	7179	78.2	1.5
Female	2540	13.9	0.9	767	5.1	0.6	11353	81.0	1.1
Age									
18-24	389	16.6	2.6	140	8.0	2.3	1095	75.4	3.3
25-34	775	15.5	1.8	283	8.4	1.5	2583	76.1	2.2
35-44	1133	15.6	1.7	320	6.9	1.3	3665	77.5	2.0
45-54	952	17.1	1.8	256	5.7	1.2	3540	77.3	2.0
55-64	557	12.9	1.9	167	5.0	1.5	2792	82.1	2.3
≥65	413	7.6	1.4	142	2.6	0.8	4581	89.8	1.5
Race/Ethnicity									
White	3597	16.0	0.8	1005	5.6	0.6	15238	78.4	1.0
Black	200	12.0	2.4	128	8.8	2.2	993	79.3	3.1
Hispanic	187	9.9	2.0	97	5.9	1.7	1130	84.1	2.5
Other	226	12.6	3.3	81	6.6	2.3	905	80.8	3.8
Education									
<High School	673	18.3	2.7	146	6.4	1.9	1562	75.3	3.2
High School	1761	18.1	1.4	449	6.5	1.1	5485	75.4	1.7
>High School	1812	11.7	0.9	728	5.8	0.7	11414	82.5	1.1
Household Income									
<\$10,000	338	16.3	3.2	96	9.0	2.8	837	74.6	4.1
\$10,000- 24,999	1204	17.8	2.0	349	7.3	1.4	3694	74.9	2.3
\$25,000- 49,999	1361	17.8	1.6	376	6.1	1.1	4931	76.1	1.8
≥\$50,000	909	10.6	1.1	377	5.9	0.9	6481	83.5	1.3
Region									
NYC	408	11.2	1.3	220	6.7	1.1	2489	82.1	1.7
Rest of State	3850	16.4	0.8	1109	5.7	0.6	16043	77.9	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Status of Cigarette Smoking

Locality	n ¹	Everyday Smoker % ²	C.I. ³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Albany	91	12.8	2.9	29	4.0	1.6	522	83.2	3.2
Allegany, Wyoming	137	21.3	3.7	40	5.7	2.1	460	73.0	4.0
Broome	120	18.3	3.4	29	5.0	2.0	493	76.8	3.7
Cattaraugus, Chautauqua	138	22.8	3.9	37	6.5	2.5	459	70.6	4.2
Cayuga, Seneca, Wayne	134	20.6	3.7	24	3.7	1.6	487	75.7	3.9
Chemung, Schuyler, Tioga	147	23.8	3.8	32	5.0	1.9	453	71.2	4.0
Chenango, Madison	149	23.4	3.8	33	5.9	2.4	478	70.7	4.1
Clinton, Essex, Franklin	122	20.0	3.7	29	5.2	2.1	497	74.7	4.0
Columbia, Greene	135	20.9	3.5	28	4.1	1.7	471	75.1	3.8
Cortland, Tompkins	95	14.6	3.1	33	5.8	2.5	514	79.6	3.8
Delaware, Otsego, Schoharie	113	20.2	4.0	26	4.5	2.3	490	75.3	4.3
Dutchess, Putnam	109	17.9	3.7	36	5.5	2.1	482	76.6	4.1
Erie	104	16.1	3.3	42	7.5	2.5	483	76.5	3.9
Fulton, Montgomery	157	24.4	3.8	38	5.3	1.8	435	70.3	4.0
Genesee, Orleans	132	20.0	3.4	28	4.6	2.0	477	75.4	3.7
Hamilton, Herkimer	134	21.5	3.8	28	4.2	1.7	456	74.3	4.0
Jefferson, Lewis, StLawrence	120	17.9	3.8	27	4.4	2.1	492	77.8	4.1
Livingston, Ontario	125	18.6	3.3	42	6.7	2.2	469	74.7	3.7
Monroe	91	15.4	3.2	22	3.7	1.7	513	81.0	3.5
Nassau	77	11.9	2.9	35	5.9	2.4	505	82.3	3.5
Niagara	142	22.2	3.6	31	4.4	1.7	460	73.4	3.8
Oneida, Oswego	131	20.2	3.5	41	7.7	2.6	480	72.1	4.0
Onondaga	122	19.8	3.6	41	6.0	2.1	481	74.2	4.0
Orange	109	18.2	3.6	39	6.1	2.3	484	75.7	4.0
Rensselaer	111	17.6	3.6	40	6.7	2.3	486	75.7	4.0
Rockland	67	10.6	2.7	33	5.5	2.1	532	84.0	3.3
Saratoga	98	14.5	3.0	28	5.9	2.7	518	79.6	3.8
Schenectady	103	17.6	3.6	34	5.3	2.0	497	77.2	3.9
Steuben, Yates	143	24.4	4.2	42	6.4	2.2	465	69.2	4.4
Suffolk	92	15.3	3.3	33	4.6	1.7	515	80.1	3.6
Sullivan, Ulster	111	19.3	3.8	38	6.0	2.3	490	74.6	4.2
Warren, Washington	123	20.2	3.6	31	5.8	2.4	492	74.1	4.0
Westchester	68	11.3	3.0	40	7.7	2.9	507	81.0	3.9
Bronx	89	12.2	2.8	41	6.3	2.3	498	81.6	3.5
Kings (Brooklyn)	81	10.9	2.6	45	7.1	2.3	515	82.0	3.3
New York (Manhattan)	72	12.3	3.1	42	7.0	2.5	500	80.7	3.7
Queens	57	8.7	2.6	40	6.0	2.1	515	85.4	3.2
Richmond (Staten Island)	109	17.8	3.6	52	9.4	2.8	461	72.8	4.2

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Attempted to Quit - Current Smokers*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	3018	58.0	2554	42.0	2.3
Gender					
Male	1207	57.8	1067	42.2	3.6
Female	1811	58.2	1487	41.8	2.9
Age					
18-24	332	66.9	197	33.1	6.6
25-34	599	59.6	457	40.4	4.9
35-44	794	59.2	658	40.8	5.0
45-54	617	50.0	583	50.0	5.0
55-64	369	60.8	354	39.2	6.4
≥65	278	53.0	275	47.0	7.9
Race/Ethnicity					
White	2413	54.4	2179	45.6	2.5
Black	221	69.0	106	31.0	7.3
Hispanic	183	67.2	101	32.8	7.6
Other	176	59.0	128	41.0	11.4
Education					
<High School	468	60.9	350	39.1	7.0
High School	1177	58.4	1031	41.6	3.7
>High School	1363	56.7	1165	43.3	3.3
Household Income					
<\$10,000	263	72.3	171	27.7	6.7
\$10,000- 24,999	871	63.0	680	37.0	5.0
\$25,000- 49,999	922	57.0	809	43.0	4.2
≥\$50,000	679	54.2	601	45.8	4.4
Region					
NYC	362	61.9	264	38.1	4.9
Rest of State	2656	55.6	2290	44.4	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Attempted to Quit - Current Smokers

Locality	n¹	Yes %²	n	No %²	C.I.³
Albany	59	52.5	61	47.5	10.3
Allegany, Wyoming	75	43.2	102	56.8	8.6
Broome	80	56.6	69	43.4	9.0
Cattaraugus, Chautauqua	87	52.7	88	47.3	8.7
Cayuga, Seneca, Wayne	80	52.9	78	47.1	9.1
Chemung, Schuylers, Tioga	87	46.6	92	53.4	8.2
Chenango, Madison	90	47.9	89	52.1	8.6
Clinton, Essex, Franklin	82	55.8	69	44.2	9.0
Columbia, Greene	94	57.6	69	42.4	8.5
Cortland, Tompkins	75	58.0	53	42.0	10.2
Delaware, Otsego, Schoharie	62	46.5	77	53.5	10.3
Dutchess, Putnam	79	51.6	66	48.4	10.1
Erie	78	57.7	66	42.3	9.2
Fulton, Montgomery	106	57.5	88	42.5	7.9
Genesee, Orleans	82	52.8	77	47.2	8.7
Hamilton, Herkimer	89	53.5	73	46.5	9.2
Jefferson, Lewis, StLawrence	84	62.3	63	37.7	9.8
Livingston, Ontario	87	53.4	80	46.6	8.4
Monroe	61	52.9	52	47.1	10.3
Nassau	60	57.6	51	42.4	10.9
Niagara	107	60.8	66	39.2	8.0
Oneida, Oswego	80	48.4	92	51.6	8.6
Onondaga	88	53.6	75	46.4	8.9
Orange	91	63.3	57	36.7	9.0
Rensselaer	89	62.1	62	37.9	9.0
Rockland	56	53.8	43	46.2	11.4
Saratoga	60	51.1	65	48.9	10.5
Schenectady	76	58.9	61	41.1	9.4
Steuben, Yates	100	51.9	84	48.1	9.0
Suffolk	70	53.3	54	46.7	10.2
Sullivan, Ulster	92	63.7	56	36.3	9.3
Warren, Washington	81	54.8	73	45.2	8.9
Westchester	69	64.4	39	35.6	11.4
Bronx	80	61.5	49	38.5	10.1
Kings (Brooklyn)	78	65.9	48	34.1	9.3
New York (Manhattan)	55	54.5	58	45.5	10.7
Queens	62	67.0	35	33.0	11.6
Richmond (Staten Island)	87	54.3	74	45.7	9.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Attempted to Quit - Everyday Smokers*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2056	51.2	2198	48.8	2.7
Gender					
Male	810	50.7	907	49.3	4.3
Female	1246	51.7	1291	48.3	3.5
Age					
18-24	231	67.1	158	32.9	7.1
25-34	401	53.5	374	46.5	6.0
35-44	568	52.3	565	47.7	5.8
45-54	425	42.2	525	57.8	5.4
55-64	248	52.1	309	47.9	7.7
≥65	170	43.3	242	56.7	9.4
Race/Ethnicity					
White	1699	49.3	1895	50.7	2.8
Black	114	55.0	85	45.0	10.4
Hispanic	106	62.6	81	37.4	9.7
Other	121	50.9	105	49.1	14.0
Education					
<High School	350	52.4	323	47.6	8.0
High School	833	51.1	927	48.9	4.1
>High School	867	50.9	942	49.1	4.0
Household Income					
<\$10,000	185	63.7	153	36.3	8.9
\$10,000- 24,999	599	54.8	605	45.2	6.1
\$25,000- 49,999	649	51.6	710	48.4	4.7
≥\$50,000	431	48.3	477	51.7	5.2
Region					
NYC	199	52.2	208	47.8	6.3
Rest of State	1857	50.8	1990	49.2	2.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Attempted to Quit - Everyday Smokers

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	37	43.9	54	56.1	12.1
Allegany, Wyoming	45	34.3	92	65.7	9.3
Broome	61	52.4	59	47.6	10.2
Cattaraugus, Chautauqua	61	49.8	77	50.2	9.7
Cayuga, Seneca, Wayne	63	48.5	71	51.5	10.0
Chemung, Schuyler, Tioga	66	42.4	81	57.6	8.9
Chenango, Madison	67	43.8	81	56.2	9.2
Clinton, Essex, Franklin	64	54.1	58	45.9	10.2
Columbia, Greene	71	52.0	64	48.0	9.5
Cortland, Tompkins	49	48.2	46	51.8	11.5
Delaware, Otsego, Schoharie	42	37.3	71	62.7	10.7
Dutchess, Putnam	51	43.9	58	56.1	11.5
Erie	47	50.2	56	49.8	11.2
Fulton, Montgomery	82	54.6	75	45.4	8.9
Genesee, Orleans	63	48.6	69	51.4	9.4
Hamilton, Herkimer	68	49.4	66	50.6	10.1
Jefferson, Lewis, StLawrence	62	59.2	58	40.8	11.1
Livingston, Ontario	59	47.8	66	52.2	9.7
Monroe	48	53.8	43	46.2	11.5
Nassau	35	52.3	41	47.7	12.8
Niagara	84	59.6	58	40.4	8.8
Oneida, Oswego	54	42.7	77	57.3	9.7
Onondaga	57	46.8	65	53.2	10.3
Orange	63	58.7	46	41.3	10.7
Rensselaer	59	57.2	52	42.8	11.1
Rockland	38	55.6	29	44.4	13.6
Saratoga	42	44.9	56	55.1	11.2
Schenectady	47	51.0	56	49.0	11.3
Steuben, Yates	66	44.4	77	55.6	10.1
Suffolk	49	51.7	43	48.3	11.8
Sullivan, Ulster	62	59.8	49	40.2	10.8
Warren, Washington	60	49.9	63	50.1	9.9
Westchester	35	56.3	33	43.7	13.8
Bronx	48	59.4	40	40.6	11.7
Kings (Brooklyn)	40	51.4	41	48.6	12.5
New York (Manhattan)	30	45.5	42	54.5	13.3
Queens	32	57.3	25	42.7	16.3
Richmond (Staten Island)	49	46.5	60	53.5	11.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies*New York State*

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	15508	68.4	1.1	3165	11.8	0.7	5437	19.8	0.9
Gender									
Male	5882	67.5	1.7	1082	10.3	1.0	2486	22.2	1.5
Female	9626	69.3	1.3	2083	13.0	0.9	2951	17.7	1.1
Age									
18-24	1001	64.3	4.0	277	15.2	2.8	348	20.5	3.6
25-34	2506	70.9	2.5	526	12.3	1.6	610	16.8	2.1
35-44	3354	72.2	2.1	831	12.5	1.4	931	15.3	1.6
45-54	3055	68.1	2.3	642	12.9	1.6	1050	19.0	1.9
55-64	2153	66.3	2.8	431	11.0	1.8	923	22.7	2.5
≥65	3227	65.9	2.5	414	7.2	1.4	1491	26.8	2.4
Race/Ethnicity									
White	12613	66.1	1.1	2629	12.7	0.8	4595	21.2	1.0
Black	833	66.8	3.6	192	11.9	2.4	295	21.3	3.2
Hispanic	1046	76.0	3.3	141	8.8	2.0	225	15.1	2.9
Other	808	74.2	4.0	161	10.2	2.5	241	15.7	3.4
Education									
<High School	1264	65.4	3.6	336	10.4	2.1	772	24.2	3.3
High School	4423	64.5	2.0	1161	13.1	1.3	2111	22.3	1.7
>High School	9758	70.8	1.3	1660	11.5	0.9	2535	17.7	1.1
Household Income									
<\$10,000	678	61.2	5.3	188	11.6	3.3	405	27.2	5.0
\$10,000- 24,999	2941	64.8	2.5	785	11.5	1.4	1519	23.7	2.3
\$25,000- 49,999	4072	65.3	2.1	977	13.8	1.5	1617	20.9	1.8
≥\$50,000	5751	73.6	1.6	874	11.3	1.1	1139	15.2	1.3
Region									
NYC	2073	68.6	2.1	379	10.9	1.3	660	20.5	1.8
Rest of State	13435	68.3	1.0	2786	12.4	0.7	4777	19.3	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Home Smoking Policies

Locality	n ¹	Not Allowed % ²	C.I. ³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Albany	429	66.7	4.3	80	13.7	3.2	133	19.7	3.6
Allegany, Wyoming	361	58.6	4.4	100	15.8	3.2	175	25.6	3.8
Broome	417	67.2	4.1	80	12.4	2.9	141	20.4	3.5
Cattaraugus, Chautauqua	375	58.7	4.5	90	15.1	3.3	167	26.2	4.1
Cayuga, Seneca, Wayne	392	63.8	4.3	84	12.9	3.0	166	23.3	3.8
Chemung, Schuyler, Tioga	374	59.7	4.3	98	15.3	3.1	161	25.0	3.8
Chenango, Madison	378	57.7	4.3	89	13.0	2.8	194	29.3	4.0
Clinton, Essex, Franklin	398	62.7	4.4	94	13.7	3.1	156	23.6	3.8
Columbia, Greene	400	63.1	4.3	91	13.4	2.9	143	23.5	3.8
Cortland, Tompkins	440	70.5	4.3	63	10.6	3.2	135	19.0	3.5
Delaware, Otsego, Schoharie	402	62.6	4.6	73	12.0	3.1	152	25.4	4.2
Dutchess, Putnam	426	70.4	4.1	87	13.5	3.1	115	16.1	3.2
Erie	392	64.3	4.2	93	14.0	2.9	146	21.7	3.6
Fulton, Montgomery	344	55.2	4.4	116	17.0	3.2	170	27.9	4.1
Genesee, Orleans	382	61.5	4.3	99	15.3	3.1	153	23.2	3.7
Hamilton, Herkimer	360	60.6	4.4	79	11.8	2.8	179	27.6	4.1
Jefferson, Lewis, StLawrence	375	63.9	4.5	80	12.2	3.0	188	23.8	3.8
Livingston, Ontario	394	63.8	4.2	108	18.0	3.5	136	18.2	3.2
Monroe	444	72.3	3.9	65	11.5	2.9	117	16.1	3.0
Nassau	451	73.3	4.1	66	10.3	2.7	100	16.4	3.5
Niagara	361	59.1	4.3	106	16.9	3.3	166	24.0	3.7
Oneida, Oswego	387	61.4	4.2	93	14.1	3.1	171	24.5	3.7
Onondaga	414	64.4	4.4	100	15.1	3.3	131	20.5	3.8
Orange	446	69.8	4.3	67	10.4	2.8	125	19.8	3.9
Rensselaer	393	62.5	4.4	87	12.9	2.8	157	24.5	4.0
Rockland	480	77.4	3.7	55	8.3	2.4	97	14.4	3.1
Saratoga	454	71.6	4.0	62	10.2	2.7	128	18.2	3.4
Schenectady	418	65.4	4.3	78	13.4	3.3	135	21.1	3.6
Steuben, Yates	407	63.3	4.3	99	15.2	3.2	145	21.5	3.6
Suffolk	472	74.3	3.9	66	10.8	2.8	102	14.9	3.2
Sullivan, Ulster	423	65.6	4.4	80	14.2	3.4	137	20.2	3.7
Warren, Washington	402	63.5	4.2	94	14.2	3.0	149	22.3	3.7
Westchester	444	72.5	4.2	64	11.1	3.2	107	16.4	3.3
Bronx	435	69.9	4.3	80	12.1	3.0	114	18.0	3.7
Kings (Brooklyn)	419	68.3	4.1	76	10.8	2.6	143	20.9	3.7
New York (Manhattan)	377	61.4	4.6	79	12.8	3.0	157	25.9	4.2
Queens	444	74.2	4.0	56	8.0	2.3	108	17.8	3.6
Richmond (Staten Island)	398	66.0	4.3	88	14.6	3.4	138	19.4	3.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	6043	21.9	18129	78.1	0.9
Gender					
Male	2485	22.7	6986	77.3	1.5
Female	3558	21.3	11143	78.7	1.1
Age					
18-24	554	30.3	1075	69.7	3.7
25-34	916	22.5	2726	77.5	2.3
35-44	1393	21.3	3725	78.7	2.0
45-54	1323	23.3	3432	76.7	2.0
55-64	905	21.5	2616	78.5	2.4
≥65	877	16.0	4289	84.0	1.9
Race/Ethnicity					
White	5034	23.0	14847	77.0	1.0
Black	340	22.4	985	77.6	3.1
Hispanic	297	18.3	1119	81.7	2.9
Other	301	20.0	917	80.0	4.0
Education					
<High School	834	26.2	1552	73.8	3.5
High School	2401	26.3	5318	73.7	1.8
>High School	2792	19.1	11185	80.9	1.1
Household Income					
<\$10,000	470	27.0	806	73.0	4.6
\$10,000- 24,999	1639	25.8	3623	74.2	2.3
\$25,000- 49,999	1869	25.9	4811	74.1	1.9
≥\$50,000	1375	17.1	6396	82.9	1.3
Region					
NYC	690	20.8	2439	79.2	1.8
Rest of State	5353	22.8	15690	77.2	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Home Smoking

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	143	23.9	500	76.1	4.0
Allegany, Wyoming	207	31.9	432	68.1	4.2
Broome	159	24.8	483	75.2	3.9
Cattaraugus, Chautauqua	196	33.3	438	66.7	4.4
Cayuga, Seneca, Wayne	178	27.6	467	72.4	4.1
Chemung, Schuylar, Tioga	192	30.1	442	69.9	4.0
Chenango, Madison	213	32.7	450	67.3	4.1
Clinton, Essex, Franklin	160	25.6	487	74.4	4.1
Columbia, Greene	173	28.5	462	71.5	4.0
Cortland, Tompkins	125	20.6	519	79.4	4.1
Delaware, Otsego, Schoharie	152	26.5	478	73.5	4.3
Dutchess, Putnam	144	22.1	482	77.9	3.8
Erie	174	26.9	457	73.1	3.9
Fulton, Montgomery	198	31.0	434	69.0	4.1
Genesee, Orleans	173	27.2	463	72.8	3.9
Hamilton, Herkimer	186	29.7	432	70.3	4.2
Jefferson, Lewis, StLawrence	169	24.1	474	75.9	4.0
Livingston, Ontario	184	27.5	453	72.5	3.9
Monroe	126	19.6	499	80.4	3.4
Nassau	109	17.4	508	82.6	3.6
Niagara	201	31.2	433	68.8	4.0
Oneida, Oswego	188	29.7	465	70.3	4.1
Onondaga	161	26.9	484	73.1	4.2
Orange	142	22.6	494	77.4	3.9
Rensselaer	168	26.2	471	73.8	4.0
Rockland	103	17.1	531	82.9	3.5
Saratoga	134	21.6	512	78.4	3.8
Schenectady	156	26.2	477	73.8	4.0
Steuben, Yates	189	30.2	463	69.8	4.1
Suffolk	117	17.8	526	82.2	3.4
Sullivan, Ulster	155	26.1	484	73.9	4.2
Warren, Washington	183	28.3	466	71.7	3.9
Westchester	95	15.7	524	84.3	3.6
Bronx	142	22.6	489	77.4	4.0
Kings (Brooklyn)	138	19.8	506	80.2	3.4
New York (Manhattan)	147	26.0	469	74.0	4.3
Queens	101	16.0	513	84.0	3.4
Richmond (Staten Island)	162	25.6	462	74.4	4.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per Drink Occasion)***New York State***

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	3045	14.1	20803	85.9	0.8
Gender					
Male	2028	21.7	7262	78.3	1.5
Female	1017	7.3	13541	92.7	0.7
Age					
18-24	497	28.6	1109	71.4	3.5
25-34	760	21.4	2832	78.6	2.2
35-44	791	14.7	4243	85.3	1.8
45-54	529	11.1	4171	88.9	1.6
55-64	279	8.5	3202	91.5	1.6
≥65	166	3.2	4946	96.8	0.9
Race/Ethnicity					
White	2613	16.2	17043	83.8	0.9
Black	105	6.8	1200	93.2	1.8
Hispanic	159	12.7	1231	87.3	2.6
Other	133	11.6	1059	88.4	3.5
Education					
<High School	237	11.9	2108	88.1	2.9
High School	1027	13.4	6562	86.6	1.3
>High School	1777	14.9	12059	85.1	1.0
Household Income					
<\$10,000	132	10.2	1127	89.8	2.9
\$10,000- 24,999	578	13.3	4618	86.7	2.0
\$25,000- 49,999	998	15.1	5592	84.9	1.5
≥\$50,000	1125	16.8	6580	83.2	1.4
Region					
NYC	373	12.4	2711	87.6	1.5
Rest of State	2672	15.2	18092	84.8	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per Drink Occasion)

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	80	14.5	553	85.5	3.5
Allegany, Wyoming	101	20.0	531	80.0	4.0
Broome	78	13.2	559	86.8	3.0
Cattaraugus, Chautauqua	91	17.2	535	82.8	3.7
Cayuga, Seneca, Wayne	71	13.1	569	86.9	3.3
Chemung, Schuyler, Tioga	88	16.3	535	83.7	3.4
Chenango, Madison	75	15.8	576	84.2	3.7
Clinton, Essex, Franklin	100	20.4	534	79.6	4.0
Columbia, Greene	66	13.0	561	87.0	3.3
Cortland, Tompkins	83	18.0	554	82.0	4.1
Delaware, Otsego, Schoharie	79	17.2	544	82.8	4.0
Dutchess, Putnam	74	15.2	548	84.8	3.7
Erie	105	19.2	517	80.8	3.8
Fulton, Montgomery	99	17.3	515	82.7	3.4
Genesee, Orleans	89	16.4	537	83.6	3.6
Hamilton, Herkimer	77	17.0	525	83.0	4.0
Jefferson, Lewis, StLawrence	90	18.0	540	82.0	4.2
Livingston, Ontario	75	14.3	556	85.7	3.4
Monroe	88	16.9	533	83.1	3.5
Nassau	62	10.8	545	89.2	2.8
Niagara	83	15.8	544	84.2	3.5
Oneida, Oswego	92	17.1	553	82.9	3.6
Onondaga	91	18.5	548	81.5	4.0
Orange	68	12.8	561	87.2	3.3
Rensselaer	85	16.8	543	83.2	3.5
Rockland	66	11.9	557	88.1	3.0
Saratoga	77	16.3	559	83.7	3.7
Schenectady	59	12.3	567	87.7	3.4
Steuben, Yates	88	16.0	559	84.0	3.5
Suffolk	83	16.2	554	83.8	3.5
Sullivan, Ulster	72	14.6	564	85.4	3.6
Warren, Washington	76	14.2	566	85.8	3.3
Westchester	61	12.1	550	87.9	3.4
Bronx	52	9.5	568	90.5	2.9
Kings (Brooklyn)	76	11.5	563	88.5	2.8
New York (Manhattan)	97	16.0	508	84.0	3.3
Queens	68	11.8	535	88.2	3.2
Richmond (Staten Island)	80	15.0	537	85.0	3.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)***New York State***

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	1220	4.8	22697	95.2	0.5
Gender					
Male	599	5.5	8730	94.5	0.8
Female	621	4.1	13967	95.9	0.5
Age					
18-24	165	8.5	1441	91.5	2.0
25-34	174	4.6	3434	95.4	1.1
35-44	242	4.6	4823	95.4	1.3
45-54	247	4.2	4457	95.8	0.9
55-64	162	4.1	3332	95.9	1.1
≥65	213	4.1	4905	95.9	0.9
Race/Ethnicity					
White	1084	6.1	18619	93.9	0.6
Black	34	2.1	1274	97.9	1.0
Hispanic	39	1.9	1350	98.1	0.8
Other	48	4.3	1147	95.7	2.8
Education					
<High School	106	3.8	2246	96.2	1.8
High School	406	4.3	7196	95.7	0.7
>High School	703	5.2	13180	94.8	0.6
Household Income					
<\$10,000	56	3.8	1205	96.2	1.5
\$10,000- 24,999	248	4.3	4956	95.7	1.3
\$25,000- 49,999	386	4.8	6242	95.2	0.8
≥\$50,000	406	5.7	7315	94.3	0.9
Region					
NYC	144	4.3	2944	95.7	0.9
Rest of State	1076	5.2	19753	94.8	0.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Locality	n ¹	Yes % ²	n	No %	C.I. ³
Albany	40	8.3	590	91.7	3.0
Allegany, Wyoming	48	9.2	582	90.8	3.0
Broome	35	5.6	605	94.4	2.1
Cattaraugus, Chautauqua	36	4.9	589	95.1	1.7
Cayuga, Seneca, Wayne	27	4.5	612	95.5	1.9
Chemung, Schuyler, Tioga	36	5.9	590	94.1	2.1
Chenango, Madison	41	7.5	617	92.5	2.6
Clinton, Essex, Franklin	40	6.4	602	93.6	2.3
Columbia, Greene	25	4.1	603	95.9	1.8
Cortland, Tompkins	39	7.4	599	92.6	2.9
Delaware, Otsego, Schoharie	40	7.1	587	92.9	2.5
Dutchess, Putnam	30	4.4	591	95.6	1.8
Erie	47	9.1	577	90.9	2.9
Fulton, Montgomery	40	5.6	580	94.4	1.9
Genesee, Orleans	30	5.0	602	95.0	2.0
Hamilton, Herkimer	27	4.6	582	95.4	1.9
Jefferson, Lewis, StLawrence	29	5.2	606	94.8	2.8
Livingston, Ontario	32	5.0	600	95.0	1.9
Monroe	29	5.2	592	94.8	2.1
Nassau	20	3.2	591	96.8	1.5
Niagara	40	6.5	588	93.5	2.2
Oneida, Oswego	35	6.5	612	93.5	2.5
Onondaga	31	6.3	607	93.7	2.6
Orange	28	3.9	602	96.1	1.6
Rensselaer	26	4.6	601	95.4	1.9
Rockland	29	4.7	601	95.3	1.9
Saratoga	29	4.7	610	95.3	2.0
Schenectady	35	5.7	592	94.3	2.1
Steuben, Yates	36	7.1	615	92.9	2.6
Suffolk	24	4.1	615	95.9	2.0
Sullivan, Ulster	22	4.1	610	95.9	2.1
Warren, Washington	35	5.6	607	94.4	2.1
Westchester	15	2.5	596	97.5	1.4
Bronx	20	3.1	602	96.9	1.5
Kings (Brooklyn)	29	3.8	606	96.2	1.5
New York (Manhattan)	51	7.6	557	92.4	2.3
Queens	16	2.8	588	97.2	1.9
Richmond (Staten Island)	28	5.6	591	94.4	2.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	13332	56.7	9653	43.3	1.2
Gender					
Male	6427	65.4	2946	34.6	1.8
Female	6905	48.4	6707	51.6	1.5
Age					
18-24	599	34.1	961	65.9	3.9
25-34	1744	50.5	1715	49.5	2.8
35-44	2766	59.4	2115	40.6	2.5
45-54	2849	64.8	1674	35.2	2.5
55-64	2264	66.2	1098	33.8	3.1
≥65	3024	60.6	1956	39.4	2.6
Race/Ethnicity					
White	10932	55.3	8023	44.7	1.2
Black	869	67.6	378	32.4	3.9
Hispanic	793	60.5	536	39.5	3.8
Other	571	45.2	593	54.8	5.0
Education					
<High School	1440	63.1	807	36.9	4.1
High School	4532	60.8	2783	39.2	2.2
>High School	7326	53.6	6033	46.4	1.5
Household Income					
<\$10,000	757	58.8	456	41.2	5.5
\$10,000- 24,999	3046	59.2	1987	40.8	2.8
\$25,000- 49,999	3836	60.4	2574	39.6	2.3
≥\$50,000	4268	55.1	3278	44.9	1.8
Region					
NYC	1627	55.5	1340	44.5	2.3
Rest of State	11705	57.6	8313	42.4	1.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	330	54.0	285	46.0	4.5
Allegany, Wyoming	351	57.4	266	42.6	4.5
Broome	373	60.3	235	39.7	4.4
Cattaraugus, Chautauqua	391	64.4	213	35.6	4.5
Cayuga, Seneca, Wayne	357	59.2	258	40.8	4.6
Chemung, Schuylar, Tioga	375	63.3	218	36.7	4.4
Chenango, Madison	383	62.0	242	38.0	4.4
Clinton, Essex, Franklin	352	56.7	269	43.3	4.6
Columbia, Greene	348	58.8	261	41.2	4.4
Cortland, Tompkins	326	51.6	294	48.4	4.7
Delaware, Otsego, Schoharie	364	61.0	242	39.0	4.6
Dutchess, Putnam	344	57.1	256	42.9	4.7
Erie	344	57.5	254	42.5	4.5
Fulton, Montgomery	366	61.2	239	38.8	4.4
Genesee, Orleans	386	64.2	220	35.8	4.3
Hamilton, Herkimer	358	62.9	230	37.1	4.5
Jefferson, Lewis, StLawrence	392	67.7	221	32.3	4.5
Livingston, Ontario	365	60.5	243	39.5	4.4
Monroe	347	59.3	252	40.7	4.4
Nassau	300	52.1	283	47.9	4.8
Niagara	363	60.1	240	39.9	4.4
Oneida, Oswego	384	61.7	244	38.3	4.4
Onondaga	361	59.5	250	40.5	4.6
Orange	358	60.4	250	39.6	4.6
Rensselaer	354	59.1	243	40.9	4.5
Rockland	331	55.8	260	44.2	4.6
Saratoga	338	58.6	263	41.4	4.5
Schenectady	352	60.7	258	39.3	4.4
Steuben, Yates	365	58.7	238	41.3	4.7
Suffolk	326	57.0	281	43.0	4.5
Sullivan, Ulster	348	57.1	271	42.9	4.7
Warren, Washington	366	60.2	252	39.8	4.4
Westchester	307	53.6	282	46.4	4.7
Bronx	366	62.7	224	37.3	4.7
Kings (Brooklyn)	362	58.6	256	41.4	4.5
New York (Manhattan)	237	42.3	347	57.7	4.7
Queens	318	57.6	259	42.4	4.7
Richmond (Staten Island)	344	57.7	254	42.3	4.6

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)*New York State*

Demographic Groups	n¹	Underweight\ Normal %²	C.I.³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	9648	43.3	1.2	8171	36.1	1.1	5155	20.6	0.9
Gender									
Male	2946	34.6	1.8	4242	44.7	1.8	2184	20.7	1.4
Female	6702	51.6	1.5	3929	27.9	1.4	2971	20.5	1.2
Age									
18-24	961	65.9	3.9	393	22.4	3.3	205	11.7	2.8
25-34	1714	49.5	2.8	1070	32.4	2.7	673	18.2	2.2
35-44	2115	40.6	2.5	1645	36.8	2.5	1121	22.6	2.1
45-54	1674	35.2	2.5	1661	40.0	2.6	1187	24.9	2.3
55-64	1096	33.8	3.1	1327	41.0	3.2	936	25.2	2.5
≥65	1954	39.4	2.6	2016	41.0	2.7	1006	19.6	2.1
Race/Ethnicity									
White	8018	44.7	1.2	6798	36.5	1.2	4129	18.8	0.9
Black	378	32.4	3.9	445	35.9	3.8	424	31.7	3.7
Hispanic	536	39.5	3.8	483	37.9	3.8	310	22.6	3.2
Other	593	54.8	5.0	340	30.6	4.8	231	14.6	3.2
Education									
<High School	805	36.8	4.1	772	35.0	4.0	668	28.2	3.6
High School	2780	39.2	2.2	2686	37.3	2.2	1841	23.5	1.8
>High School	6033	46.4	1.5	4692	35.9	1.4	2633	17.8	1.1
Household Income									
<\$10,000	454	41.1	5.5	384	30.9	5.0	373	27.9	4.7
\$10,000- 24,999	1987	40.9	2.8	1696	35.7	2.8	1347	23.5	2.3
\$25,000- 49,999	2572	39.6	2.3	2361	37.5	2.3	1474	22.8	1.9
≥\$50,000	3278	44.9	1.8	2802	37.8	1.8	1465	17.3	1.3
Region									
NYC	1340	44.5	2.3	996	35.1	2.2	631	20.4	1.8
Rest of State	8308	42.4	1.1	7175	36.8	1.1	4524	20.8	0.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	8863	90.9	886	9.1	1.1
Age					
40-49	2535	86.2	399	13.8	2.2
50-64	3307	93.9	207	6.1	1.5
≥65	3021	92.3	280	7.7	1.8
Race/Ethnicity					
White	7613	91.0	744	9.0	1.2
Black	422	92.2	44	7.8	3.0
Hispanic	399	91.3	38	8.7	3.8
Other	323	86.5	51	13.5	5.6
Education					
<High School	872	89.3	117	10.7	3.7
High School	3061	89.2	348	10.8	2.1
>High School	4901	92.1	419	7.9	1.3
Household Income					
<\$10,000	546	87.9	85	12.1	4.5
\$10,000- 24,999	2069	89.0	266	11.0	2.6
\$25,000- 49,999	2156	91.5	222	8.5	1.8
≥\$50,000	2602	92.4	174	7.6	1.7
Region					
NYC	987	90.4	103	9.6	2.2
Rest of State	7876	91.2	783	8.8	1.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	236	95.2	12	4.8	2.8
Allegany, Wyoming	245	89.2	28	10.8	4.0
Broome	231	92.3	22	7.7	3.4
Cattaraugus, Chautauqua	245	82.5	46	17.5	5.1
Cayuga, Seneca, Wayne	240	91.9	22	8.1	3.8
Chemung, Schuyler, Tioga	246	92.7	18	7.3	3.8
Chenango, Madison	261	86.9	30	13.1	4.6
Clinton, Essex, Franklin	217	91.5	22	8.5	3.7
Columbia, Greene	240	86.0	40	14.0	4.5
Cortland, Tompkins	224	90.0	26	10.0	4.0
Delaware, Otsego, Schoharie	264	93.8	17	6.2	3.1
Dutchess, Putnam	225	90.4	19	9.6	4.8
Erie	234	91.2	24	8.8	3.8
Fulton, Montgomery	236	91.4	24	8.6	3.5
Genesee, Orleans	221	91.3	23	8.7	3.6
Hamilton, Herkimer	245	91.6	21	8.4	4.1
Jefferson, Lewis, StLawrence	251	91.4	29	8.6	3.5
Livingston, Ontario	231	93.1	18	6.9	3.4
Monroe	217	91.9	20	8.1	3.7
Nassau	221	91.5	21	8.5	3.8
Niagara	233	90.2	30	9.8	3.7
Oneida, Oswego	248	89.5	32	10.5	3.7
Onondaga	246	96.0	10	4.0	2.6
Orange	222	86.2	32	13.8	4.8
Rensselaer	237	95.1	17	4.9	2.4
Rockland	230	91.8	20	8.2	4.0
Saratoga	251	93.5	18	6.5	3.3
Schenectady	260	93.8	16	6.2	3.1
Steuben, Yates	260	89.8	26	10.2	4.2
Suffolk	235	90.8	21	9.2	4.4
Sullivan, Ulster	244	87.8	33	12.2	4.4
Warren, Washington	247	92.6	23	7.4	3.2
Westchester	233	91.7	23	8.3	3.9
Bronx	215	91.1	21	8.9	4.0
Kings (Brooklyn)	195	87.0	26	13.0	5.2
New York (Manhattan)	192	93.6	19	6.4	3.0
Queens	178	91.1	17	8.9	4.6
Richmond (Staten Island)	207	91.2	20	8.8	4.2

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	7547	77.6	2133	22.4	1.6
Age					
40-49	2126	73.3	798	26.7	2.8
50-64	2914	82.0	577	18.0	2.5
≥65	2507	77.1	758	22.9	3.0
Race/Ethnicity					
White	6480	77.7	1824	22.3	1.7
Black	355	75.2	103	24.8	5.9
Hispanic	353	79.7	84	20.3	5.5
Other	271	75.1	99	24.9	7.2
Education					
<High School	715	75.6	260	24.4	5.3
High School	2580	76.1	804	23.9	3.0
>High School	4232	79.0	1061	21.0	1.9
Household Income					
<\$10,000	434	73.2	192	26.8	6.5
\$10,000- 24,999	1670	72.0	650	28.0	3.9
\$25,000- 49,999	1860	79.2	510	20.8	3.0
≥\$50,000	2318	80.5	450	19.5	2.6
Region					
NYC	841	76.6	237	23.4	3.3
Rest of State	6706	78.2	1896	21.8	1.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	207	84.9	39	15.1	4.7
Allegany, Wyoming	198	74.3	75	25.7	5.5
Broome	200	79.9	52	20.1	5.6
Cattaraugus, Chautauqua	215	72.1	75	27.9	6.0
Cayuga, Seneca, Wayne	197	76.0	62	24.0	5.9
Chemung, Schuyler, Tioga	204	77.3	57	22.7	5.7
Chenango, Madison	225	76.3	64	23.7	5.6
Clinton, Essex, Franklin	193	80.8	45	19.2	5.8
Columbia, Greene	188	71.2	89	28.8	5.7
Cortland, Tompkins	193	79.3	55	20.7	5.3
Delaware, Otsego, Schoharie	220	80.5	54	19.5	5.1
Dutchess, Putnam	174	71.2	67	28.8	6.5
Erie	210	82.3	47	17.7	5.1
Fulton, Montgomery	193	74.5	67	25.5	5.9
Genesee, Orleans	187	79.0	56	21.0	5.3
Hamilton, Herkimer	203	75.9	62	24.1	5.9
Jefferson, Lewis, StLawrence	215	79.5	63	20.5	5.2
Livingston, Ontario	199	81.6	49	18.4	5.2
Monroe	189	76.9	47	23.1	6.6
Nassau	190	78.5	51	21.5	5.8
Niagara	199	78.3	62	21.7	5.3
Oneida, Oswego	214	77.0	65	23.0	5.4
Onondaga	220	86.5	35	13.5	4.6
Orange	189	73.8	64	26.2	6.0
Rensselaer	204	82.6	49	17.4	4.9
Rockland	203	81.2	46	18.8	5.7
Saratoga	214	80.3	53	19.7	5.4
Schenectady	220	79.9	56	20.1	5.1
Steuben, Yates	226	79.6	58	20.4	5.3
Suffolk	198	74.4	56	25.6	6.5
Sullivan, Ulster	199	71.0	75	29.0	6.0
Warren, Washington	216	82.5	51	17.5	4.9
Westchester	204	79.3	50	20.7	6.0
Bronx	189	82.0	44	18.0	5.4
Kings (Brooklyn)	159	71.3	59	28.7	7.0
New York (Manhattan)	160	79.4	49	20.6	5.9
Queens	152	76.2	40	23.8	7.1
Richmond (Staten Island)	181	81.5	45	18.5	5.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Why Received Mammography Screening, Women Aged 40 Years and Older*New York State*

Demographic Groups	n¹	Routine Checkup %²	C.I.³	n	Breast Problem %	C.I.	n	Had Breast Ca. %	C.I.
Female	8050	92.8	0.9	392	4.0	0.7	363	3.3	0.6
Age									
40-49	2326	94.3	1.3	164	4.9	1.2	33	0.9	0.6
50-64	2998	90.6	1.8	157	5.3	1.4	137	4.1	1.2
≥65	2726	93.7	1.3	71	1.8	0.7	193	4.5	1.1
Race/Ethnicity									
White	6904	91.8	1.1	342	4.4	0.8	324	3.8	0.7
Black	392	94.9	2.6	16	2.9	2.0	10	2.2	1.7
Hispanic	369	94.1	2.8	17	3.6	2.1	12	2.3	1.9
Other	291	95.6	2.7	14	2.8	2.3	13	1.6	1.3
Education									
<High School	791	93.7	2.5	36	4.0	2.0	32	2.3	1.5
High School	2771	93.0	1.4	135	3.8	1.1	134	3.2	0.9
>High School	4460	92.4	1.3	221	4.1	1.0	197	3.5	0.8
Household Income									
<\$10,000	476	91.8	3.5	33	4.5	2.5	30	3.7	2.5
\$10,000- 24,999	1849	92.2	1.9	103	4.1	1.3	99	3.7	1.4
\$25,000- 49,999	1961	91.2	2.3	109	5.6	2.0	76	3.1	1.3
≥\$50,000	2416	94.0	1.4	102	3.3	1.1	81	2.7	0.9
Region									
NYC	912	94.2	1.6	39	3.4	1.3	27	2.4	1.0
Rest of State	7138	91.8	1.0	353	4.3	0.8	336	3.8	0.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Why Received Mammography Screening, Women Aged 40 Years and Older

Locality	n ¹	Routine Checkup			Breast Problem			Had Breast Ca.	
		% ²	C.I. ³	n	%	C.I.	n	%	C.I.
Albany	217	93.8	3.1	10	3.1	2.1	9	3.1	2.4
Allegany, Wyoming	220	91.1	3.9	13	5.1	2.9	9	3.8	2.8
Broome	208	90.8	4.2	12	5.5	3.6	10	3.8	2.5
Cattaraugus, Chautauqua	221	93.1	3.1	8	2.9	2.1	13	4.0	2.3
Cayuga, Seneca, Wayne	222	93.2	3.5	7	3.2	2.7	11	3.6	2.3
Chemung, Schuyler, Tioga	232	94.2	3.4	5	2.3	2.2	8	3.4	2.7
Chenango, Madison	246	94.8	2.9	8	3.2	2.3	5	2.0	1.8
Clinton, Essex, Franklin	196	91.9	3.8	8	3.5	2.6	12	4.6	2.9
Columbia, Greene	216	90.2	4.2	11	4.1	2.5	11	5.8	3.6
Cortland, Tompkins	198	89.2	4.5	13	5.7	3.3	12	5.1	3.2
Delaware, Otsego, Schoharie	231	88.5	4.2	19	7.3	3.5	11	4.2	2.6
Dutchess, Putnam	209	92.1	4.1	9	4.7	3.4	7	3.2	2.6
Erie	216	93.4	3.4	10	4.4	3.0	7	2.2	1.7
Fulton, Montgomery	200	85.9	4.8	19	8.9	4.2	16	5.2	2.6
Genesee, Orleans	202	92.0	3.8	6	2.3	1.9	12	5.7	3.3
Hamilton, Herkimer	224	90.5	4.1	12	5.6	3.2	9	3.9	2.7
Jefferson, Lewis, StLawrence	227	92.0	3.5	13	4.9	2.8	10	3.1	2.1
Livingston, Ontario	216	93.8	3.5	7	3.6	2.8	7	2.6	2.2
Monroe	201	94.5	2.9	7	2.9	2.2	7	2.6	2.0
Nassau	205	93.0	4.0	5	2.2	2.0	9	4.8	3.5
Niagara	219	95.2	2.9	5	1.7	1.5	7	3.2	2.5
Oneida, Oswego	214	87.6	4.4	19	7.9	3.6	13	4.5	2.7
Onondaga	227	93.0	3.5	12	5.1	3.1	5	2.0	1.8
Orange	203	91.2	4.1	10	4.9	3.3	9	3.9	2.7
Rensselaer	213	91.1	3.8	10	3.1	2.0	13	5.8	3.3
Rockland	207	91.8	3.7	10	3.6	2.4	11	4.6	2.9
Saratoga	218	87.9	4.2	13	5.2	2.9	18	6.9	3.3
Schenectady	234	90.8	3.9	10	4.3	2.7	14	5.0	2.9
Steuben, Yates	234	91.7	3.6	13	4.5	2.7	10	3.8	2.4
Suffolk	212	89.8	4.4	11	5.8	3.6	11	4.3	2.7
Sullivan, Ulster	219	89.8	4.4	14	6.5	3.7	9	3.7	2.6
Warren, Washington	217	88.9	4.3	15	6.2	3.3	12	4.9	3.0
Westchester	214	91.4	4.5	9	4.7	3.7	9	3.9	2.8
Bronx	204	95.9	2.7	5	2.3	2.2	5	1.8	1.6
Kings (Brooklyn)	178	92.2	3.8	12	5.2	3.1	5	2.6	2.3
New York (Manhattan)	174	94.1	3.1	6	2.1	1.8	10	3.8	2.5
Queens	168	96.1	3.0	5	2.8	2.6	2	1.1	1.6
Richmond (Staten Island)	188	91.4	4.6	11	5.0	3.1	5	3.6	3.6

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger***New York State***

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2764	20.0	15425	80.0	1.1
Gender					
Male	677	14.0	6712	86.0	1.6
Female	2087	25.8	8713	74.2	1.5
Age					
18-24	752	44.3	853	55.7	4.2
25-34	865	28.1	2697	71.9	2.6
35-44	669	16.1	4312	83.9	1.9
45-54	334	9.5	4280	90.5	1.7
55-64	144	6.1	3283	93.9	1.6
Race/Ethnicity					
White	1782	12.6	12913	87.4	0.9
Black	360	30.5	748	69.5	3.9
Hispanic	441	37.6	805	62.4	3.9
Other	163	18.4	808	81.6	3.9
Education					
<High School	425	38.3	1078	61.7	4.9
High School	882	22.1	4533	77.9	2.2
>High School	1452	16.1	9777	83.9	1.2
Household Income					
<\$10,000	279	38.6	605	61.4	6.3
\$10,000- 24,999	825	30.7	2549	69.3	3.2
\$25,000- 49,999	803	21.1	4453	78.9	2.2
≥\$50,000	541	10.6	6422	89.4	1.3
Region					
NYC	651	26.9	1840	73.1	2.2
Rest of State	2113	14.8	13585	85.2	1.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	89	19.9	412	80.1	4.5
Allegany, Wyoming	62	14.7	422	85.3	3.9
Broome	55	11.3	401	88.7	3.2
Cattaraugus, Chautauqua	51	12.2	389	87.8	3.7
Cayuga, Seneca, Wayne	50	10.4	406	89.6	3.1
Chemung, Schuyler, Tioga	61	12.2	413	87.8	3.2
Chenango, Madison	53	11.5	441	88.5	3.4
Clinton, Essex, Franklin	53	11.6	423	88.4	3.5
Columbia, Greene	65	13.5	418	86.5	3.5
Cortland, Tompkins	60	15.2	451	84.8	4.2
Delaware, Otsego, Schoharie	55	13.3	410	86.7	4.0
Dutchess, Putnam	61	13.1	434	86.9	3.7
Erie	60	14.8	386	85.2	4.0
Fulton, Montgomery	74	15.4	388	84.6	3.8
Genesee, Orleans	64	12.6	415	87.4	3.3
Hamilton, Herkimer	55	12.3	389	87.7	3.8
Jefferson, Lewis, StLawrence	73	19.3	415	80.7	4.8
Livingston, Ontario	73	17.0	420	83.0	4.0
Monroe	64	12.5	421	87.5	3.3
Nassau	55	13.8	393	86.2	4.3
Niagara	49	12.7	405	87.3	3.9
Oneida, Oswego	74	16.2	416	83.8	4.0
Onondaga	79	14.9	401	85.1	3.6
Orange	61	13.4	442	86.6	4.1
Rensselaer	80	16.4	393	83.6	3.8
Rockland	50	12.4	423	87.6	3.8
Saratoga	81	16.5	402	83.5	4.0
Schenectady	63	14.3	383	85.7	3.9
Steuben, Yates	56	10.4	439	89.6	2.9
Suffolk	65	15.3	425	84.7	4.0
Sullivan, Ulster	79	18.3	415	81.7	4.7
Warren, Washington	65	15.5	423	84.5	3.9
Westchester	78	19.5	371	80.5	4.8
Bronx	200	37.2	328	62.8	5.1
Kings (Brooklyn)	150	26.5	382	73.5	4.2
New York (Manhattan)	116	25.8	359	74.2	4.8
Queens	109	24.6	361	75.4	4.8
Richmond (Staten Island)	76	15.7	410	84.3	3.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	13647	82.0	3449	18.0	1.0
Gender					
Male	5653	83.5	1277	16.5	1.6
Female	7994	80.5	2172	19.5	1.3
Age					
18-24	1224	75.4	327	24.6	3.7
25-34	3055	90.7	329	9.3	1.7
35-44	4137	87.7	589	12.3	1.8
45-54	3315	78.7	975	21.3	2.2
55-64	1916	67.4	1229	32.6	3.0
Race/Ethnicity					
White	11225	84.8	2622	15.2	1.0
Black	759	76.8	270	23.2	3.6
Hispanic	897	79.6	278	20.4	3.2
Other	668	75.9	231	24.1	4.6
Education					
<High School	1004	76.5	420	23.5	3.8
High School	4022	79.4	1077	20.6	2.1
>High School	8597	84.0	1938	16.0	1.2
Household Income					
<\$10,000	473	66.4	361	33.6	5.5
\$10,000- 24,999	2162	74.2	1011	25.8	2.9
\$25,000- 49,999	3958	81.3	1034	18.7	2.0
≥\$50,000	6014	90.2	655	9.8	1.2
Region					
NYC	1734	79.2	553	20.8	2.0
Rest of State	11913	84.0	2896	16.0	1.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Sexually Active, Age 18-64 Years Old

Locality	n ¹	Yes % ²	n	No %	C.I. ³
Albany	369	85.8	91	14.2	3.4
Allegany, Wyoming	355	81.8	106	18.2	3.9
Broome	317	77.7	106	22.3	4.5
Cattaraugus, Chautauqua	330	80.3	93	19.7	4.5
Cayuga, Seneca, Wayne	357	85.9	72	14.1	4.0
Chemung, Schuylers, Tioga	360	82.3	89	17.7	3.9
Chenango, Madison	371	83.3	101	16.7	3.8
Clinton, Essex, Franklin	383	86.0	70	14.0	3.9
Columbia, Greene	367	83.3	90	16.7	4.1
Cortland, Tompkins	389	82.7	102	17.3	4.0
Delaware, Otsego, Schoharie	355	82.0	97	18.0	4.3
Dutchess, Putnam	388	83.1	77	16.9	4.4
Erie	319	83.3	82	16.7	4.0
Fulton, Montgomery	336	79.1	100	20.9	4.5
Genesee, Orleans	367	82.2	95	17.8	4.1
Hamilton, Herkimer	350	87.0	69	13.0	3.5
Jefferson, Lewis, StLawrence	358	82.7	111	17.3	3.7
Livingston, Ontario	373	83.7	105	16.3	3.4
Monroe	368	84.3	94	15.7	3.5
Nassau	356	83.5	65	16.5	4.4
Niagara	349	84.7	75	15.3	3.9
Oneida, Oswego	360	83.5	91	16.5	3.9
Onondaga	354	84.5	93	15.5	3.6
Orange	405	88.5	65	11.5	3.3
Rensselaer	359	82.4	89	17.6	4.4
Rockland	355	84.5	85	15.5	3.6
Saratoga	366	85.3	85	14.7	3.5
Schenectady	330	80.9	97	19.1	4.2
Steuben, Yates	375	82.9	94	17.1	4.3
Suffolk	379	86.0	75	14.0	3.6
Sullivan, Ulster	376	84.5	90	15.5	4.3
Warren, Washington	393	88.6	67	11.4	3.3
Westchester	344	82.6	75	17.4	4.8
Bronx	345	75.0	149	25.0	4.4
Kings (Brooklyn)	380	79.8	113	20.2	4.0
New York (Manhattan)	328	80.0	107	20.0	4.4
Queens	310	79.5	104	20.5	4.3
Richmond (Staten Island)	371	84.4	80	15.6	3.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Multiple Partners in Past 12 Months, Sexually Active, Aged 64 or Younger*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	1084	10.1	12563	89.9	1.0
Gender					
Male	678	15.5	4975	84.5	1.8
Female	406	4.7	7588	95.3	0.7
Age					
18-24	271	27.5	953	72.5	4.4
25-34	307	12.3	2748	87.7	2.1
35-44	274	7.1	3863	92.9	1.8
45-54	172	4.7	3143	95.3	1.2
55-64	60	3.0	1856	97.0	1.3
Race/Ethnicity					
White	823	8.9	10402	91.1	0.9
Black	98	14.3	661	85.7	3.8
Hispanic	85	10.9	812	89.1	3.2
Other	68	11.3	600	88.7	4.9
Education					
<High School	102	14.1	902	85.9	5.1
High School	334	10.2	3688	89.8	1.9
>High School	646	9.3	7951	90.7	1.1
Household Income					
<\$10,000	74	15.9	399	84.1	5.5
\$10,000- 24,999	239	13.3	1923	86.7	3.2
\$25,000- 49,999	372	10.6	3586	89.4	1.9
≥\$50,000	312	7.7	5702	92.3	1.2
Region					
NYC	223	13.3	1511	86.7	2.2
Rest of State	861	7.9	11052	92.1	0.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Multiple Partners in Past 12 Months, Sexually Active, Aged 64 or Younger

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	38	12.0	331	88.0	4.6
Allegany, Wyoming	18	5.6	337	94.4	3.0
Broome	29	8.5	288	91.5	3.5
Cattaraugus, Chautauqua	21	6.3	309	93.7	3.4
Cayuga, Seneca, Wayne	28	7.1	329	92.9	3.0
Chemung, Schuyler, Tioga	19	4.6	341	95.4	2.4
Chenango, Madison	18	5.3	353	94.7	3.0
Clinton, Essex, Franklin	21	7.0	362	93.0	3.8
Columbia, Greene	23	6.5	344	93.5	3.0
Cortland, Tompkins	35	11.3	354	88.7	4.8
Delaware, Otsego, Schoharie	18	5.4	337	94.6	3.1
Dutchess, Putnam	28	9.7	360	90.3	4.1
Erie	37	12.9	282	87.1	4.7
Fulton, Montgomery	24	6.2	312	93.8	2.9
Genesee, Orleans	25	7.1	342	92.9	3.3
Hamilton, Herkimer	20	4.6	330	95.4	2.5
Jefferson, Lewis, StLawrence	31	9.0	327	91.0	4.3
Livingston, Ontario	28	6.8	345	93.2	2.9
Monroe	32	9.5	336	90.5	3.5
Nassau	23	7.0	333	93.0	3.2
Niagara	30	7.1	319	92.9	2.9
Oneida, Oswego	32	8.3	328	91.7	3.4
Onondaga	31	8.7	323	91.3	3.9
Orange	21	6.1	384	93.9	3.9
Rensselaer	23	5.7	336	94.3	2.6
Rockland	30	8.3	325	91.7	3.5
Saratoga	20	5.8	346	94.2	3.3
Schenectady	26	7.6	304	92.4	3.4
Steuben, Yates	18	4.5	357	95.5	2.4
Suffolk	21	5.4	358	94.6	2.6
Sullivan, Ulster	35	12.2	341	87.8	4.6
Warren, Washington	28	5.8	365	94.2	2.5
Westchester	30	8.0	314	92.0	3.5
Bronx	43	13.8	302	86.2	4.7
Kings (Brooklyn)	53	13.9	327	86.1	4.2
New York (Manhattan)	56	14.3	272	85.7	4.0
Queens	35	12.6	275	87.4	5.0
Richmond (Staten Island)	36	8.7	335	91.3	3.4

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution
²Weighted Percent ³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2948	28.9	11019	71.1	1.4
Gender					
Male	1421	32.5	4433	67.5	2.3
Female	1527	25.1	6586	74.9	1.8
Age					
18-24	603	56.5	671	43.5	4.7
25-34	904	36.2	2233	63.8	2.9
35-44	821	25.2	3379	74.8	2.6
45-54	482	17.6	2905	82.4	2.3
55-64	138	9.4	1831	90.6	2.5
Race/Ethnicity					
White	2087	22.7	9360	77.3	1.3
Black	300	41.3	496	58.7	5.1
Hispanic	315	37.6	615	62.4	4.6
Other	216	35.3	476	64.7	6.3
Education					
<High School	266	38.0	778	62.0	5.9
High School	804	26.4	3333	73.6	2.8
>High School	1871	28.2	6890	71.8	1.7
Household Income					
<\$10,000	170	37.9	336	62.1	7.8
\$10,000- 24,999	645	39.0	1622	61.0	4.1
\$25,000- 49,999	864	28.5	3190	71.5	2.8
≥\$50,000	985	22.5	5086	77.5	1.9
Region					
NYC	661	38.3	1162	61.7	2.9
Rest of State	2287	22.1	9857	77.9	1.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	87	21.5	296	78.5	4.7
Allegany, Wyoming	49	14.9	316	85.1	4.5
Broome	62	18.3	265	81.7	4.7
Cattaraugus, Chautauqua	55	16.5	278	83.5	4.5
Cayuga, Seneca, Wayne	38	12.1	320	87.9	4.4
Chemung, Schuylar, Tioga	61	16.6	307	83.4	4.3
Chenango, Madison	60	16.3	321	83.7	4.4
Clinton, Essex, Franklin	51	14.4	339	85.6	4.5
Columbia, Greene	62	17.7	312	82.3	4.6
Cortland, Tompkins	77	23.7	314	76.3	5.6
Delaware, Otsego, Schoharie	56	19.9	304	80.1	5.5
Dutchess, Putnam	77	22.5	312	77.5	5.2
Erie	73	21.5	263	78.5	4.9
Fulton, Montgomery	62	21.1	277	78.9	5.2
Genesee, Orleans	58	16.3	313	83.7	4.3
Hamilton, Herkimer	58	15.9	300	84.1	4.5
Jefferson, Lewis, StLawrence	61	19.2	303	80.8	5.7
Livingston, Ontario	70	20.5	311	79.5	4.8
Monroe	78	20.9	295	79.1	4.7
Nassau	91	28.0	263	72.0	5.9
Niagara	58	17.3	301	82.7	4.8
Oneida, Oswego	72	18.6	295	81.4	4.6
Onondaga	87	23.8	279	76.2	5.2
Orange	85	21.0	321	79.0	5.0
Rensselaer	64	18.3	300	81.7	4.6
Rockland	87	22.9	281	77.1	5.0
Saratoga	69	18.3	305	81.7	4.6
Schenectady	75	22.5	259	77.5	5.1
Steuben, Yates	62	17.6	317	82.4	4.4
Suffolk	91	24.5	299	75.5	5.1
Sullivan, Ulster	86	24.4	301	75.6	5.4
Warren, Washington	66	16.1	339	83.9	4.1
Westchester	99	28.0	251	72.0	5.7
Bronx	137	40.3	220	59.7	6.4
Kings (Brooklyn)	153	38.0	243	62.0	5.6
New York (Manhattan)	141	38.0	213	62.0	5.8
Queens	127	40.2	205	59.8	6.4
Richmond (Staten Island)	103	28.0	281	72.0	5.3

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)***New York State***

Demographic Groups	n¹	Use BC %²	C.I.³	n	No BC at risk %	C.I.	n	No BC %	C.I.
Total	7887	61.4	1.5	1661	15.1	1.1	2961	23.4	1.3
Gender									
Male	3914	59.7	2.1	881	15.8	1.6	1770	24.5	1.8
Female	3973	63.8	2.1	780	14.2	1.5	1191	22.0	1.9
Age									
18-24	981	58.6	4.2	135	8.2	2.3	454	33.2	4.0
25-34	2305	66.4	2.6	558	16.0	2.0	641	17.6	2.1
35-44	3244	64.6	2.4	665	16.7	1.9	952	18.7	2.1
45-54	1063	54.2	4.0	227	17.6	3.6	576	28.2	3.4
55-59	294	38.1	6.8	76	15.8	5.5	338	46.1	6.9
Race/Ethnicity									
White	6318	61.8	1.6	1268	14.9	1.2	2293	23.3	1.4
Black	487	58.6	4.8	121	15.4	3.5	217	26.0	4.3
Hispanic	591	62.9	4.4	137	14.7	3.2	234	22.5	3.8
Other	427	60.8	5.8	106	15.4	4.1	189	23.8	5.0
Education									
<High School	609	61.0	5.5	145	13.8	3.8	270	25.2	4.7
High School	2297	59.9	3.0	476	16.8	2.3	851	23.4	2.5
>High School	4971	62.4	1.8	1034	14.5	1.3	1832	23.1	1.6
Household Income									
<\$10,000	297	53.6	7.3	64	15.3	5.5	226	31.1	6.3
\$10,000- 24,999	1379	59.3	3.9	281	15.2	3.0	689	25.6	3.2
\$25,000- 49,999	2344	61.6	2.9	491	14.5	2.0	892	23.9	2.6
≥\$50,000	3274	65.2	2.1	702	16.2	1.7	875	18.6	1.7
Region									
NYC	1041	59.4	2.9	277	15.6	2.1	482	25.0	2.5
Rest of State	6846	63.0	1.5	1384	14.7	1.1	2479	22.2	1.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Locality	n ¹	Use BC % ²	C.I. ³	n	No BC at risk %	C.I.	n	No BC %	C.I.
Albany	207	62.5	6.0	47	15.1	4.6	82	22.5	5.1
Allegany, Wyoming	205	65.6	5.8	34	12.1	4.0	74	22.3	5.1
Broome	193	57.3	5.9	34	11.7	3.9	105	30.9	5.5
Cattaraugus, Chautauqua	188	63.0	6.4	31	11.2	4.4	80	25.8	5.8
Cayuga, Seneca, Wayne	214	65.9	6.1	38	11.9	3.9	73	22.2	5.5
Chemung, Schuyler, Tioga	216	65.9	5.7	44	13.6	4.0	65	20.6	5.0
Chenango, Madison	210	65.4	5.9	38	11.3	3.8	78	23.3	5.4
Clinton, Essex, Franklin	220	64.7	6.1	44	11.7	3.7	75	23.6	5.6
Columbia, Greene	199	65.6	6.2	36	12.3	4.1	66	22.0	5.6
Cortland, Tompkins	219	61.5	5.9	41	13.4	4.5	106	25.1	5.1
Delaware, Otsego, Schoharie	192	65.4	6.5	32	9.8	3.7	75	24.8	6.0
Dutchess, Putnam	211	62.6	6.1	53	15.8	4.4	76	21.6	5.4
Erie	202	65.7	5.9	36	11.5	3.8	76	22.8	5.2
Fulton, Montgomery	209	64.7	6.0	38	11.4	3.8	78	23.9	5.5
Genesee, Orleans	222	65.9	5.8	42	13.1	4.1	74	21.0	5.1
Hamilton, Herkimer	195	67.3	6.2	44	14.6	4.8	62	18.1	4.9
Jefferson, Lewis, StLawrence	222	66.7	6.2	32	9.4	3.7	83	23.9	5.7
Livingston, Ontario	214	64.2	5.7	38	11.4	3.7	89	24.4	5.1
Monroe	225	65.0	5.7	36	12.1	4.0	80	22.9	4.9
Nassau	199	62.4	6.4	56	17.7	4.8	59	19.9	5.5
Niagara	216	67.7	5.8	39	12.8	4.0	65	19.5	5.0
Oneida, Oswego	197	58.8	6.2	44	14.8	4.5	81	26.4	5.7
Onondaga	223	69.6	5.7	35	10.8	3.7	72	19.6	5.0
Orange	236	69.5	5.6	52	15.6	4.5	55	14.8	4.2
Rensselaer	202	63.8	6.2	41	12.4	3.8	68	23.8	5.9
Rockland	176	56.3	6.2	68	22.5	5.3	72	21.2	5.1
Saratoga	200	61.5	6.0	48	15.7	4.4	84	22.9	5.1
Schenectady	200	67.0	5.9	34	9.9	3.5	74	23.1	5.4
Steuben, Yates	221	71.6	5.9	33	10.2	3.7	65	18.2	5.2
Suffolk	207	58.0	6.0	65	20.6	5.0	74	21.4	5.0
Sullivan, Ulster	196	62.6	6.5	52	17.5	4.9	73	19.9	5.6
Warren, Washington	233	71.4	5.6	32	10.9	4.0	66	17.6	4.7
Westchester	177	58.9	6.6	47	14.6	4.3	74	26.5	6.3
Bronx	216	59.4	6.0	56	14.5	4.2	104	26.1	5.3
Kings (Brooklyn)	227	59.2	5.6	59	16.1	4.2	108	24.7	4.9
New York (Manhattan)	193	58.3	6.0	40	13.0	4.1	110	28.7	5.4
Queens	191	59.7	6.1	62	17.4	4.6	90	22.9	5.1
Richmond (Staten Island)	214	62.6	5.9	60	17.2	4.5	70	20.1	4.9

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2086	6.9	21695	93.1	0.5
Gender					
Male	1035	8.1	8288	91.9	0.9
Female	1051	5.9	13407	94.1	0.7
Age					
18-24	5	0.2	1592	99.8	0.2
25-34	37	1.0	3543	99.0	0.8
35-44	90	1.6	4929	98.4	0.6
45-54	244	5.0	4425	95.0	1.1
55-64	409	12.2	3062	87.8	2.1
≥65	1284	22.7	3873	77.3	2.0
Race/Ethnicity					
White	1773	7.9	17833	92.1	0.6
Black	96	6.6	1206	93.4	1.9
Hispanic	68	5.0	1313	95.0	1.7
Other	110	4.0	1074	96.0	1.2
Education					
<High School	389	10.5	1950	89.5	2.3
High School	780	8.8	6799	91.2	1.1
>High School	906	5.3	12872	94.7	0.6
Household Income					
<\$10,000	195	13.6	1054	86.4	3.5
\$10,000- 24,999	748	10.6	4431	89.4	1.6
\$25,000- 49,999	541	7.6	6050	92.4	1.1
≥\$50,000	292	3.5	7402	96.5	0.6
Region					
NYC	198	6.0	2861	94.0	1.0
Rest of State	1888	7.6	18834	92.4	0.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	51	7.9	583	92.1	2.3
Allegany, Wyoming	51	7.5	574	92.5	2.2
Broome	59	7.9	573	92.1	2.2
Cattaraugus, Chautauqua	67	9.2	558	90.8	2.4
Cayuga, Seneca, Wayne	75	9.0	563	91.0	2.3
Chemung, Schuyler, Tioga	57	7.6	571	92.4	2.1
Chenango, Madison	69	8.8	583	91.2	2.3
Clinton, Essex, Franklin	61	8.0	571	92.0	2.3
Columbia, Greene	43	7.0	589	93.0	2.2
Cortland, Tompkins	44	5.3	592	94.7	1.7
Delaware, Otsego, Schoharie	63	8.3	564	91.7	2.2
Dutchess, Putnam	40	5.7	573	94.3	2.0
Erie	60	9.2	551	90.8	2.5
Fulton, Montgomery	63	8.3	561	91.7	2.2
Genesee, Orleans	66	9.4	561	90.6	2.4
Hamilton, Herkimer	64	9.3	546	90.7	2.4
Jefferson, Lewis, StLawrence	65	8.7	567	91.3	2.5
Livingston, Ontario	51	7.2	578	92.8	2.1
Monroe	60	8.1	555	91.9	2.3
Nassau	53	8.0	554	92.0	2.4
Niagara	73	9.8	550	90.2	2.4
Oneida, Oswego	59	8.2	588	91.8	2.3
Onondaga	46	6.4	582	93.6	2.0
Orange	57	7.1	577	92.9	2.0
Rensselaer	50	6.2	576	93.8	1.8
Rockland	41	5.5	576	94.5	1.8
Saratoga	52	7.5	583	92.5	2.2
Schenectady	61	8.1	564	91.9	2.2
Steuben, Yates	77	11.8	567	88.2	2.9
Suffolk	41	5.8	589	94.2	1.9
Sullivan, Ulster	57	8.0	579	92.0	2.2
Warren, Washington	65	8.7	577	91.3	2.2
Westchester	47	7.1	559	92.9	2.3
Bronx	40	5.5	579	94.5	1.9
Kings (Brooklyn)	41	6.4	588	93.6	2.2
New York (Manhattan)	38	5.6	565	94.4	2.1
Queens	40	6.0	551	94.0	2.1
Richmond (Staten Island)	39	5.7	578	94.3	2.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	1738	5.8	22029	94.2	0.5
Gender					
Male	899	7.1	8417	92.9	0.8
Female	839	4.7	13612	95.3	0.6
Age					
18-24	3	0.1	1594	99.9	0.1
25-34	27	0.8	3552	99.2	0.7
35-44	70	1.4	4949	98.6	0.6
45-54	199	3.9	4466	96.1	1.0
55-64	359	11.0	3110	89.0	2.0
≥65	1065	19.1	4085	80.9	1.9
Race/Ethnicity					
White	1477	6.7	18118	93.3	0.6
Black	73	5.0	1228	95.0	1.6
Hispanic	63	4.8	1318	95.2	1.7
Other	92	3.2	1090	96.8	1.1
Education					
<High School	330	9.3	2004	90.7	2.2
High School	649	7.3	6926	92.7	1.0
>High School	750	4.5	13023	95.5	0.5
Household Income					
<\$10,000	167	11.3	1080	88.7	3.3
\$10,000- 24,999	612	8.7	4563	91.3	1.4
\$25,000- 49,999	444	6.4	6145	93.6	1.0
≥\$50,000	254	3.1	7438	96.9	0.6
Region					
NYC	158	4.9	2898	95.1	1.0
Rest of State	1580	6.5	19131	93.5	0.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	39	6.2	594	93.8	2.0
Allegany, Wyoming	41	6.1	584	93.9	2.0
Broome	45	6.3	586	93.7	2.0
Cattaraugus, Chautauqua	62	8.8	563	91.2	2.4
Cayuga, Seneca, Wayne	66	8.1	572	91.9	2.2
Chemung, Schuyler, Tioga	42	5.7	586	94.3	1.8
Chenango, Madison	58	7.3	594	92.7	2.1
Clinton, Essex, Franklin	47	6.2	584	93.8	2.1
Columbia, Greene	38	5.8	594	94.2	1.9
Cortland, Tompkins	36	4.3	600	95.7	1.6
Delaware, Otsego, Schoharie	51	6.8	576	93.2	2.0
Dutchess, Putnam	33	4.6	580	95.4	1.7
Erie	47	7.3	564	92.7	2.3
Fulton, Montgomery	56	7.6	567	92.4	2.2
Genesee, Orleans	53	7.5	574	92.5	2.2
Hamilton, Herkimer	60	8.8	549	91.2	2.3
Jefferson, Lewis, StLawrence	53	7.1	577	92.9	2.2
Livingston, Ontario	46	6.4	583	93.6	1.9
Monroe	47	6.7	567	93.3	2.1
Nassau	46	7.0	561	93.0	2.3
Niagara	65	8.8	558	91.2	2.3
Oneida, Oswego	43	6.1	603	93.9	2.0
Onondaga	38	5.4	590	94.6	1.8
Orange	48	6.2	586	93.8	1.9
Rensselaer	50	6.2	576	93.8	1.8
Rockland	30	4.3	587	95.7	1.6
Saratoga	46	6.8	589	93.2	2.2
Schenectady	52	7.0	572	93.0	2.0
Steuben, Yates	62	9.0	582	91.0	2.4
Suffolk	36	5.4	593	94.6	1.9
Sullivan, Ulster	53	7.4	583	92.6	2.1
Warren, Washington	52	7.0	590	93.0	2.0
Westchester	39	6.4	567	93.6	2.2
Bronx	27	4.1	591	95.9	1.7
Kings (Brooklyn)	34	5.5	595	94.5	2.1
New York (Manhattan)	32	4.6	570	95.4	1.9
Queens	32	5.0	558	95.0	1.9
Richmond (Staten Island)	33	5.1	584	94.9	2.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Male	3727	62.9	2191	37.1	2.3
Age					
40-49	681	35.8	1279	64.2	3.7
50-64	1578	72.2	621	27.8	3.5
≥65	1468	84.8	291	15.2	3.1
Race/Ethnicity					
White	3253	65.3	1847	34.7	2.2
Black	148	59.8	85	40.2	9.0
Hispanic	110	61.2	90	38.8	9.5
Other	162	46.2	134	53.8	11.2
Education					
<High School	354	53.9	248	46.1	8.5
High School	1096	59.0	741	41.0	4.4
>High School	2262	66.3	1194	33.7	2.7
Household Income					
<\$10,000	106	51.6	111	48.4	12.9
\$10,000- 24,999	690	61.7	454	38.3	6.3
\$25,000- 49,999	1109	63.2	638	36.8	4.3
≥\$50,000	1449	64.4	815	35.6	3.3
Region					
NYC	415	61.1	237	38.9	4.9
Rest of State	3312	64.0	1954	36.0	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	96	64.4	58	35.6	8.0
Allegany, Wyoming	91	64.3	53	35.7	8.4
Broome	98	56.9	72	43.1	8.2
Cattaraugus, Chautauqua	95	65.8	58	34.2	7.8
Cayuga, Seneca, Wayne	110	59.1	69	40.9	8.2
Chemung, Schuyler, Tioga	98	63.8	55	36.2	8.3
Chenango, Madison	102	58.4	76	41.6	8.0
Clinton, Essex, Franklin	95	54.2	75	45.8	8.4
Columbia, Greene	112	62.6	68	37.4	7.6
Cortland, Tompkins	91	61.0	62	39.0	8.3
Delaware, Otsego, Schoharie	96	54.6	77	45.4	8.0
Dutchess, Putnam	104	63.1	53	36.9	8.6
Erie	105	66.1	59	33.9	7.8
Fulton, Montgomery	87	58.0	61	42.0	8.9
Genesee, Orleans	102	58.3	69	41.7	8.3
Hamilton, Herkimer	101	63.8	65	36.2	8.1
Jefferson, Lewis, StLawrence	89	63.6	55	36.4	8.9
Livingston, Ontario	117	68.6	53	31.4	7.7
Monroe	87	56.6	60	43.4	8.9
Nassau	125	69.4	51	30.6	7.9
Niagara	121	67.0	55	33.0	7.6
Oneida, Oswego	86	53.5	72	46.5	8.5
Onondaga	109	68.0	45	32.0	8.2
Orange	100	61.5	60	38.5	8.2
Rensselaer	97	62.5	52	37.5	8.8
Rockland	106	68.7	53	31.3	7.9
Saratoga	81	61.4	46	38.6	9.5
Schenectady	101	66.4	49	33.6	8.4
Steuben, Yates	93	59.1	58	40.9	9.4
Suffolk	99	64.3	55	35.7	8.4
Sullivan, Ulster	115	67.9	57	32.1	7.7
Warren, Washington	110	67.7	55	32.3	7.7
Westchester	93	67.0	48	33.0	8.6
Bronx	65	57.0	51	43.0	10.2
Kings (Brooklyn)	68	63.8	46	36.2	10.0
New York (Manhattan)	89	68.0	42	32.0	9.3
Queens	78	53.6	52	46.4	10.4
Richmond (Staten Island)	115	69.9	46	30.1	8.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Male	3225	56.0	2652	44.0	2.3
Age					
40-49	550	29.4	1405	70.6	3.4
50-64	1366	64.5	818	35.5	3.7
≥65	1309	78.5	429	21.5	3.4
Race/Ethnicity					
White	2814	57.7	2254	42.3	2.3
Black	132	53.9	97	46.1	9.1
Hispanic	97	56.4	102	43.6	9.8
Other	138	41.4	157	58.6	10.9
Education					
<High School	294	46.9	302	53.1	8.4
High School	936	51.8	891	48.2	4.5
>High School	1983	59.4	1449	40.6	2.8
Household Income					
<\$10,000	90	47.7	125	52.3	13.2
\$10,000- 24,999	578	53.7	553	46.3	6.4
\$25,000- 49,999	945	56.0	794	44.0	4.5
≥\$50,000	1285	57.8	973	42.2	3.3
Region					
NYC	362	54.8	283	45.2	5.0
Rest of State	2863	56.7	2369	43.3	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	86	59.1	66	40.9	8.3
Allegany, Wyoming	77	53.3	67	46.7	8.8
Broome	81	48.6	88	51.4	8.3
Cattaraugus, Chautauqua	83	57.8	70	42.2	8.3
Cayuga, Seneca, Wayne	91	48.4	88	51.6	8.2
Chemung, Schuyler, Tioga	84	55.7	69	44.3	8.5
Chenango, Madison	90	50.5	87	49.5	8.2
Clinton, Essex, Franklin	78	44.1	89	55.9	8.3
Columbia, Greene	100	57.0	80	43.0	7.8
Cortland, Tompkins	77	51.7	75	48.3	8.5
Delaware, Otsego, Schoharie	79	45.1	91	54.9	8.0
Dutchess, Putnam	95	58.2	62	41.8	8.7
Erie	91	57.9	73	42.1	8.2
Fulton, Montgomery	72	48.6	73	51.4	9.1
Genesee, Orleans	88	52.6	81	47.4	8.5
Hamilton, Herkimer	83	53.8	81	46.2	8.6
Jefferson, Lewis, StLawrence	75	54.2	69	45.8	9.3
Livingston, Ontario	104	60.3	65	39.7	8.2
Monroe	66	43.0	81	57.0	8.7
Nassau	119	65.1	57	34.9	8.3
Niagara	111	61.7	63	38.3	7.8
Oneida, Oswego	71	45.7	85	54.3	8.5
Onondaga	95	59.1	58	40.9	8.6
Orange	83	53.4	74	46.6	8.5
Rensselaer	86	56.1	61	43.9	9.0
Rockland	89	59.0	69	41.0	8.4
Saratoga	70	54.0	56	46.0	9.6
Schenectady	92	60.1	58	39.9	8.7
Steuben, Yates	77	48.8	74	51.2	9.3
Suffolk	91	58.7	63	41.3	8.6
Sullivan, Ulster	96	58.2	76	41.8	8.1
Warren, Washington	100	62.1	64	37.9	8.0
Westchester	83	62.3	56	37.7	8.9
Bronx	55	50.1	61	49.9	10.4
Kings (Brooklyn)	62	58.8	52	41.2	10.4
New York (Manhattan)	76	59.7	53	40.3	9.8
Queens	69	47.7	60	52.3	10.3
Richmond (Staten Island)	100	63.4	57	36.6	8.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Male	4971	78.5	1183	21.5	2.0
Age					
40-49	1396	64.9	656	35.1	3.8
50-64	1954	84.5	324	15.5	3.0
≥65	1621	87.9	203	12.1	3.1
Race/Ethnicity					
White	4358	82.3	948	17.7	1.8
Black	183	72.0	59	28.0	8.4
Hispanic	140	71.9	63	28.1	8.7
Other	223	60.9	84	39.1	11.5
Education					
<High School	470	70.4	173	29.6	8.3
High School	1449	71.4	465	28.6	4.2
>High School	3035	83.2	538	16.8	2.1
Household Income					
<\$10,000	156	65.5	69	34.5	11.9
\$10,000- 24,999	918	74.7	285	25.3	5.9
\$25,000- 49,999	1445	74.1	376	25.9	4.1
≥\$50,000	1992	84.9	348	15.1	2.4
Region					
NYC	507	72.8	176	27.2	4.5
Rest of State	4464	82.0	1007	18.0	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	137	87.1	19	12.9	5.7
Allegany, Wyoming	123	79.1	35	20.9	6.7
Broome	141	81.3	34	18.7	6.3
Cattaraugus, Chautauqua	122	78.8	37	21.2	6.7
Cayuga, Seneca, Wayne	157	85.6	30	14.4	5.3
Chemung, Schuyler, Tioga	132	82.2	29	17.8	6.5
Chenango, Madison	134	76.1	45	23.9	6.8
Clinton, Essex, Franklin	136	74.6	43	25.4	7.3
Columbia, Greene	162	85.7	25	14.3	5.5
Cortland, Tompkins	128	82.4	29	17.6	6.3
Delaware, Otsego, Schoharie	152	81.2	36	18.8	6.0
Dutchess, Putnam	137	85.3	24	14.7	6.1
Erie	138	83.8	28	16.2	6.0
Fulton, Montgomery	121	77.8	37	22.2	7.0
Genesee, Orleans	137	78.7	40	21.3	6.5
Hamilton, Herkimer	141	84.6	30	15.4	5.6
Jefferson, Lewis, StLawrence	118	80.0	33	20.0	7.0
Livingston, Ontario	146	83.4	27	16.6	6.2
Monroe	136	89.6	17	10.4	5.2
Nassau	138	77.7	41	22.3	6.9
Niagara	153	81.8	32	18.2	6.1
Oneida, Oswego	129	76.0	39	24.0	7.3
Onondaga	149	94.3	11	5.7	3.5
Orange	130	78.6	34	21.4	6.8
Rensselaer	126	82.6	24	17.4	6.7
Rockland	127	79.0	33	21.0	6.9
Saratoga	107	81.5	25	18.5	7.2
Schenectady	140	87.4	20	12.6	5.8
Steuben, Yates	127	77.6	31	22.4	8.7
Suffolk	126	79.3	32	20.7	7.0
Sullivan, Ulster	146	83.7	31	16.3	6.0
Warren, Washington	142	83.2	32	16.8	5.9
Westchester	126	83.4	24	16.6	6.6
Bronx	78	64.8	43	35.2	9.7
Kings (Brooklyn)	89	73.2	31	26.8	9.4
New York (Manhattan)	121	84.9	19	15.1	7.5
Queens	95	67.9	40	32.1	9.8
Richmond (Staten Island)	124	73.0	43	27.0	7.8

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told by a Medical Professional that Had Prostate Cancer, Men Aged 40 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Male	259	3.2	5941	96.8	0.7
Age					
40-49	4	0.1	2065	99.9	0.1
50-64	39	1.0	2253	99.0	0.5
≥65	216	10.9	1623	89.1	2.5
Race/Ethnicity					
White	222	3.7	5123	96.3	0.9
Black	11	2.8	234	97.2	2.2
Hispanic	5	0.6	199	99.4	0.8
Other	15	1.8	296	98.2	1.3
Education					
<High School	47	4.4	609	95.6	2.2
High School	73	2.6	1847	97.4	0.9
>High School	138	3.2	3460	96.8	1.0
Household Income					
<\$10,000	8	1.2	222	98.8	1.3
\$10,000- 24,999	73	4.6	1141	95.4	1.7
\$25,000- 49,999	74	2.6	1753	97.4	0.9
≥\$50,000	72	2.8	2275	97.2	1.2
Region					
NYC	19	1.9	671	98.1	1.3
Rest of State	240	4.0	5270	96.0	0.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told by a Medical Professional that Had Prostate Cancer, Men Aged 40 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	5	3.4	154	96.6	3.0
Allegany, Wyoming	5	2.9	152	97.1	2.6
Broome	9	5.9	170	94.1	3.9
Cattaraugus, Chautauqua	8	5.8	152	94.2	4.2
Cayuga, Seneca, Wayne	8	4.4	181	95.6	3.5
Chemung, Schuyler, Tioga	3	2.3	158	97.7	2.6
Chenango, Madison	12	4.3	169	95.7	2.8
Clinton, Essex, Franklin	7	2.9	174	97.1	2.2
Columbia, Greene	5	2.8	182	97.2	2.5
Cortland, Tompkins	9	5.5	148	94.5	3.7
Delaware, Otsego, Schoharie	9	4.8	180	95.2	3.1
Dutchess, Putnam	7	4.8	154	95.2	3.5
Erie	11	6.6	155	93.4	4.2
Fulton, Montgomery	10	6.0	148	94.0	4.1
Genesee, Orleans	11	4.2	168	95.8	2.7
Hamilton, Herkimer	9	5.8	167	94.2	4.1
Jefferson, Lewis, StLawrence	4	3.3	148	96.7	3.6
Livingston, Ontario	3	0.9	174	99.1	1.0
Monroe	7	3.9	146	96.1	3.1
Nassau	6	2.4	173	97.6	2.1
Niagara	12	6.6	173	93.4	3.7
Oneida, Oswego	7	3.5	162	96.5	2.8
Onondaga	6	3.3	157	96.7	2.8
Orange	6	2.9	158	97.1	2.5
Rensselaer	4	1.9	148	98.1	2.0
Rockland	8	5.5	152	94.5	3.9
Saratoga	6	3.9	128	96.1	3.3
Schenectady	8	4.5	152	95.5	3.3
Steuben, Yates	8	3.8	151	96.2	2.9
Suffolk	7	4.9	151	95.1	3.6
Sullivan, Ulster	7	3.6	171	96.4	2.8
Warren, Washington	9	4.7	166	95.3	3.3
Westchester	4	2.5	148	97.5	2.7
Bronx	2	1.4	120	98.6	2.2
Kings (Brooklyn)	3	3.1	118	96.9	3.7
New York (Manhattan)	3	1.2	137	98.8	1.4
Queens	3	1.1	135	98.9	1.3
Richmond (Staten Island)	8	4.0	161	96.0	2.8

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	4835	40.6	5970	59.4	1.7
Gender					
Male	1845	41.0	2257	59.0	2.7
Female	2990	40.3	3713	59.7	2.1
Age					
50-64	2392	36.9	3334	63.1	2.2
≥65	2443	45.2	2636	54.8	2.6
Race/Ethnicity					
White	4365	44.4	5095	55.6	1.8
Black	178	35.3	258	64.7	6.2
Hispanic	83	22.1	255	77.9	6.5
Other	149	30.4	269	69.6	8.6
Education					
<High School	472	31.1	830	68.9	4.8
High School	1631	39.7	2165	60.3	3.0
>High School	2724	43.8	2939	56.2	2.3
Household Income					
<\$10,000	220	31.5	411	68.5	7.4
\$10,000- 24,999	1159	35.4	1572	64.6	3.5
\$25,000- 49,999	1349	43.1	1496	56.9	3.5
≥\$50,000	1344	45.1	1508	54.9	3.0
Region					
NYC	389	31.6	752	68.4	3.4
Rest of State	4446	46.2	5218	53.8	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	120	42.6	152	57.4	6.5
Allegany, Wyoming	110	38.1	176	61.9	6.2
Broome	132	43.8	164	56.2	6.2
Cattaraugus, Chautauqua	140	44.7	181	55.3	6.1
Cayuga, Seneca, Wayne	138	44.7	177	55.3	6.2
Chemung, Schuylar, Tioga	151	53.9	129	46.1	6.7
Chenango, Madison	127	41.0	193	59.0	6.0
Clinton, Essex, Franklin	135	47.3	152	52.7	6.6
Columbia, Greene	151	47.3	176	52.7	6.0
Cortland, Tompkins	125	44.4	154	55.6	6.4
Delaware, Otsego, Schoharie	154	48.7	171	51.3	5.9
Dutchess, Putnam	117	43.5	152	56.5	6.7
Erie	157	58.0	125	42.0	6.3
Fulton, Montgomery	95	34.9	198	65.1	6.2
Genesee, Orleans	144	46.6	153	53.4	6.3
Hamilton, Herkimer	143	43.1	184	56.9	6.1
Jefferson, Lewis, StLawrence	149	50.5	150	49.5	6.8
Livingston, Ontario	150	50.9	152	49.1	6.3
Monroe	126	47.8	132	52.2	6.8
Nassau	114	40.0	165	60.0	6.6
Niagara	151	49.7	157	50.3	6.1
Oneida, Oswego	147	50.4	149	49.6	6.3
Onondaga	164	56.3	125	43.7	6.4
Orange	111	42.6	146	57.4	6.6
Rensselaer	133	47.4	160	52.6	6.6
Rockland	114	43.3	146	56.7	6.7
Saratoga	150	54.4	127	45.6	6.8
Schenectady	176	59.7	125	40.3	6.1
Steuben, Yates	118	41.3	182	58.7	6.3
Suffolk	125	43.1	151	56.9	6.6
Sullivan, Ulster	115	39.4	185	60.6	6.3
Warren, Washington	150	44.5	173	55.5	6.0
Westchester	114	43.3	156	56.7	6.9
Bronx	65	28.0	146	72.0	7.1
Kings (Brooklyn)	64	27.1	149	72.9	6.8
New York (Manhattan)	82	35.2	156	64.8	7.2
Queens	78	33.6	149	66.4	7.1
Richmond (Staten Island)	100	40.1	152	59.9	7.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	2085	18.7	8589	81.3	1.3
Gender					
Male	875	20.4	3190	79.6	2.2
Female	1210	17.2	5399	82.8	1.6
Age					
50-64	1027	17.2	4660	82.8	1.7
≥65	1058	20.5	3929	79.5	2.1
Race/Ethnicity					
White	1851	19.5	7488	80.5	1.4
Black	90	18.3	343	81.7	4.8
Hispanic	46	14.0	292	86.0	5.8
Other	71	15.6	343	84.4	6.9
Education					
<High School	228	16.8	1045	83.2	4.1
High School	706	18.1	3048	81.9	2.3
>High School	1148	19.7	4455	80.3	1.8
Household Income					
<\$10,000	106	16.7	516	83.3	6.3
\$10,000- 24,999	519	15.8	2184	84.2	2.4
\$25,000- 49,999	589	20.2	2233	79.8	2.7
≥\$50,000	552	20.9	2277	79.1	2.6
Region					
NYC	173	15.4	958	84.6	2.7
Rest of State	1912	20.7	7631	79.3	1.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	50	18.8	218	81.2	5.1
Allegany, Wyoming	44	14.8	241	85.2	4.5
Broome	39	12.9	256	87.1	4.2
Cattaraugus, Chautauqua	55	18.1	261	81.9	4.8
Cayuga, Seneca, Wayne	48	17.6	262	82.4	5.0
Chemung, Schuyler, Tioga	75	26.5	200	73.5	5.9
Chenango, Madison	53	17.3	261	82.7	4.8
Clinton, Essex, Franklin	51	20.2	227	79.8	5.5
Columbia, Greene	61	18.9	262	81.1	4.6
Cortland, Tompkins	52	19.9	224	80.1	5.3
Delaware, Otsego, Schoharie	64	21.4	258	78.6	4.9
Dutchess, Putnam	45	16.9	222	83.1	5.1
Erie	80	29.3	197	70.7	5.9
Fulton, Montgomery	44	16.9	246	83.1	5.0
Genesee, Orleans	71	23.9	220	76.1	5.4
Hamilton, Herkimer	69	19.1	257	80.9	4.6
Jefferson, Lewis, StLawrence	61	21.8	236	78.2	5.7
Livingston, Ontario	61	22.0	236	78.0	5.4
Monroe	50	18.4	206	81.6	5.4
Nassau	51	16.4	228	83.6	4.7
Niagara	71	24.9	228	75.1	5.4
Oneida, Oswego	59	20.7	234	79.3	5.3
Onondaga	71	24.2	214	75.8	5.4
Orange	48	17.5	206	82.5	5.1
Rensselaer	56	22.6	231	77.4	6.0
Rockland	39	15.2	218	84.8	5.0
Saratoga	77	31.2	196	68.8	6.5
Schenectady	93	31.4	205	68.6	5.8
Steuben, Yates	56	18.9	241	81.1	5.2
Suffolk	54	19.9	219	80.1	5.3
Sullivan, Ulster	42	15.5	253	84.5	4.8
Warren, Washington	60	18.5	260	81.5	4.7
Westchester	62	24.5	208	75.5	6.0
Bronx	30	14.2	179	85.8	5.7
Kings (Brooklyn)	26	11.7	186	88.3	4.8
New York (Manhattan)	38	17.3	199	82.7	5.8
Queens	41	17.8	183	82.2	5.9
Richmond (Staten Island)	38	18.2	211	81.8	6.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	3029	26.9	7645	73.1	1.5
Gender					
Male	1227	28.9	2838	71.1	2.5
Female	1802	25.2	4807	74.8	1.9
Age					
50-64	1526	25.1	4161	74.9	2.0
≥65	1503	29.1	3484	70.9	2.3
Race/Ethnicity					
White	2692	28.6	6647	71.4	1.6
Black	135	27.6	298	72.4	5.7
Hispanic	62	18.0	276	82.0	6.3
Other	98	17.8	316	82.2	6.9
Education					
<High School	314	21.7	959	78.3	4.4
High School	1033	26.8	2721	73.2	2.7
>High School	1677	28.5	3926	71.5	2.1
Household Income					
<\$10,000	141	21.2	481	78.8	6.9
\$10,000- 24,999	745	23.3	1958	76.7	2.9
\$25,000- 49,999	852	29.2	1970	70.8	3.2
≥\$50,000	818	29.0	2011	71.0	2.8
Region					
NYC	254	22.1	877	77.9	3.1
Rest of State	2775	29.9	6768	70.1	1.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	73	27.3	195	72.7	5.9
Allegany, Wyoming	66	22.4	219	77.6	5.2
Broome	62	20.3	233	79.7	4.9
Cattaraugus, Chautauqua	86	28.3	230	71.7	5.6
Cayuga, Seneca, Wayne	79	27.8	231	72.2	5.8
Chemung, Schuylers, Tioga	105	37.2	170	62.8	6.5
Chenango, Madison	75	25.2	239	74.8	5.5
Clinton, Essex, Franklin	77	29.4	201	70.6	6.1
Columbia, Greene	87	26.2	236	73.8	5.2
Cortland, Tompkins	76	27.9	200	72.1	5.9
Delaware, Otsego, Schoharie	96	31.3	226	68.7	5.5
Dutchess, Putnam	66	26.5	201	73.5	6.1
Erie	114	42.4	163	57.6	6.4
Fulton, Montgomery	61	22.6	229	77.4	5.5
Genesee, Orleans	99	32.9	192	67.1	6.0
Hamilton, Herkimer	97	28.6	229	71.4	5.6
Jefferson, Lewis, StLawrence	84	29.4	213	70.6	6.3
Livingston, Ontario	97	33.1	200	66.9	6.0
Monroe	70	26.2	186	73.8	6.0
Nassau	73	24.4	206	75.6	5.6
Niagara	98	33.9	201	66.1	5.8
Oneida, Oswego	87	30.7	206	69.3	6.0
Onondaga	106	36.6	179	63.4	6.1
Orange	69	26.7	185	73.3	6.0
Rensselaer	87	31.6	200	68.4	6.3
Rockland	64	25.2	193	74.8	5.9
Saratoga	102	40.6	171	59.4	6.8
Schenectady	130	43.3	168	56.7	6.2
Steuben, Yates	74	25.6	223	74.4	5.7
Suffolk	83	30.2	190	69.8	6.1
Sullivan, Ulster	61	23.5	234	76.5	5.7
Warren, Washington	92	27.7	228	72.3	5.3
Westchester	79	29.5	191	70.5	6.2
Bronx	40	18.4	169	81.6	6.2
Kings (Brooklyn)	44	19.0	168	81.0	6.0
New York (Manhattan)	56	26.1	181	73.9	6.8
Queens	55	23.6	169	76.4	6.4
Richmond (Staten Island)	59	25.6	190	74.4	6.5

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	5592	52.4	5219	47.6	1.8
Gender					
Male	2236	53.4	1855	46.6	2.9
Female	3356	51.6	3364	48.4	2.2
Age					
50-64	2635	46.1	3097	53.9	2.4
≥65	2957	60.1	2122	39.9	2.6
Race/Ethnicity					
White	4957	55.3	4507	44.7	1.9
Black	210	44.8	223	55.2	6.7
Hispanic	155	42.8	190	57.2	7.4
Other	197	44.1	223	55.9	9.1
Education					
<High School	604	48.3	687	51.7	5.4
High School	1833	48.9	1970	51.1	3.2
>High School	3140	55.5	2533	44.5	2.4
Household Income					
<\$10,000	271	45.0	359	55.0	7.9
\$10,000- 24,999	1335	47.7	1386	52.3	4.0
\$25,000- 49,999	1452	51.2	1389	48.8	3.6
≥\$50,000	1564	57.7	1297	42.3	3.0
Region					
NYC	559	49.3	588	50.7	3.8
Rest of State	5033	54.3	4631	45.7	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Locality	n¹	Yes %²	n	No %²	C.I.³
Albany	167	63.2	105	36.8	6.2
Allegany, Wyoming	129	44.7	158	55.3	6.4
Broome	151	49.2	148	50.8	6.3
Cattaraugus, Chautauqua	148	46.3	172	53.7	6.2
Cayuga, Seneca, Wayne	154	48.8	161	51.2	6.3
Chemung, Schuylar, Tioga	157	59.7	124	40.3	6.5
Chenango, Madison	142	44.5	172	55.5	6.1
Clinton, Essex, Franklin	157	50.9	132	49.1	6.6
Columbia, Greene	172	51.9	158	48.1	6.0
Cortland, Tompkins	138	49.9	142	50.1	6.5
Delaware, Otsego, Schoharie	156	47.3	171	52.7	5.8
Dutchess, Putnam	148	56.2	121	43.8	6.8
Erie	169	58.6	113	41.4	6.4
Fulton, Montgomery	125	44.4	165	55.6	6.4
Genesee, Orleans	138	47.5	156	52.5	6.4
Hamilton, Herkimer	159	48.6	172	51.4	6.2
Jefferson, Lewis, StLawrence	133	45.7	166	54.3	6.8
Livingston, Ontario	156	52.6	145	47.4	6.3
Monroe	135	53.5	120	46.5	6.9
Nassau	164	54.0	116	46.0	6.9
Niagara	160	53.1	144	46.9	6.1
Oneida, Oswego	145	49.6	151	50.4	6.3
Onondaga	160	57.3	128	42.7	6.3
Orange	141	52.3	117	47.7	6.7
Rensselaer	161	55.3	133	44.7	6.5
Rockland	159	58.6	102	41.4	6.8
Saratoga	155	57.4	125	42.6	6.7
Schenectady	175	59.5	125	40.5	6.1
Steuben, Yates	134	46.3	167	53.7	6.3
Suffolk	153	53.6	123	46.4	6.8
Sullivan, Ulster	148	53.0	151	47.0	6.4
Warren, Washington	181	55.7	142	44.3	6.0
Westchester	163	61.9	106	38.1	6.8
Bronx	90	44.5	126	55.5	8.0
Kings (Brooklyn)	100	46.7	113	53.3	8.0
New York (Manhattan)	139	58.6	98	41.4	7.4
Queens	115	48.6	114	51.4	7.4
Richmond (Staten Island)	115	45.9	137	54.1	7.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older*New York State*

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	5179	49.6	5562	50.4	1.8
Gender					
Male	2095	50.7	1974	49.3	2.9
Female	3084	48.6	3588	51.4	2.2
Age					
50-64	2461	43.8	3254	56.2	2.4
≥65	2718	56.7	2308	43.3	2.7
Race/Ethnicity					
White	4575	52.0	4829	48.0	1.9
Black	199	42.5	229	57.5	6.7
Hispanic	150	41.4	193	58.6	7.3
Other	184	43.3	234	56.7	9.2
Education					
<High School	554	45.4	719	54.6	5.4
High School	1706	46.4	2072	53.6	3.2
>High School	2907	52.7	2740	47.3	2.4
Household Income					
<\$10,000	250	39.0	373	61.0	7.5
\$10,000- 24,999	1231	44.8	1471	55.2	3.9
\$25,000- 49,999	1332	48.0	1500	52.0	3.6
≥\$50,000	1478	55.7	1374	44.3	3.0
Region					
NYC	529	47.3	607	52.7	3.8
Rest of State	4650	51.0	4955	49.0	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Locality	n¹	Yes %²	n	No %	C.I.³
Albany	158	59.8	114	40.2	6.4
Allegany, Wyoming	117	41.6	167	58.4	6.3
Broome	137	45.1	161	54.9	6.2
Cattaraugus, Chautauqua	136	42.5	182	57.5	6.1
Cayuga, Seneca, Wayne	146	46.8	168	53.2	6.2
Chemung, Schuylar, Tioga	148	56.4	133	43.6	6.5
Chenango, Madison	130	41.2	184	58.8	6.0
Clinton, Essex, Franklin	145	47.5	141	52.5	6.6
Columbia, Greene	149	44.6	178	55.4	6.0
Cortland, Tompkins	128	46.2	151	53.8	6.5
Delaware, Otsego, Schoharie	132	40.3	190	59.7	5.7
Dutchess, Putnam	134	51.3	131	48.7	6.9
Erie	158	55.3	123	44.7	6.5
Fulton, Montgomery	114	40.2	176	59.8	6.3
Genesee, Orleans	131	45.3	160	54.7	6.4
Hamilton, Herkimer	144	43.9	185	56.1	6.2
Jefferson, Lewis, StLawrence	114	40.5	180	59.5	6.8
Livingston, Ontario	148	51.3	150	48.7	6.3
Monroe	125	49.6	130	50.4	6.9
Nassau	156	51.7	122	48.3	6.9
Niagara	151	50.8	150	49.2	6.1
Oneida, Oswego	135	45.6	159	54.4	6.3
Onondaga	151	54.7	135	45.3	6.4
Orange	133	50.2	123	49.8	6.7
Rensselaer	149	51.0	144	49.0	6.5
Rockland	146	55.2	113	44.8	6.8
Saratoga	143	53.9	137	46.1	6.8
Schenectady	166	57.0	132	43.0	6.2
Steuben, Yates	124	43.6	175	56.4	6.3
Suffolk	142	49.7	134	50.3	6.8
Sullivan, Ulster	134	48.8	164	51.2	6.5
Warren, Washington	172	52.9	151	47.1	6.0
Westchester	154	59.7	112	40.3	6.9
Bronx	84	43.0	128	57.0	8.1
Kings (Brooklyn)	94	44.2	116	55.8	8.0
New York (Manhattan)	135	57.6	101	42.4	7.4
Queens	108	46.0	120	54.0	7.4
Richmond (Staten Island)	108	43.6	142	56.4	7.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older***New York State***

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	5993	55.5	4882	44.5	1.8
Gender					
Male	2394	55.7	1732	44.3	2.9
Female	3599	55.3	3150	44.7	2.2
Age					
50-64	2880	49.6	2872	50.4	2.4
≥65	3113	62.7	2010	37.3	2.6
Race/Ethnicity					
White	5300	58.1	4211	41.9	1.8
Black	234	49.3	204	50.7	6.7
Hispanic	168	45.8	180	54.2	7.6
Other	211	49.0	212	51.0	9.1
Education					
<High School	643	50.4	671	49.6	5.3
High School	2021	53.2	1800	46.8	3.2
>High School	3316	58.5	2379	41.5	2.4
Household Income					
<\$10,000	291	44.8	344	55.2	7.7
\$10,000- 24,999	1465	50.8	1282	49.2	4.0
\$25,000- 49,999	1570	55.2	1288	44.8	3.6
≥\$50,000	1670	61.3	1197	38.7	3.0
Region					
NYC	597	52.1	557	47.9	3.8
Rest of State	5396	57.6	4325	42.4	1.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Locality	n ¹	Yes % ²	n	No %	C.I. ³
Albany	175	66.9	99	33.1	6.0
Allegany, Wyoming	136	46.9	152	53.1	6.4
Broome	152	50.3	149	49.7	6.3
Cattaraugus, Chautauqua	157	49.3	165	50.7	6.2
Cayuga, Seneca, Wayne	168	53.4	149	46.6	6.2
Chemung, Schuyler, Tioga	173	65.1	111	34.9	6.1
Chenango, Madison	154	48.3	166	51.7	6.1
Clinton, Essex, Franklin	162	54.0	126	46.0	6.6
Columbia, Greene	174	52.0	156	48.0	6.0
Cortland, Tompkins	150	55.2	131	44.8	6.4
Delaware, Otsego, Schoharie	158	48.8	169	51.2	5.8
Dutchess, Putnam	150	54.9	120	45.1	6.8
Erie	191	66.4	92	33.6	6.2
Fulton, Montgomery	140	48.5	155	51.5	6.4
Genesee, Orleans	165	55.9	133	44.1	6.3
Hamilton, Herkimer	180	54.7	152	45.3	6.1
Jefferson, Lewis, StLawrence	143	49.6	158	50.4	6.7
Livingston, Ontario	173	59.2	130	40.8	6.2
Monroe	139	53.4	119	46.6	6.9
Nassau	168	54.7	115	45.3	6.8
Niagara	182	60.8	125	39.2	5.9
Oneida, Oswego	156	52.3	143	47.7	6.3
Onondaga	186	65.2	105	34.8	6.1
Orange	143	54.6	114	45.4	6.7
Rensselaer	168	57.7	127	42.3	6.4
Rockland	158	59.6	104	40.4	6.7
Saratoga	168	62.9	113	37.1	6.6
Schenectady	197	66.7	104	33.3	5.8
Steuben, Yates	154	54.4	147	45.6	6.3
Suffolk	162	57.5	115	42.5	6.7
Sullivan, Ulster	150	53.2	151	46.8	6.4
Warren, Washington	194	59.8	130	40.2	5.9
Westchester	170	63.2	100	36.8	6.8
Bronx	99	47.9	119	52.1	7.9
Kings (Brooklyn)	105	49.1	109	50.9	8.0
New York (Manhattan)	145	61.6	94	38.4	7.3
Queens	118	50.0	112	50.0	7.5
Richmond (Staten Island)	130	55.3	123	44.7	7.0

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval