

New York State Expanded Behavioral Risk Factor Surveillance System

Albany County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Albany County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Albany County and New York State	14
Table 2b. Fair or poor general health among adults in Albany County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Albany County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Albany County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Albany County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Albany County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Albany County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Albany County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Albany County and New York State	22
Table 6b. Health insurance among adults in Albany County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Albany County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Albany County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Albany County and New York State	26
Table 8b. No health insurance among adults in Albany County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Albany County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Albany County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Albany County and New York State	30
Table 10b. Adults with regular health care provider in Albany County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Albany County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Albany County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Albany County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Albany County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Albany County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Albany County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Albany County and New York State	38
Table 14b. Dentist visit within the past year among adults in Albany County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Albany County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Albany County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Albany County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Albany County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Albany County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Albany County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Albany County and New York State	46
Table 18b. Flu shot within the past 12 months in Albany County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Albany County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Albany County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Albany County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Albany County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Albany County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Albany County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Albany County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Albany County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Albany County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Albany County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Albany County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Albany County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Albany County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Albany County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Albany County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Albany County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Albany County and New York State	64
Table 27b. Ever had a Pap test among women in Albany County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Albany County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Albany County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Albany County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Albany County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Albany County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Albany County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Albany County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Albany County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Albany County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Albany County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Albany County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Albany County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Albany County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Albany County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Albany County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Albany County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Albany County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Albany County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Albany County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Albany County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Albany County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Albany County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Albany County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Albany County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Albany County and New York State	90
Table 40b. High blood pressure among adults in Albany County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Albany County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Albany County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Albany County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Albany County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Albany County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Albany County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Albany County and New York State	98
Table 44b. Cardiovascular disease among adults in Albany County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Albany County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Albany County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Albany County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Albany County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Albany County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Albany County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Albany County and New York State	106
Table 48b. Current asthma among adults in Albany County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Albany County and New York State	108
Table 49b. Chronic joint symptoms among adults in Albany County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Albany County and New York State	110
Table 50b. Arthritis among adults in Albany County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Albany County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Albany County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Albany County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Albany County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Albany County and New York State	116
Table 53b. Disability among adults in Albany County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Albany County and New York State	118
Table 54b. Current smoking among adults in Albany County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Albany County and New York State	120
Table 55b. Everyday smoking among adults in Albany County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Albany County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Albany County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Albany County and New York State	124
Table 57b. Binge drinking within the past month among adults in Albany County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Albany County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Albany County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Albany County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Albany County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Albany County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Albany County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Albany County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Albany County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Albany County and New York State	134
Table 62b. Overweight among adults in Albany County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Albany County and New York State	136
Table 63b. Obesity among adults in Albany County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Albany County and New York State	138
Table 64b. Overweight or obesity among adults in Albany County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Albany County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Albany County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Albany County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Albany County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Albany County and New York State	144
Table 67b. No leisure-time physical activity among adults in Albany County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Albany County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Albany County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Albany County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Albany County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Albany County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Albany County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 1. Albany County and New York State adult US Census Bureau population estimates,¹ 2007

	Albany County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	238,119	100	14,884,315	100
Gender				
Male	112,546	47.3	7,103,791	47.7
Female	125,573	52.7	7,780,524	52.3
Age (years)				
18-34	77,647	32.6	4,497,479	30.2
35-44	40,879	17.2	2,844,115	19.1
45-54	43,959	18.5	2,854,316	19.2
55-64	34,992	14.7	2,142,000	14.4
≥ 65	40,642	17.1	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	195,592	82.1	9,343,884	62.8
Black Non-Hispanic	24,624	10.3	2,156,941	14.5
Hispanic	7,921	3.3	2,258,717	15.2
Other Non-Hispanic	9,982	4.2	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 2a. Fair or poor general health among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	36,500	15.4	(11.6 - 19.1)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	244	18,300	16.3	(11.0 - 21.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	420	18,200	14.5	(9.2 - 19.9)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	74	11,800	15.2	(6.3 - 24.1)	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	160	5,900	13.4	(7.5 - 19.3)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	151	5,900	16.7	(9.9 - 23.6)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	197	8,300	20.4	(14.1 - 26.7)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	599	28,000	14.3	(10.5 - 18.2)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	223	20,000	27.9	(19.4 - 36.3)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	158	11,000	17.8	(9.3 - 26.3)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	280	5,500	5.3	(2.5 - 8.1)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	152	9,400	18.8	(10.7 - 26.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	227	5,000	5.5	(2.1 - 8.8)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 2b. Fair or poor general health among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	15.3	(11.4 - 19.1)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	244	15.9	(10.8 - 21.0)	14,599	15.3	(12.6 - 18.0)
Female	420	14.7	(9.0 - 20.3)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	599	14.2	(10.4 - 18.1)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	223	27.6	(19.0 - 36.2)	15,682	25.8	(22.1 - 29.5)
Some College	158	17.9	(9.1 - 26.6)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	280	5.6	(2.6 - 8.6)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	152	18.2	(10.4 - 25.9)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	227	5.5	(2.1 - 8.9)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	18,400	7.8	(5.3 - 10.3)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	239	7,700	7.0	(3.2 - 10.8)	14,325	604,200	8.7	(7.0 - 10.5)
Female	415	10,700	8.5	(5.2 - 11.9)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	159	4,100	9.4	(4.7 - 14.2)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	148	3,600	10.5	(5.1 - 15.9)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	192	3,900	9.8	(5.2 - 14.4)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	592	14,800	7.6	(5.2 - 10.1)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	214	7,200	10.4	(5.5 - 15.3)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	157	6,700	10.9	(4.3 - 17.5)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	280	4,300	4.2	(1.7 - 6.6)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	133	6,000	13.9	(6.1 - 21.6)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	151	5,800	11.5	(4.9 - 18.2)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	7.6	(5.1 - 10.0)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	239	6.8	(3.1 - 10.6)	14,325	8.7	(6.9 - 10.5)
Female	415	8.2	(4.9 - 11.5)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	592	7.4	(5.0 - 9.9)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	214	10.1	(5.1 - 15.0)	15,178	12.7	(10.2 - 15.1)
Some College	157	10.6	(4.2 - 17.1)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	280	4.1	(1.6 - 6.5)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	133	13.6	(5.7 - 21.4)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	151	10.9	(4.6 - 17.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	24,700	10.6	(7.2 - 14.0)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	242	11,900	10.7	(6.0 - 15.4)	14,407	555,200	7.9	(6.3 - 9.6)
Female	413	12,800	10.5	(5.7 - 15.4)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	72	10,900	14.8	(5.9 - 23.6)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	157	4,200	9.8	(4.7 - 14.9)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	151	3,100	8.9	(3.5 - 14.3)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	193	2,700	6.8	(3.2 - 10.4)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	595	20,700	10.7	(7.0 - 14.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	218	11,900	16.9	(8.9 - 25.0)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	157	7,900	12.8	(6.2 - 19.3)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	277	4,900	4.9	(1.6 - 8.2)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	152	5,100	10.2	(4.3 - 16.0)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	225	4,400	4.9	(1.2 - 8.6)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	10.4	(7.1 - 13.8)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	242	10.6	(5.9 - 15.2)	14,407	7.9	(6.3 - 9.6)
Female	413	10.3	(5.4 - 15.2)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	595	10.5	(6.8 - 14.2)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	218	16.8	(8.5 - 25.0)	15,335	12.3	(10.0 - 14.6)
Some College	157	12.7	(6.2 - 19.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	277	4.9	(1.6 - 8.1)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	152	10.0	(4.2 - 15.7)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	225	4.9	(1.3 - 8.5)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	36,200	15.6	(11.8 - 19.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	239	16,900	15.3	(9.8 - 20.8)	14,231	937,700	13.6	(11.4 - 15.8)
Female	410	19,300	15.9	(10.6 - 21.2)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	72	14,100	19.1	(9.3 - 28.9)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	157	6,500	15.1	(8.8 - 21.3)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	149	5,700	16.5	(10.1 - 23.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	189	5,800	14.8	(9.4 - 20.1)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	590	30,400	15.7	(11.7 - 19.8)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	213	15,300	22.2	(13.8 - 30.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	156	12,500	20.3	(12.0 - 28.5)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	277	8,200	8.2	(4.3 - 12.1)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	151	9,300	18.6	(10.6 - 26.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	89	4,200	13.9	(6.1 - 21.7)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	224	6,500	7.3	(3.1 - 11.5)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	15.1	(11.4 - 18.9)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	239	14.9	(9.5 - 20.2)	14,231	13.6	(11.4 - 15.8)
Female	410	15.4	(10.1 - 20.7)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	590	15.3	(11.2 - 19.3)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	213	21.7	(13.2 - 30.2)	15,018	20.1	(17.1 - 23.1)
Some College	156	19.9	(11.7 - 28.0)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	277	7.9	(4.1 - 11.6)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	151	18.2	(10.3 - 26.1)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	89	13.0	(5.5 - 20.5)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	224	7.1	(3.0 - 11.1)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 6a. Health insurance among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	224,400	94.4	(91.7 - 97.0)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	243	102,800	91.5	(86.6 - 96.4)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	421	121,700	96.9	(94.7 - 99.0)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	74	70,800	91.1	(84.6 - 97.7)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	82	37,500	91.7	(84.7 - 98.8)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	160	42,900	97.7	(95.6 - 99.7)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	151	32,800	93.8	(88.4 - 99.3)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	197	40,400	100	(100 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	599	185,600	95.0	(92.3 - 97.8)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	62,400	87.1	(80.0 - 94.1)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	158	61,400	99.2	(98.2 - 100)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	280	99,900	96.4	(93.3 - 99.6)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	139	40,900	89.5	(82.4 - 96.7)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	152	47,600	94.7	(90.2 - 99.1)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	90	29,000	94.9	(87.9 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	227	91,000	98.9	(97.1 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 6b. Health insurance among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	94.4	(91.8 - 97.0)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	243	91.9	(87.1 - 96.6)	14,597	83.6	(79.7 - 87.5)
Female	421	96.7	(94.3 - 99.0)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	599	95.2	(92.5 - 97.8)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	87.2	(80.2 - 94.3)	15,673	80.1	(75.4 - 84.7)
Some College	158	99.0	(97.6 - 100)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	280	96.4	(93.4 - 99.5)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	139	89.3	(82.0 - 96.7)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	152	94.8	(90.4 - 99.1)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	90	94.5	(87.2 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	227	99.0	(97.4 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 7a. Health insurance among adults aged 18-64¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	460	182,200	93.1	(90.0 - 96.3)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	189	86,900	90.1	(84.4 - 95.8)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	271	95,300	96.1	(93.3 - 98.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	74	70,800	91.1	(84.6 - 97.7)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	82	37,500	91.7	(84.7 - 98.8)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	159	42,300	97.6	(95.5 - 99.7)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	145	31,700	93.6	(88.0 - 99.3)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	406	146,500	93.8	(90.4 - 97.2)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	44,500	82.7	(73.5 - 92.0)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	110	52,200	99.1	(97.8 - 100)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	219	85,400	95.9	(92.2 - 99.5)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	72	30,500	86.5	(77.1 - 95.8)	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	96	35,000	92.9	(86.9 - 98.8)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	65	23,000	93.6	(85.1 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	194	81,800	98.8	(96.8 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 7b. Health insurance among adults aged 18-64¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	460	93.2	(90.1 - 96.4)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	189	90.2	(84.5 - 95.9)	10,078	80.5	(75.9 - 85.1)
Female	271	95.9	(93.1 - 98.8)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	406	94.0	(90.7 - 97.3)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	83.0	(73.7 - 92.3)	9,037	75.1	(69.3 - 80.9)
Some College	110	98.8	(97.2 - 100)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	219	95.9	(92.3 - 99.5)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	72	86.4	(77.0 - 95.8)	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	96	93.0	(87.1 - 98.9)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	65	93.2	(84.1 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	194	98.9	(97.1 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 8a. No health insurance among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	13,400	5.6	(3.0 - 8.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	243	9,500	8.5	(3.6 - 13.4)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	421	3,900	3.1	(1.0 - 5.3)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	599	9,700	5.0	(2.2 - 7.7)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	9,300	12.9	(5.9 - 20.0)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 8b. No health insurance among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	5.6	(3.0 - 8.2)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	243	8.1	(3.4 - 12.9)	14,597	16.4	(12.5 - 20.3)
Female	421	3.3	(1.0 - 5.7)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	599	4.8	(2.2 - 7.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	12.8	(5.7 - 19.8)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 9a. No health insurance among adults aged 18-64¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	460	13,400	6.9	(3.7 - 10.0)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	189	9,500	9.9	(4.2 - 15.6)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	271	3,900	3.9	(1.2 - 6.7)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	406	9,700	6.2	(2.8 - 9.6)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	9,300	17.3	(8.0 - 26.5)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 9b. No health insurance among adults aged 18-64¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	460	6.8	(3.6 - 9.9)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	189	9.8	(4.1 - 15.5)	10,078	19.5	(14.9 - 24.1)
Female	271	4.1	(1.2 - 6.9)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	406	6.0	(2.7 - 9.3)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	17.0	(7.7 - 26.3)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 10a. Adults with regular health care provider¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	213,900	89.8	(86.2 - 93.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	244	96,500	85.8	(79.5 - 92.0)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	421	117,400	93.5	(89.6 - 97.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	74	62,400	80.3	(70.9 - 89.7)	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	82	35,100	85.9	(76.2 - 95.6)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	160	43,400	98.8	(97.0 - 100)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	151	33,600	96.0	(92.2 - 99.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	198	39,500	97.1	(94.0 - 100)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	600	178,600	91.3	(87.6 - 95.0)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	62,300	86.6	(78.8 - 94.3)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	158	54,200	87.7	(79.3 - 96.1)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	280	96,700	93.3	(89.5 - 97.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	140	39,300	85.5	(76.2 - 94.7)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	152	43,500	86.5	(77.8 - 95.1)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	90	29,200	95.8	(87.7 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	227	87,000	94.5	(90.4 - 98.6)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 10b. Adults with regular health care provider¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	89.7	(86.0 - 93.4)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	244	86.2	(80.1 - 92.2)	14,593	78.1	(73.9 - 82.3)
Female	421	92.9	(88.5 - 97.2)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	600	91.5	(87.8 - 95.1)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	86.3	(78.5 - 94.1)	15,692	75.8	(71.0 - 80.6)
Some College	158	87.5	(78.9 - 96.1)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	280	93.2	(89.3 - 97.1)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	140	85.2	(75.9 - 94.5)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	152	86.1	(77.3 - 94.9)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	90	96.2	(88.9 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	227	94.0	(89.4 - 98.6)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	20,400	8.6	(5.0 - 12.1)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	244	5,800	5.1	(1.6 - 8.6)	14,607	903,300	12.7	(9.5 - 16.0)
Female	420	14,600	11.6	(5.8 - 17.5)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	82	6,800	16.7	(7.8 - 25.6)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	*	*	*	*	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	599	15,400	7.9	(4.0 - 11.8)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	224	10,900	15.2	(6.9 - 23.5)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	157	4,100	6.6	(1.7 - 11.5)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	152	5,500	11.0	(4.0 - 18.0)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	9.1	(5.4 - 12.8)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	244	5.3	(1.7 - 8.9)	14,607	12.5	(9.4 - 15.6)
Female	420	12.5	(6.5 - 18.6)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	599	8.4	(4.4 - 12.3)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	224	16.4	(7.6 - 25.1)	15,696	17.8	(13.8 - 21.7)
Some College	157	7.2	(2.1 - 12.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	152	11.4	(4.4 - 18.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	169,600	71.4	(66.5 - 76.4)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	244	74,400	66.1	(58.5 - 73.7)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	419	95,200	76.3	(69.9 - 82.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	160	33,600	76.4	(69.2 - 83.7)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	151	27,800	79.6	(72.4 - 86.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	196	35,700	89.4	(84.3 - 94.4)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	599	137,200	70.3	(65.1 - 75.5)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	54,200	75.3	(66.9 - 83.7)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	280	76,800	74.2	(67.0 - 81.4)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	151	40,200	80.7	(72.3 - 89.1)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	226	62,300	67.9	(59.5 - 76.4)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	70.7	(65.6 - 75.7)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	244	65.8	(58.2 - 73.4)	14,592	67.1	(63.3 - 70.9)
Female	419	75.1	(68.5 - 81.7)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	599	69.5	(64.2 - 74.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	74.5	(65.7 - 83.2)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	280	73.5	(66.3 - 80.7)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	151	80.3	(71.8 - 88.8)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	226	67.3	(58.8 - 75.8)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	202,700	85.4	(81.2 - 89.5)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	244	93,200	82.8	(76.5 - 89.0)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	419	109,500	87.7	(82.1 - 93.3)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	160	39,100	89.0	(83.8 - 94.2)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	151	31,700	90.7	(85.4 - 96.0)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	196	38,300	95.9	(93.1 - 98.8)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	599	166,500	85.3	(81.1 - 89.5)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	63,000	87.6	(80.6 - 94.6)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	157	52,000	84.7	(76.5 - 92.8)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	280	87,200	84.2	(77.5 - 90.8)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	140	38,600	84.1	(74.6 - 93.6)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	151	45,800	91.8	(86.2 - 97.5)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	90	27,900	91.4	(84.1 - 98.7)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	226	75,300	82.1	(74.5 - 89.7)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	85.1	(80.9 - 89.3)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	244	82.7	(76.5 - 88.9)	14,592	81.9	(78.4 - 85.3)
Female	419	87.3	(81.6 - 92.9)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	599	85.1	(80.9 - 89.3)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	88.0	(81.3 - 94.8)	15,640	84.6	(81.1 - 88.1)
Some College	157	83.8	(75.1 - 92.4)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	280	83.8	(77.3 - 90.4)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	140	83.8	(74.0 - 93.6)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	151	91.9	(86.4 - 97.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	90	91.7	(84.5 - 98.8)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	226	81.5	(73.9 - 89.1)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 14a. Dentist visit within the past year among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	179,600	75.6	(71.1 - 80.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	244	78,400	69.7	(62.6 - 76.8)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	420	101,100	80.8	(75.7 - 86.0)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	74	60,500	77.9	(68.1 - 87.7)	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	160	39,200	89.2	(84.2 - 94.3)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	151	27,600	78.9	(71.4 - 86.5)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	197	26,700	66.4	(59.1 - 73.7)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	599	153,700	78.7	(74.4 - 83.1)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	49,600	69.0	(60.9 - 77.2)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	280	87,000	84.0	(78.3 - 89.6)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	151	37,600	75.5	(66.9 - 84.1)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	227	76,900	83.6	(76.9 - 90.3)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 14b. Dentist visit within the past year among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	75.1	(70.5 - 79.7)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	244	69.2	(62.0 - 76.4)	14,573	68.3	(64.6 - 72.1)
Female	420	80.4	(74.8 - 86.0)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	599	78.5	(74.1 - 83.0)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	69.9	(61.7 - 78.0)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	280	83.1	(77.1 - 89.1)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	151	75.4	(66.7 - 84.0)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	227	82.6	(75.6 - 89.6)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	603	169,900	76.4	(71.6 - 81.2)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	225	73,400	69.4	(62.0 - 76.8)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	378	96,500	82.7	(76.7 - 88.8)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	155	36,600	86.4	(80.5 - 92.4)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	138	24,500	80.2	(72.9 - 87.5)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	157	25,400	78.5	(71.1 - 85.9)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	551	144,800	78.3	(73.4 - 83.2)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	182	44,800	72.1	(62.3 - 82.0)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	274	83,500	82.5	(76.7 - 88.3)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	137	34,300	75.6	(66.2 - 84.9)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	223	75,400	83.1	(76.3 - 89.9)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 15b. Had teeth cleaned within the past year among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	603	75.7	(70.7 - 80.7)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	225	68.9	(61.4 - 76.4)	13,173	69.2	(65.3 - 73.1)
Female	378	81.8	(75.3 - 88.3)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	551	78.0	(73.0 - 83.0)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	182	72.6	(62.7 - 82.6)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	274	81.6	(75.5 - 87.8)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	137	75.1	(65.5 - 84.6)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	223	82.1	(75.0 - 89.3)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	113,600	48.3	(43.0 - 53.5)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	243	54,700	48.8	(41.2 - 56.3)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	411	58,900	47.8	(40.4 - 55.1)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	158	23,100	53.1	(44.0 - 62.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	149	23,900	68.9	(60.6 - 77.3)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	193	32,700	81.8	(75.7 - 87.8)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	589	91,900	47.6	(42.2 - 53.1)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	220	51,000	71.6	(62.8 - 80.5)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	278	38,200	37.0	(30.1 - 43.9)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	226	30,200	32.9	(25.6 - 40.2)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	47.4	(42.1 - 52.7)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	243	48.2	(40.7 - 55.7)	14,457	47.9	(44.1 - 51.7)
Female	411	46.6	(39.1 - 54.1)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	589	46.6	(41.2 - 52.1)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	220	70.9	(61.8 - 79.9)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	278	36.0	(29.1 - 42.9)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	226	32.2	(24.9 - 39.5)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	193	7,300	18.2	(12.2 - 24.1)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	138	4,100	17.3	(10.7 - 24.0)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	193	7,300	18.2	(12.2 - 24.1)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	183	6,400	16.9	(11.0 - 22.8)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	193	18.2	(12.0 - 24.5)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	138	17.3	(10.7 - 23.9)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	183	17.0	(10.7 - 23.2)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 18a. Flu shot within the past 12 months¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	108,200	45.6	(40.4 - 50.8)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	243	44,800	39.9	(32.7 - 47.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	420	63,400	50.6	(43.3 - 58.0)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	220	45,700	33.2	(25.5 - 41.0)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	247	30,700	51.2	(44.1 - 58.4)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	196	31,800	79.7	(73.5 - 85.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	598	87,400	44.9	(39.5 - 50.2)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	32,100	44.6	(35.6 - 53.6)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	280	51,000	49.3	(41.6 - 57.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	227	36,200	39.3	(31.5 - 47.1)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 18b. Flu shot within the past 12 months¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	45.1	(39.8 - 50.3)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	243	39.8	(32.7 - 47.0)	14,579	40.0	(36.2 - 43.8)
Female	420	49.8	(42.3 - 57.3)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	598	44.4	(39.0 - 49.8)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	44.2	(35.1 - 53.4)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	280	48.8	(41.1 - 56.6)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	227	39.4	(31.5 - 47.2)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	108,500	45.7	(40.5 - 50.9)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	243	44,800	39.9	(32.7 - 47.1)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	420	63,700	50.9	(43.5 - 58.3)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	220	45,700	33.2	(25.5 - 41.0)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	247	31,000	51.8	(44.7 - 59.0)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	196	31,800	79.7	(73.5 - 85.8)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	598	87,500	44.9	(39.6 - 50.3)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	32,200	44.7	(35.7 - 53.7)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	280	51,300	49.5	(41.8 - 57.2)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	227	36,500	39.6	(31.8 - 47.4)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	45.2	(40.0 - 50.5)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	243	39.8	(32.7 - 47.0)	14,568	40.4	(36.6 - 44.2)
Female	420	50.0	(42.5 - 57.6)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	598	44.5	(39.1 - 49.9)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	44.3	(35.2 - 53.5)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	280	49.1	(41.3 - 56.8)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	227	39.6	(31.8 - 47.5)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 21a. Flu shot among adults aged 65 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	196	31,800	79.7	(73.5 - 85.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	142	19,300	80.1	(73.2 - 87.1)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	196	31,800	79.7	(73.5 - 85.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	186	29,500	78.7	(72.2 - 85.2)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	92	13,400	74.6	(65.1 - 84.2)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 21b. Flu shot among adults aged 65 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	196	79.5	(73.0 - 86.0)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	142	80.1	(73.1 - 87.1)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	186	78.6	(71.7 - 85.4)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	92	75.1	(65.2 - 85.0)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	609	56,700	28.0	(23.6 - 32.4)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	216	24,000	25.7	(18.9 - 32.6)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	393	32,800	30.0	(24.3 - 35.7)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	183	16,500	15.5	(9.3 - 21.7)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	234	12,600	22.3	(16.1 - 28.5)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	192	27,600	70.0	(62.6 - 77.4)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	553	46,800	27.4	(23.0 - 31.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	210	19,400	31.1	(23.6 - 38.7)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	*	*	*	*	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	254	21,100	23.0	(17.0 - 28.9)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	140	14,500	36.3	(26.7 - 45.9)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	203	14,700	18.1	(11.8 - 24.4)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	609	27.2	(22.9 - 31.6)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	216	26.2	(19.4 - 33.0)	13,052	25.8	(22.3 - 29.4)
Female	393	28.1	(22.5 - 33.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	553	26.6	(22.2 - 31.1)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	210	30.0	(22.4 - 37.5)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	254	23.3	(17.2 - 29.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	140	34.7	(25.2 - 44.2)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	203	18.6	(12.2 - 25.0)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	192	27,600	70.0	(62.6 - 77.4)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	138	18,600	78.8	(71.2 - 86.5)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	192	27,600	70.0	(62.6 - 77.4)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	182	25,600	69.1	(61.4 - 76.9)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	67	8,300	79.6	(70.3 - 88.9)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	192	68.3	(60.3 - 76.3)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	138	78.8	(71.2 - 86.5)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	182	67.3	(59.0 - 75.6)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	67	80.6	(71.4 - 89.7)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	361	68,900	92.0	(87.8 - 96.3)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	361	68,900	92.0	(87.8 - 96.3)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	146	28,500	98.4	(95.8 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	142	22,600	93.2	(89.1 - 97.4)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	333	58,400	93.2	(90.1 - 96.4)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	132	25,600	94.2	(90.4 - 98.0)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	*	*	*	*	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	136	27,600	94.1	(89.1 - 99.0)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	87	14,600	95.9	(92.2 - 99.6)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	89	17,800	93.6	(88.0 - 99.2)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	361	90.6	(85.3 - 95.8)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	361	90.6	(85.3 - 95.8)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	333	92.1	(88.2 - 96.0)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	132	93.2	(88.4 - 98.0)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	136	92.6	(86.5 - 98.8)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	87	95.6	(91.5 - 99.8)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	89	91.7	(84.1 - 99.2)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	360	59,300	79.6	(74.4 - 84.9)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	360	59,300	79.6	(74.4 - 84.9)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	146	26,100	89.9	(84.1 - 95.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	141	17,000	71.5	(63.1 - 79.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	332	49,600	79.8	(74.8 - 84.7)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	132	21,300	78.1	(70.3 - 85.9)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	136	24,800	84.4	(77.2 - 91.6)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	87	11,500	75.6	(65.8 - 85.4)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	88	15,200	81.9	(72.8 - 91.1)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	360	78.6	(72.7 - 84.6)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	360	78.6	(72.7 - 84.6)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	332	79.1	(73.7 - 84.4)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	132	78.2	(70.1 - 86.3)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	136	83.1	(75.1 - 91.1)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	87	76.5	(66.7 - 86.4)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	287	43,100	81.6	(76.5 - 86.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	287	43,100	81.6	(76.5 - 86.6)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	146	26,100	89.9	(84.1 - 95.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	141	17,000	71.5	(63.1 - 79.8)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	269	38,100	81.5	(76.3 - 86.7)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	109	15,100	74.9	(65.7 - 84.0)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	69	9,900	85.5	(77.0 - 94.0)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	106	17,600	86.4	(78.6 - 94.3)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	74	12,000	84.1	(74.4 - 93.7)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	70	12,800	84.2	(74.8 - 93.6)	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	287	81.5	(76.4 - 86.7)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	287	81.5	(76.4 - 86.7)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	269	81.5	(76.3 - 86.8)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	109	74.6	(65.4 - 83.8)	7,026	83.6	(80.1 - 87.0)
Some College	69	85.8	(77.5 - 94.2)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	106	86.2	(78.2 - 94.2)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	74	83.6	(73.7 - 93.5)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	70	84.4	(74.9 - 93.9)	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 27a. Ever had a Pap test among women¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	417	121,300	97.3	(95.1 - 99.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	417	121,300	97.3	(95.1 - 99.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	101	22,400	99.2	(98.0 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	95	18,100	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	139	22,400	94.9	(91.3 - 98.6)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	376	95,000	97.7	(95.4 - 100)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	144	36,200	94.3	(88.5 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	107	33,000	100	(100 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	163	51,600	98.2	(95.4 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	100	28,000	96.1	(93.2 - 99.1)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	97	26,700	99.6	(99.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	53	13,200	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	126	42,700	97.0	(92.2 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 27b. Ever had a Pap test among women¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	417	97.4	(95.2 - 99.5)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	417	97.4	(95.2 - 99.5)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	376	97.8	(95.5 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	144	94.3	(88.4 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	107	100	(100 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	163	98.3	(95.5 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	100	96.3	(93.4 - 99.2)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	97	99.6	(98.9 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	53	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	126	97.2	(92.5 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 28a. Had a Pap test within the past 3 years among women¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	414	107,400	86.5	(82.4 - 90.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	414	107,400	86.5	(82.4 - 90.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	101	21,300	94.2	(89.5 - 98.9)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	95	16,100	89.1	(82.3 - 96.0)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	136	14,700	63.3	(54.3 - 72.4)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	373	83,000	85.8	(81.6 - 89.9)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	144	31,100	81.0	(72.8 - 89.3)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	105	27,700	84.6	(75.5 - 93.7)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	162	48,500	92.5	(88.0 - 97.1)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	99	23,600	81.2	(72.8 - 89.6)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	97	23,600	87.9	(80.8 - 94.9)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	125	39,500	90.3	(82.4 - 98.3)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 28b. Had a Pap test within the past 3 years among women¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	414	87.0	(82.7 - 91.2)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	414	87.0	(82.7 - 91.2)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	373	86.6	(82.5 - 90.8)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	144	81.9	(73.6 - 90.1)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	162	92.8	(88.1 - 97.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	99	82.7	(74.7 - 90.7)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	97	87.9	(80.6 - 95.2)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	53	86.2	(76.5 - 95.8)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	125	89.8	(81.0 - 98.6)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	187	57,000	86.6	(81.0 - 92.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	187	57,000	86.6	(81.0 - 92.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	59	18,500	86.8	(77.8 - 95.8)	3,098	922,800	66.8	(59.9 - 73.8)
55-64	55	14,600	88.0	(79.0 - 97.0)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	52	14,300	93.5	(85.8 - 100)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	170	50,600	88.7	(83.6 - 93.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	95	32,400	92.0	(86.1 - 97.9)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	80	28,500	92.6	(86.9 - 98.3)	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	187	86.5	(80.6 - 92.4)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	187	86.5	(80.6 - 92.4)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	170	88.9	(83.7 - 94.1)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	95	92.0	(86.0 - 98.1)	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	80	92.6	(86.7 - 98.5)	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	187	44,200	67.3	(59.6 - 74.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	187	44,200	67.3	(59.6 - 74.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	170	38,700	67.8	(60.0 - 75.7)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	187	65.9	(57.7 - 74.0)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	187	65.9	(57.7 - 74.0)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	170	67.0	(58.7 - 75.3)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	178	41,200	66.3	(58.4 - 74.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	178	41,200	66.3	(58.4 - 74.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	*	*	*	*	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	161	35,900	67.7	(59.6 - 75.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	178	65.3	(56.9 - 73.6)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	178	65.3	(56.9 - 73.6)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	161	67.2	(58.7 - 75.7)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	177	36,600	59.2	(51.1 - 67.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	177	36,600	59.2	(51.1 - 67.4)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	160	31,700	60.0	(51.6 - 68.4)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	177	58.1	(49.5 - 66.6)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	177	58.1	(49.5 - 66.6)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	160	59.5	(50.7 - 68.2)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 33a. Prostate cancer among men aged 40 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	191	3,500	5.1	(1.8 - 8.4)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	191	3,500	5.1	(1.8 - 8.4)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 33b. Prostate cancer among men aged 40 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	191	5.0	(1.9 - 8.0)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	191	5.0	(1.9 - 8.0)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	37,300	37.5	(32.3 - 42.6)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	146	18,500	41.3	(32.5 - 50.0)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	293	18,800	34.4	(28.4 - 40.4)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	243	19,500	33.0	(26.2 - 39.8)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	195	17,800	44.7	(36.8 - 52.6)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	411	36,100	40.7	(35.3 - 46.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	164	12,700	35.2	(26.8 - 43.6)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	177	17,800	40.8	(32.5 - 49.1)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	100	5,600	31.5	(21.5 - 41.5)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	128	13,500	38.1	(28.7 - 47.4)	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	38.2	(32.9 - 43.5)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	146	42.4	(33.5 - 51.2)	9,571	39.4	(35.3 - 43.5)
Female	293	34.6	(28.5 - 40.6)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	411	41.4	(35.8 - 46.9)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	164	36.5	(27.9 - 45.1)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	177	41.5	(33.0 - 50.0)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	128	38.7	(29.1 - 48.3)	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	437	10,300	10.4	(7.1 - 13.7)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	145	6,200	13.9	(7.5 - 20.2)	9,508	444,400	16.0	(13.2 - 18.9)
Female	292	4,100	7.6	(4.6 - 10.5)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	243	5,300	9.0	(4.7 - 13.4)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	193	5,000	12.6	(7.5 - 17.7)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	409	9,600	10.9	(7.5 - 14.3)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	162	4,100	11.6	(5.7 - 17.6)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	*	*	*	*	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	177	4,900	11.2	(6.1 - 16.4)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	99	2,400	13.8	(6.2 - 21.4)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	114	2,500	9.9	(3.9 - 15.9)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	437	10.6	(7.2 - 13.9)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	145	14.0	(7.7 - 20.3)	9,508	16.4	(13.2 - 19.6)
Female	292	7.5	(4.6 - 10.4)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	409	11.1	(7.5 - 14.7)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	162	12.4	(6.2 - 18.7)	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	177	11.0	(5.8 - 16.2)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	99	15.1	(6.6 - 23.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	114	10.0	(3.6 - 16.5)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	437	16,900	17.0	(13.0 - 21.1)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	145	8,900	20.0	(12.8 - 27.2)	9,508	593,100	21.4	(18.3 - 24.5)
Female	292	8,000	14.6	(10.3 - 19.0)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	243	9,700	16.4	(10.9 - 21.8)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	193	7,200	18.3	(12.3 - 24.3)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	409	16,000	18.1	(13.9 - 22.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	162	5,800	16.3	(9.6 - 23.0)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	95	2,700	14.1	(6.9 - 21.3)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	177	8,400	19.2	(12.6 - 25.8)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	99	3,200	18.3	(10.1 - 26.5)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	114	3,900	15.6	(8.6 - 22.6)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	128	5,500	15.4	(8.5 - 22.3)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	437	17.3	(13.1 - 21.4)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	145	20.0	(12.8 - 27.2)	9,508	21.7	(18.3 - 25.1)
Female	292	14.8	(10.4 - 19.3)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	409	18.4	(14.0 - 22.8)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	162	17.0	(10.0 - 24.0)	11,026	19.5	(15.4 - 23.7)
Some College	95	14.0	(6.7 - 21.2)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	177	19.2	(12.5 - 26.0)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	99	19.3	(10.4 - 28.3)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	114	15.5	(8.3 - 22.7)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	128	15.8	(8.7 - 22.9)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	440	71,900	72.1	(67.3 - 76.9)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	146	31,300	70.0	(62.1 - 77.9)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	294	40,700	73.8	(68.0 - 79.6)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	148	25,900	75.6	(67.9 - 83.4)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	195	28,900	72.2	(65.1 - 79.4)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	412	63,100	71.0	(66.0 - 76.0)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	163	26,500	74.2	(66.9 - 81.5)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	179	32,900	74.8	(67.4 - 82.1)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	100	13,200	74.6	(65.5 - 83.6)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	129	26,000	72.8	(64.2 - 81.4)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	440	71.5	(66.6 - 76.5)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	146	69.5	(61.5 - 77.6)	9,582	68.5	(64.5 - 72.5)
Female	294	73.3	(67.4 - 79.2)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	412	70.6	(65.5 - 75.8)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	163	73.8	(66.4 - 81.3)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	179	73.6	(65.8 - 81.3)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	100	75.3	(66.4 - 84.1)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	129	72.8	(64.1 - 81.5)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	436	69,100	69.8	(64.9 - 74.7)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	144	30,000	67.9	(59.9 - 76.0)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	292	39,100	71.3	(65.4 - 77.3)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	148	25,200	73.8	(65.9 - 81.8)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	192	27,300	69.4	(62.0 - 76.7)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	408	60,200	68.4	(63.3 - 73.5)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	25,500	72.1	(64.6 - 79.6)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	177	31,500	72.2	(64.7 - 79.8)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	99	13,000	73.8	(64.6 - 83.0)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	127	24,500	69.5	(60.7 - 78.4)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	436	69.2	(64.1 - 74.2)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	144	67.4	(59.2 - 75.6)	9,521	66.9	(62.9 - 70.9)
Female	292	70.7	(64.6 - 76.8)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	408	68.0	(62.7 - 73.3)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	71.8	(64.2 - 79.5)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	177	70.9	(63.0 - 78.8)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	99	74.5	(65.5 - 83.5)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	127	69.4	(60.4 - 78.4)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	430	70,600	72.7	(68.0 - 77.4)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	144	30,900	70.0	(62.1 - 77.9)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	286	39,700	75.0	(69.4 - 80.6)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	143	25,500	76.8	(69.1 - 84.5)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	193	28,300	71.7	(64.6 - 78.9)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	403	61,800	71.1	(66.1 - 76.1)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	159	25,800	73.5	(66.0 - 80.9)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	174	32,000	75.1	(67.9 - 82.4)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	100	13,800	78.1	(69.7 - 86.4)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	123	24,800	73.5	(65.1 - 82.0)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	430	72.1	(67.2 - 76.9)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	144	69.5	(61.5 - 77.6)	9,418	71.5	(67.6 - 75.4)
Female	286	74.4	(68.6 - 80.1)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	403	70.6	(65.4 - 75.8)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	159	73.1	(65.5 - 80.8)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	174	73.9	(66.3 - 81.6)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	100	78.6	(70.4 - 86.8)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	123	73.3	(64.7 - 81.9)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 40a. High blood pressure among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	75,400	31.7	(27.2 - 36.1)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	244	38,200	33.9	(27.0 - 40.8)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	421	37,200	29.6	(23.9 - 35.3)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	74	9,000	11.6	(4.0 - 19.1)	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	160	14,800	33.6	(24.7 - 42.5)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	151	15,700	45.0	(35.7 - 54.2)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	198	27,200	67.0	(59.8 - 74.2)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	600	65,100	33.3	(28.5 - 38.0)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	28,900	40.1	(31.6 - 48.7)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	158	20,200	32.6	(22.8 - 42.5)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	280	26,000	25.1	(19.1 - 31.1)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	227	23,200	25.2	(18.2 - 32.2)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 40b. High blood pressure among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	30.9	(26.4 - 35.4)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	244	34.0	(27.1 - 40.9)	14,611	27.7	(24.7 - 30.7)
Female	421	28.2	(22.4 - 33.9)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	600	32.6	(27.9 - 37.4)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	224	38.5	(30.0 - 47.0)	15,688	32.1	(28.4 - 35.8)
Some College	158	32.5	(22.6 - 42.5)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	280	24.8	(18.7 - 31.0)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	152	36.5	(26.6 - 46.5)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	227	24.6	(17.6 - 31.5)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	265	55,000	73.1	(65.1 - 81.2)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	167	30,200	81.4	(72.9 - 89.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	126	25,200	93.0	(87.6 - 98.4)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	244	45,600	70.2	(61.6 - 78.9)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	265	72.2	(63.9 - 80.5)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	167	79.2	(69.5 - 89.0)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	244	69.7	(60.8 - 78.5)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	195,000	84.2	(79.2 - 89.3)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	239	91,900	84.3	(77.6 - 91.0)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	413	103,100	84.1	(76.6 - 91.7)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	158	42,200	96.6	(93.8 - 99.4)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	149	33,800	98.0	(95.1 - 100)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	195	38,300	96.0	(92.9 - 99.1)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	589	164,300	86.7	(81.8 - 91.6)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	155	52,200	86.6	(78.0 - 95.3)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	274	91,600	90.9	(84.6 - 97.2)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	89	27,500	92.4	(84.8 - 100)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	222	82,100	92.1	(85.3 - 99.0)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 42b. Ever had blood cholesterol checked among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	84.0	(79.0 - 89.0)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	239	84.2	(77.5 - 90.9)	14,389	78.0	(73.9 - 82.1)
Female	413	83.8	(76.4 - 91.3)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	589	86.5	(81.6 - 91.4)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	155	86.4	(77.6 - 95.1)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	274	90.7	(84.5 - 96.9)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	89	91.4	(82.5 - 100)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	222	91.8	(85.1 - 98.6)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	189,200	81.8	(76.6 - 87.0)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	239	88,400	81.1	(74.2 - 88.1)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	411	100,700	82.4	(74.8 - 90.0)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	158	41,900	95.8	(92.7 - 98.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	149	32,800	95.1	(90.9 - 99.2)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	194	38,000	95.7	(92.5 - 98.9)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	587	159,500	84.4	(79.3 - 89.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	155	49,800	82.5	(73.1 - 92.0)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	273	88,900	88.3	(81.7 - 95.0)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	222	79,200	88.9	(81.6 - 96.1)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	81.5	(76.3 - 86.7)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	239	80.9	(74.0 - 87.9)	14,307	74.8	(70.7 - 79.0)
Female	411	82.0	(74.4 - 89.5)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	587	84.0	(78.8 - 89.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	155	82.0	(72.5 - 91.5)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	273	88.0	(81.4 - 94.5)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	222	88.5	(81.3 - 95.7)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 44a. Cardiovascular disease among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	20,100	8.5	(6.4 - 10.7)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	240	11,000	9.9	(6.4 - 13.4)	14,477	664,600	9.4	(7.5 - 11.4)
Female	416	9,100	7.3	(4.8 - 9.8)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	148	6,400	18.6	(10.6 - 26.6)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	193	10,800	27.3	(20.0 - 34.6)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	591	16,500	8.5	(6.3 - 10.7)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	220	9,500	13.3	(8.4 - 18.3)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	155	4,000	6.5	(3.0 - 10.0)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	278	6,700	6.5	(3.7 - 9.3)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	138	4,700	10.4	(5.2 - 15.5)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	149	6,000	12.2	(6.4 - 18.0)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	88	4,400	14.6	(7.1 - 22.2)	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	227	3,900	4.3	(1.8 - 6.7)	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 44b. Cardiovascular disease among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	8.0	(6.0 - 10.1)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	240	9.7	(6.2 - 13.1)	14,477	9.7	(7.8 - 11.7)
Female	416	6.5	(4.3 - 8.8)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	591	8.2	(6.0 - 10.4)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	220	12.5	(7.9 - 17.2)	15,486	10.5	(8.0 - 13.0)
Some College	155	5.8	(2.6 - 9.1)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	278	6.3	(3.5 - 9.2)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	138	9.6	(4.8 - 14.5)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	149	11.7	(6.1 - 17.3)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	88	14.0	(6.5 - 21.4)	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	227	4.0	(1.6 - 6.3)	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 45a. Coronary heart disease among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	18,000	7.6	(5.6 - 9.7)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	241	9,900	8.9	(5.5 - 12.2)	14,479	598,600	8.5	(6.6 - 10.4)
Female	418	8,100	6.5	(4.1 - 8.9)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	149	5,800	17.0	(9.2 - 24.7)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	195	10,000	25.1	(18.0 - 32.2)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	594	14,600	7.5	(5.5 - 9.6)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	221	8,400	11.7	(7.1 - 16.4)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	155	3,600	5.8	(2.5 - 9.2)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	280	6,100	5.9	(3.2 - 8.6)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	139	4,300	9.3	(4.4 - 14.2)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	150	6,000	12.2	(6.4 - 17.9)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	89	3,600	11.7	(4.8 - 18.7)	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	227	3,600	3.9	(1.5 - 6.2)	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 45b. Coronary heart disease among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	7.2	(5.2 - 9.1)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	241	8.7	(5.4 - 12.0)	14,479	8.8	(6.9 - 10.8)
Female	418	5.8	(3.7 - 8.0)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	594	7.3	(5.2 - 9.4)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	221	11.0	(6.6 - 15.4)	15,485	8.5	(6.2 - 10.7)
Some College	155	5.3	(2.2 - 8.4)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	280	5.8	(3.0 - 8.5)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	139	8.5	(4.0 - 13.1)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	150	11.7	(6.1 - 17.2)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	89	11.6	(4.5 - 18.6)	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	227	3.6	(1.3 - 5.8)	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	20,700	8.7	(6.3 - 11.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	242	10,200	9.1	(5.6 - 12.6)	14,626	530,400	7.5	(6.2 - 8.8)
Female	421	10,500	8.4	(5.0 - 11.8)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	150	4,900	14.2	(7.3 - 21.2)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	198	8,900	21.9	(15.4 - 28.5)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	600	14,900	7.6	(5.5 - 9.7)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	223	10,700	14.9	(9.7 - 20.2)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	158	5,400	8.8	(3.2 - 14.4)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	279	4,600	4.4	(1.8 - 7.1)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	140	5,300	11.6	(5.8 - 17.4)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	151	5,800	11.6	(5.6 - 17.6)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	90	3,100	10.1	(4.0 - 16.2)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	226	3,500	3.8	(1.1 - 6.5)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 46b. Ever diagnosed with diabetes among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	8.6	(6.1 - 11.2)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	242	9.4	(5.8 - 13.0)	14,626	7.5	(6.1 - 8.9)
Female	421	8.0	(4.4 - 11.6)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	600	7.6	(5.4 - 9.8)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	223	14.1	(9.0 - 19.1)	15,709	12.6	(10.0 - 15.2)
Some College	158	9.3	(2.9 - 15.7)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	279	4.7	(1.9 - 7.4)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	140	10.5	(5.1 - 15.9)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	151	11.6	(5.5 - 17.7)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	90	10.5	(3.9 - 17.1)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	226	3.8	(1.1 - 6.4)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	48,700	20.5	(16.0 - 25.0)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	244	24,400	21.7	(14.7 - 28.7)	14,601	875,800	12.4	(10.1 - 14.7)
Female	420	24,300	19.4	(13.7 - 25.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	82	7,000	17.1	(7.5 - 26.7)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	160	6,300	14.3	(8.0 - 20.7)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	151	5,800	16.5	(9.3 - 23.7)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	197	6,400	15.8	(10.0 - 21.6)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	599	35,800	18.3	(13.9 - 22.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	13,500	18.8	(11.5 - 26.0)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	*	*	*	*	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	280	16,300	15.7	(10.4 - 21.0)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	152	10,100	20.1	(11.3 - 29.0)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	227	12,200	13.2	(6.8 - 19.6)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	20.2	(15.8 - 24.7)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	244	20.9	(14.2 - 27.6)	14,601	12.6	(10.3 - 14.9)
Female	420	19.6	(13.7 - 25.5)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	599	18.2	(13.8 - 22.6)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	18.4	(11.3 - 25.6)	15,675	15.1	(12.1 - 18.0)
Some College	*	*	*	9,893	16.9	(13.4 - 20.4)
≥ College Degree	280	15.7	(10.3 - 21.0)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	152	19.7	(11.1 - 28.4)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	227	12.9	(6.6 - 19.1)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 48a. Current asthma among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	33,800	14.2	(10.4 - 18.1)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	242	16,000	14.3	(8.2 - 20.4)	14,546	440,700	6.3	(4.8 - 7.7)
Female	419	17,800	14.2	(9.2 - 19.2)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	159	4,000	9.2	(4.5 - 13.9)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	151	4,400	12.5	(6.3 - 18.8)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	196	5,300	13.1	(7.8 - 18.4)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	597	24,900	12.8	(9.0 - 16.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	223	11,100	15.6	(8.8 - 22.3)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	*	*	*	*	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	279	10,900	10.5	(6.3 - 14.8)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	139	9,900	21.7	(12.0 - 31.3)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	149	5,800	11.8	(5.2 - 18.4)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	227	7,700	8.3	(2.9 - 13.8)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 48b. Current asthma among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	13.9	(10.1 - 17.7)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	242	13.6	(7.8 - 19.4)	14,546	6.4	(4.9 - 7.9)
Female	419	14.2	(9.2 - 19.2)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	597	12.6	(9.0 - 16.3)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	223	15.5	(8.7 - 22.3)	15,594	10.8	(8.3 - 13.3)
Some College	156	17.8	(7.9 - 27.6)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	279	10.4	(6.2 - 14.7)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	139	21.2	(11.7 - 30.8)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	149	11.7	(5.3 - 18.2)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	227	8.2	(2.9 - 13.4)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 49a. Chronic joint symptoms among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	109,400	46.0	(40.8 - 51.2)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	243	51,600	45.9	(38.5 - 53.4)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	420	57,800	46.1	(38.8 - 53.3)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	159	24,600	56.1	(47.0 - 65.3)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	151	20,800	59.4	(50.5 - 68.3)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	197	22,100	54.5	(46.7 - 62.4)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	599	85,000	43.5	(38.3 - 48.7)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	33,000	46.0	(36.9 - 55.1)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	279	46,300	44.7	(37.1 - 52.4)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	226	37,900	41.3	(33.0 - 49.6)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 49b. Chronic joint symptoms among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	45.3	(40.0 - 50.5)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	243	45.9	(38.4 - 53.3)	14,595	42.6	(38.8 - 46.3)
Female	420	44.8	(37.4 - 52.1)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	599	43.2	(37.9 - 48.5)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	45.0	(35.8 - 54.2)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	279	43.8	(36.1 - 51.4)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	226	40.4	(32.2 - 48.6)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 50a. Arthritis among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	71,400	30.1	(25.8 - 34.3)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	242	29,600	26.5	(20.3 - 32.7)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	420	41,800	33.3	(27.3 - 39.3)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	158	14,300	33.0	(24.6 - 41.3)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	150	17,800	51.0	(41.7 - 60.3)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	198	24,900	61.3	(53.5 - 69.0)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	598	59,400	30.5	(26.1 - 34.8)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	223	24,700	34.7	(26.7 - 42.6)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	158	19,200	31.0	(21.6 - 40.4)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	278	27,000	26.1	(20.4 - 31.9)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	152	17,800	35.3	(25.5 - 45.1)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	226	20,200	22.0	(16.0 - 28.0)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 50b. Arthritis among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	29.0	(24.7 - 33.2)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	242	26.5	(20.3 - 32.8)	14,555	23.5	(20.9 - 26.1)
Female	420	31.1	(25.2 - 37.0)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	598	29.7	(25.3 - 34.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	223	32.6	(24.8 - 40.4)	15,652	30.4	(26.9 - 33.8)
Some College	158	29.7	(20.3 - 39.1)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	278	25.9	(20.0 - 31.8)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	140	30.7	(20.9 - 40.5)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	152	33.3	(23.9 - 42.8)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	226	21.8	(15.6 - 28.0)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	55,700	23.7	(19.3 - 28.0)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	243	24,500	21.8	(15.6 - 28.0)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	419	31,200	25.4	(19.2 - 31.5)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	160	10,200	23.1	(15.7 - 30.5)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	150	8,600	24.8	(16.6 - 32.9)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	197	12,600	31.1	(23.9 - 38.3)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	598	45,300	23.2	(18.7 - 27.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	224	18,200	25.4	(18.2 - 32.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	158	16,400	26.5	(16.8 - 36.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	277	21,100	20.9	(14.4 - 27.5)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	151	12,300	24.6	(15.0 - 34.2)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	226	13,800	15.5	(9.6 - 21.3)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	23.0	(18.6 - 27.3)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	243	21.6	(15.5 - 27.7)	14,566	18.6	(15.8 - 21.4)
Female	419	24.2	(18.0 - 30.4)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	598	22.6	(18.1 - 27.2)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	224	24.3	(17.2 - 31.3)	15,626	23.8	(20.1 - 27.4)
Some College	158	26.1	(16.3 - 35.8)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	277	20.4	(13.8 - 26.9)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	151	22.7	(13.6 - 31.8)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	226	15.4	(9.5 - 21.3)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	20,100	8.4	(6.1 - 10.8)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	244	10,400	9.2	(5.2 - 13.2)	14,617	460,700	6.5	(5.3 - 7.7)
Female	421	9,700	7.7	(5.0 - 10.5)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	160	4,400	10.0	(4.5 - 15.5)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	151	3,500	10.1	(4.3 - 15.9)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	198	7,700	18.9	(12.8 - 24.9)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	600	14,200	7.3	(5.2 - 9.3)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	224	10,600	14.7	(9.2 - 20.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	158	4,000	6.5	(2.1 - 10.9)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	280	5,500	5.3	(2.4 - 8.2)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	140	5,700	12.4	(6.6 - 18.1)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	152	5,200	10.4	(5.0 - 15.9)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	8.3	(5.8 - 10.7)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	244	9.4	(5.3 - 13.6)	14,617	6.8	(5.5 - 8.0)
Female	421	7.3	(4.5 - 10.0)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	600	7.2	(5.0 - 9.3)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	224	14.3	(8.6 - 20.0)	15,711	10.3	(8.3 - 12.3)
Some College	158	5.9	(1.9 - 9.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	280	5.7	(2.5 - 8.9)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	140	12.0	(5.8 - 18.1)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	152	10.1	(4.8 - 15.3)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 53a. Disability among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	61,800	26.3	(21.8 - 30.8)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	243	27,700	24.7	(18.3 - 31.0)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	419	34,100	27.8	(21.5 - 34.0)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	160	10,800	24.5	(16.9 - 32.1)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	150	9,100	26.0	(17.7 - 34.2)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	197	15,600	38.6	(30.9 - 46.2)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	598	50,600	25.9	(21.2 - 30.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	224	21,000	29.2	(21.6 - 36.8)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	158	17,700	28.7	(18.9 - 38.5)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	277	23,100	22.9	(16.2 - 29.6)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	151	14,200	28.3	(18.4 - 38.2)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	226	14,400	16.1	(10.1 - 22.0)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 53b. Disability among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	25.7	(21.2 - 30.3)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	243	24.8	(18.4 - 31.2)	14,568	20.9	(18.0 - 23.8)
Female	419	26.7	(20.3 - 33.0)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	598	25.4	(20.7 - 30.1)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	224	28.4	(20.7 - 36.1)	15,638	26.8	(23.0 - 30.6)
Some College	158	28.2	(18.3 - 38.1)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	277	22.6	(15.9 - 29.4)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	151	26.9	(17.3 - 36.5)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	226	15.9	(9.9 - 21.9)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 54a. Current smoking among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	40,200	17.0	(12.8 - 21.1)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	242	22,100	19.7	(13.4 - 26.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	420	18,200	14.5	(9.2 - 19.8)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	82	4,400	10.9	(2.9 - 18.8)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	160	7,800	17.7	(10.3 - 25.2)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	150	6,400	18.6	(11.4 - 25.9)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	196	3,600	9.1	(4.5 - 13.7)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	597	33,600	17.3	(12.7 - 21.8)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	20,000	27.9	(18.9 - 37.0)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	158	14,600	23.7	(14.1 - 33.2)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	278	5,600	5.4	(2.7 - 8.2)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	152	9,600	19.2	(11.4 - 26.9)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	90	3,500	11.4	(4.3 - 18.4)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	225	9,400	10.3	(4.5 - 16.1)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 54b. Current smoking among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	16.5	(12.4 - 20.6)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	242	18.9	(12.6 - 25.1)	14,559	19.2	(16.3 - 22.1)
Female	420	14.5	(9.1 - 19.8)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	597	17.0	(12.5 - 21.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	27.6	(18.4 - 36.8)	15,654	22.8	(19.5 - 26.0)
Some College	158	23.1	(13.8 - 32.5)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	278	5.3	(2.6 - 8.0)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	152	19.1	(11.4 - 26.8)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	90	11.4	(4.3 - 18.5)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	225	9.9	(4.3 - 15.6)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 55a. Everyday smoking among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	26,800	11.3	(7.9 - 14.7)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	242	13,000	11.7	(6.8 - 16.5)	14,559	848,400	12.0	(10.0 - 14.1)
Female	420	13,800	11.0	(6.2 - 15.9)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	74	11,600	14.9	(6.3 - 23.5)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	160	6,100	13.9	(7.2 - 20.6)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	150	3,700	10.6	(5.1 - 16.2)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	196	2,600	6.6	(2.8 - 10.3)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	597	22,300	11.5	(7.7 - 15.3)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	223	15,000	20.8	(12.3 - 29.4)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	158	7,900	12.7	(6.3 - 19.1)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	278	4,000	3.9	(1.4 - 6.4)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	152	6,100	12.2	(6.1 - 18.2)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	90	3,200	10.6	(3.7 - 17.5)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	225	4,400	4.8	(1.2 - 8.4)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 55b. Everyday smoking among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	11.2	(7.7 - 14.6)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	242	11.2	(6.5 - 16.0)	14,559	12.1	(10.1 - 14.1)
Female	420	11.1	(6.2 - 16.0)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	597	11.5	(7.6 - 15.3)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	223	20.8	(12.0 - 29.6)	15,654	16.4	(13.8 - 19.0)
Some College	158	12.4	(6.1 - 18.7)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	278	4.0	(1.5 - 6.5)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	152	12.1	(6.1 - 18.0)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	90	10.8	(3.8 - 17.9)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	225	5.0	(1.1 - 8.8)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	182,400	76.6	(72.3 - 80.9)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	244	80,500	71.5	(64.9 - 78.1)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	421	101,900	81.2	(75.6 - 86.8)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	82	33,900	83.0	(73.7 - 92.4)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	160	36,000	81.9	(74.6 - 89.2)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	151	24,600	70.4	(61.7 - 79.2)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	198	28,600	70.3	(63.1 - 77.6)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	600	148,800	76.1	(71.4 - 80.7)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	44,000	61.1	(51.8 - 70.5)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	158	45,800	74.1	(65.1 - 83.1)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	280	92,200	89.0	(85.0 - 93.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	152	36,200	72.1	(63.3 - 80.9)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	90	26,600	87.1	(79.7 - 94.4)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	227	79,300	86.2	(81.0 - 91.4)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	77.1	(72.8 - 81.5)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	244	71.7	(65.1 - 78.3)	14,577	79.4	(76.7 - 82.2)
Female	421	82.0	(76.4 - 87.6)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	600	76.3	(71.6 - 81.0)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	61.8	(52.3 - 71.3)	15,647	76.9	(73.8 - 80.0)
Some College	158	74.2	(65.3 - 83.2)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	280	89.2	(85.3 - 93.2)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	152	71.8	(62.9 - 80.8)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	90	87.0	(79.6 - 94.4)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	227	86.5	(81.3 - 91.8)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 57a. Binge drinking within the past month among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	37,600	15.9	(11.7 - 20.1)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	244	26,600	23.6	(16.6 - 30.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	413	11,000	8.9	(4.5 - 13.2)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	81	6,600	16.3	(7.1 - 25.5)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	159	5,000	11.5	(6.0 - 16.9)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	150	3,900	11.3	(5.6 - 16.9)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	592	33,200	17.1	(12.4 - 21.8)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	221	6,800	9.5	(4.7 - 14.2)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	276	17,100	16.7	(10.5 - 22.8)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	151	7,400	14.7	(6.6 - 22.7)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	225	21,400	23.3	(15.4 - 31.3)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 57b. Binge drinking within the past month among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	15.8	(11.6 - 19.9)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	244	23.3	(16.4 - 30.2)	14,420	24.5	(21.0 - 27.9)
Female	413	8.9	(4.5 - 13.3)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	592	17.0	(12.4 - 21.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	221	9.1	(4.3 - 13.9)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	276	17.0	(10.8 - 23.3)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	151	13.6	(6.0 - 21.2)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	225	23.1	(15.3 - 31.0)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 58a. Heavy drinking within the past month among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	8,800	3.8	(2.2 - 5.4)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	241	5,000	4.5	(1.5 - 7.4)	14,330	333,300	4.8	(3.9 - 5.7)
Female	413	3,900	3.1	(1.7 - 4.6)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	158	2,400	5.5	(1.9 - 9.2)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	195	2,000	5.0	(1.7 - 8.3)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	590	8,000	4.1	(2.4 - 5.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	220	1,900	2.7	(1.0 - 4.4)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	275	4,300	4.2	(1.7 - 6.8)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	223	4,600	5.1	(1.9 - 8.3)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 58b. Heavy drinking within the past month among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	3.6	(2.1 - 5.1)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	241	4.2	(1.5 - 7.0)	14,330	4.9	(3.9 - 5.9)
Female	413	3.0	(1.5 - 4.5)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	590	4.0	(2.3 - 5.6)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	220	2.5	(0.9 - 4.0)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	275	4.1	(1.6 - 6.5)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	223	4.9	(1.9 - 7.9)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	627	128,700	57.9	(52.4 - 63.5)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	225	72,300	70.2	(62.6 - 77.8)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	402	56,400	47.3	(39.8 - 54.9)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	155	24,000	56.8	(47.7 - 65.9)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	144	21,700	65.4	(56.3 - 74.5)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	184	30,500	81.5	(75.4 - 87.7)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	566	113,400	62.3	(56.7 - 67.9)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	206	34,200	53.5	(43.6 - 63.3)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	268	62,600	63.5	(55.8 - 71.3)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	216	52,100	59.3	(50.7 - 67.9)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	627	57.6	(52.0 - 63.1)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	225	71.6	(64.3 - 78.9)	13,299	67.9	(64.0 - 71.9)
Female	402	45.5	(37.8 - 53.1)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	566	62.2	(56.6 - 67.9)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	268	62.7	(54.8 - 70.6)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	216	58.7	(50.0 - 67.4)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	405	119,100	74.8	(68.5 - 81.1)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	163	61,800	77.9	(69.5 - 86.2)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	242	57,300	71.8	(62.4 - 81.1)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	101	21,500	80.0	(71.3 - 88.6)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	89	18,200	90.4	(83.8 - 97.0)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	100	20,200	95.8	(91.9 - 99.6)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	376	107,000	77.2	(71.0 - 83.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	193	58,100	78.9	(71.4 - 86.4)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	157	46,200	69.4	(59.4 - 79.3)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	405	74.2	(67.8 - 80.5)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	163	77.8	(69.3 - 86.2)	9,034	81.1	(77.4 - 84.8)
Female	242	70.7	(61.3 - 80.1)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	376	76.7	(70.5 - 83.0)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	193	78.7	(71.0 - 86.3)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	157	69.6	(59.6 - 79.5)	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	216,500	93.0	(90.8 - 95.2)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	235	100,100	91.3	(87.2 - 95.4)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	410	116,400	94.5	(92.7 - 96.3)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	74	75,200	96.9	(92.6 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	81	39,600	99.0	(97.0 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	155	40,400	94.4	(90.3 - 98.6)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	146	30,200	89.1	(82.9 - 95.3)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	189	31,200	80.7	(74.9 - 86.5)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	582	177,300	92.6	(90.2 - 95.0)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	212	58,300	84.6	(79.0 - 90.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	155	57,100	93.5	(88.8 - 98.2)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	276	100,600	98.3	(96.9 - 99.7)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	132	37,500	85.7	(78.4 - 93.0)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	149	44,300	89.5	(83.3 - 95.7)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	90	29,100	95.5	(91.3 - 99.6)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	223	89,400	98.2	(96.7 - 99.7)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	93.5	(91.4 - 95.5)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	235	91.6	(87.7 - 95.5)	13,893	89.1	(86.9 - 91.3)
Female	410	95.2	(93.6 - 96.8)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	582	93.1	(90.8 - 95.4)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	212	85.2	(79.7 - 90.7)	14,507	84.6	(81.8 - 87.4)
Some College	155	94.4	(90.2 - 98.6)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	276	98.3	(96.9 - 99.7)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	132	86.9	(80.1 - 93.8)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	149	90.1	(84.2 - 96.0)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	90	96.1	(92.6 - 99.6)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	223	98.2	(96.7 - 99.7)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 62a. Overweight among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	94,600	40.6	(35.3 - 45.9)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	243	52,100	46.4	(38.9 - 54.0)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	398	42,500	35.1	(27.7 - 42.6)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	152	14,700	35.0	(26.1 - 43.9)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	142	12,500	37.0	(27.9 - 46.1)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	192	19,700	50.1	(42.2 - 58.1)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	577	76,700	40.2	(34.8 - 45.7)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	28,600	40.5	(30.8 - 50.2)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	268	44,500	44.0	(36.1 - 51.9)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	216	36,600	41.0	(32.3 - 49.7)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 62b. Overweight among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	41.0	(35.6 - 46.4)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	243	47.4	(39.9 - 55.0)	14,502	43.9	(40.1 - 47.6)
Female	398	35.1	(27.5 - 42.6)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	577	40.3	(34.8 - 45.8)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	41.8	(32.0 - 51.7)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	268	43.8	(35.9 - 51.8)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	216	40.8	(32.0 - 49.5)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 63a. Obesity among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	51,000	21.9	(17.8 - 25.9)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	243	26,600	23.7	(17.5 - 29.8)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	398	24,500	20.2	(14.9 - 25.5)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	74	10,500	13.5	(6.1 - 20.9)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	152	13,200	31.4	(22.4 - 40.3)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	142	10,700	31.7	(22.2 - 41.2)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	192	6,500	16.6	(10.9 - 22.4)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	577	41,200	21.6	(17.3 - 25.8)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	218	19,600	27.8	(19.9 - 35.6)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	154	12,300	20.2	(12.1 - 28.4)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	268	19,100	18.9	(13.1 - 24.6)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	148	10,300	20.8	(12.7 - 28.9)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	87	5,900	19.7	(10.1 - 29.4)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	216	19,200	21.5	(14.9 - 28.2)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 63b. Obesity among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	21.7	(17.6 - 25.9)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	243	23.2	(17.1 - 29.3)	14,502	21.5	(19.0 - 24.0)
Female	398	20.4	(14.8 - 25.9)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	577	21.6	(17.3 - 26.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	218	26.5	(18.8 - 34.2)	15,079	29.4	(25.4 - 33.3)
Some College	154	20.8	(12.2 - 29.4)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	268	19.2	(13.2 - 25.1)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	148	21.0	(12.7 - 29.2)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	87	18.5	(9.2 - 27.7)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	216	21.9	(15.1 - 28.6)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 64a. Overweight or obesity among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	145,600	62.5	(57.2 - 67.7)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	243	78,700	70.1	(63.0 - 77.2)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	398	66,900	55.4	(47.8 - 63.0)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	81	29,700	73.3	(63.4 - 83.2)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	152	27,900	66.4	(57.7 - 75.1)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	142	23,100	68.7	(60.5 - 76.9)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	192	26,200	66.8	(59.3 - 74.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	577	117,900	61.8	(56.3 - 67.3)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	48,200	68.3	(59.4 - 77.1)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	268	63,600	62.9	(55.2 - 70.5)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	216	55,800	62.5	(54.3 - 70.7)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 64b. Overweight or obesity among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	62.7	(57.4 - 68.0)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	243	70.6	(63.7 - 77.6)	14,502	65.4	(61.3 - 69.4)
Female	398	55.4	(47.7 - 63.2)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	577	61.9	(56.3 - 67.5)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	68.3	(59.3 - 77.3)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	268	63.0	(55.3 - 70.7)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	216	62.6	(54.4 - 70.8)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 65a. Received advice about weight by a health professional among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	62,100	26.6	(22.1 - 31.1)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	242	34,000	30.4	(23.5 - 37.3)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	399	28,000	23.1	(17.5 - 28.8)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	74	14,500	18.6	(9.3 - 27.9)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	151	15,000	35.8	(26.6 - 45.0)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	142	12,100	35.9	(26.6 - 45.2)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	193	10,000	25.1	(18.3 - 32.0)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	578	51,200	26.8	(22.1 - 31.5)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	18,300	25.9	(18.3 - 33.5)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	154	16,000	26.3	(16.6 - 35.9)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	268	27,700	27.4	(20.8 - 34.0)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	140	11,600	25.3	(15.4 - 35.2)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	148	12,100	24.3	(14.5 - 34.1)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	216	25,300	28.3	(20.9 - 35.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 65b. Received advice about weight by a health professional among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	26.4	(21.9 - 30.9)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	242	29.6	(22.9 - 36.4)	14,499	23.4	(20.5 - 26.3)
Female	399	23.4	(17.5 - 29.2)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	578	26.6	(21.8 - 31.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	24.9	(17.4 - 32.3)	15,116	27.3	(23.4 - 31.2)
Some College	154	25.3	(15.7 - 34.9)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	268	28.1	(21.3 - 34.9)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	140	24.6	(14.7 - 34.4)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	148	23.6	(14.0 - 33.3)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	216	28.2	(20.8 - 35.6)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	185	54,000	87.0	(80.3 - 93.6)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	105	25,000	89.2	(82.8 - 95.6)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	54	14,700	98.2	(95.6 - 100)	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	166	45,400	88.7	(82.6 - 94.8)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	60	17,300	94.8	(89.3 - 100)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	79	24,600	88.7	(81.2 - 96.3)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	65	23,800	94.0	(88.9 - 99.0)	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	185	87.2	(80.6 - 93.7)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	105	90.0	(83.6 - 96.3)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	166	89.0	(83.0 - 95.0)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	60	94.6	(88.7 - 100)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	79	88.5	(80.3 - 96.7)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	65	94.6	(90.0 - 99.3)	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 67a. No leisure-time physical activity among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	47,300	19.8	(15.8 - 23.9)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	244	19,700	17.5	(12.1 - 23.0)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	421	27,500	21.9	(16.0 - 27.8)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	74	12,500	16.1	(6.7 - 25.4)	3,938	982,900	22.0	(16.6 - 27.5)
35-44	82	4,900	12.1	(4.5 - 19.7)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	160	9,900	22.4	(14.6 - 30.3)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	151	7,700	22.0	(13.6 - 30.4)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	198	12,300	30.2	(23.2 - 37.1)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	600	34,300	17.6	(13.9 - 21.2)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	22,700	31.6	(22.7 - 40.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	158	12,300	19.9	(12.0 - 27.8)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	280	11,700	11.3	(6.8 - 15.7)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	227	8,800	9.5	(5.2 - 13.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 67b. No leisure-time physical activity among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	19.3	(15.3 - 23.2)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	244	17.4	(12.0 - 22.8)	14,602	20.9	(17.8 - 23.9)
Female	421	20.9	(15.2 - 26.7)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	600	17.5	(13.8 - 21.1)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	224	30.3	(21.6 - 39.0)	15,683	32.3	(28.3 - 36.4)
Some College	158	19.7	(11.8 - 27.6)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	280	11.3	(6.8 - 15.8)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	227	9.8	(5.4 - 14.2)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	56,800	23.9	(19.8 - 27.9)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	244	20,100	17.8	(12.4 - 23.3)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	421	36,800	29.3	(23.3 - 35.2)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	74	10,600	13.7	(5.9 - 21.5)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	160	12,200	27.7	(19.7 - 35.7)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	151	9,400	26.8	(18.5 - 35.0)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	198	13,900	34.2	(26.7 - 41.6)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	600	47,800	24.4	(20.2 - 28.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	224	13,000	18.1	(11.9 - 24.4)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	158	13,800	22.3	(13.6 - 31.0)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	280	29,800	28.8	(22.5 - 35.1)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	140	7,400	16.1	(8.9 - 23.4)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	152	12,400	24.6	(15.3 - 34.0)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	227	23,300	25.3	(18.8 - 31.8)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	23.9	(19.7 - 28.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	244	17.5	(12.1 - 22.8)	14,634	22.7	(19.6 - 25.9)
Female	421	29.7	(23.4 - 35.9)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	600	24.2	(19.9 - 28.5)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	224	18.4	(11.9 - 25.0)	15,726	23.3	(19.3 - 27.3)
Some College	158	22.5	(13.5 - 31.4)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	280	28.4	(22.0 - 34.8)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	140	15.2	(8.2 - 22.3)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	152	25.7	(16.0 - 35.4)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	227	24.9	(18.4 - 31.5)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 69a. Had a fall within the past 3 months among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	499	19,100	16.4	(12.5 - 20.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	169	7,100	13.1	(7.5 - 18.6)	10,966	489,400	14.4	(11.9 - 16.8)
Female	330	12,000	19.2	(13.9 - 24.6)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	159	8,700	20.1	(12.3 - 27.9)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	145	3,000	8.9	(4.2 - 13.7)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	195	7,400	18.6	(12.5 - 24.8)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	465	17,200	16.7	(12.8 - 20.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	184	7,000	16.7	(10.2 - 23.2)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	107	4,100	18.5	(9.4 - 27.6)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	206	8,000	15.4	(9.7 - 21.0)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	121	5,400	19.5	(11.1 - 27.9)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	161	5,300	12.0	(6.5 - 17.4)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 69b. Had a fall within the past 3 months among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	499	16.6	(12.6 - 20.6)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	169	13.2	(7.5 - 18.8)	10,966	15.0	(12.1 - 17.8)
Female	330	19.8	(14.3 - 25.3)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	465	16.7	(12.8 - 20.7)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	184	16.8	(10.2 - 23.5)	12,417	17.4	(13.0 - 21.7)
Some College	107	17.8	(8.8 - 26.9)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	206	16.0	(10.0 - 22.0)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	121	19.8	(11.0 - 28.6)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	161	11.9	(6.5 - 17.3)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Albany County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Albany County and New York State

	Albany County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	499	5,300	4.6	(2.4 - 6.7)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	330	3,100	5.0	(2.5 - 7.4)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	159	3,000	7.0	(2.2 - 11.7)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	*	*	*	*	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	465	5,300	5.2	(2.8 - 7.6)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	184	2,100	4.9	(1.7 - 8.1)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	107	1,600	8.3	(3.0 - 13.7)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Albany County**

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Albany County and New York State - Age-Adjusted²

	Albany County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	499	4.6	(2.4 - 6.7)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	330	5.3	(2.6 - 7.9)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	465	5.1	(2.7 - 7.5)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	184	4.9	(1.7 - 8.0)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	107	8.8	(3.1 - 14.5)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)