

New York State Expanded Behavioral Risk Factor Surveillance System

Broome County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Broome County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Broome County and New York State	14
Table 2b. Fair or poor general health among adults in Broome County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Broome County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Broome County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Broome County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Broome County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Broome County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Broome County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Broome County and New York State	22
Table 6b. Health insurance among adults in Broome County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Broome County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Broome County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Broome County and New York State	26
Table 8b. No health insurance among adults in Broome County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Broome County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Broome County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Broome County and New York State	30
Table 10b. Adults with regular health care provider in Broome County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Broome County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Broome County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Broome County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Broome County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Broome County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Broome County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Broome County and New York State	38
Table 14b. Dentist visit within the past year among adults in Broome County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Broome County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Broome County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Broome County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Broome County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Broome County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Broome County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Broome County and New York State	46
Table 18b. Flu shot within the past 12 months in Broome County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Broome County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Broome County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Broome County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Broome County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Broome County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Broome County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Broome County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Broome County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Broome County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Broome County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Broome County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Broome County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Broome County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Broome County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Broome County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Broome County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Broome County and New York State	64
Table 27b. Ever had a Pap test among women in Broome County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Broome County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Broome County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Broome County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Broome County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Broome County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Broome County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Broome County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Broome County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Broome County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Broome County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Broome County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Broome County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Broome County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Broome County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Broome County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Broome County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Broome County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Broome County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Broome County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Broome County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Broome County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Broome County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Broome County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Broome County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Broome County and New York State	90
Table 40b. High blood pressure among adults in Broome County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Broome County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Broome County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Broome County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Broome County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Broome County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Broome County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Broome County and New York State	98
Table 44b. Cardiovascular disease among adults in Broome County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Broome County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Broome County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Broome County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Broome County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Broome County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Broome County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Broome County and New York State	106
Table 48b. Current asthma among adults in Broome County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Broome County and New York State	108
Table 49b. Chronic joint symptoms among adults in Broome County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Broome County and New York State	110
Table 50b. Arthritis among adults in Broome County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Broome County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Broome County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Broome County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Broome County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Broome County and New York State	116
Table 53b. Disability among adults in Broome County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Broome County and New York State	118
Table 54b. Current smoking among adults in Broome County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Broome County and New York State	120
Table 55b. Everyday smoking among adults in Broome County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Broome County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Broome County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Broome County and New York State	124
Table 57b. Binge drinking within the past month among adults in Broome County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Broome County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Broome County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Broome County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Broome County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Broome County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Broome County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Broome County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Broome County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Broome County and New York State	134
Table 62b. Overweight among adults in Broome County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Broome County and New York State	136
Table 63b. Obesity among adults in Broome County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Broome County and New York State	138
Table 64b. Overweight or obesity among adults in Broome County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Broome County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Broome County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Broome County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Broome County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Broome County and New York State	144
Table 67b. No leisure-time physical activity among adults in Broome County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Broome County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Broome County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Broome County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Broome County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Broome County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Broome County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 1. Broome County and New York State adult US Census Bureau population estimates,¹ 2007

	Broome County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	156,320	100	14,884,315	100
Gender				
Male	74,726	47.8	7,103,791	47.7
Female	81,594	52.2	7,780,524	52.3
Age (years)				
18-34	49,204	31.5	4,497,479	30.2
35-44	23,765	15.2	2,844,115	19.1
45-54	29,011	18.6	2,854,316	19.2
55-64	22,087	14.1	2,142,000	14.4
≥ 65	32,253	20.6	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	140,770	90.1	9,343,884	62.8
Black Non-Hispanic	5,854	3.7	2,156,941	14.5
Hispanic	3,548	2.3	2,258,717	15.2
Other Non-Hispanic	6,148	3.9	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 2a. Fair or poor general health among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	19,500	12.5	(9.5 - 15.5)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	244	9,200	12.3	(8.0 - 16.6)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	396	10,400	12.7	(8.6 - 16.9)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	122	2,400	8.2	(3.4 - 13.0)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	136	4,500	20.3	(12.4 - 28.2)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	243	7,500	23.5	(17.6 - 29.4)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	613	18,400	13.1	(9.9 - 16.2)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	252	12,600	23.4	(16.8 - 29.9)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	172	3,900	8.5	(4.3 - 12.7)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	216	3,000	5.3	(1.7 - 8.9)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	170	8,600	25.3	(17.0 - 33.7)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	182	4,600	10.9	(6.2 - 15.7)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	102	3,500	11.7	(3.2 - 20.1)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 2b. Fair or poor general health among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	11.6	(8.7 - 14.6)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	244	11.9	(7.6 - 16.2)	14,599	15.3	(12.6 - 18.0)
Female	396	11.3	(7.2 - 15.4)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	613	12.1	(9.0 - 15.2)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	252	22.3	(15.6 - 29.0)	15,682	25.8	(22.1 - 29.5)
Some College	172	7.4	(3.7 - 11.2)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	216	4.8	(1.4 - 8.2)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	170	23.5	(15.2 - 31.7)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	182	9.9	(5.5 - 14.3)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	102	11.5	(2.9 - 20.1)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	17,500	11.3	(8.3 - 14.4)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	240	7,200	9.7	(5.8 - 13.7)	14,325	604,200	8.7	(7.0 - 10.5)
Female	389	10,300	12.8	(8.3 - 17.2)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	121	2,800	9.7	(4.6 - 14.8)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	135	3,400	15.3	(8.2 - 22.4)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	235	5,300	16.8	(11.5 - 22.1)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	603	15,600	11.2	(8.1 - 14.3)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	246	8,600	16.0	(10.6 - 21.5)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	170	4,600	10.1	(3.8 - 16.4)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	213	4,300	7.8	(3.7 - 11.9)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	166	7,900	23.6	(14.6 - 32.6)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	178	4,600	11.3	(6.5 - 16.0)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	10.8	(7.6 - 13.9)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	240	9.5	(5.5 - 13.5)	14,325	8.7	(6.9 - 10.5)
Female	389	11.9	(7.2 - 16.6)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	603	10.4	(7.3 - 13.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	246	15.1	(9.7 - 20.6)	15,178	12.7	(10.2 - 15.1)
Some College	170	9.7	(3.0 - 16.4)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	213	7.4	(3.3 - 11.5)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	166	23.5	(13.9 - 33.2)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	178	10.6	(5.9 - 15.3)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	633	20,500	13.2	(9.4 - 16.9)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	240	6,700	9.1	(4.2 - 13.9)	14,407	555,200	7.9	(6.3 - 9.6)
Female	393	13,700	16.9	(11.5 - 22.4)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	122	2,600	8.9	(3.9 - 13.9)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	135	2,900	13.2	(6.3 - 20.1)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	237	3,100	10.0	(5.1 - 14.9)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	606	18,000	12.8	(9.1 - 16.6)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	249	9,500	17.7	(10.7 - 24.8)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	169	6,100	13.2	(5.7 - 20.8)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	215	4,900	8.7	(4.2 - 13.2)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	167	7,400	21.8	(12.6 - 30.9)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	180	6,100	14.6	(7.6 - 21.6)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	110	3,100	9.5	(2.5 - 16.4)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	633	12.9	(9.2 - 16.7)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	240	9.0	(4.2 - 13.8)	14,407	7.9	(6.3 - 9.6)
Female	393	16.6	(11.0 - 22.1)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	606	12.7	(8.8 - 16.5)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	249	17.7	(10.5 - 24.9)	15,335	12.3	(10.0 - 14.6)
Some College	169	12.9	(5.4 - 20.4)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	215	8.3	(3.9 - 12.7)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	167	22.5	(13.0 - 32.0)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	180	13.8	(6.8 - 20.8)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	110	9.1	(2.4 - 15.9)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	624	30,500	19.7	(15.6 - 23.9)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	237	11,300	15.2	(9.7 - 20.8)	14,231	937,700	13.6	(11.4 - 15.8)
Female	387	19,200	23.9	(18.0 - 29.8)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	80	3,000	12.8	(4.4 - 21.1)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	121	4,300	14.9	(8.6 - 21.2)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	135	5,400	24.5	(16.1 - 32.9)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	230	7,400	23.9	(17.6 - 30.3)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	598	26,600	19.1	(15.0 - 23.3)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	244	14,500	27.3	(19.7 - 34.9)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	168	8,800	19.5	(11.1 - 27.9)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	212	7,100	12.7	(7.6 - 17.9)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	177	9,300	22.6	(14.8 - 30.4)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	100	2,900	9.7	(1.7 - 17.7)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	109	3,400	10.5	(3.4 - 17.6)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	624	19.1	(14.9 - 23.3)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	237	14.9	(9.5 - 20.4)	14,231	13.6	(11.4 - 15.8)
Female	387	23.0	(16.9 - 29.1)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	598	18.4	(14.2 - 22.5)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	244	26.1	(18.5 - 33.8)	15,018	20.1	(17.1 - 23.1)
Some College	168	19.1	(10.4 - 27.7)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	212	12.4	(7.3 - 17.5)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	177	21.6	(13.7 - 29.4)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	100	9.0	(1.2 - 16.8)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	109	9.9	(3.1 - 16.7)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 6a. Health insurance among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	138,800	89.2	(84.7 - 93.8)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	244	65,500	87.7	(79.5 - 95.8)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	396	73,300	90.6	(86.3 - 95.0)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	81	20,800	87.6	(78.9 - 96.4)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	122	26,800	92.4	(87.6 - 97.3)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	136	20,900	94.6	(90.2 - 99.0)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	244	31,900	98.9	(97.2 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	613	127,600	91.1	(86.8 - 95.4)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	46,600	86.0	(79.0 - 92.9)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	171	40,900	90.4	(80.5 - 100)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	216	51,300	91.4	(84.3 - 98.5)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	182	36,900	88.2	(79.5 - 96.9)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	*	*	*	*	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	110	32,000	99.1	(97.9 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 6b. Health insurance among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	88.8	(84.2 - 93.3)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	244	88.2	(80.5 - 96.0)	14,597	83.6	(79.7 - 87.5)
Female	396	89.2	(84.2 - 94.3)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	613	90.8	(86.5 - 95.1)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	84.2	(76.8 - 91.7)	15,673	80.1	(75.4 - 84.7)
Some College	171	90.3	(80.5 - 100)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	216	91.9	(85.3 - 98.6)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	182	87.8	(79.1 - 96.4)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	*	*	*	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	110	99.2	(98.0 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 7a. Health insurance among adults aged 18-64¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	392	106,500	86.6	(81.0 - 92.3)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	153	52,400	85.2	(75.4 - 94.9)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	239	54,100	88.1	(82.5 - 93.7)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	81	20,800	87.6	(78.9 - 96.4)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	122	26,800	92.4	(87.6 - 97.3)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	132	20,500	94.5	(90.0 - 99.0)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	370	95,900	88.8	(83.3 - 94.2)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	31,500	80.7	(71.3 - 90.1)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	144	40,700	89.4	(80.8 - 98.0)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	99	30,400	99.1	(97.8 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 7b. Health insurance among adults aged 18-64¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	392	86.6	(81.2 - 92.1)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	153	86.0	(76.7 - 95.2)	10,078	80.5	(75.9 - 85.1)
Female	239	87.2	(81.2 - 93.2)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	370	88.9	(83.6 - 94.1)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	79.7	(70.2 - 89.2)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	144	90.3	(82.4 - 98.3)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	99	99.2	(97.9 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 8a. No health insurance among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	16,800	10.8	(6.2 - 15.3)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	244	9,200	12.3	(4.2 - 20.5)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	396	7,600	9.4	(5.0 - 13.7)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	122	2,200	7.6	(2.7 - 12.4)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	613	12,500	8.9	(4.6 - 13.2)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	7,600	14.0	(7.1 - 21.0)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	216	4,800	8.6	(1.5 - 15.7)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	182	4,900	11.8	(3.1 - 20.5)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 8b. No health insurance among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	11.2	(6.7 - 15.8)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	244	11.8	(4.0 - 19.5)	14,597	16.4	(12.5 - 20.3)
Female	396	10.8	(5.7 - 15.8)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	613	9.2	(4.9 - 13.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	15.8	(8.3 - 23.2)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	216	8.1	(1.4 - 14.7)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	182	12.2	(3.6 - 20.9)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 9a. No health insurance among adults aged 18-64¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	392	16,400	13.4	(7.7 - 19.0)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	153	9,100	14.8	(5.1 - 24.6)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	239	7,300	11.9	(6.3 - 17.5)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	122	2,200	7.6	(2.7 - 12.4)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	370	12,100	11.2	(5.8 - 16.7)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	7,500	19.3	(9.9 - 28.7)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	144	4,800	10.6	(2.0 - 19.2)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 9b. No health insurance among adults aged 18-64¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	392	13.4	(7.9 - 18.8)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	153	14.0	(4.8 - 23.3)	10,078	19.5	(14.9 - 24.1)
Female	239	12.8	(6.8 - 18.8)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	370	11.1	(5.9 - 16.4)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	20.3	(10.8 - 29.8)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	144	9.7	(1.7 - 17.6)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 10a. Adults with regular health care provider¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	135,100	86.4	(81.5 - 91.4)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	244	61,700	82.6	(74.3 - 90.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	397	73,400	90.0	(84.5 - 95.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	81	21,200	89.0	(81.6 - 96.5)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	122	26,100	90.0	(84.2 - 95.8)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	136	20,200	91.4	(86.0 - 96.9)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	244	31,300	96.9	(94.4 - 99.4)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	614	124,000	88.1	(83.2 - 92.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	46,600	85.9	(78.6 - 93.3)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	216	48,600	86.5	(78.8 - 94.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	171	28,800	84.1	(74.6 - 93.5)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	182	38,900	92.9	(88.4 - 97.3)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	110	30,200	93.4	(88.7 - 98.2)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 10b. Adults with regular health care provider¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	86.3	(81.4 - 91.2)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	244	83.0	(75.0 - 91.1)	14,593	78.1	(73.9 - 82.3)
Female	397	89.2	(83.4 - 95.1)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	614	87.8	(82.9 - 92.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	84.5	(76.8 - 92.3)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	216	86.9	(79.4 - 94.3)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	171	83.5	(73.9 - 93.1)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	182	92.8	(87.9 - 97.7)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	110	93.5	(88.7 - 98.3)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	16,900	10.8	(6.4 - 15.2)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	242	7,800	10.5	(2.9 - 18.2)	14,607	903,300	12.7	(9.5 - 16.0)
Female	396	9,000	11.1	(6.4 - 15.7)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	121	2,300	8.1	(3.4 - 12.9)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	*	*	*	*	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	611	13,600	9.7	(5.5 - 13.8)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	253	6,700	12.4	(7.1 - 17.7)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	169	5,800	17.1	(8.1 - 26.0)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	182	5,400	12.9	(3.9 - 21.9)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	11.1	(6.8 - 15.5)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	242	10.3	(3.0 - 17.6)	14,607	12.5	(9.4 - 15.6)
Female	396	11.9	(7.0 - 16.9)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	611	10.1	(5.9 - 14.3)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	253	13.8	(7.8 - 19.8)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	169	18.4	(9.0 - 27.8)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	182	12.9	(4.1 - 21.7)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	108,100	69.3	(64.0 - 74.6)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	244	47,700	63.8	(54.9 - 72.7)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	394	60,400	74.3	(68.3 - 80.3)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	121	17,300	59.6	(50.0 - 69.3)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	136	17,000	77.0	(68.9 - 85.0)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	242	26,300	82.1	(76.8 - 87.4)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	611	96,800	68.9	(63.6 - 74.2)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	251	38,600	71.5	(63.8 - 79.1)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	216	36,200	64.4	(54.9 - 74.0)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	170	24,000	70.3	(60.4 - 80.1)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	110	24,500	75.9	(66.8 - 84.9)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	68.8	(63.4 - 74.1)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	244	63.5	(54.7 - 72.3)	14,592	67.1	(63.3 - 70.9)
Female	394	73.5	(67.2 - 79.9)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	611	68.3	(62.8 - 73.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	251	70.8	(62.8 - 78.8)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	216	63.8	(54.3 - 73.4)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	110	74.5	(64.7 - 84.2)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	128,500	82.4	(77.9 - 86.8)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	244	59,900	80.2	(72.9 - 87.5)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	394	68,600	84.3	(79.1 - 89.6)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	81	19,500	82.0	(73.3 - 90.8)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	121	22,800	78.8	(71.0 - 86.6)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	136	19,000	85.9	(79.4 - 92.5)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	242	29,500	92.1	(88.3 - 95.9)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	611	115,400	82.1	(77.7 - 86.5)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	251	44,700	82.7	(75.8 - 89.6)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	171	39,400	85.9	(78.1 - 93.6)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	216	44,400	79.2	(71.0 - 87.4)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	170	28,800	84.3	(76.8 - 91.7)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	181	32,100	76.9	(67.2 - 86.6)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	102	26,200	87.4	(79.8 - 95.1)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	110	28,600	88.6	(82.3 - 94.8)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	81.9	(77.4 - 86.4)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	244	80.3	(73.1 - 87.5)	14,592	81.9	(78.4 - 85.3)
Female	394	83.5	(77.9 - 89.1)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	611	81.5	(76.9 - 86.1)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	251	82.1	(75.0 - 89.2)	15,640	84.6	(81.1 - 88.1)
Some College	171	85.5	(77.5 - 93.5)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	216	78.8	(70.6 - 86.9)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	170	84.1	(76.4 - 91.7)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	181	77.0	(67.4 - 86.5)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	102	86.0	(77.6 - 94.3)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	110	87.6	(80.6 - 94.5)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 14a. Dentist visit within the past year among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	114,500	73.3	(68.2 - 78.4)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	244	53,000	70.9	(62.6 - 79.3)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	396	61,500	75.5	(69.4 - 81.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	122	21,700	74.6	(65.9 - 83.4)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	136	16,700	75.5	(67.2 - 83.9)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	243	23,800	73.9	(68.0 - 79.9)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	613	104,200	74.1	(69.2 - 79.0)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	33,600	61.9	(53.8 - 70.1)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	172	35,500	77.1	(68.1 - 86.2)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	215	45,500	81.2	(71.9 - 90.5)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	110	29,100	90.1	(82.9 - 97.4)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 14b. Dentist visit within the past year among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	73.6	(68.4 - 78.7)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	244	71.6	(63.5 - 79.7)	14,573	68.3	(64.6 - 72.1)
Female	396	75.4	(68.9 - 82.0)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	613	74.3	(69.2 - 79.3)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	62.1	(53.6 - 70.6)	15,613	65.3	(60.9 - 69.6)
Some College	172	77.2	(67.9 - 86.6)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	215	81.7	(72.7 - 90.6)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	110	90.4	(83.4 - 97.4)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	571	105,800	73.8	(68.3 - 79.2)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	219	48,200	68.7	(59.4 - 78.0)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	352	57,600	78.6	(72.9 - 84.2)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	113	21,700	79.8	(71.2 - 88.4)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	121	15,200	78.5	(69.9 - 87.0)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	202	20,300	74.7	(68.0 - 81.4)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	546	95,800	74.8	(69.6 - 80.0)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	211	31,200	65.3	(56.8 - 73.9)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	153	33,100	80.0	(71.7 - 88.2)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	*	*	*	*	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	*	*	*	*	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 15b. Had teeth cleaned within the past year among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	571	73.7	(68.2 - 79.1)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	219	69.3	(60.3 - 78.3)	13,173	69.2	(65.3 - 73.1)
Female	352	77.8	(71.6 - 84.0)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	546	74.7	(69.4 - 80.0)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	211	64.6	(55.6 - 73.6)	12,740	67.7	(63.2 - 72.3)
Some College	153	79.5	(71.0 - 88.1)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	*	*	*	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	*	*	*	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	71,800	46.1	(40.7 - 51.6)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	241	34,700	46.7	(37.7 - 55.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	395	37,100	45.6	(39.2 - 52.1)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	122	15,300	52.9	(43.0 - 62.8)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	136	13,600	61.7	(52.3 - 71.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	239	25,000	79.2	(73.5 - 84.9)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	609	68,200	48.7	(43.1 - 54.2)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	251	33,100	61.4	(52.5 - 70.4)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	216	19,400	34.5	(26.2 - 42.8)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	44.0	(38.6 - 49.5)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	241	46.5	(37.5 - 55.4)	14,457	47.9	(44.1 - 51.7)
Female	395	41.8	(35.2 - 48.5)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	609	46.5	(40.9 - 52.1)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	251	59.2	(50.0 - 68.4)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	216	32.2	(24.2 - 40.3)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	239	4,600	14.5	(9.9 - 19.0)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	88	1,300	10.4	(4.4 - 16.4)	4,352	167,200	16.4	(11.8 - 20.9)
Female	151	3,200	17.2	(10.9 - 23.6)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	239	4,600	14.5	(9.9 - 19.0)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	234	4,500	14.5	(9.9 - 19.1)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	119	2,700	18.4	(11.5 - 25.4)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	86	2,400	25.0	(15.5 - 34.6)	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	239	14.0	(9.6 - 18.4)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	88	10.4	(4.4 - 16.4)	4,352	16.5	(11.5 - 21.4)
Female	151	17.3	(10.9 - 23.6)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	234	13.9	(9.5 - 18.4)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	119	18.5	(11.4 - 25.5)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	86	24.7	(15.2 - 34.3)	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 18a. Flu shot within the past 12 months¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	66,000	42.3	(36.9 - 47.6)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	244	26,700	35.7	(27.6 - 43.9)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	395	39,300	48.2	(41.6 - 54.9)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	193	22,900	26.7	(18.9 - 34.6)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	203	18,600	48.6	(40.8 - 56.5)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	243	24,500	76.1	(70.2 - 82.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	612	60,300	42.9	(37.6 - 48.2)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	20,700	38.1	(30.6 - 45.7)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	172	17,400	37.8	(27.9 - 47.8)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	214	27,900	49.9	(40.1 - 59.6)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	181	17,200	41.1	(31.8 - 50.3)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 18b. Flu shot within the past 12 months¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	39.7	(34.4 - 45.1)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	244	34.2	(26.3 - 42.2)	14,579	40.0	(36.2 - 43.8)
Female	395	44.8	(37.8 - 51.7)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	612	40.1	(34.7 - 45.4)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	34.4	(26.9 - 41.8)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	214	48.0	(38.3 - 57.7)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	181	37.8	(28.6 - 47.0)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	66,000	42.3	(36.9 - 47.6)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	243	26,700	35.8	(27.6 - 44.0)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	395	39,300	48.2	(41.6 - 54.9)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	193	22,900	26.7	(18.9 - 34.6)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	202	18,600	48.9	(41.0 - 56.7)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	243	24,500	76.1	(70.2 - 82.0)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	611	60,300	42.9	(37.6 - 48.3)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	20,700	38.1	(30.6 - 45.7)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	172	17,400	37.8	(27.9 - 47.8)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	213	27,900	50.0	(40.2 - 59.8)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	181	17,200	41.1	(31.8 - 50.3)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	39.8	(34.4 - 45.1)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	243	34.3	(26.4 - 42.3)	14,568	40.4	(36.6 - 44.2)
Female	395	44.8	(37.8 - 51.7)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	611	40.1	(34.8 - 45.5)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	34.4	(26.9 - 41.8)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	213	48.1	(38.4 - 57.8)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	181	37.8	(28.6 - 47.0)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 21a. Flu shot among adults aged 65 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	243	24,500	76.1	(70.2 - 82.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	152	15,100	79.5	(72.4 - 86.6)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	243	24,500	76.1	(70.2 - 82.0)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	238	23,900	75.9	(69.9 - 81.9)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	121	11,500	76.0	(67.8 - 84.2)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	69	8,400	82.9	(73.0 - 92.7)	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	89	7,800	77.9	(68.0 - 87.8)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 21b. Flu shot among adults aged 65 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	243	75.5	(69.4 - 81.6)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	152	79.5	(72.4 - 86.6)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	238	75.3	(69.1 - 81.5)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	121	75.1	(66.6 - 83.5)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	584	37,400	28.0	(23.3 - 32.6)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	212	16,400	26.8	(19.1 - 34.5)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	372	21,100	28.9	(23.3 - 34.5)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	161	8,800	12.8	(6.0 - 19.7)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	186	7,100	20.9	(14.1 - 27.6)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	237	21,600	68.6	(61.9 - 75.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	563	35,600	29.1	(24.3 - 33.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	233	16,000	32.9	(25.4 - 40.4)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	158	9,500	25.1	(16.8 - 33.4)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	193	12,000	25.2	(16.9 - 33.6)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	155	10,000	36.4	(26.5 - 46.2)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	169	10,600	28.3	(20.3 - 36.3)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	99	5,000	17.4	(8.6 - 26.2)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	584	25.5	(20.9 - 30.0)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	212	26.4	(18.8 - 34.0)	13,052	25.8	(22.3 - 29.4)
Female	372	24.7	(19.2 - 30.2)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	563	26.4	(21.7 - 31.2)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	233	29.7	(22.3 - 37.2)	14,700	29.5	(25.6 - 33.5)
Some College	158	21.9	(13.9 - 29.9)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	193	24.1	(15.8 - 32.4)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	169	25.3	(17.5 - 33.1)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	99	16.1	(7.5 - 24.8)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	237	21,600	68.6	(61.9 - 75.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	151	13,200	70.1	(61.9 - 78.3)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	237	21,600	68.6	(61.9 - 75.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	232	21,000	68.5	(61.8 - 75.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	119	10,900	73.0	(64.2 - 81.8)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	237	68.3	(61.5 - 75.1)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	151	70.1	(61.8 - 78.3)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	232	68.3	(61.4 - 75.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	119	72.6	(63.7 - 81.6)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	324	47,800	97.1	(95.1 - 99.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	324	47,800	97.1	(95.1 - 99.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	57	11,400	94.6	(89.2 - 100)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	115	17,800	97.1	(93.5 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	152	18,500	98.6	(97.0 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	314	44,400	96.9	(94.7 - 99.0)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	17,000	96.9	(93.5 - 100)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	93	15,700	98.4	(96.0 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	101	15,100	96.0	(91.6 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	98	12,600	96.9	(93.2 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	88	12,700	94.1	(88.6 - 99.7)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	50	9,700	100	(100 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	324	96.8	(94.5 - 99.1)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	324	96.8	(94.5 - 99.1)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	314	96.5	(94.1 - 99.0)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	95.7	(90.8 - 100)	8,266	90.2	(86.1 - 94.2)
Some College	93	98.5	(96.2 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	101	96.1	(91.8 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	98	96.0	(90.3 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	88	93.8	(87.9 - 99.7)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	50	100	(100 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	324	41,900	85.1	(81.0 - 89.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	324	41,900	85.1	(81.0 - 89.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	57	10,500	86.9	(77.8 - 95.9)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	115	15,800	86.1	(79.4 - 92.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	152	15,600	83.0	(76.8 - 89.2)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	314	38,700	84.3	(80.0 - 88.7)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	130	13,900	79.2	(71.4 - 86.9)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	93	14,000	88.0	(81.2 - 94.8)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	101	13,900	88.9	(82.6 - 95.1)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	98	10,300	79.5	(70.2 - 88.9)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	88	10,800	80.1	(71.2 - 89.0)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	50	9,100	93.3	(86.5 - 100)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	324	85.7	(81.4 - 90.0)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	324	85.7	(81.4 - 90.0)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	314	84.8	(80.3 - 89.3)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	130	78.3	(69.7 - 86.8)	8,204	80.1	(75.6 - 84.7)
Some College	93	89.8	(83.4 - 96.1)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	101	88.8	(82.3 - 95.3)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	88	79.6	(70.2 - 89.1)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	50	92.9	(85.5 - 100)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	267	31,400	84.5	(80.0 - 89.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	267	31,400	84.5	(80.0 - 89.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	115	15,800	86.1	(79.4 - 92.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	152	15,600	83.0	(76.8 - 89.2)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	261	30,100	84.3	(79.6 - 89.0)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	113	11,900	81.1	(73.4 - 88.8)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	72	9,100	85.9	(77.4 - 94.4)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	82	10,500	87.5	(80.0 - 95.0)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	77	9,500	82.6	(73.9 - 91.2)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	267	84.7	(80.0 - 89.4)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	267	84.7	(80.0 - 89.4)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	261	84.5	(79.7 - 89.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	113	81.0	(73.0 - 89.0)	7,026	83.6	(80.1 - 87.0)
Some College	72	86.4	(77.8 - 95.0)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	82	87.4	(79.6 - 95.2)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	77	82.2	(73.1 - 91.3)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 27a. Ever had a Pap test among women¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	392	73,800	91.7	(86.3 - 97.0)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	392	73,800	91.7	(86.3 - 97.0)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	71	14,100	98.8	(96.5 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	83	11,100	98.1	(94.4 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	152	18,200	96.3	(92.3 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	375	67,600	93.6	(89.0 - 98.3)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	160	28,600	93.8	(86.3 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	*	*	*	*	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	121	22,700	94.9	(87.4 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	116	18,300	91.0	(81.3 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	*	*	*	*	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	60	14,800	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 27b. Ever had a Pap test among women¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	392	91.6	(86.2 - 97.1)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	392	91.6	(86.2 - 97.1)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	375	93.5	(88.6 - 98.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	160	93.1	(84.9 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	121	95.2	(87.8 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	116	90.6	(80.7 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	*	*	*	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	60	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	389	59,500	74.3	(67.6 - 81.0)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	389	59,500	74.3	(67.6 - 81.0)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	71	12,800	89.5	(82.5 - 96.5)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	150	12,400	66.3	(58.0 - 74.6)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	372	53,600	74.6	(67.9 - 81.3)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	159	23,400	76.7	(67.5 - 85.9)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	120	19,500	82.5	(73.7 - 91.4)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	60	14,200	95.8	(90.9 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 28b. Had a Pap test within the past 3 years among women¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	389	75.8	(68.8 - 82.7)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	389	75.8	(68.8 - 82.7)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	372	76.0	(68.9 - 83.0)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	120	84.9	(76.4 - 93.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	60	95.4	(89.1 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	36,100	81.5	(75.3 - 87.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	208	36,100	81.5	(75.3 - 87.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	51	9,500	89.9	(81.8 - 98.1)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	88	11,500	90.7	(84.1 - 97.3)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	201	35,000	82.4	(76.4 - 88.5)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	81	16,000	85.4	(76.3 - 94.6)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	79.7	(72.8 - 86.7)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	208	79.7	(72.8 - 86.7)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	201	80.7	(73.8 - 87.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	65	83.2	(73.4 - 93.1)	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	207	25,800	58.2	(50.4 - 65.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	207	25,800	58.2	(50.4 - 65.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	87	9,300	73.6	(64.1 - 83.2)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	200	25,500	60.1	(52.3 - 67.9)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	207	54.7	(46.4 - 62.9)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	207	54.7	(46.4 - 62.9)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	200	56.7	(48.3 - 65.1)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	194	26,900	65.3	(57.2 - 73.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	194	26,900	65.3	(57.2 - 73.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	85	11,400	91.6	(86.3 - 96.9)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	187	26,200	66.8	(58.7 - 75.0)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	62.5	(53.8 - 71.2)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	194	62.5	(53.8 - 71.2)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	187	64.3	(55.5 - 73.1)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	192	23,200	56.8	(48.6 - 65.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	192	23,200	56.8	(48.6 - 65.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	84	10,200	82.4	(74.1 - 90.7)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	185	22,500	57.9	(49.6 - 66.2)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	192	54.2	(45.6 - 62.8)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	192	54.2	(45.6 - 62.8)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	185	55.5	(46.8 - 64.3)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	209	1,500	3.3	(1.1 - 5.5)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	209	1,500	3.3	(1.1 - 5.5)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	202	1,500	3.4	(1.1 - 5.8)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 33b. Prostate cancer among men aged 40 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	209	3.1	(1.0 - 5.2)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	209	3.1	(1.0 - 5.2)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	202	3.3	(1.1 - 5.4)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	441	28,400	40.7	(35.5 - 45.9)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	170	13,200	41.5	(33.3 - 49.8)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	271	15,100	40.0	(33.5 - 46.6)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	199	12,700	33.8	(26.4 - 41.3)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	242	15,600	48.8	(41.9 - 55.7)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	431	27,800	41.2	(35.9 - 46.4)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	180	8,700	34.3	(26.6 - 41.9)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	148	11,900	46.6	(37.5 - 55.7)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	125	5,300	33.8	(24.5 - 43.1)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	136	10,200	44.5	(35.0 - 54.0)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	441	39.7	(34.4 - 44.9)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	170	41.4	(33.2 - 49.7)	9,571	39.4	(35.3 - 43.5)
Female	271	38.0	(31.3 - 44.6)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	431	40.2	(34.8 - 45.5)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	180	33.1	(25.5 - 40.8)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	148	45.8	(36.5 - 55.1)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	125	32.4	(23.1 - 41.8)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	136	43.2	(33.6 - 52.8)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	437	6,700	9.7	(6.8 - 12.7)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	168	2,900	9.2	(5.0 - 13.5)	9,508	444,400	16.0	(13.2 - 18.9)
Female	269	3,800	10.1	(6.0 - 14.2)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	198	2,900	7.8	(3.9 - 11.7)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	239	3,800	12.0	(7.5 - 16.5)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	427	6,700	10.0	(7.0 - 13.1)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	178	2,200	8.7	(4.3 - 13.0)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	112	2,700	14.3	(7.0 - 21.6)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	147	1,900	7.3	(3.3 - 11.4)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	135	2,700	11.8	(5.8 - 17.9)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	437	9.3	(6.4 - 12.1)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	168	9.1	(4.9 - 13.3)	9,508	16.4	(13.2 - 19.6)
Female	269	9.5	(5.5 - 13.4)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	427	9.6	(6.6 - 12.5)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	178	8.4	(4.1 - 12.7)	11,026	12.7	(9.2 - 16.1)
Some College	112	13.6	(6.5 - 20.6)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	147	7.0	(3.1 - 10.9)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	135	11.5	(5.5 - 17.4)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	437	10,900	15.7	(12.1 - 19.4)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	168	4,700	15.0	(9.5 - 20.6)	9,508	593,100	21.4	(18.3 - 24.5)
Female	269	6,100	16.3	(11.4 - 21.2)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	198	4,800	12.8	(7.9 - 17.7)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	239	6,100	19.2	(13.8 - 24.6)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	427	10,900	16.2	(12.5 - 20.0)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	178	3,200	12.9	(7.8 - 18.0)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	112	3,600	19.0	(11.0 - 26.9)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	147	4,100	16.1	(9.9 - 22.4)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	124	2,000	12.9	(6.6 - 19.2)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	135	3,800	17.0	(10.2 - 23.8)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	65	2,300	17.6	(8.3 - 26.9)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹
in Broome County and New York State - Age-Adjusted²**

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	437	15.1	(11.5 - 18.7)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	168	14.9	(9.4 - 20.3)	9,508	21.7	(18.3 - 25.1)
Female	269	15.3	(10.6 - 20.0)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	427	15.6	(11.9 - 19.2)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	178	12.5	(7.5 - 17.6)	11,026	19.5	(15.4 - 23.7)
Some College	112	17.9	(10.2 - 25.6)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	147	15.5	(9.4 - 21.6)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	124	12.0	(6.0 - 18.1)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	135	16.4	(9.7 - 23.1)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	65	16.9	(7.9 - 26.0)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	442	49,800	71.5	(66.5 - 76.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	171	22,600	70.5	(62.7 - 78.3)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	271	27,200	72.4	(66.0 - 78.7)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	134	15,400	70.7	(61.9 - 79.5)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	241	25,400	80.0	(74.4 - 85.7)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	432	48,400	71.8	(66.7 - 76.8)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	180	17,200	68.0	(60.1 - 75.8)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	149	19,700	76.5	(68.4 - 84.6)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	125	10,900	68.9	(59.5 - 78.2)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	135	13,900	61.5	(51.7 - 71.3)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	442	70.8	(65.7 - 76.0)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	171	70.7	(63.0 - 78.5)	9,582	68.5	(64.5 - 72.5)
Female	271	70.9	(64.1 - 77.8)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	432	71.2	(66.0 - 76.4)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	180	67.4	(59.3 - 75.5)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	149	75.7	(67.2 - 84.1)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	125	68.2	(58.5 - 77.9)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	46,600	67.6	(62.5 - 72.8)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	167	21,400	68.5	(60.5 - 76.5)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	271	25,200	67.0	(60.4 - 73.6)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	132	13,900	64.7	(55.5 - 74.0)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	239	23,800	75.7	(69.8 - 81.7)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	428	45,200	67.8	(62.6 - 73.0)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	180	16,400	64.9	(57.0 - 72.9)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	145	17,600	70.6	(61.9 - 79.2)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	125	10,200	64.7	(55.2 - 74.3)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	133	12,800	57.6	(47.7 - 67.5)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	67.2	(61.9 - 72.4)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	167	68.7	(60.8 - 76.6)	9,521	66.9	(62.9 - 70.9)
Female	271	65.7	(58.7 - 72.7)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	428	67.4	(62.0 - 72.7)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	180	64.5	(56.3 - 72.7)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	145	70.0	(61.0 - 78.9)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	125	64.3	(54.5 - 74.2)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	433	48,100	70.5	(65.5 - 75.6)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	166	22,000	70.8	(62.9 - 78.6)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	267	26,200	70.4	(63.9 - 76.8)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	127	14,400	69.5	(60.5 - 78.5)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	239	24,500	78.0	(72.2 - 83.7)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	423	46,800	70.8	(65.7 - 75.9)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	178	16,700	66.4	(58.4 - 74.4)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	113	13,800	74.1	(64.6 - 83.6)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	142	17,600	72.1	(63.4 - 80.7)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	124	10,400	66.2	(56.7 - 75.7)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	132	14,000	63.4	(53.7 - 73.2)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	433	69.9	(64.7 - 75.1)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	166	70.9	(63.1 - 78.7)	9,418	71.5	(67.6 - 75.4)
Female	267	69.0	(62.1 - 75.9)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	423	70.2	(64.9 - 75.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	178	65.8	(57.5 - 74.0)	10,872	64.5	(59.8 - 69.3)
Some College	113	73.4	(63.5 - 83.3)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	142	71.4	(62.4 - 80.4)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	124	65.6	(55.8 - 75.5)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 40a. High blood pressure among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	48,200	30.9	(26.0 - 35.7)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	244	25,200	33.7	(25.2 - 42.2)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	397	23,100	28.3	(23.1 - 33.4)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	122	6,200	21.3	(13.2 - 29.3)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	136	8,400	38.0	(28.8 - 47.2)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	244	19,700	61.0	(54.3 - 67.8)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	614	46,200	32.8	(27.7 - 37.9)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	19,300	35.5	(28.1 - 42.9)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	*	*	*	*	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	216	14,300	25.4	(17.7 - 33.2)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	182	13,200	31.6	(23.6 - 39.7)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	110	5,600	17.3	(10.0 - 24.6)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 40b. High blood pressure among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	28.9	(24.0 - 33.8)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	244	33.7	(25.2 - 42.1)	14,611	27.7	(24.7 - 30.7)
Female	397	24.6	(19.5 - 29.7)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	614	30.6	(25.4 - 35.7)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	253	32.7	(25.3 - 40.2)	15,688	32.1	(28.4 - 35.8)
Some College	*	*	*	9,906	22.8	(19.7 - 25.9)
≥ College Degree	216	25.0	(17.1 - 32.8)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	182	30.0	(21.8 - 38.2)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	110	16.2	(9.1 - 23.4)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	156	18,700	81.9	(73.0 - 90.8)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	150	17,600	90.8	(84.8 - 96.8)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 42a. Ever had blood cholesterol checked among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	630	119,700	78.9	(73.2 - 84.5)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	239	57,100	80.0	(71.1 - 89.0)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	391	62,600	77.8	(70.8 - 84.9)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	76	19,700	88.8	(82.0 - 95.6)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	122	25,400	87.4	(80.2 - 94.6)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	135	20,600	93.6	(88.7 - 98.5)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	240	30,800	97.2	(95.1 - 99.4)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	603	110,900	81.4	(76.2 - 86.7)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	247	38,000	71.8	(62.5 - 81.0)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	215	47,900	85.7	(76.4 - 94.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	180	31,900	77.0	(67.5 - 86.6)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 42b. Ever had blood cholesterol checked among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	630	78.4	(72.8 - 84.1)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	239	81.1	(72.6 - 89.6)	14,389	78.0	(73.9 - 82.1)
Female	391	76.1	(68.7 - 83.5)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	603	80.6	(75.2 - 85.9)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	247	70.2	(60.7 - 79.6)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	215	86.2	(77.4 - 94.9)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	180	75.9	(66.0 - 85.8)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	626	111,800	74.0	(68.1 - 79.9)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	238	52,900	74.3	(64.7 - 83.9)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	388	58,900	73.8	(66.7 - 80.9)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	74	18,500	85.6	(77.8 - 93.5)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	122	23,800	81.9	(74.0 - 89.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	135	19,800	89.8	(84.0 - 95.6)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	238	29,800	94.9	(91.9 - 97.8)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	599	105,700	78.0	(72.6 - 83.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	246	35,100	66.4	(57.0 - 75.8)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	*	*	*	*	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	626	73.8	(67.9 - 79.6)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	238	75.8	(66.7 - 85.0)	14,307	74.8	(70.7 - 79.0)
Female	388	71.9	(64.5 - 79.4)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	599	77.3	(71.8 - 82.8)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	246	64.7	(55.1 - 74.2)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	213	80.8	(71.0 - 90.5)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 44a. Cardiovascular disease among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	11,700	7.5	(5.2 - 9.8)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	244	5,400	7.3	(4.5 - 10.0)	14,477	664,600	9.4	(7.5 - 11.4)
Female	394	6,200	7.7	(4.1 - 11.3)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	136	2,300	10.4	(5.1 - 15.7)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	243	6,100	18.8	(13.5 - 24.2)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	611	11,000	7.8	(5.5 - 10.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	250	5,100	9.4	(5.8 - 13.1)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	172	3,500	7.6	(2.1 - 13.1)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	216	3,100	5.5	(2.9 - 8.2)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	171	3,800	11.0	(5.2 - 16.9)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	181	4,600	11.0	(5.3 - 16.7)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 44b. Cardiovascular disease among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	7.0	(4.7 - 9.4)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	244	6.9	(4.3 - 9.5)	14,477	9.7	(7.8 - 11.7)
Female	394	7.1	(3.3 - 11.0)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	611	7.1	(4.8 - 9.3)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	250	8.3	(4.9 - 11.7)	15,486	10.5	(8.0 - 13.0)
Some College	172	7.8	(1.7 - 13.9)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	216	5.1	(2.6 - 7.7)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	171	11.0	(4.1 - 17.9)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	181	10.5	(4.7 - 16.3)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 45a. Coronary heart disease among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	10,300	6.6	(4.5 - 8.7)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	244	5,400	7.3	(4.5 - 10.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	394	4,900	6.0	(2.8 - 9.2)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	136	2,200	10.0	(4.8 - 15.3)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	243	5,400	16.8	(11.9 - 21.8)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	611	9,600	6.8	(4.7 - 9.0)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	250	3,800	7.0	(4.2 - 9.8)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	172	3,500	7.6	(2.1 - 13.1)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	216	3,000	5.4	(2.8 - 8.0)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	171	3,100	9.2	(4.0 - 14.3)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	181	4,200	10.1	(4.6 - 15.5)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 45b. Coronary heart disease among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	6.2	(4.0 - 8.5)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	244	6.9	(4.3 - 9.5)	14,479	8.8	(6.9 - 10.8)
Female	394	5.6	(2.0 - 9.2)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	611	6.2	(4.1 - 8.3)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	250	6.1	(3.6 - 8.7)	15,485	8.5	(6.2 - 10.7)
Some College	172	7.8	(1.7 - 13.9)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	216	5.0	(2.5 - 7.5)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	171	9.0	(2.7 - 15.4)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	181	9.8	(4.1 - 15.5)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	13,800	8.8	(6.5 - 11.2)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	244	5,200	6.9	(4.1 - 9.7)	14,626	530,400	7.5	(6.2 - 8.8)
Female	396	8,600	10.6	(7.0 - 14.2)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	122	2,300	7.8	(3.3 - 12.3)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	136	2,400	11.1	(5.8 - 16.4)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	244	5,400	16.8	(11.8 - 21.8)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	613	13,000	9.3	(6.8 - 11.8)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	252	5,900	11.0	(7.0 - 15.0)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	172	4,700	10.3	(4.8 - 15.7)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	216	3,100	5.6	(2.9 - 8.3)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	170	5,000	14.7	(8.7 - 20.7)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	182	4,900	11.6	(5.9 - 17.3)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	102	2,000	6.7	(2.3 - 11.2)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 46b. Ever diagnosed with diabetes among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	8.6	(6.2 - 11.0)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	244	7.0	(4.0 - 10.1)	14,626	7.5	(6.1 - 8.9)
Female	396	10.0	(6.4 - 13.7)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	613	9.1	(6.4 - 11.7)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	252	10.9	(6.7 - 15.2)	15,709	12.6	(10.0 - 15.2)
Some College	172	9.9	(4.4 - 15.5)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	216	5.3	(2.7 - 7.8)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	170	15.0	(8.4 - 21.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	182	11.2	(5.3 - 17.2)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	102	6.3	(1.8 - 10.8)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	24,600	15.9	(12.1 - 19.7)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	244	8,500	11.4	(6.3 - 16.5)	14,601	875,800	12.4	(10.1 - 14.7)
Female	395	16,100	20.0	(14.6 - 25.4)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	57	9,100	18.9	(9.1 - 28.6)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	81	4,100	17.4	(8.2 - 26.7)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	122	3,700	12.8	(6.3 - 19.3)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	136	3,300	15.0	(8.0 - 21.9)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	243	4,400	13.6	(8.6 - 18.6)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	613	21,500	15.3	(11.4 - 19.1)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	11,000	20.3	(13.8 - 26.8)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	170	4,800	10.8	(4.8 - 16.7)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	216	8,700	15.6	(8.8 - 22.4)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	171	9,900	29.0	(19.0 - 39.0)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	181	5,400	13.2	(7.5 - 18.9)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	*	*	*	*	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	16.3	(12.3 - 20.3)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	244	11.4	(6.3 - 16.4)	14,601	12.6	(10.3 - 14.9)
Female	395	20.9	(15.0 - 26.7)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	613	15.4	(11.5 - 19.4)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	21.4	(14.4 - 28.4)	15,675	15.1	(12.1 - 18.0)
Some College	170	11.5	(4.9 - 18.0)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	216	15.4	(8.6 - 22.2)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	181	13.6	(7.4 - 19.8)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	110	17.9	(8.2 - 27.6)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 48a. Current asthma among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	17,900	11.5	(8.3 - 14.8)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	244	5,500	7.3	(3.1 - 11.6)	14,546	440,700	6.3	(4.8 - 7.7)
Female	394	12,400	15.5	(10.6 - 20.3)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	57	6,100	12.7	(4.5 - 20.9)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	122	3,300	11.4	(5.3 - 17.5)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	135	2,400	10.9	(4.7 - 17.1)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	243	3,700	11.5	(6.8 - 16.2)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	612	15,200	10.8	(7.5 - 14.1)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	253	7,900	14.6	(9.2 - 20.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	169	3,200	7.1	(2.5 - 11.7)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	216	6,800	12.1	(5.8 - 18.5)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	171	6,500	19.1	(10.8 - 27.3)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	181	4,000	9.8	(4.8 - 14.7)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	110	4,900	15.1	(5.6 - 24.5)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 48b. Current asthma among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	11.6	(8.2 - 15.0)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	244	7.0	(3.0 - 11.1)	14,546	6.4	(4.9 - 7.9)
Female	394	15.9	(10.7 - 21.1)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	612	10.7	(7.4 - 14.0)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	253	14.7	(9.1 - 20.4)	15,594	10.8	(8.3 - 13.3)
Some College	169	7.4	(2.1 - 12.7)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	216	12.1	(5.7 - 18.5)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	171	20.9	(11.6 - 30.3)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	181	9.3	(4.5 - 14.2)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	110	14.5	(5.3 - 23.6)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 49a. Chronic joint symptoms among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	73,500	47.1	(41.5 - 52.7)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	242	34,200	46.0	(36.9 - 55.1)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	397	39,300	48.1	(41.5 - 54.8)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	122	16,600	57.1	(47.4 - 66.8)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	135	12,000	54.7	(45.3 - 64.2)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	243	17,700	55.1	(48.3 - 61.9)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	612	67,500	48.1	(42.5 - 53.6)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	252	28,000	51.9	(43.4 - 60.4)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	216	25,000	44.6	(35.0 - 54.2)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 49b. Chronic joint symptoms among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	46.1	(40.5 - 51.8)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	242	45.9	(36.9 - 54.9)	14,595	42.6	(38.8 - 46.3)
Female	397	46.3	(39.3 - 53.3)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	612	47.1	(41.4 - 52.8)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	252	50.5	(41.7 - 59.3)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	216	44.4	(34.8 - 54.0)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 50a. Arthritis among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	50,200	32.2	(27.6 - 36.8)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	242	19,100	25.7	(19.2 - 32.2)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	397	31,100	38.2	(32.1 - 44.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	81	5,400	22.9	(13.1 - 32.6)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	122	8,400	29.1	(20.5 - 37.7)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	136	10,900	49.6	(40.1 - 59.0)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	242	19,700	61.8	(55.1 - 68.5)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	612	47,800	34.0	(29.2 - 38.8)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	253	21,400	39.5	(31.8 - 47.3)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	172	12,800	27.8	(19.4 - 36.2)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	214	16,000	28.7	(21.3 - 36.1)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	181	13,100	31.3	(23.3 - 39.4)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	110	9,300	29.0	(19.4 - 38.5)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 50b. Arthritis among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	30.1	(25.6 - 34.7)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	242	25.4	(18.8 - 31.9)	14,555	23.5	(20.9 - 26.1)
Female	397	34.5	(28.3 - 40.6)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	612	31.8	(27.0 - 36.5)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	253	36.8	(29.0 - 44.6)	15,652	30.4	(26.9 - 33.8)
Some College	172	25.8	(17.5 - 34.1)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	214	27.3	(20.0 - 34.6)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	181	29.0	(21.0 - 36.9)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	110	26.8	(17.6 - 36.1)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	37,900	24.2	(19.6 - 28.9)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	243	15,600	20.9	(13.5 - 28.4)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	396	22,300	27.3	(21.6 - 33.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	81	4,100	17.1	(8.2 - 26.0)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	122	5,100	17.5	(10.6 - 24.4)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	136	7,800	35.2	(26.2 - 44.1)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	242	10,000	31.1	(24.6 - 37.5)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	612	35,400	25.1	(20.3 - 30.0)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	251	16,200	29.9	(22.7 - 37.2)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	*	*	*	*	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	216	9,500	16.9	(11.0 - 22.9)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	170	12,400	36.3	(26.5 - 46.1)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	182	11,500	27.5	(19.3 - 35.6)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	110	3,000	9.3	(3.4 - 15.2)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	23.3	(18.6 - 28.0)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	243	20.4	(13.0 - 27.8)	14,566	18.6	(15.8 - 21.4)
Female	396	25.9	(20.0 - 31.9)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	612	24.0	(19.1 - 28.9)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	251	29.2	(21.7 - 36.6)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	216	16.8	(10.6 - 23.0)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	182	26.1	(17.9 - 34.4)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	110	8.5	(2.8 - 14.2)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	11,500	7.4	(5.5 - 9.3)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	244	4,600	6.2	(3.5 - 8.9)	14,617	460,700	6.5	(5.3 - 7.7)
Female	396	6,900	8.5	(5.8 - 11.2)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	122	1,800	6.2	(2.3 - 10.1)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	135	2,400	10.8	(4.8 - 16.8)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	244	6,500	20.3	(14.9 - 25.7)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	613	11,300	8.0	(6.0 - 10.1)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	253	6,800	12.5	(8.3 - 16.7)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	172	2,400	5.2	(2.2 - 8.2)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	215	2,400	4.2	(1.9 - 6.5)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	171	5,300	15.5	(9.6 - 21.4)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	182	3,700	8.8	(4.6 - 13.0)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	6.4	(4.7 - 8.2)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	244	6.0	(3.3 - 8.6)	14,617	6.8	(5.5 - 8.0)
Female	396	6.8	(4.5 - 9.1)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	613	7.0	(5.0 - 8.9)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	253	11.0	(7.0 - 14.9)	15,711	10.3	(8.3 - 12.3)
Some College	172	4.3	(1.8 - 6.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	215	3.7	(1.7 - 5.8)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	171	13.8	(8.0 - 19.6)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	182	7.7	(4.0 - 11.4)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 53a. Disability among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	638	41,000	26.3	(21.6 - 31.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	243	17,300	23.2	(15.6 - 30.7)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	395	23,700	29.1	(23.3 - 34.9)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	81	4,100	17.1	(8.2 - 26.0)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	122	5,600	19.3	(12.1 - 26.5)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	135	8,200	37.7	(28.5 - 46.8)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	242	12,100	37.7	(31.0 - 44.3)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	611	38,400	27.3	(22.4 - 32.3)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	251	18,000	33.4	(25.9 - 40.8)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	*	*	*	*	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	215	10,100	18.0	(11.9 - 24.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	182	11,900	28.5	(20.3 - 36.8)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	110	3,300	10.1	(4.1 - 16.2)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 53b. Disability among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	638	25.0	(20.3 - 29.8)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	243	22.5	(15.1 - 30.0)	14,568	20.9	(18.0 - 23.8)
Female	395	27.3	(21.3 - 33.3)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	611	25.8	(20.9 - 30.8)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	251	32.1	(24.5 - 39.7)	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	215	17.7	(11.4 - 24.0)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	182	27.1	(18.8 - 35.5)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	110	9.3	(3.4 - 15.1)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 54a. Current smoking among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	31,600	20.3	(15.4 - 25.1)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	244	15,900	21.3	(13.3 - 29.2)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	396	15,700	19.3	(13.6 - 25.1)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	81	4,100	17.1	(8.2 - 25.9)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	122	5,400	18.6	(11.0 - 26.2)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	136	4,400	19.9	(12.0 - 27.7)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	243	2,400	7.5	(4.3 - 10.7)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	613	26,400	18.8	(14.1 - 23.4)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	253	15,500	28.5	(20.3 - 36.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	216	4,000	7.1	(0.9 - 13.3)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	171	9,000	26.3	(16.8 - 35.8)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	102	3,300	11.0	(2.2 - 19.8)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	110	2,500	7.8	(2.9 - 12.7)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 54b. Current smoking among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	20.5	(15.6 - 25.4)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	244	20.7	(12.9 - 28.4)	14,559	19.2	(16.3 - 22.1)
Female	396	20.3	(14.2 - 26.4)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	613	19.0	(14.3 - 23.7)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	253	29.0	(20.6 - 37.5)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	216	6.9	(1.1 - 12.7)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	181	24.8	(14.9 - 34.7)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	102	11.8	(2.4 - 21.2)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	110	7.9	(3.0 - 12.8)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 55a. Everyday smoking among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	26,500	17.0	(12.6 - 21.4)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	244	12,500	16.7	(9.8 - 23.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	396	14,000	17.2	(11.6 - 22.8)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	81	3,500	14.8	(6.4 - 23.2)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	122	5,200	18.0	(10.5 - 25.6)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	136	3,900	17.6	(10.0 - 25.2)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	243	2,100	6.5	(3.5 - 9.6)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	613	21,300	15.2	(11.1 - 19.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	253	13,300	24.5	(16.7 - 32.3)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	171	9,800	21.5	(12.6 - 30.5)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	216	3,400	6.1	(0.0 - 12.2)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	171	8,300	24.3	(15.1 - 33.6)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	181	9,500	22.8	(12.9 - 32.8)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 55b. Everyday smoking among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	17.2	(12.8 - 21.7)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	244	16.2	(9.5 - 22.9)	14,559	12.1	(10.1 - 14.1)
Female	396	18.1	(12.2 - 24.1)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	613	15.4	(11.3 - 19.5)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	253	24.9	(16.9 - 32.8)	15,654	16.4	(13.8 - 19.0)
Some College	171	21.9	(12.7 - 31.0)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	216	5.8	(0.1 - 11.5)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	171	26.0	(16.0 - 35.9)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	181	22.5	(12.7 - 32.3)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	123,600	79.3	(74.5 - 84.1)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	243	57,500	77.3	(69.3 - 85.4)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	396	66,100	81.1	(75.6 - 86.5)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	81	19,300	81.3	(71.7 - 90.8)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	121	24,000	84.0	(77.1 - 90.9)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	136	17,400	79.0	(71.1 - 86.8)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	243	25,500	79.4	(74.2 - 84.6)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	613	112,900	80.5	(75.8 - 85.1)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	251	38,400	71.5	(63.9 - 79.1)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	216	49,100	87.4	(80.8 - 94.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	169	23,900	70.8	(61.7 - 79.8)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	182	30,400	72.6	(63.0 - 82.3)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	110	30,300	93.9	(89.3 - 98.5)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	79.3	(74.5 - 84.1)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	243	77.2	(69.3 - 85.2)	14,577	79.4	(76.7 - 82.2)
Female	396	81.2	(75.4 - 86.9)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	613	80.5	(75.7 - 85.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	251	70.9	(62.9 - 78.8)	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	216	88.0	(81.8 - 94.3)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	182	73.4	(63.8 - 83.1)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	110	94.8	(90.9 - 98.7)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 57a. Binge drinking within the past month among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	29,600	19.0	(13.7 - 24.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	243	20,400	27.4	(17.9 - 36.9)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	394	9,200	11.3	(7.0 - 15.7)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	80	4,400	18.6	(9.1 - 28.1)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	120	3,500	12.3	(6.0 - 18.6)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	136	2,700	12.4	(6.1 - 18.8)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	243	1,500	4.8	(1.5 - 8.0)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	610	29,200	20.9	(15.1 - 26.6)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	250	13,500	25.1	(16.8 - 33.4)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	216	7,500	13.4	(5.4 - 21.5)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	170	4,800	14.1	(5.3 - 22.8)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	180	7,000	16.9	(8.4 - 25.4)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 57b. Binge drinking within the past month among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	19.5	(14.1 - 24.8)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	243	27.5	(18.2 - 36.9)	14,420	24.5	(21.0 - 27.9)
Female	394	12.1	(7.4 - 16.8)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	610	21.3	(15.5 - 27.0)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	250	25.7	(17.2 - 34.2)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	216	13.6	(5.7 - 21.6)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	170	14.9	(5.9 - 23.9)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	180	17.5	(8.8 - 26.2)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 58a. Heavy drinking within the past month among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	631	10,900	7.2	(3.6 - 10.7)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	240	6,200	8.6	(1.7 - 15.5)	14,330	333,300	4.8	(3.9 - 5.7)
Female	391	4,700	5.9	(3.2 - 8.5)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	79	2,200	9.7	(2.9 - 16.5)	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	239	1,500	4.8	(1.5 - 8.2)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	604	10,900	8.0	(4.0 - 11.9)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	249	3,500	6.5	(1.9 - 11.1)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	213	3,000	5.4	(2.2 - 8.5)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	178	2,800	7.1	(2.8 - 11.3)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 58b. Heavy drinking within the past month among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	631	7.5	(3.9 - 11.1)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	240	8.8	(2.0 - 15.7)	14,330	4.9	(3.9 - 5.9)
Female	391	6.3	(3.4 - 9.3)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	604	8.4	(4.4 - 12.3)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	249	6.7	(2.0 - 11.5)	15,411	4.3	(3.2 - 5.3)
Some College	169	10.0	(0.2 - 19.8)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	213	6.2	(2.6 - 9.8)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	178	6.9	(2.7 - 11.2)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	582	95,900	69.7	(64.2 - 75.2)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	216	51,800	81.3	(73.2 - 89.4)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	366	44,100	59.6	(52.7 - 66.6)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	108	17,000	65.9	(56.0 - 75.8)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	126	15,000	73.3	(64.8 - 81.8)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	225	26,000	86.9	(82.3 - 91.4)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	559	89,900	72.1	(66.8 - 77.3)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	232	36,900	75.3	(67.8 - 82.9)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	196	35,500	70.8	(61.3 - 80.2)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	105	23,600	76.6	(66.7 - 86.5)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	582	68.5	(62.8 - 74.1)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	216	81.4	(73.5 - 89.3)	13,299	67.9	(64.0 - 71.9)
Female	366	57.2	(49.8 - 64.6)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	559	70.9	(65.4 - 76.3)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	232	73.0	(64.8 - 81.3)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	196	69.6	(60.1 - 79.1)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	105	76.8	(67.0 - 86.7)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	390	78,200	74.5	(68.1 - 80.8)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	145	40,500	83.3	(74.5 - 92.0)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	245	37,700	66.9	(58.3 - 75.5)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	87	12,500	86.9	(79.8 - 94.0)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	124	15,000	91.5	(86.0 - 96.9)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	372	71,800	76.5	(70.5 - 82.5)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	26,500	72.7	(62.9 - 82.5)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	390	73.3	(66.8 - 79.7)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	145	82.8	(74.2 - 91.4)	9,034	81.1	(77.4 - 84.8)
Female	245	65.2	(56.3 - 74.1)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	372	75.2	(68.9 - 81.4)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	611	137,800	90.9	(88.0 - 93.9)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	232	67,100	91.8	(86.9 - 96.6)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	379	70,800	90.2	(86.7 - 93.7)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	57	45,400	92.8	(85.7 - 99.9)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	79	22,000	95.5	(90.9 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	119	25,500	90.2	(84.1 - 96.3)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	130	19,600	92.4	(87.2 - 97.6)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	226	25,300	84.0	(79.0 - 89.1)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	584	122,700	90.2	(86.9 - 93.4)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	237	46,000	88.6	(84.3 - 92.9)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	167	41,700	92.3	(85.4 - 99.2)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	207	50,100	92.0	(87.7 - 96.3)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	163	27,700	83.3	(76.4 - 90.1)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	175	35,700	88.3	(80.4 - 96.1)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	100	28,300	95.0	(89.9 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	106	30,100	96.4	(92.8 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	611	91.3	(88.4 - 94.3)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	232	92.0	(87.3 - 96.7)	13,893	89.1	(86.9 - 91.3)
Female	379	90.7	(87.1 - 94.3)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	584	90.6	(87.4 - 93.8)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	237	89.2	(84.7 - 93.7)	14,507	84.6	(81.8 - 87.4)
Some College	167	92.8	(86.3 - 99.2)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	207	92.1	(87.8 - 96.5)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	163	84.2	(77.2 - 91.1)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	175	88.4	(80.5 - 96.3)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	100	94.7	(89.4 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	106	96.7	(93.4 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 62a. Overweight among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	59,300	38.8	(33.1 - 44.6)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	242	36,600	49.2	(39.9 - 58.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	381	22,800	29.0	(22.4 - 35.5)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	133	7,500	34.6	(25.2 - 44.0)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	238	12,600	39.8	(33.0 - 46.7)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	597	53,200	38.7	(32.9 - 44.5)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	248	17,700	33.2	(25.0 - 41.4)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	210	24,300	44.1	(34.2 - 54.0)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	169	8,200	24.1	(15.5 - 32.8)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 62b. Overweight among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	38.9	(33.0 - 44.7)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	242	50.0	(40.8 - 59.2)	14,502	43.9	(40.1 - 47.6)
Female	381	28.3	(21.4 - 35.3)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	597	38.7	(32.7 - 44.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	248	32.8	(24.4 - 41.2)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	210	44.5	(34.6 - 54.5)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	169	23.7	(14.5 - 33.0)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 63a. Obesity among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	37,500	24.5	(20.0 - 29.0)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	242	17,200	23.2	(16.1 - 30.2)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	381	20,300	25.8	(20.1 - 31.5)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	117	8,400	30.2	(20.9 - 39.5)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	133	6,300	29.1	(20.6 - 37.7)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	238	7,800	24.9	(18.9 - 30.9)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	597	34,700	25.3	(20.8 - 29.7)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	248	14,700	27.6	(20.6 - 34.7)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	165	11,100	25.1	(16.5 - 33.6)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	210	11,600	21.1	(13.2 - 28.9)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	169	9,800	28.8	(19.3 - 38.3)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	180	10,200	24.8	(17.3 - 32.2)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	109	6,000	18.6	(10.6 - 26.6)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 63b. Obesity among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	24.9	(20.2 - 29.5)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	242	23.4	(16.4 - 30.5)	14,502	21.5	(19.0 - 24.0)
Female	381	26.2	(20.2 - 32.3)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	597	25.8	(21.0 - 30.5)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	248	28.2	(20.8 - 35.7)	15,079	29.4	(25.4 - 33.3)
Some College	165	25.0	(16.1 - 33.8)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	210	21.5	(13.6 - 29.4)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	169	28.2	(18.5 - 38.0)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	180	25.8	(17.7 - 33.8)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	109	18.7	(10.4 - 27.1)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 64a. Overweight or obesity among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	96,800	63.3	(57.8 - 68.8)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	242	53,800	72.4	(63.7 - 81.1)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	381	43,000	54.8	(48.0 - 61.6)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	117	19,300	69.4	(60.3 - 78.4)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	133	13,800	63.7	(54.6 - 72.8)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	238	20,400	64.8	(58.2 - 71.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	597	87,900	63.9	(58.5 - 69.4)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	248	32,400	60.9	(52.4 - 69.3)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	210	36,000	65.2	(55.9 - 74.4)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	180	29,100	70.7	(61.2 - 80.1)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 64b. Overweight or obesity among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	63.7	(58.2 - 69.3)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	242	73.4	(65.0 - 81.8)	14,502	65.4	(61.3 - 69.4)
Female	381	54.6	(47.4 - 61.8)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	597	64.4	(58.8 - 70.0)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	248	61.0	(52.3 - 69.7)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	210	66.1	(56.9 - 75.2)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	180	71.5	(61.9 - 81.1)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 65a. Received advice about weight by a health professional among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	622	35,300	23.2	(18.7 - 27.6)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	242	15,200	20.5	(14.0 - 27.0)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	380	20,100	25.7	(19.7 - 31.7)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	77	4,700	20.6	(11.0 - 30.1)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	117	8,700	31.4	(21.8 - 41.0)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	133	6,300	29.1	(20.2 - 38.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	237	6,700	21.4	(15.6 - 27.2)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	596	32,200	23.4	(18.9 - 28.0)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	248	12,300	23.0	(16.4 - 29.6)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	164	11,500	26.1	(16.5 - 35.6)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	210	11,600	21.0	(13.6 - 28.3)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	169	8,300	24.4	(15.4 - 33.4)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	179	10,700	26.1	(17.1 - 35.1)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	109	7,100	22.2	(13.4 - 30.9)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 65b. Received advice about weight by a health professional among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	622	23.0	(18.4 - 27.5)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	242	20.1	(13.7 - 26.5)	14,499	23.4	(20.5 - 26.3)
Female	380	25.7	(19.4 - 32.0)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	596	23.3	(18.6 - 27.9)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	248	23.3	(16.3 - 30.2)	15,116	27.3	(23.4 - 31.2)
Some College	164	25.0	(15.6 - 34.4)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	210	21.0	(13.5 - 28.4)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	169	23.7	(14.5 - 32.9)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	179	26.4	(16.9 - 35.9)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	109	21.4	(12.7 - 30.0)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	150	31,000	87.7	(81.7 - 93.8)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	60	14,000	92.1	(85.8 - 98.3)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	90	17,000	84.5	(75.2 - 93.8)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	50	5,800	86.9	(77.7 - 96.1)	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	144	28,700	89.2	(83.6 - 94.8)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	150	88.6	(82.7 - 94.6)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	60	92.8	(87.1 - 98.6)	3,807	88.7	(85.7 - 91.8)
Female	90	85.5	(76.2 - 94.8)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	144	90.1	(84.7 - 95.6)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 67a. No leisure-time physical activity among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	640	28,200	18.0	(14.2 - 21.9)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	244	9,700	13.0	(8.6 - 17.4)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	396	18,500	22.7	(16.7 - 28.6)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	81	2,700	11.2	(4.1 - 18.4)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	122	6,600	22.8	(14.6 - 31.1)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	136	5,500	24.9	(16.0 - 33.8)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	243	7,900	24.5	(18.7 - 30.2)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	613	25,500	18.2	(14.3 - 22.0)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	252	13,700	25.3	(18.5 - 32.1)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	172	9,600	21.0	(12.0 - 29.9)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	216	4,800	8.6	(4.8 - 12.5)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	170	9,200	26.8	(18.7 - 35.0)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	182	7,700	18.5	(11.0 - 26.0)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	102	4,000	13.4	(4.7 - 22.2)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	110	3,100	9.8	(3.5 - 16.0)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 67b. No leisure-time physical activity among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	640	17.3	(13.3 - 21.2)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	244	12.4	(8.1 - 16.6)	14,602	20.9	(17.8 - 23.9)
Female	396	21.8	(15.6 - 28.0)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	613	17.4	(13.4 - 21.4)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	252	24.4	(17.3 - 31.5)	15,683	32.3	(28.3 - 36.4)
Some College	172	19.4	(10.7 - 28.1)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	216	8.6	(4.6 - 12.5)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	170	25.7	(17.3 - 34.1)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	182	18.2	(10.4 - 26.0)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	102	12.9	(4.3 - 21.4)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	110	8.7	(3.1 - 14.3)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	45,000	28.8	(23.6 - 34.0)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	244	16,100	21.5	(13.1 - 29.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	397	29,000	35.5	(29.0 - 42.0)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	81	3,200	13.7	(6.4 - 21.0)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	122	7,000	24.3	(16.2 - 32.3)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	136	6,900	31.3	(22.4 - 40.2)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	244	10,800	33.3	(26.8 - 39.9)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	614	38,900	27.7	(22.7 - 32.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	253	10,400	19.2	(12.9 - 25.5)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	216	21,300	37.9	(28.2 - 47.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	182	11,200	26.8	(18.3 - 35.3)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	27.4	(22.2 - 32.6)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	244	20.5	(12.6 - 28.4)	14,634	22.7	(19.6 - 25.9)
Female	397	33.7	(27.0 - 40.4)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	614	26.5	(21.4 - 31.5)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	253	18.1	(11.8 - 24.4)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	216	36.5	(26.9 - 46.0)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	182	25.4	(16.8 - 33.9)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Broome County**

Table 69a. Had a fall within the past 3 months among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	493	15,200	18.5	(14.5 - 22.6)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	190	7,400	19.6	(13.0 - 26.3)	10,966	489,400	14.4	(11.9 - 16.8)
Female	303	7,800	17.6	(12.7 - 22.5)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	119	6,200	21.8	(13.3 - 30.3)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	131	3,600	16.9	(9.3 - 24.5)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	243	5,400	16.7	(11.8 - 21.6)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	480	14,400	18.3	(14.2 - 22.3)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	196	4,300	14.7	(9.2 - 20.1)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	127	5,100	22.7	(13.6 - 31.8)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	170	5,900	19.1	(12.4 - 25.9)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	135	2,100	11.7	(5.5 - 17.9)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	149	3,600	14.0	(8.2 - 19.9)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 69b. Had a fall within the past 3 months among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	493	18.7	(14.5 - 22.9)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	190	19.7	(13.0 - 26.3)	10,966	15.0	(12.1 - 17.8)
Female	303	17.9	(12.7 - 23.0)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	480	18.5	(14.3 - 22.7)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	196	14.6	(8.9 - 20.2)	12,417	17.4	(13.0 - 21.7)
Some College	127	23.5	(14.0 - 32.9)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	170	19.2	(12.3 - 26.0)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	135	11.5	(5.0 - 18.0)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	149	13.7	(7.9 - 19.5)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Broome County and New York State

	Broome County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	493	3,300	4.0	(2.2 - 5.8)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	190	1,800	4.6	(1.6 - 7.6)	10,957	120,000	3.5	(2.5 - 4.6)
Female	303	1,500	3.5	(1.4 - 5.6)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	243	1,400	4.2	(1.7 - 6.7)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	480	3,300	4.2	(2.3 - 6.0)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	196	1,400	4.7	(1.5 - 7.8)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Broome County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Broome County and New York State - Age-Adjusted²

	Broome County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	493	4.0	(2.2 - 5.9)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	190	4.6	(1.6 - 7.6)	10,957	3.6	(2.4 - 4.7)
Female	303	3.5	(1.3 - 5.7)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	480	4.2	(2.3 - 6.1)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	196	4.7	(1.5 - 7.8)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)