

New York State Expanded Behavioral Risk Factor Surveillance System

Herkimer County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Herkimer County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Herkimer County and New York State	14
Table 2b. Fair or poor general health among adults in Herkimer County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Herkimer County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Herkimer County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Herkimer County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Herkimer County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Herkimer County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Herkimer County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Herkimer County and New York State	22
Table 6b. Health insurance among adults in Herkimer County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Herkimer County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Herkimer County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Herkimer County and New York State	26
Table 8b. No health insurance among adults in Herkimer County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Herkimer County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Herkimer County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Herkimer County and New York State	30
Table 10b. Adults with regular health care provider in Herkimer County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Herkimer County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Herkimer County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Herkimer County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Herkimer County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Herkimer County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Herkimer County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Herkimer County and New York State	38
Table 14b. Dentist visit within the past year among adults in Herkimer County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Herkimer County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Herkimer County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Herkimer County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Herkimer County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Herkimer County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Herkimer County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Herkimer County and New York State	46
Table 18b. Flu shot within the past 12 months in Herkimer County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Herkimer County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Herkimer County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Herkimer County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Herkimer County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Herkimer County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Herkimer County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Herkimer County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Herkimer County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Herkimer County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Herkimer County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Herkimer County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Herkimer County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Herkimer County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Herkimer County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Herkimer County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Herkimer County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Herkimer County and New York State	64
Table 27b. Ever had a Pap test among women in Herkimer County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Herkimer County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Herkimer County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Herkimer County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Herkimer County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Herkimer County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Herkimer County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Herkimer County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Herkimer County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Herkimer County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Herkimer County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Herkimer County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Herkimer County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Herkimer County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Herkimer County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Herkimer County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Herkimer County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Herkimer County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Herkimer County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Herkimer County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Herkimer County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Herkimer County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Herkimer County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Herkimer County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Herkimer County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Herkimer County and New York State	90
Table 40b. High blood pressure among adults in Herkimer County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Herkimer County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Herkimer County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Herkimer County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Herkimer County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Herkimer County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Herkimer County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Herkimer County and New York State	98
Table 44b. Cardiovascular disease among adults in Herkimer County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Herkimer County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Herkimer County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Herkimer County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Herkimer County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Herkimer County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Herkimer County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Herkimer County and New York State	106
Table 48b. Current asthma among adults in Herkimer County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Herkimer County and New York State	108
Table 49b. Chronic joint symptoms among adults in Herkimer County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Herkimer County and New York State	110
Table 50b. Arthritis among adults in Herkimer County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Herkimer County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Herkimer County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Herkimer County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Herkimer County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Herkimer County and New York State	116
Table 53b. Disability among adults in Herkimer County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Herkimer County and New York State	118
Table 54b. Current smoking among adults in Herkimer County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Herkimer County and New York State	120
Table 55b. Everyday smoking among adults in Herkimer County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Herkimer County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Herkimer County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Herkimer County and New York State	124
Table 57b. Binge drinking within the past month among adults in Herkimer County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Herkimer County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Herkimer County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Herkimer County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Herkimer County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Herkimer County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Herkimer County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Herkimer County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Herkimer County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Herkimer County and New York State	134
Table 62b. Overweight among adults in Herkimer County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Herkimer County and New York State	136
Table 63b. Obesity among adults in Herkimer County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Herkimer County and New York State	138
Table 64b. Overweight or obesity among adults in Herkimer County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Herkimer County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Herkimer County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Herkimer County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Herkimer County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Herkimer County and New York State	144
Table 67b. No leisure-time physical activity among adults in Herkimer County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Herkimer County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Herkimer County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Herkimer County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Herkimer County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Herkimer County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Herkimer County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 1. Herkimer County and New York State adult US Census Bureau population estimates,¹ 2007

	Herkimer County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	49,246	100	14,884,315	100
Gender				
Male	23,763	48.3	7,103,791	47.7
Female	25,483	51.7	7,780,524	52.3
Age (years)				
18-34	14,088	28.6	4,497,479	30.2
35-44	7,925	16.1	2,844,115	19.1
45-54	9,481	19.3	2,854,316	19.2
55-64	7,684	15.6	2,142,000	14.4
≥ 65	10,068	20.4	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	47,713	96.9	9,343,884	62.8
Black Non-Hispanic	418	0.8	2,156,941	14.5
Hispanic	598	1.2	2,258,717	15.2
Other Non-Hispanic	517	1.0	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 2a. Fair or poor general health among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	7,100	14.5	(11.5 - 17.6)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	256	3,400	14.5	(10.0 - 19.0)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	394	3,700	14.5	(10.4 - 18.6)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	127	1,600	17.3	(10.0 - 24.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	152	1,500	19.5	(12.3 - 26.8)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	240	2,700	27.1	(20.8 - 33.5)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	636	6,900	14.4	(11.4 - 17.5)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	286	4,100	22.6	(16.7 - 28.5)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	192	2,000	10.7	(6.2 - 15.1)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	172	1,000	8.4	(4.0 - 12.8)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	201	3,400	27.8	(20.1 - 35.6)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	193	2,200	15.5	(9.4 - 21.7)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 2b. Fair or poor general health among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	13.3	(10.2 - 16.4)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	256	13.1	(8.9 - 17.4)	14,599	15.3	(12.6 - 18.0)
Female	394	13.5	(9.0 - 17.9)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	636	13.3	(10.1 - 16.4)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	286	21.5	(15.3 - 27.7)	15,682	25.8	(22.1 - 29.5)
Some College	192	9.7	(5.2 - 14.3)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	172	7.2	(3.4 - 11.1)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	201	26.2	(18.0 - 34.5)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	193	14.6	(8.4 - 20.7)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	7,200	14.8	(11.4 - 18.2)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	249	3,600	15.4	(9.8 - 20.9)	14,325	604,200	8.7	(7.0 - 10.5)
Female	386	3,600	14.3	(10.3 - 18.4)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	127	1,700	18.0	(10.7 - 25.3)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	151	1,400	18.6	(11.4 - 25.9)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	227	2,100	21.5	(15.3 - 27.7)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	621	6,900	14.6	(11.2 - 18.0)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	274	4,100	23.3	(17.0 - 29.7)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	192	2,200	11.4	(6.0 - 16.9)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	169	900	7.4	(3.0 - 11.8)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	192	3,700	31.1	(21.7 - 40.6)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	190	2,100	15.1	(9.1 - 21.1)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	13.9	(10.4 - 17.4)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	249	14.7	(9.1 - 20.3)	14,325	8.7	(6.9 - 10.5)
Female	386	13.1	(8.9 - 17.4)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	621	13.7	(10.2 - 17.2)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	274	22.3	(15.7 - 29.0)	15,178	12.7	(10.2 - 15.1)
Some College	192	10.8	(5.3 - 16.4)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	169	6.7	(2.3 - 11.0)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	*	*	*	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	190	14.0	(8.1 - 19.9)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	4,800	9.9	(6.8 - 13.1)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	253	2,100	9.0	(4.4 - 13.6)	14,407	555,200	7.9	(6.3 - 9.6)
Female	382	2,700	10.8	(6.6 - 15.1)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	127	1,200	13.2	(7.0 - 19.5)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	151	800	10.4	(4.5 - 16.3)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	229	500	5.7	(2.7 - 8.7)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	621	4,600	9.9	(6.7 - 13.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	273	2,500	14.0	(8.2 - 19.8)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	192	1,300	7.1	(2.2 - 12.1)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	170	1,000	8.3	(3.2 - 13.5)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	194	2,100	17.7	(9.7 - 25.6)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	189	1,500	11.1	(4.7 - 17.6)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	10.1	(6.7 - 13.5)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	253	8.8	(4.1 - 13.6)	14,407	7.9	(6.3 - 9.6)
Female	382	11.2	(6.4 - 16.1)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	621	10.0	(6.6 - 13.5)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	273	14.6	(8.2 - 21.0)	15,335	12.3	(10.0 - 14.6)
Some College	192	6.9	(1.8 - 11.9)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	170	8.7	(2.9 - 14.6)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	194	18.8	(9.9 - 27.7)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	189	10.7	(3.9 - 17.4)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	9,300	19.5	(15.6 - 23.4)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	248	4,200	18.0	(12.2 - 23.8)	14,231	937,700	13.6	(11.4 - 15.8)
Female	375	5,100	20.9	(15.7 - 26.1)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	71	1,100	14.2	(5.9 - 22.4)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	126	2,200	23.6	(15.5 - 31.6)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	149	1,700	22.9	(15.2 - 30.6)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	221	2,300	24.6	(18.1 - 31.1)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	609	8,900	19.3	(15.4 - 23.3)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	265	5,200	30.2	(22.9 - 37.4)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	190	2,500	13.5	(7.7 - 19.2)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	168	1,600	13.3	(7.2 - 19.4)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	188	4,200	36.4	(26.6 - 46.3)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	188	2,900	20.6	(13.3 - 27.8)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	18.7	(14.6 - 22.8)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	248	17.4	(11.5 - 23.2)	14,231	13.6	(11.4 - 15.8)
Female	375	19.9	(14.3 - 25.6)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	609	18.5	(14.4 - 22.7)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	265	29.6	(21.8 - 37.4)	15,018	20.1	(17.1 - 23.1)
Some College	190	12.7	(6.8 - 18.6)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	168	12.9	(6.4 - 19.3)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	188	19.4	(11.9 - 26.9)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 6a. Health insurance among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	41,700	85.8	(81.4 - 90.2)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	256	19,000	81.7	(74.0 - 89.5)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	397	22,800	89.5	(85.2 - 93.8)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	73	7,200	90.7	(84.0 - 97.5)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	128	8,400	88.7	(82.9 - 94.5)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	154	6,600	86.1	(79.0 - 93.2)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	241	9,900	99.0	(97.6 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	639	40,800	86.4	(82.1 - 90.8)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	287	15,400	84.5	(78.3 - 90.8)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	194	14,500	78.6	(69.3 - 87.9)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	172	11,800	98.7	(97.2 - 100)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	194	12,000	84.3	(77.1 - 91.5)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	88	7,800	97.8	(94.9 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	87	7,900	95.5	(89.2 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 6b. Health insurance among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	85.4	(80.8 - 90.1)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	256	81.5	(73.6 - 89.5)	14,597	83.6	(79.7 - 87.5)
Female	397	88.9	(84.1 - 93.8)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	639	86.1	(81.5 - 90.7)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	287	84.3	(77.6 - 91.0)	15,673	80.1	(75.4 - 84.7)
Some College	194	78.1	(68.6 - 87.7)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	172	98.6	(96.8 - 100)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	194	83.7	(76.0 - 91.4)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	88	97.5	(94.0 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	87	95.6	(89.2 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 7a. Health insurance among adults aged 18-64¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	31,500	82.2	(76.7 - 87.7)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	176	14,700	77.6	(68.4 - 86.8)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	231	16,800	86.7	(81.1 - 92.3)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	73	7,200	90.7	(84.0 - 97.5)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	128	8,400	88.7	(82.9 - 94.5)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	149	6,300	85.6	(78.2 - 93.0)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	397	30,900	83.1	(77.7 - 88.5)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	142	9,900	78.4	(69.6 - 87.1)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	122	9,400	98.4	(96.5 - 100)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	132	9,300	80.7	(72.0 - 89.5)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	67	6,500	97.3	(93.9 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	71	7,000	95.0	(87.9 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 7b. Health insurance among adults aged 18-64¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	82.5	(76.9 - 88.0)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	176	77.6	(68.2 - 87.0)	10,078	80.5	(75.9 - 85.1)
Female	231	86.9	(81.0 - 92.8)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	397	83.3	(77.8 - 88.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	142	79.2	(70.3 - 88.1)	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	122	98.4	(96.2 - 100)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	132	80.6	(71.5 - 89.7)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	67	97.2	(93.2 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	71	95.2	(88.2 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 8a. No health insurance among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	6,900	14.2	(9.8 - 18.6)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	256	4,200	18.3	(10.5 - 26.0)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	397	2,700	10.5	(6.2 - 14.8)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	128	1,100	11.3	(5.5 - 17.1)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	154	1,100	13.9	(6.8 - 21.0)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	639	6,400	13.6	(9.2 - 17.9)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	287	2,800	15.5	(9.2 - 21.7)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	194	3,900	21.4	(12.1 - 30.7)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	194	2,200	15.7	(8.5 - 22.9)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 8b. No health insurance among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	14.6	(9.9 - 19.2)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	256	18.5	(10.5 - 26.4)	14,597	16.4	(12.5 - 20.3)
Female	397	11.1	(6.2 - 15.9)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	639	13.9	(9.3 - 18.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	287	15.7	(9.0 - 22.4)	15,673	19.9	(15.3 - 24.6)
Some College	194	21.9	(12.3 - 31.4)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	194	16.3	(8.6 - 24.0)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 9a. No health insurance among adults aged 18-64¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	407	6,800	17.8	(12.3 - 23.3)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	176	4,200	22.4	(13.2 - 31.6)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	231	2,600	13.3	(7.7 - 18.9)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	128	1,100	11.3	(5.5 - 17.1)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	149	1,100	14.4	(7.0 - 21.8)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	397	6,300	16.9	(11.5 - 22.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	142	2,700	21.6	(12.9 - 30.4)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	132	2,200	19.3	(10.5 - 28.0)	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 9b. No health insurance among adults aged 18-64¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	407	17.5	(12.0 - 23.1)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	176	22.4	(13.0 - 31.8)	10,078	19.5	(14.9 - 24.1)
Female	231	13.1	(7.2 - 19.0)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	397	16.7	(11.2 - 22.2)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	142	20.8	(11.9 - 29.7)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	132	19.4	(10.3 - 28.5)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 10a. Adults with regular health care provider¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	43,600	88.7	(85.0 - 92.4)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	257	20,400	86.0	(80.0 - 91.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	397	23,200	91.2	(86.7 - 95.7)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	73	7,200	90.7	(83.8 - 97.7)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	128	8,300	88.0	(81.8 - 94.2)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	154	7,200	94.0	(88.7 - 99.3)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	241	9,500	94.9	(91.9 - 97.9)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	640	42,500	89.1	(85.5 - 92.6)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	288	15,900	87.2	(81.4 - 92.9)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	195	16,700	88.1	(81.0 - 95.1)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	171	11,000	91.8	(86.5 - 97.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	202	10,500	86.9	(79.3 - 94.5)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	193	13,000	91.8	(86.7 - 96.8)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	87	7,400	89.8	(81.1 - 98.6)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 10b. Adults with regular health care provider¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	88.3	(84.3 - 92.2)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	257	85.8	(79.7 - 91.9)	14,593	78.1	(73.9 - 82.3)
Female	397	90.6	(85.5 - 95.7)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	640	88.7	(84.8 - 92.5)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	288	86.6	(80.3 - 92.9)	15,692	75.8	(71.0 - 80.6)
Some College	195	87.9	(80.6 - 95.1)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	171	91.4	(85.5 - 97.3)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	202	85.8	(77.4 - 94.2)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	193	91.8	(86.6 - 97.0)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	87	89.8	(80.9 - 98.8)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	4,800	9.8	(6.6 - 12.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	256	2,000	8.5	(3.7 - 13.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	398	2,800	10.9	(6.7 - 15.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	58	2,100	14.9	(5.6 - 24.2)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	128	1,200	12.9	(6.8 - 19.1)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	154	700	9.0	(4.4 - 13.6)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	640	4,500	9.3	(6.1 - 12.5)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	287	1,800	9.7	(5.0 - 14.5)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	195	2,300	12.1	(5.7 - 18.5)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	172	700	6.1	(2.3 - 10.0)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	201	1,700	14.4	(6.9 - 21.9)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	194	1,600	11.6	(5.3 - 18.0)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	10.2	(6.7 - 13.6)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	256	8.9	(3.8 - 14.1)	14,607	12.5	(9.4 - 15.6)
Female	398	11.3	(6.7 - 15.9)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	640	9.8	(6.3 - 13.3)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	287	10.2	(5.1 - 15.3)	15,696	17.8	(13.8 - 21.7)
Some College	195	12.4	(5.7 - 19.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	172	6.4	(2.0 - 10.8)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	201	14.7	(6.7 - 22.8)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	194	12.9	(5.8 - 20.0)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	37,400	76.3	(71.8 - 80.9)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	255	17,400	73.5	(66.5 - 80.6)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	395	20,000	78.9	(73.2 - 84.7)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	127	6,700	71.3	(62.9 - 79.8)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	154	6,300	81.8	(74.1 - 89.6)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	238	8,600	86.3	(81.1 - 91.4)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	637	36,400	76.4	(71.8 - 81.0)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	14,000	77.1	(70.7 - 83.6)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	194	14,100	74.7	(66.1 - 83.4)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	171	9,300	77.6	(70.0 - 85.3)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	201	9,000	74.0	(64.8 - 83.2)	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	194	11,100	78.2	(70.5 - 85.9)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	75.6	(70.8 - 80.5)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	255	72.8	(65.4 - 80.2)	14,592	67.1	(63.3 - 70.9)
Female	395	78.3	(71.8 - 84.7)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	637	75.7	(70.7 - 80.6)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	75.6	(68.4 - 82.9)	15,640	74.4	(70.4 - 78.4)
Some College	194	74.6	(65.6 - 83.7)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	171	77.3	(69.0 - 85.5)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	194	77.8	(69.6 - 85.9)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	42,600	86.8	(83.0 - 90.6)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	255	20,300	85.8	(79.9 - 91.7)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	395	22,200	87.8	(83.0 - 92.5)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	73	6,800	86.2	(78.1 - 94.4)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	127	8,300	88.6	(82.8 - 94.4)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	154	6,900	89.7	(83.4 - 96.1)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	238	9,200	92.9	(89.4 - 96.5)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	637	41,400	86.9	(83.0 - 90.7)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	15,800	87.3	(82.4 - 92.3)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	194	15,600	82.4	(74.3 - 90.4)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	171	11,100	93.1	(89.0 - 97.1)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	201	9,500	78.3	(69.3 - 87.3)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	194	12,800	90.5	(85.5 - 95.4)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	86	7,500	91.5	(84.3 - 98.6)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	86.3	(82.2 - 90.4)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	255	85.3	(79.1 - 91.5)	14,592	81.9	(78.4 - 85.3)
Female	395	87.2	(81.8 - 92.6)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	637	86.3	(82.2 - 90.5)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	85.3	(79.4 - 91.3)	15,640	84.6	(81.1 - 88.1)
Some College	194	82.8	(74.5 - 91.0)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	171	93.4	(89.3 - 97.4)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	201	76.7	(66.8 - 86.6)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	194	90.2	(84.9 - 95.4)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	86	91.3	(83.8 - 98.8)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 14a. Dentist visit within the past year among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	31,800	65.2	(60.2 - 70.1)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	254	12,900	55.3	(47.3 - 63.3)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	396	18,900	74.2	(68.8 - 79.7)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	128	6,100	64.6	(55.3 - 73.8)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	154	5,000	64.8	(56.1 - 73.6)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	238	6,100	61.9	(55.0 - 68.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	636	30,900	65.5	(60.5 - 70.4)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	284	9,100	50.5	(42.7 - 58.2)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	194	13,800	73.9	(65.9 - 82.0)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	172	8,800	73.7	(64.9 - 82.5)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	193	7,900	55.6	(46.4 - 64.7)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	88	6,800	84.8	(75.9 - 93.6)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	87	6,700	80.8	(71.2 - 90.4)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 14b. Dentist visit within the past year among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	65.8	(60.6 - 71.0)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	254	55.1	(46.8 - 63.5)	14,573	68.3	(64.6 - 72.1)
Female	396	75.6	(69.7 - 81.5)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	636	66.1	(60.8 - 71.4)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	284	50.8	(42.4 - 59.2)	15,613	65.3	(60.9 - 69.6)
Some College	194	74.8	(66.6 - 83.1)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	172	73.2	(63.7 - 82.7)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	193	55.2	(45.3 - 65.0)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	88	85.1	(75.9 - 94.2)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	*	*	*	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 15a. Had teeth cleaned within the past year among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	552	30,100	67.2	(61.8 - 72.5)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	230	12,600	56.5	(48.0 - 64.9)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	322	17,500	77.8	(71.9 - 83.7)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	119	5,900	66.8	(57.3 - 76.3)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	127	4,600	72.0	(62.6 - 81.4)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	176	5,500	72.1	(64.9 - 79.2)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	541	29,500	67.7	(62.3 - 73.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	214	8,600	57.3	(48.4 - 66.3)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	177	13,300	73.1	(64.3 - 81.9)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	161	8,200	70.5	(61.3 - 79.8)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	170	7,400	56.6	(46.8 - 66.4)	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	87	6,600	83.2	(73.5 - 92.9)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	84	6,700	82.9	(73.2 - 92.5)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 15b. Had teeth cleaned within the past year among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	552	67.2	(61.5 - 72.8)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	230	55.8	(47.0 - 64.5)	13,173	69.2	(65.3 - 73.1)
Female	322	78.2	(71.8 - 84.7)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	541	67.6	(61.9 - 73.3)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	214	56.9	(47.3 - 66.5)	12,740	67.7	(63.2 - 72.3)
Some College	177	73.4	(64.4 - 82.5)	9,145	68.1	(62.6 - 73.6)
≥ College Degree	161	69.9	(60.0 - 79.9)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	*	*	*	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	28,100	57.4	(52.0 - 62.8)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	253	13,300	56.4	(48.0 - 64.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	393	14,800	58.4	(51.4 - 65.4)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	126	5,900	63.0	(53.9 - 72.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	151	5,600	74.2	(66.2 - 82.2)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	238	8,300	83.5	(78.5 - 88.6)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	632	26,900	56.7	(51.2 - 62.2)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	12,800	70.6	(63.0 - 78.2)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	192	9,100	48.5	(38.7 - 58.3)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	169	6,100	51.4	(42.3 - 60.5)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	191	9,500	67.3	(58.8 - 75.9)	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	*	*	*	*	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	54.3	(48.5 - 60.1)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	253	53.8	(45.2 - 62.4)	14,457	47.9	(44.1 - 51.7)
Female	393	54.7	(46.9 - 62.4)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	632	53.5	(47.7 - 59.3)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	68.9	(60.6 - 77.2)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	169	48.3	(38.4 - 58.1)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	191	63.9	(54.2 - 73.5)	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	*	*	*	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	238	2,300	23.3	(17.4 - 29.1)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	159	1,400	23.8	(16.8 - 30.8)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	238	2,300	23.3	(17.4 - 29.1)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	235	2,300	23.8	(17.9 - 29.8)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	1,800	33.6	(24.8 - 42.4)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	238	23.2	(17.2 - 29.2)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	159	23.8	(16.8 - 30.8)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	235	23.7	(17.6 - 29.9)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	34.5	(25.3 - 43.8)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 18a. Flu shot within the past 12 months¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	20,500	42.0	(37.0 - 47.0)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	255	8,500	36.5	(29.1 - 44.0)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	397	12,000	47.0	(40.3 - 53.7)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	190	6,900	26.3	(18.5 - 34.1)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	222	6,000	48.2	(40.7 - 55.7)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	240	7,500	75.5	(69.5 - 81.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	638	19,500	41.2	(36.1 - 46.2)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	8,700	48.9	(41.3 - 56.4)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	195	6,700	35.3	(26.3 - 44.4)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	172	5,100	42.4	(33.7 - 51.0)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	201	5,700	48.2	(38.4 - 58.0)	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	194	5,500	38.5	(30.2 - 46.8)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 18b. Flu shot within the past 12 months¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	39.2	(33.9 - 44.5)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	255	34.2	(26.6 - 41.8)	14,579	40.0	(36.2 - 43.8)
Female	397	43.8	(36.4 - 51.1)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	638	38.4	(33.0 - 43.7)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	45.8	(37.6 - 53.9)	15,663	43.7	(39.1 - 48.2)
Some College	195	34.1	(24.6 - 43.6)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	172	38.1	(29.2 - 47.0)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	194	34.8	(26.4 - 43.3)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	20,500	42.0	(37.0 - 47.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	255	8,500	36.5	(29.1 - 44.0)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	397	12,000	47.0	(40.3 - 53.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	190	6,900	26.3	(18.5 - 34.1)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	222	6,000	48.2	(40.7 - 55.7)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	240	7,500	75.5	(69.5 - 81.6)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	638	19,500	41.2	(36.1 - 46.2)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	8,700	48.9	(41.3 - 56.4)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	195	6,700	35.3	(26.3 - 44.4)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	172	5,100	42.4	(33.7 - 51.0)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	201	5,700	48.2	(38.4 - 58.0)	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	194	5,500	38.5	(30.2 - 46.8)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	39.2	(33.9 - 44.5)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	255	34.2	(26.6 - 41.8)	14,568	40.4	(36.6 - 44.2)
Female	397	43.8	(36.4 - 51.1)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	638	38.4	(33.0 - 43.7)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	45.8	(37.6 - 53.9)	15,651	44.1	(39.6 - 48.6)
Some College	195	34.1	(24.6 - 43.6)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	172	38.1	(29.2 - 47.0)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	194	34.8	(26.4 - 43.3)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 21a. Flu shot among adults aged 65 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	240	7,500	75.5	(69.5 - 81.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	79	3,500	82.4	(73.7 - 91.1)	4,417	772,900	74.6	(69.3 - 79.8)
Female	161	4,100	70.6	(62.5 - 78.6)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	240	7,500	75.5	(69.5 - 81.6)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	237	7,400	75.8	(69.8 - 81.8)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	143	3,800	69.0	(60.5 - 77.6)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	97	2,500	75.9	(66.5 - 85.4)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 21b. Flu shot among adults aged 65 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	240	76.3	(70.3 - 82.3)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	79	82.4	(73.7 - 91.1)	4,417	74.4	(68.7 - 80.1)
Female	161	70.5	(62.5 - 78.6)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	237	76.7	(70.7 - 82.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	143	69.5	(60.8 - 78.1)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	97	76.3	(66.7 - 85.8)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	608	13,400	30.7	(26.3 - 35.2)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	233	6,200	29.8	(22.7 - 36.8)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	375	7,200	31.6	(25.9 - 37.2)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	165	3,000	13.7	(7.6 - 19.8)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	215	3,800	30.9	(24.0 - 37.8)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	228	6,600	69.9	(63.2 - 76.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	595	12,900	30.5	(26.0 - 35.0)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	268	6,000	38.7	(31.7 - 45.7)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	180	4,100	24.0	(16.6 - 31.5)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	160	3,300	29.7	(21.7 - 37.6)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	185	4,100	41.8	(32.4 - 51.2)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	184	4,600	36.3	(27.9 - 44.6)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	82	1,300	17.5	(8.2 - 26.9)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	80	1,800	23.4	(13.8 - 33.0)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	608	27.9	(23.3 - 32.4)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	233	28.8	(21.6 - 36.0)	13,052	25.8	(22.3 - 29.4)
Female	375	27.0	(21.3 - 32.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	595	27.6	(23.0 - 32.2)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	268	35.6	(28.3 - 43.0)	14,700	29.5	(25.6 - 33.5)
Some College	180	21.6	(14.2 - 29.1)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	160	27.2	(18.9 - 35.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	185	37.6	(27.6 - 47.6)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	184	34.0	(25.3 - 42.7)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	82	14.9	(6.3 - 23.6)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	80	21.8	(12.0 - 31.6)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	228	6,600	69.9	(63.2 - 76.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	152	3,800	69.6	(61.4 - 77.8)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	228	6,600	69.9	(63.2 - 76.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	225	6,500	70.1	(63.3 - 76.8)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	135	3,500	67.0	(58.2 - 75.8)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	228	70.0	(63.1 - 76.9)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	152	69.6	(61.4 - 77.8)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	225	70.3	(63.4 - 77.2)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	135	67.4	(58.4 - 76.4)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	91	75.6	(65.6 - 85.6)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	348	15,600	92.7	(89.5 - 96.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	348	15,600	92.7	(89.5 - 96.0)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	58	4,600	91.1	(83.2 - 99.0)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	128	5,600	92.9	(87.7 - 98.1)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	162	5,500	94.0	(90.1 - 97.9)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	341	15,000	92.5	(89.1 - 95.9)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	175	6,800	88.4	(82.5 - 94.4)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	93	4,700	96.5	(91.6 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	80	4,100	96.2	(91.9 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	128	4,700	95.4	(91.9 - 98.9)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	94	4,100	87.4	(78.8 - 96.0)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	348	92.6	(88.9 - 96.3)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	348	92.6	(88.9 - 96.3)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	341	92.4	(88.5 - 96.2)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	175	87.9	(81.2 - 94.7)	8,266	90.2	(86.1 - 94.2)
Some College	93	95.8	(89.4 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	80	96.8	(93.2 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	128	95.9	(92.8 - 99.1)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	94	86.3	(76.5 - 96.2)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	345	13,300	79.7	(74.8 - 84.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	345	13,300	79.7	(74.8 - 84.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	128	5,000	83.7	(77.0 - 90.4)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	159	4,400	76.4	(69.3 - 83.5)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	338	12,800	79.3	(74.4 - 84.3)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	173	5,500	72.2	(64.5 - 79.9)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	92	4,000	81.9	(72.3 - 91.4)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	80	3,900	90.5	(84.3 - 96.7)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	126	3,500	72.8	(64.3 - 81.4)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	345	80.1	(74.6 - 85.5)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	345	80.1	(74.6 - 85.5)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	338	79.7	(74.1 - 85.3)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	173	72.9	(64.7 - 81.2)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	80	90.6	(83.7 - 97.5)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	126	74.0	(64.7 - 83.3)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	287	9,400	80.1	(75.2 - 85.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	287	9,400	80.1	(75.2 - 85.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	128	5,000	83.7	(77.0 - 90.4)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	159	4,400	76.4	(69.3 - 83.5)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	282	9,100	80.1	(75.1 - 85.0)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	150	4,400	74.7	(67.2 - 82.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	74	2,500	82.8	(73.6 - 92.0)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	63	2,500	88.4	(80.6 - 96.1)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	111	2,600	71.4	(62.6 - 80.2)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	77	2,600	82.3	(72.6 - 92.0)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	287	80.5	(75.6 - 85.4)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	287	80.5	(75.6 - 85.4)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	282	80.4	(75.5 - 85.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	150	75.2	(67.6 - 82.9)	7,026	83.6	(80.1 - 87.0)
Some College	74	83.3	(74.2 - 92.3)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	63	88.5	(80.8 - 96.1)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	111	71.5	(62.6 - 80.4)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 27a. Ever had a Pap test among women¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	396	23,800	93.8	(89.5 - 98.0)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	396	23,800	93.8	(89.5 - 98.0)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	72	4,800	98.1	(94.5 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	95	3,900	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	160	5,300	92.1	(87.7 - 96.4)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	388	23,200	93.6	(89.3 - 98.0)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	188	9,500	96.0	(93.2 - 98.8)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	*	*	*	*	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	93	5,700	98.9	(97.2 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	140	6,500	97.6	(95.5 - 99.6)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	107	6,200	93.6	(88.0 - 99.2)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	*	*	*	*	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 27b. Ever had a Pap test among women¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	396	93.7	(88.9 - 98.4)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	396	93.7	(88.9 - 98.4)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	388	93.5	(88.7 - 98.4)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	188	96.7	(94.2 - 99.2)	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	93	99.2	(97.9 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	140	98.1	(96.5 - 99.7)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	107	94.0	(88.1 - 99.9)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	*	*	*	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	392	19,200	76.0	(70.5 - 81.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	392	19,200	76.0	(70.5 - 81.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	72	4,100	84.5	(75.3 - 93.8)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	95	3,000	78.4	(69.7 - 87.1)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	156	2,900	52.2	(43.4 - 61.0)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	384	18,700	76.0	(70.4 - 81.6)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	6,900	70.6	(63.0 - 78.1)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	93	4,900	83.9	(75.2 - 92.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	139	4,900	74.3	(66.0 - 82.6)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 28b. Had a Pap test within the past 3 years among women¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	392	78.0	(72.1 - 84.0)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	392	78.0	(72.1 - 84.0)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	384	78.0	(71.9 - 84.1)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	73.3	(65.1 - 81.4)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	93	85.9	(77.0 - 94.7)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	139	77.8	(69.0 - 86.6)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	11,800	81.7	(75.3 - 88.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	208	11,800	81.7	(75.3 - 88.0)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	57	3,400	91.7	(84.1 - 99.3)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	79	3,600	87.1	(77.7 - 96.5)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	204	11,700	82.4	(76.0 - 88.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	83	4,400	82.8	(72.8 - 92.8)	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	74	4,600	87.5	(79.1 - 95.8)	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	79.6	(72.2 - 87.0)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	208	79.6	(72.2 - 87.0)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	204	80.2	(72.8 - 87.6)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	74	85.9	(76.4 - 95.3)	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	206	10,200	70.5	(63.3 - 77.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	206	10,200	70.5	(63.3 - 77.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	202	10,100	71.6	(64.3 - 78.9)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	206	68.7	(60.8 - 76.6)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	206	68.7	(60.8 - 76.6)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	202	69.6	(61.6 - 77.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	198	9,400	69.6	(62.1 - 77.1)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	198	9,400	69.6	(62.1 - 77.1)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	73	3,600	93.1	(87.4 - 98.8)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	194	9,000	68.8	(61.2 - 76.5)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	198	67.1	(58.9 - 75.2)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	198	67.1	(58.9 - 75.2)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	194	66.3	(58.1 - 74.6)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	194	7,900	59.1	(51.2 - 66.9)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	194	7,900	59.1	(51.2 - 66.9)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	71	3,000	78.5	(68.9 - 88.1)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	190	7,700	59.2	(51.3 - 67.1)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	194	57.4	(49.2 - 65.7)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	194	57.4	(49.2 - 65.7)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	190	57.4	(49.1 - 65.7)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 33a. Prostate cancer among men aged 40 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	211	500	3.6	(1.3 - 6.0)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	211	500	3.6	(1.3 - 6.0)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	207	500	3.7	(1.3 - 6.1)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 33b. Prostate cancer among men aged 40 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	211	3.5	(1.2 - 5.8)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	211	3.5	(1.2 - 5.8)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	207	3.6	(1.3 - 5.9)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	459	10,100	45.3	(40.0 - 50.5)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	166	4,800	47.0	(38.5 - 55.5)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	293	5,300	43.8	(37.4 - 50.1)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	222	5,200	41.3	(33.9 - 48.7)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	237	4,900	50.3	(43.1 - 57.5)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	449	9,700	45.0	(39.7 - 50.3)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	5,200	49.8	(42.1 - 57.4)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	119	2,400	40.4	(30.5 - 50.3)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	*	*	*	*	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	157	2,800	46.4	(37.4 - 55.4)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	139	3,900	52.9	(43.2 - 62.5)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	459	45.0	(39.7 - 50.3)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	166	47.0	(38.5 - 55.5)	9,571	39.4	(35.3 - 43.5)
Female	293	43.1	(36.7 - 49.6)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	449	44.8	(39.4 - 50.2)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	49.3	(41.4 - 57.2)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	*	*	*	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	157	46.3	(37.0 - 55.6)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	139	52.9	(43.2 - 62.7)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	4,200	18.8	(14.7 - 23.0)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	164	2,000	19.4	(12.8 - 26.1)	9,508	444,400	16.0	(13.2 - 18.9)
Female	288	2,200	18.3	(13.3 - 23.4)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	219	2,200	17.7	(12.0 - 23.4)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	233	2,000	20.3	(14.4 - 26.2)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	444	4,000	18.7	(14.6 - 22.9)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	222	2,400	23.0	(16.3 - 29.6)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	118	900	14.4	(7.7 - 21.1)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	112	900	16.1	(8.7 - 23.4)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	156	1,400	23.3	(15.0 - 31.6)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	137	1,500	20.6	(12.8 - 28.4)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	50	500	15.7	(5.9 - 25.5)	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	18.9	(14.7 - 23.1)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	164	19.5	(12.8 - 26.2)	9,508	16.4	(13.2 - 19.6)
Female	288	18.3	(13.1 - 23.5)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	444	18.8	(14.6 - 23.1)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	23.1	(16.3 - 29.9)	11,026	12.7	(9.2 - 16.1)
Some College	118	14.0	(7.3 - 20.6)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	112	16.4	(8.8 - 24.0)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	156	23.7	(15.1 - 32.4)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	137	20.8	(12.9 - 28.6)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	50	15.1	(5.4 - 24.9)	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	452	5,800	26.3	(21.7 - 30.9)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	164	2,900	28.7	(21.1 - 36.3)	9,508	593,100	21.4	(18.3 - 24.5)
Female	288	2,900	24.2	(18.6 - 29.7)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	219	3,100	24.7	(18.3 - 31.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	233	2,700	28.3	(21.7 - 34.8)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	444	5,600	26.1	(21.5 - 30.8)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	222	3,100	30.5	(23.3 - 37.7)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	118	1,300	22.8	(14.5 - 31.0)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	112	1,300	22.4	(14.0 - 30.8)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	156	1,900	32.1	(23.2 - 41.0)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	137	2,300	31.5	(22.6 - 40.4)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	452	26.3	(21.6 - 31.1)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	164	28.8	(21.2 - 36.4)	9,508	21.7	(18.3 - 25.1)
Female	288	24.0	(18.3 - 29.7)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	444	26.3	(21.5 - 31.0)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	30.3	(23.0 - 37.6)	11,026	19.5	(15.4 - 23.7)
Some College	118	23.0	(14.6 - 31.5)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	112	22.7	(14.0 - 31.3)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	156	32.6	(23.4 - 41.8)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	137	31.5	(22.6 - 40.5)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	459	14,100	63.3	(58.2 - 68.5)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	166	6,800	66.3	(58.1 - 74.6)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	293	7,300	60.8	(54.4 - 67.2)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	154	4,900	64.2	(55.4 - 73.1)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	238	7,200	73.0	(66.9 - 79.2)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	449	13,600	63.4	(58.2 - 68.6)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	5,800	56.7	(49.1 - 64.4)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	119	4,300	71.5	(62.1 - 81.0)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	117	4,000	66.3	(56.6 - 76.0)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	156	3,500	58.4	(49.6 - 67.2)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	139	4,500	61.9	(52.1 - 71.7)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	459	62.9	(57.7 - 68.1)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	166	66.4	(58.2 - 74.6)	9,582	68.5	(64.5 - 72.5)
Female	293	59.7	(53.0 - 66.3)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	449	63.0	(57.7 - 68.3)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	56.5	(48.6 - 64.4)	11,121	61.3	(56.4 - 66.2)
Some College	119	71.0	(61.3 - 80.6)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	117	65.8	(55.9 - 75.7)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	156	58.8	(49.8 - 67.8)	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	139	60.4	(50.5 - 70.4)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	458	13,300	60.2	(55.0 - 65.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	166	6,400	63.0	(54.6 - 71.3)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	292	6,900	57.8	(51.4 - 64.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	154	4,700	61.6	(52.7 - 70.5)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	237	6,700	68.0	(61.5 - 74.5)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	448	12,900	60.1	(54.9 - 65.3)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	222	5,600	54.9	(47.2 - 62.6)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	119	3,900	64.9	(55.1 - 74.7)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	117	3,900	64.2	(54.5 - 74.0)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	156	3,200	54.0	(45.0 - 62.9)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	139	4,300	58.7	(48.9 - 68.5)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	458	59.8	(54.5 - 65.1)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	166	63.1	(54.8 - 71.4)	9,521	66.9	(62.9 - 70.9)
Female	292	56.8	(50.2 - 63.5)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	448	59.9	(54.5 - 65.2)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	222	54.7	(46.8 - 62.6)	11,017	59.0	(54.1 - 63.9)
Some College	119	64.4	(54.5 - 74.4)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	117	63.9	(54.0 - 73.9)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	156	54.5	(45.4 - 63.7)	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	139	57.3	(47.4 - 67.2)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	451	14,900	68.1	(63.1 - 73.1)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	166	7,200	70.6	(62.6 - 78.5)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	285	7,700	65.9	(59.7 - 72.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	149	5,300	71.7	(63.4 - 80.1)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	235	7,400	75.4	(69.4 - 81.3)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	442	14,400	68.0	(62.9 - 73.0)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	220	6,500	65.3	(57.9 - 72.7)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	118	4,100	69.5	(59.9 - 79.2)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	113	4,200	71.4	(61.9 - 80.9)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	154	3,800	64.4	(55.9 - 72.9)	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	136	5,100	70.1	(60.6 - 79.6)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	451	67.6	(62.4 - 72.7)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	166	70.6	(62.6 - 78.5)	9,418	71.5	(67.6 - 75.4)
Female	285	64.7	(58.1 - 71.3)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	442	67.6	(62.4 - 72.8)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	220	64.7	(57.0 - 72.5)	10,872	64.5	(59.8 - 69.3)
Some College	118	69.1	(59.4 - 78.9)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	113	70.9	(61.3 - 80.6)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	154	64.9	(56.1 - 73.6)	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	136	68.6	(58.7 - 78.4)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 40a. High blood pressure among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	15,800	32.2	(27.9 - 36.6)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	256	8,000	33.6	(26.6 - 40.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	397	7,900	30.9	(25.6 - 36.3)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	72	1,200	15.2	(6.4 - 24.0)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	128	3,200	33.7	(24.8 - 42.6)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	154	3,900	50.8	(41.8 - 59.8)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	241	6,400	64.0	(57.3 - 70.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	639	15,300	32.1	(27.6 - 36.5)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	287	7,200	39.4	(32.3 - 46.6)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	195	4,300	22.8	(16.5 - 29.2)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	171	4,300	36.2	(27.5 - 44.9)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	201	4,100	33.6	(25.4 - 41.7)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	193	5,900	41.5	(32.8 - 50.1)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	88	1,900	23.2	(13.8 - 32.5)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	*	*	*	*	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 40b. High blood pressure among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	28.7	(24.3 - 33.1)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	256	31.2	(24.2 - 38.1)	14,611	27.7	(24.7 - 30.7)
Female	397	26.4	(21.1 - 31.7)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	639	28.5	(24.1 - 32.9)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	287	36.1	(28.7 - 43.4)	15,688	32.1	(28.4 - 35.8)
Some College	195	19.6	(13.6 - 25.7)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	171	32.7	(23.7 - 41.7)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	201	30.3	(21.9 - 38.6)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	193	38.0	(28.9 - 47.0)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	88	18.7	(10.4 - 27.1)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	*	*	*	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	292	12,200	76.7	(69.3 - 84.2)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	176	6,300	80.2	(72.4 - 87.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	79	3,600	91.1	(84.5 - 97.7)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	153	6,000	93.1	(88.8 - 97.4)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	285	11,700	76.2	(68.5 - 83.9)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	292	73.4	(64.9 - 81.9)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	176	76.9	(67.4 - 86.3)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	285	72.8	(64.0 - 81.5)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	40,100	83.9	(79.1 - 88.6)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	251	19,600	85.5	(78.8 - 92.1)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	392	20,400	82.4	(75.7 - 89.1)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	72	6,900	90.1	(82.7 - 97.6)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	126	8,500	91.4	(85.5 - 97.4)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	152	7,200	95.3	(91.9 - 98.7)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	237	9,500	95.9	(93.3 - 98.5)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	629	38,600	83.3	(78.5 - 88.2)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	279	15,300	86.1	(80.0 - 92.2)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	192	13,700	76.1	(66.2 - 86.0)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	172	11,100	92.2	(86.5 - 97.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	199	9,300	79.5	(70.3 - 88.6)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	192	12,400	89.0	(82.8 - 95.2)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 42b. Ever had blood cholesterol checked among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	82.5	(77.3 - 87.7)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	251	84.9	(77.9 - 91.8)	14,389	78.0	(73.9 - 82.1)
Female	392	80.3	(72.8 - 87.9)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	629	82.0	(76.7 - 87.3)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	279	85.2	(78.6 - 91.9)	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	172	91.5	(85.0 - 97.9)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	192	88.1	(81.2 - 94.9)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	*	*	*	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	38,700	82.0	(77.1 - 86.8)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	249	19,100	83.5	(76.7 - 90.3)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	385	19,600	80.6	(73.8 - 87.4)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	72	6,500	84.5	(75.6 - 93.4)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	124	8,100	88.8	(82.3 - 95.3)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	151	7,200	95.0	(91.5 - 98.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	232	9,200	94.7	(91.7 - 97.7)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	620	37,200	81.4	(76.4 - 86.4)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	275	14,700	83.6	(77.2 - 90.1)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	188	13,200	74.4	(64.4 - 84.4)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	171	10,900	90.8	(85.0 - 96.7)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	195	9,000	77.2	(67.9 - 86.5)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	191	11,900	85.8	(79.1 - 92.6)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	80.4	(75.1 - 85.7)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	249	82.6	(75.5 - 89.8)	14,307	74.8	(70.7 - 79.0)
Female	385	78.2	(70.5 - 85.9)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	620	79.8	(74.4 - 85.2)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	275	82.2	(75.1 - 89.4)	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	171	90.0	(83.3 - 96.7)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	191	83.6	(75.9 - 91.4)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	*	*	*	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 44a. Cardiovascular disease among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	3,900	8.0	(5.9 - 10.2)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	253	2,400	10.0	(6.3 - 13.6)	14,477	664,600	9.4	(7.5 - 11.4)
Female	391	1,600	6.2	(3.7 - 8.6)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	125	700	7.7	(2.8 - 12.7)	7,768	131,300	4.6	(2.9 - 6.4)
55-64	151	900	11.5	(6.1 - 16.9)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	237	2,100	20.9	(14.9 - 26.9)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	630	3,600	7.5	(5.4 - 9.6)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	280	1,600	9.2	(6.0 - 12.4)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	194	1,200	6.2	(2.6 - 9.8)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	170	1,100	9.1	(4.4 - 13.7)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	197	1,400	11.8	(7.5 - 16.2)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	190	1,600	11.1	(5.9 - 16.3)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 44b. Cardiovascular disease among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	6.8	(4.9 - 8.8)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	253	9.0	(5.5 - 12.5)	14,477	9.7	(7.8 - 11.7)
Female	391	4.8	(2.8 - 6.8)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	630	6.5	(4.5 - 8.4)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	280	8.1	(5.2 - 11.0)	15,486	10.5	(8.0 - 13.0)
Some College	194	5.4	(2.0 - 8.8)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	170	7.5	(3.5 - 11.4)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	197	9.8	(6.1 - 13.6)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	190	10.2	(5.1 - 15.4)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 45a. Coronary heart disease among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	3,300	6.8	(4.9 - 8.8)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	254	2,100	9.0	(5.5 - 12.5)	14,479	598,600	8.5	(6.6 - 10.4)
Female	394	1,200	4.8	(2.8 - 6.9)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	152	800	11.0	(5.7 - 16.2)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	238	1,900	19.4	(13.5 - 25.3)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	634	3,200	6.7	(4.7 - 8.7)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	283	1,300	7.5	(4.7 - 10.2)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	194	1,000	5.4	(2.0 - 8.7)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	171	1,000	8.2	(3.7 - 12.8)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	199	1,300	10.7	(6.6 - 14.8)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	191	1,300	9.2	(4.4 - 13.9)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 45b. Coronary heart disease among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	5.8	(4.0 - 7.6)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	254	8.1	(4.8 - 11.4)	14,479	8.8	(6.9 - 10.8)
Female	394	3.7	(2.1 - 5.3)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	634	5.7	(3.9 - 7.6)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	283	6.6	(4.0 - 9.1)	15,485	8.5	(6.2 - 10.7)
Some College	194	4.6	(1.5 - 7.7)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	171	6.7	(3.0 - 10.5)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	199	8.9	(5.4 - 12.5)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	191	8.4	(3.7 - 13.1)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	5,900	12.0	(8.9 - 15.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	257	3,100	13.2	(8.1 - 18.2)	14,626	530,400	7.5	(6.2 - 8.8)
Female	398	2,800	10.9	(7.4 - 14.5)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	128	1,100	12.1	(6.0 - 18.2)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	154	900	12.3	(6.2 - 18.4)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	242	2,300	22.8	(16.4 - 29.2)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	641	5,700	11.8	(8.7 - 14.9)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	288	3,500	18.9	(13.3 - 24.5)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	195	1,200	6.5	(3.0 - 10.0)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	172	1,200	10.3	(3.3 - 17.3)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	202	2,100	17.7	(11.0 - 24.4)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	194	1,900	13.6	(6.9 - 20.2)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 46b. Ever diagnosed with diabetes among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	11.2	(8.1 - 14.3)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	257	12.7	(7.5 - 17.9)	14,626	7.5	(6.1 - 8.9)
Female	398	9.7	(6.2 - 13.3)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	641	11.0	(7.9 - 14.2)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	288	17.8	(12.0 - 23.5)	15,709	12.6	(10.0 - 15.2)
Some College	195	6.3	(2.5 - 10.0)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	172	9.5	(2.6 - 16.5)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	202	16.7	(9.8 - 23.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	194	13.3	(6.4 - 20.1)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	7,600	15.5	(11.3 - 19.8)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	256	3,400	14.1	(7.2 - 21.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	397	4,300	16.9	(11.8 - 21.9)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	*	*	*	*	4,972	431,700	15.1	(11.2 - 19.1)
45-54	128	1,400	14.7	(8.0 - 21.5)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	154	1,100	14.1	(7.8 - 20.4)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	241	1,400	14.1	(8.7 - 19.4)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	639	7,000	14.7	(10.5 - 18.8)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	287	3,400	18.5	(11.5 - 25.6)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	194	2,500	13.4	(5.8 - 21.1)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	172	1,700	14.3	(8.0 - 20.6)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	201	2,100	17.6	(9.4 - 25.8)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	194	2,100	14.7	(7.9 - 21.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	88	900	11.6	(4.2 - 19.1)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	*	*	*	*	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	15.4	(11.0 - 19.9)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	256	14.2	(7.1 - 21.3)	14,601	12.6	(10.3 - 14.9)
Female	397	16.6	(11.0 - 22.2)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	639	14.6	(10.2 - 19.0)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	287	18.6	(11.1 - 26.1)	15,675	15.1	(12.1 - 18.0)
Some College	194	12.5	(4.8 - 20.2)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	172	15.5	(8.1 - 22.9)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	201	16.8	(8.3 - 25.4)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	194	14.4	(7.0 - 21.7)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	88	12.1	(3.9 - 20.3)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	*	*	*	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 48a. Current asthma among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	5,300	10.8	(7.5 - 14.1)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	255	1,900	7.9	(3.3 - 12.4)	14,546	440,700	6.3	(4.8 - 7.7)
Female	397	3,400	13.6	(8.8 - 18.3)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	127	900	9.7	(3.7 - 15.8)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	154	900	12.0	(6.0 - 17.9)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	241	1,000	10.0	(6.0 - 13.9)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	638	5,200	10.9	(7.5 - 14.3)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	286	2,500	14.0	(8.1 - 20.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	194	1,500	7.8	(2.5 - 13.1)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	172	1,300	10.6	(5.1 - 16.1)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	201	1,500	12.4	(6.0 - 18.8)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	193	1,700	12.2	(5.6 - 18.8)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 48b. Current asthma among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	10.9	(7.3 - 14.5)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	255	7.8	(3.1 - 12.4)	14,546	6.4	(4.9 - 7.9)
Female	397	13.8	(8.4 - 19.2)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	638	10.9	(7.3 - 14.6)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	286	13.9	(7.6 - 20.3)	15,594	10.8	(8.3 - 13.3)
Some College	194	7.1	(1.7 - 12.4)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	172	12.6	(5.5 - 19.6)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	201	11.9	(5.2 - 18.7)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	193	11.8	(4.6 - 18.9)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 49a. Chronic joint symptoms among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	25,100	51.2	(45.9 - 56.4)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	256	12,400	52.2	(44.2 - 60.3)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	397	12,700	50.2	(43.4 - 57.0)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	128	5,500	58.5	(49.2 - 67.8)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	152	5,000	66.7	(58.4 - 75.0)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	242	5,500	54.4	(47.4 - 61.4)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	640	24,000	50.2	(44.9 - 55.5)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	286	10,000	55.0	(47.4 - 62.7)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	195	9,400	49.7	(39.8 - 59.6)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	172	5,700	47.6	(38.6 - 56.7)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	193	6,900	48.6	(39.6 - 57.5)	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 49b. Chronic joint symptoms among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	49.5	(43.9 - 55.2)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	256	51.7	(43.3 - 60.1)	14,595	42.6	(38.8 - 46.3)
Female	397	47.5	(40.1 - 55.0)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	640	48.6	(42.9 - 54.3)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	286	53.2	(44.8 - 61.6)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	172	46.3	(36.6 - 56.0)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	193	46.7	(37.1 - 56.3)	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 50a. Arthritis among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	17,500	35.8	(31.1 - 40.4)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	253	8,100	34.7	(27.5 - 42.0)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	398	9,400	36.7	(30.7 - 42.7)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	73	1,100	14.5	(6.4 - 22.7)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	127	3,800	40.8	(31.3 - 50.2)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	152	4,400	57.8	(48.9 - 66.8)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	241	5,900	59.8	(52.9 - 66.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	637	16,400	34.6	(30.0 - 39.3)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	286	8,500	47.0	(39.3 - 54.6)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	194	5,300	28.1	(20.5 - 35.7)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	171	3,700	30.9	(23.2 - 38.7)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	193	5,300	37.4	(29.3 - 45.5)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	*	*	*	*	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 50b. Arthritis among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	32.2	(27.5 - 37.0)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	253	31.6	(24.4 - 38.7)	14,555	23.5	(20.9 - 26.1)
Female	398	32.8	(26.5 - 39.1)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	637	31.0	(26.4 - 35.7)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	286	44.1	(36.0 - 52.2)	15,652	30.4	(26.9 - 33.8)
Some College	194	25.4	(17.7 - 33.0)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	171	26.1	(18.8 - 33.4)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	193	33.1	(25.1 - 41.0)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	*	*	*	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	11,800	24.0	(19.9 - 28.0)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	257	5,600	23.7	(17.4 - 30.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	396	6,100	24.2	(19.0 - 29.4)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	58	2,200	15.5	(5.9 - 25.0)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	73	1,200	15.2	(7.0 - 23.4)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	128	2,500	26.5	(18.0 - 35.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	154	2,700	34.7	(26.1 - 43.3)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	240	3,200	32.3	(25.6 - 38.9)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	640	11,300	23.6	(19.5 - 27.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	287	5,900	32.5	(25.4 - 39.5)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	194	3,700	19.5	(12.8 - 26.3)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	172	2,200	18.1	(11.9 - 24.2)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	202	5,300	43.5	(33.7 - 53.2)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	194	3,400	24.2	(16.8 - 31.7)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	87	800	9.8	(3.7 - 16.0)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	22.5	(18.2 - 26.7)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	257	22.1	(15.8 - 28.3)	14,566	18.6	(15.8 - 21.4)
Female	396	22.8	(17.2 - 28.4)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	640	22.1	(17.9 - 26.4)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	287	31.6	(24.0 - 39.1)	15,626	23.8	(20.1 - 27.4)
Some College	194	18.2	(11.4 - 25.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	172	16.0	(10.1 - 21.9)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	194	22.5	(14.9 - 30.2)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	87	16.6	(6.8 - 26.4)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	87	8.3	(3.0 - 13.6)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	4,800	9.7	(7.0 - 12.4)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	256	2,300	9.7	(5.5 - 14.0)	14,617	460,700	6.5	(5.3 - 7.7)
Female	397	2,500	9.6	(6.3 - 13.0)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	128	1,100	11.4	(5.4 - 17.5)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	153	900	12.3	(6.9 - 17.7)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	241	1,800	18.0	(12.8 - 23.2)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	639	4,400	9.2	(6.5 - 11.9)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	287	2,600	14.3	(9.3 - 19.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	194	1,700	9.0	(4.2 - 13.8)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	172	500	3.8	(1.4 - 6.2)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	201	2,500	20.9	(13.3 - 28.4)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	193	1,400	9.6	(4.2 - 15.0)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	8.7	(6.0 - 11.4)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	256	9.0	(4.7 - 13.2)	14,617	6.8	(5.5 - 8.0)
Female	397	8.5	(5.0 - 12.0)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	639	8.3	(5.6 - 11.0)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	287	13.6	(8.3 - 18.9)	15,711	10.3	(8.3 - 12.3)
Some College	194	7.8	(3.1 - 12.5)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	172	3.1	(1.1 - 5.1)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	201	18.6	(10.9 - 26.3)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	193	9.3	(3.5 - 15.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 53a. Disability among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	12,700	25.9	(21.7 - 30.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	257	6,000	25.1	(18.7 - 31.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	396	6,800	26.6	(21.3 - 32.0)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	58	2,200	15.5	(5.9 - 25.0)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	73	1,200	15.2	(7.0 - 23.4)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	128	2,600	27.5	(18.9 - 36.0)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	154	2,900	37.1	(28.4 - 45.9)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	240	3,900	38.9	(32.0 - 45.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	640	12,200	25.6	(21.4 - 29.8)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	287	6,500	35.8	(28.6 - 43.0)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	194	4,000	20.9	(14.0 - 27.8)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	172	2,300	18.8	(12.6 - 25.0)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	202	5,700	47.4	(37.5 - 57.3)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	194	3,600	25.2	(17.7 - 32.8)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	87	800	9.8	(3.7 - 16.0)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 53b. Disability among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	24.0	(19.7 - 28.3)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	257	23.2	(16.9 - 29.6)	14,568	20.9	(18.0 - 23.8)
Female	396	24.7	(19.0 - 30.5)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	640	23.7	(19.4 - 28.0)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	287	34.3	(26.7 - 42.0)	15,638	26.8	(23.0 - 30.6)
Some College	194	19.3	(12.4 - 26.2)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	172	16.6	(10.6 - 22.5)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	194	23.3	(15.7 - 31.0)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	87	18.0	(8.0 - 27.9)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	87	8.3	(3.0 - 13.6)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 54a. Current smoking among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	10,300	21.1	(16.7 - 25.5)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	256	6,100	25.6	(18.1 - 33.0)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	396	4,300	16.9	(12.3 - 21.5)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	72	1,400	17.6	(8.3 - 26.8)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	128	3,000	31.7	(22.5 - 40.9)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	154	1,900	24.3	(16.7 - 31.8)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	241	1,000	10.4	(5.9 - 14.9)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	638	10,000	21.2	(16.7 - 25.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	286	4,700	25.9	(18.9 - 32.9)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	195	4,100	21.6	(13.3 - 30.0)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	171	1,500	13.0	(7.4 - 18.6)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	202	3,500	28.7	(20.3 - 37.1)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	193	2,800	19.7	(12.3 - 27.0)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	87	1,200	15.6	(6.1 - 25.0)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	87	1,300	16.1	(7.4 - 24.8)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 54b. Current smoking among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	20.9	(16.3 - 25.5)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	256	25.0	(17.4 - 32.7)	14,559	19.2	(16.3 - 22.1)
Female	396	17.1	(11.9 - 22.2)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	638	20.9	(16.2 - 25.6)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	286	26.6	(19.1 - 34.2)	15,654	22.8	(19.5 - 26.0)
Some College	195	21.3	(12.8 - 29.9)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	171	11.8	(6.2 - 17.4)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	202	29.7	(20.3 - 39.1)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	193	19.0	(11.4 - 26.6)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	87	14.0	(4.8 - 23.2)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	87	15.7	(6.8 - 24.6)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 55a. Everyday smoking among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	7,900	16.2	(12.4 - 20.0)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	256	4,600	19.2	(13.0 - 25.5)	14,559	848,400	12.0	(10.0 - 14.1)
Female	396	3,400	13.4	(9.0 - 17.7)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	57	2,200	16.0	(6.5 - 25.5)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	128	2,700	28.6	(19.5 - 37.6)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	154	1,500	19.2	(12.1 - 26.3)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	241	500	5.0	(1.9 - 8.2)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	638	7,700	16.3	(12.5 - 20.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	286	4,100	22.6	(15.8 - 29.5)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	195	2,700	14.1	(7.8 - 20.4)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	171	1,200	9.8	(4.9 - 14.6)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	202	3,000	24.3	(16.2 - 32.4)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	193	2,400	16.6	(9.5 - 23.7)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	87	1,000	12.2	(3.5 - 20.9)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	87	900	11.1	(4.6 - 17.5)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 55b. Everyday smoking among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	16.1	(12.1 - 20.1)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	256	18.6	(12.2 - 24.9)	14,559	12.1	(10.1 - 14.1)
Female	396	13.8	(8.9 - 18.6)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	638	16.2	(12.1 - 20.2)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	286	23.3	(15.9 - 30.7)	15,654	16.4	(13.8 - 19.0)
Some College	195	14.3	(7.7 - 20.9)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	171	8.5	(4.0 - 13.0)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	202	25.9	(16.7 - 35.0)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	193	16.4	(9.0 - 23.7)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	87	10.4	(2.4 - 18.5)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	87	10.2	(4.0 - 16.5)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 56a. Adults living in homes in which smoking is prohibited¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	37,800	77.1	(73.0 - 81.3)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	256	18,200	77.0	(70.7 - 83.2)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	396	19,500	77.2	(71.7 - 82.8)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	73	6,600	83.0	(73.3 - 92.8)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	127	6,900	73.2	(64.8 - 81.5)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	154	5,300	68.3	(60.1 - 76.6)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	241	7,300	72.6	(66.0 - 79.2)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	638	36,700	77.2	(72.9 - 81.4)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	288	13,100	71.8	(65.2 - 78.3)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	192	14,700	78.4	(70.7 - 86.1)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	172	10,000	83.3	(76.8 - 89.8)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	201	8,600	71.9	(64.1 - 79.7)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	193	10,500	74.1	(66.2 - 82.0)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	87	7,400	88.9	(82.5 - 95.4)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	78.2	(73.8 - 82.6)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	256	77.9	(71.6 - 84.3)	14,577	79.4	(76.7 - 82.2)
Female	396	78.5	(72.4 - 84.5)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	638	78.3	(73.8 - 82.8)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	288	71.9	(64.8 - 79.0)	15,647	76.9	(73.8 - 80.0)
Some College	192	79.6	(71.6 - 87.7)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	172	85.1	(78.7 - 91.5)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	201	73.7	(65.4 - 81.9)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	193	74.2	(65.5 - 82.8)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	87	89.6	(83.0 - 96.2)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 57a. Binge drinking within the past month among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	9,400	19.2	(14.5 - 23.9)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	252	6,600	28.2	(20.2 - 36.2)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	395	2,800	10.9	(6.2 - 15.5)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	126	1,800	19.4	(11.6 - 27.1)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	154	1,100	14.3	(6.5 - 22.1)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	237	700	7.4	(3.7 - 11.2)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	633	9,100	19.2	(14.3 - 24.0)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	282	2,400	13.4	(8.0 - 18.7)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	193	5,100	27.0	(17.2 - 36.7)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	172	1,900	15.8	(8.8 - 22.9)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	198	1,000	8.2	(2.1 - 14.3)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	194	3,200	22.8	(15.0 - 30.6)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 57b. Binge drinking within the past month among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	20.2	(15.2 - 25.3)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	252	28.5	(20.2 - 36.8)	14,420	24.5	(21.0 - 27.9)
Female	395	12.6	(7.0 - 18.2)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	633	20.2	(15.0 - 25.4)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	282	13.9	(8.1 - 19.6)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	172	17.3	(9.2 - 25.4)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	198	8.4	(2.0 - 14.9)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	194	23.5	(15.0 - 32.0)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 58a. Heavy drinking within the past month among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	2,900	6.0	(3.1 - 8.8)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	252	1,900	8.0	(2.8 - 13.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	393	1,000	4.0	(1.7 - 6.4)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	237	800	7.8	(4.0 - 11.7)	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	631	2,800	5.9	(3.0 - 8.7)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	282	600	3.5	(1.4 - 5.6)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	191	1,500	7.9	(1.6 - 14.3)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	172	800	6.6	(2.0 - 11.3)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	193	1,100	7.8	(3.3 - 12.2)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 58b. Heavy drinking within the past month among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	5.8	(2.9 - 8.7)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	252	7.8	(2.5 - 13.1)	14,330	4.9	(3.9 - 5.9)
Female	393	3.9	(1.2 - 6.6)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	631	5.7	(2.7 - 8.7)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	282	3.3	(1.3 - 5.3)	15,411	4.3	(3.2 - 5.3)
Some College	191	7.5	(1.2 - 13.8)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	172	6.8	(1.4 - 12.1)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	193	7.4	(2.9 - 12.0)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	604	30,000	65.8	(60.2 - 71.4)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	242	15,700	70.7	(62.0 - 79.4)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	362	14,300	61.1	(53.9 - 68.3)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	113	6,000	70.3	(61.0 - 79.7)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	143	5,400	75.8	(67.6 - 84.1)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	224	7,800	82.5	(77.2 - 87.9)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	590	29,000	65.9	(60.2 - 71.5)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	259	11,500	68.0	(59.8 - 76.2)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	163	7,700	67.1	(58.0 - 76.1)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	184	9,400	69.4	(60.5 - 78.4)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	604	64.4	(58.4 - 70.3)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	242	70.2	(61.2 - 79.1)	13,299	67.9	(64.0 - 71.9)
Female	362	58.8	(50.9 - 66.8)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	590	64.4	(58.4 - 70.5)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	259	67.2	(58.3 - 76.1)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	163	65.6	(55.8 - 75.5)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	184	68.1	(58.4 - 77.9)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	382	25,300	74.4	(67.8 - 81.0)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	166	14,000	82.6	(74.0 - 91.2)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	216	11,300	66.3	(56.8 - 75.8)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	78	5,000	80.4	(71.0 - 89.8)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	90	4,200	89.8	(81.6 - 98.0)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	109	4,600	97.7	(95.3 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	373	24,300	73.7	(66.9 - 80.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	160	9,300	77.7	(67.9 - 87.5)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	382	72.7	(65.7 - 79.7)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	166	82.1	(73.2 - 91.0)	9,034	81.1	(77.4 - 84.8)
Female	*	*	*	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	373	72.0	(64.8 - 79.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	626	42,500	88.2	(85.1 - 91.3)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	248	20,900	89.2	(84.8 - 93.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	378	21,600	87.3	(83.0 - 91.6)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	58	12,600	89.2	(81.3 - 97.0)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	73	7,200	91.4	(84.7 - 98.0)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	126	8,400	89.1	(83.2 - 95.1)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	150	7,100	94.1	(90.3 - 97.9)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	219	7,200	78.4	(72.6 - 84.2)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	612	41,100	88.1	(84.9 - 91.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	269	13,900	79.4	(73.4 - 85.4)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	190	17,300	92.0	(87.0 - 97.0)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	167	11,300	95.4	(92.1 - 98.6)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	188	9,600	82.1	(75.5 - 88.8)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	187	12,300	88.5	(82.9 - 94.0)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	87	7,000	88.0	(78.2 - 97.9)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	85	8,000	97.7	(95.1 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	626	88.5	(85.3 - 91.8)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	248	89.2	(84.6 - 93.8)	13,893	89.1	(86.9 - 91.3)
Female	378	87.9	(83.3 - 92.6)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	612	88.5	(85.1 - 91.8)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	269	79.6	(73.0 - 86.2)	14,507	84.6	(81.8 - 87.4)
Some College	190	92.0	(86.8 - 97.3)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	167	95.7	(92.5 - 98.8)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	188	82.4	(75.1 - 89.7)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	187	89.0	(83.4 - 94.6)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	*	*	*	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	85	98.1	(95.9 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 62a. Overweight among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	15,500	32.4	(27.5 - 37.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	256	9,700	40.9	(33.0 - 48.9)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	379	5,800	24.0	(18.6 - 29.4)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	126	3,700	39.6	(30.1 - 49.1)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	148	2,900	39.4	(30.1 - 48.7)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	235	3,600	36.8	(29.6 - 43.9)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	621	15,000	32.5	(27.4 - 37.5)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	277	6,300	36.1	(28.7 - 43.6)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	193	5,200	27.5	(18.5 - 36.5)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	165	4,000	34.8	(26.2 - 43.5)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	199	2,600	21.3	(14.7 - 28.0)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	188	5,400	39.5	(30.3 - 48.7)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 62b. Overweight among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	31.5	(26.3 - 36.7)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	256	40.7	(32.4 - 48.9)	14,502	43.9	(40.1 - 47.6)
Female	379	22.4	(16.6 - 28.1)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	621	31.6	(26.3 - 36.9)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	277	35.7	(27.7 - 43.7)	15,079	35.2	(31.1 - 39.4)
Some College	193	25.2	(16.1 - 34.2)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	165	36.1	(26.6 - 45.5)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	199	19.8	(12.9 - 26.6)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	188	39.7	(29.9 - 49.5)	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 63a. Obesity among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	14,200	29.8	(25.2 - 34.4)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	256	6,800	28.9	(21.8 - 35.9)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	379	7,400	30.7	(24.7 - 36.7)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	126	2,900	31.4	(22.5 - 40.4)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	148	2,500	33.8	(25.4 - 42.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	235	2,900	29.3	(23.0 - 35.5)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	621	13,800	29.9	(25.2 - 34.6)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	277	6,200	35.3	(27.9 - 42.7)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	193	4,700	25.0	(17.5 - 32.5)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	165	3,400	29.3	(20.4 - 38.2)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	199	4,400	36.7	(27.4 - 46.0)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	188	4,300	31.6	(23.4 - 39.7)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	*	*	*	*	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 63b. Obesity among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	29.5	(24.6 - 34.5)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	256	28.6	(21.3 - 35.8)	14,502	21.5	(19.0 - 24.0)
Female	379	30.5	(23.8 - 37.2)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	621	29.6	(24.6 - 34.6)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	277	35.7	(27.7 - 43.7)	15,079	29.4	(25.4 - 33.3)
Some College	193	24.8	(17.0 - 32.7)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	165	28.5	(19.1 - 38.0)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	188	30.8	(22.1 - 39.5)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	*	*	*	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 64a. Overweight or obesity among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	29,700	62.2	(56.9 - 67.5)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	256	16,600	69.8	(62.1 - 77.5)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	379	13,100	54.7	(47.6 - 61.8)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	126	6,600	71.0	(62.6 - 79.5)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	148	5,400	73.1	(65.2 - 81.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	235	6,500	66.0	(59.2 - 72.8)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	621	28,900	62.4	(57.0 - 67.8)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	277	12,400	71.4	(64.2 - 78.7)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	193	9,900	52.5	(42.5 - 62.5)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	165	7,400	64.2	(55.5 - 72.8)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	188	9,700	71.0	(62.9 - 79.1)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 64b. Overweight or obesity among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	61.0	(55.2 - 66.8)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	256	69.2	(61.2 - 77.3)	14,502	65.4	(61.3 - 69.4)
Female	379	52.8	(44.9 - 60.7)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	621	61.2	(55.4 - 67.1)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	277	71.4	(63.5 - 79.3)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	165	64.6	(55.2 - 73.9)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	188	70.5	(61.4 - 79.6)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 65a. Received advice about weight by a health professional among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	11,600	24.3	(20.0 - 28.6)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	257	6,300	26.4	(19.5 - 33.2)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	379	5,300	22.3	(17.0 - 27.5)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	124	2,900	31.5	(22.5 - 40.6)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	148	1,700	23.0	(15.8 - 30.3)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	238	2,300	23.7	(17.5 - 29.9)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	622	11,100	23.9	(19.5 - 28.3)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	280	5,300	30.5	(23.0 - 37.9)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	192	3,100	16.7	(10.7 - 22.7)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	164	3,100	27.4	(18.7 - 36.1)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	200	3,600	29.4	(20.2 - 38.6)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	188	3,200	23.2	(15.6 - 30.8)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	*	*	*	*	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 65b. Received advice about weight by a health professional among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	24.4	(19.8 - 29.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	257	26.1	(19.0 - 33.3)	14,499	23.4	(20.5 - 26.3)
Female	379	22.7	(16.8 - 28.6)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	622	24.1	(19.4 - 28.8)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	280	31.3	(23.2 - 39.4)	15,116	27.3	(23.4 - 31.2)
Some College	192	16.8	(10.4 - 23.3)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	164	27.2	(17.9 - 36.4)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	188	22.8	(14.8 - 30.8)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	*	*	*	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	164	9,900	85.0	(77.0 - 93.0)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	158	9,400	85.1	(76.9 - 93.4)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	164	83.9	(75.1 - 92.6)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	158	83.9	(74.9 - 92.9)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 67a. No leisure-time physical activity among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	10,600	21.5	(17.7 - 25.3)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	257	5,500	23.0	(16.8 - 29.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	397	5,100	20.1	(15.6 - 24.7)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	73	1,500	18.8	(9.2 - 28.4)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	127	2,400	25.4	(17.2 - 33.6)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	154	1,800	23.2	(16.0 - 30.4)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	242	3,500	34.8	(28.0 - 41.6)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	640	10,400	21.8	(17.9 - 25.7)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	288	5,400	29.8	(23.3 - 36.2)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	195	3,100	16.5	(10.1 - 22.8)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	171	2,000	16.8	(10.2 - 23.4)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	202	4,300	35.6	(26.5 - 44.8)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	194	2,900	20.5	(13.7 - 27.3)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	88	1,300	16.1	(7.5 - 24.8)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	*	*	*	*	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 67b. No leisure-time physical activity among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	20.4	(16.4 - 24.4)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	257	22.9	(16.4 - 29.4)	14,602	20.9	(17.8 - 23.9)
Female	397	18.0	(13.3 - 22.7)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	640	20.7	(16.6 - 24.8)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	288	28.2	(21.4 - 35.0)	15,683	32.3	(28.3 - 36.4)
Some College	195	15.4	(9.0 - 21.7)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	171	17.0	(9.6 - 24.4)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	202	34.3	(24.5 - 44.1)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	194	19.8	(12.7 - 26.9)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	88	15.0	(6.4 - 23.6)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	*	*	*	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	655	10,400	21.1	(17.3 - 24.8)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	257	3,800	16.0	(11.2 - 20.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	398	6,600	25.8	(20.1 - 31.4)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	58	1,800	12.8	(4.6 - 21.0)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	128	1,400	15.3	(8.7 - 21.8)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	154	2,300	30.1	(21.7 - 38.5)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	242	2,700	26.3	(20.2 - 32.4)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	641	9,900	20.8	(17.0 - 24.6)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	288	2,900	15.7	(10.9 - 20.5)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	195	3,900	20.3	(13.4 - 27.3)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	172	3,600	30.3	(22.5 - 38.2)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	202	2,400	19.5	(12.3 - 26.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	194	2,600	18.2	(12.2 - 24.2)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	655	20.9	(16.8 - 25.0)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	257	16.2	(11.1 - 21.3)	14,634	22.7	(19.6 - 25.9)
Female	398	25.3	(19.1 - 31.5)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	641	20.8	(16.6 - 24.9)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	288	15.2	(9.9 - 20.4)	15,726	23.3	(19.3 - 27.3)
Some College	195	20.4	(12.9 - 27.8)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	172	30.2	(21.8 - 38.7)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	202	19.0	(11.2 - 26.9)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	194	17.7	(11.4 - 24.0)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 69a. Had a fall within the past 3 months among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	517	4,300	16.2	(12.7 - 19.7)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	194	2,100	16.3	(10.8 - 21.9)	10,966	489,400	14.4	(11.9 - 16.8)
Female	323	2,300	16.0	(11.6 - 20.5)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	127	1,800	19.0	(11.7 - 26.3)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	149	1,100	14.4	(8.4 - 20.4)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	241	1,500	14.8	(10.1 - 19.4)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	506	4,100	15.6	(12.2 - 19.1)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	246	2,100	17.5	(12.2 - 22.7)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	137	1,700	22.7	(14.6 - 30.9)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	134	500	7.4	(3.5 - 11.3)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	165	1,500	23.7	(16.5 - 31.0)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	158	1,300	14.2	(7.8 - 20.6)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	*	*	*	*	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 69b. Had a fall within the past 3 months among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	517	16.4	(12.8 - 20.1)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	194	16.4	(10.8 - 22.0)	10,966	15.0	(12.1 - 17.8)
Female	323	16.5	(11.7 - 21.2)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	506	15.9	(12.3 - 19.5)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	246	17.7	(12.3 - 23.2)	12,417	17.4	(13.0 - 21.7)
Some College	137	23.5	(14.9 - 32.0)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	134	7.1	(3.3 - 10.9)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	165	24.0	(16.5 - 31.5)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	158	14.8	(8.1 - 21.6)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	*	*	*	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Herkimer County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Herkimer County and New York State

	Herkimer County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	516	1,500	5.7	(3.5 - 8.0)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	194	500	4.2	(1.4 - 7.1)	10,957	120,000	3.5	(2.5 - 4.6)
Female	322	1,000	7.0	(3.6 - 10.5)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	127	900	9.1	(3.7 - 14.4)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	241	500	4.6	(1.9 - 7.3)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	505	1,400	5.4	(3.3 - 7.6)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	246	800	7.1	(3.6 - 10.5)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	137	600	7.9	(2.4 - 13.4)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	164	700	10.5	(5.1 - 15.9)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Herkimer County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Herkimer County and New York State - Age-Adjusted²

	Herkimer County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	516	6.0	(3.6 - 8.5)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	194	4.4	(1.4 - 7.4)	10,957	3.6	(2.4 - 4.7)
Female	322	7.5	(3.7 - 11.3)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	505	5.7	(3.4 - 8.0)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	246	7.3	(3.6 - 11.0)	12,404	5.2	(3.5 - 6.8)
Some College	137	8.3	(2.4 - 14.3)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	164	10.9	(5.1 - 16.7)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)