

New York State Expanded Behavioral Risk Factor Surveillance System

Monroe County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Monroe County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Monroe County and New York State	14
Table 2b. Fair or poor general health among adults in Monroe County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Monroe County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Monroe County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Monroe County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Monroe County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Monroe County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Monroe County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Monroe County and New York State	22
Table 6b. Health insurance among adults in Monroe County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Monroe County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Monroe County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Monroe County and New York State	26
Table 8b. No health insurance among adults in Monroe County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Monroe County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Monroe County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Monroe County and New York State	30
Table 10b. Adults with regular health care provider in Monroe County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Monroe County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Monroe County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Monroe County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Monroe County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Monroe County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Monroe County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Monroe County and New York State	38
Table 14b. Dentist visit within the past year among adults in Monroe County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Monroe County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Monroe County and New York State - Age-adjusted	41

Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Monroe County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Monroe County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Monroe County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Monroe County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Monroe County and New York State	46
Table 18b. Flu shot within the past 12 months in Monroe County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Monroe County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Monroe County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Monroe County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Monroe County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Monroe County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Monroe County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Monroe County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Monroe County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Monroe County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Monroe County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Monroe County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Monroe County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Monroe County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Monroe County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Monroe County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Monroe County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Monroe County and New York State	64
Table 27b. Ever had a Pap test among women in Monroe County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Monroe County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Monroe County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Monroe County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Monroe County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Monroe County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Monroe County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Monroe County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Monroe County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Monroe County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Monroe County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Monroe County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Monroe County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Monroe County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Monroe County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Monroe County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Monroe County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Monroe County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Monroe County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Monroe County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Monroe County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Monroe County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Monroe County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Monroe County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Monroe County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Monroe County and New York State	90
Table 40b. High blood pressure among adults in Monroe County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Monroe County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Monroe County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Monroe County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Monroe County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Monroe County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Monroe County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Monroe County and New York State	98
Table 44b. Cardiovascular disease among adults in Monroe County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Monroe County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Monroe County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Monroe County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Monroe County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Monroe County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Monroe County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Monroe County and New York State	106
Table 48b. Current asthma among adults in Monroe County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Monroe County and New York State	108
Table 49b. Chronic joint symptoms among adults in Monroe County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Monroe County and New York State	110
Table 50b. Arthritis among adults in Monroe County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Monroe County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Monroe County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Monroe County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Monroe County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Monroe County and New York State	116
Table 53b. Disability among adults in Monroe County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Monroe County and New York State	118
Table 54b. Current smoking among adults in Monroe County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Monroe County and New York State	120
Table 55b. Everyday smoking among adults in Monroe County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Monroe County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Monroe County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Monroe County and New York State	124
Table 57b. Binge drinking within the past month among adults in Monroe County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Monroe County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Monroe County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Monroe County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Monroe County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Monroe County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Monroe County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Monroe County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Monroe County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Monroe County and New York State	134
Table 62b. Overweight among adults in Monroe County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Monroe County and New York State	136
Table 63b. Obesity among adults in Monroe County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Monroe County and New York State	138
Table 64b. Overweight or obesity among adults in Monroe County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Monroe County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Monroe County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Monroe County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Monroe County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Monroe County and New York State	144
Table 67b. No leisure-time physical activity among adults in Monroe County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Monroe County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Monroe County and New York State - Age-adjusted 147

Injury

Table 69a. Had a fall within the past 3 months among adults in Monroe County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Monroe County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Monroe County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Monroe County and New York State - Age-adjusted 151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 1. Monroe County and New York State adult US Census Bureau population estimates,¹ 2007

	Monroe County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	562,119	100	14,884,315	100
Gender				
Male	268,170	47.7	7,103,791	47.7
Female	293,949	52.3	7,780,524	52.3
Age (years)				
18-34	167,188	29.7	4,497,479	30.2
35-44	99,891	17.8	2,844,115	19.1
45-54	111,744	19.9	2,854,316	19.2
55-64	85,439	15.2	2,142,000	14.4
≥ 65	97,857	17.4	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	446,780	79.5	9,343,884	62.8
Black Non-Hispanic	69,997	12.5	2,156,941	14.5
Hispanic	27,114	4.8	2,258,717	15.2
Other Non-Hispanic	18,228	3.2	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 2a. Fair or poor general health among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	81,900	14.6	(11.3 - 17.8)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	261	41,300	15.4	(10.3 - 20.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	407	40,600	13.8	(9.7 - 17.9)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	88	18,400	18.4	(8.9 - 27.9)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	140	17,300	15.5	(8.2 - 22.8)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	157	15,100	17.6	(10.4 - 24.8)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	215	22,500	23.0	(16.4 - 29.5)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	600	52,800	11.8	(8.9 - 14.7)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	192	46,700	25.7	(18.0 - 33.5)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	173	17,900	12.0	(5.9 - 18.1)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	301	17,200	7.5	(4.3 - 10.6)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	163	14,600	11.0	(6.0 - 15.9)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	166	9,100	6.2	(1.9 - 10.5)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 2b. Fair or poor general health among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	14.6	(11.2 - 17.9)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	261	15.5	(10.4 - 20.6)	14,599	15.3	(12.6 - 18.0)
Female	407	13.7	(9.3 - 18.1)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	600	11.9	(8.9 - 14.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	192	25.5	(17.6 - 33.4)	15,682	25.8	(22.1 - 29.5)
Some College	173	12.7	(5.9 - 19.4)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	301	7.4	(4.2 - 10.7)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	163	11.2	(5.9 - 16.6)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	166	5.9	(1.9 - 9.9)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	63,000	11.4	(8.4 - 14.5)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	253	30,200	11.5	(6.6 - 16.3)	14,325	604,200	8.7	(7.0 - 10.5)
Female	398	32,800	11.4	(7.6 - 15.2)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	87	15,400	15.6	(7.0 - 24.1)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	138	15,100	13.8	(6.8 - 20.7)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	157	13,600	15.9	(9.4 - 22.4)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	201	7,200	8.1	(4.2 - 11.9)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	588	48,400	11.0	(7.8 - 14.2)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	182	33,700	19.4	(12.0 - 26.8)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	169	14,000	9.5	(4.2 - 14.8)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	299	15,300	6.7	(3.4 - 9.9)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	138	26,900	22.4	(13.4 - 31.4)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	159	20,800	16.1	(8.3 - 23.9)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	11.4	(8.2 - 14.5)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	253	11.4	(6.5 - 16.2)	14,325	8.7	(6.9 - 10.5)
Female	398	11.3	(7.2 - 15.4)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	588	10.8	(7.5 - 14.1)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	182	19.5	(11.9 - 27.0)	15,178	12.7	(10.2 - 15.1)
Some College	169	9.9	(4.0 - 15.7)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	299	6.4	(3.0 - 9.7)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	138	22.2	(13.0 - 31.5)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	159	16.1	(7.9 - 24.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	654	66,400	12.0	(8.7 - 15.3)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	257	27,800	10.5	(5.6 - 15.3)	14,407	555,200	7.9	(6.3 - 9.6)
Female	397	38,600	13.4	(8.9 - 17.8)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	68	18,900	11.3	(4.4 - 18.2)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	87	19,700	20.0	(10.1 - 29.9)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	138	16,800	15.2	(7.8 - 22.7)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	153	8,500	10.1	(4.5 - 15.8)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	589	49,200	11.1	(7.8 - 14.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	187	30,700	17.3	(10.1 - 24.4)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	170	17,500	11.9	(5.5 - 18.3)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	295	18,200	8.0	(3.9 - 12.0)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	141	32,900	27.0	(17.0 - 37.0)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	159	10,000	7.6	(2.8 - 12.4)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	654	12.4	(8.9 - 15.9)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	257	10.5	(5.5 - 15.5)	14,407	7.9	(6.3 - 9.6)
Female	397	14.1	(9.2 - 19.0)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	589	11.4	(7.9 - 14.9)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	187	17.7	(10.3 - 25.2)	15,335	12.3	(10.0 - 14.6)
Some College	170	12.4	(5.4 - 19.5)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	295	8.3	(4.0 - 12.6)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	159	7.4	(2.4 - 12.4)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	108,600	19.7	(15.8 - 23.7)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	253	44,900	17.0	(11.2 - 22.9)	14,231	937,700	13.6	(11.4 - 15.8)
Female	395	63,700	22.2	(16.9 - 27.5)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	68	27,200	16.2	(7.8 - 24.7)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	137	25,700	23.6	(15.1 - 32.1)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	154	18,500	21.9	(14.6 - 29.2)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	201	8,600	9.6	(5.4 - 13.7)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	586	82,400	18.7	(14.7 - 22.8)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	182	50,600	29.2	(20.3 - 38.0)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	169	27,700	18.8	(11.3 - 26.3)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	296	30,300	13.2	(8.4 - 18.0)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	158	26,300	20.4	(11.9 - 28.8)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	102	12,400	14.9	(6.1 - 23.8)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	164	17,000	11.6	(5.6 - 17.6)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	20.0	(15.9 - 24.2)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	253	17.3	(11.2 - 23.3)	14,231	13.6	(11.4 - 15.8)
Female	395	22.6	(16.8 - 28.3)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	586	18.9	(14.7 - 23.2)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	182	29.5	(20.3 - 38.6)	15,018	20.1	(17.1 - 23.1)
Some College	169	19.6	(11.4 - 27.8)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	296	13.4	(8.2 - 18.5)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	158	20.0	(11.3 - 28.7)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	102	14.6	(5.5 - 23.6)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	164	12.3	(5.8 - 18.8)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 6a. Health insurance among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	501,200	89.3	(84.9 - 93.7)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	261	242,100	90.3	(84.4 - 96.1)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	406	259,100	88.3	(81.8 - 94.8)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	88	90,900	91.0	(84.1 - 98.0)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	139	105,800	95.2	(91.4 - 99.0)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	157	79,900	93.5	(89.1 - 97.9)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	215	96,400	98.5	(97.1 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	599	411,500	92.2	(88.5 - 95.9)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	173	129,000	86.5	(77.7 - 95.4)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	300	220,100	95.5	(92.1 - 98.8)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	144	101,200	81.7	(72.6 - 90.8)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	101	78,500	95.6	(90.7 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	166	143,800	97.7	(93.7 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 6b. Health insurance among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	88.9	(84.3 - 93.5)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	261	90.3	(84.5 - 96.1)	14,597	83.6	(79.7 - 87.5)
Female	406	87.6	(80.5 - 94.6)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	599	91.9	(87.9 - 95.9)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,673	80.1	(75.4 - 84.7)
Some College	173	85.6	(76.0 - 95.2)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	300	95.5	(91.9 - 99.1)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	144	81.1	(71.6 - 90.6)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	101	96.0	(91.3 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	166	97.5	(93.1 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 7a. Health insurance among adults aged 18-64¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	398,000	87.2	(81.8 - 92.5)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	174	200,400	88.6	(81.8 - 95.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	265	197,600	85.7	(77.7 - 93.8)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	88	90,900	91.0	(84.1 - 98.0)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	137	104,200	95.1	(91.3 - 99.0)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	146	74,600	93.4	(88.8 - 98.1)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	389	321,500	90.7	(86.1 - 95.3)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	215	182,800	95.2	(91.2 - 99.2)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	77	68,300	95.0	(89.4 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	140	130,400	97.4	(93.1 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 7b. Health insurance among adults aged 18-64¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	86.8	(81.2 - 92.3)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	174	88.4	(81.4 - 95.4)	10,078	80.5	(75.9 - 85.1)
Female	265	85.3	(76.8 - 93.7)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	389	90.2	(85.3 - 95.2)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	215	95.2	(91.0 - 99.4)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	77	95.5	(90.2 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	140	97.2	(92.4 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 8a. No health insurance among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	60,300	10.7	(6.3 - 15.1)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	261	26,000	9.7	(3.9 - 15.6)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	406	34,300	11.7	(5.2 - 18.2)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	157	5,600	6.5	(2.1 - 10.9)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	599	34,700	7.8	(4.1 - 11.5)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	173	20,100	13.5	(4.6 - 22.3)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	300	10,400	4.5	(1.2 - 7.9)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	144	22,700	18.3	(9.2 - 27.4)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 8b. No health insurance among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	11.1	(6.5 - 15.7)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	261	9.7	(3.9 - 15.5)	14,597	16.4	(12.5 - 20.3)
Female	406	12.4	(5.4 - 19.5)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	599	8.1	(4.1 - 12.1)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,673	19.9	(15.3 - 24.6)
Some College	173	14.4	(4.8 - 24.0)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	300	4.5	(0.9 - 8.1)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	144	18.9	(9.4 - 28.4)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 9a. No health insurance among adults aged 18-64¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	439	58,600	12.8	(7.5 - 18.2)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	174	25,700	11.4	(4.5 - 18.2)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	265	32,900	14.3	(6.2 - 22.3)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	389	33,000	9.3	(4.7 - 13.9)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 9b. No health insurance among adults aged 18-64¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	439	13.2	(7.7 - 18.8)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	174	11.6	(4.6 - 18.6)	10,078	19.5	(14.9 - 24.1)
Female	265	14.7	(6.3 - 23.2)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	389	9.8	(4.8 - 14.7)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 10a. Adults with regular health care provider¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	511,100	91.1	(86.7 - 95.4)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	261	238,900	89.1	(82.8 - 95.4)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	406	272,200	92.9	(86.8 - 98.9)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	88	93,800	93.9	(87.2 - 100)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	140	108,200	96.8	(93.3 - 100)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	157	80,700	94.4	(90.0 - 98.9)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	214	95,800	98.7	(97.4 - 100)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	599	416,200	93.3	(89.7 - 97.0)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	173	142,100	95.3	(88.1 - 100)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	301	220,000	95.2	(91.4 - 99.0)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	143	107,700	87.5	(79.2 - 95.8)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	102	82,700	100	(100 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	166	141,500	96.1	(91.4 - 100)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 10b. Adults with regular health care provider¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	90.9	(86.4 - 95.4)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	261	89.1	(82.9 - 95.4)	14,593	78.1	(73.9 - 82.3)
Female	406	92.5	(85.9 - 99.0)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	599	93.1	(89.2 - 97.0)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,692	75.8	(71.0 - 80.6)
Some College	173	94.9	(86.9 - 100)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	301	95.3	(91.3 - 99.2)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	143	87.5	(79.0 - 96.0)	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	102	100	(100 - 100)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	166	96.3	(91.6 - 100)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	47,000	8.4	(5.0 - 11.7)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	260	26,900	10.0	(4.0 - 16.0)	14,607	903,300	12.7	(9.5 - 16.0)
Female	407	20,100	6.9	(3.6 - 10.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	140	12,200	10.9	(4.3 - 17.6)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	157	6,500	7.6	(2.9 - 12.3)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	599	26,600	6.0	(3.3 - 8.6)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	191	19,700	10.9	(3.7 - 18.0)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	173	18,700	12.5	(4.4 - 20.7)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	301	8,600	3.7	(1.4 - 6.0)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	144	25,400	20.5	(10.9 - 30.1)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	163	11,900	9.0	(0.7 - 17.2)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	8.5	(5.0 - 12.0)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	260	10.2	(4.0 - 16.3)	14,607	12.5	(9.4 - 15.6)
Female	407	7.0	(3.5 - 10.5)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	599	5.9	(3.2 - 8.6)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	191	10.5	(3.4 - 17.6)	15,696	17.8	(13.8 - 21.7)
Some College	173	13.4	(4.6 - 22.3)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	301	3.8	(1.4 - 6.2)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	163	8.4	(0.4 - 16.5)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	386,800	69.0	(64.1 - 73.9)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	261	177,300	66.1	(58.4 - 73.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	405	209,500	71.6	(65.3 - 77.9)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	139	71,900	64.8	(55.6 - 74.0)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	156	62,200	73.2	(65.4 - 81.0)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	215	84,900	86.8	(81.9 - 91.6)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	598	292,400	65.7	(60.3 - 71.0)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	137,900	76.4	(68.3 - 84.5)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	300	147,300	63.9	(57.0 - 70.7)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	166	93,400	63.4	(54.2 - 72.7)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	68.3	(63.1 - 73.5)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	261	65.8	(58.0 - 73.5)	14,592	67.1	(63.3 - 70.9)
Female	405	70.6	(63.8 - 77.5)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	598	64.9	(59.3 - 70.4)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	191	76.3	(67.9 - 84.7)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	300	63.3	(56.1 - 70.4)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	166	63.1	(53.5 - 72.6)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	471,500	84.1	(80.4 - 87.8)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	261	215,000	80.2	(73.7 - 86.6)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	405	256,500	87.7	(83.9 - 91.5)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	68	140,500	84.1	(75.1 - 93.0)	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	88	77,600	77.7	(68.0 - 87.4)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	139	89,400	80.7	(73.1 - 88.2)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	156	72,300	85.1	(79.0 - 91.2)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	215	91,700	93.7	(90.1 - 97.2)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	598	364,800	81.9	(77.7 - 86.1)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	152,000	84.1	(77.0 - 91.2)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	173	128,700	86.4	(79.1 - 93.6)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	300	190,300	82.5	(77.2 - 87.9)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	144	101,400	81.9	(73.0 - 90.8)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	162	111,700	84.4	(76.8 - 92.1)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	102	72,100	87.2	(79.9 - 94.5)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	166	116,600	79.2	(71.2 - 87.3)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	83.8	(79.9 - 87.7)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	261	79.7	(73.1 - 86.4)	14,592	81.9	(78.4 - 85.3)
Female	405	87.5	(83.5 - 91.6)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	598	81.6	(77.3 - 86.0)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	191	83.5	(76.0 - 90.9)	15,640	84.6	(81.1 - 88.1)
Some College	173	86.0	(78.4 - 93.7)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	300	82.6	(77.1 - 88.1)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	144	81.7	(72.4 - 90.9)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	162	84.1	(76.2 - 92.1)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	102	86.6	(78.7 - 94.5)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	166	79.1	(70.8 - 87.4)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 14a. Dentist visit within the past year among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	437,500	78.1	(73.5 - 82.6)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	260	201,600	75.7	(68.0 - 83.3)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	407	235,900	80.2	(75.1 - 85.4)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	140	98,100	87.8	(81.4 - 94.2)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	157	75,100	87.9	(82.5 - 93.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	215	79,700	81.4	(75.5 - 87.3)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	599	372,000	83.6	(79.7 - 87.5)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	125,400	69.7	(60.1 - 79.4)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	173	112,200	75.3	(65.9 - 84.7)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	301	199,400	86.3	(81.1 - 91.4)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	102	76,000	91.9	(86.4 - 97.4)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	166	131,900	89.6	(83.2 - 96.0)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 14b. Dentist visit within the past year among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	77.7	(73.0 - 82.4)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	260	75.4	(67.8 - 83.0)	14,573	68.3	(64.6 - 72.1)
Female	407	79.8	(74.3 - 85.4)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	599	83.0	(78.8 - 87.2)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	191	69.6	(59.8 - 79.4)	15,613	65.3	(60.9 - 69.6)
Some College	173	74.6	(64.9 - 84.4)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	301	85.9	(80.4 - 91.3)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	102	91.5	(85.5 - 97.6)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	166	88.9	(82.0 - 95.7)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	633	415,600	77.0	(72.0 - 82.0)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	247	191,400	74.1	(66.2 - 82.1)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	386	224,200	79.6	(73.5 - 85.7)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	133	94,600	89.3	(83.8 - 94.7)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	152	71,500	87.3	(81.7 - 92.8)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	195	75,500	84.2	(78.2 - 90.1)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	567	352,400	82.5	(77.9 - 87.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	292	194,400	85.9	(80.7 - 91.2)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	98	74,100	91.5	(85.5 - 97.4)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	166	127,500	86.6	(79.8 - 93.4)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 15b. Had teeth cleaned within the past year among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	633	76.4	(71.3 - 81.6)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	247	73.6	(65.6 - 81.6)	13,173	69.2	(65.3 - 73.1)
Female	386	79.0	(72.4 - 85.6)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	567	81.7	(76.7 - 86.6)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	292	85.6	(80.0 - 91.1)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	98	91.4	(85.2 - 97.7)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	166	85.9	(78.6 - 93.1)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	242,900	43.6	(38.4 - 48.8)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	257	101,400	38.2	(30.7 - 45.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	401	141,500	48.5	(41.7 - 55.2)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	138	45,800	41.5	(32.1 - 50.9)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	155	51,400	61.1	(52.6 - 69.6)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	209	68,400	71.5	(64.5 - 78.4)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	591	184,900	41.8	(36.7 - 46.8)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	298	69,200	30.1	(24.2 - 36.1)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	165	38,100	26.0	(18.0 - 33.9)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	42.5	(37.2 - 47.8)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	257	38.2	(30.6 - 45.8)	14,457	47.9	(44.1 - 51.7)
Female	401	46.4	(39.2 - 53.7)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	591	40.5	(35.3 - 45.7)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	298	28.7	(22.7 - 34.8)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	165	25.2	(17.1 - 33.3)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	209	7,600	7.9	(4.1 - 11.7)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	*	*	*	*	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	209	7,600	7.9	(4.1 - 11.7)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	193	7,600	9.0	(4.7 - 13.3)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	209	8.1	(4.2 - 12.0)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	*	*	*	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	193	9.1	(4.8 - 13.5)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 18a. Flu shot within the past 12 months¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	278,300	49.5	(44.3 - 54.8)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	261	125,200	46.7	(38.6 - 54.8)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	407	153,100	52.1	(45.3 - 58.9)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	219	111,900	34.9	(27.1 - 42.8)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	234	83,200	57.8	(50.6 - 64.9)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	215	83,200	85.0	(79.7 - 90.4)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	600	228,400	51.1	(45.8 - 56.4)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	173	57,700	38.7	(28.9 - 48.5)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	301	126,700	54.8	(47.7 - 61.9)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	166	71,800	48.8	(39.5 - 58.1)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 18b. Flu shot within the past 12 months¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	48.4	(43.0 - 53.8)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	261	46.8	(38.7 - 55.0)	14,579	40.0	(36.2 - 43.8)
Female	407	49.8	(42.6 - 57.0)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	600	49.8	(44.3 - 55.3)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	301	53.8	(46.4 - 61.1)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	166	48.1	(38.5 - 57.6)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	279,500	49.7	(44.5 - 55.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	261	125,900	47.0	(38.9 - 55.1)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	407	153,600	52.2	(45.5 - 59.0)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	219	111,900	34.9	(27.1 - 42.8)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	234	83,200	57.8	(50.6 - 64.9)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	215	84,400	86.2	(81.1 - 91.4)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	600	229,200	51.3	(46.0 - 56.6)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	173	57,700	38.7	(28.9 - 48.5)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	301	126,700	54.8	(47.7 - 61.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	166	71,800	48.8	(39.5 - 58.1)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	48.6	(43.2 - 54.0)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	261	47.1	(39.0 - 55.3)	14,568	40.4	(36.6 - 44.2)
Female	407	50.0	(42.7 - 57.2)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	600	50.0	(44.5 - 55.5)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	301	53.8	(46.4 - 61.1)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	166	48.1	(38.5 - 57.6)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 21a. Flu shot among adults aged 65 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	215	83,200	85.0	(79.7 - 90.4)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	84	32,500	80.8	(71.8 - 89.8)	4,417	772,900	74.6	(69.3 - 79.8)
Female	131	50,700	88.0	(81.4 - 94.6)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	215	83,200	85.0	(79.7 - 90.4)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	199	74,200	86.0	(80.9 - 91.2)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	83	34,000	82.2	(72.8 - 91.6)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	80	31,400	87.3	(79.7 - 95.0)	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 21b. Flu shot among adults aged 65 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	215	84.6	(79.1 - 90.1)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	84	80.7	(71.7 - 89.7)	4,417	74.4	(68.7 - 80.1)
Female	131	88.2	(81.7 - 94.6)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	199	85.2	(79.7 - 90.7)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	83	81.1	(71.4 - 90.8)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	80	87.4	(79.7 - 95.0)	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	605	136,000	27.3	(22.7 - 31.9)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	226	57,600	24.8	(17.4 - 32.2)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	379	78,400	29.5	(23.8 - 35.2)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	193	43,200	15.5	(8.7 - 22.4)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	212	27,300	21.1	(14.9 - 27.2)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	200	65,600	71.8	(64.6 - 79.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	542	108,200	27.8	(23.6 - 32.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	178	54,800	32.8	(23.3 - 42.4)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	155	35,100	27.3	(18.1 - 36.6)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	270	45,900	22.7	(17.1 - 28.2)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	135	34,000	29.2	(19.9 - 38.5)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	89	13,100	19.1	(10.9 - 27.4)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	148	21,900	16.5	(9.5 - 23.4)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	605	26.5	(21.9 - 31.2)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	226	25.4	(18.0 - 32.8)	13,052	25.8	(22.3 - 29.4)
Female	379	27.5	(21.6 - 33.4)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	542	27.1	(22.7 - 31.5)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	178	32.1	(22.5 - 41.7)	14,700	29.5	(25.6 - 33.5)
Some College	155	25.4	(16.1 - 34.7)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	270	22.7	(16.8 - 28.5)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	135	28.4	(18.7 - 38.0)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	89	18.5	(10.1 - 26.9)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	148	16.3	(9.1 - 23.4)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	200	65,600	71.8	(64.6 - 79.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	124	41,500	76.1	(67.4 - 84.7)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	200	65,600	71.8	(64.6 - 79.0)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	186	60,100	74.4	(67.4 - 81.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	200	71.3	(63.9 - 78.6)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	124	76.1	(67.5 - 84.7)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	186	73.9	(66.8 - 81.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	336	173,200	93.2	(89.6 - 96.9)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	336	173,200	93.2	(89.6 - 96.9)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	70	49,800	86.9	(77.1 - 96.6)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	136	67,800	95.0	(90.3 - 99.6)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	130	55,600	97.5	(94.9 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	308	151,800	92.9	(88.9 - 96.9)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	101	50,800	90.2	(82.6 - 97.8)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	89	42,800	91.1	(81.7 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	145	79,300	96.5	(93.2 - 99.9)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	70	34,300	95.3	(89.3 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	80	37,800	91.5	(83.3 - 99.8)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	51	27,400	96.9	(92.4 - 100)	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	82	48,900	92.9	(84.6 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	336	92.8	(88.6 - 96.9)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	336	92.8	(88.6 - 96.9)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	308	92.6	(88.1 - 97.0)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	101	89.6	(81.6 - 97.7)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	145	96.7	(93.5 - 99.9)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	70	94.2	(86.5 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	80	91.3	(82.8 - 99.9)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	51	96.9	(92.4 - 100)	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	82	92.1	(82.2 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	334	159,300	86.0	(81.5 - 90.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	334	159,300	86.0	(81.5 - 90.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	136	61,300	85.8	(79.0 - 92.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	128	50,700	89.9	(85.1 - 94.6)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	306	139,400	85.6	(80.8 - 90.4)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	100	45,700	81.6	(72.7 - 90.4)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	144	73,400	89.7	(84.0 - 95.3)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	69	31,000	87.0	(78.7 - 95.3)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	80	36,300	87.7	(78.9 - 96.5)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	82	46,100	87.6	(78.4 - 96.8)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	334	86.0	(81.2 - 90.8)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	334	86.0	(81.2 - 90.8)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	306	85.8	(80.7 - 90.9)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	100	81.3	(72.2 - 90.5)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	144	90.5	(85.2 - 95.9)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	69	86.5	(77.3 - 95.7)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	80	87.7	(78.8 - 96.7)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	264	112,000	87.6	(83.3 - 92.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	264	112,000	87.6	(83.3 - 92.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	136	61,300	85.8	(79.0 - 92.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	128	50,700	89.9	(85.1 - 94.6)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	243	98,900	86.9	(82.2 - 91.5)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	86	37,700	82.2	(73.0 - 91.4)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	72	29,200	91.0	(84.7 - 97.4)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	105	44,800	90.3	(84.4 - 96.2)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	55	21,800	89.4	(82.0 - 96.8)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	70	28,700	88.0	(79.0 - 97.0)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	264	87.4	(83.0 - 91.9)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	264	87.4	(83.0 - 91.9)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	243	86.8	(82.1 - 91.5)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	86	81.6	(72.2 - 91.1)	7,026	83.6	(80.1 - 87.0)
Some College	72	91.0	(84.7 - 97.4)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	105	90.4	(84.6 - 96.2)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	55	89.5	(82.1 - 96.8)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	70	87.4	(77.8 - 96.9)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 27a. Ever had a Pap test among women¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	401	269,700	92.7	(86.9 - 98.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	401	269,700	92.7	(86.9 - 98.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	51	48,700	95.8	(87.9 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	87	57,100	98.5	(95.5 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	95	42,800	97.8	(94.4 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	128	54,900	97.5	(94.2 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	357	226,700	97.3	(94.6 - 100)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	109	73,900	92.5	(82.9 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	177	120,800	95.4	(89.8 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	98	66,300	95.7	(89.1 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	60	42,500	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	93	66,900	95.7	(87.7 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 27b. Ever had a Pap test among women¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	401	92.3	(86.0 - 98.5)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	401	92.3	(86.0 - 98.5)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	357	97.3	(94.3 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	177	95.2	(89.0 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	98	95.6	(88.6 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	60	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	93	95.3	(86.4 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	395	232,500	80.6	(73.8 - 87.4)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	395	232,500	80.6	(73.8 - 87.4)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	51	46,000	90.6	(81.3 - 99.9)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	86	50,100	87.2	(79.2 - 95.2)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	94	40,000	92.0	(85.4 - 98.6)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	124	38,700	70.9	(62.3 - 79.6)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	351	193,800	84.1	(78.2 - 90.0)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	176	112,300	88.9	(82.1 - 95.8)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	60	38,900	91.6	(84.2 - 99.0)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	93	65,000	93.1	(84.7 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 28b. Had a Pap test within the past 3 years among women¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	395	80.6	(73.3 - 87.9)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	395	80.6	(73.3 - 87.9)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	351	84.3	(77.8 - 90.7)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	176	89.1	(81.8 - 96.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	60	92.4	(85.5 - 99.3)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	93	93.1	(84.1 - 100)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	218	143,800	86.8	(81.5 - 92.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	218	143,800	86.8	(81.5 - 92.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	52	46,400	87.2	(78.2 - 96.2)	3,098	922,800	66.8	(59.9 - 73.8)
55-64	59	36,400	90.4	(83.5 - 97.2)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	84	40,000	99.4	(98.2 - 100)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	205	127,300	86.1	(80.3 - 91.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	106	67,300	88.4	(81.8 - 94.9)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	218	86.1	(80.1 - 92.0)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	218	86.1	(80.1 - 92.0)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	205	85.1	(78.7 - 91.5)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	106	88.0	(80.9 - 95.1)	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	216	118,700	71.9	(64.9 - 79.0)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	216	118,700	71.9	(64.9 - 79.0)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	83	35,100	87.8	(80.3 - 95.3)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	203	105,800	71.8	(64.5 - 79.1)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	105	57,300	75.6	(66.6 - 84.6)	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	216	71.5	(64.2 - 78.9)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	216	71.5	(64.2 - 78.9)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	203	71.0	(63.3 - 78.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	105	75.5	(66.3 - 84.6)	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	212	105,300	65.0	(57.0 - 73.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	212	105,300	65.0	(57.0 - 73.0)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	81	35,500	90.4	(82.9 - 98.0)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	199	93,300	64.7	(56.5 - 72.8)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	212	64.5	(56.3 - 72.7)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	212	64.5	(56.3 - 72.7)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	199	63.5	(55.0 - 71.9)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	88,300	55.6	(47.4 - 63.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	208	88,300	55.6	(47.4 - 63.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	80	33,500	87.0	(78.7 - 95.4)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	196	77,500	54.6	(46.3 - 62.9)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	55.5	(47.1 - 64.0)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	208	55.5	(47.1 - 64.0)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	196	53.9	(45.4 - 62.3)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 33a. Prostate cancer among men aged 40 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	220	10,400	6.2	(3.0 - 9.4)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	220	10,400	6.2	(3.0 - 9.4)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	207	8,200	5.5	(2.5 - 8.5)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 33b. Prostate cancer among men aged 40 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	220	6.6	(3.2 - 10.0)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	220	6.6	(3.2 - 10.0)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	207	6.0	(2.8 - 9.3)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	443	110,500	46.1	(40.8 - 51.4)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	172	52,700	48.9	(40.3 - 57.5)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	271	57,800	43.8	(37.3 - 50.4)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	231	54,200	37.9	(30.8 - 45.1)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	212	56,300	58.2	(50.9 - 65.6)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	411	101,700	47.1	(41.6 - 52.6)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	139	36,300	45.6	(36.2 - 55.0)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	193	49,500	46.4	(38.4 - 54.5)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	120	30,700	52.2	(42.2 - 62.2)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	443	46.4	(41.1 - 51.7)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	172	49.6	(41.1 - 58.0)	9,571	39.4	(35.3 - 43.5)
Female	271	43.5	(36.9 - 50.0)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	411	47.1	(41.6 - 52.7)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	139	45.2	(35.9 - 54.6)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	193	47.3	(39.2 - 55.4)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	435	42,300	17.9	(13.9 - 21.9)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	171	22,800	21.3	(14.6 - 28.1)	9,508	444,400	16.0	(13.2 - 18.9)
Female	264	19,500	15.0	(10.4 - 19.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	227	21,000	14.9	(9.8 - 20.0)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	208	21,300	22.4	(16.2 - 28.6)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	403	38,600	18.1	(14.0 - 22.3)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	137	16,600	21.1	(13.1 - 29.1)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	110	9,600	18.1	(10.6 - 25.5)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	187	16,100	15.4	(10.0 - 20.9)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	118	13,200	22.7	(14.3 - 31.1)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	65	5,400	15.3	(6.0 - 24.6)	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	88	7,800	13.8	(6.7 - 21.0)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	435	18.0	(14.0 - 22.0)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	171	21.4	(14.7 - 28.0)	9,508	16.4	(13.2 - 19.6)
Female	264	14.9	(10.3 - 19.5)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	403	18.1	(14.0 - 22.2)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	137	21.0	(13.1 - 28.8)	11,026	12.7	(9.2 - 16.1)
Some College	110	17.3	(10.1 - 24.5)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	187	16.1	(10.5 - 21.7)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	118	23.1	(14.5 - 31.8)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	65	15.5	(6.2 - 24.9)	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	88	14.4	(6.9 - 21.9)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	435	54,800	23.2	(18.8 - 27.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	171	29,200	27.2	(19.8 - 34.6)	9,508	593,100	21.4	(18.3 - 24.5)
Female	264	25,600	19.8	(14.7 - 24.9)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	227	26,200	18.5	(12.8 - 24.1)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	208	28,600	30.1	(23.3 - 36.9)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	403	50,700	23.8	(19.2 - 28.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	137	21,100	26.8	(18.4 - 35.3)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	110	12,500	23.5	(15.3 - 31.7)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	187	21,200	20.2	(14.0 - 26.5)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	118	16,100	27.7	(18.8 - 36.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	88	10,300	18.3	(9.6 - 27.0)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	435	23.5	(19.1 - 28.0)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	171	27.8	(20.4 - 35.2)	9,508	21.7	(18.3 - 25.1)
Female	264	19.6	(14.6 - 24.7)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	403	24.0	(19.4 - 28.7)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	137	26.8	(18.3 - 35.2)	11,026	19.5	(15.4 - 23.7)
Some College	110	23.2	(15.1 - 31.3)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	187	21.2	(14.7 - 27.7)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	118	27.8	(18.8 - 36.8)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	88	19.5	(10.3 - 28.7)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	445	161,700	67.5	(62.5 - 72.4)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	171	77,500	72.6	(65.2 - 80.1)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	274	84,200	63.3	(56.8 - 69.9)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	155	62,000	73.2	(65.3 - 81.0)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	213	66,500	69.1	(62.0 - 76.1)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	413	148,900	68.9	(63.8 - 73.9)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	139	44,600	56.5	(47.0 - 66.0)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	111	39,600	73.9	(64.4 - 83.5)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	193	77,300	72.5	(65.6 - 79.3)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	120	39,200	66.5	(57.1 - 76.0)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	90	44,400	77.6	(68.4 - 86.9)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	445	67.2	(62.2 - 72.2)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	171	72.2	(64.7 - 79.6)	9,582	68.5	(64.5 - 72.5)
Female	274	62.9	(56.3 - 69.5)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	413	68.8	(63.7 - 73.9)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	139	55.8	(46.3 - 65.3)	11,121	61.3	(56.4 - 66.2)
Some College	111	74.5	(65.0 - 84.0)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	193	72.4	(65.5 - 79.3)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	120	65.8	(56.1 - 75.6)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	90	77.3	(67.8 - 86.8)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	441	155,700	65.3	(60.3 - 70.3)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	168	74,700	70.6	(63.0 - 78.2)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	273	81,000	61.0	(54.5 - 67.6)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	154	61,000	72.2	(64.3 - 80.1)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	210	61,500	64.5	(57.2 - 71.8)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	409	143,300	66.7	(61.5 - 71.8)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	138	41,500	53.0	(43.4 - 62.5)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	111	39,200	73.2	(63.6 - 82.7)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	191	74,900	70.6	(63.6 - 77.6)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	118	36,700	63.1	(53.4 - 72.8)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	90	43,900	76.8	(67.4 - 86.2)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	441	64.9	(59.8 - 70.0)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	168	69.9	(62.2 - 77.6)	9,521	66.9	(62.9 - 70.9)
Female	273	60.5	(53.9 - 67.2)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	409	66.4	(61.2 - 71.6)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	138	52.0	(42.5 - 61.6)	11,017	59.0	(54.1 - 63.9)
Some College	111	73.6	(64.1 - 83.2)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	191	70.4	(63.4 - 77.5)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	118	62.3	(52.3 - 72.3)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	90	76.5	(67.0 - 86.1)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	425	168,100	72.9	(68.1 - 77.6)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	165	82,100	79.1	(72.4 - 85.8)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	260	86,000	67.8	(61.4 - 74.3)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	144	64,600	81.4	(74.9 - 88.0)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	206	69,400	73.7	(66.8 - 80.5)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	395	153,000	73.3	(68.5 - 78.2)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	133	48,900	64.5	(55.3 - 73.8)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	107	40,600	79.3	(70.4 - 88.1)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	185	78,600	75.8	(69.2 - 82.5)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	115	41,000	72.1	(63.0 - 81.3)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	90	45,100	78.8	(69.7 - 87.9)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	425	72.6	(67.8 - 77.4)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	165	78.6	(71.8 - 85.4)	9,418	71.5	(67.6 - 75.4)
Female	260	67.2	(60.6 - 73.7)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	395	73.1	(68.1 - 78.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	133	63.6	(54.2 - 73.0)	10,872	64.5	(59.8 - 69.3)
Some College	107	79.3	(70.3 - 88.3)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	185	76.1	(69.4 - 82.7)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	115	72.2	(62.8 - 81.5)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	90	78.7	(69.4 - 87.9)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 40a. High blood pressure among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	176,700	31.6	(27.1 - 36.1)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	259	86,200	32.4	(25.2 - 39.6)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	406	90,500	30.9	(25.2 - 36.5)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	68	23,600	14.1	(4.9 - 23.4)	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	139	30,400	27.4	(18.8 - 36.0)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	156	37,500	44.8	(36.0 - 53.5)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	214	58,900	60.4	(53.2 - 67.5)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	599	130,800	29.3	(25.1 - 33.5)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	69,300	38.5	(28.8 - 48.2)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	172	49,600	33.5	(24.4 - 42.5)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	301	57,500	24.9	(19.4 - 30.3)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	166	25,400	17.3	(10.9 - 23.6)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 40b. High blood pressure among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	30.6	(26.0 - 35.2)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	259	32.6	(25.4 - 39.9)	14,611	27.7	(24.7 - 30.7)
Female	406	28.7	(22.9 - 34.6)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	599	28.0	(23.7 - 32.3)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	191	37.6	(27.8 - 47.4)	15,688	32.1	(28.4 - 35.8)
Some College	172	32.5	(23.0 - 41.9)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	301	23.9	(18.4 - 29.5)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	166	15.9	(9.9 - 22.0)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	260	128,500	72.8	(64.3 - 81.4)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	151	70,800	78.5	(69.0 - 88.1)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	127	57,000	97.2	(94.4 - 100)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	227	104,500	80.1	(73.1 - 87.0)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	260	71.7	(62.8 - 80.7)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	227	79.5	(72.1 - 86.9)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	441,200	80.2	(74.7 - 85.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	258	202,900	76.0	(67.6 - 84.5)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	399	238,400	84.1	(77.1 - 91.1)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	86	78,200	79.1	(69.3 - 89.0)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	140	103,700	92.8	(87.1 - 98.5)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	155	80,800	95.9	(92.5 - 99.3)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	211	95,000	98.4	(96.8 - 100)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	589	356,300	81.9	(76.4 - 87.4)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	298	199,900	88.2	(82.3 - 94.0)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	143	97,200	79.0	(69.4 - 88.5)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	166	124,500	84.5	(75.6 - 93.5)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 42b. Ever had blood cholesterol checked among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	79.1	(73.4 - 84.8)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	258	75.5	(67.1 - 84.0)	14,389	78.0	(73.9 - 82.1)
Female	399	82.4	(74.7 - 90.1)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	589	80.7	(75.0 - 86.5)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	298	87.2	(80.9 - 93.5)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	166	83.4	(74.1 - 92.8)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	652	417,300	76.2	(70.7 - 81.7)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	256	193,500	72.9	(64.4 - 81.4)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	396	223,700	79.3	(72.2 - 86.4)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	138	95,000	86.1	(79.2 - 93.0)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	154	76,500	91.5	(86.8 - 96.2)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	209	94,400	98.4	(96.8 - 100)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	584	335,000	77.5	(72.0 - 83.0)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	296	188,900	83.9	(77.6 - 90.1)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	141	94,400	77.2	(67.5 - 86.8)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	164	113,300	77.8	(68.3 - 87.2)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	652	74.9	(69.2 - 80.7)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	256	72.2	(63.6 - 80.7)	14,307	74.8	(70.7 - 79.0)
Female	396	77.6	(69.9 - 85.2)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	584	76.1	(70.3 - 81.9)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	296	82.8	(76.2 - 89.4)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	164	76.5	(66.7 - 86.4)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 44a. Cardiovascular disease among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	32,900	5.9	(4.0 - 7.7)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	256	22,800	8.6	(5.3 - 11.9)	14,477	664,600	9.4	(7.5 - 11.4)
Female	405	10,100	3.5	(1.5 - 5.4)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	*	*	*	*	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	210	16,800	17.6	(12.2 - 23.1)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	593	27,000	6.1	(4.1 - 8.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	190	15,300	8.5	(4.4 - 12.5)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	170	5,000	3.4	(0.3 - 6.5)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	300	12,400	5.4	(2.9 - 7.9)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	142	13,000	10.6	(5.0 - 16.1)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	163	5,400	4.1	(1.6 - 6.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 44b. Cardiovascular disease among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	5.9	(4.0 - 7.7)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	256	8.5	(5.4 - 11.7)	14,477	9.7	(7.8 - 11.7)
Female	405	3.5	(1.3 - 5.6)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	593	5.9	(4.0 - 7.8)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	190	8.6	(4.5 - 12.7)	15,486	10.5	(8.0 - 13.0)
Some College	170	3.8	(0.2 - 7.3)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	300	5.0	(2.7 - 7.3)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	142	11.2	(5.2 - 17.2)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	163	4.2	(1.6 - 6.8)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 45a. Coronary heart disease among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	21,300	3.8	(2.5 - 5.2)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	256	15,500	5.8	(3.3 - 8.4)	14,479	598,600	8.5	(6.6 - 10.4)
Female	405	5,800	2.0	(0.8 - 3.2)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	*	*	*	*	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	210	14,600	15.3	(10.2 - 20.4)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	593	18,200	4.1	(2.6 - 5.6)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	190	12,100	6.7	(3.2 - 10.1)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	*	*	*	*	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	300	6,800	2.9	(1.2 - 4.7)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	142	8,700	7.1	(3.3 - 10.8)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	*	*	*	*	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 45b. Coronary heart disease among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	3.8	(2.5 - 5.2)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	256	6.0	(3.5 - 8.6)	14,479	8.8	(6.9 - 10.8)
Female	405	1.9	(0.7 - 3.0)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	593	4.1	(2.5 - 5.6)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	190	6.9	(3.4 - 10.5)	15,485	8.5	(6.2 - 10.7)
Some College	*	*	*	9,860	5.5	(3.7 - 7.2)
≥ College Degree	300	2.8	(1.2 - 4.4)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	142	7.3	(3.4 - 11.3)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	*	*	*	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 46a. Ever diagnosed with diabetes among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	51,200	9.1	(6.7 - 11.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	260	23,800	8.9	(4.9 - 12.9)	14,626	530,400	7.5	(6.2 - 8.8)
Female	407	27,500	9.3	(6.3 - 12.4)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	157	15,700	18.3	(11.0 - 25.6)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	215	16,200	16.6	(11.3 - 21.9)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	599	39,400	8.9	(6.5 - 11.2)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	191	20,300	11.3	(6.8 - 15.9)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	173	16,200	10.9	(4.6 - 17.1)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	301	14,700	6.4	(3.6 - 9.1)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	144	18,300	14.7	(7.0 - 22.5)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	162	13,200	10.1	(5.7 - 14.4)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	166	6,700	4.5	(1.5 - 7.5)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 46b. Ever diagnosed with diabetes among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	8.9	(6.3 - 11.5)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	260	8.9	(4.7 - 13.1)	14,626	7.5	(6.1 - 8.9)
Female	407	9.0	(5.9 - 12.1)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	599	8.7	(6.3 - 11.1)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	191	10.7	(6.3 - 15.1)	15,709	12.6	(10.0 - 15.2)
Some College	173	11.0	(4.0 - 17.9)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	301	6.3	(3.5 - 9.1)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	144	14.3	(6.0 - 22.5)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	162	9.7	(5.5 - 14.0)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	166	4.7	(1.5 - 7.9)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	88,200	15.7	(11.8 - 19.6)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	261	32,900	12.3	(6.8 - 17.7)	14,601	875,800	12.4	(10.1 - 14.7)
Female	405	55,300	18.8	(13.4 - 24.3)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	88	20,000	20.0	(10.4 - 29.6)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	139	15,800	14.1	(7.6 - 20.7)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	156	10,100	11.9	(6.2 - 17.6)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	215	11,300	11.6	(7.1 - 16.1)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	598	72,600	16.3	(12.1 - 20.4)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	192	31,300	17.3	(9.8 - 24.7)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	172	25,200	16.9	(8.7 - 25.1)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	300	31,700	13.7	(8.5 - 19.0)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	144	22,700	18.3	(9.8 - 26.8)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	162	19,400	14.6	(7.1 - 22.1)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	165	19,400	13.2	(6.5 - 19.9)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	16.3	(12.2 - 20.4)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	261	12.5	(7.1 - 18.0)	14,601	12.6	(10.3 - 14.9)
Female	405	19.7	(13.7 - 25.8)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	598	16.8	(12.4 - 21.3)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	192	17.7	(9.9 - 25.6)	15,675	15.1	(12.1 - 18.0)
Some College	172	18.1	(9.2 - 26.9)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	300	14.1	(8.6 - 19.6)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	144	19.4	(10.1 - 28.7)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	162	14.9	(7.0 - 22.8)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	165	13.6	(6.8 - 20.5)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 48a. Current asthma among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	58,800	10.6	(7.5 - 13.6)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	261	16,700	6.2	(2.5 - 9.9)	14,546	440,700	6.3	(4.8 - 7.7)
Female	403	42,100	14.6	(9.9 - 19.2)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	88	18,100	18.1	(8.7 - 27.6)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	139	10,100	9.1	(4.2 - 14.1)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	155	8,900	10.5	(5.1 - 16.0)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	215	6,300	6.5	(3.2 - 9.7)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	596	43,200	9.8	(6.9 - 12.7)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	190	18,300	10.4	(5.7 - 15.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	172	16,400	11.0	(4.5 - 17.5)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	300	24,100	10.4	(5.6 - 15.2)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	143	18,800	15.2	(7.3 - 23.1)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	162	12,200	9.2	(3.6 - 14.8)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	102	8,000	9.7	(3.6 - 15.8)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	165	15,400	10.5	(4.1 - 16.8)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 48b. Current asthma among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	11.0	(7.8 - 14.3)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	261	6.4	(2.7 - 10.1)	14,546	6.4	(4.9 - 7.9)
Female	403	15.4	(10.2 - 20.5)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	596	10.2	(7.1 - 13.3)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	190	10.6	(5.7 - 15.6)	15,594	10.8	(8.3 - 13.3)
Some College	172	12.3	(4.8 - 19.7)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	300	10.6	(5.6 - 15.5)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	143	16.2	(7.4 - 24.9)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	162	9.3	(3.3 - 15.3)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	102	9.1	(2.9 - 15.2)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	165	11.0	(4.4 - 17.6)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 49a. Chronic joint symptoms among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	266,400	47.5	(42.2 - 52.7)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	261	114,600	42.7	(34.6 - 50.8)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	405	151,800	51.8	(45.1 - 58.6)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	140	55,400	49.5	(40.1 - 59.0)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	156	45,200	53.0	(44.2 - 61.8)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	215	56,200	57.4	(50.2 - 64.6)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	598	208,200	46.7	(41.4 - 52.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	300	99,300	43.1	(36.2 - 50.0)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	165	65,300	44.4	(35.1 - 53.8)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 49b. Chronic joint symptoms among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	47.0	(41.5 - 52.4)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	261	42.5	(34.4 - 50.6)	14,595	42.6	(38.8 - 46.3)
Female	405	51.0	(43.8 - 58.3)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	598	46.3	(40.8 - 51.8)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	300	42.6	(35.5 - 49.8)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	165	44.3	(34.6 - 53.9)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 50a. Arthritis among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	186,200	33.2	(28.7 - 37.8)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	259	76,100	28.5	(21.9 - 35.2)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	405	110,100	37.5	(31.5 - 43.6)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	68	23,300	13.9	(5.3 - 22.6)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	140	28,600	25.6	(17.6 - 33.6)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	156	42,600	50.0	(41.2 - 58.8)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	213	63,500	65.2	(58.3 - 72.1)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	596	145,700	32.8	(28.2 - 37.3)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	192	71,700	39.5	(30.2 - 48.8)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	171	49,400	33.2	(23.9 - 42.6)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	299	64,900	28.2	(22.4 - 34.1)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	163	45,300	34.1	(24.3 - 43.9)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	165	42,700	29.0	(20.6 - 37.5)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 50b. Arthritis among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	32.1	(27.5 - 36.7)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	259	28.8	(22.1 - 35.6)	14,555	23.5	(20.9 - 26.1)
Female	405	35.1	(28.8 - 41.4)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	596	31.5	(26.9 - 36.2)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	192	38.2	(28.7 - 47.6)	15,652	30.4	(26.9 - 33.8)
Some College	171	32.8	(23.1 - 42.6)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	299	26.9	(20.9 - 32.8)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	163	32.9	(23.0 - 42.8)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	165	29.0	(20.3 - 37.6)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	129,300	23.2	(19.0 - 27.4)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	259	53,900	20.2	(14.0 - 26.4)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	404	75,400	26.0	(20.3 - 31.7)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	66	25,400	15.5	(5.8 - 25.2)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	140	26,000	23.2	(15.5 - 31.0)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	157	24,200	28.4	(20.3 - 36.4)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	214	29,900	30.7	(24.0 - 37.4)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	595	100,500	22.8	(18.5 - 27.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	190	45,700	25.6	(18.1 - 33.1)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	*	*	*	*	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	300	39,800	17.3	(12.3 - 22.3)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	162	29,200	22.2	(12.9 - 31.5)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	102	14,900	18.1	(9.6 - 26.5)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	165	23,700	16.1	(8.7 - 23.6)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	23.0	(18.6 - 27.4)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	259	20.3	(14.0 - 26.6)	14,566	18.6	(15.8 - 21.4)
Female	404	25.5	(19.4 - 31.5)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	595	22.4	(17.9 - 26.8)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	190	25.3	(17.7 - 32.9)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	300	16.2	(11.3 - 21.0)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	162	21.9	(12.0 - 31.9)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	102	17.0	(8.7 - 25.4)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	165	15.7	(8.4 - 23.1)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	667	47,200	8.4	(5.7 - 11.2)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	260	20,800	7.8	(3.5 - 12.1)	14,617	460,700	6.5	(5.3 - 7.7)
Female	407	26,500	9.0	(5.5 - 12.5)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	157	6,800	8.0	(3.5 - 12.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	214	17,400	17.9	(12.1 - 23.8)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	600	31,700	7.1	(4.7 - 9.4)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	191	22,800	12.6	(7.0 - 18.3)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	173	15,800	10.6	(3.9 - 17.4)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	301	8,400	3.6	(1.2 - 6.1)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	144	25,200	20.3	(11.0 - 29.6)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	162	9,900	7.6	(3.0 - 12.1)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	667	8.6	(5.6 - 11.5)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	260	8.4	(3.7 - 13.1)	14,617	6.8	(5.5 - 8.0)
Female	407	8.7	(5.0 - 12.4)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	600	7.0	(4.5 - 9.4)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	191	12.7	(6.8 - 18.6)	15,711	10.3	(8.3 - 12.3)
Some College	173	11.4	(3.8 - 19.0)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	301	3.5	(1.0 - 6.0)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	*	*	*	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	162	7.6	(2.8 - 12.4)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 53a. Disability among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	664	145,400	26.1	(21.6 - 30.5)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	259	63,400	23.9	(17.2 - 30.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	405	82,000	28.1	(22.2 - 33.9)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	140	28,500	25.5	(17.2 - 33.9)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	157	25,200	29.5	(21.3 - 37.6)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	214	35,600	36.8	(29.7 - 43.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	597	112,100	25.3	(20.8 - 29.8)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	190	56,200	31.2	(22.7 - 39.8)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	*	*	*	*	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	300	43,200	18.8	(13.5 - 24.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	161	32,800	25.2	(15.4 - 35.0)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	102	15,600	18.9	(10.3 - 27.5)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	165	24,400	16.6	(9.2 - 24.1)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 53b. Disability among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	664	26.0	(21.3 - 30.6)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	259	24.2	(17.4 - 31.0)	14,568	20.9	(18.0 - 23.8)
Female	405	27.6	(21.3 - 33.9)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	597	25.0	(20.3 - 29.6)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	190	31.3	(22.5 - 40.0)	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	300	17.8	(12.6 - 23.0)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	*	*	*	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	102	17.7	(9.2 - 26.1)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	165	16.3	(8.9 - 23.7)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 54a. Current smoking among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	107,400	19.1	(14.6 - 23.7)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	260	56,100	20.9	(13.8 - 28.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	405	51,300	17.5	(11.8 - 23.2)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	139	17,500	15.8	(9.5 - 22.0)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	156	13,300	15.7	(9.1 - 22.3)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	214	6,500	6.7	(2.9 - 10.5)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	597	83,800	18.8	(14.1 - 23.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	191	49,800	27.5	(17.7 - 37.3)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	172	34,900	23.5	(13.5 - 33.5)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	300	22,600	9.8	(5.9 - 13.7)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	102	9,700	11.7	(2.7 - 20.8)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	166	15,500	10.5	(4.5 - 16.6)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 54b. Current smoking among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	19.6	(14.9 - 24.4)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	260	21.3	(14.0 - 28.5)	14,559	19.2	(16.3 - 22.1)
Female	405	18.2	(11.8 - 24.5)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	597	19.4	(14.3 - 24.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	300	10.2	(5.9 - 14.5)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	102	12.2	(2.8 - 21.7)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	166	10.6	(4.3 - 16.9)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 55a. Everyday smoking among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	665	85,500	15.3	(10.9 - 19.6)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	260	42,700	16.0	(9.3 - 22.6)	14,559	848,400	12.0	(10.0 - 14.1)
Female	405	42,800	14.6	(9.0 - 20.2)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	88	17,300	17.3	(8.2 - 26.5)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	139	12,800	11.5	(6.4 - 16.6)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	156	9,900	11.7	(6.1 - 17.3)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	214	5,900	6.0	(2.4 - 9.7)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	597	67,600	15.2	(10.6 - 19.8)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	191	39,000	21.6	(12.3 - 30.8)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	172	30,000	20.2	(10.4 - 30.0)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	300	16,500	7.2	(3.7 - 10.6)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	144	24,400	19.7	(11.1 - 28.4)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	166	13,800	9.4	(3.5 - 15.3)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 55b. Everyday smoking among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	665	15.6	(11.1 - 20.2)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	260	16.2	(9.4 - 22.9)	14,559	12.1	(10.1 - 14.1)
Female	405	15.2	(9.0 - 21.3)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	597	15.7	(10.7 - 20.6)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	191	22.1	(12.5 - 31.7)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	300	7.5	(3.7 - 11.3)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	144	20.4	(11.1 - 29.8)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	166	9.4	(3.3 - 15.6)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	666	453,800	80.8	(76.7 - 85.0)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	261	218,000	81.3	(74.9 - 87.6)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	405	235,800	80.4	(75.1 - 85.8)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	88	85,900	85.9	(78.1 - 93.8)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	140	92,600	82.8	(75.5 - 90.2)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	155	70,200	82.8	(75.8 - 89.8)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	215	70,800	72.4	(65.7 - 79.0)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	598	372,900	83.6	(79.9 - 87.3)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	172	128,900	86.7	(81.1 - 92.2)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	300	205,500	89.1	(85.3 - 92.9)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	102	74,100	89.6	(83.1 - 96.1)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	166	136,200	92.5	(88.2 - 96.9)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	666	81.1	(76.9 - 85.3)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	261	81.9	(75.8 - 88.0)	14,577	79.4	(76.7 - 82.2)
Female	405	80.3	(74.5 - 86.2)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	598	83.8	(80.0 - 87.7)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,647	76.9	(73.8 - 80.0)
Some College	172	87.0	(81.2 - 92.8)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	300	89.2	(85.1 - 93.2)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	102	90.0	(83.2 - 96.8)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	166	93.1	(89.0 - 97.2)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 57a. Binge drinking within the past month among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	104,400	18.7	(14.1 - 23.3)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	260	72,900	27.2	(19.6 - 34.8)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	402	31,600	10.8	(5.9 - 15.8)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	139	20,500	18.4	(10.1 - 26.7)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	156	9,300	11.0	(5.2 - 16.8)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	213	6,700	6.9	(2.9 - 10.9)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	595	82,100	18.5	(13.6 - 23.4)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	189	35,300	19.6	(11.4 - 27.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	299	35,700	15.6	(9.9 - 21.2)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	162	16,400	12.4	(3.5 - 21.2)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	165	35,100	24.0	(15.1 - 32.8)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 57b. Binge drinking within the past month among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	19.2	(14.4 - 23.9)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	260	27.8	(20.1 - 35.6)	14,420	24.5	(21.0 - 27.9)
Female	402	11.2	(5.7 - 16.7)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	595	19.1	(13.9 - 24.3)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	189	19.1	(10.9 - 27.3)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	299	16.5	(10.5 - 22.6)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	162	13.5	(3.7 - 23.4)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	165	24.2	(15.1 - 33.3)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 58a. Heavy drinking within the past month among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	653	34,700	6.3	(3.6 - 9.0)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	257	20,900	7.9	(3.3 - 12.6)	14,330	333,300	4.8	(3.9 - 5.7)
Female	396	13,800	4.8	(1.8 - 7.8)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	137	9,900	9.1	(2.6 - 15.6)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	588	28,600	6.6	(3.6 - 9.6)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	189	11,200	6.3	(1.5 - 11.1)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	171	11,300	7.8	(1.7 - 13.9)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	292	12,100	5.4	(1.7 - 9.1)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	162	10,100	7.1	(2.0 - 12.2)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 58b. Heavy drinking within the past month among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	653	6.3	(3.5 - 9.1)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	257	8.1	(3.4 - 12.8)	14,330	4.9	(3.9 - 5.9)
Female	396	4.7	(1.5 - 7.9)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	588	6.6	(3.5 - 9.7)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	189	6.2	(1.5 - 10.8)	15,411	4.3	(3.2 - 5.3)
Some College	171	7.8	(1.5 - 14.1)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	292	5.5	(1.5 - 9.6)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	162	6.9	(1.5 - 12.4)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	622	306,700	58.4	(53.0 - 63.9)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	243	158,100	64.0	(55.5 - 72.5)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	379	148,700	53.5	(46.5 - 60.5)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	136	68,200	63.2	(54.1 - 72.4)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	147	47,300	58.6	(49.7 - 67.5)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	195	64,100	71.6	(64.3 - 78.8)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	558	258,400	62.0	(56.7 - 67.4)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	283	132,800	61.1	(54.2 - 68.0)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	159	90,000	66.0	(57.2 - 74.8)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	622	58.2	(52.5 - 63.8)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	243	64.4	(55.9 - 73.0)	13,299	67.9	(64.0 - 71.9)
Female	379	52.7	(45.2 - 60.2)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	558	62.1	(56.5 - 67.7)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	283	60.6	(53.3 - 67.9)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	159	66.0	(56.7 - 75.2)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	413	265,800	70.2	(63.8 - 76.6)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	163	144,000	77.7	(68.6 - 86.8)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	250	121,700	63.0	(54.4 - 71.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	95	59,800	80.3	(71.0 - 89.6)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	92	44,300	85.4	(78.0 - 92.8)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	105	46,600	91.3	(85.3 - 97.3)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	377	229,100	72.2	(65.5 - 78.8)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	203	122,500	73.0	(65.1 - 80.8)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	413	68.4	(61.7 - 75.2)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	163	76.6	(67.2 - 86.0)	9,034	81.1	(77.4 - 84.8)
Female	250	60.8	(51.5 - 70.0)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	377	70.5	(63.5 - 77.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	203	71.8	(63.6 - 80.0)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	493,000	90.4	(86.8 - 93.9)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	255	229,300	87.8	(81.4 - 94.2)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	390	263,600	92.7	(89.5 - 96.0)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	67	143,700	88.8	(78.9 - 98.8)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	87	94,800	95.7	(90.4 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	137	102,600	94.7	(90.1 - 99.3)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	151	77,300	93.2	(88.5 - 97.8)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	203	74,500	79.8	(73.4 - 86.2)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	579	406,300	93.2	(90.8 - 95.6)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	185	143,800	83.3	(74.3 - 92.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	169	131,400	89.4	(83.0 - 95.8)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	291	217,800	96.4	(94.6 - 98.2)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	141	107,100	87.2	(79.1 - 95.4)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	*	*	*	*	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	98	73,700	90.9	(82.8 - 98.9)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	164	142,000	97.2	(95.2 - 99.2)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	90.6	(87.1 - 94.1)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	255	87.5	(81.2 - 93.9)	13,893	89.1	(86.9 - 91.3)
Female	390	93.4	(90.2 - 96.6)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	579	93.4	(91.0 - 95.8)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	185	83.5	(74.6 - 92.4)	14,507	84.6	(81.8 - 87.4)
Some College	169	89.6	(82.9 - 96.3)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	291	96.6	(94.9 - 98.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	141	87.4	(79.1 - 95.7)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	*	*	*	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	98	90.7	(82.3 - 99.2)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	164	97.6	(95.8 - 99.4)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 62a. Overweight among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	173,900	31.6	(27.0 - 36.3)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	260	106,200	39.6	(31.8 - 47.4)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	385	67,700	24.0	(18.9 - 29.1)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	137	42,000	38.2	(29.0 - 47.5)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	149	31,500	38.1	(29.3 - 46.9)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	208	33,100	34.9	(27.9 - 41.8)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	579	147,600	33.9	(29.0 - 38.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	184	43,300	24.4	(16.4 - 32.4)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	295	82,400	36.2	(29.5 - 42.8)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	142	29,700	24.2	(15.3 - 33.2)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	158	53,200	37.3	(28.1 - 46.6)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 62b. Overweight among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	30.9	(26.1 - 35.6)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	260	39.1	(31.3 - 46.8)	14,502	43.9	(40.1 - 47.6)
Female	385	23.1	(17.8 - 28.3)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	579	33.3	(28.2 - 38.3)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	184	24.2	(16.1 - 32.3)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	295	35.4	(28.6 - 42.2)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	142	23.3	(14.3 - 32.2)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	158	35.8	(26.5 - 45.2)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 63a. Obesity among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	172,200	31.3	(26.1 - 36.5)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	260	78,400	29.2	(21.6 - 36.9)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	385	93,800	33.3	(26.2 - 40.3)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	137	34,400	31.4	(22.1 - 40.6)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	149	24,600	29.8	(21.4 - 38.2)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	208	22,400	23.6	(17.2 - 30.0)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	579	114,100	26.2	(21.4 - 31.0)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	*	*	*	*	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	295	52,300	23.0	(16.9 - 29.0)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	158	27,500	19.3	(11.8 - 26.8)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 63b. Obesity among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	31.7	(26.3 - 37.2)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	260	29.7	(21.9 - 37.4)	14,502	21.5	(19.0 - 24.0)
Female	385	33.6	(26.0 - 41.3)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	579	26.4	(21.3 - 31.4)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	*	*	*	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	295	23.1	(16.8 - 29.5)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	158	19.3	(11.6 - 27.0)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 64a. Overweight or obesity among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	346,100	62.9	(57.7 - 68.1)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	260	184,600	68.9	(60.9 - 76.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	385	161,500	57.3	(50.5 - 64.1)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	137	76,400	69.6	(61.0 - 78.2)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	149	56,100	67.9	(59.7 - 76.2)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	208	55,500	58.5	(51.0 - 65.9)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	579	261,800	60.1	(54.7 - 65.4)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	295	134,800	59.1	(52.2 - 66.1)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	158	80,700	56.6	(47.1 - 66.1)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 64b. Overweight or obesity among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	62.6	(57.2 - 68.0)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	260	68.8	(60.8 - 76.7)	14,502	65.4	(61.3 - 69.4)
Female	385	56.7	(49.4 - 64.0)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	579	59.6	(54.0 - 65.2)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	295	58.5	(51.3 - 65.8)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	158	55.1	(45.3 - 65.0)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 65a. Received advice about weight by a health professional among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	167,500	30.5	(25.5 - 35.5)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	259	63,700	23.8	(17.4 - 30.3)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	386	103,900	36.8	(29.6 - 43.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	137	40,900	37.3	(27.8 - 46.7)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	148	35,900	43.8	(34.7 - 52.9)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	209	21,100	22.1	(15.6 - 28.5)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	579	126,400	29.0	(24.1 - 33.9)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	*	*	*	*	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	294	60,600	26.7	(20.6 - 32.7)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	157	35,700	25.2	(17.6 - 32.8)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 65b. Received advice about weight by a health professional among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	30.0	(24.8 - 35.3)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	259	23.0	(16.6 - 29.4)	14,499	23.4	(20.5 - 26.3)
Female	386	36.7	(29.0 - 44.4)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	579	28.2	(23.1 - 33.3)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	294	25.7	(19.6 - 31.9)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	157	22.6	(15.4 - 29.7)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	185	155,200	92.6	(88.2 - 97.0)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	66	57,600	90.5	(82.5 - 98.4)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	119	97,600	93.9	(88.8 - 99.1)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	59	33,000	92.1	(84.6 - 99.6)	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	161	117,400	92.9	(88.5 - 97.3)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	53	55,800	94.9	(89.5 - 100)	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	78	57,400	94.7	(89.1 - 100)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	185	92.9	(88.5 - 97.3)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	66	90.4	(82.4 - 98.3)	3,807	88.7	(85.7 - 91.8)
Female	119	94.4	(89.2 - 99.6)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	161	93.4	(89.3 - 97.6)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	53	94.8	(89.2 - 100)	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	78	95.1	(89.8 - 100)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 67a. No leisure-time physical activity among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	90,000	16.0	(12.1 - 19.9)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	261	32,900	12.3	(7.5 - 17.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	407	57,000	19.4	(13.6 - 25.3)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	140	16,600	14.9	(8.4 - 21.4)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	157	13,000	15.2	(9.2 - 21.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	215	26,000	26.6	(20.1 - 33.0)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	600	63,100	14.1	(10.9 - 17.4)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	192	54,100	29.8	(20.5 - 39.1)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	173	20,100	13.5	(7.1 - 19.9)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	301	15,500	6.7	(3.1 - 10.3)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	144	32,400	26.1	(16.7 - 35.6)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	163	28,200	21.2	(13.4 - 29.1)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	*	*	*	*	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 67b. No leisure-time physical activity among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	15.9	(11.8 - 19.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	261	12.7	(7.7 - 17.7)	14,602	20.9	(17.8 - 23.9)
Female	407	18.7	(12.6 - 24.9)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	600	14.0	(10.6 - 17.4)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	192	30.0	(20.3 - 39.7)	15,683	32.3	(28.3 - 36.4)
Some College	173	13.2	(6.3 - 20.1)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	301	6.6	(2.8 - 10.4)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	144	26.3	(16.3 - 36.2)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	163	20.4	(12.4 - 28.3)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	*	*	*	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	668	168,500	30.0	(24.8 - 35.1)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	261	75,400	28.1	(20.4 - 35.8)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	407	93,100	31.7	(24.8 - 38.5)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	140	23,300	20.9	(13.8 - 28.0)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	157	24,500	28.7	(20.7 - 36.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	215	30,400	31.1	(24.3 - 37.8)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	600	126,000	28.2	(23.4 - 33.0)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	*	*	*	*	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	301	72,400	31.3	(25.1 - 37.5)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	144	23,600	19.1	(10.4 - 27.7)	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	166	41,800	28.4	(20.4 - 36.4)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	668	30.1	(24.8 - 35.5)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	261	28.2	(20.5 - 35.9)	14,634	22.7	(19.6 - 25.9)
Female	407	31.9	(24.5 - 39.3)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	600	28.4	(23.3 - 33.5)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	*	*	*	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	301	31.3	(24.8 - 37.8)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	144	18.9	(9.9 - 27.9)	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	166	29.3	(20.7 - 37.9)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 69a. Had a fall within the past 3 months among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	498	45,000	15.7	(11.9 - 19.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	194	17,700	13.3	(7.5 - 19.1)	10,966	489,400	14.4	(11.9 - 16.8)
Female	304	27,400	17.7	(12.8 - 22.7)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	138	20,900	18.9	(11.5 - 26.4)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	146	7,900	9.9	(4.4 - 15.5)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	214	16,200	16.7	(11.0 - 22.4)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	462	38,800	15.0	(11.1 - 18.9)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	148	18,600	20.4	(12.4 - 28.3)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	126	7,600	11.7	(5.8 - 17.6)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	222	18,800	14.5	(9.1 - 19.8)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	106	10,300	17.4	(7.5 - 27.2)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	125	8,500	13.6	(7.0 - 20.3)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	76	7,600	17.2	(7.4 - 27.0)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	120	12,100	14.6	(7.7 - 21.5)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Monroe County

Table 69b. Had a fall within the past 3 months among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	498	16.0	(12.2 - 19.8)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	194	14.0	(8.1 - 19.9)	10,966	15.0	(12.1 - 17.8)
Female	304	17.9	(12.9 - 22.9)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	462	15.3	(11.4 - 19.3)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	148	20.5	(12.6 - 28.5)	12,417	17.4	(13.0 - 21.7)
Some College	126	12.1	(6.0 - 18.2)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	222	14.8	(9.4 - 20.2)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	125	14.3	(7.4 - 21.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	76	17.2	(7.4 - 27.0)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	120	15.0	(7.9 - 22.0)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Monroe County and New York State

	Monroe County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	498	10,000	3.5	(1.9 - 5.0)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	304	7,100	4.6	(2.2 - 7.0)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	214	4,900	5.0	(1.9 - 8.0)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	462	8,700	3.3	(1.8 - 4.9)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Monroe County**

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Monroe County and New York State - Age-Adjusted²

	Monroe County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	498	3.6	(2.0 - 5.2)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	304	4.6	(2.2 - 7.1)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	462	3.5	(1.8 - 5.1)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)