

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Ontario County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Ontario County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Ontario County and New York State	14
Table 2b. Fair or poor general health among adults in Ontario County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Ontario County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Ontario County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Ontario County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Ontario County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Ontario County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Ontario County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Ontario County and New York State	22
Table 6b. Health insurance among adults in Ontario County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Ontario County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Ontario County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Ontario County and New York State	26
Table 8b. No health insurance among adults in Ontario County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Ontario County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Ontario County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Ontario County and New York State	30
Table 10b. Adults with regular health care provider in Ontario County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Ontario County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Ontario County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Ontario County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Ontario County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Ontario County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Ontario County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Ontario County and New York State	38
Table 14b. Dentist visit within the past year among adults in Ontario County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Ontario County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Ontario County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Ontario County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Ontario County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Ontario County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Ontario County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Ontario County and New York State	46
Table 18b. Flu shot within the past 12 months in Ontario County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Ontario County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Ontario County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Ontario County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Ontario County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Ontario County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Ontario County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Ontario County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Ontario County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Ontario County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Ontario County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Ontario County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Ontario County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Ontario County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Ontario County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Ontario County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Ontario County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Ontario County and New York State	64
Table 27b. Ever had a Pap test among women in Ontario County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Ontario County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Ontario County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Ontario County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Ontario County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Ontario County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Ontario County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Ontario County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Ontario County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Ontario County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Ontario County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Ontario County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Ontario County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Ontario County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Ontario County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Ontario County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Ontario County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Ontario County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Ontario County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Ontario County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Ontario County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ontario County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ontario County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ontario County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ontario County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Ontario County and New York State	90
Table 40b. High blood pressure among adults in Ontario County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Ontario County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Ontario County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Ontario County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Ontario County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Ontario County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Ontario County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Ontario County and New York State	98
Table 44b. Cardiovascular disease among adults in Ontario County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Ontario County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Ontario County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Ontario County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Ontario County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Ontario County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Ontario County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Ontario County and New York State	106
Table 48b. Current asthma among adults in Ontario County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Ontario County and New York State	108
Table 49b. Chronic joint symptoms among adults in Ontario County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Ontario County and New York State	110
Table 50b. Arthritis among adults in Ontario County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Ontario County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Ontario County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Ontario County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Ontario County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Ontario County and New York State	116
Table 53b. Disability among adults in Ontario County and New York State - Age-adjusted	117



## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Ontario County and New York State	118
Table 54b. Current smoking among adults in Ontario County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Ontario County and New York State	120
Table 55b. Everyday smoking among adults in Ontario County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Ontario County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Ontario County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Ontario County and New York State	124
Table 57b. Binge drinking within the past month among adults in Ontario County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Ontario County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Ontario County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Ontario County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Ontario County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Ontario County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Ontario County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Ontario County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Ontario County and New York State - Age-adjusted	133

### **Overweight / Obesity**

Table 62a. Overweight among adults in Ontario County and New York State	134
Table 62b. Overweight among adults in Ontario County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Ontario County and New York State	136
Table 63b. Obesity among adults in Ontario County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Ontario County and New York State	138
Table 64b. Overweight or obesity among adults in Ontario County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Ontario County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Ontario County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Ontario County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Ontario County and New York State - Age-adjusted	143

### **Physical Activity / Nutrition**

Table 67a. No leisure-time physical activity among adults in Ontario County and New York State	144
Table 67b. No leisure-time physical activity among adults in Ontario County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Ontario County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Ontario County and New York State - Age-adjusted 147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Ontario County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Ontario County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Ontario County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Ontario County and New York State - Age-adjusted 151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 1. Ontario County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Ontario County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	81,169	100	14,884,315	100
<b>Gender</b>				
Male	39,423	48.6	7,103,791	47.7
Female	41,746	51.4	7,780,524	52.3
<b>Age (years)</b>				
18-34	22,672	27.9	4,497,479	30.2
35-44	14,142	17.4	2,844,115	19.1
45-54	16,526	20.4	2,854,316	19.2
55-64	13,044	16.1	2,142,000	14.4
≥ 65	14,785	18.2	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	76,537	94.3	9,343,884	62.8
Black Non-Hispanic	1,689	2.1	2,156,941	14.5
Hispanic	1,977	2.4	2,258,717	15.2
Other Non-Hispanic	966	1.2	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	9,800	12.1	(9.2 - 15.0)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	250	4,800	12.2	(7.3 - 17.1)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	423	5,000	12.0	(8.7 - 15.3)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	134	1,300	8.2	(3.6 - 12.8)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	167	2,400	18.5	(11.5 - 25.5)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	230	3,700	24.8	(18.7 - 31.0)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	652	9,200	12.0	(9.0 - 15.0)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	236	5,000	16.7	(11.2 - 22.1)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	190	3,300	14.3	(7.7 - 20.9)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	246	1,500	5.3	(2.5 - 8.1)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	158	3,600	21.8	(13.5 - 30.1)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	173	3,000	15.4	(9.6 - 21.2)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	11.3	(8.3 - 14.3)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	250	12.0	(6.9 - 17.0)	14,599	15.3	(12.6 - 18.0)
Female	423	10.7	(7.5 - 14.0)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	652	11.2	(8.2 - 14.2)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	236	15.9	(10.3 - 21.6)	15,682	25.8	(22.1 - 29.5)
Some College	190	13.6	(6.7 - 20.4)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	246	4.5	(2.2 - 6.8)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	158	21.0	(12.3 - 29.8)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	173	14.1	(8.3 - 19.8)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	9,100	11.4	(8.1 - 14.7)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	247	4,800	12.4	(6.8 - 18.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	412	4,300	10.5	(6.8 - 14.1)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	*	*	*	*	7,764	350,900	12.5	(9.4 - 15.6)
55-64	166	2,100	16.0	(9.2 - 22.8)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	218	2,600	18.3	(12.7 - 23.9)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	638	8,000	10.6	(7.5 - 13.7)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	229	3,800	12.8	(7.3 - 18.3)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	187	3,200	14.0	(6.5 - 21.4)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	242	2,200	7.9	(3.5 - 12.3)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	170	2,200	11.6	(6.4 - 16.8)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	173	1,800	7.0	(1.8 - 12.2)	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	659	11.2	(7.6 - 14.7)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	247	12.4	(6.4 - 18.4)	14,325	8.7	(6.9 - 10.5)
Female	412	10.0	(6.1 - 13.8)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	638	10.2	(7.0 - 13.4)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	229	12.2	(6.5 - 18.0)	15,178	12.7	(10.2 - 15.1)
Some College	187	14.5	(6.2 - 22.8)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	242	7.3	(2.9 - 11.6)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	170	10.9	(5.5 - 16.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	173	7.0	(1.6 - 12.4)	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	8,700	10.8	(7.6 - 14.1)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	248	4,000	10.1	(4.7 - 15.5)	14,407	555,200	7.9	(6.3 - 9.6)
Female	415	4,800	11.6	(7.8 - 15.4)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	136	2,300	14.0	(7.8 - 20.2)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	164	1,500	11.4	(6.5 - 16.3)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	643	7,700	10.2	(7.2 - 13.2)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	231	3,200	10.5	(5.7 - 15.3)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	188	3,400	14.8	(7.5 - 22.1)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	243	2,200	7.9	(2.7 - 13.1)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	168	2,400	12.6	(6.0 - 19.1)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	98	1,500	12.7	(3.6 - 21.7)	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	663	11.0	(7.5 - 14.6)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	248	10.4	(4.6 - 16.2)	14,407	7.9	(6.3 - 9.6)
Female	415	11.6	(7.4 - 15.7)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	643	10.3	(7.0 - 13.5)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	231	10.2	(5.1 - 15.2)	15,335	12.3	(10.0 - 14.6)
Some College	188	15.4	(7.3 - 23.5)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	243	8.3	(2.6 - 13.9)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	168	12.3	(5.5 - 19.0)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	98	13.1	(3.3 - 22.9)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	14,400	18.1	(14.1 - 22.1)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	246	7,100	18.2	(11.6 - 24.7)	14,231	937,700	13.6	(11.4 - 15.8)
Female	404	7,300	18.0	(13.4 - 22.7)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	53	3,700	16.7	(6.7 - 26.6)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	136	2,400	14.5	(8.2 - 20.8)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	162	2,900	22.7	(15.3 - 30.1)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	214	2,700	19.5	(13.8 - 25.2)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	630	13,100	17.6	(13.7 - 21.4)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	226	5,600	18.9	(12.3 - 25.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	183	5,000	22.0	(13.6 - 30.3)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	240	3,800	14.1	(8.1 - 20.1)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	167	4,000	21.3	(13.6 - 28.9)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	96	1,700	14.9	(5.4 - 24.3)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	173	2,600	10.3	(4.6 - 16.1)	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	18.0	(13.7 - 22.2)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	246	18.4	(11.4 - 25.3)	14,231	13.6	(11.4 - 15.8)
Female	404	17.6	(12.6 - 22.6)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	630	17.3	(13.2 - 21.4)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	226	18.2	(11.2 - 25.1)	15,018	20.1	(17.1 - 23.1)
Some College	183	22.9	(13.6 - 32.1)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	240	13.8	(7.5 - 20.1)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	167	20.4	(12.5 - 28.3)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	173	10.6	(4.5 - 16.7)	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 6a. Health insurance among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	676	70,500	86.9	(82.2 - 91.6)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	252	31,700	80.4	(71.7 - 89.0)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	424	38,900	93.1	(90.1 - 96.1)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	88	12,500	88.3	(78.3 - 98.2)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	136	14,900	90.3	(85.2 - 95.4)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	168	12,100	92.4	(88.2 - 96.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	230	14,700	99.3	(98.3 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	655	66,700	87.1	(82.4 - 91.8)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	24,700	81.2	(72.6 - 89.8)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	246	26,500	96.1	(93.4 - 98.7)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	173	16,900	87.4	(79.3 - 95.5)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	*	*	*	*	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	176	24,000	93.4	(86.4 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 6b. Health insurance among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	676	86.3	(81.2 - 91.3)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	252	79.1	(69.9 - 88.3)	14,597	83.6	(79.7 - 87.5)
Female	424	93.0	(89.7 - 96.3)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	655	86.5	(81.5 - 91.6)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	80.0	(70.7 - 89.3)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	246	96.1	(93.3 - 98.9)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	173	87.1	(78.5 - 95.7)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	*	*	*	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	176	93.0	(85.5 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	442	55,600	84.1	(78.5 - 89.7)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	279	30,500	91.6	(87.9 - 95.4)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	88	12,500	88.3	(78.3 - 98.2)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	136	14,900	90.3	(85.2 - 95.4)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	164	11,800	92.3	(88.0 - 96.5)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	428	52,500	84.3	(78.6 - 90.0)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	167	21,600	95.2	(92.0 - 98.4)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	150	22,100	92.9	(85.3 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	442	83.6	(77.6 - 89.6)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	*	*	*	10,078	80.5	(75.9 - 85.1)
Female	279	91.8	(87.9 - 95.8)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	428	83.8	(77.8 - 89.8)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	167	95.3	(91.9 - 98.7)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	150	92.4	(84.4 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 8a. No health insurance among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	676	10,600	13.1	(8.4 - 17.8)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	252	7,700	19.6	(11.0 - 28.3)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	424	2,900	6.9	(3.9 - 9.9)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	136	1,600	9.7	(4.6 - 14.8)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	168	1,000	7.6	(3.4 - 11.8)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	655	9,900	12.9	(8.2 - 17.6)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	5,700	18.8	(10.2 - 27.4)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	246	1,100	3.9	(1.3 - 6.6)	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	173	2,400	12.6	(4.5 - 20.7)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 8b. No health insurance among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	676	13.7	(8.7 - 18.8)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	252	20.9	(11.7 - 30.1)	14,597	16.4	(12.5 - 20.3)
Female	424	7.0	(3.7 - 10.3)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	655	13.5	(8.4 - 18.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	20.0	(10.7 - 29.3)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	246	3.9	(1.1 - 6.7)	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	173	12.9	(4.3 - 21.5)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	442	10,500	15.9	(10.3 - 21.5)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	279	2,800	8.4	(4.6 - 12.1)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	136	1,600	9.7	(4.6 - 14.8)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	164	1,000	7.7	(3.5 - 12.0)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	428	9,800	15.7	(10.0 - 21.4)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	167	1,100	4.8	(1.6 - 8.0)	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	442	16.4	(10.4 - 22.4)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	*	*	*	10,078	19.5	(14.9 - 24.1)
Female	279	8.2	(4.2 - 12.1)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	428	16.2	(10.2 - 22.2)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	167	4.7	(1.3 - 8.1)	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	74,900	92.4	(88.8 - 96.1)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	251	34,500	87.6	(80.7 - 94.5)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	423	40,500	97.0	(94.7 - 99.3)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	88	12,800	90.4	(80.9 - 100)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	135	15,500	94.0	(89.9 - 98.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	168	12,600	96.4	(92.9 - 99.9)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	229	14,400	97.9	(96.0 - 99.8)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	71,000	92.9	(89.3 - 96.4)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	26,400	86.8	(78.7 - 94.9)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	191	22,000	95.3	(89.5 - 100)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	245	26,400	96.3	(93.6 - 98.9)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	172	18,100	94.0	(88.2 - 99.9)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	176	25,300	98.5	(96.7 - 100)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	92.0	(88.1 - 96.0)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	251	87.0	(79.5 - 94.5)	14,593	78.1	(73.9 - 82.3)
Female	423	96.8	(94.2 - 99.4)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	92.6	(88.8 - 96.4)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	86.0	(77.3 - 94.7)	15,692	75.8	(71.0 - 80.6)
Some College	191	95.0	(88.5 - 100)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	245	96.1	(93.1 - 99.0)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	172	93.6	(87.3 - 100)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	176	98.2	(96.1 - 100)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	5,200	6.4	(4.2 - 8.6)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	252	1,900	4.9	(1.8 - 8.0)	14,607	903,300	12.7	(9.5 - 16.0)
Female	422	3,300	7.8	(4.7 - 11.0)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	88	1,500	10.6	(4.0 - 17.2)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	135	1,400	8.3	(3.4 - 13.3)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	167	900	7.1	(2.8 - 11.4)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	4,600	6.0	(3.8 - 8.2)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	237	2,800	9.3	(4.6 - 14.0)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	191	1,300	5.7	(2.2 - 9.2)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	245	1,100	3.9	(1.3 - 6.5)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	158	3,400	20.9	(12.0 - 29.8)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	*	*	*	*	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	6.5	(4.2 - 8.9)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	252	4.9	(1.6 - 8.2)	14,607	12.5	(9.4 - 15.6)
Female	422	8.1	(4.7 - 11.5)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	6.1	(3.7 - 8.5)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	237	9.5	(4.5 - 14.6)	15,696	17.8	(13.8 - 21.7)
Some College	191	5.6	(2.0 - 9.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	245	4.1	(1.2 - 7.1)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	158	21.0	(11.5 - 30.5)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	*	*	*	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	53,200	65.6	(60.3 - 71.0)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	252	21,600	54.8	(46.0 - 63.6)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	423	31,600	76.0	(70.7 - 81.2)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	136	9,100	55.3	(45.6 - 65.1)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	168	9,300	71.5	(63.9 - 79.2)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	230	13,200	89.6	(84.9 - 94.2)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	654	50,200	65.8	(60.4 - 71.2)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	20,500	67.5	(58.6 - 76.3)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	246	18,200	65.9	(57.8 - 74.0)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	175	18,200	71.3	(62.4 - 80.3)	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	64.9	(59.2 - 70.6)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	252	53.7	(44.4 - 62.9)	14,592	67.1	(63.3 - 70.9)
Female	423	75.6	(69.8 - 81.3)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	654	65.0	(59.3 - 70.7)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	67.3	(57.9 - 76.7)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	246	65.7	(57.0 - 74.3)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	175	71.7	(62.4 - 81.0)	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	65,700	81.1	(76.7 - 85.5)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	252	29,200	74.1	(66.3 - 81.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	423	36,500	87.7	(84.0 - 91.5)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	136	12,800	77.5	(69.2 - 85.8)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	168	10,900	83.7	(77.3 - 90.1)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	230	14,200	95.9	(93.3 - 98.5)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	654	61,800	81.0	(76.6 - 85.4)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	24,900	81.9	(75.0 - 88.9)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	191	17,800	77.3	(67.7 - 87.0)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	246	22,900	83.2	(77.0 - 89.4)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	173	15,000	77.5	(67.8 - 87.1)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	175	22,000	86.0	(79.9 - 92.1)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	80.4	(75.7 - 85.1)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	252	73.1	(64.7 - 81.4)	14,592	81.9	(78.4 - 85.3)
Female	423	87.4	(83.2 - 91.6)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	654	80.4	(75.7 - 85.1)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	81.4	(73.9 - 88.8)	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	246	82.9	(76.2 - 89.6)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	*	*	*	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	175	86.5	(80.3 - 92.7)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	672	61,500	76.1	(71.5 - 80.7)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	251	28,300	71.9	(64.1 - 79.7)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	421	33,200	80.0	(75.2 - 84.9)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	136	13,200	79.6	(72.3 - 87.0)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	166	9,900	76.8	(69.2 - 84.5)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	228	11,100	75.5	(69.2 - 81.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	652	58,800	77.1	(72.7 - 81.5)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	234	22,300	73.8	(66.6 - 81.0)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	246	22,700	82.5	(75.9 - 89.2)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	99	9,800	82.9	(74.1 - 91.6)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	176	22,100	86.0	(79.3 - 92.8)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	672	75.8	(70.9 - 80.8)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	251	71.3	(62.9 - 79.6)	14,573	68.3	(64.6 - 72.1)
Female	421	80.2	(74.9 - 85.4)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	652	77.0	(72.3 - 81.7)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	234	75.2	(67.8 - 82.6)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	246	81.4	(74.1 - 88.8)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	99	83.9	(75.3 - 92.4)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	176	85.2	(77.9 - 92.6)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	618	58,700	76.7	(71.9 - 81.5)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	232	26,300	70.1	(61.9 - 78.4)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	386	32,500	83.0	(78.1 - 87.9)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	133	11,900	73.7	(64.7 - 82.6)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	151	9,100	79.8	(72.4 - 87.2)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	193	10,400	82.4	(75.8 - 89.0)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	600	56,100	77.8	(73.2 - 82.4)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	194	19,900	74.2	(66.3 - 82.2)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	241	22,700	83.3	(76.7 - 89.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	96	9,300	82.3	(73.3 - 91.2)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	174	21,400	84.4	(77.2 - 91.6)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	618	76.4	(71.3 - 81.5)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	232	69.8	(61.1 - 78.5)	13,173	69.2	(65.3 - 73.1)
Female	386	82.7	(77.3 - 88.0)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	600	77.6	(72.7 - 82.5)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	194	75.6	(67.6 - 83.6)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	241	82.0	(74.7 - 89.4)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	96	82.4	(73.3 - 91.6)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	174	84.0	(76.4 - 91.7)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	39,400	48.9	(43.5 - 54.3)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	249	17,700	45.2	(36.7 - 53.6)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	417	21,700	52.5	(45.8 - 59.2)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	133	9,700	59.5	(50.0 - 68.9)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	165	8,400	65.9	(57.9 - 73.8)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	226	11,000	75.6	(69.6 - 81.7)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	645	37,900	50.0	(44.6 - 55.4)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	230	17,700	58.9	(49.1 - 68.7)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	244	10,800	39.4	(31.2 - 47.6)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	174	8,500	33.2	(24.7 - 41.8)	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	46.1	(40.4 - 51.7)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	249	42.6	(33.9 - 51.2)	14,457	47.9	(44.1 - 51.7)
Female	417	49.4	(42.2 - 56.6)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	645	47.3	(41.6 - 53.0)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	244	37.7	(29.0 - 46.4)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	174	31.4	(22.7 - 40.0)	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	226	1,900	13.2	(8.4 - 18.0)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	86	800	12.6	(5.2 - 20.0)	4,352	167,200	16.4	(11.8 - 20.9)
Female	140	1,100	13.7	(7.4 - 20.0)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	226	1,900	13.2	(8.4 - 18.0)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	219	1,800	13.3	(8.4 - 18.3)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	226	13.2	(8.3 - 18.0)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	86	12.6	(5.2 - 20.0)	4,352	16.5	(11.5 - 21.4)
Female	140	13.7	(7.4 - 20.0)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	219	13.3	(8.3 - 18.3)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	36,600	45.2	(39.9 - 50.5)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	252	14,700	37.2	(29.6 - 44.8)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	422	22,000	52.8	(46.2 - 59.4)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	209	13,200	29.5	(21.7 - 37.4)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	237	11,400	52.4	(44.9 - 59.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	228	12,100	82.4	(76.9 - 87.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	34,600	45.3	(40.1 - 50.5)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	235	11,500	38.1	(29.3 - 46.9)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	192	10,200	44.2	(34.5 - 53.9)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	246	14,800	53.7	(45.0 - 62.4)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	176	10,200	39.7	(30.6 - 48.7)	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	43.3	(37.8 - 48.9)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	252	36.0	(28.2 - 43.8)	14,579	40.0	(36.2 - 43.8)
Female	422	50.3	(43.1 - 57.5)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	43.4	(37.9 - 48.9)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	235	35.8	(26.6 - 45.0)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	246	52.1	(42.8 - 61.4)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	176	37.9	(28.6 - 47.2)	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	36,800	45.4	(40.1 - 50.7)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	252	14,700	37.2	(29.6 - 44.8)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	421	22,100	53.1	(46.5 - 59.7)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	209	13,300	29.8	(22.0 - 37.7)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	236	11,400	52.4	(44.9 - 59.9)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	228	12,100	82.4	(76.9 - 87.8)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	652	34,700	45.5	(40.2 - 50.7)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	234	11,500	38.2	(29.3 - 47.0)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	192	10,200	44.2	(34.5 - 53.9)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	246	14,900	54.2	(45.5 - 62.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	176	10,300	40.2	(31.1 - 49.3)	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	43.6	(38.0 - 49.1)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	252	36.0	(28.2 - 43.8)	14,568	40.4	(36.6 - 44.2)
Female	421	50.7	(43.5 - 57.9)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	652	43.7	(38.2 - 49.2)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	234	35.8	(26.6 - 45.0)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	246	52.7	(43.4 - 62.0)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	176	38.6	(29.2 - 47.9)	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	228	12,100	82.4	(76.9 - 87.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	88	5,200	81.4	(73.0 - 89.9)	4,417	772,900	74.6	(69.3 - 79.8)
Female	140	6,800	83.1	(76.0 - 90.2)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	228	12,100	82.4	(76.9 - 87.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	221	11,300	81.4	(75.8 - 87.1)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	87	4,400	78.0	(68.3 - 87.6)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	63	4,000	93.9	(88.2 - 99.6)	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	78	4,200	83.6	(74.8 - 92.4)	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	228	82.2	(76.7 - 87.7)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	88	81.4	(72.9 - 89.9)	4,417	74.4	(68.7 - 80.1)
Female	140	83.0	(75.9 - 90.1)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	221	81.4	(75.7 - 87.1)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	87	77.5	(67.8 - 87.3)	6,518	73.3	(67.5 - 79.1)
Some College	63	93.9	(88.0 - 99.7)	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	78	83.9	(75.2 - 92.6)	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	23,300	31.5	(26.2 - 36.8)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	232	12,000	33.6	(24.9 - 42.2)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	394	11,200	29.6	(23.2 - 35.9)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	188	7,200	18.1	(9.0 - 27.2)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	216	4,000	20.4	(14.3 - 26.5)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	222	12,100	83.6	(78.3 - 88.8)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	608	21,500	30.9	(25.8 - 36.1)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	222	9,300	34.1	(25.2 - 43.0)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	182	6,500	29.5	(19.9 - 39.1)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	221	7,500	30.5	(21.2 - 39.8)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	166	6,700	37.3	(27.7 - 46.9)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	*	*	*	*	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	626	30.0	(24.4 - 35.6)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	232	33.8	(24.7 - 42.9)	13,052	25.8	(22.3 - 29.4)
Female	394	26.5	(19.8 - 33.2)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	608	29.5	(24.1 - 34.9)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	222	32.4	(23.1 - 41.7)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	221	29.4	(19.5 - 39.2)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	*	*	*	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	222	12,100	83.6	(78.3 - 88.8)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	86	5,100	81.2	(72.7 - 89.8)	4,180	606,400	62.1	(55.5 - 68.7)
Female	136	6,900	85.4	(78.9 - 91.9)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	222	12,100	83.6	(78.3 - 88.8)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	216	11,400	82.8	(77.3 - 88.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	87	4,900	85.9	(78.1 - 93.6)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	62	3,600	85.6	(76.3 - 95.0)	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	72	3,600	80.3	(70.4 - 90.3)	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	72	3,700	85.1	(76.1 - 94.0)	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	77	4,100	81.5	(72.3 - 90.8)	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	222	83.3	(77.9 - 88.7)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	86	81.2	(72.6 - 89.7)	4,180	61.5	(54.3 - 68.6)
Female	136	85.3	(78.8 - 91.8)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	216	82.6	(77.0 - 88.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	87	85.7	(77.9 - 93.6)	6,345	64.2	(57.4 - 71.0)
Some College	62	85.3	(75.6 - 95.0)	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	72	85.1	(76.0 - 94.2)	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	77	82.2	(73.1 - 91.3)	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	368	26,500	94.6	(91.8 - 97.4)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	368	26,500	94.6	(91.8 - 97.4)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	84	8,200	89.9	(82.8 - 97.1)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	142	10,100	96.0	(92.5 - 99.6)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	142	8,200	97.9	(95.5 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	355	25,000	94.3	(91.3 - 97.3)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	125	9,200	92.1	(85.9 - 98.2)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	120	8,800	96.6	(93.1 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	123	8,500	95.4	(91.3 - 99.5)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	99	5,700	95.4	(91.1 - 99.7)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	98	6,700	91.5	(84.0 - 98.9)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	77	7,100	92.1	(85.6 - 98.5)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	368	93.7	(90.2 - 97.2)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	368	93.7	(90.2 - 97.2)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	355	93.4	(89.7 - 97.1)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	125	90.4	(82.7 - 98.2)	8,266	90.2	(86.1 - 94.2)
Some College	120	95.9	(91.2 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	123	95.2	(90.5 - 99.8)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	99	95.1	(90.4 - 99.7)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	98	90.4	(81.4 - 99.3)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	77	90.8	(82.9 - 98.6)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	364	23,300	83.6	(79.1 - 88.1)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	364	23,300	83.6	(79.1 - 88.1)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	83	7,100	77.6	(67.8 - 87.5)	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	141	8,800	84.5	(77.7 - 91.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	140	7,400	89.0	(83.1 - 95.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	351	21,700	82.8	(78.1 - 87.5)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	123	8,300	83.6	(75.9 - 91.3)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	119	7,500	82.8	(75.2 - 90.5)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	122	7,500	84.3	(76.2 - 92.4)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	99	4,900	81.9	(73.9 - 90.0)	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	97	5,900	81.6	(71.7 - 91.4)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	76	6,500	84.7	(75.5 - 94.0)	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	364	82.2	(77.0 - 87.4)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	364	82.2	(77.0 - 87.4)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	351	81.4	(76.0 - 86.8)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	123	82.7	(74.0 - 91.5)	8,204	80.1	(75.6 - 84.7)
Some College	119	81.5	(73.0 - 90.1)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	122	82.2	(72.7 - 91.7)	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	99	80.5	(71.7 - 89.3)	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	281	16,200	86.5	(81.9 - 91.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	281	16,200	86.5	(81.9 - 91.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	141	8,800	84.5	(77.7 - 91.2)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	140	7,400	89.0	(83.1 - 95.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	272	15,000	85.8	(81.0 - 90.6)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	105	6,300	85.5	(77.8 - 93.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	89	5,000	85.0	(77.0 - 93.1)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	87	4,800	89.4	(81.2 - 97.6)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	85	4,100	84.4	(76.1 - 92.7)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	78	4,300	86.0	(76.7 - 95.3)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	281	86.3	(81.6 - 91.0)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	281	86.3	(81.6 - 91.0)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	272	85.7	(80.7 - 90.6)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	105	85.8	(78.2 - 93.3)	7,026	83.6	(80.1 - 87.0)
Some College	89	84.4	(75.9 - 92.8)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	87	89.2	(80.7 - 97.7)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	85	84.2	(75.8 - 92.7)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	78	85.8	(76.5 - 95.1)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	418	39,500	96.1	(92.8 - 99.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	418	39,500	96.1	(92.8 - 99.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	53	7,000	97.9	(93.8 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	91	8,200	99.0	(97.1 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	102	6,500	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	140	7,800	93.9	(89.2 - 98.7)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	402	36,700	96.5	(93.1 - 99.8)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	136	12,700	90.6	(81.6 - 99.6)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	136	11,900	97.6	(94.8 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	146	14,800	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	109	10,200	97.7	(95.3 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	55	4,500	95.2	(88.3 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	95	12,100	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	418	95.9	(92.1 - 99.6)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	418	95.9	(92.1 - 99.6)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	402	96.3	(92.5 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	136	97.4	(94.0 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	146	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	109	98.0	(96.0 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	55	94.2	(85.8 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	95	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	34,500	84.6	(80.2 - 89.1)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	412	34,500	84.6	(80.2 - 89.1)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	53	6,500	91.3	(83.1 - 99.6)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	91	7,600	91.5	(85.9 - 97.1)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	101	5,200	81.4	(72.7 - 90.1)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	135	5,600	69.0	(60.5 - 77.5)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	396	31,800	84.3	(79.8 - 88.9)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	136	10,400	84.8	(78.9 - 90.7)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	145	13,700	93.0	(88.7 - 97.3)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	108	8,700	84.2	(75.5 - 92.9)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	95	11,700	96.7	(92.7 - 100)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	412	85.6	(80.8 - 90.4)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	412	85.6	(80.8 - 90.4)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	396	85.4	(80.5 - 90.4)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	136	86.3	(80.5 - 92.1)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	145	93.4	(88.8 - 97.9)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	108	85.3	(76.2 - 94.5)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	95	96.2	(91.5 - 100)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	208	18,700	78.5	(70.8 - 86.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	208	18,700	78.5	(70.8 - 86.2)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	62	5,400	86.9	(77.7 - 96.2)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	85	5,700	92.0	(86.1 - 97.8)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	204	18,400	80.3	(73.5 - 87.2)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	83	7,900	92.2	(85.6 - 98.8)	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	208	78.1	(70.0 - 86.3)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	208	78.1	(70.0 - 86.3)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	204	80.4	(73.5 - 87.2)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	83	91.7	(84.6 - 98.8)	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	207	13,200	55.6	(47.4 - 63.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	207	13,200	55.6	(47.4 - 63.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	85	4,800	76.2	(66.8 - 85.6)	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	203	13,000	56.8	(48.8 - 64.8)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	207	55.3	(46.8 - 63.7)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	207	55.3	(46.8 - 63.7)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	203	56.8	(48.7 - 64.8)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	14,000	61.9	(53.4 - 70.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	198	14,000	61.9	(53.4 - 70.4)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	82	5,400	89.2	(82.5 - 95.8)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	194	13,800	63.5	(55.3 - 71.7)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	61.1	(52.2 - 69.9)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	198	61.1	(52.2 - 69.9)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	194	62.9	(54.6 - 71.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	11,200	49.6	(41.3 - 57.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	198	11,200	49.6	(41.3 - 57.8)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	82	4,800	79.5	(70.5 - 88.5)	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	194	11,000	50.6	(42.5 - 58.7)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	198	48.7	(40.3 - 57.1)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	198	48.7	(40.3 - 57.1)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	194	49.9	(41.8 - 58.1)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	212	1,000	4.2	(1.6 - 6.7)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	212	1,000	4.2	(1.6 - 6.7)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	208	1,000	4.3	(1.7 - 7.0)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	212	4.2	(1.7 - 6.7)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	212	4.2	(1.7 - 6.7)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	208	4.4	(1.7 - 7.0)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	462	16,200	44.7	(39.4 - 50.0)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	176	7,600	43.9	(35.5 - 52.3)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	286	8,600	45.4	(38.8 - 52.1)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	234	8,200	38.2	(30.9 - 45.4)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	228	8,000	54.3	(47.0 - 61.6)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	451	15,700	45.0	(39.6 - 50.3)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	175	4,800	33.6	(25.7 - 41.5)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	124	5,000	54.2	(44.3 - 64.1)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	162	6,400	50.6	(41.7 - 59.6)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	462	44.5	(39.2 - 49.8)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	176	44.3	(36.0 - 52.5)	9,571	39.4	(35.3 - 43.5)
Female	286	44.8	(38.1 - 51.4)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	451	44.8	(39.4 - 50.1)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	175	33.3	(25.4 - 41.2)	11,146	35.1	(30.3 - 39.9)
Some College	124	54.2	(44.3 - 64.2)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	162	50.7	(41.7 - 59.6)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	5,500	15.4	(11.9 - 18.8)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	174	2,200	13.1	(8.1 - 18.2)	9,508	444,400	16.0	(13.2 - 18.9)
Female	284	3,300	17.4	(12.8 - 22.1)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	233	2,200	10.3	(6.5 - 14.2)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	225	3,300	22.8	(16.8 - 28.8)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	447	5,400	15.6	(12.1 - 19.1)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	172	1,800	12.4	(7.4 - 17.4)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	124	1,300	14.5	(8.2 - 20.9)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	161	2,400	19.5	(13.0 - 25.9)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	121	1,300	16.7	(9.6 - 23.9)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	128	1,500	15.3	(8.8 - 21.9)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	67	1,000	18.1	(8.7 - 27.4)	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	89	1,300	14.9	(7.6 - 22.2)	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	15.7	(12.1 - 19.2)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	174	14.1	(8.7 - 19.5)	9,508	16.4	(13.2 - 19.6)
Female	284	17.2	(12.6 - 21.8)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	447	15.9	(12.3 - 19.5)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	172	12.3	(7.2 - 17.4)	11,026	12.7	(9.2 - 16.1)
Some College	124	15.2	(8.4 - 22.0)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	161	20.0	(13.3 - 26.6)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	121	16.9	(9.4 - 24.3)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	128	15.7	(8.8 - 22.5)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	67	18.2	(8.7 - 27.7)	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	89	15.4	(7.8 - 23.0)	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	8,600	24.0	(19.5 - 28.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	174	3,800	22.2	(15.1 - 29.3)	9,508	593,100	21.4	(18.3 - 24.5)
Female	284	4,800	25.7	(20.1 - 31.2)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	233	4,100	19.1	(13.3 - 24.9)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	225	4,500	31.2	(24.5 - 37.9)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	447	8,500	24.6	(20.0 - 29.1)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	172	3,000	21.1	(14.3 - 28.0)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	124	2,100	22.4	(14.5 - 30.3)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	161	3,600	28.6	(20.4 - 36.8)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	121	1,800	23.0	(14.5 - 31.4)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	128	2,300	22.8	(14.9 - 30.7)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	24.0	(19.6 - 28.5)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	174	22.7	(15.6 - 29.7)	9,508	21.7	(18.3 - 25.1)
Female	284	25.4	(19.8 - 30.9)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	447	24.5	(20.0 - 29.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	172	20.5	(13.8 - 27.2)	11,026	19.5	(15.4 - 23.7)
Some College	124	23.4	(15.1 - 31.7)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	161	28.8	(20.6 - 37.0)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	121	23.1	(14.5 - 31.7)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	128	23.0	(14.9 - 31.1)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	25,600	71.1	(65.8 - 76.4)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	175	11,600	67.3	(58.8 - 75.9)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	283	14,000	74.6	(68.4 - 80.8)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	165	10,300	80.5	(73.0 - 88.0)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	225	11,600	79.9	(74.3 - 85.6)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	447	24,400	70.2	(64.8 - 75.6)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	172	9,000	63.8	(54.7 - 72.9)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	124	7,000	76.3	(66.8 - 85.8)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	161	9,600	75.9	(67.6 - 84.3)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	127	7,500	74.7	(65.1 - 84.3)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	458	70.6	(65.3 - 75.9)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	175	66.9	(58.4 - 75.4)	9,582	68.5	(64.5 - 72.5)
Female	283	74.2	(67.8 - 80.5)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	447	69.8	(64.4 - 75.2)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	172	63.5	(54.3 - 72.6)	11,121	61.3	(56.4 - 66.2)
Some College	124	76.4	(67.0 - 85.8)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	161	74.9	(66.4 - 83.5)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	127	74.2	(64.5 - 83.9)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	449	24,700	69.8	(64.4 - 75.1)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	173	11,400	66.4	(57.8 - 75.0)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	276	13,300	73.0	(66.6 - 79.4)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	164	10,200	80.0	(72.5 - 87.5)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	218	10,900	78.2	(72.3 - 84.1)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	439	23,500	68.9	(63.4 - 74.3)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	167	8,600	61.9	(52.7 - 71.1)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	121	6,700	75.1	(65.4 - 84.8)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	160	9,400	75.2	(66.8 - 83.6)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	127	7,400	73.9	(64.3 - 83.5)	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	449	69.1	(63.7 - 74.5)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	173	65.8	(57.3 - 74.4)	9,521	66.9	(62.9 - 70.9)
Female	276	72.5	(66.0 - 79.0)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	439	68.3	(62.8 - 73.8)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	167	61.5	(52.2 - 70.7)	11,017	59.0	(54.1 - 63.9)
Some College	121	75.2	(65.5 - 84.8)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	160	74.1	(65.4 - 82.7)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	127	73.3	(63.6 - 83.1)	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	446	25,600	72.5	(67.2 - 77.8)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	173	11,800	69.0	(60.4 - 77.5)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	273	13,700	75.9	(69.7 - 82.2)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	161	10,500	83.0	(75.6 - 90.3)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	218	11,300	81.0	(75.5 - 86.5)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	436	24,400	71.8	(66.3 - 77.2)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	166	8,900	64.3	(55.1 - 73.5)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	120	6,800	76.9	(67.2 - 86.7)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	159	9,800	79.0	(70.9 - 87.1)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	127	7,700	77.1	(67.8 - 86.4)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	446	71.9	(66.5 - 77.2)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	173	68.4	(59.9 - 76.9)	9,418	71.5	(67.6 - 75.4)
Female	273	75.4	(69.0 - 81.7)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	436	71.2	(65.7 - 76.6)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	166	63.7	(54.5 - 73.0)	10,872	64.5	(59.8 - 69.3)
Some College	120	77.0	(67.3 - 86.6)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	159	78.1	(69.7 - 86.4)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	127	76.5	(67.1 - 86.0)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	25,700	31.7	(27.0 - 36.5)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	251	13,900	35.4	(27.4 - 43.5)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	423	11,800	28.3	(23.1 - 33.4)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	88	2,600	18.3	(9.4 - 27.2)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	135	4,800	29.1	(20.4 - 37.8)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	167	5,500	42.9	(34.3 - 51.4)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	230	9,100	61.3	(54.4 - 68.2)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	24,400	31.9	(27.1 - 36.8)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	236	10,000	33.1	(25.4 - 40.8)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	192	8,400	36.0	(26.7 - 45.4)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	245	7,300	26.7	(18.6 - 34.7)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	173	6,400	32.9	(23.8 - 42.0)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	175	6,100	23.9	(15.1 - 32.7)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	29.7	(24.8 - 34.6)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	251	34.5	(26.1 - 42.9)	14,611	27.7	(24.7 - 30.7)
Female	423	25.2	(20.1 - 30.3)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	30.0	(25.0 - 35.0)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	236	31.6	(23.7 - 39.6)	15,688	32.1	(28.4 - 35.8)
Some College	192	34.0	(24.2 - 43.7)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	245	24.1	(15.8 - 32.5)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	173	31.5	(21.9 - 41.1)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	175	21.9	(12.9 - 30.9)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	265	18,200	70.9	(61.1 - 80.8)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	155	10,000	85.1	(77.0 - 93.2)	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	67	4,700	84.4	(75.4 - 93.4)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	137	8,700	96.9	(94.1 - 99.7)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	155	82.5	(72.5 - 92.4)	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	662	67,500	85.1	(80.1 - 90.1)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	252	32,000	81.2	(72.8 - 89.5)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	410	35,500	89.0	(83.6 - 94.4)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	88	12,100	85.7	(77.3 - 94.0)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	135	15,700	95.5	(91.5 - 99.6)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	165	12,400	96.8	(94.0 - 99.6)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	224	14,100	97.5	(95.7 - 99.3)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	642	63,200	84.6	(79.4 - 89.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	232	23,800	79.1	(69.7 - 88.5)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	185	19,500	89.6	(80.5 - 98.6)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	244	24,200	88.1	(81.3 - 94.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	176	23,400	90.9	(83.4 - 98.4)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	662	83.5	(78.0 - 89.0)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	252	79.3	(70.3 - 88.2)	14,389	78.0	(73.9 - 82.1)
Female	410	87.8	(81.7 - 93.9)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	642	83.0	(77.2 - 88.7)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	185	88.5	(78.7 - 98.3)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	244	86.7	(79.0 - 94.4)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	176	89.9	(81.8 - 98.0)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	62,900	79.4	(73.9 - 84.8)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	251	28,600	72.6	(63.6 - 81.6)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	409	34,300	86.1	(80.5 - 91.6)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	135	14,500	88.4	(82.3 - 94.5)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	165	12,200	94.6	(91.0 - 98.2)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	222	13,800	96.2	(93.6 - 98.7)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	640	59,200	79.3	(73.8 - 84.9)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	231	22,700	75.7	(66.3 - 85.2)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	243	22,900	83.5	(76.4 - 90.6)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	176	21,900	85.0	(76.3 - 93.6)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	660	77.5	(71.6 - 83.4)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	251	70.4	(60.8 - 80.0)	14,307	74.8	(70.7 - 79.0)
Female	409	84.6	(78.3 - 90.9)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	640	77.5	(71.5 - 83.5)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	243	81.9	(73.8 - 89.9)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	176	83.6	(74.2 - 92.9)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	6,700	8.3	(6.0 - 10.6)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	249	4,700	12.0	(7.7 - 16.2)	14,477	664,600	9.4	(7.5 - 11.4)
Female	417	2,000	4.9	(2.9 - 6.8)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	167	1,500	11.9	(5.6 - 18.3)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	221	3,200	22.1	(16.1 - 28.1)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	6,300	8.3	(6.0 - 10.6)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	232	2,900	9.6	(5.4 - 13.8)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	190	2,300	9.8	(5.3 - 14.2)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	243	1,500	5.5	(2.3 - 8.6)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	155	2,600	16.2	(8.6 - 23.8)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	170	1,600	8.3	(4.5 - 12.1)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	7.8	(5.6 - 10.1)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	249	11.5	(7.3 - 15.8)	14,477	9.7	(7.8 - 11.7)
Female	417	4.3	(2.5 - 6.2)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	7.7	(5.5 - 10.0)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	232	9.4	(4.9 - 13.8)	15,486	10.5	(8.0 - 13.0)
Some College	190	9.5	(5.0 - 14.0)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	243	4.5	(1.9 - 7.0)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	155	16.5	(8.3 - 24.8)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	170	7.3	(3.8 - 10.8)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	6,000	7.5	(5.2 - 9.7)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	249	4,500	11.6	(7.4 - 15.8)	14,479	598,600	8.5	(6.6 - 10.4)
Female	417	1,500	3.6	(1.8 - 5.3)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	167	1,400	10.8	(4.5 - 17.0)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	221	2,600	18.3	(12.6 - 23.9)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	646	5,600	7.4	(5.1 - 9.6)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	231	2,500	8.3	(4.2 - 12.3)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	190	2,300	9.8	(5.3 - 14.2)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	244	1,200	4.4	(1.4 - 7.4)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	155	2,500	15.6	(8.0 - 23.1)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	171	1,200	6.2	(2.8 - 9.5)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	666	7.1	(4.9 - 9.3)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	249	11.1	(6.9 - 15.4)	14,479	8.8	(6.9 - 10.8)
Female	417	3.2	(1.5 - 5.0)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	646	6.9	(4.7 - 9.2)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	231	8.2	(3.9 - 12.6)	15,485	8.5	(6.2 - 10.7)
Some College	190	9.5	(5.0 - 14.0)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	244	3.5	(1.2 - 5.9)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	155	16.1	(7.9 - 24.2)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	171	5.4	(2.4 - 8.4)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	6,600	8.2	(6.1 - 10.2)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	252	2,600	6.6	(3.9 - 9.3)	14,626	530,400	7.5	(6.2 - 8.8)
Female	423	4,000	9.7	(6.7 - 12.6)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	136	1,100	6.4	(1.9 - 10.8)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	168	1,900	14.3	(8.3 - 20.4)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	229	3,100	21.2	(15.2 - 27.2)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	654	6,400	8.4	(6.3 - 10.4)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	236	3,300	11.0	(6.9 - 15.0)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	192	1,900	8.2	(4.5 - 11.9)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	246	1,400	5.1	(2.6 - 7.7)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	159	2,100	13.1	(7.3 - 18.9)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	173	1,800	9.2	(4.9 - 13.6)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	100	800	7.1	(2.5 - 11.8)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	176	1,000	3.9	(1.4 - 6.5)	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	7.4	(5.5 - 9.4)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	252	6.4	(3.7 - 9.2)	14,626	7.5	(6.1 - 8.9)
Female	423	8.4	(5.6 - 11.1)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	654	7.6	(5.6 - 9.6)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	236	10.2	(6.2 - 14.1)	15,709	12.6	(10.0 - 15.2)
Some College	192	7.1	(3.8 - 10.5)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	246	4.7	(2.2 - 7.3)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	159	11.9	(6.3 - 17.4)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	173	8.7	(4.4 - 13.0)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	100	6.4	(2.1 - 10.6)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	176	3.7	(1.1 - 6.3)	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	13,400	16.5	(12.1 - 21.0)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	251	5,600	14.2	(6.9 - 21.6)	14,601	875,800	12.4	(10.1 - 14.7)
Female	423	7,800	18.7	(13.5 - 23.9)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	87	2,200	15.3	(5.5 - 25.2)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	136	1,500	9.2	(4.5 - 14.0)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	168	1,700	12.8	(7.7 - 17.9)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	229	2,000	13.6	(8.8 - 18.4)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	12,500	16.3	(11.9 - 20.8)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	4,900	16.3	(8.5 - 24.1)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	192	3,600	15.5	(6.8 - 24.3)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	244	4,800	17.6	(11.1 - 24.2)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	159	2,600	15.7	(6.3 - 25.1)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	171	3,100	16.3	(9.2 - 23.4)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	176	4,500	17.3	(8.6 - 26.0)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	17.1	(12.2 - 21.9)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	251	15.0	(7.1 - 23.0)	14,601	12.6	(10.3 - 14.9)
Female	423	19.0	(13.3 - 24.8)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	16.8	(12.0 - 21.7)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	16.9	(8.3 - 25.5)	15,675	15.1	(12.1 - 18.0)
Some College	192	15.9	(6.5 - 25.4)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	244	18.4	(11.2 - 25.6)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	171	16.0	(8.4 - 23.6)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	176	18.7	(9.3 - 28.1)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 48a. Current asthma among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	7,500	9.3	(6.0 - 12.6)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	249	1,900	4.9	(0.6 - 9.3)	14,546	440,700	6.3	(4.8 - 7.7)
Female	419	5,500	13.4	(8.6 - 18.2)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	136	1,000	6.2	(2.2 - 10.1)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	166	1,200	9.1	(4.6 - 13.6)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	226	1,200	7.9	(4.3 - 11.6)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	647	7,400	9.7	(6.2 - 13.2)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	234	2,700	9.0	(3.8 - 14.2)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	192	1,900	8.3	(1.2 - 15.5)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	241	2,800	10.4	(5.3 - 15.4)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	158	1,400	8.3	(0.8 - 15.8)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	170	1,900	9.7	(4.3 - 15.2)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	175	3,200	12.6	(4.9 - 20.3)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 48b. Current asthma among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	9.5	(5.9 - 13.2)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	249	5.0	(0.3 - 9.6)	14,546	6.4	(4.9 - 7.9)
Female	419	13.9	(8.5 - 19.3)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	647	10.0	(6.2 - 13.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	234	9.3	(3.4 - 15.1)	15,594	10.8	(8.3 - 13.3)
Some College	192	8.4	(0.7 - 16.0)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	241	10.9	(5.2 - 16.6)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	158	8.6	(0.1 - 17.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	170	9.6	(3.7 - 15.5)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	175	13.6	(5.2 - 22.0)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	39,200	48.5	(43.1 - 53.9)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	251	18,900	48.1	(39.4 - 56.7)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	422	20,300	48.9	(42.3 - 55.6)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	135	7,300	44.1	(34.5 - 53.8)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	168	7,400	57.1	(48.6 - 65.6)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	229	8,700	59.1	(52.1 - 66.1)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	652	36,300	47.6	(42.2 - 53.0)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	234	15,200	50.5	(41.2 - 59.8)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	246	12,200	44.3	(35.9 - 52.7)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	175	10,300	40.5	(31.1 - 49.9)	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	47.6	(41.8 - 53.4)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	251	47.1	(38.0 - 56.2)	14,595	42.6	(38.8 - 46.3)
Female	422	48.1	(40.9 - 55.3)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	652	46.7	(41.0 - 52.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	234	49.7	(39.8 - 59.6)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	246	43.0	(34.1 - 52.0)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	175	40.2	(30.4 - 50.1)	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 50a. Arthritis among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	24,200	30.1	(25.7 - 34.4)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	251	11,500	29.3	(22.4 - 36.2)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	419	12,700	30.8	(25.4 - 36.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	88	1,800	12.4	(5.6 - 19.3)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	136	4,900	29.8	(21.0 - 38.6)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	167	6,500	49.8	(41.2 - 58.3)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	226	8,600	59.3	(52.2 - 66.3)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	649	23,400	30.8	(26.3 - 35.2)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	233	9,900	32.8	(25.1 - 40.4)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	191	7,500	32.6	(23.8 - 41.4)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	245	6,900	25.1	(18.9 - 31.4)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	173	6,200	32.3	(23.9 - 40.6)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	175	5,700	22.1	(15.0 - 29.2)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 50b. Arthritis among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	670	27.5	(23.2 - 31.9)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	251	27.6	(20.7 - 34.6)	14,555	23.5	(20.9 - 26.1)
Female	419	27.4	(22.0 - 32.8)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	649	28.3	(23.8 - 32.7)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	233	30.4	(22.7 - 38.2)	15,652	30.4	(26.9 - 33.8)
Some College	191	30.4	(21.4 - 39.4)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	245	22.1	(16.1 - 28.1)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	173	28.7	(20.5 - 36.9)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	175	19.6	(12.8 - 26.4)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	19,300	23.8	(19.4 - 28.2)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	252	9,300	23.6	(16.4 - 30.8)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	423	10,000	24.0	(18.8 - 29.2)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	88	2,600	18.7	(10.1 - 27.3)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	136	2,800	17.1	(10.8 - 23.5)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	168	4,300	33.2	(25.0 - 41.3)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	229	4,900	33.6	(26.6 - 40.6)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	654	18,300	23.9	(19.4 - 28.4)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	236	8,200	27.1	(19.4 - 34.8)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	192	5,600	24.2	(17.0 - 31.4)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	246	5,500	20.0	(12.1 - 27.9)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	173	5,200	26.8	(18.6 - 35.0)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	176	3,800	15.0	(6.6 - 23.4)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	675	23.1	(18.5 - 27.7)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	252	23.6	(16.0 - 31.2)	14,566	18.6	(15.8 - 21.4)
Female	423	22.6	(17.1 - 28.1)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	654	23.2	(18.5 - 28.0)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	236	26.8	(18.5 - 35.0)	15,626	23.8	(20.1 - 27.4)
Some College	192	23.4	(15.9 - 31.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	246	18.9	(10.7 - 27.2)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	173	26.1	(17.4 - 34.9)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	176	13.8	(5.2 - 22.5)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	6,900	8.6	(5.4 - 11.7)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	251	3,300	8.5	(2.9 - 14.0)	14,617	460,700	6.5	(5.3 - 7.7)
Female	423	3,600	8.6	(5.4 - 11.8)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	168	1,700	13.2	(6.7 - 19.7)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	228	2,700	18.7	(12.7 - 24.8)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	6,400	8.4	(5.2 - 11.7)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	236	2,000	6.7	(3.1 - 10.4)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	191	2,100	9.2	(4.7 - 13.7)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	246	2,800	10.0	(2.7 - 17.4)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	158	2,000	12.2	(7.0 - 17.4)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	173	1,300	6.7	(2.2 - 11.2)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	8.0	(4.7 - 11.3)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	251	8.2	(2.4 - 14.0)	14,617	6.8	(5.5 - 8.0)
Female	423	7.8	(4.6 - 11.0)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	8.0	(4.6 - 11.4)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	236	6.3	(2.6 - 9.9)	15,711	10.3	(8.3 - 12.3)
Some College	191	8.4	(3.9 - 12.8)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	246	9.6	(1.9 - 17.3)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	158	11.1	(6.0 - 16.3)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	173	6.9	(1.9 - 11.9)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 53a. Disability among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	20,600	25.4	(21.0 - 29.9)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	252	9,800	24.8	(17.5 - 32.0)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	422	10,800	26.0	(20.7 - 31.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	88	2,800	19.6	(10.9 - 28.4)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	136	2,800	17.1	(10.8 - 23.5)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	168	4,600	35.1	(26.9 - 43.3)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	228	5,600	38.2	(31.1 - 45.4)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	19,500	25.6	(21.0 - 30.1)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	236	8,600	28.5	(20.8 - 36.3)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	191	6,000	25.8	(18.3 - 33.4)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	246	6,000	21.7	(13.8 - 29.6)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	173	5,400	28.1	(19.8 - 36.4)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	176	4,100	16.1	(7.6 - 24.6)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 53b. Disability among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	24.7	(19.9 - 29.4)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	252	24.7	(17.1 - 32.3)	14,568	20.9	(18.0 - 23.8)
Female	422	24.6	(18.9 - 30.3)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	24.9	(20.1 - 29.7)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	236	28.0	(19.7 - 36.3)	15,638	26.8	(23.0 - 30.6)
Some College	191	25.1	(17.2 - 33.0)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	246	20.7	(12.4 - 28.9)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	173	27.6	(18.7 - 36.4)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	176	15.1	(6.3 - 23.8)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 54a. Current smoking among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	16,000	19.8	(15.5 - 24.1)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	252	8,700	22.0	(14.8 - 29.2)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	421	7,300	17.7	(12.8 - 22.5)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	87	3,300	23.8	(14.2 - 33.3)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	135	4,700	28.8	(19.6 - 38.0)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	168	2,200	16.5	(9.5 - 23.5)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	229	1,200	8.1	(4.5 - 11.8)	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	652	15,600	20.4	(15.9 - 24.9)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	237	8,500	27.9	(20.0 - 35.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	190	5,400	23.3	(14.4 - 32.3)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	245	2,100	7.8	(2.8 - 12.8)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	173	4,400	22.7	(13.3 - 32.1)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	100	2,400	20.5	(10.6 - 30.4)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	175	2,500	9.9	(4.8 - 15.0)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 54b. Current smoking among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	20.0	(15.5 - 24.6)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	252	21.8	(14.3 - 29.3)	14,559	19.2	(16.3 - 22.1)
Female	421	18.4	(13.0 - 23.7)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	652	20.7	(16.0 - 25.5)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	237	27.7	(19.4 - 36.0)	15,654	22.8	(19.5 - 26.0)
Some College	190	24.5	(14.9 - 34.1)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	245	8.1	(2.6 - 13.6)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	100	19.7	(9.8 - 29.6)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	175	9.9	(4.7 - 15.0)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	11,800	14.6	(10.9 - 18.3)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	252	6,400	16.3	(10.0 - 22.6)	14,559	848,400	12.0	(10.0 - 14.1)
Female	421	5,400	13.0	(9.1 - 16.9)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	87	2,300	16.2	(8.2 - 24.2)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	135	4,300	25.9	(16.9 - 34.9)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	168	1,800	13.5	(6.7 - 20.3)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	229	800	5.2	(2.3 - 8.1)	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	652	11,400	14.9	(11.1 - 18.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	237	7,000	22.9	(15.6 - 30.3)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	190	3,500	15.3	(8.1 - 22.5)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	245	1,300	4.8	(1.6 - 8.1)	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	159	2,900	17.7	(8.6 - 26.8)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	173	4,200	21.8	(12.4 - 31.2)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	100	2,000	16.5	(7.3 - 25.7)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	175	1,800	7.2	(2.9 - 11.5)	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	673	14.4	(10.6 - 18.3)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	252	15.8	(9.3 - 22.3)	14,559	12.1	(10.1 - 14.1)
Female	421	13.1	(9.0 - 17.3)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	652	14.8	(10.8 - 18.8)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	237	22.2	(14.6 - 29.8)	15,654	16.4	(13.8 - 19.0)
Some College	190	15.9	(8.2 - 23.6)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	245	4.8	(1.5 - 8.2)	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	159	16.8	(7.4 - 26.3)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	100	15.4	(6.5 - 24.2)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	175	7.1	(2.8 - 11.3)	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	671	63,500	78.4	(74.1 - 82.8)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	251	30,400	77.1	(69.9 - 84.4)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	420	33,100	79.7	(74.7 - 84.6)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	88	12,100	85.4	(78.1 - 92.7)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	135	11,500	69.8	(60.8 - 78.7)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	168	9,400	71.8	(63.8 - 79.8)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	226	12,500	85.6	(81.1 - 90.1)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	651	59,400	77.8	(73.3 - 82.3)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	233	21,100	69.8	(61.6 - 78.0)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	191	18,400	79.5	(71.1 - 87.8)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	246	24,000	87.3	(81.9 - 92.6)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	172	13,500	70.1	(60.4 - 79.7)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	99	9,300	78.7	(69.0 - 88.5)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	176	23,000	89.4	(83.9 - 94.8)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	671	79.2	(74.7 - 83.7)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	251	78.1	(70.7 - 85.5)	14,577	79.4	(76.7 - 82.2)
Female	420	80.3	(74.9 - 85.6)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	651	78.5	(73.8 - 83.2)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	233	71.1	(62.5 - 79.6)	15,647	76.9	(73.8 - 80.0)
Some College	191	80.1	(71.4 - 88.9)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	246	87.5	(81.8 - 93.1)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	99	79.8	(70.0 - 89.6)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	176	90.2	(84.8 - 95.5)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	15,700	19.4	(14.7 - 24.2)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	251	10,100	25.7	(17.6 - 33.9)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	423	5,600	13.4	(8.6 - 18.3)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	136	2,600	15.5	(8.4 - 22.6)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	167	1,200	9.6	(4.7 - 14.6)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	13,900	18.3	(13.7 - 22.9)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	237	5,800	19.0	(11.7 - 26.2)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	244	4,000	14.6	(7.9 - 21.4)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	173	4,000	20.6	(11.0 - 30.1)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	100	2,100	17.8	(8.2 - 27.4)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	174	5,300	20.7	(12.2 - 29.2)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	21.0	(15.8 - 26.2)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	251	27.2	(18.5 - 35.9)	14,420	24.5	(21.0 - 27.9)
Female	423	15.1	(9.5 - 20.6)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	19.7	(14.7 - 24.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	237	20.5	(12.5 - 28.4)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	244	16.1	(8.5 - 23.6)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	100	16.5	(7.0 - 25.9)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	174	22.3	(13.2 - 31.4)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	6,100	7.6	(4.2 - 11.0)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	249	3,600	9.3	(3.3 - 15.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	419	2,500	5.9	(2.5 - 9.4)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	648	5,300	6.9	(3.7 - 10.2)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	*	*	*	*	15,411	228,100	4.2	(3.2 - 5.2)
Some College	190	3,100	13.6	(4.7 - 22.5)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	242	1,800	6.5	(1.5 - 11.6)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	171	1,600	8.5	(1.1 - 15.8)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	174	2,800	10.8	(3.5 - 18.2)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	668	7.8	(4.1 - 11.5)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	249	9.7	(3.3 - 16.0)	14,330	4.9	(3.9 - 5.9)
Female	419	6.1	(2.2 - 10.0)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	648	7.1	(3.6 - 10.6)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	*	*	*	15,411	4.3	(3.2 - 5.3)
Some College	190	14.1	(4.5 - 23.7)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	242	6.7	(1.1 - 12.3)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	171	9.2	(1.1 - 17.3)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	174	10.8	(3.0 - 18.6)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	45,000	60.4	(54.6 - 66.2)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	227	25,100	70.6	(61.3 - 80.0)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	397	19,900	51.0	(44.1 - 58.0)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	129	10,500	66.5	(57.6 - 75.5)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	152	8,900	75.2	(67.9 - 82.6)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	216	11,200	81.8	(76.1 - 87.5)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	605	43,300	61.3	(55.5 - 67.0)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	229	15,300	60.4	(50.9 - 69.8)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	624	58.0	(51.8 - 64.2)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	227	68.9	(58.9 - 78.8)	13,299	67.9	(64.0 - 71.9)
Female	397	48.2	(40.8 - 55.6)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	605	59.0	(52.8 - 65.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	*	*	*	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	*	*	*	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	45,200	78.6	(72.5 - 84.7)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	169	24,100	82.0	(72.7 - 91.4)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	247	21,100	75.0	(67.2 - 82.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	95	10,000	83.1	(74.4 - 91.8)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	96	7,100	90.9	(83.3 - 98.6)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	112	6,600	94.6	(90.5 - 98.7)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	404	42,900	78.8	(72.7 - 84.9)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	137	17,500	85.1	(76.1 - 94.1)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	77.3	(70.7 - 83.8)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	169	81.2	(71.2 - 91.1)	9,034	81.1	(77.4 - 84.8)
Female	247	73.3	(64.8 - 81.8)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	404	77.4	(70.9 - 84.0)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	137	84.2	(74.4 - 93.9)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	68,900	88.3	(84.6 - 92.1)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	235	32,100	84.5	(77.6 - 91.4)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	404	36,800	92.0	(88.8 - 95.2)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	87	13,600	97.5	(94.6 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	132	14,400	89.6	(82.9 - 96.2)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	155	11,300	93.2	(88.1 - 98.2)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	212	10,600	79.1	(73.1 - 85.0)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	618	64,400	87.8	(83.8 - 91.8)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	216	23,800	82.5	(74.7 - 90.3)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	184	20,000	88.8	(82.1 - 95.5)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	238	25,100	94.2	(90.5 - 98.0)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	150	13,900	88.0	(81.5 - 94.4)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	164	15,600	84.1	(75.6 - 92.7)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	*	*	*	*	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	168	23,400	94.3	(89.6 - 98.9)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	639	88.6	(84.6 - 92.5)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	235	84.4	(77.2 - 91.6)	13,893	89.1	(86.9 - 91.3)
Female	404	92.5	(89.1 - 95.9)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	618	88.0	(83.8 - 92.2)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	216	82.7	(74.4 - 90.9)	14,507	84.6	(81.8 - 87.4)
Some College	184	89.1	(82.2 - 96.1)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	238	94.4	(90.5 - 98.3)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	150	87.7	(80.7 - 94.8)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	164	84.6	(75.7 - 93.5)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	*	*	*	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	168	94.5	(89.8 - 99.1)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 62a. Overweight among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	26,200	33.5	(28.5 - 38.5)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	250	15,100	38.3	(30.3 - 46.4)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	398	11,200	28.7	(22.7 - 34.7)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	130	4,600	29.2	(20.1 - 38.3)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	159	5,400	43.6	(35.0 - 52.3)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	225	5,600	38.4	(31.3 - 45.6)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	627	25,900	35.2	(30.0 - 40.3)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	227	9,600	32.8	(24.4 - 41.2)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	182	7,300	33.1	(23.2 - 43.0)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	238	9,200	34.5	(26.5 - 42.5)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	170	8,500	33.9	(25.3 - 42.5)	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 62b. Overweight among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	33.3	(28.0 - 38.7)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	250	38.3	(29.8 - 46.8)	14,502	43.9	(40.1 - 47.6)
Female	398	28.3	(21.6 - 34.9)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	627	35.0	(29.5 - 40.5)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	227	32.9	(23.9 - 42.0)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	238	33.8	(25.3 - 42.3)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	170	33.2	(24.2 - 42.2)	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 63a. Obesity among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	18,400	23.5	(19.2 - 27.8)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	250	8,800	22.4	(16.1 - 28.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	398	9,600	24.6	(18.8 - 30.3)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	130	4,500	28.5	(19.9 - 37.0)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	159	3,700	29.6	(21.4 - 37.7)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	225	3,300	22.7	(16.1 - 29.2)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	627	17,500	23.7	(19.4 - 28.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	227	7,600	25.9	(18.7 - 33.0)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	182	5,300	23.8	(15.3 - 32.3)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	238	5,500	20.7	(13.7 - 27.7)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	156	3,400	21.0	(13.6 - 28.3)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	168	5,900	31.4	(21.7 - 41.1)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	170	5,200	20.7	(13.3 - 28.1)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 63b. Obesity among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	23.1	(18.5 - 27.6)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	250	22.1	(15.5 - 28.6)	14,502	21.5	(19.0 - 24.0)
Female	398	24.1	(17.9 - 30.3)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	627	23.5	(18.8 - 28.2)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	227	25.1	(17.8 - 32.5)	15,079	29.4	(25.4 - 33.3)
Some College	182	23.3	(14.2 - 32.4)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	238	20.8	(13.2 - 28.3)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	156	19.8	(12.4 - 27.2)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	170	20.4	(12.7 - 28.1)	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	44,600	57.0	(51.3 - 62.7)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	250	23,900	60.7	(51.6 - 69.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	398	20,700	53.3	(46.4 - 60.2)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	130	9,100	57.7	(47.8 - 67.5)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	159	9,100	73.2	(65.4 - 81.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	225	8,900	61.1	(54.1 - 68.1)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	627	43,300	58.9	(53.3 - 64.5)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	227	17,200	58.7	(48.8 - 68.6)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	238	14,700	55.2	(46.3 - 64.1)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	168	13,300	70.6	(62.2 - 79.1)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	56.4	(50.3 - 62.5)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	250	60.3	(50.7 - 70.0)	14,502	65.4	(61.3 - 69.4)
Female	398	52.4	(44.8 - 59.9)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	627	58.4	(52.4 - 64.4)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	238	54.6	(45.0 - 64.1)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	168	71.2	(62.4 - 80.0)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	16,900	21.6	(17.2 - 26.1)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	250	8,000	20.3	(14.0 - 26.5)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	398	8,900	23.0	(16.7 - 29.3)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	82	2,400	17.9	(9.2 - 26.7)	4,779	722,700	25.8	(20.9 - 30.6)
45-54	130	4,000	25.0	(16.3 - 33.7)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	159	3,700	29.8	(21.5 - 38.1)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	225	3,000	20.9	(15.2 - 26.6)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	627	15,200	20.7	(16.6 - 24.8)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	227	6,600	22.4	(13.8 - 31.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	182	5,100	22.9	(14.9 - 30.8)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	238	5,300	19.8	(13.8 - 25.8)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	156	2,900	17.9	(11.1 - 24.7)	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	168	4,600	24.4	(15.5 - 33.3)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	170	4,500	18.1	(11.6 - 24.6)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	20.9	(16.3 - 25.6)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	250	19.2	(12.9 - 25.6)	14,499	23.4	(20.5 - 26.3)
Female	398	22.6	(15.8 - 29.3)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	627	19.8	(15.6 - 24.1)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	227	22.6	(13.5 - 31.8)	15,116	27.3	(23.4 - 31.2)
Some College	182	22.0	(13.7 - 30.3)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	238	18.2	(12.2 - 24.2)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	156	17.2	(10.2 - 24.1)	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	168	25.0	(15.4 - 34.6)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	170	16.0	(9.8 - 22.1)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	*	*	*	*	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	142	13,300	87.2	(80.6 - 93.9)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	57	4,800	89.9	(81.9 - 97.9)	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	57	88.3	(78.3 - 98.3)	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	142	87.8	(81.2 - 94.3)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	57	89.8	(81.2 - 98.5)	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	15,100	18.7	(15.0 - 22.3)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	252	7,000	17.8	(11.9 - 23.6)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	422	8,100	19.5	(14.9 - 24.1)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	136	2,700	16.2	(9.0 - 23.3)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	167	3,300	25.3	(17.3 - 33.2)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	229	4,600	31.3	(24.5 - 38.2)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	653	13,800	18.1	(14.5 - 21.6)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	236	8,000	26.5	(19.5 - 33.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	191	3,800	16.6	(9.5 - 23.8)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	246	3,200	11.8	(6.9 - 16.7)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	172	3,700	19.1	(12.2 - 26.0)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	100	1,600	13.1	(5.6 - 20.5)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	176	3,500	13.7	(7.2 - 20.1)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	674	17.9	(14.1 - 21.8)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	252	17.7	(11.5 - 23.9)	14,602	20.9	(17.8 - 23.9)
Female	422	18.2	(13.5 - 22.9)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	653	17.3	(13.6 - 20.9)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	236	25.7	(18.4 - 33.0)	15,683	32.3	(28.3 - 36.4)
Some College	191	16.1	(8.4 - 23.9)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	246	11.1	(6.2 - 16.0)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	172	18.9	(11.4 - 26.5)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	100	11.5	(4.6 - 18.4)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	176	13.3	(6.8 - 19.8)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	676	26,300	32.4	(27.1 - 37.8)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	252	10,900	27.6	(18.7 - 36.4)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	424	15,400	37.0	(30.6 - 43.4)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	136	4,400	26.6	(18.2 - 34.9)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	168	3,100	23.9	(17.0 - 30.9)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	230	4,800	32.4	(25.6 - 39.1)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	655	24,800	32.5	(27.0 - 37.9)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	237	7,000	23.1	(15.3 - 31.0)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	246	10,900	39.6	(30.6 - 48.6)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	173	4,400	22.8	(14.3 - 31.3)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	676	32.9	(27.1 - 38.6)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	252	28.6	(19.2 - 38.0)	14,634	22.7	(19.6 - 25.9)
Female	424	36.9	(29.9 - 43.8)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	655	33.0	(27.1 - 38.8)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	237	23.8	(15.4 - 32.3)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	246	40.4	(30.7 - 50.0)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	173	23.1	(13.8 - 32.5)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	529	6,700	15.3	(11.5 - 19.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	196	3,400	16.2	(9.7 - 22.8)	10,966	489,400	14.4	(11.9 - 16.8)
Female	333	3,300	14.5	(10.4 - 18.5)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	136	2,800	17.0	(9.1 - 24.8)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	164	1,500	11.8	(6.3 - 17.2)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	229	2,400	16.5	(11.4 - 21.7)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	515	6,600	15.6	(11.8 - 19.5)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	192	2,800	16.5	(9.5 - 23.4)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	148	2,000	17.0	(10.2 - 23.7)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	188	1,900	12.7	(7.2 - 18.3)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	135	1,200	13.0	(6.8 - 19.3)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	138	1,800	16.3	(8.9 - 23.7)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	119	1,300	10.4	(4.2 - 16.7)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	529	15.3	(11.5 - 19.2)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	196	16.2	(9.6 - 22.7)	10,966	15.0	(12.1 - 17.8)
Female	333	14.6	(10.5 - 18.7)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	515	15.7	(11.8 - 19.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	192	16.7	(9.6 - 23.7)	12,417	17.4	(13.0 - 21.7)
Some College	148	16.8	(10.0 - 23.5)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	188	12.8	(7.2 - 18.4)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	135	12.9	(6.5 - 19.3)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	138	16.2	(8.8 - 23.7)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	119	10.1	(4.0 - 16.2)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Ontario County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Ontario County and New York State**

	Ontario County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	529	2,500	5.7	(3.4 - 8.1)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	196	1,300	6.2	(2.1 - 10.3)	10,957	120,000	3.5	(2.5 - 4.6)
Female	333	1,200	5.3	(2.9 - 7.8)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	229	900	5.9	(2.5 - 9.2)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	515	2,500	5.8	(3.4 - 8.2)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	192	800	4.6	(1.5 - 7.7)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	148	1,000	8.1	(2.9 - 13.3)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Ontario County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Ontario County and New York State - Age-Adjusted<sup>2</sup>**

	Ontario County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	529	5.7	(3.3 - 8.0)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	196	6.1	(2.0 - 10.2)	10,957	3.6	(2.4 - 4.7)
Female	333	5.3	(2.8 - 7.7)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	515	5.7	(3.3 - 8.2)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	192	4.5	(1.4 - 7.5)	12,404	5.2	(3.5 - 6.8)
Some College	148	8.0	(2.8 - 13.2)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)