

New York State Expanded Behavioral Risk Factor Surveillance System

Schenectady County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Schenectady County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Schenectady County and New York State	14
Table 2b. Fair or poor general health among adults in Schenectady County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Schenectady County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Schenectady County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Schenectady County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Schenectady County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Schenectady County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Schenectady County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Schenectady County and New York State	22
Table 6b. Health insurance among adults in Schenectady County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Schenectady County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Schenectady County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in Schenectady County and New York State	26
Table 8b. No health insurance among adults in Schenectady County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Schenectady County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Schenectady County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Schenectady County and New York State	30
Table 10b. Adults with regular health care provider in Schenectady County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Schenectady County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Schenectady County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Schenectady County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Schenectady County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Schenectady County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Schenectady County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Schenectady County and New York State	38
Table 14b. Dentist visit within the past year among adults in Schenectady County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Schenectady County and New York State	40

Contents

Table 15b. Had teeth cleaned within the past year among adults in Schenectady County and New York State - Age-adjusted	41
Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Schenectady County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Schenectady County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Schenectady County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Schenectady County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Schenectady County and New York State	46
Table 18b. Flu shot within the past 12 months in Schenectady County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Schenectady County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Schenectady County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Schenectady County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Schenectady County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Schenectady County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Schenectady County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Schenectady County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Schenectady County and New York State - Age-adjusted	55

Contents

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Schenectady County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Schenectady County and New York State - Age-adjusted	57

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Schenectady County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Schenectady County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Schenectady County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Schenectady County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Schenectady County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Schenectady County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Schenectady County and New York State	64
Table 27b. Ever had a Pap test among women in Schenectady County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Schenectady County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Schenectady County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Schenectady County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Schenectady County and New York State - Age-adjusted	69

Contents

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Schenectady County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Schenectady County and New York State - Age-adjusted	71
Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Schenectady County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Schenectady County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Schenectady County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Schenectady County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Schenectady County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Schenectady County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Schenectady County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Schenectady County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Schenectady County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Schenectady County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Schenectady County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Schenectady County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Schenectady County and New York State	84

Contents

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Schenectady County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Schenectady County and New York State	86
Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Schenectady County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Schenectady County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Schenectady County and New York State - Age-adjusted	89

Chronic Diseases

Table 40a. High blood pressure among adults in Schenectady County and New York State	90
Table 40b. High blood pressure among adults in Schenectady County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Schenectady County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Schenectady County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Schenectady County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Schenectady County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Schenectady County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Schenectady County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Schenectady County and New York State	98

Contents

Table 44b. Cardiovascular disease among adults in Schenectady County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Schenectady County and New York State	100
Table 45b. Coronary heart disease among adults in Schenectady County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Schenectady County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Schenectady County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Schenectady County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Schenectady County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Schenectady County and New York State	106
Table 48b. Current asthma among adults in Schenectady County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Schenectady County and New York State	108
Table 49b. Chronic joint symptoms among adults in Schenectady County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Schenectady County and New York State	110
Table 50b. Arthritis among adults in Schenectady County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Schenectady County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Schenectady County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Schenectady County and New York State	114

Contents

Table 52b. Have health problem that requires the use of special equipment among adults in Schenectady County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Schenectady County and New York State	116
Table 53b. Disability among adults in Schenectady County and New York State - Age-adjusted	117
Health Behaviors	
Table 54a. Current smoking among adults in Schenectady County and New York State	118
Table 54b. Current smoking among adults in Schenectady County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Schenectady County and New York State	120
Table 55b. Everyday smoking among adults in Schenectady County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Schenectady County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Schenectady County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Schenectady County and New York State	124
Table 57b. Binge drinking within the past month among adults in Schenectady County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Schenectady County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Schenectady County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Schenectady County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Schenectady County and New York State - Age-adjusted	129

Contents

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Schenectady County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Schenectady County and New York State - Age-adjusted	131
Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Schenectady County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Schenectady County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Schenectady County and New York State	134
Table 62b. Overweight among adults in Schenectady County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Schenectady County and New York State	136
Table 63b. Obesity among adults in Schenectady County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Schenectady County and New York State	138
Table 64b. Overweight or obesity among adults in Schenectady County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Schenectady County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Schenectady County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Schenectady County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Schenectady County and New York State - Age-adjusted	143

Contents

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Schenectady County and New York State	144
Table 67b. No leisure-time physical activity among adults in Schenectady County and New York State - Age-adjusted	145
Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Schenectady County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Schenectady County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in Schenectady County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Schenectady County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Schenectady County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Schenectady County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 1. Schenectady County and New York State adult US Census Bureau population estimates,¹ 2007

	Schenectady County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	116,277	100	14,884,315	100
Gender				
Male	55,451	47.7	7,103,791	47.7
Female	60,826	52.3	7,780,524	52.3
Age (years)				
18-34	32,457	27.9	4,497,479	30.2
35-44	20,377	17.5	2,844,115	19.1
45-54	22,724	19.5	2,854,316	19.2
55-64	17,576	15.1	2,142,000	14.4
≥ 65	23,143	19.9	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	98,655	84.8	9,343,884	62.8
Black Non-Hispanic	8,655	7.4	2,156,941	14.5
Hispanic	4,033	3.5	2,258,717	15.2
Other Non-Hispanic	4,934	4.2	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 2a. Fair or poor general health among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	14,700	12.6	(9.9 - 15.3)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	219	5,400	9.7	(6.0 - 13.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	429	9,300	15.3	(11.5 - 19.0)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	99	2,700	10.2	(4.3 - 16.1)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	*	*	*	*	7,819	507,800	17.9	(14.0 - 21.8)
55-64	140	2,800	16.0	(9.4 - 22.5)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	212	5,900	25.4	(19.0 - 31.8)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	588	12,200	12.4	(9.6 - 15.1)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	235	9,400	21.3	(15.4 - 27.1)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	171	2,100	7.6	(3.6 - 11.5)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	240	3,100	7.2	(3.9 - 10.5)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	144	7,200	36.3	(26.6 - 45.9)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	161	3,700	12.7	(6.9 - 18.5)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	164	1,400	4.1	(1.4 - 6.8)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 2b. Fair or poor general health among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	12.1	(9.3 - 14.8)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	219	9.2	(5.6 - 12.9)	14,599	15.3	(12.6 - 18.0)
Female	429	14.7	(10.7 - 18.6)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	588	11.9	(9.0 - 14.8)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	235	20.5	(14.5 - 26.6)	15,682	25.8	(22.1 - 29.5)
Some College	171	7.0	(3.0 - 11.0)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	240	6.8	(3.4 - 10.1)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	161	12.3	(6.4 - 18.2)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	164	3.9	(1.1 - 6.8)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	11,000	9.8	(7.4 - 12.2)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	214	3,600	6.9	(3.8 - 10.0)	14,325	604,200	8.7	(7.0 - 10.5)
Female	421	7,400	12.4	(8.9 - 15.8)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	*	*	*	*	7,764	350,900	12.5	(9.4 - 15.6)
55-64	139	1,600	9.1	(4.6 - 13.6)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	204	4,900	21.8	(15.3 - 28.2)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	577	9,600	10.0	(7.4 - 12.5)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	225	5,700	13.6	(9.0 - 18.3)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	169	2,200	7.9	(3.6 - 12.2)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	239	3,200	7.4	(3.9 - 10.8)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	140	4,300	23.0	(15.2 - 30.8)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	161	3,400	11.8	(6.2 - 17.3)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	161	1,200	3.5	(1.2 - 5.7)	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	9.3	(6.9 - 11.8)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	214	6.7	(3.6 - 9.9)	14,325	8.7	(6.9 - 10.5)
Female	421	11.6	(8.1 - 15.2)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	577	9.6	(6.9 - 12.2)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	225	13.2	(8.4 - 18.0)	15,178	12.7	(10.2 - 15.1)
Some College	169	7.4	(3.0 - 11.8)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	239	6.9	(3.5 - 10.3)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	140	22.4	(14.2 - 30.6)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	161	11.6	(5.8 - 17.5)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	161	3.0	(0.9 - 5.1)	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	10,200	8.9	(6.3 - 11.5)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	215	2,700	5.0	(1.8 - 8.2)	14,407	555,200	7.9	(6.3 - 9.6)
Female	421	7,500	12.5	(8.6 - 16.4)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	72	3,500	14.1	(6.1 - 22.1)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	99	3,100	11.7	(5.2 - 18.1)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	*	*	*	*	7,749	347,200	12.3	(9.0 - 15.6)
55-64	137	1,300	7.7	(2.9 - 12.5)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	208	1,100	5.0	(1.8 - 8.1)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	579	8,200	8.4	(5.7 - 11.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	228	4,100	9.6	(5.3 - 13.9)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	169	2,600	9.2	(4.0 - 14.4)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	237	3,500	8.2	(3.9 - 12.4)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	136	2,400	13.4	(6.2 - 20.5)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	160	2,400	8.3	(3.1 - 13.5)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	102	1,800	8.7	(3.4 - 14.0)	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	163	2,500	7.0	(2.4 - 11.7)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	9.6	(6.7 - 12.5)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	215	5.4	(1.8 - 8.9)	14,407	7.9	(6.3 - 9.6)
Female	421	13.4	(9.0 - 17.8)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	579	9.3	(6.2 - 12.3)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	228	10.1	(5.4 - 14.9)	15,335	12.3	(10.0 - 14.6)
Some College	169	10.2	(4.3 - 16.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	237	8.7	(4.0 - 13.5)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	136	14.8	(6.6 - 23.0)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	160	9.3	(3.3 - 15.3)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	102	8.6	(2.9 - 14.2)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	163	7.7	(2.5 - 12.9)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	629	18,100	16.1	(12.9 - 19.3)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	213	5,500	10.5	(6.3 - 14.6)	14,231	937,700	13.6	(11.4 - 15.8)
Female	416	12,500	21.1	(16.5 - 25.7)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	71	4,200	17.8	(8.9 - 26.8)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	99	3,300	12.2	(5.7 - 18.7)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	120	2,400	10.8	(5.2 - 16.3)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	137	2,700	15.8	(9.5 - 22.1)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	202	5,400	24.5	(17.8 - 31.3)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	573	15,300	15.9	(12.5 - 19.2)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	223	7,500	18.3	(12.8 - 23.9)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	167	4,000	14.5	(8.5 - 20.5)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	237	6,500	15.1	(9.9 - 20.4)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	134	5,200	29.4	(20.4 - 38.4)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	160	4,800	16.3	(9.6 - 23.0)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	102	2,500	11.9	(5.7 - 18.0)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	162	3,500	10.2	(5.1 - 15.3)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	629	16.0	(12.6 - 19.4)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	213	10.5	(6.2 - 14.8)	14,231	13.6	(11.4 - 15.8)
Female	416	20.8	(15.9 - 25.8)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	573	15.8	(12.3 - 19.4)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	223	17.7	(11.9 - 23.4)	15,018	20.1	(17.1 - 23.1)
Some College	167	14.7	(8.2 - 21.2)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	237	15.3	(9.7 - 20.9)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	134	29.2	(19.5 - 38.9)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	160	16.6	(9.4 - 23.7)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	102	11.6	(5.2 - 18.0)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	162	10.3	(4.7 - 15.9)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 6a. Health insurance among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	106,400	91.5	(88.3 - 94.8)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	219	48,600	87.7	(81.6 - 93.7)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	429	57,800	95.1	(92.5 - 97.6)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	99	23,800	88.8	(81.6 - 96.0)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	122	22,000	96.9	(94.2 - 99.5)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	140	17,100	97.1	(93.8 - 100)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	212	22,600	97.7	(95.0 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	588	91,600	92.8	(89.6 - 96.0)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	37,800	85.2	(78.1 - 92.4)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	171	26,500	93.8	(89.1 - 98.6)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	240	41,800	96.4	(93.6 - 99.2)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	161	27,300	93.1	(86.6 - 99.5)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	102	19,700	94.5	(89.1 - 99.9)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	164	34,700	98.7	(96.9 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 6b. Health insurance among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	90.8	(87.2 - 94.4)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	219	86.6	(79.9 - 93.2)	14,597	83.6	(79.7 - 87.5)
Female	429	94.6	(91.8 - 97.5)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	588	92.1	(88.5 - 95.6)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	84.4	(76.6 - 92.2)	15,673	80.1	(75.4 - 84.7)
Some College	171	92.8	(87.2 - 98.4)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	240	96.0	(92.8 - 99.1)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	161	92.2	(85.0 - 99.5)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	102	93.9	(88.0 - 99.8)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	164	98.8	(97.1 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 7a. Health insurance among adults aged 18-64¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	428	83,100	89.9	(85.9 - 93.9)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	150	39,300	85.5	(78.3 - 92.8)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	278	43,800	94.3	(91.1 - 97.4)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	98	23,500	88.7	(81.5 - 96.0)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	122	22,000	96.9	(94.2 - 99.5)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	133	16,600	97.0	(93.6 - 100)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	373	68,800	91.3	(87.3 - 95.3)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	131	27,600	82.1	(73.0 - 91.3)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	113	20,000	92.0	(85.9 - 98.1)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	184	35,500	95.8	(92.5 - 99.1)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	93	19,600	90.6	(81.9 - 99.3)	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	87	18,000	94.0	(88.1 - 99.9)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	141	31,600	98.6	(96.6 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 7b. Health insurance among adults aged 18-64¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	428	89.3	(85.0 - 93.6)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	150	84.2	(76.3 - 92.2)	10,078	80.5	(75.9 - 85.1)
Female	278	94.0	(90.6 - 97.4)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	373	90.6	(86.2 - 95.0)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	131	81.7	(72.1 - 91.3)	9,037	75.1	(69.3 - 80.9)
Some College	113	91.0	(84.1 - 98.0)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	184	95.4	(91.7 - 99.0)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	93	89.9	(80.5 - 99.2)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	87	93.5	(87.1 - 99.8)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	141	98.7	(96.8 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 8a. No health insurance among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	9,800	8.5	(5.2 - 11.7)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	219	6,800	12.3	(6.3 - 18.4)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	429	3,000	4.9	(2.4 - 7.5)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	99	3,000	11.2	(4.0 - 18.4)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	588	7,100	7.2	(4.0 - 10.4)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	6,500	14.8	(7.6 - 21.9)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 8b. No health insurance among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	9.2	(5.6 - 12.8)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	219	13.4	(6.8 - 20.1)	14,597	16.4	(12.5 - 20.3)
Female	429	5.4	(2.5 - 8.2)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	588	7.9	(4.4 - 11.5)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	15.6	(7.8 - 23.4)	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 9a. No health insurance among adults aged 18-64¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	428	9,300	10.1	(6.1 - 14.1)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	150	6,600	14.5	(7.2 - 21.7)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	278	2,700	5.7	(2.6 - 8.9)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	98	3,000	11.3	(4.0 - 18.5)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	373	6,600	8.7	(4.7 - 12.7)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	131	6,000	17.9	(8.7 - 27.0)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 9b. No health insurance among adults aged 18-64¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	428	10.7	(6.4 - 15.0)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	150	15.8	(7.8 - 23.7)	10,078	19.5	(14.9 - 24.1)
Female	278	6.0	(2.6 - 9.4)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	373	9.4	(5.0 - 13.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	131	18.3	(8.7 - 27.9)	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 10a. Adults with regular health care provider¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	105,300	90.6	(87.1 - 94.1)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	219	47,800	86.2	(79.9 - 92.6)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	429	57,500	94.5	(91.3 - 97.7)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	99	24,400	91.2	(84.5 - 97.9)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	122	22,200	97.7	(94.7 - 100)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	140	17,100	97.2	(93.8 - 100)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	212	22,500	97.0	(94.8 - 99.2)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	588	90,100	91.3	(87.9 - 94.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	38,600	87.0	(79.9 - 94.0)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	171	26,100	92.5	(86.5 - 98.5)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	240	40,300	92.9	(88.6 - 97.2)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	144	17,300	87.3	(77.9 - 96.8)	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	161	25,800	88.2	(80.0 - 96.5)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	102	18,800	90.3	(83.3 - 97.3)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	164	33,800	96.0	(92.0 - 100)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 10b. Adults with regular health care provider¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	89.6	(85.7 - 93.5)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	219	85.0	(78.1 - 92.0)	14,593	78.1	(73.9 - 82.3)
Female	429	93.8	(90.1 - 97.5)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	588	90.4	(86.5 - 94.3)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	85.8	(78.1 - 93.5)	15,692	75.8	(71.0 - 80.6)
Some College	171	91.6	(84.7 - 98.6)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	240	92.1	(87.3 - 97.0)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	161	87.1	(77.9 - 96.2)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	102	89.2	(81.5 - 97.0)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	164	95.7	(91.1 - 100)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	12,000	10.4	(7.3 - 13.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	219	5,300	9.5	(4.7 - 14.4)	14,607	903,300	12.7	(9.5 - 16.0)
Female	427	6,800	11.1	(7.2 - 15.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	75	4,300	16.5	(6.8 - 26.1)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	99	2,700	10.2	(3.8 - 16.5)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	122	3,300	14.6	(7.4 - 21.8)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	140	1,300	7.2	(2.4 - 12.0)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	587	9,000	9.1	(5.9 - 12.2)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	235	6,800	15.4	(8.9 - 21.9)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	170	2,600	9.3	(4.0 - 14.7)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	239	2,600	6.0	(2.5 - 9.4)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	161	3,000	10.2	(3.9 - 16.6)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	10.8	(7.4 - 14.2)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	219	9.9	(4.7 - 15.2)	14,607	12.5	(9.4 - 15.6)
Female	427	11.5	(7.3 - 15.8)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	587	9.7	(6.2 - 13.2)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	235	16.2	(9.0 - 23.3)	15,696	17.8	(13.8 - 21.7)
Some College	170	9.8	(4.1 - 15.6)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	239	6.0	(2.4 - 9.6)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	161	11.2	(4.2 - 18.2)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	87,900	75.6	(71.0 - 80.3)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	219	39,900	72.0	(63.9 - 80.1)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	428	48,000	79.0	(74.1 - 83.8)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	122	17,400	76.5	(68.3 - 84.7)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	140	14,500	82.3	(75.0 - 89.6)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	211	20,900	90.6	(85.9 - 95.3)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	587	74,900	76.0	(71.3 - 80.6)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	32,100	72.4	(63.4 - 81.5)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	171	23,000	81.5	(74.0 - 89.0)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	239	32,500	75.0	(68.3 - 81.7)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	164	27,500	78.3	(70.6 - 86.0)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	74.3	(69.2 - 79.4)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	219	70.5	(61.7 - 79.2)	14,592	67.1	(63.3 - 70.9)
Female	428	77.9	(72.5 - 83.2)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	587	74.5	(69.4 - 79.6)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	71.2	(61.4 - 81.0)	15,640	74.4	(70.4 - 78.4)
Some College	171	80.6	(72.4 - 88.9)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	239	73.4	(66.2 - 80.6)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	164	77.3	(69.0 - 85.6)	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	106,800	91.9	(89.1 - 94.7)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	219	50,600	91.2	(86.4 - 95.9)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	428	56,200	92.5	(89.5 - 95.6)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	75	23,500	90.0	(83.0 - 97.0)	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	99	23,700	88.5	(80.4 - 96.6)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	122	21,000	92.3	(87.5 - 97.1)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	140	16,600	94.2	(90.3 - 98.2)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	211	22,100	95.8	(92.6 - 99.0)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	587	89,800	91.0	(87.9 - 94.2)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	39,900	89.9	(84.3 - 95.5)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	171	26,200	93.0	(88.2 - 97.8)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	239	40,400	93.2	(89.7 - 96.7)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	144	16,900	85.2	(77.4 - 93.0)	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	160	28,100	96.0	(91.7 - 100)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	102	18,200	87.3	(78.0 - 96.6)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	164	33,400	95.0	(91.6 - 98.3)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	91.5	(88.5 - 94.6)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	219	90.6	(85.3 - 95.9)	14,592	81.9	(78.4 - 85.3)
Female	428	92.3	(89.0 - 95.6)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	587	90.6	(87.1 - 94.0)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	89.1	(82.8 - 95.4)	15,640	84.6	(81.1 - 88.1)
Some College	171	93.0	(87.9 - 98.0)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	239	93.0	(89.2 - 96.7)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	144	83.8	(74.9 - 92.6)	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	160	95.7	(90.9 - 100)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	164	95.2	(91.9 - 98.5)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 14a. Dentist visit within the past year among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	85,500	73.6	(68.8 - 78.4)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	219	39,400	71.0	(62.7 - 79.3)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	428	46,200	76.0	(70.9 - 81.1)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	122	18,800	82.7	(75.0 - 90.3)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	140	14,100	80.4	(72.7 - 88.2)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	211	17,000	73.8	(67.1 - 80.6)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	587	75,300	76.4	(71.9 - 80.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	234	24,400	55.2	(46.0 - 64.4)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	171	22,200	78.8	(71.1 - 86.5)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	240	38,500	88.8	(84.0 - 93.6)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	102	18,000	86.4	(78.0 - 94.9)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	164	29,100	82.8	(74.5 - 91.1)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 14b. Dentist visit within the past year among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	73.0	(67.8 - 78.2)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	219	70.3	(61.5 - 79.2)	14,573	68.3	(64.6 - 72.1)
Female	428	75.4	(69.8 - 81.0)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	587	75.8	(71.0 - 80.6)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	234	54.8	(45.0 - 64.6)	15,613	65.3	(60.9 - 69.6)
Some College	171	77.1	(68.4 - 85.8)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	240	88.6	(83.4 - 93.8)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	102	86.1	(77.1 - 95.1)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	164	82.4	(73.8 - 91.0)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 15a. Had teeth cleaned within the past year among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	600	80,600	72.6	(67.5 - 77.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	206	37,600	69.9	(61.3 - 78.5)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	394	43,000	75.1	(69.5 - 80.7)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	119	17,700	80.0	(71.6 - 88.4)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	132	13,900	84.1	(76.7 - 91.4)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	177	15,400	77.1	(69.9 - 84.2)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	544	71,600	76.1	(71.4 - 80.8)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	202	22,200	54.8	(44.9 - 64.7)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	160	20,600	75.6	(66.7 - 84.5)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	237	37,700	87.4	(82.4 - 92.5)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	101	17,400	84.2	(74.8 - 93.6)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	162	28,000	80.7	(72.0 - 89.3)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 15b. Had teeth cleaned within the past year among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	600	71.6	(66.1 - 77.0)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	206	69.2	(60.0 - 78.3)	13,173	69.2	(65.3 - 73.1)
Female	394	73.8	(67.7 - 80.0)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	544	75.0	(69.9 - 80.2)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	237	87.2	(81.9 - 92.6)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	101	83.8	(73.9 - 93.7)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	162	80.1	(71.1 - 89.1)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	641	57,600	49.9	(44.9 - 54.9)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	213	27,400	50.2	(41.7 - 58.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	428	30,200	49.6	(44.0 - 55.3)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	138	11,600	67.5	(58.9 - 76.2)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	208	17,900	78.7	(72.4 - 85.0)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	582	50,700	51.9	(46.8 - 57.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	232	27,100	61.6	(52.2 - 71.0)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	169	16,300	58.2	(48.5 - 67.8)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	238	14,100	32.8	(26.2 - 39.3)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	162	11,100	31.9	(23.9 - 39.9)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	641	47.2	(42.0 - 52.5)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	213	48.0	(39.1 - 56.8)	14,457	47.9	(44.1 - 51.7)
Female	428	46.6	(40.5 - 52.6)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	582	49.1	(43.7 - 54.5)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	238	29.9	(23.3 - 36.4)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	162	29.8	(21.8 - 37.8)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	208	3,000	13.3	(8.5 - 18.2)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	142	2,300	16.9	(10.2 - 23.5)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	208	3,000	13.3	(8.5 - 18.2)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	205	2,900	13.0	(8.2 - 17.9)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	102	2,300	22.1	(13.1 - 31.0)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	66	900	11.6	(3.6 - 19.7)	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	208	12.7	(8.0 - 17.5)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	142	16.9	(10.2 - 23.5)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	205	12.5	(7.7 - 17.3)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	102	21.4	(12.4 - 30.5)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	66	11.5	(3.1 - 19.8)	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 18a. Flu shot within the past 12 months¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	55,900	48.3	(43.4 - 53.3)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	218	23,700	43.0	(34.8 - 51.2)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	428	32,200	53.2	(47.5 - 58.9)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	235	22,700	35.7	(28.3 - 43.1)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	199	15,500	53.6	(45.3 - 61.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	212	17,700	76.4	(69.9 - 82.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	586	49,200	50.2	(45.2 - 55.2)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	234	20,100	45.6	(36.7 - 54.6)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	171	13,400	47.4	(38.0 - 56.8)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	239	22,100	51.5	(44.1 - 58.8)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	163	16,300	46.9	(37.7 - 56.0)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 18b. Flu shot within the past 12 months¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	46.3	(41.1 - 51.5)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	218	41.1	(32.6 - 49.6)	14,579	40.0	(36.2 - 43.8)
Female	428	51.1	(44.9 - 57.2)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	586	47.9	(42.5 - 53.2)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	234	43.4	(33.9 - 52.9)	15,663	43.7	(39.1 - 48.2)
Some College	171	45.1	(35.2 - 55.0)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	239	49.8	(42.2 - 57.5)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	163	44.3	(34.9 - 53.6)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	56,100	48.5	(43.5 - 53.4)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	218	23,900	43.3	(35.1 - 51.5)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	428	32,200	53.2	(47.5 - 58.9)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	235	22,700	35.7	(28.3 - 43.1)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	199	15,700	54.2	(46.0 - 62.5)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	212	17,700	76.4	(69.9 - 82.9)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	586	49,400	50.4	(45.4 - 55.4)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	234	20,100	45.6	(36.7 - 54.6)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	171	13,400	47.4	(38.0 - 56.8)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	239	22,300	51.9	(44.6 - 59.3)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	163	16,500	47.4	(38.3 - 56.6)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	46.5	(41.3 - 51.7)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	218	41.4	(32.9 - 50.0)	14,568	40.4	(36.6 - 44.2)
Female	428	51.1	(44.9 - 57.2)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	586	48.1	(42.7 - 53.4)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	234	43.4	(33.9 - 52.9)	15,651	44.1	(39.6 - 48.6)
Some College	171	45.1	(35.2 - 55.0)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	239	50.2	(42.6 - 57.9)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	163	44.8	(35.4 - 54.2)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 21a. Flu shot among adults aged 65 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	212	17,700	76.4	(69.9 - 82.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	143	10,200	74.7	(66.6 - 82.8)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	212	17,700	76.4	(69.9 - 82.9)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	208	17,300	76.0	(69.4 - 82.6)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	103	8,000	74.9	(65.2 - 84.5)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	52	5,300	86.6	(77.7 - 95.5)	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 21b. Flu shot among adults aged 65 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	212	76.7	(70.0 - 83.3)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	143	74.7	(66.6 - 82.7)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	208	76.3	(69.6 - 83.1)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	103	74.5	(64.6 - 84.4)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	52	87.3	(78.5 - 96.0)	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	592	33,300	32.1	(27.3 - 36.9)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	192	13,700	28.8	(20.6 - 37.0)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	400	19,500	34.9	(29.5 - 40.3)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	207	10,800	19.6	(12.1 - 27.1)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	186	6,800	25.4	(18.4 - 32.4)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	199	15,700	71.8	(64.3 - 79.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	539	28,900	32.7	(28.1 - 37.4)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	216	14,200	35.1	(26.2 - 44.0)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	160	9,400	36.0	(26.6 - 45.5)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	215	9,700	26.1	(19.8 - 32.3)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	149	7,100	22.6	(14.8 - 30.5)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	592	30.0	(25.0 - 35.0)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	192	28.7	(20.0 - 37.4)	13,052	25.8	(22.3 - 29.4)
Female	400	31.1	(25.5 - 36.7)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	539	30.2	(25.4 - 35.1)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	216	32.6	(23.2 - 42.0)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	215	24.6	(18.2 - 30.9)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	149	21.8	(13.6 - 30.0)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	199	15,700	71.8	(64.3 - 79.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	133	10,100	79.3	(71.5 - 87.1)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	199	15,700	71.8	(64.3 - 79.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	195	15,300	71.6	(64.0 - 79.2)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	199	70.6	(62.6 - 78.5)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	133	79.3	(71.4 - 87.1)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	195	70.4	(62.4 - 78.5)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	333	36,900	95.6	(93.2 - 98.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	333	36,900	95.6	(93.2 - 98.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	70	10,500	93.3	(86.7 - 99.8)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	120	13,400	97.6	(94.9 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	143	13,100	95.6	(92.2 - 99.0)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	313	34,200	95.6	(93.0 - 98.2)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	126	12,200	90.0	(83.6 - 96.3)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	107	12,400	98.4	(96.7 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	100	12,400	99.0	(97.0 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	86	7,200	91.3	(84.7 - 97.9)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	84	8,900	93.1	(86.0 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	65	8,700	98.6	(95.7 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	333	95.5	(92.8 - 98.2)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	333	95.5	(92.8 - 98.2)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	313	95.5	(92.6 - 98.3)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	126	89.3	(82.3 - 96.4)	8,266	90.2	(86.1 - 94.2)
Some College	107	98.5	(96.8 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	100	99.2	(97.5 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	86	90.0	(81.8 - 98.2)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	84	93.1	(85.8 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	65	98.8	(96.5 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	331	31,700	82.5	(77.8 - 87.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	331	31,700	82.5	(77.8 - 87.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	119	12,000	88.6	(82.4 - 94.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	142	10,600	77.8	(70.6 - 85.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	311	30,000	84.4	(79.8 - 89.0)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	125	10,300	76.6	(68.3 - 85.0)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	107	10,800	85.8	(77.4 - 94.2)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	99	10,600	85.7	(78.1 - 93.2)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	84	8,400	87.2	(79.0 - 95.3)	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	64	7,800	90.7	(83.3 - 98.2)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	331	82.9	(78.1 - 87.8)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	331	82.9	(78.1 - 87.8)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	311	84.9	(80.1 - 89.6)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	125	77.1	(68.1 - 86.0)	8,204	80.1	(75.6 - 84.7)
Some College	107	85.9	(77.2 - 94.7)	5,297	82.3	(77.7 - 86.9)
≥ College Degree	99	86.2	(78.7 - 93.8)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	84	87.3	(78.8 - 95.9)	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	64	91.2	(83.9 - 98.5)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	261	22,600	83.2	(78.4 - 88.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	261	22,600	83.2	(78.4 - 88.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	119	12,000	88.6	(82.4 - 94.9)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	142	10,600	77.8	(70.6 - 85.0)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	249	21,700	84.6	(80.1 - 89.2)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	105	7,900	78.2	(70.0 - 86.4)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	85	7,800	87.6	(79.6 - 95.7)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	71	6,900	84.7	(75.9 - 93.4)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	63	5,800	90.6	(83.8 - 97.3)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	261	83.8	(79.1 - 88.5)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	261	83.8	(79.1 - 88.5)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	249	85.2	(80.7 - 89.7)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	105	78.6	(70.4 - 86.8)	7,026	83.6	(80.1 - 87.0)
Some College	85	88.3	(80.6 - 96.0)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	71	85.3	(76.7 - 93.8)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	63	91.0	(84.5 - 97.5)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 27a. Ever had a Pap test among women¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	428	59,100	97.2	(95.0 - 99.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	428	59,100	97.2	(95.0 - 99.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	57	15,300	94.7	(87.6 - 100)	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	61	10,300	97.9	(93.8 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	78	11,400	98.8	(96.5 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	90	8,800	97.6	(94.9 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	142	13,300	97.9	(95.5 - 100)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	391	51,600	97.2	(94.8 - 99.6)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	147	18,000	95.4	(91.0 - 99.8)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	127	17,300	97.3	(92.0 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	152	23,800	99.8	(99.3 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	104	11,400	96.9	(93.7 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	100	13,600	100	(100 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	66	10,900	95.7	(87.6 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	94	16,000	100	(100 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 27b. Ever had a Pap test among women¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	428	97.1	(94.5 - 99.6)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	428	97.1	(94.5 - 99.6)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	391	97.1	(94.3 - 99.8)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	147	95.4	(90.4 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	127	96.6	(90.0 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	152	99.8	(99.5 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	104	97.5	(95.0 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	100	100	(100 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	66	95.0	(85.7 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	94	100	(100 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	426	51,400	84.8	(81.2 - 88.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	426	51,400	84.8	(81.2 - 88.5)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	57	15,200	94.0	(86.7 - 100)	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	61	9,700	92.1	(84.9 - 99.3)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	78	11,000	95.2	(91.3 - 99.2)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	89	7,300	81.2	(72.5 - 90.0)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	141	8,400	61.8	(53.0 - 70.7)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	389	44,700	84.3	(80.4 - 88.2)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	146	13,900	74.1	(66.4 - 81.8)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	126	15,300	86.5	(79.4 - 93.7)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	152	22,200	93.1	(89.2 - 97.0)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	103	8,500	72.7	(63.7 - 81.8)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	100	12,200	89.6	(84.3 - 95.0)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	66	9,900	87.1	(77.2 - 97.1)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	94	15,100	94.2	(89.3 - 99.1)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 28b. Had a Pap test within the past 3 years among women¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	426	86.9	(83.3 - 90.5)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	426	86.9	(83.3 - 90.5)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	389	86.4	(82.5 - 90.3)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	146	77.7	(70.1 - 85.3)	9,384	76.4	(71.3 - 81.5)
Some College	126	87.9	(80.4 - 95.5)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	152	94.0	(90.2 - 97.7)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	103	77.1	(68.5 - 85.6)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	100	91.6	(87.1 - 96.1)	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	94	95.0	(90.3 - 99.7)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	179	33,600	87.9	(82.2 - 93.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	179	33,600	87.9	(82.2 - 93.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	50	8,200	95.9	(90.9 - 100)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	67	8,500	92.5	(85.2 - 99.7)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	164	28,500	86.7	(80.3 - 93.1)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	69	14,100	85.3	(75.4 - 95.3)	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	76	13,600	90.0	(81.5 - 98.6)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	59	12,000	91.9	(83.5 - 100)	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	179	87.0	(80.7 - 93.4)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	179	87.0	(80.7 - 93.4)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	164	85.6	(78.5 - 92.7)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	76	89.0	(79.4 - 98.6)	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	59	91.2	(81.9 - 100)	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	179	28,900	75.8	(67.8 - 83.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	179	28,900	75.8	(67.8 - 83.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	67	7,900	85.8	(77.1 - 94.4)	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	164	24,000	73.1	(64.4 - 81.8)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	179	74.3	(65.5 - 83.1)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	179	74.3	(65.5 - 83.1)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	164	71.2	(61.7 - 80.8)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	172	23,400	63.5	(53.7 - 73.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	172	23,400	63.5	(53.7 - 73.3)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	66	7,600	86.9	(78.0 - 95.8)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	158	22,000	69.6	(60.5 - 78.7)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	11,557	67.4	(63.7 - 71.1)
Gender						
Male	*	*	*	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	158	67.1	(57.1 - 77.0)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	172	21,800	59.3	(49.6 - 69.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	172	21,800	59.3	(49.6 - 69.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	66	7,200	82.1	(72.2 - 91.9)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	158	20,500	64.7	(55.5 - 73.9)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	11,437	59.8	(55.8 - 63.9)
Gender						
Male	*	*	*	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	158	62.6	(52.6 - 72.5)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	183	1,700	4.3	(1.7 - 6.9)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	183	1,700	4.3	(1.7 - 6.9)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	69	1,500	15.8	(6.5 - 25.1)	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	168	1,700	5.0	(2.0 - 8.0)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 33b. Prostate cancer among men aged 40 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	183	4.4	(1.7 - 7.1)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	183	4.4	(1.7 - 7.1)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	168	5.1	(2.0 - 8.2)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	410	27,500	52.8	(47.2 - 58.5)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	141	12,700	52.2	(42.7 - 61.7)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	269	14,800	53.4	(46.7 - 60.0)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	198	14,100	48.7	(40.5 - 56.9)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	212	13,400	58.0	(50.5 - 65.5)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	389	25,700	53.5	(47.8 - 59.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	157	9,200	49.5	(40.1 - 58.8)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	136	11,400	61.5	(52.4 - 70.5)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	410	51.9	(46.1 - 57.7)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	141	51.5	(42.0 - 60.9)	9,571	39.4	(35.3 - 43.5)
Female	269	52.3	(45.5 - 59.1)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	389	52.5	(46.7 - 58.3)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	157	49.3	(39.7 - 58.9)	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	136	60.0	(50.6 - 69.3)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	401	11,800	23.0	(18.4 - 27.7)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	140	5,300	22.2	(14.7 - 29.7)	9,508	444,400	16.0	(13.2 - 18.9)
Female	261	6,400	23.8	(18.2 - 29.4)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	196	5,200	18.2	(12.1 - 24.2)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	205	6,500	29.3	(22.3 - 36.3)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	380	11,300	24.0	(19.2 - 28.9)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	3,700	20.0	(13.0 - 27.0)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	112	3,200	22.6	(13.6 - 31.5)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	135	4,900	26.5	(18.4 - 34.6)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	101	1,600	15.9	(8.7 - 23.1)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	*	*	*	*	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	89	3,400	23.4	(13.7 - 33.0)	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	401	22.8	(18.1 - 27.5)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	140	22.2	(14.6 - 29.7)	9,508	16.4	(13.2 - 19.6)
Female	261	23.4	(17.7 - 29.0)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	380	23.8	(18.8 - 28.7)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	19.8	(12.6 - 27.1)	11,026	12.7	(9.2 - 16.1)
Some College	112	22.9	(13.6 - 32.3)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	135	25.6	(17.6 - 33.7)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	101	16.1	(8.6 - 23.6)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	*	*	*	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	89	23.5	(13.6 - 33.4)	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	401	16,500	32.4	(27.1 - 37.7)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	140	7,800	32.5	(23.6 - 41.3)	9,508	593,100	21.4	(18.3 - 24.5)
Female	261	8,700	32.3	(26.1 - 38.5)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	196	8,100	28.2	(20.9 - 35.5)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	205	8,400	37.7	(30.2 - 45.2)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	380	15,300	32.5	(27.1 - 37.9)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	153	5,400	29.7	(20.8 - 38.6)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	112	4,100	28.7	(19.1 - 38.2)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	135	7,000	38.1	(29.1 - 47.1)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	*	*	*	*	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	401	32.0	(26.6 - 37.4)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	140	32.4	(23.5 - 41.3)	9,508	21.7	(18.3 - 25.1)
Female	261	31.6	(25.4 - 37.8)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	380	32.1	(26.6 - 37.6)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	153	29.8	(20.7 - 38.9)	11,026	19.5	(15.4 - 23.7)
Some College	112	28.5	(18.7 - 38.4)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	135	37.0	(27.9 - 46.0)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	*	*	*	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	410	36,100	69.1	(63.5 - 74.7)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	140	16,000	66.1	(56.4 - 75.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	270	20,100	71.7	(65.7 - 77.8)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	140	13,700	77.7	(70.2 - 85.3)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	210	16,700	72.4	(65.4 - 79.4)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	388	35,000	73.0	(67.7 - 78.2)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	156	10,000	54.1	(44.6 - 63.6)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	136	15,900	85.4	(78.7 - 92.2)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	90	11,800	81.4	(71.9 - 90.8)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	410	68.6	(62.8 - 74.4)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	140	65.7	(56.0 - 75.5)	9,582	68.5	(64.5 - 72.5)
Female	270	71.4	(65.1 - 77.7)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	388	72.5	(67.0 - 77.9)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	156	53.9	(44.1 - 63.6)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	136	85.1	(77.9 - 92.2)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	90	81.0	(71.3 - 90.6)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	408	35,100	67.4	(61.8 - 73.0)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	140	15,700	64.8	(55.1 - 74.5)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	268	19,400	69.6	(63.4 - 75.8)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	140	13,400	76.2	(68.5 - 83.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	208	16,000	70.3	(63.1 - 77.4)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	386	34,000	71.1	(65.8 - 76.4)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	155	9,500	51.7	(42.3 - 61.2)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	135	15,400	83.6	(76.6 - 90.6)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	90	11,700	80.4	(70.9 - 90.0)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	408	66.8	(61.0 - 72.6)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	140	64.3	(54.6 - 74.0)	9,521	66.9	(62.9 - 70.9)
Female	268	69.2	(62.8 - 75.7)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	386	70.5	(65.0 - 76.0)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	155	51.4	(41.7 - 61.1)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	135	83.1	(75.7 - 90.5)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	90	79.9	(70.1 - 89.6)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	397	36,000	70.4	(64.7 - 76.1)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	140	16,000	66.4	(56.7 - 76.1)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	257	19,900	73.9	(67.8 - 80.0)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	132	13,600	80.1	(72.6 - 87.6)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	206	16,700	73.6	(66.6 - 80.7)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	376	34,900	74.1	(68.8 - 79.4)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	152	10,200	55.8	(46.1 - 65.4)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	131	15,200	83.6	(76.5 - 90.7)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	90	11,700	80.4	(70.9 - 90.0)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	397	69.9	(64.0 - 75.8)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	140	66.1	(56.3 - 75.8)	9,418	71.5	(67.6 - 75.4)
Female	257	73.6	(67.3 - 79.9)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	376	73.5	(68.0 - 79.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	152	55.3	(45.4 - 65.2)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	131	83.1	(75.6 - 90.6)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	90	79.9	(70.1 - 89.6)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 40a. High blood pressure among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	39,200	33.8	(29.2 - 38.4)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	219	21,400	38.6	(30.6 - 46.7)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	428	17,800	29.4	(24.7 - 34.0)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	122	6,400	28.3	(19.5 - 37.1)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	140	9,000	51.2	(41.9 - 60.5)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	211	14,400	62.6	(55.3 - 69.9)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	587	34,300	34.8	(30.2 - 39.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	234	17,300	39.0	(30.3 - 47.8)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	171	10,700	38.1	(29.3 - 46.8)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	240	11,200	25.7	(19.6 - 31.8)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	164	9,700	27.5	(19.9 - 35.2)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 40b. High blood pressure among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	31.0	(26.3 - 35.8)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	219	37.1	(28.7 - 45.6)	14,611	27.7	(24.7 - 30.7)
Female	428	25.5	(20.9 - 30.1)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	587	31.9	(27.2 - 36.7)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	234	36.8	(27.6 - 46.1)	15,688	32.1	(28.4 - 35.8)
Some College	171	34.7	(25.9 - 43.5)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	240	23.0	(17.0 - 29.1)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	164	24.5	(17.0 - 32.1)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	261	31,300	79.6	(71.2 - 88.1)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	162	15,000	84.3	(77.8 - 90.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	67	7,700	85.3	(75.6 - 95.0)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	131	13,400	92.8	(88.2 - 97.4)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	240	28,500	83.1	(76.5 - 89.7)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	75	8,500	91.2	(83.9 - 98.5)	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	261	77.5	(67.8 - 87.3)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	162	82.8	(75.0 - 90.6)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	240	81.5	(73.8 - 89.2)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	75	91.3	(83.8 - 98.7)	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	632	98,600	87.5	(83.4 - 91.6)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	215	47,700	88.2	(81.4 - 95.0)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	417	50,900	86.9	(82.2 - 91.7)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	96	23,600	90.5	(82.9 - 98.2)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	121	21,500	95.2	(91.3 - 99.1)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	140	17,400	99.2	(98.0 - 100)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	206	22,100	97.7	(95.9 - 99.4)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	573	85,200	89.3	(85.5 - 93.2)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	228	33,800	79.2	(70.5 - 87.9)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	170	24,700	87.9	(80.7 - 95.1)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	232	39,900	95.8	(92.6 - 98.9)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	139	14,200	77.7	(68.0 - 87.4)	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	157	27,000	94.4	(89.6 - 99.2)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	161	30,900	89.2	(80.8 - 97.6)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 42b. Ever had blood cholesterol checked among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	632	86.1	(81.6 - 90.6)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	215	87.5	(80.2 - 94.7)	14,389	78.0	(73.9 - 82.1)
Female	417	84.8	(79.3 - 90.3)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	573	87.6	(83.2 - 92.1)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	228	77.2	(67.8 - 86.5)	15,342	70.2	(65.2 - 75.1)
Some College	170	85.8	(77.4 - 94.3)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	232	95.1	(91.4 - 98.8)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	157	93.8	(88.3 - 99.2)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	161	88.1	(79.2 - 97.0)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	630	95,900	85.2	(80.9 - 89.5)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	215	45,900	84.9	(77.7 - 92.2)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	415	49,900	85.5	(80.6 - 90.3)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	96	23,600	90.5	(82.9 - 98.2)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	121	20,700	91.7	(86.2 - 97.2)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	140	17,100	97.3	(95.0 - 99.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	204	21,700	96.8	(94.7 - 98.9)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	571	83,400	87.7	(83.7 - 91.6)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	228	32,300	75.7	(66.7 - 84.7)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	168	24,000	86.1	(78.5 - 93.7)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	232	39,300	94.3	(90.8 - 97.7)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	138	14,000	77.1	(67.4 - 86.8)	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	156	25,500	89.4	(82.4 - 96.4)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	161	30,700	88.6	(80.2 - 97.0)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	630	83.7	(79.0 - 88.5)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	215	84.1	(76.4 - 91.8)	14,307	74.8	(70.7 - 79.0)
Female	415	83.4	(77.9 - 89.0)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	571	86.0	(81.4 - 90.6)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	228	73.7	(64.1 - 83.4)	15,215	67.8	(62.9 - 72.8)
Some College	168	83.9	(75.0 - 92.7)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	232	93.7	(89.7 - 97.6)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	156	88.8	(81.2 - 96.4)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	161	87.6	(78.7 - 96.5)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 44a. Cardiovascular disease among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	9,800	8.5	(6.3 - 10.7)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	217	5,700	10.3	(6.5 - 14.1)	14,477	664,600	9.4	(7.5 - 11.4)
Female	427	4,100	6.8	(4.5 - 9.2)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	139	2,000	11.7	(5.3 - 18.0)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	209	5,600	24.2	(17.7 - 30.8)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	585	8,900	9.1	(6.7 - 11.5)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	232	5,400	12.2	(7.9 - 16.4)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	171	1,500	5.2	(2.0 - 8.4)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	239	3,000	6.9	(3.6 - 10.3)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	141	3,200	16.2	(9.7 - 22.8)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	161	2,900	10.1	(5.4 - 14.7)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 44b. Cardiovascular disease among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	7.6	(5.6 - 9.7)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	217	9.5	(5.9 - 13.0)	14,477	9.7	(7.8 - 11.7)
Female	427	5.9	(3.7 - 8.2)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	585	8.2	(5.9 - 10.5)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	232	11.1	(6.9 - 15.2)	15,486	10.5	(8.0 - 13.0)
Some College	171	4.9	(1.8 - 8.1)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	239	5.9	(2.9 - 8.8)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	141	15.2	(8.6 - 21.9)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	161	9.5	(4.9 - 14.2)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 45a. Coronary heart disease among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	8,000	6.9	(4.9 - 8.9)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	217	5,300	9.6	(5.8 - 13.3)	14,479	598,600	8.5	(6.6 - 10.4)
Female	427	2,700	4.4	(2.6 - 6.2)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	139	1,700	9.8	(3.8 - 15.9)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	209	5,000	21.6	(15.2 - 27.9)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	585	7,400	7.5	(5.3 - 9.8)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	232	4,500	10.2	(6.3 - 14.1)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	*	*	*	*	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	239	2,400	5.4	(2.3 - 8.6)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	141	2,300	11.8	(6.3 - 17.3)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	161	2,400	8.1	(3.7 - 12.4)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 45b. Coronary heart disease among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	6.1	(4.2 - 7.9)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	217	8.8	(5.3 - 12.3)	14,479	8.8	(6.9 - 10.8)
Female	427	3.6	(2.0 - 5.3)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	585	6.7	(4.6 - 8.8)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	232	9.0	(5.4 - 12.7)	15,485	8.5	(6.2 - 10.7)
Some College	*	*	*	9,860	5.5	(3.7 - 7.2)
≥ College Degree	239	4.7	(1.9 - 7.4)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	141	10.2	(5.2 - 15.3)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	161	7.8	(3.4 - 12.1)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 46a. Ever diagnosed with diabetes among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	11,500	9.9	(7.3 - 12.6)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	219	5,100	9.3	(5.1 - 13.5)	14,626	530,400	7.5	(6.2 - 8.8)
Female	428	6,400	10.6	(7.4 - 13.8)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	140	2,600	14.9	(8.6 - 21.1)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	212	4,200	18.3	(12.7 - 23.9)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	587	10,300	10.4	(7.6 - 13.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	235	6,200	14.1	(8.6 - 19.6)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	170	2,000	7.0	(3.0 - 11.0)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	240	3,300	7.7	(4.5 - 10.9)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	144	3,200	15.9	(9.4 - 22.5)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	160	2,700	9.5	(4.8 - 14.1)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	164	2,400	6.7	(3.1 - 10.4)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 46b. Ever diagnosed with diabetes among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	9.4	(6.7 - 12.1)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	219	8.7	(4.4 - 13.0)	14,626	7.5	(6.1 - 8.9)
Female	428	10.0	(6.7 - 13.4)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	587	10.0	(6.9 - 13.0)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	235	13.3	(7.5 - 19.1)	15,709	12.6	(10.0 - 15.2)
Some College	170	6.7	(2.4 - 11.0)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	240	7.2	(4.0 - 10.3)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	144	13.7	(7.8 - 19.7)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	160	8.9	(4.3 - 13.5)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	164	6.6	(2.8 - 10.4)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	18,200	15.7	(12.3 - 19.0)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	218	5,400	9.8	(5.5 - 14.1)	14,601	875,800	12.4	(10.1 - 14.7)
Female	428	12,800	21.0	(16.2 - 25.9)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	75	4,900	18.7	(9.7 - 27.7)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	99	5,100	18.9	(10.4 - 27.3)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	122	2,600	11.4	(5.1 - 17.8)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	140	3,400	19.4	(12.3 - 26.5)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	210	2,300	9.9	(5.6 - 14.3)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	586	15,600	15.8	(12.4 - 19.3)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	233	6,200	14.1	(8.5 - 19.7)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	171	4,200	14.8	(8.9 - 20.7)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	240	7,800	18.0	(12.3 - 23.7)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	143	4,300	21.8	(13.7 - 30.0)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	160	3,600	12.2	(5.2 - 19.1)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	102	2,900	14.0	(6.9 - 21.0)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	164	5,900	16.8	(10.3 - 23.2)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	16.2	(12.6 - 19.9)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	218	9.9	(5.4 - 14.5)	14,601	12.6	(10.3 - 14.9)
Female	428	22.0	(16.7 - 27.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	586	16.4	(12.6 - 20.2)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	233	14.8	(8.6 - 21.0)	15,675	15.1	(12.1 - 18.0)
Some College	171	15.0	(8.7 - 21.3)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	240	18.5	(12.4 - 24.7)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	143	24.0	(14.8 - 33.3)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	160	12.7	(5.1 - 20.3)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	102	13.8	(6.6 - 21.1)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	164	16.9	(10.0 - 23.8)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 48a. Current asthma among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	15,000	13.0	(9.9 - 16.1)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	218	4,200	7.7	(3.9 - 11.5)	14,546	440,700	6.3	(4.8 - 7.7)
Female	427	10,800	17.8	(13.2 - 22.4)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	75	4,100	15.6	(7.2 - 23.9)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	99	4,000	15.1	(7.6 - 22.6)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	122	2,300	10.2	(4.1 - 16.3)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	139	2,700	15.6	(9.0 - 22.2)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	210	1,900	8.3	(4.2 - 12.4)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	585	12,800	13.0	(9.9 - 16.2)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	233	5,600	12.7	(7.3 - 18.0)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	170	3,800	13.5	(7.7 - 19.2)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	240	5,700	13.0	(8.1 - 17.9)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	143	4,000	20.2	(12.1 - 28.2)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	160	3,400	11.5	(4.6 - 18.4)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	101	2,400	11.5	(5.0 - 18.0)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	164	4,000	11.3	(6.0 - 16.6)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 48b. Current asthma among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	13.4	(10.1 - 16.8)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	218	7.7	(3.7 - 11.7)	14,546	6.4	(4.9 - 7.9)
Female	427	18.6	(13.6 - 23.6)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	585	13.5	(10.0 - 16.9)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	233	13.2	(7.3 - 19.1)	15,594	10.8	(8.3 - 13.3)
Some College	170	13.9	(7.7 - 20.2)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	240	13.4	(8.1 - 18.6)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	143	22.8	(13.6 - 32.0)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	160	12.2	(4.5 - 19.8)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	101	11.2	(4.7 - 17.7)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	164	11.1	(5.5 - 16.7)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 49a. Chronic joint symptoms among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	54,600	47.0	(42.0 - 51.9)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	219	23,800	43.0	(34.5 - 51.4)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	429	30,800	50.6	(44.9 - 56.2)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	122	9,600	42.2	(32.2 - 52.2)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	140	9,700	55.2	(46.0 - 64.4)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	212	13,900	59.9	(52.5 - 67.4)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	588	48,700	49.4	(44.4 - 54.4)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	235	23,600	53.1	(44.2 - 62.1)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	171	12,700	45.2	(35.7 - 54.6)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	240	18,200	41.9	(34.8 - 49.0)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	164	15,600	44.3	(35.1 - 53.4)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 49b. Chronic joint symptoms among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	45.9	(40.6 - 51.1)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	219	43.1	(34.2 - 52.0)	14,595	42.6	(38.8 - 46.3)
Female	429	48.4	(42.3 - 54.5)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	588	48.3	(43.0 - 53.7)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	235	52.8	(43.2 - 62.4)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	240	40.4	(33.1 - 47.8)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	164	43.5	(33.8 - 53.1)	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 50a. Arthritis among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	35,900	30.9	(26.7 - 35.1)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	218	14,600	26.4	(19.7 - 33.1)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	427	21,300	35.0	(30.0 - 40.1)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	75	3,300	12.6	(3.8 - 21.3)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	99	3,400	12.7	(5.8 - 19.6)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	122	7,600	33.3	(23.9 - 42.8)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	140	8,800	50.1	(40.8 - 59.4)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	209	12,800	56.0	(48.4 - 63.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	585	33,500	34.0	(29.5 - 38.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	235	13,700	30.8	(23.6 - 38.0)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	170	10,900	38.7	(29.6 - 47.8)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	238	11,200	26.0	(20.1 - 31.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	143	6,900	35.1	(25.7 - 44.6)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	161	8,700	29.9	(21.5 - 38.3)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	102	5,000	23.9	(15.0 - 32.8)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	163	10,300	29.5	(21.4 - 37.6)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 50b. Arthritis among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	28.0	(23.8 - 32.2)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	218	24.8	(18.1 - 31.6)	14,555	23.5	(20.9 - 26.1)
Female	427	31.0	(25.9 - 36.0)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	585	31.0	(26.4 - 35.6)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	235	27.6	(20.4 - 34.7)	15,652	30.4	(26.9 - 33.8)
Some College	170	36.3	(26.8 - 45.9)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	238	23.4	(17.7 - 29.1)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	143	31.0	(21.4 - 40.6)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	161	27.8	(19.3 - 36.2)	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	102	21.8	(13.2 - 30.5)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	163	26.7	(18.6 - 34.9)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	25,900	22.3	(18.5 - 26.1)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	219	12,100	21.8	(15.5 - 28.0)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	426	13,800	22.8	(18.3 - 27.2)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	75	3,900	15.1	(6.1 - 24.1)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	99	3,800	14.4	(7.0 - 21.8)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	122	5,200	23.1	(14.6 - 31.5)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	140	5,100	29.1	(20.7 - 37.5)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	209	7,700	33.7	(26.4 - 41.0)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	585	21,600	22.0	(18.1 - 25.8)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	232	11,100	25.3	(18.1 - 32.4)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	171	6,200	22.1	(14.9 - 29.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	240	8,500	19.6	(14.3 - 24.9)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	142	6,900	35.4	(26.0 - 44.9)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	160	6,900	23.5	(15.4 - 31.7)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	102	3,300	16.1	(8.6 - 23.5)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	164	5,200	14.7	(8.5 - 20.9)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	21.1	(17.3 - 25.0)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	219	21.2	(14.8 - 27.6)	14,566	18.6	(15.8 - 21.4)
Female	426	21.0	(16.5 - 25.5)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	585	20.7	(16.8 - 24.7)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	232	24.7	(17.3 - 32.2)	15,626	23.8	(20.1 - 27.4)
Some College	171	20.6	(13.5 - 27.8)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	240	17.9	(12.7 - 23.1)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	160	22.8	(14.4 - 31.1)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	102	14.5	(7.4 - 21.7)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	164	13.7	(7.5 - 19.9)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	10,400	8.9	(6.5 - 11.4)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	218	4,300	7.7	(3.8 - 11.6)	14,617	460,700	6.5	(5.3 - 7.7)
Female	429	6,100	10.1	(6.9 - 13.3)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	122	1,900	8.5	(3.1 - 13.9)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	140	1,600	9.2	(4.0 - 14.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	211	4,400	19.2	(13.2 - 25.2)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	587	8,000	8.1	(5.8 - 10.5)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	234	5,700	12.8	(7.6 - 18.0)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	171	1,800	6.3	(2.2 - 10.3)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	240	3,000	6.8	(3.8 - 9.8)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	144	3,300	16.4	(9.8 - 23.0)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	160	1,800	6.2	(2.6 - 9.8)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	102	2,200	10.6	(3.9 - 17.3)	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	8.2	(5.7 - 10.6)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	218	7.4	(3.5 - 11.3)	14,617	6.8	(5.5 - 8.0)
Female	429	8.9	(5.8 - 11.9)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	587	7.4	(5.1 - 9.7)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	234	12.1	(6.8 - 17.5)	15,711	10.3	(8.3 - 12.3)
Some College	171	5.7	(1.8 - 9.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	240	5.7	(3.1 - 8.4)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	144	14.7	(8.2 - 21.1)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	160	5.8	(2.2 - 9.4)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	102	9.5	(3.1 - 15.9)	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 53a. Disability among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	27,600	23.8	(20.0 - 27.7)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	218	12,300	22.3	(16.0 - 28.6)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	426	15,300	25.3	(20.6 - 29.9)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	75	4,300	16.5	(7.2 - 25.8)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	99	4,100	15.4	(7.8 - 23.0)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	122	5,400	23.7	(15.2 - 32.2)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	140	5,600	31.8	(23.0 - 40.5)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	208	8,200	36.2	(28.9 - 43.6)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	584	23,200	23.6	(19.6 - 27.6)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	231	12,300	28.0	(20.6 - 35.5)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	171	6,500	23.1	(15.9 - 30.3)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	240	8,800	20.2	(14.8 - 25.6)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	142	7,200	36.7	(27.2 - 46.3)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	159	7,200	24.7	(16.4 - 33.0)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	102	4,000	19.3	(11.2 - 27.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	164	5,200	14.7	(8.5 - 20.9)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 53b. Disability among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	22.6	(18.6 - 26.5)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	218	21.6	(15.2 - 28.1)	14,568	20.9	(18.0 - 23.8)
Female	426	23.4	(18.7 - 28.2)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	584	22.3	(18.2 - 26.4)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	231	27.5	(19.7 - 35.3)	15,638	26.8	(23.0 - 30.6)
Some College	171	21.6	(14.3 - 28.8)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	240	18.4	(13.1 - 23.7)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	159	24.2	(15.6 - 32.8)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	102	17.0	(9.4 - 24.7)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	164	13.7	(7.5 - 19.9)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 54a. Current smoking among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	19,700	17.0	(13.5 - 20.6)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	217	7,900	14.4	(8.8 - 20.1)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	428	11,800	19.4	(15.0 - 23.8)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	75	6,200	23.6	(13.7 - 33.6)	3,929	993,500	22.3	(17.5 - 27.1)
35-44	99	4,100	15.3	(7.3 - 23.3)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	120	4,300	19.2	(11.0 - 27.3)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	140	3,300	18.7	(11.5 - 25.9)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	211	1,900	8.2	(4.2 - 12.1)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	586	16,200	16.5	(12.8 - 20.2)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	233	10,100	23.0	(16.3 - 29.8)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	170	6,500	23.3	(14.9 - 31.7)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	240	3,100	7.0	(3.5 - 10.5)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	144	5,400	27.2	(18.1 - 36.2)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	160	7,200	24.6	(15.4 - 33.7)	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	101	3,700	18.1	(9.7 - 26.5)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	164	1,900	5.4	(2.1 - 8.8)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 54b. Current smoking among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	17.4	(13.6 - 21.2)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	217	14.7	(8.7 - 20.7)	14,559	19.2	(16.3 - 22.1)
Female	428	19.9	(15.2 - 24.7)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	586	17.0	(13.0 - 21.0)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	233	24.0	(16.6 - 31.4)	15,654	22.8	(19.5 - 26.0)
Some College	170	23.6	(14.7 - 32.6)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	240	7.2	(3.4 - 10.9)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	160	25.7	(15.9 - 35.5)	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	101	17.4	(9.0 - 25.8)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	164	5.6	(2.0 - 9.2)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 55a. Everyday smoking among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	15,000	13.0	(9.8 - 16.1)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	217	6,400	11.7	(6.7 - 16.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	428	8,600	14.1	(10.3 - 18.0)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	75	4,700	18.0	(9.0 - 27.0)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	99	2,600	9.6	(3.6 - 15.5)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	120	3,800	16.9	(9.0 - 24.8)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	140	2,500	14.2	(8.1 - 20.4)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	211	1,500	6.6	(2.9 - 10.2)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	586	13,000	13.2	(9.8 - 16.7)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	233	8,500	19.4	(13.0 - 25.8)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	170	4,500	16.1	(9.2 - 23.0)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	240	2,000	4.5	(1.8 - 7.2)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	144	4,400	22.3	(13.7 - 30.8)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	160	5,200	17.7	(9.8 - 25.6)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	101	3,100	15.0	(7.2 - 22.7)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 55b. Everyday smoking among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	13.2	(9.8 - 16.5)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	217	11.9	(6.6 - 17.2)	14,559	12.1	(10.1 - 14.1)
Female	428	14.4	(10.2 - 18.5)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	586	13.6	(9.9 - 17.3)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	233	20.3	(13.3 - 27.3)	15,654	16.4	(13.8 - 19.0)
Some College	170	16.0	(8.9 - 23.2)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	240	4.4	(1.6 - 7.2)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	144	23.2	(13.7 - 32.7)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	160	18.7	(10.1 - 27.3)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	101	14.3	(6.6 - 21.9)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	90,100	78.2	(74.2 - 82.2)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	217	42,300	76.9	(70.2 - 83.7)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	425	47,800	79.3	(74.8 - 83.8)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	98	23,500	88.6	(82.1 - 95.1)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	121	16,900	75.8	(67.2 - 84.4)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	139	14,100	81.0	(74.0 - 88.0)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	209	16,100	70.5	(63.4 - 77.5)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	584	75,700	77.1	(72.8 - 81.3)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	232	29,500	67.4	(59.0 - 75.7)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	170	22,800	80.9	(74.4 - 87.5)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	239	37,800	87.5	(83.2 - 91.7)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	161	22,800	78.0	(69.6 - 86.3)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	102	16,700	80.1	(71.7 - 88.6)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	164	30,500	86.7	(80.3 - 93.1)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	78.5	(74.3 - 82.7)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	217	76.6	(69.5 - 83.8)	14,577	79.4	(76.7 - 82.2)
Female	425	80.2	(75.5 - 85.0)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	584	77.5	(72.9 - 82.0)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	232	66.7	(57.7 - 75.7)	15,647	76.9	(73.8 - 80.0)
Some College	170	82.0	(75.5 - 88.5)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	239	88.3	(84.2 - 92.5)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	161	78.1	(69.3 - 86.9)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	102	80.8	(72.2 - 89.4)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	164	86.9	(80.2 - 93.7)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 57a. Binge drinking within the past month among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	21,000	18.5	(14.4 - 22.5)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	212	11,100	20.7	(13.9 - 27.5)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	425	9,900	16.4	(11.8 - 21.1)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	121	5,200	23.2	(14.6 - 31.9)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	*	*	*	*	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	578	17,900	18.5	(14.3 - 22.7)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	229	8,000	18.8	(11.8 - 25.9)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	168	5,800	20.6	(12.0 - 29.3)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	238	7,200	16.8	(11.0 - 22.6)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	141	3,700	18.8	(9.3 - 28.3)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	158	5,600	19.6	(10.2 - 29.1)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	101	3,600	17.6	(8.6 - 26.6)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	163	7,400	21.3	(14.1 - 28.5)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 57b. Binge drinking within the past month among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	19.8	(15.4 - 24.2)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	212	21.5	(14.2 - 28.7)	14,420	24.5	(21.0 - 27.9)
Female	425	18.3	(13.0 - 23.6)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	578	20.0	(15.4 - 24.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	229	20.0	(12.4 - 27.7)	15,491	17.5	(13.5 - 21.5)
Some College	168	22.5	(12.9 - 32.2)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	238	18.0	(11.7 - 24.3)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	101	18.1	(8.6 - 27.6)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	163	22.2	(14.4 - 29.9)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 58a. Heavy drinking within the past month among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	9,900	8.7	(5.8 - 11.7)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	214	4,500	8.3	(3.5 - 13.2)	14,330	333,300	4.8	(3.9 - 5.7)
Female	420	5,400	9.1	(5.5 - 12.7)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	99	4,000	14.9	(6.1 - 23.7)	4,924	137,200	4.8	(3.0 - 6.7)
45-54	122	1,800	8.0	(2.9 - 13.2)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	576	9,100	9.4	(6.2 - 12.6)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	228	5,400	12.7	(6.8 - 18.6)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	238	2,800	6.6	(2.7 - 10.5)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	143	2,900	14.9	(6.0 - 23.8)	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	155	3,000	10.8	(3.4 - 18.2)	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	161	2,300	6.7	(2.2 - 11.2)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 58b. Heavy drinking within the past month among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	9.5	(6.2 - 12.7)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	214	9.1	(3.7 - 14.4)	14,330	4.9	(3.9 - 5.9)
Female	420	9.8	(5.8 - 13.8)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	576	10.2	(6.6 - 13.7)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	228	13.9	(7.3 - 20.4)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	238	7.2	(2.8 - 11.5)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	155	11.7	(3.6 - 19.8)	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	161	7.3	(2.2 - 12.3)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	608	66,900	62.2	(57.5 - 67.0)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	208	36,600	73.0	(65.7 - 80.3)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	400	30,200	52.8	(47.0 - 58.7)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	*	*	*	*	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	129	11,400	68.7	(59.9 - 77.5)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	203	18,000	80.3	(73.9 - 86.7)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	554	60,300	64.5	(59.7 - 69.4)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	221	26,600	67.9	(59.9 - 75.9)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	157	14,600	54.9	(45.0 - 64.9)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	229	25,500	61.5	(54.3 - 68.7)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	156	20,300	62.2	(53.5 - 71.0)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	608	61.0	(55.9 - 66.1)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	208	73.3	(65.7 - 80.8)	13,299	67.9	(64.0 - 71.9)
Female	400	50.3	(44.0 - 56.6)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	554	63.3	(58.0 - 68.5)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	221	66.3	(57.6 - 75.0)	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	229	60.0	(52.3 - 67.7)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	156	61.3	(52.0 - 70.7)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	415	57,600	69.8	(64.2 - 75.5)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	152	31,200	75.1	(66.7 - 83.5)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	263	26,400	64.6	(57.3 - 71.8)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	91	9,900	82.9	(74.4 - 91.4)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	98	10,300	96.1	(91.5 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	376	48,800	69.6	(63.8 - 75.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	142	22,800	75.1	(65.8 - 84.4)	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	161	20,300	65.0	(56.4 - 73.7)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	121	19,100	70.8	(61.5 - 80.1)	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	415	67.8	(61.8 - 73.8)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	152	74.1	(65.3 - 82.9)	9,034	81.1	(77.4 - 84.8)
Female	263	61.6	(53.8 - 69.4)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	376	67.1	(60.8 - 73.5)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	161	62.8	(53.6 - 72.0)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	624	102,300	90.5	(87.6 - 93.3)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	211	48,300	89.7	(84.7 - 94.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	413	53,900	91.2	(88.1 - 94.3)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	74	24,100	93.6	(87.2 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	96	23,300	88.7	(81.0 - 96.5)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	117	20,100	92.0	(86.4 - 97.7)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	138	16,600	95.0	(91.2 - 98.8)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	199	18,200	83.8	(78.1 - 89.4)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	568	86,800	90.1	(87.0 - 93.1)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	221	36,900	87.1	(82.1 - 92.2)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	168	25,200	90.2	(83.9 - 96.4)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	234	40,200	94.2	(90.1 - 98.3)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	132	14,300	77.6	(68.9 - 86.4)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	155	25,700	89.4	(83.2 - 95.7)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	102	20,200	96.9	(92.0 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	162	32,900	94.1	(89.2 - 99.1)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	624	90.6	(87.5 - 93.6)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	211	89.3	(83.9 - 94.6)	13,893	89.1	(86.9 - 91.3)
Female	413	91.8	(88.6 - 95.0)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	568	90.2	(86.9 - 93.5)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	221	87.5	(82.2 - 92.7)	14,507	84.6	(81.8 - 87.4)
Some College	168	90.2	(83.5 - 97.0)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	234	94.0	(89.5 - 98.5)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	132	77.5	(67.8 - 87.2)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	155	89.6	(83.0 - 96.1)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	102	96.9	(91.9 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	162	93.9	(88.6 - 99.3)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 62a. Overweight among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	613	39,500	35.5	(30.7 - 40.3)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	215	23,000	42.5	(34.3 - 50.7)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	398	16,600	28.9	(23.6 - 34.2)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	131	7,200	42.8	(33.3 - 52.2)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	201	7,400	33.6	(26.2 - 41.1)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	555	33,500	35.3	(30.3 - 40.2)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	13,100	31.6	(23.1 - 40.1)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	166	10,000	36.0	(26.4 - 45.6)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	229	16,400	39.0	(31.7 - 46.2)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	156	9,100	31.7	(21.8 - 41.6)	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	160	12,800	38.3	(29.4 - 47.1)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 62b. Overweight among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	613	34.9	(29.8 - 40.0)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	215	41.5	(32.9 - 50.0)	14,502	43.9	(40.1 - 47.6)
Female	398	28.7	(22.9 - 34.4)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	555	34.6	(29.3 - 39.8)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	30.8	(21.9 - 39.8)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	229	38.5	(30.9 - 46.0)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	160	37.0	(27.7 - 46.2)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 63a. Obesity among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	613	34,600	31.1	(26.2 - 36.0)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	215	20,200	37.4	(29.1 - 45.7)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	398	14,400	25.1	(20.1 - 30.2)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	71	4,400	18.1	(9.1 - 27.1)	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	114	5,800	26.6	(17.6 - 35.7)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	131	5,500	32.7	(23.4 - 41.9)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	201	6,000	27.1	(20.1 - 34.1)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	555	28,800	30.3	(25.4 - 35.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	218	15,000	36.2	(27.0 - 45.5)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	166	9,100	32.9	(23.7 - 42.1)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	229	10,400	24.8	(18.2 - 31.3)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	160	9,300	27.7	(19.7 - 35.6)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 63b. Obesity among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	613	31.4	(26.2 - 36.7)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	215	38.5	(29.6 - 47.3)	14,502	21.5	(19.0 - 24.0)
Female	398	24.8	(19.5 - 30.2)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	555	30.5	(25.3 - 35.7)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	218	37.1	(27.2 - 47.1)	15,079	29.4	(25.4 - 33.3)
Some College	166	33.8	(23.9 - 43.7)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	229	24.3	(17.5 - 31.2)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	160	27.4	(19.0 - 35.8)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 64a. Overweight or obesity among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	613	74,100	66.6	(62.0 - 71.1)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	215	43,200	79.9	(73.6 - 86.1)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	398	31,000	54.0	(48.2 - 59.9)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	96	19,700	75.1	(65.9 - 84.4)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	114	14,800	67.8	(58.3 - 77.3)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	131	12,800	75.4	(67.7 - 83.2)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	201	13,300	60.8	(53.2 - 68.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	555	62,300	65.5	(60.8 - 70.3)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	28,100	67.9	(59.9 - 75.9)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	166	19,100	68.9	(60.6 - 77.3)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	229	26,800	63.7	(56.7 - 70.8)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	156	20,200	69.9	(60.9 - 79.0)	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	160	22,100	65.9	(57.4 - 74.5)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 64b. Overweight or obesity among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	613	66.3	(61.5 - 71.2)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	215	80.0	(73.4 - 86.5)	14,502	65.4	(61.3 - 69.4)
Female	398	53.5	(47.2 - 59.8)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	555	65.1	(59.9 - 70.2)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	68.0	(59.4 - 76.6)	15,079	64.6	(59.9 - 69.3)
Some College	166	69.3	(60.4 - 78.2)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	229	62.8	(55.3 - 70.3)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	156	70.1	(60.6 - 79.6)	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	160	64.4	(55.2 - 73.5)	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 65a. Received advice about weight by a health professional among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	614	29,600	26.4	(22.0 - 30.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	216	14,600	26.6	(19.4 - 33.7)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	398	15,000	26.1	(21.0 - 31.3)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	72	3,700	14.5	(5.3 - 23.8)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	113	6,900	31.9	(22.2 - 41.7)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	131	6,000	35.7	(26.4 - 45.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	202	5,700	25.9	(19.1 - 32.7)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	556	26,000	27.3	(22.6 - 31.9)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	219	11,600	27.2	(19.4 - 35.1)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	166	8,500	30.7	(21.7 - 39.6)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	229	9,500	22.6	(16.5 - 28.7)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	156	8,300	28.8	(19.8 - 37.9)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	161	8,500	24.7	(16.6 - 32.7)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 65b. Received advice about weight by a health professional among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	614	25.6	(21.0 - 30.2)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	216	26.1	(18.6 - 33.7)	14,499	23.4	(20.5 - 26.3)
Female	398	25.1	(19.8 - 30.5)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	556	26.6	(21.7 - 31.5)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	219	26.9	(18.6 - 35.2)	15,116	27.3	(23.4 - 31.2)
Some College	166	31.0	(21.3 - 40.6)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	229	21.0	(14.8 - 27.2)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	156	28.3	(18.8 - 37.9)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	161	23.8	(15.3 - 32.3)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	168	25,700	86.7	(81.2 - 92.3)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	61	13,600	93.1	(86.0 - 100)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	107	12,100	80.5	(72.2 - 88.7)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	152	22,700	87.3	(81.6 - 93.1)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	58	8,600	89.9	(82.7 - 97.0)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	168	87.4	(81.8 - 92.9)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	61	93.5	(86.8 - 100)	3,807	88.7	(85.7 - 91.8)
Female	107	81.2	(72.7 - 89.7)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	152	88.2	(82.6 - 93.8)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	58	90.5	(83.5 - 97.5)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 67a. No leisure-time physical activity among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	25,500	22.0	(18.0 - 26.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	218	11,000	19.9	(13.4 - 26.4)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	429	14,500	23.9	(19.1 - 28.7)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	99	4,500	17.0	(8.6 - 25.3)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	122	4,700	20.6	(12.6 - 28.6)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	140	3,900	22.0	(14.7 - 29.3)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	212	7,700	33.1	(25.9 - 40.4)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	587	22,400	22.8	(18.8 - 26.8)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	234	12,800	29.1	(21.1 - 37.2)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	171	5,800	20.5	(13.7 - 27.3)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	240	6,900	15.9	(10.9 - 20.8)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	144	6,600	33.3	(23.9 - 42.7)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	161	8,400	28.6	(19.6 - 37.5)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	102	2,400	11.7	(5.0 - 18.3)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	164	5,600	15.9	(8.1 - 23.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 67b. No leisure-time physical activity among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	21.5	(17.3 - 25.6)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	218	19.4	(12.7 - 26.1)	14,602	20.9	(17.8 - 23.9)
Female	429	23.3	(18.2 - 28.4)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	587	22.1	(18.0 - 26.3)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	234	29.0	(20.4 - 37.5)	15,683	32.3	(28.3 - 36.4)
Some College	171	19.9	(12.9 - 27.0)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	240	15.0	(10.0 - 20.1)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	161	28.9	(19.4 - 38.5)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	102	10.8	(4.2 - 17.3)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	164	15.5	(7.5 - 23.4)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	34,800	29.9	(25.2 - 34.7)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	219	13,800	25.0	(16.9 - 33.0)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	429	21,000	34.5	(29.1 - 39.9)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	122	4,800	21.0	(13.1 - 28.9)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	140	4,200	23.7	(16.1 - 31.2)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	212	7,700	33.4	(26.2 - 40.6)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	588	27,800	28.2	(23.6 - 32.8)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	235	12,300	27.7	(18.7 - 36.8)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	171	8,900	31.7	(22.8 - 40.5)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	240	13,500	31.1	(24.5 - 37.8)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	164	9,300	26.5	(18.7 - 34.4)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	30.3	(25.2 - 35.4)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	219	25.9	(17.3 - 34.6)	14,634	22.7	(19.6 - 25.9)
Female	429	34.2	(28.4 - 40.1)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	588	28.2	(23.2 - 33.1)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	235	28.7	(18.9 - 38.5)	15,726	23.3	(19.3 - 27.3)
Some College	171	32.1	(22.5 - 41.8)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	240	30.8	(23.9 - 37.8)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	164	27.3	(18.9 - 35.7)	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 69a. Had a fall within the past 3 months among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	467	10,300	16.3	(12.5 - 20.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	163	5,000	17.0	(10.9 - 23.2)	10,966	489,400	14.4	(11.9 - 16.8)
Female	304	5,300	15.7	(11.0 - 20.4)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	122	3,700	16.4	(9.3 - 23.5)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	133	2,900	16.9	(10.1 - 23.7)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	212	3,700	15.9	(10.1 - 21.7)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	440	9,700	16.7	(12.7 - 20.7)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	174	3,600	16.7	(10.6 - 22.8)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	136	2,700	14.9	(8.3 - 21.4)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	157	3,900	17.2	(10.3 - 24.1)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	111	2,500	21.5	(13.0 - 30.0)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	121	3,300	20.5	(12.0 - 29.0)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	112	2,800	15.2	(7.9 - 22.5)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 69b. Had a fall within the past 3 months among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	467	16.5	(12.6 - 20.4)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	163	17.0	(10.8 - 23.2)	10,966	15.0	(12.1 - 17.8)
Female	304	15.9	(11.1 - 20.8)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	440	16.8	(12.7 - 20.9)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	174	16.9	(10.6 - 23.2)	12,417	17.4	(13.0 - 21.7)
Some College	136	14.3	(7.9 - 20.6)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	157	17.8	(10.6 - 25.0)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	111	21.4	(12.8 - 30.0)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	121	20.5	(12.0 - 29.1)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	112	15.4	(7.9 - 22.8)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Schenectady County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Schenectady County and New York State

	Schenectady County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	467	2,800	4.5	(2.3 - 6.6)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	304	1,800	5.2	(2.3 - 8.1)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	212	1,200	5.0	(1.5 - 8.5)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	440	2,500	4.3	(2.1 - 6.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Schenectady County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Schenectady County and New York State - Age-Adjusted²

	Schenectady County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	467	4.7	(2.4 - 7.0)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	304	5.6	(2.4 - 8.7)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	440	4.5	(2.2 - 6.8)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)