

New York State Expanded Behavioral Risk Factor Surveillance System

St. Lawrence County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. St. Lawrence County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in St. Lawrence County and New York State	14
Table 2b. Fair or poor general health among adults in St. Lawrence County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in St. Lawrence County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in St. Lawrence County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in St. Lawrence County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in St. Lawrence County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in St. Lawrence County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in St. Lawrence County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in St. Lawrence County and New York State	22
Table 6b. Health insurance among adults in St. Lawrence County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in St. Lawrence County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in St. Lawrence County and New York State - Age-adjusted	25

Contents

Table 8a. No health insurance among adults in St. Lawrence County and New York State	26
Table 8b. No health insurance among adults in St. Lawrence County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in St. Lawrence County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in St. Lawrence County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in St. Lawrence County and New York State	30
Table 10b. Adults with regular health care provider in St. Lawrence County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in St. Lawrence County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in St. Lawrence County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in St. Lawrence County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in St. Lawrence County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in St. Lawrence County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in St. Lawrence County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in St. Lawrence County and New York State	38
Table 14b. Dentist visit within the past year among adults in St. Lawrence County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in St. Lawrence County and New York State	40

Contents

Table 15b. Had teeth cleaned within the past year among adults in St. Lawrence County and New York State - Age-adjusted	41
Table 16a. Permanent teeth extracted due to decay or gum disease among adults in St. Lawrence County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in St. Lawrence County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in St. Lawrence County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in St. Lawrence County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in St. Lawrence County and New York State	46
Table 18b. Flu shot within the past 12 months in St. Lawrence County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in St. Lawrence County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in St. Lawrence County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in St. Lawrence County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in St. Lawrence County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in St. Lawrence County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in St. Lawrence County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in St. Lawrence County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in St. Lawrence County and New York State - Age-adjusted	55

Contents

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in St. Lawrence County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in St. Lawrence County and New York State - Age-adjusted	57

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in St. Lawrence County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in St. Lawrence County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in St. Lawrence County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in St. Lawrence County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in St. Lawrence County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in St. Lawrence County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in St. Lawrence County and New York State	64
Table 27b. Ever had a Pap test among women in St. Lawrence County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in St. Lawrence County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in St. Lawrence County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in St. Lawrence County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in St. Lawrence County and New York State - Age-adjusted	69

Contents

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in St. Lawrence County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in St. Lawrence County and New York State - Age-adjusted	71
Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in St. Lawrence County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in St. Lawrence County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in St. Lawrence County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in St. Lawrence County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in St. Lawrence County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in St. Lawrence County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in St. Lawrence County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in St. Lawrence County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in St. Lawrence County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in St. Lawrence County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in St. Lawrence County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in St. Lawrence County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in St. Lawrence County and New York State	84

Contents

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in St. Lawrence County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in St. Lawrence County and New York State	86
Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in St. Lawrence County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in St. Lawrence County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in St. Lawrence County and New York State - Age-adjusted	89

Chronic Diseases

Table 40a. High blood pressure among adults in St. Lawrence County and New York State	90
Table 40b. High blood pressure among adults in St. Lawrence County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in St. Lawrence County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in St. Lawrence County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in St. Lawrence County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in St. Lawrence County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in St. Lawrence County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in St. Lawrence County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in St. Lawrence County and New York State	98

Contents

Table 44b. Cardiovascular disease among adults in St. Lawrence County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in St. Lawrence County and New York State	100
Table 45b. Coronary heart disease among adults in St. Lawrence County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in St. Lawrence County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in St. Lawrence County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in St. Lawrence County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in St. Lawrence County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in St. Lawrence County and New York State	106
Table 48b. Current asthma among adults in St. Lawrence County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in St. Lawrence County and New York State	108
Table 49b. Chronic joint symptoms among adults in St. Lawrence County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in St. Lawrence County and New York State	110
Table 50b. Arthritis among adults in St. Lawrence County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in St. Lawrence County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in St. Lawrence County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in St. Lawrence County and New York State	114

Contents

Table 52b. Have health problem that requires the use of special equipment among adults in St. Lawrence County and New York State - Age-adjusted	115
Table 53a. Disability among adults in St. Lawrence County and New York State	116
Table 53b. Disability among adults in St. Lawrence County and New York State - Age-adjusted	117
Health Behaviors	
Table 54a. Current smoking among adults in St. Lawrence County and New York State	118
Table 54b. Current smoking among adults in St. Lawrence County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in St. Lawrence County and New York State	120
Table 55b. Everyday smoking among adults in St. Lawrence County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in St. Lawrence County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in St. Lawrence County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in St. Lawrence County and New York State	124
Table 57b. Binge drinking within the past month among adults in St. Lawrence County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in St. Lawrence County and New York State	126
Table 58b. Heavy drinking within the past month among adults in St. Lawrence County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in St. Lawrence County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in St. Lawrence County and New York State - Age-adjusted	129

Contents

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in St. Lawrence County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in St. Lawrence County and New York State - Age-adjusted	131
Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in St. Lawrence County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in St. Lawrence County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in St. Lawrence County and New York State	134
Table 62b. Overweight among adults in St. Lawrence County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in St. Lawrence County and New York State	136
Table 63b. Obesity among adults in St. Lawrence County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in St. Lawrence County and New York State	138
Table 64b. Overweight or obesity among adults in St. Lawrence County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in St. Lawrence County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in St. Lawrence County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in St. Lawrence County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in St. Lawrence County and New York State - Age-adjusted	143

Contents

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in St. Lawrence County and New York State	144
Table 67b. No leisure-time physical activity among adults in St. Lawrence County and New York State - Age-adjusted	145
Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in St. Lawrence County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in St. Lawrence County and New York State - Age-adjusted	147

Injury

Table 69a. Had a fall within the past 3 months among adults in St. Lawrence County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in St. Lawrence County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in St. Lawrence County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in St. Lawrence County and New York State - Age-adjusted	151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 1. St. Lawrence County and New York State adult US Census Bureau population estimates,¹ 2007

	St. Lawrence County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	87,400	100	14,884,315	100
Gender				
Male	44,200	50.6	7,103,791	47.7
Female	43,200	49.4	7,780,524	52.3
Age (years)				
18-34	31,514	36.1	4,497,479	30.2
35-44	13,630	15.6	2,844,115	19.1
45-54	15,438	17.7	2,854,316	19.2
55-64	12,014	13.7	2,142,000	14.4
≥ 65	14,804	16.9	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	81,622	93.4	9,343,884	62.8
Black Non-Hispanic	2,268	2.6	2,156,941	14.5
Hispanic	1,762	2.0	2,258,717	15.2
Other Non-Hispanic	1,748	2.0	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 2a. Fair or poor general health among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	13,300	15.3	(12.1 - 18.4)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	263	6,100	13.8	(9.2 - 18.4)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	399	7,200	16.7	(12.4 - 21.1)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	99	1,800	13.1	(5.9 - 20.3)	4,985	289,200	10.0	(6.8 - 13.3)
45-54	128	3,100	19.8	(11.7 - 27.8)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	137	3,200	26.7	(17.2 - 36.2)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	220	4,100	27.8	(20.7 - 35.0)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	633	11,900	14.6	(11.5 - 17.6)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	293	8,200	22.1	(16.4 - 27.9)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	184	4,200	14.9	(8.9 - 21.0)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	184	900	4.2	(1.8 - 6.7)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	198	6,800	28.9	(20.5 - 37.2)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	157	2,100	9.6	(3.7 - 15.4)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	101	1,800	14.1	(7.1 - 21.2)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	*	*	*	*	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 2b. Fair or poor general health among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	15.5	(12.3 - 18.7)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	263	14.6	(9.9 - 19.3)	14,599	15.3	(12.6 - 18.0)
Female	399	16.4	(12.1 - 20.8)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	633	14.8	(11.6 - 17.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	293	22.8	(17.0 - 28.6)	15,682	25.8	(22.1 - 29.5)
Some College	184	15.1	(8.9 - 21.4)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	184	4.7	(1.8 - 7.5)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	198	29.9	(21.3 - 38.5)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	157	9.9	(4.0 - 15.7)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	101	14.2	(7.0 - 21.3)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	*	*	*	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	650	9,600	11.1	(8.3 - 14.0)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	258	3,600	8.4	(4.9 - 11.9)	14,325	604,200	8.7	(7.0 - 10.5)
Female	392	6,000	13.9	(9.6 - 18.3)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	98	1,500	11.4	(4.5 - 18.2)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	127	2,100	13.8	(6.7 - 20.9)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	136	2,400	19.9	(12.5 - 27.4)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	212	2,200	15.4	(9.1 - 21.8)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	621	8,300	10.3	(7.6 - 13.0)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	282	5,300	14.7	(9.9 - 19.4)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	183	3,600	12.8	(6.8 - 18.8)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	184	800	3.4	(1.0 - 5.8)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	192	5,000	21.5	(13.8 - 29.3)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	155	1,300	6.2	(2.3 - 10.1)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	101	1,100	8.4	(2.9 - 13.8)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	*	*	*	*	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	650	11.4	(8.5 - 14.3)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	258	8.8	(5.0 - 12.5)	14,325	8.7	(6.9 - 10.5)
Female	392	14.1	(9.6 - 18.5)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	621	10.4	(7.6 - 13.2)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	282	14.9	(10.0 - 19.7)	15,178	12.7	(10.2 - 15.1)
Some College	183	13.3	(7.1 - 19.5)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	184	3.9	(0.9 - 7.0)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	192	22.7	(14.5 - 30.8)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	155	6.2	(2.2 - 10.3)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	101	8.0	(2.7 - 13.3)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	*	*	*	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	9,800	11.3	(7.0 - 15.6)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	260	5,600	12.7	(5.1 - 20.2)	14,407	555,200	7.9	(6.3 - 9.6)
Female	389	4,200	9.9	(5.9 - 13.8)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	98	1,200	8.8	(3.1 - 14.4)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	*	*	*	*	7,749	347,200	12.3	(9.0 - 15.6)
55-64	134	1,000	8.5	(3.7 - 13.4)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	212	1,100	7.4	(1.8 - 13.1)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	620	8,500	10.6	(6.1 - 15.0)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	283	4,600	12.7	(7.3 - 18.2)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	181	3,600	12.9	(2.9 - 22.8)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	*	*	*	*	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	155	1,700	8.0	(1.5 - 14.5)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	*	*	*	*	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	11.3	(7.0 - 15.5)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	260	12.2	(4.8 - 19.5)	14,407	7.9	(6.3 - 9.6)
Female	389	10.4	(6.3 - 14.4)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	620	10.4	(6.1 - 14.8)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	283	13.2	(7.8 - 18.6)	15,335	12.3	(10.0 - 14.6)
Some College	*	*	*	9,771	11.8	(8.5 - 15.1)
≥ College Degree	*	*	*	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	155	7.5	(1.7 - 13.2)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	*	*	*	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	646	16,000	18.6	(14.0 - 23.3)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	260	8,100	18.4	(10.7 - 26.1)	14,231	937,700	13.6	(11.4 - 15.8)
Female	386	8,000	18.9	(13.8 - 23.9)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	78	4,300	13.6	(5.5 - 21.7)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	98	2,200	16.6	(8.7 - 24.5)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	*	*	*	*	7,722	551,000	19.6	(15.8 - 23.4)
55-64	137	3,000	25.0	(17.1 - 33.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	206	2,300	17.1	(10.5 - 23.8)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	617	14,700	18.3	(13.5 - 23.1)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	280	7,700	21.3	(15.0 - 27.6)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	*	*	*	*	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	184	2,300	10.2	(3.0 - 17.5)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	155	2,700	12.3	(5.3 - 19.3)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	100	1,300	10.4	(4.2 - 16.5)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	*	*	*	*	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	646	18.6	(14.0 - 23.2)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	260	18.1	(10.5 - 25.6)	14,231	13.6	(11.4 - 15.8)
Female	386	19.2	(14.0 - 24.3)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	617	18.2	(13.4 - 22.9)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	280	21.2	(15.1 - 27.4)	15,018	20.1	(17.1 - 23.1)
Some College	*	*	*	9,672	17.6	(14.1 - 21.1)
≥ College Degree	184	9.8	(3.6 - 16.1)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	155	11.9	(5.5 - 18.4)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	100	10.0	(4.0 - 16.0)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	*	*	*	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 6a. Health insurance among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	76,700	87.9	(83.8 - 91.9)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	264	38,100	86.1	(79.5 - 92.8)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	398	38,600	89.6	(85.1 - 94.1)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	78	25,300	80.4	(70.5 - 90.3)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	99	11,800	86.7	(79.0 - 94.5)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	128	13,700	89.0	(82.9 - 95.2)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	137	11,300	93.8	(89.8 - 97.8)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	220	14,500	98.8	(97.3 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	633	71,900	88.2	(84.0 - 92.3)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	30,900	83.2	(76.2 - 90.3)	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	184	24,400	87.7	(80.9 - 94.5)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	184	21,300	95.7	(89.3 - 100)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	198	18,900	80.5	(71.8 - 89.2)	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	158	19,200	88.2	(79.7 - 96.7)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	101	12,400	94.6	(89.5 - 99.7)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	120	17,400	99.0	(97.7 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 6b. Health insurance among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	88.1	(84.3 - 91.8)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	264	86.5	(80.5 - 92.5)	14,597	83.6	(79.7 - 87.5)
Female	398	89.7	(85.3 - 94.0)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	633	88.5	(84.7 - 92.3)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	82.8	(76.1 - 89.5)	15,673	80.1	(75.4 - 84.7)
Some College	184	88.1	(81.7 - 94.5)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	184	96.2	(91.2 - 100)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	198	80.5	(72.1 - 89.0)	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	158	88.7	(81.1 - 96.3)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	101	92.9	(86.2 - 99.6)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	120	98.9	(97.5 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 7a. Health insurance among adults aged 18-64¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	61,900	85.7	(80.8 - 90.5)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	176	32,000	84.4	(76.7 - 92.1)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	262	29,900	87.1	(81.5 - 92.7)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	78	25,300	80.4	(70.5 - 90.3)	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	99	11,800	86.7	(79.0 - 94.5)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	128	13,700	89.0	(82.9 - 95.2)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	133	11,000	94.2	(90.2 - 98.2)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	421	58,300	86.1	(81.1 - 91.1)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	166	22,700	79.1	(70.2 - 88.1)	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	138	21,600	86.3	(78.8 - 93.8)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	134	17,600	94.9	(87.3 - 100)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	85	11,200	94.0	(88.4 - 99.6)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	105	16,100	98.9	(97.6 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 7b. Health insurance among adults aged 18-64¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	85.9	(81.4 - 90.4)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	176	84.3	(77.1 - 91.5)	10,078	80.5	(75.9 - 85.1)
Female	262	87.6	(82.3 - 92.9)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	421	86.5	(82.0 - 91.1)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	166	78.4	(69.8 - 87.0)	9,037	75.1	(69.3 - 80.9)
Some College	138	86.9	(79.8 - 94.0)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	134	95.4	(89.4 - 100)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	101	86.0	(76.6 - 95.3)	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	85	92.2	(84.8 - 99.6)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	105	98.8	(97.3 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 8a. No health insurance among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	10,600	12.1	(8.1 - 16.2)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	264	6,100	13.9	(7.2 - 20.5)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	398	4,500	10.4	(5.9 - 14.9)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	78	6,200	19.6	(9.7 - 29.5)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	99	1,800	13.3	(5.5 - 21.0)	4,986	319,200	11.1	(6.9 - 15.3)
45-54	128	1,700	11.0	(4.8 - 17.1)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	137	700	6.2	(2.2 - 10.2)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	633	9,600	11.8	(7.7 - 16.0)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	6,200	16.8	(9.7 - 23.8)	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	184	3,400	12.3	(5.5 - 19.1)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	*	*	*	*	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	198	4,600	19.5	(10.8 - 28.2)	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	158	2,600	11.8	(3.3 - 20.3)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 8b. No health insurance among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	11.9	(8.2 - 15.7)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	264	13.5	(7.5 - 19.5)	14,597	16.4	(12.5 - 20.3)
Female	398	10.3	(6.0 - 14.7)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	633	11.5	(7.7 - 15.3)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	17.2	(10.5 - 23.9)	15,673	19.9	(15.3 - 24.6)
Some College	184	11.9	(5.5 - 18.3)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	*	*	*	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	198	19.5	(11.0 - 27.9)	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	158	11.3	(3.7 - 18.9)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 9a. No health insurance among adults aged 18-64¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	438	10,400	14.3	(9.5 - 19.2)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	176	5,900	15.6	(7.9 - 23.3)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	262	4,400	12.9	(7.3 - 18.5)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	78	6,200	19.6	(9.7 - 29.5)	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	99	1,800	13.3	(5.5 - 21.0)	4,981	319,200	11.1	(6.9 - 15.3)
45-54	128	1,700	11.0	(4.8 - 17.1)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	421	9,400	13.9	(8.9 - 18.9)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	166	6,000	20.9	(11.9 - 29.8)	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	138	3,400	13.7	(6.2 - 21.2)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	*	*	*	*	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 9b. No health insurance among adults aged 18-64¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	438	14.1	(9.6 - 18.6)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	176	15.7	(8.5 - 22.9)	10,078	19.5	(14.9 - 24.1)
Female	262	12.4	(7.1 - 17.7)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	421	13.5	(8.9 - 18.0)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	166	21.6	(13.0 - 30.2)	9,037	24.9	(19.1 - 30.7)
Some College	138	13.1	(6.0 - 20.2)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	*	*	*	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	101	14.0	(4.7 - 23.4)	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 10a. Adults with regular health care provider¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	69,200	79.1	(73.8 - 84.5)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	264	31,500	71.2	(62.5 - 79.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	399	37,700	87.2	(81.5 - 92.9)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	99	11,400	83.4	(75.7 - 91.1)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	*	*	*	*	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	137	10,200	85.0	(76.6 - 93.5)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	221	14,100	95.4	(92.3 - 98.4)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	634	63,900	78.3	(72.8 - 83.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	294	27,800	74.7	(66.3 - 83.0)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	184	19,300	86.7	(78.8 - 94.6)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	101	10,700	82.1	(73.2 - 91.0)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	120	15,000	85.2	(76.8 - 93.7)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 10b. Adults with regular health care provider¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	80.0	(74.9 - 85.0)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	264	72.6	(64.4 - 80.8)	14,593	78.1	(73.9 - 82.3)
Female	399	87.5	(82.1 - 93.0)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	634	79.2	(73.9 - 84.5)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	294	76.0	(68.3 - 83.7)	15,692	75.8	(71.0 - 80.6)
Some College	*	*	*	9,904	82.9	(77.5 - 88.3)
≥ College Degree	184	86.8	(79.7 - 93.8)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	101	79.8	(70.2 - 89.5)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	120	85.8	(78.1 - 93.5)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	12,900	14.7	(9.9 - 19.5)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	264	7,600	17.2	(9.0 - 25.3)	14,607	903,300	12.7	(9.5 - 16.0)
Female	399	5,300	12.2	(7.6 - 16.8)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	78	5,800	18.4	(9.0 - 27.9)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	99	1,800	12.8	(5.4 - 20.3)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	137	1,200	10.2	(4.7 - 15.7)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	634	11,900	14.5	(9.5 - 19.5)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	294	6,600	17.6	(10.7 - 24.6)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	*	*	*	*	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	158	2,300	10.5	(3.4 - 17.6)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	14.5	(9.9 - 19.1)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	264	16.7	(8.8 - 24.5)	14,607	12.5	(9.4 - 15.6)
Female	399	12.3	(7.7 - 16.9)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	634	14.0	(9.2 - 18.8)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	294	17.0	(10.6 - 23.5)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	*	*	*	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	158	10.5	(3.9 - 17.2)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	57,200	65.7	(60.2 - 71.1)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	262	26,600	60.4	(51.7 - 69.1)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	397	30,500	71.0	(64.5 - 77.6)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	127	11,100	72.1	(62.3 - 81.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	135	9,500	80.4	(73.0 - 87.8)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	220	13,100	89.2	(84.1 - 94.3)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	630	53,200	65.4	(59.9 - 70.9)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	24,200	65.5	(56.8 - 74.3)	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	184	15,900	71.4	(61.8 - 81.0)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	158	15,900	73.0	(63.6 - 82.3)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	*	*	*	*	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	66.0	(60.8 - 71.2)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	262	61.2	(53.1 - 69.2)	14,592	67.1	(63.3 - 70.9)
Female	397	71.0	(64.5 - 77.4)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	630	65.5	(60.2 - 70.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	290	65.9	(57.7 - 74.1)	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	184	72.3	(63.4 - 81.1)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	158	72.0	(62.8 - 81.1)	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	67,900	78.0	(73.1 - 83.0)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	262	32,300	73.2	(65.1 - 81.4)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	397	35,700	83.0	(77.5 - 88.4)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	99	10,400	76.2	(66.6 - 85.7)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	127	12,700	82.5	(74.8 - 90.3)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	135	10,600	89.0	(83.2 - 94.8)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	220	13,900	94.6	(90.6 - 98.5)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	630	63,900	78.7	(73.8 - 83.5)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	27,900	75.7	(67.4 - 83.9)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	184	21,700	77.9	(69.7 - 86.1)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	184	18,300	82.0	(72.7 - 91.3)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	158	17,800	81.7	(73.9 - 89.4)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	120	14,800	84.5	(75.6 - 93.3)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	78.7	(74.0 - 83.3)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	262	74.2	(66.7 - 81.6)	14,592	81.9	(78.4 - 85.3)
Female	397	83.3	(78.0 - 88.5)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	630	79.0	(74.5 - 83.6)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	290	76.4	(68.9 - 83.9)	15,640	84.6	(81.1 - 88.1)
Some College	184	77.3	(69.0 - 85.5)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	184	83.8	(75.7 - 91.8)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	158	81.3	(73.7 - 89.0)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	120	83.4	(74.6 - 92.2)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 14a. Dentist visit within the past year among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	58,500	67.2	(62.4 - 72.0)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	264	29,900	67.6	(60.0 - 75.1)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	395	28,600	66.8	(60.9 - 72.8)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	77	24,100	76.9	(67.1 - 86.8)	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	*	*	*	*	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	137	7,900	66.1	(57.2 - 75.1)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	218	7,800	53.1	(45.7 - 60.5)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	630	54,300	66.8	(61.8 - 71.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	21,400	57.7	(49.8 - 65.6)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	182	19,400	70.3	(61.1 - 79.4)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	184	17,700	79.3	(70.9 - 87.8)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	158	15,000	68.7	(59.2 - 78.2)	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	120	14,700	83.8	(75.1 - 92.5)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 14b. Dentist visit within the past year among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	66.4	(61.6 - 71.1)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	264	66.3	(59.0 - 73.5)	14,573	68.3	(64.6 - 72.1)
Female	395	66.5	(60.4 - 72.5)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	630	66.2	(61.3 - 71.0)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	55.5	(47.7 - 63.2)	15,613	65.3	(60.9 - 69.6)
Some College	182	69.7	(60.7 - 78.7)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	184	79.5	(71.8 - 87.3)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	158	67.3	(58.0 - 76.6)	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	120	84.3	(76.2 - 92.4)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 15a. Had teeth cleaned within the past year among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	556	53,000	67.6	(61.9 - 73.3)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	227	26,200	65.1	(56.0 - 74.2)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	329	26,900	70.3	(63.6 - 76.9)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	*	*	*	*	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	120	7,800	74.1	(65.3 - 83.0)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	148	7,100	71.1	(62.4 - 79.7)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	532	48,900	66.8	(60.9 - 72.7)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	218	18,900	60.3	(51.1 - 69.5)	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	175	17,500	84.1	(77.2 - 90.9)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	115	15,100	88.3	(80.1 - 96.5)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 15b. Had teeth cleaned within the past year among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	556	67.0	(61.4 - 72.5)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	227	64.1	(55.3 - 72.9)	13,173	69.2	(65.3 - 73.1)
Female	329	69.9	(63.3 - 76.5)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	532	66.3	(60.6 - 72.1)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	218	58.3	(49.4 - 67.1)	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	175	84.1	(77.6 - 90.5)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	145	67.0	(57.1 - 77.0)	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	115	88.8	(81.4 - 96.1)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	42,500	49.3	(43.7 - 54.9)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	261	21,900	49.8	(40.9 - 58.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	388	20,700	48.8	(42.1 - 55.6)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	*	*	*	*	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	133	8,900	76.8	(69.0 - 84.7)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	214	11,600	80.9	(75.0 - 86.7)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	621	38,900	48.3	(42.6 - 54.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	285	23,200	63.8	(54.9 - 72.8)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	182	7,100	32.0	(24.2 - 39.7)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	118	4,300	24.9	(16.3 - 33.6)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	49.7	(44.3 - 55.0)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	261	51.4	(43.1 - 59.7)	14,457	47.9	(44.1 - 51.7)
Female	388	47.9	(41.2 - 54.6)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	621	48.6	(43.2 - 54.1)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	285	65.5	(57.2 - 73.8)	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	182	32.1	(24.4 - 39.8)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	118	24.0	(15.8 - 32.2)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	214	4,400	31.0	(24.2 - 37.8)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	86	1,600	25.5	(15.7 - 35.3)	4,352	167,200	16.4	(11.8 - 20.9)
Female	128	2,900	35.2	(25.9 - 44.4)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	214	4,400	31.0	(24.2 - 37.8)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	204	4,300	32.1	(25.0 - 39.2)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	122	3,200	39.9	(30.0 - 49.8)	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	214	30.1	(23.3 - 37.0)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	86	25.4	(15.6 - 35.2)	4,352	16.5	(11.5 - 21.4)
Female	128	35.1	(25.9 - 44.4)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	204	31.3	(24.3 - 38.4)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	122	38.2	(28.3 - 48.1)	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 18a. Flu shot within the past 12 months¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	34,900	40.2	(34.8 - 45.6)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	261	16,800	38.4	(29.9 - 46.9)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	399	18,200	42.1	(35.5 - 48.6)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	228	15,100	28.9	(20.8 - 37.0)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	212	9,100	45.3	(37.7 - 52.8)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	220	10,800	73.2	(66.9 - 79.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	631	33,900	41.8	(36.2 - 47.4)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	294	14,400	38.7	(30.7 - 46.6)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	183	9,800	44.3	(35.1 - 53.4)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 18b. Flu shot within the past 12 months¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	39.8	(34.7 - 44.9)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	261	39.5	(31.6 - 47.4)	14,579	40.0	(36.2 - 43.8)
Female	399	40.2	(33.8 - 46.6)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	631	41.3	(36.0 - 46.6)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	294	39.8	(32.1 - 47.5)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	183	43.5	(34.7 - 52.2)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	*	*	*	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	35,000	40.3	(34.9 - 45.7)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	261	16,800	38.4	(29.9 - 46.9)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	399	18,300	42.2	(35.7 - 48.8)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	228	15,100	29.1	(21.0 - 37.2)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	212	9,100	45.3	(37.7 - 52.8)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	220	10,800	73.2	(66.9 - 79.5)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	631	34,000	41.9	(36.3 - 47.5)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	294	14,400	38.7	(30.7 - 46.6)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	183	9,900	44.6	(35.5 - 53.8)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	39.9	(34.8 - 45.0)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	261	39.5	(31.6 - 47.4)	14,568	40.4	(36.6 - 44.2)
Female	399	40.4	(34.0 - 46.8)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	631	41.4	(36.1 - 46.7)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	294	39.8	(32.1 - 47.5)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	183	43.8	(35.0 - 52.6)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	*	*	*	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 21a. Flu shot among adults aged 65 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	220	10,800	73.2	(66.9 - 79.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	86	4,900	79.4	(70.5 - 88.3)	4,417	772,900	74.6	(69.3 - 79.8)
Female	134	5,900	68.7	(60.1 - 77.4)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	220	10,800	73.2	(66.9 - 79.5)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	209	10,100	73.9	(67.5 - 80.2)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	127	6,200	72.9	(64.6 - 81.2)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	*	*	*	*	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	87	4,000	74.9	(65.5 - 84.3)	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 21b. Flu shot among adults aged 65 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	220	74.1	(67.8 - 80.4)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	86	79.4	(70.6 - 88.3)	4,417	74.4	(68.7 - 80.1)
Female	134	68.7	(60.0 - 77.3)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	209	74.5	(68.2 - 80.9)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	127	73.3	(64.9 - 81.7)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	87	75.8	(66.4 - 85.2)	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	618	24,900	31.3	(25.9 - 36.7)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	239	11,500	29.4	(20.6 - 38.1)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	379	13,400	33.1	(26.7 - 39.6)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	202	9,900	21.3	(12.7 - 29.9)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	198	4,700	25.5	(18.8 - 32.1)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	218	10,300	70.4	(63.6 - 77.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	591	24,300	32.7	(27.0 - 38.3)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	281	12,800	36.5	(28.2 - 44.8)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	*	*	*	*	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	167	5,000	25.7	(18.1 - 33.3)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	185	7,400	33.1	(23.7 - 42.5)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	92	2,500	21.4	(12.6 - 30.2)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	*	*	*	*	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	618	30.6	(25.5 - 35.6)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	239	30.3	(22.4 - 38.3)	13,052	25.8	(22.3 - 29.4)
Female	379	30.8	(24.5 - 37.1)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	591	31.9	(26.6 - 37.2)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	281	36.5	(28.6 - 44.3)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	167	25.6	(18.0 - 33.3)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	185	33.7	(24.1 - 43.2)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	*	*	*	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	92	20.8	(12.1 - 29.5)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	*	*	*	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	218	10,300	70.4	(63.6 - 77.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	132	6,000	71.5	(63.3 - 79.7)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	218	10,300	70.4	(63.6 - 77.3)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	207	9,600	71.2	(64.5 - 77.8)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	126	6,000	71.3	(62.0 - 80.7)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	218	70.2	(62.9 - 77.5)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	132	71.5	(63.3 - 79.7)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	207	71.2	(64.5 - 78.0)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	319	22,200	89.9	(85.8 - 93.9)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	319	22,200	89.9	(85.8 - 93.9)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	125	9,000	93.9	(89.6 - 98.2)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	134	7,900	92.2	(87.1 - 97.4)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	305	20,800	90.3	(86.3 - 94.3)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	140	9,200	86.7	(79.8 - 93.6)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	90	6,100	87.1	(78.3 - 96.0)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	88	6,900	97.3	(94.2 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	103	5,800	88.8	(80.6 - 97.1)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	66	4,700	90.5	(80.7 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	50	4,600	94.7	(89.4 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	319	88.3	(83.1 - 93.4)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	319	88.3	(83.1 - 93.4)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	305	89.0	(84.2 - 93.9)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	140	84.8	(76.1 - 93.4)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	88	96.8	(93.3 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	50	94.7	(89.3 - 100)	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	314	19,700	80.5	(75.6 - 85.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	314	19,700	80.5	(75.6 - 85.5)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	125	7,700	81.2	(73.9 - 88.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	129	6,900	83.1	(76.3 - 89.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	300	18,300	80.3	(75.3 - 85.3)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	139	7,900	74.7	(66.6 - 82.9)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	88	6,300	89.7	(83.1 - 96.3)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	50	4,400	90.5	(82.7 - 98.2)	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	314	79.2	(73.4 - 84.9)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	314	79.2	(73.4 - 84.9)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	300	79.2	(73.6 - 84.9)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	139	73.0	(63.6 - 82.3)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	88	89.4	(82.5 - 96.2)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	50	90.5	(82.8 - 98.3)	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	254	14,700	82.1	(77.0 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	254	14,700	82.1	(77.0 - 87.2)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	125	7,700	81.2	(73.9 - 88.6)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	129	6,900	83.1	(76.3 - 89.9)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	243	13,800	81.4	(76.1 - 86.7)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	121	6,500	77.4	(69.6 - 85.2)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	63	4,100	90.3	(82.1 - 98.5)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	90	3,900	75.3	(65.6 - 85.1)	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	254	81.9	(76.7 - 87.1)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	254	81.9	(76.7 - 87.1)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	243	81.2	(75.8 - 86.6)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	121	77.1	(69.1 - 85.1)	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	63	90.0	(81.5 - 98.5)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	90	74.8	(64.8 - 84.8)	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 27a. Ever had a Pap test among women¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	395	41,500	96.7	(94.1 - 99.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	395	41,500	96.7	(94.1 - 99.4)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	56	6,400	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	79	7,600	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	84	5,800	98.0	(94.2 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	134	8,200	95.7	(92.6 - 98.8)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	376	38,600	96.5	(93.7 - 99.3)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	162	15,900	97.3	(94.4 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	121	14,100	93.8	(87.2 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	111	11,500	99.6	(98.9 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	129	12,300	96.9	(93.1 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	84	9,700	99.2	(98.0 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	55	6,000	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	65	7,700	97.1	(91.6 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 27b. Ever had a Pap test among women¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	395	97.1	(94.6 - 99.5)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	395	97.1	(94.6 - 99.5)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	376	96.8	(94.2 - 99.5)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	162	97.6	(94.8 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	121	94.3	(88.1 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	111	99.7	(99.1 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	129	97.1	(93.5 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	84	99.3	(98.3 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	55	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	65	97.5	(92.7 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 28a. Had a Pap test within the past 3 years among women¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	388	33,200	78.3	(73.3 - 83.3)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	388	33,200	78.3	(73.3 - 83.3)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	79	6,600	87.5	(80.1 - 94.9)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	84	4,800	80.2	(71.2 - 89.2)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	127	4,300	52.7	(43.1 - 62.4)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	369	30,400	77.0	(71.6 - 82.3)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	158	11,200	69.7	(60.7 - 78.8)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	119	11,700	78.4	(68.6 - 88.3)	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	110	10,300	90.0	(85.0 - 95.0)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	128	9,100	72.1	(62.6 - 81.5)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	84	8,100	82.7	(73.3 - 92.1)	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 28b. Had a Pap test within the past 3 years among women¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	388	79.4	(74.4 - 84.3)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	388	79.4	(74.4 - 84.3)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	369	78.1	(72.8 - 83.3)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	158	70.1	(60.9 - 79.3)	9,384	76.4	(71.3 - 81.5)
Some College	119	80.3	(71.0 - 89.6)	6,401	84.2	(80.5 - 88.0)
≥ College Degree	110	90.1	(84.8 - 95.4)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	128	73.4	(64.0 - 82.8)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	*	*	*	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	*	*	*	*	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	52	5,200	87.5	(78.0 - 97.0)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	57	5,400	88.8	(79.1 - 98.4)	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	12,033	73.7	(69.6 - 77.8)
Gender						
Male	*	*	*	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	206	11,900	50.4	(40.8 - 59.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	206	11,900	50.4	(40.8 - 59.9)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	198	11,200	50.6	(40.9 - 60.4)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	206	49.1	(39.7 - 58.5)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	206	49.1	(39.7 - 58.5)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	198	49.5	(39.9 - 59.2)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	201	15,600	67.8	(59.4 - 76.2)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	201	15,600	67.8	(59.4 - 76.2)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	85	5,300	87.6	(77.7 - 97.5)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	193	14,800	68.5	(60.1 - 77.0)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	201	66.3	(57.6 - 75.1)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	201	66.3	(57.6 - 75.1)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	193	67.4	(58.6 - 76.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	199	13,400	58.4	(49.2 - 67.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	199	13,400	58.4	(49.2 - 67.6)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	*	*	*	*	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	191	12,500	58.5	(49.0 - 67.9)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	199	57.0	(47.7 - 66.4)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	199	57.0	(47.7 - 66.4)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	191	57.5	(47.9 - 67.0)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 33a. Prostate cancer among men aged 40 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	210	700	3.0	(1.1 - 4.8)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	210	700	3.0	(1.1 - 4.8)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	86	700	11.6	(4.7 - 18.4)	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	202	700	3.2	(1.2 - 5.2)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 33b. Prostate cancer among men aged 40 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	210	3.3	(1.2 - 5.3)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	210	3.3	(1.2 - 5.3)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	202	3.5	(1.3 - 5.7)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	428	11,500	33.2	(28.3 - 38.1)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	168	5,200	31.7	(24.1 - 39.3)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	260	6,300	34.6	(28.3 - 40.8)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	211	5,100	25.4	(19.2 - 31.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	217	6,400	44.0	(36.7 - 51.4)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	409	11,200	34.8	(29.8 - 39.9)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	215	5,600	32.3	(25.3 - 39.4)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	103	2,900	35.1	(25.2 - 45.0)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	109	3,000	33.3	(23.8 - 42.8)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	140	3,300	34.5	(25.9 - 43.1)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	428	33.2	(28.2 - 38.1)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	168	32.5	(24.9 - 40.1)	9,571	39.4	(35.3 - 43.5)
Female	260	33.9	(27.7 - 40.1)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	409	34.7	(29.6 - 39.8)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	215	32.4	(25.3 - 39.4)	11,146	35.1	(30.3 - 39.9)
Some College	103	33.5	(23.7 - 43.3)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	109	34.6	(24.8 - 44.4)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	140	33.6	(24.8 - 42.4)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	425	3,900	11.4	(8.3 - 14.6)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	167	1,800	11.3	(6.5 - 16.1)	9,508	444,400	16.0	(13.2 - 18.9)
Female	258	2,100	11.6	(7.5 - 15.7)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	210	1,800	9.1	(5.1 - 13.0)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	215	2,100	14.7	(9.7 - 19.8)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	407	3,800	11.7	(8.5 - 15.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	2,200	12.7	(7.8 - 17.5)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	102	1,200	14.9	(7.9 - 22.0)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	*	*	*	*	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	139	1,100	12.1	(6.6 - 17.6)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	96	1,200	14.9	(7.4 - 22.4)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	425	11.6	(8.4 - 14.8)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	167	11.8	(6.8 - 16.8)	9,508	16.4	(13.2 - 19.6)
Female	258	11.4	(7.4 - 15.5)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	407	11.9	(8.6 - 15.2)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	13.3	(8.2 - 18.3)	11,026	12.7	(9.2 - 16.1)
Some College	102	14.5	(7.4 - 21.6)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	*	*	*	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	139	12.2	(6.3 - 18.1)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	96	15.3	(7.7 - 23.0)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	425	5,700	16.6	(12.9 - 20.4)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	167	2,600	15.9	(10.1 - 21.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	258	3,100	17.3	(12.5 - 22.1)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	210	2,700	13.3	(8.5 - 18.1)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	215	3,000	21.2	(15.3 - 27.1)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	407	5,500	17.1	(13.2 - 21.0)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	3,000	17.5	(11.9 - 23.0)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	102	1,600	19.2	(11.2 - 27.2)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	109	1,200	12.8	(6.5 - 19.0)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	139	1,800	19.3	(12.1 - 26.4)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	96	1,600	20.0	(11.4 - 28.5)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	66	1,000	14.3	(6.1 - 22.5)	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	425	16.6	(12.9 - 20.4)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	167	16.2	(10.4 - 22.0)	9,508	21.7	(18.3 - 25.1)
Female	258	17.1	(12.3 - 21.9)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	407	17.1	(13.2 - 21.0)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	17.8	(12.1 - 23.4)	11,026	19.5	(15.4 - 23.7)
Some College	102	18.7	(10.7 - 26.6)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	109	12.9	(6.5 - 19.2)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	139	19.0	(11.6 - 26.4)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	96	19.8	(11.4 - 28.3)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	66	14.3	(6.0 - 22.5)	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	430	23,000	66.4	(61.0 - 71.8)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	168	10,200	62.8	(53.9 - 71.7)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	262	12,800	69.5	(63.3 - 75.8)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	136	8,500	70.9	(61.3 - 80.5)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	219	11,000	75.2	(68.6 - 81.8)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	411	21,900	67.9	(62.7 - 73.1)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	216	10,000	57.7	(49.7 - 65.7)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	110	7,600	83.2	(75.8 - 90.6)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	141	5,700	59.3	(49.4 - 69.2)	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	*	*	*	*	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	430	65.8	(60.3 - 71.3)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	168	63.0	(54.1 - 71.8)	9,582	68.5	(64.5 - 72.5)
Female	262	68.7	(62.3 - 75.1)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	411	67.4	(62.1 - 72.7)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	216	56.9	(48.8 - 65.0)	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	110	83.5	(76.1 - 90.9)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	*	*	*	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	426	22,200	64.7	(59.2 - 70.1)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	168	9,900	61.1	(52.2 - 70.0)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	258	12,300	67.9	(61.5 - 74.2)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	135	8,200	69.1	(59.5 - 78.8)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	216	10,700	73.5	(66.8 - 80.2)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	407	21,200	66.1	(60.9 - 71.4)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	214	9,700	56.2	(48.2 - 64.2)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	109	7,300	81.0	(73.3 - 88.7)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	139	5,400	56.9	(47.0 - 66.8)	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	*	*	*	*	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	426	64.2	(58.6 - 69.7)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	168	61.3	(52.5 - 70.1)	9,521	66.9	(62.9 - 70.9)
Female	258	67.1	(60.6 - 73.6)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	407	65.7	(60.3 - 71.0)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	214	55.4	(47.2 - 63.5)	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	109	81.4	(73.8 - 89.1)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	*	*	*	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	422	23,100	67.8	(62.4 - 73.2)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	167	10,300	63.7	(54.7 - 72.6)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	255	12,800	71.5	(65.3 - 77.7)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	131	8,400	72.9	(63.1 - 82.6)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	216	10,900	74.9	(68.2 - 81.6)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	404	22,000	69.1	(64.0 - 74.3)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	213	10,200	59.4	(51.3 - 67.5)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	107	7,400	83.6	(76.4 - 90.8)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	*	*	*	*	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	422	67.2	(61.7 - 72.8)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	167	63.9	(55.0 - 72.7)	9,418	71.5	(67.6 - 75.4)
Female	255	70.8	(64.4 - 77.2)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	404	68.7	(63.4 - 74.0)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	213	58.7	(50.5 - 66.9)	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	107	83.8	(76.6 - 91.0)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	*	*	*	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 40a. High blood pressure among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	25,100	28.8	(24.4 - 33.2)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	263	13,700	31.0	(23.6 - 38.3)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	398	11,500	26.6	(21.6 - 31.5)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	99	3,100	22.6	(12.6 - 32.5)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	*	*	*	*	7,825	862,400	30.3	(25.9 - 34.8)
55-64	137	5,400	44.6	(35.0 - 54.1)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	219	8,700	59.3	(52.0 - 66.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	632	22,700	27.8	(23.6 - 32.1)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	12,900	34.7	(27.2 - 42.3)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	184	7,700	27.6	(19.4 - 35.9)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	184	4,500	20.2	(14.3 - 26.0)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	158	6,100	28.1	(19.6 - 36.7)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	120	4,100	23.3	(14.0 - 32.6)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 40b. High blood pressure among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	28.8	(24.5 - 33.2)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	263	33.0	(25.8 - 40.1)	14,611	27.7	(24.7 - 30.7)
Female	398	24.6	(19.9 - 29.4)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	632	28.1	(23.9 - 32.4)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	292	35.3	(28.0 - 42.5)	15,688	32.1	(28.4 - 35.8)
Some College	184	27.9	(19.6 - 36.2)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	184	19.9	(14.1 - 25.7)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	158	28.6	(20.4 - 36.9)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	101	29.2	(19.2 - 39.2)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	120	22.2	(13.4 - 31.0)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 41a. Blood pressure medication among adults with high blood pressure¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	262	20,800	83.0	(74.8 - 91.1)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	150	10,300	90.6	(85.3 - 95.9)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	61	4,900	92.2	(86.3 - 98.1)	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	132	8,200	94.9	(91.0 - 98.8)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	247	19,400	85.8	(80.0 - 91.6)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	55	4,100	90.7	(82.7 - 98.7)	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	66	5,800	93.7	(87.2 - 100)	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	262	82.6	(74.9 - 90.2)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	150	89.6	(83.6 - 95.6)	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	247	84.8	(78.6 - 91.0)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	55	89.1	(79.6 - 98.6)	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	66	93.7	(87.0 - 100)	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 42a. Ever had blood cholesterol checked among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	65,800	77.4	(72.2 - 82.7)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	259	32,200	74.3	(66.0 - 82.7)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	386	33,600	80.6	(74.4 - 86.8)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	96	11,100	84.2	(76.0 - 92.4)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	126	12,900	84.6	(77.2 - 91.9)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	134	11,200	95.2	(91.5 - 98.8)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	215	13,800	94.9	(90.3 - 99.5)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	617	62,500	78.8	(73.7 - 83.9)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	283	24,800	69.1	(59.9 - 78.3)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	180	21,900	80.7	(72.7 - 88.7)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	181	19,100	86.9	(79.4 - 94.4)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	154	17,500	82.8	(73.9 - 91.7)	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	118	15,400	88.7	(80.6 - 96.8)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 42b. Ever had blood cholesterol checked among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	78.6	(73.8 - 83.4)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	259	76.7	(69.3 - 84.1)	14,389	78.0	(73.9 - 82.1)
Female	386	80.6	(74.5 - 86.7)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	617	79.9	(75.2 - 84.6)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	283	70.9	(62.4 - 79.4)	15,342	70.2	(65.2 - 75.1)
Some College	180	80.6	(72.7 - 88.5)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	181	88.0	(81.4 - 94.6)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	154	83.1	(74.9 - 91.4)	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	118	88.8	(81.4 - 96.2)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	61,300	72.7	(67.3 - 78.2)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	259	29,900	69.1	(60.6 - 77.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	380	31,400	76.6	(70.0 - 83.1)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	95	10,500	79.9	(71.1 - 88.7)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	125	12,200	80.0	(71.5 - 88.4)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	134	10,800	91.3	(86.3 - 96.2)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	212	13,500	94.2	(89.5 - 99.0)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	611	58,200	73.9	(68.5 - 79.3)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	23,400	65.4	(56.3 - 74.6)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	178	20,800	77.1	(68.4 - 85.7)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	179	17,100	79.4	(70.7 - 88.0)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	154	16,100	76.0	(66.1 - 85.9)	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	117	14,400	83.7	(74.7 - 92.7)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	74.1	(69.0 - 79.1)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	259	71.8	(64.1 - 79.4)	14,307	74.8	(70.7 - 79.0)
Female	380	76.5	(70.1 - 82.9)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	611	75.2	(70.2 - 80.1)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	67.1	(58.6 - 75.7)	15,215	67.8	(62.9 - 72.8)
Some College	178	77.3	(68.9 - 85.8)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	179	80.9	(73.1 - 88.6)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	154	76.6	(67.3 - 85.8)	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	117	83.7	(75.3 - 92.1)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 44a. Cardiovascular disease among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	656	7,000	8.2	(6.0 - 10.3)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	262	3,800	8.9	(5.7 - 12.0)	14,477	664,600	9.4	(7.5 - 11.4)
Female	394	3,200	7.5	(4.5 - 10.5)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	136	1,100	9.0	(3.5 - 14.5)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	216	4,400	30.4	(23.5 - 37.4)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	628	6,300	7.9	(5.7 - 10.1)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	290	4,100	11.1	(7.5 - 14.6)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	181	1,900	7.2	(2.6 - 11.7)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	184	1,000	4.6	(2.0 - 7.3)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	195	3,300	15.0	(9.9 - 20.1)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	156	1,800	8.5	(4.2 - 12.8)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	*	*	*	*	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 44b. Cardiovascular disease among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	656	8.3	(6.1 - 10.5)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	262	10.0	(6.6 - 13.5)	14,477	9.7	(7.8 - 11.7)
Female	394	6.7	(3.9 - 9.4)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	628	8.0	(5.8 - 10.3)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	290	11.5	(7.9 - 15.1)	15,486	10.5	(8.0 - 13.0)
Some College	181	7.1	(2.5 - 11.7)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	184	4.8	(2.0 - 7.6)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	195	15.3	(9.9 - 20.6)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	156	9.0	(4.6 - 13.4)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	*	*	*	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 45a. Coronary heart disease among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	6,600	7.7	(5.5 - 9.8)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	263	3,600	8.5	(5.4 - 11.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	395	2,900	6.8	(3.9 - 9.8)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	137	1,000	8.0	(2.6 - 13.3)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	217	4,100	28.4	(21.6 - 35.2)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	630	5,900	7.4	(5.2 - 9.6)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	291	3,800	10.3	(6.9 - 13.8)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	182	1,800	6.8	(2.3 - 11.3)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	184	1,000	4.3	(1.7 - 6.9)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	196	3,000	13.6	(8.7 - 18.5)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	157	1,700	7.9	(3.7 - 12.0)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 45b. Coronary heart disease among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	7.8	(5.7 - 10.0)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	263	9.6	(6.2 - 13.0)	14,479	8.8	(6.9 - 10.8)
Female	395	6.1	(3.4 - 8.7)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	630	7.6	(5.4 - 9.8)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	291	10.7	(7.2 - 14.2)	15,485	8.5	(6.2 - 10.7)
Some College	182	6.8	(2.2 - 11.4)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	184	4.5	(1.8 - 7.3)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	196	13.8	(8.6 - 19.0)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	157	8.4	(4.1 - 12.7)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 46a. Ever diagnosed with diabetes among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	9,200	10.6	(8.1 - 13.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	264	4,300	9.7	(6.1 - 13.2)	14,626	530,400	7.5	(6.2 - 8.8)
Female	398	5,000	11.5	(8.0 - 15.1)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	99	1,400	10.4	(3.7 - 17.2)	4,987	165,100	5.7	(3.6 - 7.9)
45-54	128	1,500	9.5	(4.2 - 14.9)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	137	2,500	20.8	(13.1 - 28.5)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	220	3,100	20.9	(15.0 - 26.8)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	633	8,700	10.7	(8.0 - 13.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	293	4,300	11.7	(7.9 - 15.4)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	184	2,800	10.2	(5.2 - 15.2)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	184	2,000	9.1	(4.7 - 13.4)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	197	4,100	17.6	(11.1 - 24.2)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	158	1,600	7.4	(3.6 - 11.2)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	101	1,400	10.8	(4.8 - 16.8)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	120	1,300	7.4	(2.1 - 12.8)	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 46b. Ever diagnosed with diabetes among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	10.8	(8.2 - 13.4)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	264	10.5	(6.7 - 14.4)	14,626	7.5	(6.1 - 8.9)
Female	398	11.0	(7.6 - 14.5)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	633	10.9	(8.2 - 13.6)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	293	12.0	(8.0 - 16.0)	15,709	12.6	(10.0 - 15.2)
Some College	184	10.3	(5.1 - 15.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	184	9.4	(5.0 - 13.8)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	197	17.1	(10.5 - 23.6)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	158	7.8	(3.8 - 11.9)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	101	11.3	(5.0 - 17.5)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	120	8.2	(2.5 - 14.0)	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	14,500	16.6	(12.4 - 20.8)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	263	5,900	13.4	(7.7 - 19.1)	14,601	875,800	12.4	(10.1 - 14.7)
Female	399	8,600	19.9	(13.8 - 26.0)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	78	6,400	20.3	(10.4 - 30.2)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	99	3,100	22.9	(13.4 - 32.4)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	128	1,800	11.8	(5.9 - 17.6)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	137	1,600	13.5	(7.6 - 19.4)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	220	1,600	10.5	(5.2 - 15.9)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	633	13,700	16.8	(12.3 - 21.2)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	293	6,800	18.3	(10.9 - 25.6)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	184	4,700	16.7	(9.7 - 23.8)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	184	3,000	13.5	(6.8 - 20.2)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	198	4,500	19.3	(11.4 - 27.3)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	157	3,400	15.8	(6.1 - 25.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	101	2,100	16.3	(7.1 - 25.6)	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	120	2,300	13.3	(4.7 - 21.9)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	17.0	(12.8 - 21.1)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	263	13.7	(8.2 - 19.3)	14,601	12.6	(10.3 - 14.9)
Female	399	20.3	(14.2 - 26.3)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	633	16.9	(12.7 - 21.2)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	293	18.2	(11.1 - 25.3)	15,675	15.1	(12.1 - 18.0)
Some College	184	17.9	(10.6 - 25.1)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	184	13.8	(7.1 - 20.5)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	198	20.6	(12.1 - 29.0)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	157	16.5	(7.1 - 26.0)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	101	15.5	(6.7 - 24.3)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	120	14.1	(5.7 - 22.4)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 48a. Current asthma among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	10,100	11.6	(8.1 - 15.1)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	261	2,800	6.5	(3.0 - 9.9)	14,546	440,700	6.3	(4.8 - 7.7)
Female	398	7,200	16.8	(11.0 - 22.6)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	77	4,100	13.0	(4.8 - 21.3)	3,909	467,200	10.5	(6.8 - 14.3)
35-44	98	1,900	14.5	(7.1 - 21.9)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	128	1,300	8.7	(4.1 - 13.4)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	136	1,300	10.6	(5.5 - 15.7)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	220	1,400	9.7	(4.4 - 15.0)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	630	9,500	11.7	(8.0 - 15.3)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	292	4,600	12.4	(6.5 - 18.3)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	182	3,400	12.2	(5.9 - 18.5)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	184	2,100	9.3	(3.9 - 14.7)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	198	3,700	15.6	(8.5 - 22.7)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	156	2,700	12.6	(3.7 - 21.4)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	120	1,600	9.2	(2.8 - 15.5)	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 48b. Current asthma among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	11.9	(8.5 - 15.4)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	261	7.1	(3.4 - 10.8)	14,546	6.4	(4.9 - 7.9)
Female	398	16.9	(11.2 - 22.5)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	630	11.9	(8.4 - 15.5)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	292	12.9	(7.0 - 18.8)	15,594	10.8	(8.3 - 13.3)
Some College	182	12.5	(6.3 - 18.8)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	184	9.6	(4.2 - 15.1)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	198	15.6	(8.5 - 22.6)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	156	13.4	(4.6 - 22.2)	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	120	10.3	(3.4 - 17.3)	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 49a. Chronic joint symptoms among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	660	39,600	45.4	(39.9 - 50.9)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	264	19,300	43.8	(35.1 - 52.4)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	396	20,200	47.1	(40.4 - 53.7)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	*	*	*	*	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	137	6,900	57.3	(47.6 - 67.1)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	218	8,100	55.3	(47.9 - 62.7)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	631	38,100	46.8	(41.1 - 52.4)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	16,900	45.6	(37.2 - 54.0)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	184	9,800	43.8	(34.8 - 52.8)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	*	*	*	*	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 49b. Chronic joint symptoms among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	660	45.5	(40.2 - 50.8)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	264	45.2	(37.0 - 53.4)	14,595	42.6	(38.8 - 46.3)
Female	396	45.8	(39.1 - 52.4)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	631	46.9	(41.5 - 52.4)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	45.0	(37.1 - 53.0)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	184	43.3	(34.6 - 52.0)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 50a. Arthritis among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	30,100	34.5	(29.4 - 39.5)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	263	13,400	30.3	(22.7 - 37.9)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	398	16,700	38.7	(32.2 - 45.2)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	78	4,400	14.0	(5.4 - 22.5)	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	*	*	*	*	7,789	869,100	30.7	(26.6 - 34.8)
55-64	137	6,500	54.0	(44.3 - 63.7)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	219	8,600	58.3	(50.9 - 65.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	632	28,800	35.4	(30.1 - 40.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	292	15,400	41.3	(33.3 - 49.4)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	*	*	*	*	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	184	5,000	22.3	(16.0 - 28.7)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	101	3,500	26.9	(17.9 - 35.9)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	120	3,600	20.6	(12.6 - 28.6)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 50b. Arthritis among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	34.9	(29.9 - 39.9)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	263	33.0	(25.3 - 40.6)	14,555	23.5	(20.9 - 26.1)
Female	398	36.8	(30.5 - 43.2)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	632	35.9	(30.7 - 41.1)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	292	41.7	(34.0 - 49.5)	15,652	30.4	(26.9 - 33.8)
Some College	*	*	*	9,874	24.1	(21.0 - 27.1)
≥ College Degree	184	22.3	(15.9 - 28.8)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	101	25.6	(17.0 - 34.3)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	120	20.3	(12.2 - 28.3)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	658	20,200	23.2	(18.9 - 27.4)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	263	7,200	16.3	(11.5 - 21.1)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	395	13,000	30.2	(23.8 - 36.7)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	78	4,500	14.2	(5.4 - 23.0)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	98	3,100	22.8	(13.7 - 32.0)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	128	3,500	22.7	(14.4 - 30.9)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	136	4,000	33.3	(24.4 - 42.1)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	218	5,100	35.0	(27.8 - 42.3)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	629	18,900	23.2	(18.8 - 27.6)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	289	11,200	30.2	(22.6 - 37.8)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	184	6,200	22.1	(14.8 - 29.4)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	184	2,900	12.9	(7.9 - 17.8)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	196	8,000	34.3	(24.9 - 43.7)	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	157	4,100	18.9	(9.8 - 28.0)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	101	2,700	20.3	(12.1 - 28.4)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	120	1,700	9.6	(3.1 - 16.2)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	658	23.6	(19.4 - 27.9)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	263	17.8	(12.7 - 22.9)	14,566	18.6	(15.8 - 21.4)
Female	395	29.6	(23.3 - 36.0)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	629	23.6	(19.3 - 27.9)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	289	30.9	(23.5 - 38.3)	15,626	23.8	(20.1 - 27.4)
Some College	184	22.6	(15.2 - 30.0)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	184	13.6	(8.1 - 19.1)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	196	34.8	(25.4 - 44.3)	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	157	20.8	(11.5 - 30.0)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	101	20.4	(12.1 - 28.7)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	120	9.0	(2.9 - 15.1)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	662	9,900	11.3	(8.7 - 13.8)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	264	4,700	10.5	(6.7 - 14.4)	14,617	460,700	6.5	(5.3 - 7.7)
Female	398	5,200	12.0	(8.7 - 15.4)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	99	1,500	10.9	(4.2 - 17.7)	4,989	122,500	4.3	(2.4 - 6.1)
45-54	128	2,200	14.0	(7.2 - 20.9)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	137	2,500	20.6	(12.7 - 28.4)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	220	3,400	23.2	(16.4 - 29.9)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	633	9,200	11.3	(8.7 - 13.9)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	293	6,200	16.6	(11.7 - 21.4)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	184	2,400	8.5	(4.6 - 12.5)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	184	1,300	5.8	(2.3 - 9.2)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	197	4,900	21.1	(14.0 - 28.2)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	158	1,900	8.8	(4.2 - 13.4)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	662	11.5	(8.8 - 14.2)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	264	11.3	(7.2 - 15.4)	14,617	6.8	(5.5 - 8.0)
Female	398	11.8	(8.3 - 15.2)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	633	11.5	(8.8 - 14.2)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	293	17.2	(12.1 - 22.2)	15,711	10.3	(8.3 - 12.3)
Some College	184	8.8	(4.5 - 13.2)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	184	5.8	(2.2 - 9.4)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	197	21.5	(14.2 - 28.8)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	158	8.9	(4.3 - 13.6)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 53a. Disability among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	22,300	25.6	(21.2 - 29.9)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	264	8,500	19.3	(14.1 - 24.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	395	13,700	32.0	(25.5 - 38.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	78	4,500	14.2	(5.4 - 23.0)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	98	3,100	22.8	(13.7 - 32.0)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	128	3,800	24.5	(15.8 - 33.1)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	137	4,900	40.5	(31.1 - 49.8)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	218	6,100	41.4	(34.0 - 48.8)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	630	21,000	25.7	(21.3 - 30.2)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	290	12,400	33.5	(25.8 - 41.3)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	184	6,500	23.3	(15.9 - 30.7)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	184	3,300	15.0	(9.6 - 20.3)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	196	8,500	36.3	(26.7 - 46.0)	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	157	4,700	21.8	(12.5 - 31.1)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	101	2,900	22.4	(13.9 - 31.0)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	120	2,100	11.9	(4.9 - 18.9)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 53b. Disability among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	25.8	(21.5 - 30.2)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	264	20.7	(15.3 - 26.2)	14,568	20.9	(18.0 - 23.8)
Female	395	31.1	(24.7 - 37.5)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	630	26.0	(21.5 - 30.4)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	290	34.0	(26.5 - 41.6)	15,638	26.8	(23.0 - 30.6)
Some College	184	23.8	(16.3 - 31.4)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	184	15.5	(9.7 - 21.2)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	196	36.8	(27.1 - 46.5)	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	157	23.6	(14.2 - 32.9)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	101	22.5	(13.8 - 31.1)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	120	10.8	(4.4 - 17.2)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 54a. Current smoking among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	21,700	24.9	(20.0 - 29.8)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	261	11,700	26.5	(19.1 - 33.9)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	396	10,000	23.3	(16.8 - 29.8)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	99	3,100	22.7	(13.6 - 31.8)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	*	*	*	*	7,807	508,800	18.3	(15.4 - 21.3)
55-64	136	1,900	16.1	(8.9 - 23.3)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	216	1,600	11.3	(5.9 - 16.7)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	628	20,300	24.9	(19.9 - 30.0)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	290	14,600	39.3	(30.6 - 48.1)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	182	5,700	20.4	(13.1 - 27.7)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	184	1,500	6.6	(2.6 - 10.7)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	197	6,900	29.2	(20.1 - 38.4)	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	101	3,000	23.3	(13.5 - 33.0)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	120	1,800	10.5	(3.3 - 17.8)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 54b. Current smoking among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	24.7	(20.0 - 29.3)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	261	25.3	(18.5 - 32.1)	14,559	19.2	(16.3 - 22.1)
Female	396	24.0	(17.6 - 30.4)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	628	24.5	(19.7 - 29.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	290	39.7	(31.4 - 48.0)	15,654	22.8	(19.5 - 26.0)
Some College	182	20.4	(13.2 - 27.6)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	184	6.5	(2.7 - 10.3)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	197	31.2	(21.8 - 40.7)	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	101	22.6	(13.3 - 32.0)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	120	9.9	(3.7 - 16.2)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 55a. Everyday smoking among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	657	15,500	17.8	(13.7 - 21.9)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	261	7,600	17.3	(11.3 - 23.3)	14,559	848,400	12.0	(10.0 - 14.1)
Female	396	7,900	18.3	(12.8 - 23.8)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	78	6,900	21.8	(12.4 - 31.3)	3,929	559,800	12.6	(9.6 - 15.6)
35-44	99	1,900	14.0	(6.9 - 21.1)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	128	3,600	23.0	(14.3 - 31.8)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	136	1,600	13.5	(6.9 - 20.2)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	216	1,500	10.6	(5.2 - 16.0)	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	628	14,600	18.0	(13.7 - 22.2)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	290	10,000	27.0	(19.3 - 34.6)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	182	4,300	15.6	(9.3 - 21.9)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	184	1,200	5.4	(1.7 - 9.1)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	197	5,600	23.8	(15.4 - 32.2)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	157	4,400	20.0	(11.1 - 28.9)	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	101	2,100	16.4	(7.7 - 25.1)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 55b. Everyday smoking among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	657	17.5	(13.7 - 21.4)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	261	16.4	(11.0 - 21.8)	14,559	12.1	(10.1 - 14.1)
Female	396	18.7	(13.2 - 24.3)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	628	17.6	(13.6 - 21.6)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	290	27.5	(20.1 - 34.9)	15,654	16.4	(13.8 - 19.0)
Some College	182	15.0	(9.0 - 21.0)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	184	5.2	(1.7 - 8.7)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	197	24.4	(15.9 - 32.8)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	157	19.6	(11.3 - 27.9)	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	101	15.5	(7.4 - 23.6)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 56a. Adults living in homes in which smoking is prohibited¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	659	64,900	74.7	(70.0 - 79.5)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	262	31,700	72.5	(64.5 - 80.6)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	397	33,100	77.0	(71.9 - 82.0)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	99	10,400	76.2	(67.0 - 85.5)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	128	11,100	71.6	(62.1 - 81.2)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	137	8,500	70.7	(62.2 - 79.2)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	218	10,600	72.9	(66.4 - 79.5)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	630	60,100	74.1	(69.2 - 79.1)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	291	24,200	66.0	(58.4 - 73.6)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	183	19,900	89.7	(85.5 - 94.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	197	14,800	63.3	(53.5 - 73.1)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	158	16,600	76.1	(66.9 - 85.3)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	101	10,700	81.6	(72.5 - 90.6)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	*	*	*	*	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 56b. Adults living in homes in which smoking is prohibited¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	659	75.2	(70.7 - 79.6)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	262	73.3	(66.1 - 80.6)	14,577	79.4	(76.7 - 82.2)
Female	397	77.0	(71.9 - 82.1)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	630	74.7	(70.1 - 79.3)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	291	65.5	(58.2 - 72.8)	15,647	76.9	(73.8 - 80.0)
Some College	184	75.9	(66.6 - 85.1)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	183	89.2	(84.7 - 93.7)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	197	62.1	(52.1 - 72.0)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	158	76.6	(68.1 - 85.1)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	101	82.9	(74.6 - 91.3)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	*	*	*	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 57a. Binge drinking within the past month among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	651	18,500	21.6	(16.2 - 27.0)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	261	13,400	30.8	(21.9 - 39.6)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	390	5,100	12.1	(6.4 - 17.8)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	*	*	*	*	4,934	584,800	20.6	(16.5 - 24.7)
45-54	126	3,100	20.3	(11.8 - 28.7)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	133	1,500	12.9	(6.5 - 19.3)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	220	600	4.1	(1.5 - 6.6)	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	623	17,100	21.2	(15.8 - 26.7)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	286	9,600	26.5	(17.3 - 35.7)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	183	2,700	12.4	(7.0 - 17.7)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	195	4,200	18.2	(8.6 - 27.7)	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	100	2,500	19.3	(10.3 - 28.3)	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	*	*	*	*	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 57b. Binge drinking within the past month among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	651	21.8	(16.7 - 26.8)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	261	30.7	(22.6 - 38.7)	14,420	24.5	(21.0 - 27.9)
Female	390	12.5	(7.0 - 18.1)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	623	21.6	(16.5 - 26.7)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	286	26.0	(17.4 - 34.6)	15,491	17.5	(13.5 - 21.5)
Some College	181	23.7	(14.0 - 33.3)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	183	13.2	(7.5 - 18.9)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	195	19.0	(9.7 - 28.3)	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	156	20.2	(10.2 - 30.1)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	100	21.7	(12.1 - 31.3)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	*	*	*	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 58a. Heavy drinking within the past month among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	7,100	8.3	(3.9 - 12.7)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	259	5,600	12.9	(4.9 - 21.0)	14,330	333,300	4.8	(3.9 - 5.7)
Female	389	1,500	3.5	(1.6 - 5.5)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	*	*	*	*	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	620	5,800	7.4	(3.3 - 11.5)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	285	3,100	8.7	(2.0 - 15.4)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	181	3,400	12.4	(2.5 - 22.2)	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	*	*	*	*	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	*	*	*	*	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 58b. Heavy drinking within the past month among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	7.9	(4.2 - 11.7)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	259	11.9	(5.0 - 18.8)	14,330	4.9	(3.9 - 5.9)
Female	389	3.8	(1.6 - 6.0)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	620	7.1	(3.6 - 10.7)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	285	8.2	(2.3 - 14.2)	15,411	4.3	(3.2 - 5.3)
Some College	181	11.9	(3.3 - 20.4)	9,759	4.8	(3.6 - 5.9)
≥ College Degree	*	*	*	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	*	*	*	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	610	59,600	75.8	(71.2 - 80.4)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	239	32,800	84.2	(78.3 - 90.2)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	371	26,800	67.6	(61.0 - 74.1)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	121	11,500	78.5	(70.0 - 87.0)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	128	8,800	77.9	(70.1 - 85.7)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	206	11,800	85.6	(79.8 - 91.4)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	583	56,700	76.7	(72.0 - 81.3)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	269	24,500	76.9	(69.7 - 84.2)	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	168	19,300	75.8	(67.3 - 84.4)	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	172	15,700	74.1	(65.8 - 82.4)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	181	14,700	74.3	(65.3 - 83.3)	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	147	15,100	74.3	(64.5 - 84.1)	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	97	9,600	76.3	(66.4 - 86.2)	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	110	13,000	79.4	(70.5 - 88.2)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	610	75.3	(70.7 - 79.8)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	239	84.2	(78.6 - 89.8)	13,299	67.9	(64.0 - 71.9)
Female	371	66.5	(59.9 - 73.2)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	583	76.4	(71.8 - 80.9)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	269	76.6	(69.6 - 83.6)	14,264	59.5	(54.7 - 64.3)
Some College	168	75.2	(66.7 - 83.7)	9,156	59.7	(54.4 - 65.0)
≥ College Degree	172	73.4	(65.2 - 81.6)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	181	73.1	(63.8 - 82.4)	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	147	73.7	(64.2 - 83.1)	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	97	76.7	(67.0 - 86.4)	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	110	77.9	(68.8 - 87.0)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	396	40,400	71.1	(63.4 - 78.7)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	*	*	*	*	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	232	17,600	66.3	(57.6 - 74.9)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	*	*	*	*	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	79	6,500	88.0	(80.5 - 95.5)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	111	6,800	93.4	(87.4 - 99.4)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	383	37,600	69.8	(61.9 - 77.7)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	*	*	*	*	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	396	71.9	(64.6 - 79.1)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	*	*	*	9,034	81.1	(77.4 - 84.8)
Female	232	66.0	(57.5 - 74.4)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	383	70.7	(63.3 - 78.2)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	157	78.2	(68.8 - 87.6)	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	*	*	*	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	623	72,900	87.5	(84.2 - 90.8)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	250	36,500	87.1	(82.1 - 92.2)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	373	36,400	87.9	(83.7 - 92.0)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	76	28,600	93.6	(87.8 - 99.4)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	95	11,700	89.0	(81.4 - 96.7)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	124	12,900	86.8	(79.4 - 94.1)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	130	9,500	84.0	(74.8 - 93.1)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	198	10,200	75.8	(69.4 - 82.2)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	598	69,300	88.7	(85.7 - 91.7)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	267	27,200	78.9	(72.3 - 85.4)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	177	25,800	94.8	(91.3 - 98.2)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	179	20,000	92.1	(86.8 - 97.4)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	186	19,000	84.6	(78.1 - 91.1)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	150	17,700	86.7	(79.6 - 93.8)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	97	11,600	92.3	(87.0 - 97.6)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	116	15,900	93.2	(87.5 - 98.8)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	623	87.5	(84.2 - 90.8)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	250	86.4	(81.2 - 91.5)	13,893	89.1	(86.9 - 91.3)
Female	373	88.6	(84.6 - 92.7)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	598	88.6	(85.5 - 91.7)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	267	78.6	(72.1 - 85.1)	14,507	84.6	(81.8 - 87.4)
Some College	177	94.3	(90.1 - 98.5)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	179	92.4	(87.7 - 97.2)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	186	85.0	(78.8 - 91.2)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	150	86.9	(80.2 - 93.6)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	97	92.1	(86.3 - 97.8)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	116	92.0	(85.2 - 98.8)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 62a. Overweight among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	31,400	37.1	(31.5 - 42.6)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	262	20,000	45.6	(36.7 - 54.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	377	11,400	27.8	(22.1 - 33.6)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	*	*	*	*	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	130	4,200	36.3	(26.3 - 46.3)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	215	5,800	40.0	(32.8 - 47.2)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	611	28,900	36.5	(30.9 - 42.0)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	12,200	34.2	(26.0 - 42.4)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	181	10,000	45.4	(36.0 - 54.8)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	*	*	*	*	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 62b. Overweight among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	37.3	(32.1 - 42.5)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	262	45.7	(37.4 - 53.9)	14,502	43.9	(40.1 - 47.6)
Female	377	28.2	(22.4 - 34.0)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	611	37.1	(31.8 - 42.3)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	35.1	(27.4 - 42.9)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	181	45.6	(36.6 - 54.7)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	*	*	*	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 63a. Obesity among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	24,700	29.1	(24.3 - 34.0)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	262	10,900	24.8	(18.0 - 31.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	377	13,800	33.8	(27.2 - 40.4)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	122	4,000	27.4	(17.5 - 37.2)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	130	4,800	41.4	(31.7 - 51.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	215	4,400	30.4	(23.5 - 37.4)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	611	23,100	29.1	(24.1 - 34.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	281	11,000	30.8	(22.8 - 38.8)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	177	8,500	31.8	(22.5 - 41.1)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	181	5,100	23.0	(15.7 - 30.4)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	188	6,900	30.8	(21.4 - 40.3)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	119	3,500	20.1	(11.7 - 28.4)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 63b. Obesity among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	29.3	(24.6 - 34.0)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	262	25.4	(18.8 - 32.1)	14,502	21.5	(19.0 - 24.0)
Female	377	33.4	(26.9 - 40.0)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	611	29.1	(24.3 - 33.9)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	281	30.4	(22.8 - 38.0)	15,079	29.4	(25.4 - 33.3)
Some College	177	33.6	(24.2 - 43.1)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	181	22.6	(15.5 - 29.6)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	188	31.3	(21.8 - 40.9)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	119	20.5	(11.8 - 29.1)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 64a. Overweight or obesity among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	639	56,100	66.2	(60.7 - 71.7)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	262	31,000	70.4	(61.9 - 78.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	377	25,100	61.6	(54.8 - 68.4)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	96	9,600	71.7	(62.1 - 81.2)	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	*	*	*	*	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	130	9,000	77.6	(70.1 - 85.2)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	215	10,200	70.4	(63.5 - 77.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	611	52,000	65.6	(59.9 - 71.3)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	281	23,300	65.0	(56.6 - 73.4)	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	181	15,100	68.5	(59.9 - 77.0)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 64b. Overweight or obesity among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	639	66.5	(61.3 - 71.8)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	262	71.1	(63.0 - 79.2)	14,502	65.4	(61.3 - 69.4)
Female	377	61.6	(54.9 - 68.4)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	611	66.1	(60.7 - 71.6)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	281	65.5	(57.6 - 73.4)	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	181	68.2	(59.8 - 76.5)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 65a. Received advice about weight by a health professional among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	19,300	22.9	(18.1 - 27.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	261	8,300	18.9	(11.8 - 25.9)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	376	11,000	27.2	(20.8 - 33.6)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	76	3,600	11.8	(3.8 - 19.8)	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	*	*	*	*	7,490	910,900	33.5	(29.0 - 38.1)
55-64	130	3,600	31.2	(22.2 - 40.2)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	214	2,700	18.8	(13.0 - 24.6)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	610	18,300	23.1	(18.1 - 28.1)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	279	7,600	21.5	(14.7 - 28.3)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	*	*	*	*	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	181	5,400	24.2	(17.1 - 31.4)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	153	5,800	26.9	(17.0 - 36.8)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	97	2,800	22.1	(13.0 - 31.2)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	119	3,900	22.6	(13.0 - 32.1)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 65b. Received advice about weight by a health professional among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	24.1	(19.2 - 29.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	261	20.7	(13.3 - 28.1)	14,499	23.4	(20.5 - 26.3)
Female	376	27.9	(21.5 - 34.3)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	610	24.4	(19.3 - 29.5)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	279	22.4	(15.6 - 29.2)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	181	25.1	(17.8 - 32.4)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	153	29.1	(19.2 - 38.9)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	97	22.1	(13.0 - 31.2)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	119	24.1	(14.2 - 34.1)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	99	9,400	85.4	(76.6 - 94.2)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	51	4,800	89.8	(81.5 - 98.1)	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	9,724	86.9	(83.8 - 89.9)
Gender						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	99	85.8	(77.3 - 94.3)	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	51	89.3	(80.2 - 98.3)	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 67a. No leisure-time physical activity among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	661	18,500	21.2	(17.4 - 25.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	263	7,400	16.9	(11.6 - 22.1)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	398	11,100	25.6	(20.4 - 30.8)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	78	3,500	11.1	(4.4 - 17.9)	3,938	982,900	22.0	(16.6 - 27.5)
35-44	99	2,400	17.4	(9.0 - 25.9)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	128	3,000	19.4	(11.5 - 27.3)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	136	3,100	26.3	(18.0 - 34.5)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	220	6,500	43.8	(36.5 - 51.2)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	632	17,300	21.2	(17.4 - 25.1)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	292	11,100	29.8	(23.1 - 36.5)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	184	4,900	17.7	(10.8 - 24.5)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	184	2,500	11.3	(6.3 - 16.2)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	197	7,800	33.4	(24.1 - 42.7)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	158	4,400	20.1	(12.3 - 27.9)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	101	2,100	15.8	(8.2 - 23.4)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	120	1,600	9.1	(2.7 - 15.5)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 67b. No leisure-time physical activity among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	661	21.1	(17.4 - 24.9)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	263	17.7	(12.3 - 23.0)	14,602	20.9	(17.8 - 23.9)
Female	398	24.7	(19.5 - 29.8)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	632	21.1	(17.3 - 24.9)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	292	29.9	(23.4 - 36.5)	15,683	32.3	(28.3 - 36.4)
Some College	184	17.6	(10.8 - 24.4)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	184	11.7	(6.6 - 16.9)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	197	34.6	(25.1 - 44.2)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	158	19.3	(12.1 - 26.6)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	101	15.8	(8.2 - 23.5)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	120	9.1	(3.0 - 15.3)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	663	27,800	31.8	(26.3 - 37.3)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	264	10,700	24.2	(15.7 - 32.6)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	399	17,100	39.5	(32.7 - 46.4)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	99	3,400	24.7	(15.5 - 34.0)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	128	3,200	20.9	(12.7 - 29.1)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	137	3,700	30.8	(22.3 - 39.2)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	221	3,200	21.4	(15.5 - 27.2)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	634	25,200	30.8	(25.3 - 36.4)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	294	8,600	23.2	(15.0 - 31.3)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	184	9,400	42.3	(33.1 - 51.5)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	*	*	*	*	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	663	30.9	(25.8 - 36.1)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	264	23.0	(15.5 - 30.5)	14,634	22.7	(19.6 - 25.9)
Female	399	39.0	(32.2 - 45.8)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	634	30.1	(24.9 - 35.3)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	294	22.4	(14.9 - 30.0)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	184	41.6	(32.7 - 50.4)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 69a. Had a fall within the past 3 months among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	476	9,600	23.2	(16.7 - 29.8)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	*	*	*	*	10,966	489,400	14.4	(11.9 - 16.8)
Female	291	4,000	18.6	(13.8 - 23.5)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,741	445,500	16.0	(12.0 - 20.0)
55-64	131	2,000	17.3	(10.3 - 24.3)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	221	2,800	18.8	(13.4 - 24.2)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	457	9,400	24.2	(17.3 - 31.1)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	229	4,000	21.1	(15.0 - 27.2)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	*	*	*	*	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	124	1,900	18.4	(11.1 - 25.6)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	115	2,100	21.1	(11.9 - 30.4)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	70	1,100	15.7	(6.8 - 24.7)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	79	1,500	18.7	(9.6 - 27.9)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 69b. Had a fall within the past 3 months among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	476	23.6	(16.7 - 30.4)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	*	*	*	10,966	15.0	(12.1 - 17.8)
Female	291	18.6	(13.6 - 23.6)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	457	24.4	(17.3 - 31.6)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	229	21.2	(15.1 - 27.4)	12,417	17.4	(13.0 - 21.7)
Some College	*	*	*	7,232	19.0	(14.7 - 23.2)
≥ College Degree	124	18.4	(10.9 - 25.8)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	115	21.4	(12.0 - 30.9)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	70	15.7	(6.6 - 24.9)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	79	18.8	(9.5 - 28.1)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in St. Lawrence County and New York State

	St. Lawrence County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	474	2,600	6.3	(3.8 - 8.9)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	291	1,400	6.6	(3.6 - 9.7)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	124	1,500	9.8	(3.9 - 15.7)	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	219	700	4.8	(1.8 - 7.8)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	455	2,500	6.6	(3.9 - 9.3)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	227	900	4.9	(1.8 - 7.9)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	122	1,200	10.0	(3.3 - 16.6)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	146	1,200	10.2	(3.9 - 16.6)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
St. Lawrence County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in St. Lawrence County and New York State - Age-Adjusted²

	St. Lawrence County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	474	6.4	(3.7 - 9.0)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	291	6.8	(3.6 - 10.0)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	455	6.6	(3.8 - 9.4)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	227	4.8	(1.8 - 7.9)	12,404	5.2	(3.5 - 6.8)
Some College	122	10.3	(3.2 - 17.4)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	146	9.9	(3.5 - 16.3)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)