

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Tompkins County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Tompkins County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Tompkins County and New York State	14
Table 2b. Fair or poor general health among adults in Tompkins County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Tompkins County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Tompkins County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Tompkins County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Tompkins County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Tompkins County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Tompkins County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Tompkins County and New York State	22
Table 6b. Health insurance among adults in Tompkins County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Tompkins County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Tompkins County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Tompkins County and New York State	26
Table 8b. No health insurance among adults in Tompkins County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Tompkins County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Tompkins County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Tompkins County and New York State	30
Table 10b. Adults with regular health care provider in Tompkins County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Tompkins County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Tompkins County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Tompkins County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Tompkins County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Tompkins County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Tompkins County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Tompkins County and New York State	38
Table 14b. Dentist visit within the past year among adults in Tompkins County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Tompkins County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Tompkins County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Tompkins County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Tompkins County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Tompkins County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Tompkins County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Tompkins County and New York State	46
Table 18b. Flu shot within the past 12 months in Tompkins County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Tompkins County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Tompkins County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Tompkins County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Tompkins County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Tompkins County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Tompkins County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Tompkins County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Tompkins County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Tompkins County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Tompkins County and New York State - Age-adjusted	57

## Contents

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Tompkins County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Tompkins County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Tompkins County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Tompkins County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Tompkins County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Tompkins County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Tompkins County and New York State	64
Table 27b. Ever had a Pap test among women in Tompkins County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Tompkins County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Tompkins County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Tompkins County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Tompkins County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Tompkins County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Tompkins County and New York State - Age-adjusted	71

## Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Tompkins County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Tompkins County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Tompkins County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Tompkins County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Tompkins County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Tompkins County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Tompkins County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Tompkins County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Tompkins County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Tompkins County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Tompkins County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Tompkins County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Tompkins County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Tompkins County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Tompkins County and New York State	86

## Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Tompkins County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Tompkins County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Tompkins County and New York State - Age-adjusted	89
<b>Chronic Diseases</b>	
Table 40a. High blood pressure among adults in Tompkins County and New York State	90
Table 40b. High blood pressure among adults in Tompkins County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Tompkins County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Tompkins County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Tompkins County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Tompkins County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Tompkins County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Tompkins County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Tompkins County and New York State	98
Table 44b. Cardiovascular disease among adults in Tompkins County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Tompkins County and New York State	100

## Contents

Table 45b. Coronary heart disease among adults in Tompkins County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Tompkins County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Tompkins County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Tompkins County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Tompkins County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Tompkins County and New York State	106
Table 48b. Current asthma among adults in Tompkins County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Tompkins County and New York State	108
Table 49b. Chronic joint symptoms among adults in Tompkins County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Tompkins County and New York State	110
Table 50b. Arthritis among adults in Tompkins County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Tompkins County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Tompkins County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Tompkins County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Tompkins County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Tompkins County and New York State	116
Table 53b. Disability among adults in Tompkins County and New York State - Age-adjusted	117

## Contents

### Health Behaviors

Table 54a. Current smoking among adults in Tompkins County and New York State	118
Table 54b. Current smoking among adults in Tompkins County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Tompkins County and New York State	120
Table 55b. Everyday smoking among adults in Tompkins County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Tompkins County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Tompkins County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Tompkins County and New York State	124
Table 57b. Binge drinking within the past month among adults in Tompkins County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Tompkins County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Tompkins County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Tompkins County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Tompkins County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Tompkins County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Tompkins County and New York State - Age-adjusted	131

## Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Tompkins County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Tompkins County and New York State - Age-adjusted	133

### **Overweight / Obesity**

Table 62a. Overweight among adults in Tompkins County and New York State	134
Table 62b. Overweight among adults in Tompkins County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Tompkins County and New York State	136
Table 63b. Obesity among adults in Tompkins County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Tompkins County and New York State	138
Table 64b. Overweight or obesity among adults in Tompkins County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Tompkins County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Tompkins County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Tompkins County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Tompkins County and New York State - Age-adjusted	143

### **Physical Activity / Nutrition**

Table 67a. No leisure-time physical activity among adults in Tompkins County and New York State	144
Table 67b. No leisure-time physical activity among adults in Tompkins County and New York State - Age-adjusted	145

## Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Tompkins County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Tompkins County and New York State - Age-adjusted	147

### **Injury**

Table 69a. Had a fall within the past 3 months among adults in Tompkins County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Tompkins County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Tompkins County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Tompkins County and New York State - Age-adjusted	151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 1. Tompkins County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Tompkins County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	85,432	100	14,884,315	100
<b>Gender</b>				
Male	42,435	49.7	7,103,791	47.7
Female	42,997	50.3	7,780,524	52.3
<b>Age (years)</b>				
18-34	45,457	53.2	4,497,479	30.2
35-44	9,959	11.7	2,844,115	19.1
45-54	11,271	13.2	2,854,316	19.2
55-64	8,991	10.5	2,142,000	14.4
≥ 65	9,754	11.4	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	69,343	81.2	9,343,884	62.8
Black Non-Hispanic	3,055	3.6	2,156,941	14.5
Hispanic	3,337	3.9	2,258,717	15.2
Other Non-Hispanic	9,697	11.4	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	6,400	7.5	(3.8 - 11.2)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	253	3,900	9.2	(2.2 - 16.2)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	402	2,500	5.9	(3.7 - 8.0)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	131	900	7.5	(2.4 - 12.7)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	158	1,200	13.2	(7.7 - 18.7)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	204	1,600	16.2	(10.1 - 22.3)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	616	4,700	6.8	(3.9 - 9.6)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	160	2,300	11.0	(6.0 - 16.0)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	133	1,100	4.5	(1.6 - 7.4)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	361	3,000	7.4	(0.5 - 14.4)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	140	1,500	6.3	(0.0 - 13.7)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	131	600	4.1	(1.4 - 6.7)	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	202	700	2.9	(0.9 - 5.0)	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	655	8.6	(5.7 - 11.5)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	253	9.2	(4.3 - 14.1)	14,599	15.3	(12.6 - 18.0)
Female	402	8.0	(5.0 - 11.0)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	616	8.5	(5.9 - 11.0)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	160	16.1	(9.6 - 22.5)	15,682	25.8	(22.1 - 29.5)
Some College	133	7.5	(2.9 - 12.2)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	361	5.7	(1.5 - 9.9)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	140	6.4	(1.2 - 11.6)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	131	6.1	(2.4 - 9.9)	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	202	3.4	(1.0 - 5.9)	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	4,600	5.5	(3.4 - 7.6)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	249	1,400	3.3	(1.5 - 5.1)	14,325	604,200	8.7	(7.0 - 10.5)
Female	397	3,300	7.7	(4.0 - 11.4)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	131	1,000	9.3	(3.0 - 15.6)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	154	800	9.0	(4.5 - 13.6)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	201	1,400	14.5	(9.4 - 19.5)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	607	3,900	5.7	(3.4 - 7.9)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	156	2,200	10.8	(4.0 - 17.6)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	133	1,300	5.3	(1.8 - 8.9)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	357	1,200	3.0	(1.1 - 4.8)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	114	1,500	11.6	(5.3 - 17.9)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	139	700	3.0	(0.4 - 5.6)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	129	800	5.0	(1.0 - 9.0)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	201	600	2.8	(0.8 - 4.7)	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	7.0	(4.8 - 9.2)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	249	4.9	(2.3 - 7.5)	14,325	8.7	(6.9 - 10.5)
Female	397	9.0	(5.5 - 12.5)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	607	7.2	(4.9 - 9.4)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	156	12.9	(7.0 - 18.8)	15,178	12.7	(10.2 - 15.1)
Some College	133	8.9	(3.2 - 14.6)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	357	3.4	(1.4 - 5.5)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	114	17.3	(8.8 - 25.8)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	139	5.0	(0.7 - 9.3)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	129	6.0	(1.9 - 10.1)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	201	3.4	(0.9 - 6.0)	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	7,400	8.8	(4.7 - 12.8)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	247	2,300	5.4	(1.0 - 9.9)	14,407	555,200	7.9	(6.3 - 9.6)
Female	396	5,100	12.1	(5.6 - 18.6)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	83	1,100	11.5	(4.3 - 18.8)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	131	900	7.7	(3.3 - 12.2)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	154	800	8.8	(4.0 - 13.5)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	*	*	*	*	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	605	7,100	10.3	(5.5 - 15.1)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	154	1,700	8.3	(0.0 - 16.8)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	132	1,500	6.2	(0.8 - 11.7)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	357	4,200	10.5	(4.1 - 16.9)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	112	1,200	9.2	(2.8 - 15.6)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	*	*	*	*	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	201	1,500	6.3	(1.3 - 11.3)	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	8.3	(5.3 - 11.2)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	247	6.4	(2.6 - 10.2)	14,407	7.9	(6.3 - 9.6)
Female	396	10.1	(5.8 - 14.5)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	605	9.5	(6.1 - 12.9)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	154	8.7	(2.3 - 15.0)	15,335	12.3	(10.0 - 14.6)
Some College	132	7.5	(1.8 - 13.2)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	357	8.4	(4.5 - 12.4)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	112	12.2	(4.9 - 19.4)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	*	*	*	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	128	13.7	(4.3 - 23.0)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	201	5.7	(1.8 - 9.6)	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	11,400	13.6	(9.1 - 18.1)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	247	3,400	8.1	(3.3 - 13.0)	14,231	937,700	13.6	(11.4 - 15.8)
Female	394	7,900	19.1	(11.9 - 26.3)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	75	5,300	12.0	(4.1 - 19.9)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	83	1,500	15.0	(6.9 - 23.1)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	131	1,600	14.6	(7.7 - 21.5)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	153	1,400	15.9	(9.8 - 22.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	199	1,500	16.2	(10.9 - 21.6)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	603	10,600	15.5	(10.4 - 20.6)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	*	*	*	*	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	132	2,500	10.5	(3.8 - 17.2)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	354	5,200	13.3	(6.7 - 19.9)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	113	2,200	17.0	(8.4 - 25.6)	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	139	2,200	9.5	(1.3 - 17.7)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	201	2,000	8.7	(3.5 - 14.0)	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	641	14.1	(10.6 - 17.6)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	247	10.4	(5.9 - 14.8)	14,231	13.6	(11.4 - 15.8)
Female	394	17.8	(12.6 - 23.1)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	603	15.8	(12.0 - 19.7)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	155	19.5	(11.5 - 27.5)	15,018	20.1	(17.1 - 23.1)
Some College	132	14.6	(6.8 - 22.4)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	354	11.4	(7.0 - 15.8)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	113	23.3	(13.7 - 32.9)	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	139	11.9	(4.3 - 19.4)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	127	19.5	(9.6 - 29.3)	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	201	8.6	(4.1 - 13.1)	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 6a. Health insurance among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	73,500	86.1	(77.4 - 94.8)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	*	*	*	*	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	401	40,500	94.2	(89.9 - 98.5)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	84	8,900	89.3	(80.8 - 97.8)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	131	10,800	96.1	(92.8 - 99.4)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	157	8,500	95.1	(91.3 - 99.0)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	204	9,800	100	(100 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	62,200	89.8	(84.4 - 95.2)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	361	38,600	94.4	(90.0 - 98.8)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	131	15,400	97.1	(94.1 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	202	22,000	94.1	(86.7 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 6b. Health insurance among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	89.5	(83.5 - 95.4)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	*	*	*	14,597	83.6	(79.7 - 87.5)
Female	401	95.9	(93.1 - 98.6)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	92.2	(88.7 - 95.7)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	160	87.2	(77.6 - 96.7)	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	361	95.7	(92.8 - 98.5)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	131	96.3	(92.3 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	202	94.8	(89.2 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	63,400	84.2	(74.5 - 93.9)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	*	*	*	*	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	268	34,700	93.3	(88.4 - 98.3)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	84	8,900	89.3	(80.8 - 97.8)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	130	10,600	96.0	(92.7 - 99.4)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	153	8,400	95.0	(91.1 - 98.9)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	414	53,000	88.2	(82.0 - 94.4)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	259	33,800	93.6	(88.6 - 98.6)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	102	14,100	96.8	(93.5 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	156	19,300	93.3	(85.0 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	87.2	(80.1 - 94.3)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	*	*	*	10,078	80.5	(75.9 - 85.1)
Female	268	95.0	(91.7 - 98.3)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	414	90.3	(86.0 - 94.6)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	259	94.8	(91.3 - 98.2)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	102	95.7	(91.2 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	156	93.9	(87.3 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 8a. No health insurance among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	11,900	13.9	(5.2 - 22.6)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	*	*	*	*	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	401	2,500	5.8	(1.5 - 10.1)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,831	316,500	11.1	(6.8 - 15.4)
55-64	*	*	*	*	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	7,100	10.2	(4.8 - 15.6)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	361	2,300	5.6	(1.2 - 10.0)	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 8b. No health insurance among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	10.5	(4.6 - 16.5)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	*	*	*	14,597	16.4	(12.5 - 20.3)
Female	401	4.1	(1.4 - 6.9)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	7.8	(4.3 - 11.3)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	361	4.3	(1.5 - 7.2)	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	11,900	15.8	(6.1 - 25.5)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	*	*	*	*	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	268	2,500	6.7	(1.7 - 11.6)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	*	*	*	*	7,791	316,100	11.3	(7.0 - 15.7)
55-64	*	*	*	*	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	414	7,100	11.8	(5.6 - 18.0)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	259	2,300	6.4	(1.4 - 11.4)	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	445	12.8	(5.7 - 19.9)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	*	*	*	10,078	19.5	(14.9 - 24.1)
Female	268	5.0	(1.7 - 8.3)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	414	9.7	(5.4 - 14.0)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	259	5.2	(1.8 - 8.7)	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	73,000	86.3	(81.3 - 91.4)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	252	35,700	85.8	(77.8 - 93.9)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	402	37,300	86.8	(80.7 - 92.9)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	77	36,100	80.9	(71.5 - 90.4)	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	84	8,900	89.7	(82.5 - 96.9)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	131	10,400	92.5	(87.6 - 97.3)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	158	8,100	89.6	(84.5 - 94.7)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	204	9,500	97.5	(95.2 - 99.8)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	59,200	86.5	(81.6 - 91.4)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	160	18,600	90.9	(82.5 - 99.3)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	*	*	*	*	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	361	35,200	86.0	(79.3 - 92.7)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	140	21,200	89.8	(80.4 - 99.3)	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	*	*	*	*	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	202	22,600	96.3	(93.9 - 98.7)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	88.9	(85.5 - 92.4)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	252	88.0	(82.4 - 93.6)	14,593	78.1	(73.9 - 82.3)
Female	402	89.9	(85.7 - 94.1)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	88.6	(85.1 - 92.1)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	160	89.4	(81.9 - 97.0)	15,692	75.8	(71.0 - 80.6)
Some College	132	86.1	(77.5 - 94.7)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	361	90.0	(85.8 - 94.2)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	140	91.2	(84.2 - 98.2)	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	202	95.1	(92.0 - 98.3)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	4,700	5.5	(3.0 - 7.9)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	*	*	*	*	14,607	903,300	12.7	(9.5 - 16.0)
Female	401	4,000	9.4	(4.9 - 13.9)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	157	1,000	10.7	(3.2 - 18.2)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	4,000	5.8	(3.0 - 8.5)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	159	1,300	6.6	(1.9 - 11.3)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	133	2,000	8.3	(1.7 - 15.0)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	361	1,300	3.3	(0.7 - 5.8)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	116	1,600	12.5	(3.6 - 21.3)	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	139	1,500	6.4	(0.9 - 11.9)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	6.0	(3.7 - 8.2)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	*	*	*	14,607	12.5	(9.4 - 15.6)
Female	401	9.6	(5.6 - 13.6)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	5.8	(3.5 - 8.0)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	159	7.4	(2.5 - 12.3)	15,696	17.8	(13.8 - 21.7)
Some College	133	9.6	(3.1 - 16.2)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	361	3.6	(1.4 - 5.9)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	116	13.1	(5.4 - 20.9)	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	139	8.6	(2.3 - 14.8)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	55,500	65.2	(57.9 - 72.5)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	*	*	*	*	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	398	29,200	68.2	(60.0 - 76.4)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	130	8,000	71.1	(62.5 - 79.7)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	157	6,400	71.3	(63.6 - 78.9)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	203	8,100	83.5	(78.0 - 88.9)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	40,600	58.7	(51.4 - 66.0)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	*	*	*	*	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	359	24,400	59.8	(50.8 - 68.7)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	202	16,200	69.4	(59.9 - 78.8)	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	68.0	(62.7 - 73.3)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	253	64.9	(56.3 - 73.5)	14,592	67.1	(63.3 - 70.9)
Female	398	71.1	(64.9 - 77.3)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	63.8	(58.6 - 69.0)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	359	65.2	(58.5 - 71.8)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	202	69.6	(61.6 - 77.7)	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	71,200	83.6	(78.1 - 89.2)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	253	35,800	84.3	(76.1 - 92.6)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	398	35,500	83.0	(75.7 - 90.3)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	84	7,900	78.9	(69.2 - 88.7)	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	130	9,800	87.1	(81.0 - 93.2)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	157	7,900	88.5	(83.4 - 93.6)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	203	9,300	95.5	(92.5 - 98.5)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	55,700	80.7	(74.4 - 87.0)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	159	19,000	93.1	(88.9 - 97.3)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	*	*	*	*	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	359	32,400	79.6	(71.6 - 87.6)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	202	20,500	87.7	(80.7 - 94.7)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	85.1	(81.1 - 89.0)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	253	84.2	(77.9 - 90.4)	14,592	81.9	(78.4 - 85.3)
Female	398	85.9	(80.9 - 91.0)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	83.4	(79.1 - 87.7)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	159	90.2	(84.3 - 96.0)	15,640	84.6	(81.1 - 88.1)
Some College	*	*	*	9,880	84.4	(79.8 - 89.0)
≥ College Degree	359	83.4	(78.0 - 88.7)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	139	86.5	(78.4 - 94.7)	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	130	83.2	(73.3 - 93.1)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	202	87.1	(80.6 - 93.6)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	65,800	77.2	(70.6 - 83.7)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	251	33,200	78.3	(68.9 - 87.7)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	399	32,600	76.1	(67.1 - 85.0)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	130	8,400	75.1	(66.8 - 83.4)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	155	7,000	78.3	(71.3 - 85.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	203	7,400	75.8	(69.1 - 82.5)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	611	55,000	79.5	(74.2 - 84.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	358	32,500	79.6	(71.4 - 87.8)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	201	20,500	87.8	(82.1 - 93.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	76.2	(71.1 - 81.3)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	251	76.8	(69.5 - 84.1)	14,573	68.3	(64.6 - 72.1)
Female	399	75.7	(68.7 - 82.7)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	611	78.2	(74.0 - 82.3)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	159	67.3	(57.8 - 76.9)	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	358	82.6	(77.1 - 88.2)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	130	76.7	(67.0 - 86.3)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	201	85.6	(79.2 - 92.0)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	597	63,300	78.5	(72.0 - 85.0)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	233	32,100	81.4	(72.9 - 89.9)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	364	31,300	75.7	(66.3 - 85.1)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	84	7,700	77.7	(67.7 - 87.7)	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	127	8,000	73.1	(64.4 - 81.7)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	144	6,800	81.3	(74.6 - 88.0)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	166	6,800	83.9	(77.4 - 90.5)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	562	52,400	79.2	(73.6 - 84.8)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	*	*	*	*	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	352	32,200	81.8	(74.8 - 88.7)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	197	20,700	89.5	(83.9 - 95.1)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	597	78.3	(73.2 - 83.4)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	233	79.9	(73.1 - 86.7)	13,173	69.2	(65.3 - 73.1)
Female	364	76.7	(69.4 - 84.1)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	562	78.9	(74.6 - 83.1)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	352	83.7	(78.7 - 88.7)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	197	87.9	(81.7 - 94.0)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	33,600	39.9	(32.3 - 47.4)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	*	*	*	*	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	391	16,300	38.9	(30.1 - 47.8)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	130	5,600	49.7	(40.2 - 59.3)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	156	4,500	50.9	(41.8 - 60.0)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	197	7,200	76.5	(70.0 - 83.0)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	605	27,000	39.3	(32.5 - 46.0)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	356	11,500	28.6	(21.8 - 35.4)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	199	7,500	32.3	(23.5 - 41.0)	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	643	43.8	(38.0 - 49.6)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	252	44.4	(35.2 - 53.5)	14,457	47.9	(44.1 - 51.7)
Female	391	43.2	(36.1 - 50.4)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	605	43.7	(38.6 - 48.8)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	356	32.4	(26.5 - 38.4)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	199	36.3	(28.2 - 44.3)	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	197	1,600	16.6	(11.0 - 22.2)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	73	500	12.2	(4.9 - 19.5)	4,352	167,200	16.4	(11.8 - 20.9)
Female	124	1,100	20.0	(12.0 - 28.0)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	197	1,600	16.6	(11.0 - 22.2)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	190	1,500	16.9	(11.3 - 22.6)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	197	15.9	(10.4 - 21.4)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	73	12.0	(4.8 - 19.2)	4,352	16.5	(11.5 - 21.4)
Female	124	20.0	(11.9 - 28.2)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	190	16.4	(10.8 - 22.1)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	44,000	51.5	(43.6 - 59.4)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	*	*	*	*	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	400	21,200	49.5	(40.6 - 58.4)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	*	*	*	*	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	222	7,800	52.6	(45.0 - 60.3)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	204	7,600	78.1	(72.0 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	33,300	48.1	(41.1 - 55.2)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	*	*	*	*	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	360	23,600	57.6	(49.1 - 66.2)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	*	*	*	*	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	51.6	(45.7 - 57.5)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	253	52.1	(42.6 - 61.6)	14,579	40.0	(36.2 - 43.8)
Female	400	51.2	(44.1 - 58.2)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	49.4	(44.3 - 54.6)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	360	56.9	(50.0 - 63.9)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	202	55.1	(46.4 - 63.7)	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	44,200	51.7	(43.9 - 59.6)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	*	*	*	*	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	400	21,400	49.7	(40.9 - 58.6)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	*	*	*	*	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	222	7,800	52.6	(45.0 - 60.3)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	204	7,700	78.8	(72.8 - 84.8)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	33,500	48.4	(41.3 - 55.4)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	*	*	*	*	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	360	23,600	57.7	(49.2 - 66.3)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	*	*	*	*	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	51.9	(46.0 - 57.9)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	253	52.3	(42.8 - 61.8)	14,568	40.4	(36.6 - 44.2)
Female	400	51.6	(44.5 - 58.6)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	49.8	(44.7 - 55.0)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	360	57.1	(50.1 - 64.0)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	202	55.5	(46.8 - 64.1)	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	204	7,600	78.1	(72.0 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	73	3,300	79.9	(70.3 - 89.4)	4,417	772,900	74.6	(69.3 - 79.8)
Female	131	4,300	76.9	(68.9 - 84.9)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	204	7,600	78.1	(72.0 - 84.3)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	197	7,100	78.2	(72.0 - 84.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	100	3,900	80.2	(71.6 - 88.9)	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	204	78.4	(72.1 - 84.7)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	73	80.2	(70.7 - 89.6)	4,417	74.4	(68.7 - 80.1)
Female	131	76.6	(68.4 - 84.9)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	197	78.2	(71.8 - 84.5)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	100	79.9	(70.9 - 88.9)	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	584	13,100	19.5	(14.3 - 24.8)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	*	*	*	*	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	371	7,200	18.9	(13.9 - 24.0)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	191	4,200	9.5	(2.3 - 16.7)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	199	2,200	17.0	(10.3 - 23.7)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	194	6,600	71.0	(64.0 - 78.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	549	10,500	19.1	(14.4 - 23.8)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	147	3,600	21.9	(14.0 - 29.7)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	116	2,300	14.4	(5.9 - 22.8)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	321	7,200	20.8	(12.3 - 29.3)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	*	*	*	*	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	118	1,600	11.7	(6.3 - 17.0)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	181	3,500	17.7	(9.6 - 25.9)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	584	21.7	(17.5 - 25.8)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	213	20.8	(13.8 - 27.9)	13,052	25.8	(22.3 - 29.4)
Female	371	22.4	(17.5 - 27.3)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	549	21.5	(17.8 - 25.3)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	147	28.0	(19.9 - 36.2)	14,700	29.5	(25.6 - 33.5)
Some College	116	18.1	(9.5 - 26.7)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	321	20.3	(14.4 - 26.2)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	127	24.0	(14.2 - 33.9)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	118	17.1	(10.4 - 23.9)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	181	15.8	(9.9 - 21.7)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	194	6,600	71.0	(64.0 - 78.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	129	4,500	80.6	(73.2 - 88.0)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	194	6,600	71.0	(64.0 - 78.1)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	187	5,900	69.2	(61.9 - 76.5)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	68	2,700	82.2	(72.4 - 91.9)	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	194	69.6	(62.2 - 77.1)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	129	80.9	(73.6 - 88.3)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	187	67.4	(59.6 - 75.1)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	68	83.1	(73.6 - 92.5)	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	320	17,100	94.4	(91.0 - 97.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	320	17,100	94.4	(91.0 - 97.8)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	124	7,100	98.5	(95.4 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	130	5,600	99.5	(98.5 - 100)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	307	15,400	93.8	(90.0 - 97.6)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	85	4,200	94.4	(87.7 - 100)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	73	4,400	95.5	(90.3 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	162	8,500	93.8	(88.4 - 99.1)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	66	2,700	96.1	(88.6 - 100)	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	71	3,700	94.7	(87.4 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	88	5,800	96.7	(92.2 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	320	93.3	(89.3 - 97.4)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	320	93.3	(89.3 - 97.4)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	307	92.5	(88.0 - 97.0)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	85	94.5	(87.7 - 100)	8,266	90.2	(86.1 - 94.2)
Some College	73	94.3	(87.5 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	162	92.3	(85.9 - 98.8)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	66	95.9	(88.2 - 100)	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	71	92.9	(83.3 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	88	96.4	(91.4 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	317	14,800	82.4	(77.6 - 87.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	317	14,800	82.4	(77.6 - 87.2)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	122	6,300	88.5	(82.5 - 94.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	129	4,500	81.0	(73.3 - 88.7)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	304	13,300	81.4	(76.3 - 86.5)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	85	3,600	81.3	(71.6 - 91.0)	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	73	3,800	83.3	(74.3 - 92.3)	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	159	7,400	82.5	(75.5 - 89.6)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	88	5,200	87.0	(79.7 - 94.3)	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	317	81.6	(76.4 - 86.9)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	317	81.6	(76.4 - 86.9)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	304	80.3	(74.7 - 85.9)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	85	82.1	(72.4 - 91.7)	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	159	81.2	(73.3 - 89.1)	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	88	87.0	(79.4 - 94.7)	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	251	10,800	85.2	(80.4 - 90.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	251	10,800	85.2	(80.4 - 90.0)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	122	6,300	88.5	(82.5 - 94.5)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	129	4,500	81.0	(73.3 - 88.7)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	242	9,700	84.4	(79.3 - 89.4)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	54	2,700	88.6	(80.2 - 97.0)	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	121	5,000	86.4	(79.8 - 93.0)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	57	2,600	88.3	(79.1 - 97.4)	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	66	3,300	84.3	(74.9 - 93.8)	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	251	85.2	(80.3 - 90.2)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	251	85.2	(80.3 - 90.2)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	242	84.3	(79.2 - 89.4)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,026	83.6	(80.1 - 87.0)
Some College	54	89.6	(81.7 - 97.4)	4,124	87.3	(84.1 - 90.5)
≥ College Degree	121	86.1	(79.3 - 93.0)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	57	89.0	(80.1 - 97.8)	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	66	84.0	(74.2 - 93.8)	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	394	39,000	91.8	(86.1 - 97.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	394	39,000	91.8	(86.1 - 97.5)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	50	4,900	100	(100 - 100)	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	75	5,500	97.4	(93.3 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	88	4,500	100	(100 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	129	5,300	95.2	(91.6 - 98.9)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	372	33,200	94.1	(89.5 - 98.7)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	91	11,100	93.6	(85.2 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	205	20,700	98.6	(96.4 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	80	7,600	95.4	(89.2 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	85	10,000	99.6	(98.9 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	*	*	*	*	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	394	94.1	(90.1 - 98.0)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	394	94.1	(90.1 - 98.0)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	372	95.7	(92.8 - 98.6)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	91	95.5	(90.1 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	205	99.0	(97.7 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	80	96.1	(91.7 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	85	99.5	(98.5 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	113	94.1	(86.1 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	388	33,900	80.2	(72.5 - 87.9)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	388	33,900	80.2	(72.5 - 87.9)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	50	4,700	95.4	(90.1 - 100)	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	75	5,100	90.8	(83.5 - 98.0)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	124	3,600	66.6	(57.6 - 75.7)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	366	28,400	81.1	(73.4 - 88.7)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	*	*	*	*	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	*	*	*	*	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	388	82.3	(76.7 - 87.9)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	388	82.3	(76.7 - 87.9)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	366	82.6	(77.4 - 87.9)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	201	89.7	(83.3 - 96.1)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	110	89.3	(80.9 - 97.8)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	209	13,800	84.5	(77.7 - 91.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	209	13,800	84.5	(77.7 - 91.3)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	67	4,100	94.4	(88.6 - 100)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	73	3,900	93.7	(88.4 - 98.9)	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	197	12,600	87.7	(82.6 - 92.8)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	134	9,300	87.5	(78.8 - 96.3)	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	77	6,200	90.8	(83.8 - 97.7)	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	209	82.3	(73.8 - 90.9)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	209	82.3	(73.8 - 90.9)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	197	86.7	(81.1 - 92.3)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	77	90.3	(82.7 - 97.9)	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	206	10,000	62.7	(54.5 - 70.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	206	10,000	62.7	(54.5 - 70.8)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	195	9,100	63.9	(56.2 - 71.6)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	206	60.6	(51.4 - 69.8)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	206	60.6	(51.4 - 69.8)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	195	63.1	(55.1 - 71.1)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	206	9,800	60.6	(52.2 - 68.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	206	9,800	60.6	(52.2 - 68.9)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	72	3,800	92.0	(86.0 - 98.1)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	194	9,300	65.8	(58.0 - 73.6)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	206	58.5	(49.2 - 67.8)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	206	58.5	(49.2 - 67.8)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	194	65.1	(57.1 - 73.2)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	202	8,200	51.8	(43.6 - 60.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	202	8,200	51.8	(43.6 - 60.0)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	72	3,300	81.3	(72.2 - 90.4)	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	191	7,700	55.1	(47.1 - 63.1)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	202	50.2	(41.3 - 59.1)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	202	50.2	(41.3 - 59.1)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	191	54.4	(46.2 - 62.6)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	209	1,000	6.3	(3.1 - 9.5)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	209	1,000	6.3	(3.1 - 9.5)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	197	900	6.2	(3.1 - 9.4)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	135	800	7.4	(2.9 - 11.8)	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	77	800	11.1	(4.1 - 18.0)	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	209	6.9	(3.2 - 10.6)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	209	6.9	(3.2 - 10.6)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	197	6.7	(3.3 - 10.2)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	135	8.0	(2.9 - 13.2)	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	77	12.2	(4.3 - 20.2)	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	422	11,400	46.8	(41.3 - 52.3)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	167	4,900	42.6	(34.2 - 51.1)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	255	6,500	50.6	(43.4 - 57.9)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	219	6,000	41.0	(33.5 - 48.4)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	203	5,400	55.7	(47.9 - 63.5)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	404	10,700	48.7	(43.3 - 54.1)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	233	6,100	44.8	(37.8 - 51.9)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	124	3,800	45.6	(36.2 - 55.1)	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	422	46.0	(40.3 - 51.7)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	167	42.2	(33.7 - 50.7)	9,571	39.4	(35.3 - 43.5)
Female	255	50.0	(42.4 - 57.5)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	404	48.6	(43.0 - 54.1)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	233	43.8	(36.6 - 51.0)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	124	43.2	(33.6 - 52.8)	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	3,100	13.0	(9.5 - 16.5)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	164	1,400	12.6	(7.1 - 18.0)	9,508	444,400	16.0	(13.2 - 18.9)
Female	252	1,700	13.5	(9.0 - 17.9)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	217	1,700	12.0	(7.4 - 16.7)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	199	1,400	14.5	(9.4 - 19.7)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	398	2,900	13.4	(9.8 - 17.0)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	109	1,000	15.9	(8.6 - 23.2)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	76	600	12.4	(4.9 - 19.9)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	231	1,600	11.9	(7.3 - 16.6)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	96	600	11.1	(4.8 - 17.4)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	123	1,000	12.5	(6.7 - 18.4)	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	12.7	(9.2 - 16.2)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	164	12.4	(7.0 - 17.8)	9,508	16.4	(13.2 - 19.6)
Female	252	13.0	(8.6 - 17.5)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	398	13.3	(9.6 - 17.0)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	109	15.7	(8.3 - 23.0)	11,026	12.7	(9.2 - 16.1)
Some College	76	12.5	(4.6 - 20.3)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	231	11.5	(6.9 - 16.0)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	96	10.4	(4.2 - 16.5)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	123	11.4	(6.0 - 16.8)	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	5,300	22.1	(17.7 - 26.4)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	164	2,500	21.7	(15.0 - 28.4)	9,508	593,100	21.4	(18.3 - 24.5)
Female	252	2,800	22.4	(16.8 - 28.0)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	217	2,900	20.1	(14.3 - 25.8)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	199	2,400	25.1	(18.6 - 31.6)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	398	5,100	23.4	(18.9 - 27.9)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	109	1,400	23.7	(14.9 - 32.6)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	76	900	21.1	(11.5 - 30.8)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	231	2,900	21.6	(15.8 - 27.5)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	96	1,100	18.9	(10.5 - 27.2)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	76	900	20.8	(11.3 - 30.3)	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	123	1,900	22.8	(15.2 - 30.5)	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	21.8	(17.4 - 26.2)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	164	21.5	(14.8 - 28.3)	9,508	21.7	(18.3 - 25.1)
Female	252	22.0	(16.4 - 27.6)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	398	23.5	(18.9 - 28.1)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	109	23.9	(14.8 - 33.1)	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	231	21.0	(15.2 - 26.8)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	96	18.6	(10.0 - 27.2)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	123	21.2	(13.9 - 28.6)	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	424	18,600	76.1	(71.3 - 81.0)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	168	8,700	75.1	(67.4 - 82.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	256	9,900	77.1	(71.1 - 83.1)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	155	6,800	76.8	(69.7 - 83.8)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	203	8,300	85.6	(80.1 - 91.1)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	406	17,000	76.7	(72.0 - 81.4)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	234	10,900	80.2	(74.3 - 86.0)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	96	4,200	75.6	(66.0 - 85.1)	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	125	6,700	79.9	(72.2 - 87.7)	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	424	76.4	(71.4 - 81.5)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	168	76.0	(68.2 - 83.8)	9,582	68.5	(64.5 - 72.5)
Female	256	76.9	(70.5 - 83.2)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	406	77.3	(72.6 - 82.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	234	80.6	(74.7 - 86.5)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	96	77.5	(68.4 - 86.6)	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	125	80.7	(72.9 - 88.4)	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	420	17,300	72.1	(67.0 - 77.1)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	167	8,100	70.2	(62.2 - 78.3)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	253	9,200	73.8	(67.6 - 80.0)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	153	6,100	72.3	(64.7 - 79.9)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	201	7,800	81.1	(74.9 - 87.3)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	403	16,000	72.6	(67.7 - 77.6)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	233	10,200	75.5	(69.2 - 81.8)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	125	6,500	77.3	(69.2 - 85.4)	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	420	72.3	(67.0 - 77.6)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	167	71.1	(62.9 - 79.3)	9,521	66.9	(62.9 - 70.9)
Female	253	73.6	(67.1 - 80.1)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	403	73.1	(68.0 - 78.1)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	233	75.7	(69.3 - 82.1)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	125	77.9	(69.7 - 86.1)	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	415	18,000	76.3	(71.5 - 81.0)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	163	8,200	73.8	(66.2 - 81.4)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	252	9,700	78.5	(72.6 - 84.4)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	148	6,500	78.6	(71.6 - 85.7)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	202	8,000	82.5	(76.4 - 88.5)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	399	16,600	76.2	(71.4 - 81.0)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	107	4,400	76.0	(66.0 - 86.0)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	230	10,400	77.5	(71.3 - 83.6)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	94	3,900	75.4	(65.9 - 85.0)	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	125	6,700	79.4	(71.5 - 87.3)	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	415	76.3	(71.4 - 81.3)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	163	74.7	(67.2 - 82.3)	9,418	71.5	(67.6 - 75.4)
Female	252	78.0	(71.7 - 84.3)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	399	76.3	(71.4 - 81.2)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	230	77.5	(71.2 - 83.8)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	94	76.9	(67.5 - 86.3)	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	125	79.7	(71.6 - 87.7)	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	17,400	20.4	(15.1 - 25.7)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	253	10,100	23.7	(14.1 - 33.3)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	400	7,300	17.1	(12.5 - 21.8)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	84	1,100	11.4	(4.6 - 18.2)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	131	3,100	27.2	(18.4 - 36.1)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	157	3,600	40.6	(31.3 - 50.0)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	204	4,900	50.0	(42.4 - 57.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	15,600	22.6	(16.8 - 28.3)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	133	2,800	11.8	(4.8 - 18.7)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	360	7,300	17.9	(12.4 - 23.3)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	116	2,500	19.2	(10.9 - 27.6)	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	131	1,800	11.4	(6.3 - 16.6)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	202	4,800	20.3	(13.5 - 27.1)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	24.0	(19.7 - 28.2)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	253	26.7	(19.6 - 33.8)	14,611	27.7	(24.7 - 30.7)
Female	400	21.2	(16.3 - 26.1)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	25.5	(21.2 - 29.8)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	*	*	*	15,688	32.1	(28.4 - 35.8)
Some College	133	16.9	(8.7 - 25.2)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	360	20.9	(16.1 - 25.8)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	116	28.2	(18.3 - 38.0)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	131	15.5	(9.3 - 21.7)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	202	22.3	(15.9 - 28.7)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	*	*	*	*	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	106	4,600	93.4	(88.5 - 98.4)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	216	71.5	(61.7 - 81.3)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	57,800	70.4	(62.6 - 78.2)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	*	*	*	*	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	392	31,400	75.4	(66.5 - 84.3)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	130	10,400	92.6	(87.6 - 97.7)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	156	8,600	96.1	(92.7 - 99.5)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	200	9,300	97.6	(95.2 - 99.9)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	602	44,400	67.3	(59.2 - 75.4)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	351	32,000	82.9	(74.0 - 91.8)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	*	*	*	*	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	*	*	*	*	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	640	78.9	(73.7 - 84.1)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	248	75.0	(66.5 - 83.5)	14,389	78.0	(73.9 - 82.1)
Female	392	82.7	(76.6 - 88.9)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	602	77.6	(72.1 - 83.0)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	351	89.5	(84.4 - 94.6)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	198	89.7	(82.6 - 96.7)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	55,000	67.7	(59.8 - 75.5)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	*	*	*	*	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	387	29,800	72.6	(63.6 - 81.6)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	130	9,900	87.7	(81.5 - 93.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	156	8,200	92.1	(87.6 - 96.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	196	8,800	93.4	(89.7 - 97.1)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	597	41,700	63.8	(55.9 - 71.8)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	347	29,900	79.1	(70.1 - 88.0)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	*	*	*	*	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	635	75.6	(70.3 - 80.9)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	248	71.1	(62.4 - 79.7)	14,307	74.8	(70.7 - 79.0)
Female	387	80.1	(73.8 - 86.3)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	597	73.4	(67.9 - 78.9)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	347	84.8	(79.3 - 90.2)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	197	85.3	(77.9 - 92.8)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	3,600	4.2	(2.8 - 5.5)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	253	2,100	5.0	(2.7 - 7.2)	14,477	664,600	9.4	(7.5 - 11.4)
Female	399	1,400	3.4	(1.8 - 4.9)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	158	700	7.6	(3.1 - 12.1)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	202	2,000	20.8	(14.1 - 27.5)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	3,100	4.5	(3.1 - 5.9)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	159	1,300	6.5	(3.0 - 10.0)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	132	700	3.1	(0.9 - 5.3)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	360	1,500	3.6	(1.9 - 5.4)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	116	1,000	7.7	(3.0 - 12.4)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	139	500	2.2	(0.5 - 3.9)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	201	1,100	4.6	(1.9 - 7.2)	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	6.1	(4.2 - 8.0)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	253	7.6	(4.5 - 10.7)	14,477	9.7	(7.8 - 11.7)
Female	399	4.6	(2.4 - 6.8)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	6.4	(4.5 - 8.3)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	159	9.5	(4.7 - 14.2)	15,486	10.5	(8.0 - 13.0)
Some College	132	5.0	(1.8 - 8.2)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	360	5.1	(2.6 - 7.6)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	116	11.4	(5.0 - 17.8)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	139	3.3	(0.9 - 5.7)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	201	6.2	(2.6 - 9.8)	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	2,600	3.0	(1.9 - 4.1)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	253	1,700	4.0	(2.1 - 6.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	398	800	2.0	(0.8 - 3.2)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	158	600	6.3	(2.1 - 10.5)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	201	1,500	15.4	(9.4 - 21.3)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	2,200	3.2	(2.1 - 4.4)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	159	900	4.6	(1.8 - 7.4)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	132	700	2.8	(0.8 - 4.8)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	359	1,000	2.3	(0.9 - 3.7)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	116	700	5.6	(1.8 - 9.4)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	*	*	*	*	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	4.3	(2.8 - 5.8)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	253	5.9	(3.4 - 8.5)	14,479	8.8	(6.9 - 10.8)
Female	398	2.7	(1.0 - 4.4)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	4.6	(3.0 - 6.2)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	159	6.6	(2.8 - 10.4)	15,485	8.5	(6.2 - 10.7)
Some College	132	4.5	(1.5 - 7.5)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	359	3.2	(1.3 - 5.0)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	116	8.0	(3.0 - 13.1)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	*	*	*	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	5,700	6.7	(3.6 - 9.7)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	253	2,600	6.2	(1.2 - 11.1)	14,626	530,400	7.5	(6.2 - 8.8)
Female	401	3,100	7.1	(3.4 - 10.8)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	157	1,300	14.3	(6.4 - 22.2)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	204	1,400	14.7	(8.9 - 20.6)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	4,700	6.8	(3.3 - 10.3)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	160	2,200	10.9	(4.1 - 17.7)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	133	1,000	4.2	(0.8 - 7.7)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	361	2,400	6.0	(1.0 - 11.0)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	116	1,600	12.1	(2.5 - 21.6)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	140	2,000	8.4	(0.4 - 16.5)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	202	1,400	6.0	(0.7 - 11.3)	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	7.4	(4.8 - 10.0)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	253	6.0	(2.8 - 9.2)	14,626	7.5	(6.1 - 8.9)
Female	401	8.8	(4.8 - 12.9)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	6.8	(4.4 - 9.1)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	160	13.0	(7.0 - 19.0)	15,709	12.6	(10.0 - 15.2)
Some College	133	6.4	(1.4 - 11.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	361	5.4	(1.9 - 8.9)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	116	13.4	(5.8 - 21.0)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	140	9.9	(3.0 - 16.8)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	202	6.1	(1.5 - 10.6)	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	21,300	25.0	(16.2 - 33.8)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	*	*	*	*	14,601	875,800	12.4	(10.1 - 14.7)
Female	402	11,500	26.8	(17.4 - 36.1)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	84	1,800	17.6	(8.4 - 26.9)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	130	1,900	16.9	(9.6 - 24.2)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	158	1,700	19.4	(11.2 - 27.6)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	204	1,500	14.9	(8.8 - 21.1)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	13,200	19.0	(13.3 - 24.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,675	831,600	14.9	(12.0 - 17.8)
Some College	*	*	*	*	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	360	7,100	17.5	(11.0 - 23.9)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	*	*	*	*	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	201	3,800	16.5	(7.9 - 25.0)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	22.4	(16.1 - 28.8)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	*	*	*	14,601	12.6	(10.3 - 14.9)
Female	402	23.9	(16.7 - 31.1)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	17.3	(13.4 - 21.3)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	160	22.7	(13.3 - 32.1)	15,675	15.1	(12.1 - 18.0)
Some College	*	*	*	9,893	16.9	(13.4 - 20.4)
≥ College Degree	360	17.3	(11.9 - 22.6)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	*	*	*	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	131	20.1	(11.7 - 28.5)	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	201	16.9	(9.6 - 24.1)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 48a. Current asthma among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	12,000	14.1	(8.5 - 19.8)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	252	3,200	7.7	(2.8 - 12.6)	14,546	440,700	6.3	(4.8 - 7.7)
Female	401	8,800	20.5	(11.2 - 29.8)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	84	1,600	16.1	(7.0 - 25.2)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	130	1,600	14.2	(7.5 - 20.9)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	157	1,300	14.9	(7.0 - 22.7)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	204	1,200	12.7	(6.9 - 18.5)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	7,900	11.4	(7.3 - 15.6)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	*	*	*	*	15,594	595,100	10.7	(8.2 - 13.2)
Some College	*	*	*	*	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	359	3,800	9.3	(5.5 - 13.1)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	*	*	*	*	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	131	1,800	11.1	(4.4 - 17.8)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	200	3,200	13.8	(5.3 - 22.3)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 48b. Current asthma among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	14.9	(10.4 - 19.5)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	252	10.3	(5.2 - 15.5)	14,546	6.4	(4.9 - 7.9)
Female	401	19.4	(12.2 - 26.6)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	12.1	(8.8 - 15.4)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	160	20.6	(11.3 - 30.0)	15,594	10.8	(8.3 - 13.3)
Some College	*	*	*	9,861	9.4	(7.2 - 11.6)
≥ College Degree	359	11.8	(7.3 - 16.4)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	*	*	*	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	131	13.2	(6.6 - 19.7)	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	200	13.6	(6.7 - 20.6)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	40,400	47.3	(39.2 - 55.4)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	*	*	*	*	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	400	20,500	47.7	(38.7 - 56.6)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	131	5,900	52.7	(43.2 - 62.3)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	157	5,400	60.5	(51.5 - 69.4)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	202	5,400	56.2	(48.6 - 63.8)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	31,000	44.8	(37.8 - 51.8)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	360	16,600	40.6	(32.0 - 49.2)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	202	6,800	28.9	(21.5 - 36.3)	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	49.1	(43.1 - 55.0)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	252	46.5	(36.8 - 56.3)	14,595	42.6	(38.8 - 46.3)
Female	400	51.6	(44.5 - 58.6)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	48.0	(42.8 - 53.2)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	360	43.4	(36.6 - 50.3)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	202	35.4	(27.6 - 43.1)	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 50a. Arthritis among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	16,200	19.0	(15.0 - 23.0)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	252	6,700	15.8	(10.3 - 21.3)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	399	9,500	22.2	(16.8 - 27.6)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	83	2,100	21.1	(11.8 - 30.3)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	130	3,500	31.0	(22.2 - 39.7)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	156	3,800	42.4	(33.3 - 51.4)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	204	5,100	52.7	(45.0 - 60.4)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	14,700	21.2	(17.1 - 25.4)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	159	4,500	22.2	(13.7 - 30.7)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	132	4,600	19.2	(9.6 - 28.9)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	360	7,100	17.3	(12.8 - 21.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	139	4,300	18.4	(8.7 - 28.0)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	129	2,700	17.0	(10.3 - 23.6)	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	202	4,400	18.7	(12.5 - 24.9)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 50b. Arthritis among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	25.1	(21.0 - 29.2)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	252	22.1	(16.2 - 28.0)	14,555	23.5	(20.9 - 26.1)
Female	399	28.0	(22.5 - 33.6)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	27.5	(23.4 - 31.6)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	159	30.6	(21.7 - 39.6)	15,652	30.4	(26.9 - 33.8)
Some College	*	*	*	9,874	24.1	(21.0 - 27.1)
≥ College Degree	360	21.3	(16.7 - 25.9)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	129	23.6	(15.8 - 31.3)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	202	21.1	(15.1 - 27.0)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	15,100	17.7	(12.8 - 22.6)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	251	6,800	16.0	(8.0 - 23.9)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	400	8,300	19.4	(13.8 - 25.0)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	78	5,500	12.1	(3.9 - 20.2)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	84	1,000	10.3	(3.4 - 17.1)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	131	2,800	24.6	(16.6 - 32.7)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	156	2,500	28.4	(20.6 - 36.1)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	202	3,300	33.9	(26.8 - 40.9)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	13,100	19.0	(13.9 - 24.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	*	*	*	*	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	132	3,900	16.3	(6.5 - 26.2)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	360	6,300	15.4	(10.0 - 20.8)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	*	*	*	*	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	202	2,100	9.1	(5.2 - 13.0)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	19.2	(15.4 - 23.0)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	251	17.2	(11.4 - 22.9)	14,566	18.6	(15.8 - 21.4)
Female	400	21.3	(16.4 - 26.2)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	21.2	(17.2 - 25.1)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	159	24.6	(15.8 - 33.3)	15,626	23.8	(20.1 - 27.4)
Some College	132	19.4	(10.5 - 28.3)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	360	16.8	(12.3 - 21.3)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	140	20.9	(11.1 - 30.7)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	129	18.8	(10.5 - 27.1)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	202	10.8	(6.1 - 15.4)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	5,000	5.9	(3.4 - 8.3)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	253	2,100	4.8	(0.6 - 9.1)	14,617	460,700	6.5	(5.3 - 7.7)
Female	401	3,000	6.9	(4.4 - 9.3)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	131	1,200	11.0	(4.6 - 17.5)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	157	700	7.9	(3.6 - 12.2)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	204	1,800	18.6	(12.6 - 24.6)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	4,500	6.6	(3.7 - 9.4)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	160	1,500	7.5	(3.7 - 11.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	133	1,300	5.5	(1.9 - 9.1)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	361	2,100	5.2	(1.0 - 9.5)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	116	1,900	14.2	(7.2 - 21.2)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	140	1,800	7.6	(0.0 - 15.3)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	7.3	(5.1 - 9.6)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	253	5.3	(2.3 - 8.4)	14,617	6.8	(5.5 - 8.0)
Female	401	9.3	(6.0 - 12.5)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	8.0	(5.6 - 10.3)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	160	10.1	(5.6 - 14.5)	15,711	10.3	(8.3 - 12.3)
Some College	133	9.0	(3.4 - 14.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	361	5.3	(2.5 - 8.2)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	116	20.4	(11.9 - 29.0)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	140	8.5	(2.2 - 14.8)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 53a. Disability among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	16,200	19.0	(14.1 - 24.0)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	251	7,000	16.5	(8.5 - 24.5)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	400	9,200	21.5	(15.7 - 27.4)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	78	5,500	12.1	(3.9 - 20.2)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	84	1,200	12.4	(5.0 - 19.7)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	131	3,200	28.3	(19.7 - 37.0)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	156	2,600	28.8	(21.0 - 36.6)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	202	3,800	38.9	(31.4 - 46.4)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	612	14,100	20.3	(15.2 - 25.5)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	*	*	*	*	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	*	*	*	*	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	360	6,800	16.7	(11.2 - 22.1)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	*	*	*	*	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	202	2,300	10.0	(5.9 - 14.1)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 53b. Disability among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	21.3	(17.3 - 25.3)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	251	18.0	(12.1 - 23.8)	14,568	20.9	(18.0 - 23.8)
Female	400	24.5	(19.2 - 29.8)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	612	23.1	(19.0 - 27.2)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	159	27.2	(18.2 - 36.2)	15,638	26.8	(23.0 - 30.6)
Some College	132	21.3	(11.7 - 30.9)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	360	18.6	(13.9 - 23.3)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	*	*	*	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	129	20.0	(11.6 - 28.4)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	202	12.1	(7.1 - 17.1)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 54a. Current smoking among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	11,500	13.5	(7.7 - 19.3)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	253	5,000	11.7	(4.6 - 18.7)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	400	6,600	15.3	(6.3 - 24.3)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	84	1,500	14.7	(6.3 - 23.0)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	130	1,700	14.8	(7.4 - 22.2)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	157	800	8.6	(4.1 - 13.1)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	*	*	*	*	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	9,400	13.5	(8.5 - 18.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	*	*	*	*	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	361	3,300	8.2	(2.4 - 13.9)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	131	1,600	9.8	(3.0 - 16.7)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	*	*	*	*	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 54b. Current smoking among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	12.5	(8.2 - 16.8)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	253	11.2	(6.0 - 16.5)	14,559	19.2	(16.3 - 22.1)
Female	400	13.7	(6.9 - 20.5)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	12.8	(9.1 - 16.6)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	159	24.0	(14.4 - 33.7)	15,654	22.8	(19.5 - 26.0)
Some College	*	*	*	9,875	19.4	(15.8 - 22.9)
≥ College Degree	361	5.9	(2.5 - 9.3)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	131	11.5	(5.1 - 17.8)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	*	*	*	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	7,600	8.9	(3.8 - 14.1)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	253	2,300	5.3	(0.9 - 9.7)	14,559	848,400	12.0	(10.0 - 14.1)
Female	400	5,400	12.5	(3.6 - 21.4)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	130	1,000	8.8	(3.5 - 14.2)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	157	700	7.3	(3.1 - 11.5)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	*	*	*	*	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	614	5,700	8.2	(4.5 - 11.9)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	159	2,600	12.8	(5.2 - 20.3)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	*	*	*	*	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	361	1,800	4.3	(0.0 - 9.0)	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	131	1,400	8.9	(2.2 - 15.6)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	*	*	*	*	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	8.7	(4.8 - 12.6)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	253	6.2	(2.5 - 9.9)	14,559	12.1	(10.1 - 14.1)
Female	400	11.2	(4.6 - 17.8)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	614	8.7	(5.7 - 11.7)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	159	16.5	(8.7 - 24.2)	15,654	16.4	(13.8 - 19.0)
Some College	*	*	*	9,875	12.1	(9.9 - 14.3)
≥ College Degree	361	3.1	(0.5 - 5.6)	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	131	10.3	(4.0 - 16.5)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	*	*	*	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	75,300	88.2	(84.5 - 91.9)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	253	37,600	88.6	(82.9 - 94.2)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	399	37,700	87.9	(83.2 - 92.7)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	78	42,000	92.4	(86.5 - 98.3)	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	84	8,800	88.7	(81.6 - 95.8)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	130	9,100	81.3	(73.2 - 89.5)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	157	7,700	86.2	(80.3 - 92.1)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	203	7,600	78.0	(71.8 - 84.2)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	613	61,200	88.3	(85.0 - 91.6)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	159	16,800	82.5	(73.2 - 91.8)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	133	21,500	89.6	(82.8 - 96.5)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	360	36,900	90.3	(85.7 - 94.9)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	140	21,500	91.1	(83.4 - 98.7)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	131	13,700	86.1	(76.4 - 95.8)	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	202	21,800	93.3	(89.8 - 96.8)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	86.4	(83.1 - 89.7)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	253	85.7	(80.4 - 90.9)	14,577	79.4	(76.7 - 82.2)
Female	399	87.2	(83.0 - 91.3)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	613	85.9	(82.7 - 89.1)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	159	78.6	(70.0 - 87.3)	15,647	76.9	(73.8 - 80.0)
Some College	133	86.6	(79.8 - 93.5)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	360	89.8	(86.0 - 93.6)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	140	88.9	(82.0 - 95.8)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	131	86.3	(78.5 - 94.2)	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	202	92.0	(88.0 - 96.0)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	17,100	20.2	(10.9 - 29.4)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	*	*	*	*	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	395	6,300	14.7	(5.0 - 24.4)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	84	1,300	12.8	(5.7 - 19.9)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	128	1,600	14.4	(7.5 - 21.3)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	154	900	10.4	(3.4 - 17.3)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	202	500	4.7	(1.7 - 7.7)	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	607	11,200	16.3	(10.1 - 22.6)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	*	*	*	*	15,491	945,800	17.4	(13.2 - 21.6)
Some College	*	*	*	*	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	357	7,000	17.2	(8.8 - 25.5)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	201	2,600	11.2	(5.4 - 17.0)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	16.5	(10.0 - 22.9)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	*	*	*	14,420	24.5	(21.0 - 27.9)
Female	395	12.7	(5.6 - 19.8)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	607	14.3	(10.1 - 18.4)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	156	13.4	(5.2 - 21.7)	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	357	13.4	(8.2 - 18.6)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	130	14.8	(5.6 - 24.1)	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	201	11.6	(6.4 - 16.7)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	6,600	7.8	(2.8 - 12.8)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	251	2,400	5.7	(1.3 - 10.1)	14,330	333,300	4.8	(3.9 - 5.7)
Female	394	4,200	9.9	(1.2 - 18.6)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	130	1,100	10.1	(4.5 - 15.8)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	153	700	8.5	(4.0 - 13.1)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	201	400	4.5	(1.6 - 7.4)	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	606	4,700	6.8	(3.6 - 10.0)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	157	800	4.0	(1.0 - 6.9)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	355	3,200	7.9	(2.9 - 13.0)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	130	1,300	8.3	(1.8 - 14.7)	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	201	1,700	7.1	(3.3 - 10.9)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	645	7.7	(4.0 - 11.4)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	251	6.4	(3.0 - 9.8)	14,330	4.9	(3.9 - 5.9)
Female	394	9.1	(2.6 - 15.6)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	606	7.5	(4.9 - 10.1)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	157	5.8	(1.6 - 10.1)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	355	7.1	(3.8 - 10.3)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	130	9.7	(4.0 - 15.5)	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	201	7.0	(3.6 - 10.4)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	606	41,000	52.0	(43.5 - 60.6)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	*	*	*	*	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	369	16,000	41.1	(32.6 - 49.6)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	120	6,300	61.1	(51.3 - 70.8)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	146	5,400	66.2	(57.4 - 75.1)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	191	7,700	84.1	(78.2 - 89.9)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	568	35,600	56.6	(49.1 - 64.1)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	335	21,600	57.3	(48.1 - 66.5)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	*	*	*	*	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	606	57.5	(50.9 - 64.1)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	*	*	*	13,299	67.9	(64.0 - 71.9)
Female	369	46.0	(38.8 - 53.3)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	568	61.7	(56.3 - 67.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	335	60.4	(53.1 - 67.8)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	189	56.3	(47.4 - 65.3)	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	47,200	74.5	(66.4 - 82.6)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	163	25,300	83.9	(74.2 - 93.6)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	*	*	*	*	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	102	6,800	76.6	(68.1 - 85.2)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	90	3,900	77.3	(68.0 - 86.6)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	101	4,700	94.9	(90.9 - 98.8)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	394	38,800	77.0	(70.3 - 83.6)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	246	23,400	74.8	(66.0 - 83.6)	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	137	13,700	78.2	(69.1 - 87.2)	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	416	74.2	(67.7 - 80.7)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	163	83.3	(75.2 - 91.4)	9,034	81.1	(77.4 - 84.8)
Female	253	65.6	(56.4 - 74.9)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	394	76.7	(71.5 - 81.9)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	246	73.7	(66.2 - 81.1)	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	137	73.4	(63.7 - 83.1)	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	79,300	95.6	(92.4 - 98.7)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	247	39,600	94.0	(88.3 - 99.7)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	380	39,700	97.1	(94.7 - 99.5)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	77	42,700	95.1	(89.5 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	82	9,600	97.7	(94.5 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	128	10,900	98.7	(96.8 - 100)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	150	7,900	95.1	(91.6 - 98.7)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	190	8,200	91.8	(87.9 - 95.7)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	589	63,500	94.5	(90.7 - 98.3)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	146	17,100	90.3	(81.3 - 99.2)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	126	21,700	92.7	(84.4 - 100)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	355	40,400	99.7	(99.3 - 100)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	108	11,400	93.5	(89.3 - 97.7)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	133	21,700	94.9	(87.5 - 100)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	130	15,700	99.4	(98.6 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	200	22,600	97.2	(93.3 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	96.0	(94.0 - 98.0)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	247	95.0	(91.6 - 98.4)	13,893	89.1	(86.9 - 91.3)
Female	380	97.0	(95.1 - 98.9)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	589	95.0	(92.7 - 97.4)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	146	89.9	(83.6 - 96.1)	14,507	84.6	(81.8 - 87.4)
Some College	126	93.8	(88.2 - 99.4)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	355	99.5	(98.9 - 100)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	108	90.2	(84.3 - 96.2)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	133	95.5	(90.5 - 100)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	130	99.2	(98.1 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	200	98.0	(95.8 - 100)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 62a. Overweight among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	26,600	32.8	(24.1 - 41.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	*	*	*	*	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	383	12,200	30.4	(21.0 - 39.9)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	130	3,800	33.6	(24.6 - 42.7)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	150	3,700	42.9	(33.3 - 52.5)	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	200	3,200	33.9	(26.8 - 41.0)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	595	16,200	24.4	(19.1 - 29.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	153	3,200	16.6	(7.6 - 25.7)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	351	11,300	29.6	(22.2 - 37.0)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	199	7,300	31.3	(22.3 - 40.3)	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 62b. Overweight among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	35.1	(28.7 - 41.5)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	*	*	*	14,502	43.9	(40.1 - 47.6)
Female	383	31.7	(24.1 - 39.3)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	595	28.2	(23.8 - 32.6)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	153	21.0	(12.5 - 29.5)	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	351	32.1	(25.7 - 38.6)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	199	35.1	(26.5 - 43.6)	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 63a. Obesity among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	14,600	18.0	(12.6 - 23.5)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	250	7,800	18.9	(10.3 - 27.6)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	383	6,900	17.1	(10.5 - 23.8)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	130	2,900	26.0	(17.4 - 34.5)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	150	1,700	19.5	(12.9 - 26.1)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	200	1,900	19.7	(12.8 - 26.6)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	595	13,500	20.4	(14.4 - 26.4)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	153	4,200	21.8	(12.8 - 30.7)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	351	6,200	16.1	(9.0 - 23.2)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	199	3,200	13.6	(5.8 - 21.4)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 63b. Obesity among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	20.0	(15.4 - 24.5)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	250	21.9	(14.4 - 29.3)	14,502	21.5	(19.0 - 24.0)
Female	383	18.1	(12.9 - 23.3)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	595	21.5	(16.9 - 26.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	153	30.0	(20.5 - 39.6)	15,079	29.4	(25.4 - 33.3)
Some College	129	17.2	(7.8 - 26.6)	9,515	23.1	(19.2 - 27.1)
≥ College Degree	351	16.8	(10.6 - 23.0)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	135	16.1	(7.1 - 25.0)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	199	13.6	(7.7 - 19.6)	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	41,200	50.8	(42.7 - 58.9)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	*	*	*	*	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	383	19,100	47.6	(38.3 - 56.8)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	130	6,700	59.6	(50.2 - 69.0)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	150	5,400	62.4	(53.7 - 71.0)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	200	5,100	53.6	(45.9 - 61.3)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	595	29,700	44.9	(37.8 - 51.9)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	351	17,500	45.6	(37.0 - 54.2)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	*	*	*	*	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	55.1	(49.2 - 61.0)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	250	60.4	(51.4 - 69.3)	14,502	65.4	(61.3 - 69.4)
Female	383	49.8	(42.5 - 57.1)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	595	49.6	(44.4 - 54.9)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	351	49.0	(42.0 - 56.0)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	199	48.7	(40.0 - 57.4)	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	631	12,600	15.6	(11.9 - 19.3)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	249	4,800	11.7	(7.3 - 16.1)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	382	7,800	19.6	(14.1 - 25.2)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	130	3,200	28.9	(20.4 - 37.5)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	150	2,100	24.8	(17.6 - 32.0)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	199	2,300	23.7	(16.6 - 30.8)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	593	10,700	16.2	(12.6 - 19.8)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	153	3,300	17.2	(9.4 - 25.0)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	129	2,100	8.7	(3.6 - 13.7)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	349	7,300	19.1	(13.8 - 24.5)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	134	1,900	8.6	(3.4 - 13.8)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	129	1,900	12.0	(6.0 - 18.0)	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	199	4,800	20.6	(13.4 - 27.8)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	631	21.4	(17.1 - 25.6)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	249	18.1	(12.1 - 24.1)	14,499	23.4	(20.5 - 26.3)
Female	382	24.7	(18.8 - 30.5)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	593	21.5	(17.6 - 25.5)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	153	22.7	(14.5 - 30.9)	15,116	27.3	(23.4 - 31.2)
Some College	129	14.2	(6.9 - 21.6)	9,515	27.4	(22.9 - 32.0)
≥ College Degree	349	24.1	(18.1 - 30.2)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	134	12.8	(6.1 - 19.6)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	129	18.8	(9.8 - 27.9)	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	199	24.2	(16.6 - 31.9)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	161	10,900	86.1	(78.6 - 93.6)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	104	6,800	86.6	(76.6 - 96.5)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	151	9,000	83.6	(75.0 - 92.2)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	161	87.1	(80.3 - 93.9)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	104	88.5	(80.7 - 96.2)	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	151	84.3	(76.3 - 92.3)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	88	84.1	(74.8 - 93.3)	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	11,200	13.1	(8.8 - 17.5)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	253	5,900	13.9	(6.4 - 21.3)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	401	5,300	12.4	(7.9 - 17.0)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	84	1,400	13.6	(6.0 - 21.3)	4,988	556,000	19.3	(15.0 - 23.6)
45-54	131	1,600	14.0	(6.9 - 21.1)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	157	1,900	21.6	(12.3 - 31.0)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	204	2,300	23.2	(16.8 - 29.6)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	9,300	13.4	(9.0 - 17.9)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	160	4,100	20.1	(10.6 - 29.7)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	*	*	*	*	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	361	3,000	7.4	(3.5 - 11.3)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	116	2,400	18.3	(8.7 - 28.0)	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	131	1,800	11.3	(4.6 - 18.0)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	202	1,400	6.1	(2.8 - 9.5)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	14.7	(11.1 - 18.3)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	253	15.0	(9.4 - 20.7)	14,602	20.9	(17.8 - 23.9)
Female	401	14.3	(9.9 - 18.8)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	15.0	(11.5 - 18.6)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	160	26.2	(17.2 - 35.1)	15,683	32.3	(28.3 - 36.4)
Some College	133	18.7	(9.0 - 28.4)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	361	7.7	(4.4 - 11.0)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	116	24.1	(14.2 - 34.0)	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	131	13.0	(6.5 - 19.5)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	202	7.5	(3.5 - 11.6)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	25,500	29.8	(23.8 - 35.8)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	253	8,300	19.5	(12.1 - 26.9)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	401	17,200	40.0	(31.8 - 48.3)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	78	9,800	21.6	(12.1 - 31.2)	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	*	*	*	*	4,989	688,000	23.9	(19.5 - 28.3)
45-54	131	4,400	39.4	(30.1 - 48.6)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	157	3,600	40.6	(31.5 - 49.6)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	204	4,300	44.5	(36.8 - 52.2)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	615	22,100	31.8	(25.9 - 37.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	*	*	*	*	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	361	15,300	37.4	(29.5 - 45.3)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	202	8,900	37.9	(28.5 - 47.3)	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	654	33.1	(28.2 - 38.1)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	253	23.6	(17.3 - 30.0)	14,634	22.7	(19.6 - 25.9)
Female	401	42.5	(35.6 - 49.3)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	615	35.6	(30.8 - 40.3)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	160	28.1	(18.8 - 37.3)	15,726	23.3	(19.3 - 27.3)
Some College	133	23.5	(13.5 - 33.4)	9,924	27.1	(22.9 - 31.2)
≥ College Degree	361	39.8	(33.3 - 46.4)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	202	42.0	(33.7 - 50.2)	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	483	6,000	20.3	(16.2 - 24.5)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	191	2,600	19.3	(12.8 - 25.8)	10,966	489,400	14.4	(11.9 - 16.8)
Female	292	3,300	21.2	(15.8 - 26.7)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	129	2,000	18.8	(10.8 - 26.7)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	152	1,600	18.3	(12.1 - 24.5)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	202	2,300	23.9	(17.1 - 30.8)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	464	5,300	19.6	(15.5 - 23.7)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	123	1,700	24.5	(15.4 - 33.7)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	95	1,100	18.9	(9.1 - 28.7)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	265	3,100	19.1	(13.8 - 24.4)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	107	1,300	20.7	(11.2 - 30.2)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	92	800	14.2	(6.0 - 22.4)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	147	1,900	18.1	(11.4 - 24.8)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	483	20.5	(16.1 - 24.9)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	191	19.8	(13.1 - 26.6)	10,966	15.0	(12.1 - 17.8)
Female	292	21.2	(15.4 - 26.9)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	464	19.4	(15.2 - 23.5)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	123	24.4	(15.1 - 33.6)	12,417	17.4	(13.0 - 21.7)
Some College	*	*	*	7,232	19.0	(14.7 - 23.2)
≥ College Degree	265	18.8	(13.3 - 24.3)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	*	*	*	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	92	14.0	(5.7 - 22.3)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	147	18.0	(10.9 - 25.1)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Tompkins County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Tompkins County and New York State**

	Tompkins County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	483	2,000	6.8	(3.9 - 9.7)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	292	1,300	8.0	(3.9 - 12.1)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	152	500	5.2	(1.9 - 8.4)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	202	900	8.8	(3.5 - 14.1)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	464	1,400	5.1	(2.8 - 7.4)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	123	700	9.4	(3.0 - 15.9)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	265	700	4.2	(1.4 - 7.1)	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Tompkins County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Tompkins County and New York State - Age-Adjusted<sup>2</sup>**

	Tompkins County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	483	7.4	(4.0 - 10.8)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	292	8.2	(3.5 - 12.9)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	464	5.1	(2.8 - 7.5)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	123	9.6	(2.9 - 16.2)	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	265	4.6	(1.2 - 8.0)	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)