

New York State Expanded Behavioral Risk Factor Surveillance System

Ulster County

**Final Report
July 2008 - June 2009**

**New York State Department of Health
December 2009**

Contents

Introduction	12
Table 1. Ulster County and New York State adult US Census Bureau population estimates, 2007	13
General Health	
Table 2a. Fair or poor general health among adults in Ulster County and New York State	14
Table 2b. Fair or poor general health among adults in Ulster County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Ulster County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Ulster County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Ulster County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Ulster County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Ulster County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Ulster County and New York State - Age-adjusted	21
Quality Health Care	
Table 6a. Health insurance among adults in Ulster County and New York State	22
Table 6b. Health insurance among adults in Ulster County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Ulster County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Ulster County and New York State - Age-adjusted	25
Table 8a. No health insurance among adults in Ulster County and New York State	26

Contents

Table 8b. No health insurance among adults in Ulster County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Ulster County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Ulster County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Ulster County and New York State	30
Table 10b. Adults with regular health care provider in Ulster County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Ulster County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Ulster County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Ulster County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Ulster County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Ulster County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Ulster County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Ulster County and New York State	38
Table 14b. Dentist visit within the past year among adults in Ulster County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Ulster County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Ulster County and New York State - Age-adjusted	41
Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Ulster County and New York State	42

Contents

Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Ulster County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Ulster County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Ulster County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Ulster County and New York State	46
Table 18b. Flu shot within the past 12 months in Ulster County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Ulster County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Ulster County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Ulster County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Ulster County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Ulster County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Ulster County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Ulster County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Ulster County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Ulster County and New York State	56
Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Ulster County and New York State - Age-adjusted	57

Contents

Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Ulster County and New York State	58
Table 24b. Ever had a mammogram among women aged 40 and older in Ulster County and New York State - Age-adjusted	59
Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Ulster County and New York State	60
Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Ulster County and New York State - Age-adjusted	61
Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Ulster County and New York State	62
Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Ulster County and New York State - Age-adjusted	63
Table 27a. Ever had a Pap test among women in Ulster County and New York State	64
Table 27b. Ever had a Pap test among women in Ulster County and New York State - Age-adjusted	65
Table 28a. Had a Pap test within the past 3 years among women in Ulster County and New York State	66
Table 28b. Had a Pap test within the past 3 years among women in Ulster County and New York State - Age-adjusted	67
Table 29a. Ever had a digital rectal exam among men aged 40 and older in Ulster County and New York State	68
Table 29b. Ever had a digital rectal exam among men aged 40 and older in Ulster County and New York State - Age-adjusted	69
Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Ulster County and New York State	70
Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Ulster County and New York State - Age-adjusted	71

Contents

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Ulster County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Ulster County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Ulster County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Ulster County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Ulster County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Ulster County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Ulster County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Ulster County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Ulster County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Ulster County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Ulster County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Ulster County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Ulster County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Ulster County and New York State - Age-adjusted	85
Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ulster County and New York State	86

Contents

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ulster County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ulster County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Ulster County and New York State - Age-adjusted	89
Chronic Diseases	
Table 40a. High blood pressure among adults in Ulster County and New York State	90
Table 40b. High blood pressure among adults in Ulster County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Ulster County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Ulster County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Ulster County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Ulster County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Ulster County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Ulster County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Ulster County and New York State	98
Table 44b. Cardiovascular disease among adults in Ulster County and New York State - Age-adjusted	99
Table 45a. Coronary heart disease among adults in Ulster County and New York State	100

Contents

Table 45b. Coronary heart disease among adults in Ulster County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Ulster County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Ulster County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Ulster County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Ulster County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Ulster County and New York State	106
Table 48b. Current asthma among adults in Ulster County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Ulster County and New York State	108
Table 49b. Chronic joint symptoms among adults in Ulster County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Ulster County and New York State	110
Table 50b. Arthritis among adults in Ulster County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Ulster County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Ulster County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Ulster County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Ulster County and New York State - Age-adjusted	115
Table 53a. Disability among adults in Ulster County and New York State	116
Table 53b. Disability among adults in Ulster County and New York State - Age-adjusted	117

Contents

Health Behaviors

Table 54a. Current smoking among adults in Ulster County and New York State	118
Table 54b. Current smoking among adults in Ulster County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Ulster County and New York State	120
Table 55b. Everyday smoking among adults in Ulster County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Ulster County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Ulster County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Ulster County and New York State	124
Table 57b. Binge drinking within the past month among adults in Ulster County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Ulster County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Ulster County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Ulster County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Ulster County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Ulster County and New York State	130
Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Ulster County and New York State - Age-adjusted	131

Contents

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Ulster County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Ulster County and New York State - Age-adjusted	133

Overweight / Obesity

Table 62a. Overweight among adults in Ulster County and New York State	134
Table 62b. Overweight among adults in Ulster County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Ulster County and New York State	136
Table 63b. Obesity among adults in Ulster County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Ulster County and New York State	138
Table 64b. Overweight or obesity among adults in Ulster County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Ulster County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Ulster County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Ulster County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Ulster County and New York State - Age-adjusted	143

Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Ulster County and New York State	144
Table 67b. No leisure-time physical activity among adults in Ulster County and New York State - Age-adjusted	145

Contents

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Ulster County and New York State 146

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Ulster County and New York State - Age-adjusted 147

Injury

Table 69a. Had a fall within the past 3 months among adults in Ulster County and New York State 148

Table 69b. Had a fall within the past 3 months among adults in Ulster County and New York State - Age-adjusted 149

Table 70a. Had a fall that caused injury within the past 3 months among adults in Ulster County and New York State 150

Table 70b. Had a fall that caused injury within the past 3 months among adults in Ulster County and New York State - Age-adjusted 151

Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 1. Ulster County and New York State adult US Census Bureau population estimates,¹ 2007

	Ulster County		New York State	
	Adult Population ¹	Percent	Adult Population ¹	Percent
Total	144,245	100	14,884,315	100
Gender				
Male	71,443	49.5	7,103,791	47.7
Female	72,802	50.5	7,780,524	52.3
Age (years)				
18-34	41,753	28.9	4,497,479	30.2
35-44	25,719	17.8	2,844,115	19.1
45-54	29,213	20.3	2,854,316	19.2
55-64	22,813	15.8	2,142,000	14.4
≥ 65	24,747	17.2	2,546,405	17.1
Race/Ethnicity				
White Non-Hispanic	123,084	85.3	9,343,884	62.8
Black Non-Hispanic	8,516	5.9	2,156,941	14.5
Hispanic	9,670	6.7	2,258,717	15.2
Other Non-Hispanic	2,975	2.1	1,124,773	7.6

¹ Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 2a. Fair or poor general health among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	21,700	15.1	(11.2 - 19.0)	38,124	2,531,400	17.1	(15.1 - 19.0)
Gender								
Male	267	10,800	15.1	(9.8 - 20.5)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	381	10,900	15.1	(9.4 - 20.7)	23,525	1,461,700	18.8	(16.1 - 21.6)
Age (years)								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	150	4,800	16.3	(9.3 - 23.3)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	138	4,200	18.2	(10.7 - 25.7)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	209	5,000	20.5	(14.4 - 26.5)	12,623	773,900	30.5	(26.8 - 34.2)
Race/Ethnicity								
White Non-Hispanic	595	17,800	14.5	(10.8 - 18.1)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	*	*	*	*	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
Education								
≤ High School	230	11,100	21.3	(13.2 - 29.4)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	185	8,200	19.0	(11.6 - 26.4)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	232	2,300	4.6	(1.9 - 7.4)	12,457	493,500	8.8	(6.5 - 11.1)
Income								
≤ \$24,999	148	7,600	26.6	(17.7 - 35.4)	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	163	3,700	11.2	(5.7 - 16.8)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	147	3,000	7.5	(1.2 - 13.7)	8,562	218,300	4.9	(3.6 - 6.1)

¹ Defined as reporting fair or poor general health

² Sample size from survey

³ Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 2b. Fair or poor general health among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	14.7	(10.6 - 18.9)	38,124	16.7	(14.8 - 18.6)
Gender						
Male	267	14.9	(9.4 - 20.4)	14,599	15.3	(12.6 - 18.0)
Female	381	14.6	(8.4 - 20.7)	23,525	18.0	(15.2 - 20.7)
Race/Ethnicity						
White Non-Hispanic	595	14.1	(10.3 - 17.9)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	*	*	*	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
Education						
≤ High School	230	21.4	(12.7 - 30.1)	15,682	25.8	(22.1 - 29.5)
Some College	185	17.7	(10.2 - 25.2)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	232	4.6	(1.7 - 7.4)	12,457	8.5	(6.3 - 10.8)
Income						
≤ \$24,999	148	25.1	(16.3 - 33.8)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	163	11.3	(5.4 - 17.3)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	147	6.9	(0.6 - 13.1)	8,562	4.7	(3.5 - 6.0)

¹ Defined as reporting fair or poor general health

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 3a. Poor physical health 14 or more days within the past month among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	16,100	11.5	(8.6 - 14.4)	37,327	1,472,900	10.1	(8.7 - 11.6)
Gender								
Male	262	5,700	8.1	(4.5 - 11.6)	14,325	604,200	8.7	(7.0 - 10.5)
Female	374	10,500	14.9	(10.4 - 19.4)	23,002	868,600	11.4	(9.2 - 13.6)
Age (years)								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	83	3,000	11.6	(3.7 - 19.4)	4,948	232,100	8.1	(5.2 - 11.1)
45-54	150	4,600	15.7	(8.5 - 22.9)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	133	3,600	16.6	(10.0 - 23.2)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	203	3,500	14.7	(8.9 - 20.5)	12,103	350,600	14.5	(12.1 - 16.9)
Race/Ethnicity								
White Non-Hispanic	587	15,400	12.6	(9.4 - 15.8)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
Education								
≤ High School	223	7,200	14.6	(9.0 - 20.1)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	181	5,900	13.9	(7.9 - 19.9)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	231	3,000	6.2	(3.1 - 9.3)	12,327	359,300	6.4	(4.8 - 8.1)
Income								
≤ \$24,999	142	6,300	22.8	(14.3 - 31.3)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	162	3,400	10.3	(4.9 - 15.8)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	120	2,900	11.0	(3.3 - 18.7)	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	147	1,600	4.1	(1.3 - 6.9)	8,510	219,100	4.9	(3.6 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Sample size from survey

³ Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 3b. Poor physical health 14 or more days within the past month among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	11.1	(8.1 - 14.0)	37,327	9.9	(8.4 - 11.4)
Gender						
Male	262	7.9	(4.2 - 11.6)	14,325	8.7	(6.9 - 10.5)
Female	374	14.3	(9.7 - 18.8)	23,002	11.0	(8.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	587	12.3	(8.9 - 15.6)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
Education						
≤ High School	223	14.3	(8.4 - 20.2)	15,178	12.7	(10.2 - 15.1)
Some College	181	12.8	(6.9 - 18.8)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	231	6.2	(2.9 - 9.4)	12,327	6.3	(4.7 - 8.0)
Income						
≤ \$24,999	142	22.0	(13.3 - 30.8)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	162	9.5	(4.4 - 14.7)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	120	10.5	(2.7 - 18.3)	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	147	4.0	(1.0 - 6.9)	8,510	4.9	(3.5 - 6.2)

¹ Defined as 14 or more days within the past month when physical health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 4a. Poor mental health 14 or more days within the past month among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	18,600	13.2	(9.9 - 16.4)	37,528	1,473,200	10.1	(8.6 - 11.5)
Gender								
Male	261	6,300	9.0	(4.9 - 13.1)	14,407	555,200	7.9	(6.3 - 9.6)
Female	373	12,400	17.3	(12.4 - 22.1)	23,121	918,000	12.0	(9.7 - 14.3)
Age (years)								
18-34	67	5,800	14.0	(6.2 - 21.7)	3,889	496,700	11.2	(7.4 - 15.1)
35-44	81	4,800	19.5	(10.1 - 29.0)	4,947	254,100	8.9	(6.7 - 11.1)
45-54	148	4,600	16.0	(9.6 - 22.4)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	132	2,200	9.9	(5.0 - 14.7)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	206	1,200	5.0	(1.9 - 8.2)	12,320	163,900	6.7	(4.7 - 8.7)
Race/Ethnicity								
White Non-Hispanic	582	17,200	14.3	(10.7 - 17.9)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
Education								
≤ High School	226	8,100	15.8	(9.7 - 21.9)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	178	5,900	14.0	(7.7 - 20.3)	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	229	4,600	9.7	(5.3 - 14.1)	12,342	346,600	6.2	(4.5 - 7.9)
Income								
≤ \$24,999	143	6,000	21.3	(13.1 - 29.6)	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	161	4,600	14.1	(6.8 - 21.4)	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	117	3,100	12.0	(3.6 - 20.5)	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	146	3,600	9.2	(4.1 - 14.4)	8,520	276,500	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Sample size from survey

³ Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 4b. Poor mental health 14 or more days within the past month among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	13.6	(10.1 - 17.1)	37,528	10.2	(8.7 - 11.7)
Gender						
Male	261	9.3	(4.8 - 13.7)	14,407	7.9	(6.3 - 9.6)
Female	373	17.8	(12.5 - 23.1)	23,121	12.2	(9.8 - 14.6)
Race/Ethnicity						
White Non-Hispanic	582	14.7	(10.8 - 18.7)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
Education						
≤ High School	226	15.9	(9.5 - 22.3)	15,335	12.3	(10.0 - 14.6)
Some College	178	14.7	(7.8 - 21.6)	9,771	11.8	(8.5 - 15.1)
≥ College Degree	229	10.2	(5.4 - 15.0)	12,342	6.3	(4.6 - 8.0)
Income						
≤ \$24,999	143	21.6	(12.9 - 30.4)	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	161	14.7	(6.9 - 22.5)	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	117	12.9	(3.6 - 22.3)	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	146	9.5	(3.9 - 15.0)	8,520	6.2	(4.6 - 7.7)

¹ Defined as 14 or more days within the past month when mental health was not good

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 5a. Poor physical or mental health 14 or more days within the past month among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	626	28,200	20.3	(16.4 - 24.2)	37,005	2,385,900	16.5	(14.8 - 18.2)
Gender								
Male	258	9,900	14.3	(9.2 - 19.3)	14,231	937,700	13.6	(11.4 - 15.8)
Female	368	18,300	26.4	(20.7 - 32.0)	22,774	1,448,200	19.1	(16.5 - 21.7)
Age (years)								
18-34	66	6,100	15.4	(7.2 - 23.6)	3,859	602,600	13.8	(9.7 - 17.9)
35-44	*	*	*	*	4,924	388,300	13.7	(10.4 - 17.0)
45-54	148	7,200	25.0	(16.7 - 33.2)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	129	4,400	20.8	(13.5 - 28.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	201	4,300	17.9	(11.7 - 24.2)	11,955	448,500	18.8	(15.9 - 21.7)
Race/Ethnicity								
White Non-Hispanic	578	26,100	21.7	(17.4 - 26.0)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
Education								
≤ High School	221	12,700	25.7	(18.2 - 33.3)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	176	9,700	23.2	(15.5 - 30.8)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	228	5,800	12.2	(7.6 - 16.9)	12,244	634,200	11.4	(9.2 - 13.6)
Income								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	160	7,100	21.8	(13.4 - 30.2)	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	117	5,000	19.5	(9.9 - 29.2)	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	146	4,200	10.8	(5.4 - 16.2)	8,475	447,600	10.0	(8.1 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Sample size from survey

³ Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 5b. Poor physical or mental health 14 or more days within the past month among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	626	20.3	(16.2 - 24.4)	37,005	16.4	(14.7 - 18.2)
Gender						
Male	258	14.4	(9.0 - 19.8)	14,231	13.6	(11.4 - 15.8)
Female	368	26.2	(20.3 - 32.2)	22,774	19.0	(16.3 - 21.6)
Race/Ethnicity						
White Non-Hispanic	578	21.8	(17.2 - 26.3)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
Education						
≤ High School	221	26.0	(18.0 - 33.9)	15,018	20.1	(17.1 - 23.1)
Some College	176	22.8	(14.8 - 30.7)	9,672	17.6	(14.1 - 21.1)
≥ College Degree	228	12.3	(7.3 - 17.3)	12,244	11.4	(9.2 - 13.7)
Income						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	160	21.5	(12.8 - 30.2)	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	146	11.1	(5.2 - 16.9)	8,475	10.0	(8.0 - 12.0)

¹ Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 6a. Health insurance among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	124,900	86.9	(82.1 - 91.6)	38,119	12,854,200	86.6	(84.2 - 89.0)
Gender								
Male	267	60,200	84.2	(76.6 - 91.9)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	378	64,800	89.4	(83.9 - 95.0)	23,522	6,973,100	89.9	(87.2 - 92.6)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	83	23,300	90.7	(83.8 - 97.5)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	150	25,800	88.4	(83.3 - 93.5)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	136	21,000	92.6	(88.7 - 96.6)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	208	24,200	98.7	(97.1 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
Race/Ethnicity								
White Non-Hispanic	593	108,600	88.4	(84.2 - 92.7)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	185	38,600	89.5	(82.9 - 96.1)	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	231	46,400	95.8	(93.2 - 98.5)	12,459	5,361,700	95.3	(93.3 - 97.2)
Income								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	163	27,600	83.2	(74.0 - 92.3)	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	120	26,100	99.1	(97.7 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	147	37,000	93.7	(87.3 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 6b. Health insurance among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	86.6	(81.5 - 91.6)	38,119	86.7	(84.4 - 89.1)
Gender						
Male	267	84.1	(76.3 - 92.0)	14,597	83.6	(79.7 - 87.5)
Female	378	88.9	(82.7 - 95.1)	23,522	89.6	(86.8 - 92.3)
Race/Ethnicity						
White Non-Hispanic	593	88.2	(83.6 - 92.7)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,673	80.1	(75.4 - 84.7)
Some College	185	88.9	(81.8 - 96.0)	9,906	84.6	(79.7 - 89.4)
≥ College Degree	231	96.0	(93.2 - 98.8)	12,459	95.4	(93.6 - 97.2)
Income						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	163	82.4	(72.8 - 92.0)	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	120	99.3	(98.2 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	147	93.3	(86.6 - 100)	8,567	97.5	(96.6 - 98.5)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 7a. Health insurance among adults aged 18-64¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	432	99,800	84.4	(78.7 - 90.0)	25,165	10,251,300	84.2	(81.3 - 87.1)
Gender								
Male	177	48,800	81.5	(72.5 - 90.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	255	51,100	87.3	(80.5 - 94.0)	15,087	5,411,400	88.0	(84.7 - 91.3)
Age (years)								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	83	23,300	90.7	(83.8 - 97.5)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	150	25,800	88.4	(83.3 - 93.5)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	131	20,000	92.6	(88.5 - 96.7)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	390	85,000	86.0	(80.7 - 91.2)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	144	33,800	88.6	(81.2 - 96.0)	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	154	37,000	95.0	(91.7 - 98.3)	9,068	4,502,400	94.5	(92.2 - 96.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	90	22,100	98.9	(97.3 - 100)	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	123	34,000	93.4	(86.6 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 7b. Health insurance among adults aged 18-64¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	432	84.0	(78.1 - 90.0)	25,165	84.3	(81.5 - 87.2)
Gender						
Male	177	81.0	(71.6 - 90.4)	10,078	80.5	(75.9 - 85.1)
Female	255	87.0	(79.6 - 94.3)	15,087	87.9	(84.6 - 91.2)
Race/Ethnicity						
White Non-Hispanic	390	85.7	(80.2 - 91.2)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	144	88.0	(80.1 - 96.0)	7,031	82.6	(77.1 - 88.1)
≥ College Degree	154	95.2	(91.8 - 98.6)	9,068	94.6	(92.5 - 96.8)
Income						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	90	99.1	(97.8 - 100)	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	123	93.1	(85.8 - 100)	7,324	97.3	(96.3 - 98.3)

¹ Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 8a. No health insurance among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	18,900	13.1	(8.4 - 17.9)	38,119	1,989,300	13.4	(11.0 - 15.8)
Gender								
Male	267	11,300	15.8	(8.1 - 23.4)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	378	7,600	10.6	(5.0 - 16.1)	23,522	781,900	10.1	(7.4 - 12.8)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	150	3,400	11.6	(6.5 - 16.7)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	136	1,700	7.4	(3.4 - 11.3)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
Race/Ethnicity								
White Non-Hispanic	593	14,200	11.6	(7.3 - 15.8)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	185	4,500	10.5	(3.9 - 17.1)	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	231	2,000	4.2	(1.5 - 6.8)	12,459	266,300	4.7	(2.8 - 6.7)
Income								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	163	5,600	16.8	(7.7 - 26.0)	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Sample size from survey

³ Estimated number of adults who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 8b. No health insurance among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	13.4	(8.4 - 18.5)	38,119	13.3	(10.9 - 15.6)
Gender						
Male	267	15.9	(8.0 - 23.7)	14,597	16.4	(12.5 - 20.3)
Female	378	11.1	(4.9 - 17.3)	23,522	10.4	(7.7 - 13.2)
Race/Ethnicity						
White Non-Hispanic	593	11.8	(7.3 - 16.4)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,673	19.9	(15.3 - 24.6)
Some College	185	11.1	(4.0 - 18.2)	9,906	15.4	(10.6 - 20.3)
≥ College Degree	231	4.0	(1.2 - 6.8)	12,459	4.6	(2.8 - 6.4)
Income						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	163	17.6	(8.0 - 27.2)	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 9a. No health insurance among adults aged 18-64¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	432	18,500	15.6	(10.0 - 21.3)	25,165	1,928,400	15.8	(12.9 - 18.7)
Gender								
Male	177	11,100	18.5	(9.5 - 27.5)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	255	7,400	12.7	(6.0 - 19.5)	15,087	738,200	12.0	(8.7 - 15.3)
Age (years)								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	150	3,400	11.6	(6.5 - 16.7)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	131	1,600	7.4	(3.3 - 11.5)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
Race/Ethnicity								
White Non-Hispanic	390	13,900	14.0	(8.8 - 19.3)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	144	4,300	11.4	(4.0 - 18.8)	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	154	1,900	5.0	(1.7 - 8.3)	9,068	261,200	5.5	(3.2 - 7.8)
Income								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Sample size from survey

³ Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 9b. No health insurance among adults aged 18-64¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	432	16.0	(10.0 - 21.9)	25,165	15.7	(12.8 - 18.5)
Gender						
Male	177	19.0	(9.6 - 28.4)	10,078	19.5	(14.9 - 24.1)
Female	255	13.0	(5.7 - 20.4)	15,087	12.1	(8.8 - 15.4)
Race/Ethnicity						
White Non-Hispanic	390	14.3	(8.8 - 19.8)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	144	12.0	(4.0 - 19.9)	7,031	17.4	(11.9 - 22.9)
≥ College Degree	154	4.8	(1.4 - 8.2)	9,068	5.4	(3.2 - 7.5)
Income						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

¹ Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 10a. Adults with regular health care provider¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	118,900	82.9	(78.1 - 87.7)	38,135	12,324,300	83.0	(80.4 - 85.6)
Gender								
Male	266	54,300	76.8	(68.6 - 85.0)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	382	64,600	88.7	(84.0 - 93.4)	23,542	6,830,000	87.8	(85.1 - 90.5)
Age (years)								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	82	21,300	85.5	(76.6 - 94.3)	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	150	25,400	87.0	(81.1 - 93.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	138	20,700	90.7	(86.0 - 95.5)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	210	23,400	94.6	(91.4 - 97.7)	12,625	2,390,400	94.1	(92.2 - 96.0)
Race/Ethnicity								
White Non-Hispanic	596	104,800	85.1	(80.4 - 89.9)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	38,800	75.1	(65.7 - 84.5)	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	185	36,300	84.1	(75.2 - 92.9)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	232	43,600	90.0	(84.4 - 95.5)	12,456	5,046,100	89.8	(87.1 - 92.6)
Income								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	120	25,300	95.9	(92.2 - 99.5)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	147	33,400	84.7	(76.4 - 92.9)	8,560	4,122,800	91.9	(90.2 - 93.7)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Sample size from survey

³ Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 10b. Adults with regular health care provider¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	82.4	(77.4 - 87.5)	38,135	83.0	(80.4 - 85.5)
Gender						
Male	266	76.5	(68.0 - 84.9)	14,593	78.1	(73.9 - 82.3)
Female	382	88.2	(83.0 - 93.4)	23,542	87.4	(84.6 - 90.1)
Race/Ethnicity						
White Non-Hispanic	596	84.7	(79.6 - 89.7)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	75.0	(65.3 - 84.7)	15,692	75.8	(71.0 - 80.6)
Some College	185	83.4	(74.1 - 92.8)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	232	89.4	(83.2 - 95.6)	12,456	89.8	(87.1 - 92.4)
Income						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	120	95.7	(91.7 - 99.8)	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	147	83.9	(75.2 - 92.6)	8,560	91.6	(89.8 - 93.4)

¹ Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 11a. Cost prevented visit to doctor within the past year among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	17,500	12.1	(8.6 - 15.6)	38,143	2,034,800	13.7	(11.6 - 15.8)
Gender								
Male	267	8,700	12.2	(6.3 - 18.0)	14,607	903,300	12.7	(9.5 - 16.0)
Female	382	8,800	12.1	(8.1 - 16.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
Age (years)								
18-34	68	5,500	13.1	(3.9 - 22.3)	3,939	947,300	21.2	(15.6 - 26.9)
35-44	83	4,800	18.5	(9.3 - 27.8)	4,987	347,900	12.1	(8.0 - 16.2)
45-54	150	3,700	12.7	(6.5 - 18.9)	7,825	382,200	13.5	(9.9 - 17.1)
55-64	138	2,600	11.3	(6.1 - 16.4)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	*	*	*	*	12,626	120,600	4.8	(2.5 - 7.0)
Race/Ethnicity								
White Non-Hispanic	596	13,600	11.0	(7.7 - 14.4)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
Education								
≤ High School	231	7,900	15.1	(8.4 - 21.8)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	185	4,600	10.7	(5.3 - 16.0)	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	232	5,000	10.2	(4.4 - 16.1)	12,453	466,900	8.3	(6.0 - 10.6)
Income								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	163	5,400	16.2	(9.1 - 23.3)	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Sample size from survey

³ Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 11b. Cost prevented visit to doctor within the past year among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	12.3	(8.6 - 16.1)	38,143	13.8	(11.7 - 15.9)
Gender						
Male	267	12.2	(6.2 - 18.2)	14,607	12.5	(9.4 - 15.6)
Female	382	12.5	(8.0 - 16.9)	23,536	15.0	(12.1 - 17.9)
Race/Ethnicity						
White Non-Hispanic	596	11.3	(7.7 - 14.9)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
Education						
≤ High School	231	15.0	(8.1 - 21.9)	15,696	17.8	(13.8 - 21.7)
Some College	185	11.3	(5.3 - 17.3)	9,911	15.3	(11.0 - 19.5)
≥ College Degree	232	10.4	(4.2 - 16.6)	12,453	8.2	(6.0 - 10.5)
Income						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	163	16.8	(9.2 - 24.4)	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

¹ Defined as needing to see a doctor within the past year but not being able to because of cost

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 12a. Visited a doctor for routine checkup within the past year among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	102,200	71.0	(65.6 - 76.4)	38,026	10,809,300	72.9	(70.6 - 75.3)
Gender								
Male	267	48,200	67.4	(59.0 - 75.8)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	380	54,000	74.5	(67.8 - 81.3)	23,434	6,070,900	78.5	(75.9 - 81.0)
Age (years)								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	150	22,200	76.1	(68.0 - 84.1)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	138	19,200	84.1	(77.8 - 90.4)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	208	21,700	88.7	(84.0 - 93.5)	12,573	2,276,000	90.0	(87.5 - 92.5)
Race/Ethnicity								
White Non-Hispanic	594	87,600	71.3	(65.9 - 76.7)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	185	29,500	68.4	(58.9 - 77.8)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	231	38,800	80.2	(73.0 - 87.4)	12,428	4,042,900	71.9	(68.5 - 75.3)
Income								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	163	24,900	75.2	(65.6 - 84.7)	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	147	28,200	71.5	(61.9 - 81.2)	8,547	3,176,500	70.7	(67.3 - 74.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 12b. Visited a doctor for routine checkup within the past year among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	69.7	(64.0 - 75.4)	38,026	72.7	(70.3 - 75.0)
Gender						
Male	267	66.4	(57.7 - 75.1)	14,592	67.1	(63.3 - 70.9)
Female	380	73.0	(65.6 - 80.4)	23,434	77.7	(75.1 - 80.3)
Race/Ethnicity						
White Non-Hispanic	594	70.1	(64.4 - 75.8)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,640	74.4	(70.4 - 78.4)
Some College	*	*	*	9,880	70.9	(65.9 - 76.0)
≥ College Degree	231	79.3	(71.5 - 87.1)	12,428	71.7	(68.3 - 75.0)
Income						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	*	*	*	8,547	70.3	(66.9 - 73.8)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 13a. Visited a doctor for routine checkup within the past 2 years among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	119,800	83.2	(78.7 - 87.8)	38,026	12,726,600	85.9	(83.9 - 87.9)
Gender								
Male	267	56,900	79.7	(72.7 - 86.7)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	380	62,900	86.7	(80.8 - 92.6)	23,434	6,934,700	89.6	(87.9 - 91.3)
Age (years)								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	150	25,200	86.3	(80.2 - 92.4)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	138	20,100	88.0	(82.3 - 93.8)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	208	23,000	94.2	(90.6 - 97.8)	12,573	2,402,900	95.0	(93.5 - 96.5)
Race/Ethnicity								
White Non-Hispanic	594	103,200	84.0	(79.7 - 88.3)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	*	*	*	*	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	41,900	80.2	(71.1 - 89.2)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	185	35,000	81.1	(73.1 - 89.1)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	231	42,800	88.4	(82.6 - 94.2)	12,428	4,928,300	87.6	(85.3 - 89.9)
Income								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	163	26,100	78.9	(69.6 - 88.2)	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	119	24,100	91.8	(85.9 - 97.7)	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	147	34,700	88.0	(81.5 - 94.5)	8,547	3,907,000	87.0	(84.8 - 89.2)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Sample size from survey

³ Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 13b. Visited a doctor for routine checkup within the past 2 years among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	82.6	(77.7 - 87.5)	38,026	85.7	(83.7 - 87.6)
Gender						
Male	267	79.0	(71.6 - 86.4)	14,592	81.9	(78.4 - 85.3)
Female	380	86.1	(79.6 - 92.6)	23,434	89.1	(87.4 - 90.9)
Race/Ethnicity						
White Non-Hispanic	594	83.5	(78.8 - 88.1)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	*	*	*	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	79.9	(70.3 - 89.5)	15,640	84.6	(81.1 - 88.1)
Some College	185	79.6	(70.9 - 88.3)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	231	88.1	(81.8 - 94.4)	12,428	87.3	(85.0 - 89.6)
Income						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	*	*	*	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	119	91.9	(85.7 - 98.1)	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	147	87.4	(80.4 - 94.4)	8,547	86.4	(84.2 - 88.7)

¹ Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 14a. Dentist visit within the past year among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	97,500	68.3	(63.1 - 73.6)	38,026	10,540,400	71.1	(68.6 - 73.6)
Gender								
Male	266	46,400	65.0	(56.7 - 73.4)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	378	51,100	71.7	(65.2 - 78.1)	23,453	5,694,600	73.6	(70.4 - 76.8)
Age (years)								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	83	18,900	73.5	(63.5 - 83.4)	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	149	22,300	76.5	(67.3 - 85.6)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	138	17,100	74.8	(66.3 - 83.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	208	16,100	65.6	(58.5 - 72.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
Race/Ethnicity								
White Non-Hispanic	591	85,900	70.7	(65.5 - 75.8)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	228	29,900	58.5	(48.6 - 68.3)	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	183	29,900	69.5	(60.6 - 78.4)	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	232	37,800	78.0	(70.1 - 85.8)	12,453	4,402,400	78.2	(74.6 - 81.8)
Income								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	*	*	*	*	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	147	32,400	82.0	(74.4 - 89.6)	8,564	3,707,900	82.4	(79.5 - 85.3)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Sample size from survey

³ Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 14b. Dentist visit within the past year among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	67.8	(62.2 - 73.3)	38,026	71.1	(68.6 - 73.5)
Gender						
Male	266	64.8	(56.2 - 73.3)	14,573	68.3	(64.6 - 72.1)
Female	378	70.8	(63.7 - 77.9)	23,453	73.6	(70.4 - 76.8)
Race/Ethnicity						
White Non-Hispanic	591	69.8	(64.4 - 75.3)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,613	65.3	(60.9 - 69.6)
Some College	183	68.5	(59.0 - 78.0)	9,880	70.4	(65.7 - 75.1)
≥ College Degree	232	76.5	(68.4 - 84.7)	12,453	78.1	(74.6 - 81.7)
Income						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	*	*	*	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	147	80.8	(72.7 - 88.9)	8,564	82.1	(79.1 - 85.0)

¹ Defined as having visited a dentist or a dental clinic for any reason within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 15a. Had teeth cleaned within the past year among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	592	88,000	64.9	(59.3 - 70.6)	34,070	9,985,900	71.7	(69.1 - 74.3)
Gender								
Male	244	43,400	64.1	(55.3 - 73.0)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	348	44,700	65.8	(58.7 - 72.8)	20,897	5,369,500	74.2	(70.8 - 77.5)
Age (years)								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	147	19,600	67.6	(57.6 - 77.5)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	132	16,100	72.7	(63.8 - 81.6)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	166	14,600	74.7	(67.6 - 81.9)	9,991	1,543,900	77.1	(73.7 - 80.5)
Race/Ethnicity								
White Non-Hispanic	546	78,200	67.6	(62.1 - 73.1)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	171	26,600	65.2	(55.6 - 74.7)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	225	36,400	76.4	(68.5 - 84.4)	12,128	4,298,500	78.3	(74.8 - 81.7)
Income								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	*	*	*	*	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	146	31,900	81.1	(73.3 - 88.9)	8,448	3,617,500	80.8	(77.8 - 83.8)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Sample size from survey

³ Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 15b. Had teeth cleaned within the past year among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	592	64.4	(58.5 - 70.2)	34,070	71.7	(69.1 - 74.2)
Gender						
Male	244	64.0	(55.0 - 73.1)	13,173	69.2	(65.3 - 73.1)
Female	348	64.7	(57.1 - 72.2)	20,897	73.9	(70.5 - 77.3)
Race/Ethnicity						
White Non-Hispanic	546	66.8	(61.1 - 72.6)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	225	75.3	(67.1 - 83.6)	12,128	78.3	(74.9 - 81.7)
Income						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	*	*	*	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	146	79.5	(71.1 - 87.9)	8,448	80.4	(77.4 - 83.4)

¹ Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 16a. Permanent teeth extracted due to decay or gum disease among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	635	73,100	51.4	(46.0 - 56.8)	37,652	7,426,500	50.4	(47.8 - 52.9)
Gender								
Male	260	35,300	50.1	(41.5 - 58.7)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	375	37,800	52.7	(46.0 - 59.3)	23,195	4,059,500	52.7	(49.5 - 56.0)
Age (years)								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	148	17,000	58.9	(49.7 - 68.2)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	136	14,600	65.6	(56.2 - 75.1)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	202	19,200	80.2	(74.1 - 86.3)	12,339	2,076,900	83.0	(80.6 - 85.4)
Race/Ethnicity								
White Non-Hispanic	584	57,000	46.9	(41.6 - 52.3)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	224	31,200	60.5	(50.6 - 70.4)	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	181	21,500	50.6	(40.6 - 60.5)	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	229	20,500	42.5	(34.3 - 50.8)	12,351	2,242,600	40.1	(36.5 - 43.6)
Income								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	144	12,800	33.1	(23.7 - 42.5)	8,516	1,738,200	38.8	(35.3 - 42.2)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Sample size from survey

³ Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 16b. Permanent teeth extracted due to decay or gum disease among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	635	49.7	(44.1 - 55.4)	37,652	49.4	(46.9 - 51.9)
Gender						
Male	260	49.3	(40.6 - 58.1)	14,457	47.9	(44.1 - 51.7)
Female	375	50.1	(43.0 - 57.3)	23,195	50.7	(47.4 - 54.0)
Race/Ethnicity						
White Non-Hispanic	584	45.1	(39.5 - 50.6)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	229	41.1	(32.6 - 49.5)	12,351	39.0	(35.5 - 42.5)
Income						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	144	31.7	(22.2 - 41.2)	8,516	37.7	(34.2 - 41.1)

¹ Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	202	4,300	18.1	(12.0 - 24.1)	12,339	491,200	19.6	(16.0 - 23.3)
Gender								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	119	2,000	14.6	(8.3 - 20.8)	7,987	324,000	21.8	(16.6 - 27.0)
Age (years)								
≥ 65	202	4,300	18.1	(12.0 - 24.1)	12,339	491,200	19.6	(16.0 - 23.3)
Race/Ethnicity								
White Non-Hispanic	193	3,600	16.1	(10.5 - 21.7)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
Income								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	202	18.5	(12.2 - 24.9)	12,339	19.4	(15.7 - 23.2)
Gender						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	119	14.6	(8.3 - 20.8)	7,987	22.1	(16.6 - 27.7)
Race/Ethnicity						
White Non-Hispanic	193	16.2	(10.3 - 22.1)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
Income						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

¹ Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 18a. Flu shot within the past 12 months¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	48,300	33.5	(28.7 - 38.4)	38,079	6,255,900	42.3	(39.9 - 44.8)
Gender								
Male	266	21,700	30.4	(23.0 - 37.8)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	382	26,600	36.6	(30.4 - 42.7)	23,500	3,456,900	44.8	(41.6 - 47.9)
Age (years)								
18-49	207	18,100	22.6	(15.3 - 30.0)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	231	13,200	33.3	(26.3 - 40.4)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	210	17,100	68.9	(62.1 - 75.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	595	42,700	34.8	(29.8 - 39.7)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	14,600	27.8	(20.1 - 35.6)	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	185	17,500	40.5	(30.7 - 50.2)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	231	16,200	33.6	(26.4 - 40.9)	12,436	2,404,400	43.0	(39.5 - 46.4)
Income								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	163	9,800	29.4	(20.9 - 38.0)	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	120	7,000	26.6	(17.5 - 35.8)	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	146	13,600	34.6	(25.0 - 44.3)	8,548	1,776,100	39.6	(36.3 - 42.8)

¹ Defined as having had a flu shot within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 18b. Flu shot within the past 12 months¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	32.7	(27.7 - 37.7)	38,079	41.7	(39.2 - 44.1)
Gender						
Male	266	30.8	(23.2 - 38.4)	14,579	40.0	(36.2 - 43.8)
Female	382	34.6	(28.1 - 41.0)	23,500	43.1	(40.0 - 46.3)
Race/Ethnicity						
White Non-Hispanic	595	34.0	(28.8 - 39.1)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	26.7	(18.7 - 34.7)	15,663	43.7	(39.1 - 48.2)
Some College	*	*	*	9,898	37.8	(33.0 - 42.7)
≥ College Degree	231	33.1	(25.7 - 40.4)	12,436	42.5	(39.1 - 46.0)
Income						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	163	28.5	(19.6 - 37.3)	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	120	26.6	(17.1 - 36.1)	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	146	34.1	(24.2 - 44.0)	8,548	39.1	(35.8 - 42.4)

¹ Defined as having had a flu shot within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 19a. Flu vaccine that was sprayed in nose within the past 12 months¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
Gender								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
Age (years)								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
Income								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 19b. Flu vaccine that was sprayed in nose within the past 12 months¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	*	*	*	38,106	1.7	(0.6 - 2.7)
Gender						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
Race/Ethnicity						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
Income						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

¹ Defined as having had flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	48,700	33.8	(29.0 - 38.6)	38,059	6,302,300	42.7	(40.2 - 45.1)
Gender								
Male	266	21,700	30.5	(23.1 - 37.9)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	382	26,900	37.0	(30.9 - 43.2)	23,491	3,479,500	45.1	(42.0 - 48.2)
Age (years)								
18-49	207	18,100	22.6	(15.3 - 30.0)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	231	13,500	34.2	(27.1 - 41.3)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	210	17,100	69.2	(62.4 - 76.1)	12,594	1,911,700	75.4	(72.2 - 78.6)
Race/Ethnicity								
White Non-Hispanic	595	43,100	35.1	(30.1 - 40.1)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	15,000	28.6	(20.8 - 36.4)	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	185	17,500	40.5	(30.7 - 50.2)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	231	16,200	33.6	(26.4 - 40.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
Income								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	163	9,800	29.4	(20.9 - 38.0)	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	120	7,000	26.6	(17.5 - 35.8)	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	146	13,600	34.6	(25.0 - 44.3)	8,548	1,791,200	39.9	(36.6 - 43.2)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Sample size from survey

³ Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	32.9	(28.0 - 37.9)	38,059	42.0	(39.6 - 44.5)
Gender						
Male	266	30.9	(23.4 - 38.5)	14,568	40.4	(36.6 - 44.2)
Female	382	34.9	(28.4 - 41.4)	23,491	43.5	(40.3 - 46.7)
Race/Ethnicity						
White Non-Hispanic	595	34.2	(29.1 - 39.4)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	27.4	(19.4 - 35.4)	15,651	44.1	(39.6 - 48.6)
Some College	*	*	*	9,895	38.1	(33.2 - 43.0)
≥ College Degree	231	33.1	(25.7 - 40.4)	12,431	42.8	(39.4 - 46.3)
Income						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	163	28.5	(19.6 - 37.3)	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	120	26.6	(17.1 - 36.1)	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	146	34.1	(24.2 - 44.0)	8,548	39.4	(36.1 - 42.7)

¹ Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 21a. Flu shot among adults aged 65 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	210	17,100	68.9	(62.1 - 75.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Gender								
Male	*	*	*	*	4,417	772,900	74.6	(69.3 - 79.8)
Female	123	9,400	67.2	(58.1 - 76.3)	8,185	1,134,800	75.6	(71.6 - 79.6)
Age (years)								
≥ 65	210	17,100	68.9	(62.1 - 75.8)	12,602	1,907,700	75.2	(72.0 - 78.4)
Race/Ethnicity								
White Non-Hispanic	200	16,000	69.3	(62.3 - 76.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	73	6,800	78.9	(69.1 - 88.8)	3,261	654,000	80.5	(76.4 - 84.6)
Income								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 21b. Flu shot among adults aged 65 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	210	69.2	(62.2 - 76.1)	12,602	75.0	(71.5 - 78.5)
Gender						
Male	*	*	*	4,417	74.4	(68.7 - 80.1)
Female	123	67.2	(58.1 - 76.3)	8,185	75.5	(71.3 - 79.8)
Race/Ethnicity						
White Non-Hispanic	200	69.6	(62.5 - 76.6)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	*	*	*	3,261	80.7	(76.2 - 85.1)
Income						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

¹ Defined as having had a flu shot during the past 12 months among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 22a. Pneumonia shot or pneumococcal vaccine¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	606	25,600	19.4	(16.0 - 22.7)	35,303	3,456,800	26.1	(23.9 - 28.3)
Gender								
Male	243	9,600	15.1	(10.5 - 19.7)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	363	16,000	23.3	(18.6 - 27.9)	22,251	1,914,600	26.9	(24.2 - 29.6)
Age (years)								
18-49	188	4,000	5.5	(2.1 - 8.8)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	215	6,500	17.8	(12.4 - 23.2)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	203	15,200	63.9	(56.6 - 71.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	557	24,100	21.3	(17.6 - 24.9)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
Education								
≤ High School	222	9,800	19.9	(14.1 - 25.7)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	176	8,500	20.8	(14.5 - 27.1)	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	208	7,400	17.3	(12.4 - 22.3)	11,375	1,070,700	21.4	(18.6 - 24.1)
Income								
≤ \$24,999	143	8,000	30.1	(20.7 - 39.5)	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	154	6,600	21.9	(15.0 - 28.8)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	110	4,000	16.1	(9.5 - 22.8)	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	135	3,600	10.3	(5.6 - 15.0)	7,773	648,700	16.3	(14.1 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Sample size from survey

³ Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 22b. Pneumonia shot or pneumococcal vaccine¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	606	18.8	(15.4 - 22.2)	35,303	25.4	(23.2 - 27.6)
Gender						
Male	243	16.2	(11.2 - 21.2)	13,052	25.8	(22.3 - 29.4)
Female	363	21.2	(16.6 - 25.8)	22,251	25.1	(22.4 - 27.8)
Race/Ethnicity						
White Non-Hispanic	557	20.7	(16.9 - 24.5)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
Education						
≤ High School	222	19.2	(13.1 - 25.3)	14,700	29.5	(25.6 - 33.5)
Some College	176	19.7	(13.3 - 26.1)	9,151	26.2	(21.0 - 31.3)
≥ College Degree	208	17.4	(12.3 - 22.6)	11,375	21.0	(18.3 - 23.8)
Income						
≤ \$24,999	143	28.7	(19.2 - 38.2)	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	154	21.6	(14.5 - 28.7)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	110	16.5	(9.6 - 23.3)	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	135	9.6	(5.1 - 14.2)	7,773	16.2	(13.9 - 18.5)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	203	15,200	63.9	(56.6 - 71.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Gender								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	119	8,900	66.7	(57.4 - 76.0)	8,001	995,300	68.0	(63.1 - 73.0)
Age (years)								
≥ 65	203	15,200	63.9	(56.6 - 71.2)	12,181	1,601,700	65.7	(61.7 - 69.7)
Race/Ethnicity								
White Non-Hispanic	194	14,500	65.1	(57.7 - 72.4)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
Income								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Sample size from survey

³ Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	203	63.5	(56.0 - 71.0)	12,181	64.7	(60.4 - 69.1)
Gender						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	119	66.7	(57.4 - 76.0)	8,001	67.6	(62.4 - 72.9)
Race/Ethnicity						
White Non-Hispanic	194	64.9	(57.4 - 72.3)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
Income						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

¹ Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 24a. Ever had a mammogram among women aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	310	41,800	90.1	(85.1 - 95.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Gender								
Male	-	-	-	-	-	-	-	-
Female	310	41,800	90.1	(85.1 - 95.1)	19,491	4,328,800	91.8	(89.7 - 94.0)
Age (years)								
40-49	*	*	*	*	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	133	19,100	96.4	(92.1 - 100)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	123	13,400	95.4	(91.3 - 99.4)	8,188	1,399,600	94.1	(90.5 - 97.6)
Race/Ethnicity								
White Non-Hispanic	298	40,000	91.7	(87.3 - 96.2)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	122	15,900	88.7	(80.6 - 96.9)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	*	*	*	*	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	102	14,500	96.2	(92.2 - 100)	5,872	1,560,700	91.6	(87.5 - 95.6)
Income								
≤ \$24,999	*	*	*	*	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	*	*	*	*	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	*	*	*	*	3,582	1,185,100	92.2	(88.2 - 96.1)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 24b. Ever had a mammogram among women aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	310	89.0	(83.3 - 94.7)	19,491	91.1	(88.7 - 93.6)
Gender						
Male	-	-	-	-	-	-
Female	310	89.0	(83.3 - 94.7)	19,491	91.1	(88.7 - 93.6)
Race/Ethnicity						
White Non-Hispanic	298	90.9	(86.0 - 95.8)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	122	89.1	(81.2 - 97.0)	8,266	90.2	(86.1 - 94.2)
Some College	*	*	*	5,322	92.9	(88.9 - 96.9)
≥ College Degree	102	95.6	(90.4 - 100)	5,872	90.9	(86.6 - 95.3)
Income						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	*	*	*	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	*	*	*	3,582	91.2	(86.8 - 95.6)

¹ Defined as having ever had a mammogram among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 25a. Had mammogram within the past 2 years among women aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	308	35,400	76.6	(70.6 - 82.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
Gender								
Male	-	-	-	-	-	-	-	-
Female	308	35,400	76.6	(70.6 - 82.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
Age (years)								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	133	16,700	84.5	(77.2 - 91.8)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	121	10,200	74.6	(65.7 - 83.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	296	34,200	78.8	(73.0 - 84.7)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	102	13,500	89.5	(82.6 - 96.3)	5,845	1,334,800	78.6	(73.9 - 83.2)
Income								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	*	*	*	*	3,572	1,025,900	80.0	(75.2 - 84.8)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Sample size from survey

³ Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 25b. Had mammogram within the past 2 years among women aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	308	76.0	(69.4 - 82.6)	19,376	79.7	(76.9 - 82.5)
Gender						
Male	-	-	-	-	-	-
Female	308	76.0	(69.4 - 82.6)	19,376	79.7	(76.9 - 82.5)
Race/Ethnicity						
White Non-Hispanic	296	78.2	(72.0 - 84.4)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	102	88.7	(81.0 - 96.4)	5,845	77.8	(72.9 - 82.8)
Income						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	*	*	*	3,572	79.0	(73.8 - 84.2)

¹ Defined as having had a mammogram within the past 2 years among women aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 26a. Had mammogram within the past 2 years among women aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	254	27,000	80.4	(74.8 - 86.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Gender								
Male	-	-	-	-	-	-	-	-
Female	254	27,000	80.4	(74.8 - 86.1)	15,534	2,637,300	83.2	(80.7 - 85.7)
Age (years)								
50-64	133	16,700	84.5	(77.2 - 91.8)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	121	10,200	74.6	(65.7 - 83.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
Race/Ethnicity								
White Non-Hispanic	245	26,300	82.6	(77.2 - 87.9)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	102	9,500	74.1	(64.3 - 83.9)	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	84	10,800	92.6	(86.2 - 99.1)	4,356	890,500	80.6	(75.1 - 86.1)
Income								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	*	*	*	*	2,303	601,300	84.6	(79.3 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Sample size from survey

³ Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 26b. Had mammogram within the past 2 years among women aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	254	80.7	(75.1 - 86.2)	15,534	83.1	(80.3 - 85.8)
Gender						
Male	-	-	-	-	-	-
Female	254	80.7	(75.1 - 86.2)	15,534	83.1	(80.3 - 85.8)
Race/Ethnicity						
White Non-Hispanic	245	82.6	(77.2 - 87.9)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	102	74.8	(65.4 - 84.2)	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	84	93.0	(87.0 - 99.0)	4,356	79.9	(73.9 - 86.0)
Income						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	*	*	*	2,303	83.9	(77.9 - 89.9)

¹ Defined as having had a mammogram within the past 2 years among women aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 27a. Ever had a Pap test among women¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	378	70,700	98.2	(96.4 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Gender								
Male	-	-	-	-	-	-	-	-
Female	378	70,700	98.2	(96.4 - 100)	23,381	7,045,300	92.1	(90.0 - 94.3)
Age (years)								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	82	14,300	100	(100 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	82	11,200	96.6	(90.0 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	122	13,500	97.4	(95.1 - 99.7)	8,137	1,355,700	92.3	(88.5 - 96.1)
Race/Ethnicity								
White Non-Hispanic	359	64,400	98.7	(97.1 - 100)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	138	25,300	95.2	(90.4 - 100)	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	110	22,200	100	(100 - 100)	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	129	23,000	100	(100 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
Income								
≤ \$24,999	98	13,600	97.9	(95.9 - 100)	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	102	18,000	97.5	(93.2 - 100)	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	63	12,500	100	(100 - 100)	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	69	16,900	97.1	(91.5 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

¹ Defined as having ever had a Pap test among women

² Sample size from survey

³ Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 27b. Ever had a Pap test among women¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	378	98.4	(96.6 - 100)	23,381	91.8	(89.6 - 94.0)
Gender						
Male	-	-	-	-	-	-
Female	378	98.4	(96.6 - 100)	23,381	91.8	(89.6 - 94.0)
Race/Ethnicity						
White Non-Hispanic	359	98.6	(96.9 - 100)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	138	95.6	(90.8 - 100)	9,526	87.8	(83.2 - 92.4)
Some College	110	100	(100 - 100)	6,462	93.1	(89.7 - 96.4)
≥ College Degree	129	100	(100 - 100)	7,345	94.9	(92.0 - 97.7)
Income						
≤ \$24,999	98	98.1	(96.3 - 100)	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	102	98.1	(95.1 - 100)	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	63	100	(100 - 100)	3,310	96.0	(91.9 - 100)
≥ \$75,000	69	96.8	(90.7 - 100)	4,570	95.0	(91.9 - 98.1)

¹ Defined as having ever had a Pap test among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 28a. Had a Pap test within the past 3 years among women¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	374	60,900	85.3	(80.9 - 89.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Gender								
Male	-	-	-	-	-	-	-	-
Female	374	60,900	85.3	(80.9 - 89.8)	23,109	6,205,600	82.2	(79.8 - 84.6)
Age (years)								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	82	13,200	92.4	(85.5 - 99.2)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	82	10,000	85.7	(76.3 - 95.1)	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	118	8,700	65.1	(56.0 - 74.2)	7,934	931,100	66.4	(61.8 - 71.0)
Race/Ethnicity								
White Non-Hispanic	355	55,300	85.5	(80.9 - 90.1)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	138	21,500	81.1	(73.6 - 88.6)	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	126	21,100	93.0	(88.1 - 97.9)	7,281	2,406,000	86.9	(83.7 - 90.1)
Income								
≤ \$24,999	98	10,400	74.9	(66.1 - 83.8)	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	63	11,000	87.8	(78.6 - 97.0)	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	67	15,400	90.2	(81.1 - 99.2)	4,555	1,810,200	89.0	(85.7 - 92.2)

¹ Defined as having had a Pap test within the past 3 years among women

² Sample size from survey

³ Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 28b. Had a Pap test within the past 3 years among women¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	374	86.2	(81.5 - 90.9)	23,109	82.7	(80.2 - 85.1)
Gender						
Male	-	-	-	-	-	-
Female	374	86.2	(81.5 - 90.9)	23,109	82.7	(80.2 - 85.1)
Race/Ethnicity						
White Non-Hispanic	355	86.2	(81.3 - 91.1)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	138	83.0	(75.7 - 90.3)	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	126	93.4	(88.7 - 98.2)	7,281	87.5	(84.3 - 90.6)
Income						
≤ \$24,999	98	78.0	(69.7 - 86.4)	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	63	88.7	(80.0 - 97.4)	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	67	89.8	(80.3 - 99.4)	4,555	88.9	(85.5 - 92.3)

¹ Defined as having had a Pap test within the past 3 years among women

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 29a. Ever had a digital rectal exam among men aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	225	33,600	76.2	(68.8 - 83.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Gender								
Male	225	33,600	76.2	(68.8 - 83.6)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	54	9,600	87.9	(78.0 - 97.8)	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	84	9,400	89.7	(82.8 - 96.7)	4,348	953,900	92.9	(91.0 - 94.9)
Race/Ethnicity								
White Non-Hispanic	200	27,200	76.5	(68.9 - 84.1)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	*	*	*	*	4,302	1,568,000	80.5	(74.0 - 87.0)
Income								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,309	1,351,100	78.0	(72.6 - 83.5)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 29b. Ever had a digital rectal exam among men aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	225	74.7	(66.7 - 82.8)	12,033	73.7	(69.6 - 77.8)
Gender						
Male	225	74.7	(66.7 - 82.8)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	200	75.2	(67.0 - 83.4)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	*	*	*	4,302	80.3	(73.8 - 86.8)
Income						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

¹ Defined as having ever had a digital rectal exam among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	225	25,700	58.2	(50.1 - 66.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Gender								
Male	225	25,700	58.2	(50.1 - 66.3)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
Race/Ethnicity								
White Non-Hispanic	200	20,400	57.4	(49.2 - 65.5)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	*	*	*	*	4,277	1,148,400	59.4	(52.8 - 66.0)
Income								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	225	56.5	(48.2 - 64.9)	11,923	55.9	(51.7 - 60.0)
Gender						
Male	225	56.5	(48.2 - 64.9)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	200	56.0	(47.6 - 64.4)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	*	*	*	4,277	59.2	(52.4 - 65.9)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

¹ Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 31a. Ever had a prostate specific antigen test among men aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	219	28,600	66.5	(58.5 - 74.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Gender								
Male	219	28,600	66.5	(58.5 - 74.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	50	9,400	89.5	(81.9 - 97.1)	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	83	9,000	87.7	(80.3 - 95.1)	4,215	905,400	90.4	(87.1 - 93.6)
Race/Ethnicity								
White Non-Hispanic	195	23,500	68.1	(60.2 - 76.0)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	*	*	*	*	4,176	1,455,700	76.8	(72.5 - 81.1)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 31b. Ever had a prostate specific antigen test among men aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	219	64.3	(55.7 - 72.8)	11,557	67.4	(63.7 - 71.1)
Gender						
Male	219	64.3	(55.7 - 72.8)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	195	66.5	(58.1 - 75.0)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

¹ Defined as having ever had a prostate specific antigen test among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	217	24,700	58.2	(50.0 - 66.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Gender								
Male	217	24,700	58.2	(50.0 - 66.5)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	50	8,800	83.7	(74.4 - 93.0)	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	82	8,600	85.3	(77.2 - 93.3)	4,166	830,000	83.3	(78.4 - 88.3)
Race/Ethnicity								
White Non-Hispanic	193	19,900	58.4	(50.1 - 66.7)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
Income								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	217	56.2	(47.6 - 64.7)	11,437	59.8	(55.8 - 63.9)
Gender						
Male	217	56.2	(47.6 - 64.7)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	193	57.1	(48.5 - 65.7)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
Income						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

¹ Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 33a. Prostate cancer among men aged 40 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	227	1,500	3.4	(1.0 - 5.8)	12,133	178,200	4.1	(3.0 - 5.2)
Gender								
Male	227	1,500	3.4	(1.0 - 5.8)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
Age (years)								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
Race/Ethnicity								
White Non-Hispanic	*	*	*	*	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	*	*	*	*	4,336	92,500	4.7	(3.0 - 6.5)
Income								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Sample size from survey

³ Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 33b. Prostate cancer among men aged 40 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	227	3.8	(1.1 - 6.5)	12,133	4.5	(3.2 - 5.7)
Gender						
Male	227	3.8	(1.1 - 6.5)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
Race/Ethnicity						
White Non-Hispanic	*	*	*	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	*	*	*	4,336	5.2	(3.1 - 7.2)
Income						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

¹ Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 34a. Home blood stool test ever used among adults aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	434	21,300	33.6	(28.5 - 38.7)	25,322	2,288,500	38.0	(35.5 - 40.4)
Gender								
Male	180	9,800	32.7	(24.7 - 40.6)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	254	11,500	34.5	(27.8 - 41.1)	15,751	1,206,600	37.2	(34.0 - 40.4)
Age (years)								
50-64	228	10,200	26.0	(19.3 - 32.6)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	206	11,100	46.0	(38.5 - 53.4)	12,472	1,093,400	43.6	(39.8 - 47.4)
Race/Ethnicity								
White Non-Hispanic	406	19,800	34.8	(29.6 - 40.0)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	5,600	24.3	(17.0 - 31.6)	11,146	823,500	34.9	(30.5 - 39.2)
Some College	118	6,100	35.4	(25.9 - 44.9)	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	154	9,600	41.7	(32.3 - 51.1)	7,851	973,700	41.6	(37.8 - 45.3)
Income								
≤ \$24,999	110	3,900	28.8	(19.4 - 38.2)	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	118	5,600	34.5	(24.8 - 44.2)	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	*	*	*	*	4,647	657,800	37.3	(33.0 - 41.6)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 34b. Home blood stool test ever used among adults aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	434	34.3	(29.2 - 39.5)	25,322	38.1	(35.5 - 40.8)
Gender						
Male	180	34.2	(26.3 - 42.0)	9,571	39.4	(35.3 - 43.5)
Female	254	34.5	(27.9 - 41.1)	15,751	36.9	(33.5 - 40.3)
Race/Ethnicity						
White Non-Hispanic	406	35.4	(30.2 - 40.6)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	24.5	(17.2 - 31.8)	11,146	35.1	(30.3 - 39.9)
Some College	118	36.9	(27.3 - 46.5)	6,261	36.6	(32.0 - 41.3)
≥ College Degree	154	42.6	(33.4 - 51.8)	7,851	41.9	(37.9 - 46.0)
Income						
≤ \$24,999	110	29.2	(19.7 - 38.7)	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	118	36.0	(26.2 - 45.8)	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	*	*	*	4,647	37.5	(32.9 - 42.2)

¹ Defined as having ever used a home blood stool test among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 35a. Home blood stool test used within the past year among adults aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	430	7,200	11.4	(8.0 - 14.9)	25,074	863,300	14.4	(12.6 - 16.2)
Gender								
Male	178	4,200	14.0	(8.4 - 19.5)	9,508	444,400	16.0	(13.2 - 18.9)
Female	252	3,100	9.2	(5.0 - 13.4)	15,566	418,900	13.1	(10.8 - 15.4)
Age (years)								
50-64	226	3,400	8.7	(4.7 - 12.7)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	204	3,800	15.9	(9.9 - 21.9)	12,299	406,400	16.4	(13.7 - 19.0)
Race/Ethnicity								
White Non-Hispanic	402	6,700	11.8	(8.2 - 15.4)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	160	2,400	10.4	(5.1 - 15.7)	11,026	288,600	12.3	(9.4 - 15.3)
Some College	117	2,300	13.7	(6.4 - 21.1)	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	152	2,500	10.9	(5.4 - 16.4)	7,778	352,400	15.2	(12.5 - 17.9)
Income								
≤ \$24,999	109	1,200	8.8	(3.1 - 14.5)	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	118	1,900	11.9	(5.0 - 18.8)	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	*	*	*	*	4,623	205,100	11.7	(8.8 - 14.6)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 35b. Home blood stool test used within the past year among adults aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	430	11.9	(8.4 - 15.5)	25,074	14.6	(12.6 - 16.7)
Gender						
Male	178	14.6	(8.9 - 20.3)	9,508	16.4	(13.2 - 19.6)
Female	252	9.3	(5.0 - 13.5)	15,566	12.9	(10.4 - 15.4)
Race/Ethnicity						
White Non-Hispanic	402	12.0	(8.4 - 15.6)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	160	9.8	(4.9 - 14.8)	11,026	12.7	(9.2 - 16.1)
Some College	117	14.8	(7.0 - 22.5)	6,208	16.6	(12.3 - 20.9)
≥ College Degree	152	12.0	(5.9 - 18.1)	7,778	15.3	(12.4 - 18.3)
Income						
≤ \$24,999	109	8.9	(3.2 - 14.5)	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	118	12.9	(5.6 - 20.3)	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	*	*	*	4,623	11.8	(8.6 - 15.0)

¹ Defined as having used a home blood stool test within the past year among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	430	9,300	14.8	(11.1 - 18.5)	25,074	1,218,000	20.4	(18.3 - 22.5)
Gender								
Male	178	4,700	15.7	(9.9 - 21.4)	9,508	593,100	21.4	(18.3 - 24.5)
Female	252	4,700	14.0	(9.2 - 18.8)	15,566	624,900	19.5	(16.6 - 22.4)
Age (years)								
50-64	226	4,400	11.2	(6.8 - 15.6)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	204	5,000	20.6	(14.1 - 27.0)	12,299	585,500	23.6	(20.2 - 27.0)
Race/Ethnicity								
White Non-Hispanic	402	8,800	15.5	(11.6 - 19.4)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	160	3,000	13.1	(7.4 - 18.9)	11,026	454,600	19.4	(15.6 - 23.3)
Some College	117	3,100	18.1	(10.2 - 26.0)	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	152	3,200	14.1	(8.0 - 20.1)	7,778	491,400	21.2	(18.1 - 24.2)
Income								
≤ \$24,999	109	1,800	13.1	(6.4 - 19.8)	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	118	3,000	18.2	(10.3 - 26.1)	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	72	1,800	15.4	(5.6 - 25.2)	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	*	*	*	*	4,623	294,900	16.8	(13.7 - 20.0)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	430	15.3	(11.5 - 19.1)	25,074	20.5	(18.2 - 22.8)
Gender						
Male	178	16.6	(10.6 - 22.5)	9,508	21.7	(18.3 - 25.1)
Female	252	14.0	(9.2 - 18.9)	15,566	19.4	(16.3 - 22.5)
Race/Ethnicity						
White Non-Hispanic	402	15.8	(11.9 - 19.7)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	160	12.9	(7.3 - 18.5)	11,026	19.5	(15.4 - 23.7)
Some College	117	19.3	(11.1 - 27.6)	6,208	20.4	(16.1 - 24.7)
≥ College Degree	152	14.9	(8.5 - 21.4)	7,778	21.4	(18.1 - 24.7)
Income						
≤ \$24,999	109	13.2	(6.5 - 19.9)	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	118	19.7	(11.3 - 28.0)	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	*	*	*	4,623	16.9	(13.4 - 20.4)

¹ Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	436	41,500	65.4	(60.1 - 70.6)	25,357	4,019,100	66.6	(64.1 - 69.1)
Gender								
Male	180	19,300	64.4	(55.9 - 72.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	256	22,200	66.3	(59.9 - 72.7)	15,775	2,125,000	65.5	(62.1 - 68.8)
Age (years)								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	136	16,300	72.1	(63.3 - 80.9)	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	208	16,900	68.8	(62.0 - 75.7)	12,466	1,802,000	72.1	(68.6 - 75.7)
Race/Ethnicity								
White Non-Hispanic	408	39,400	69.0	(64.0 - 74.0)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	11,200	48.7	(39.8 - 57.7)	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	119	12,400	71.3	(62.5 - 80.1)	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	155	17,900	78.0	(70.5 - 85.5)	7,884	1,732,400	73.7	(70.0 - 77.4)
Income								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	81	12,500	83.5	(75.2 - 91.8)	4,665	1,294,400	73.3	(69.2 - 77.5)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	436	65.4	(60.2 - 70.6)	25,357	66.6	(63.9 - 69.3)
Gender						
Male	180	65.1	(56.9 - 73.3)	9,582	68.5	(64.5 - 72.5)
Female	256	65.6	(59.2 - 72.0)	15,775	64.8	(61.2 - 68.4)
Race/Ethnicity						
White Non-Hispanic	408	68.9	(64.0 - 73.9)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	48.8	(39.9 - 57.8)	11,121	61.3	(56.4 - 66.2)
Some College	119	71.8	(63.1 - 80.5)	6,287	63.8	(58.8 - 68.8)
≥ College Degree	155	77.9	(70.4 - 85.5)	7,884	74.0	(70.2 - 77.9)
Income						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	81	82.9	(74.4 - 91.4)	4,665	73.6	(69.3 - 78.0)

¹ Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	433	39,500	62.6	(57.2 - 67.9)	25,169	3,855,800	64.6	(62.1 - 67.1)
Gender								
Male	179	18,900	63.1	(54.6 - 71.6)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	254	20,700	62.1	(55.4 - 68.7)	15,648	2,020,400	63.1	(59.8 - 66.4)
Age (years)								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	135	15,600	69.6	(60.6 - 78.7)	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	206	15,800	64.6	(57.4 - 71.8)	12,331	1,695,700	69.5	(65.9 - 73.1)
Race/Ethnicity								
White Non-Hispanic	405	37,400	65.9	(60.8 - 71.1)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	161	10,800	46.9	(38.0 - 55.8)	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	118	11,500	66.5	(57.1 - 76.0)	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	153	17,300	75.8	(68.1 - 83.6)	7,841	1,682,500	71.7	(68.0 - 75.4)
Income								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	80	12,300	83.3	(74.9 - 91.7)	4,655	1,260,400	71.5	(67.3 - 75.7)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	433	62.6	(57.3 - 67.9)	25,169	64.6	(61.9 - 67.3)
Gender						
Male	179	63.8	(55.5 - 72.0)	9,521	66.9	(62.9 - 70.9)
Female	254	61.4	(54.7 - 68.1)	15,648	62.4	(58.9 - 66.0)
Race/Ethnicity						
White Non-Hispanic	405	65.9	(60.7 - 71.0)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	161	47.2	(38.3 - 56.1)	11,017	59.0	(54.1 - 63.9)
Some College	118	66.9	(57.6 - 76.3)	6,251	61.9	(56.9 - 66.9)
≥ College Degree	153	75.6	(67.8 - 83.4)	7,841	72.1	(68.2 - 75.9)
Income						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	80	82.7	(74.1 - 91.3)	4,655	71.8	(67.4 - 76.2)

¹ Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	427	41,200	66.4	(61.1 - 71.6)	24,792	4,049,200	69.1	(66.7 - 71.6)
Gender								
Male	176	19,400	66.7	(58.3 - 75.1)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	251	21,900	66.1	(59.6 - 72.5)	15,374	2,104,100	67.8	(64.6 - 71.1)
Age (years)								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	130	15,400	72.1	(63.4 - 80.9)	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	205	17,400	71.3	(64.7 - 78.0)	12,294	1,810,500	74.0	(70.6 - 77.4)
Race/Ethnicity								
White Non-Hispanic	400	38,700	69.5	(64.5 - 74.4)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	160	11,500	50.0	(41.0 - 59.0)	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	117	12,000	70.2	(61.2 - 79.2)	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	149	17,700	81.0	(74.3 - 87.7)	7,708	1,709,000	74.6	(70.9 - 78.3)
Income								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	78	12,200	84.2	(75.7 - 92.6)	4,615	1,292,500	73.8	(69.8 - 77.9)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Sample size from survey

³ Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	427	66.6	(61.5 - 71.8)	24,792	69.3	(66.7 - 71.9)
Gender						
Male	176	67.8	(59.8 - 75.9)	9,418	71.5	(67.6 - 75.4)
Female	251	65.5	(59.0 - 72.0)	15,374	67.2	(63.7 - 70.7)
Race/Ethnicity						
White Non-Hispanic	400	69.5	(64.6 - 74.5)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	160	50.2	(41.2 - 59.2)	10,872	64.5	(59.8 - 69.3)
Some College	117	71.0	(62.2 - 79.8)	6,170	68.2	(63.4 - 72.9)
≥ College Degree	149	81.3	(74.6 - 87.9)	7,708	75.0	(71.2 - 78.8)
Income						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	78	83.8	(75.2 - 92.3)	4,615	74.4	(70.2 - 78.6)

¹ Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 40a. High blood pressure among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	36,900	25.6	(21.7 - 29.6)	38,125	3,974,800	26.8	(24.9 - 28.7)
Gender								
Male	267	18,100	25.3	(19.1 - 31.5)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	381	18,900	26.0	(21.0 - 30.9)	23,514	2,014,300	26.0	(23.6 - 28.3)
Age (years)								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	83	4,300	16.6	(7.5 - 25.8)	4,984	426,200	14.8	(11.6 - 18.1)
45-54	150	7,100	24.4	(16.2 - 32.6)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	138	8,400	36.9	(27.3 - 46.5)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	209	15,100	61.5	(54.2 - 68.7)	12,616	1,483,200	58.5	(54.7 - 62.3)
Race/Ethnicity								
White Non-Hispanic	595	31,000	25.2	(21.3 - 29.2)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	15,100	28.9	(21.7 - 36.1)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	185	12,200	28.2	(20.5 - 36.0)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	231	9,600	19.9	(14.3 - 25.6)	12,452	1,253,400	22.3	(19.7 - 24.9)
Income								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	163	8,600	25.9	(18.4 - 33.3)	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	120	6,000	22.6	(14.0 - 31.3)	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	146	8,000	20.4	(13.3 - 27.6)	8,560	942,500	21.0	(18.4 - 23.6)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 40b. High blood pressure among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	24.4	(20.5 - 28.4)	38,125	25.7	(23.8 - 27.5)
Gender						
Male	267	24.9	(18.7 - 31.0)	14,611	27.7	(24.7 - 30.7)
Female	381	24.0	(19.0 - 29.1)	23,514	23.8	(21.5 - 26.0)
Race/Ethnicity						
White Non-Hispanic	595	24.0	(20.0 - 28.0)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	*	*	*	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
Education						
≤ High School	231	27.3	(20.0 - 34.5)	15,688	32.1	(28.4 - 35.8)
Some College	185	27.1	(19.1 - 35.1)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	231	19.1	(13.6 - 24.5)	12,452	21.2	(18.6 - 23.8)
Income						
≤ \$24,999	*	*	*	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	163	24.5	(17.1 - 31.8)	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	120	21.7	(13.0 - 30.4)	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	146	19.1	(12.2 - 25.9)	8,560	19.9	(17.3 - 22.5)

¹ Defined as having ever been told by a health professional that respondent has high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 41a. Blood pressure medication among adults with high blood pressure¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	235	29,400	79.5	(72.4 - 86.6)	15,288	3,145,800	79.2	(76.0 - 82.4)
Gender								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	135	16,000	84.8	(76.2 - 93.4)	9,208	1,713,700	85.2	(82.1 - 88.2)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	130	14,500	95.8	(92.4 - 99.3)	7,675	1,383,400	93.4	(91.1 - 95.7)
Race/Ethnicity								
White Non-Hispanic	215	24,600	79.4	(72.1 - 86.6)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	99	13,600	89.9	(82.0 - 97.8)	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
Income								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	65	8,100	94.0	(86.9 - 100)	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Sample size from survey

³ Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 41b. Blood pressure medication among adults with high blood pressure¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	235	78.7	(71.0 - 86.4)	15,288	78.5	(75.2 - 81.7)
Gender						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	*	*	*	9,208	84.0	(80.7 - 87.2)
Race/Ethnicity						
White Non-Hispanic	215	78.9	(71.2 - 86.6)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	99	90.4	(82.7 - 98.0)	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
Income						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	65	93.1	(84.5 - 100)	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

¹ Defined as currently taking medicine for high blood pressure among adults with high blood pressure

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 42a. Ever had blood cholesterol checked among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	637	117,800	83.5	(78.6 - 88.4)	37,450	11,496,600	80.3	(77.7 - 83.0)
Gender								
Male	265	56,600	79.6	(71.4 - 87.8)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	372	61,100	87.4	(82.5 - 92.4)	23,061	6,208,200	82.7	(79.6 - 85.8)
Age (years)								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	*	*	*	*	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	149	26,000	89.3	(83.0 - 95.5)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	135	20,600	91.6	(85.3 - 97.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	207	23,600	97.0	(94.6 - 99.4)	12,434	2,381,700	95.9	(94.3 - 97.6)
Race/Ethnicity								
White Non-Hispanic	586	101,100	84.2	(79.1 - 89.3)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	*	*	*	*	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	39,100	76.8	(67.4 - 86.3)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	180	35,500	84.7	(76.1 - 93.3)	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	231	43,200	89.5	(82.9 - 96.1)	12,296	5,008,300	91.3	(88.9 - 93.6)
Income								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	117	22,000	87.1	(77.2 - 97.1)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	146	36,800	93.7	(89.0 - 98.3)	8,460	4,019,300	92.2	(90.8 - 93.6)

¹ Defined as ever having blood cholesterol checked

² Sample size from survey

³ Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 42b. Ever had blood cholesterol checked among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	637	82.8	(77.7 - 87.9)	37,450	79.9	(77.3 - 82.5)
Gender						
Male	265	79.0	(70.4 - 87.5)	14,389	78.0	(73.9 - 82.1)
Female	372	86.7	(81.4 - 92.1)	23,061	81.6	(78.4 - 84.8)
Race/Ethnicity						
White Non-Hispanic	586	83.3	(77.9 - 88.7)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	*	*	*	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	226	76.2	(66.4 - 86.0)	15,342	70.2	(65.2 - 75.1)
Some College	180	84.2	(75.2 - 93.3)	9,732	76.7	(71.1 - 82.3)
≥ College Degree	231	88.5	(81.3 - 95.7)	12,296	90.9	(88.6 - 93.2)
Income						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	*	*	*	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	146	93.0	(87.8 - 98.3)	8,460	91.7	(90.1 - 93.2)

¹ Defined as ever having blood cholesterol checked

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 43a. Blood cholesterol checked within the past 5 years among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	634	110,900	78.8	(73.7 - 84.0)	37,201	11,035,200	77.8	(75.1 - 80.4)
Gender								
Male	265	52,700	74.1	(65.5 - 82.6)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	369	58,200	83.7	(78.3 - 89.0)	22,894	6,014,600	80.7	(77.6 - 83.8)
Age (years)								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	*	*	*	*	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	148	25,000	86.1	(79.4 - 92.8)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	133	19,200	86.4	(79.4 - 93.5)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	207	23,400	96.4	(93.7 - 99.1)	12,318	2,327,800	94.8	(93.1 - 96.6)
Race/Ethnicity								
White Non-Hispanic	583	94,300	78.7	(73.3 - 84.2)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	*	*	*	*	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	226	36,800	72.3	(62.4 - 82.1)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	179	34,000	81.5	(72.7 - 90.3)	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	229	40,100	83.4	(76.0 - 90.8)	12,236	4,806,500	88.1	(85.5 - 90.6)
Income								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	*	*	*	*	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	146	35,300	90.0	(83.9 - 96.2)	8,435	3,872,400	89.2	(87.5 - 90.9)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Sample size from survey

³ Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 43b. Blood cholesterol checked within the past 5 years among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	634	78.1	(72.6 - 83.5)	37,201	77.3	(74.7 - 79.9)
Gender						
Male	265	73.5	(64.6 - 82.4)	14,307	74.8	(70.7 - 79.0)
Female	369	82.7	(77.0 - 88.5)	22,894	79.5	(76.3 - 82.7)
Race/Ethnicity						
White Non-Hispanic	583	77.8	(72.1 - 83.6)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	*	*	*	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	179	80.9	(71.6 - 90.2)	9,673	74.7	(69.1 - 80.2)
≥ College Degree	229	82.3	(74.3 - 90.3)	12,236	87.5	(85.0 - 90.1)
Income						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	*	*	*	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	146	89.3	(82.7 - 96.0)	8,435	88.5	(86.7 - 90.3)

¹ Defined as having had blood cholesterol checked within the past 5 years

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 44a. Cardiovascular disease among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	12,800	9.0	(6.0 - 11.9)	37,810	1,135,000	7.7	(6.5 - 8.8)
Gender								
Male	264	8,700	12.3	(6.9 - 17.8)	14,477	664,600	9.4	(7.5 - 11.4)
Female	380	4,100	5.7	(3.6 - 7.8)	23,333	470,400	6.1	(4.8 - 7.4)
Age (years)								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	138	3,200	13.9	(7.6 - 20.3)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	208	5,200	21.1	(15.1 - 27.1)	12,442	575,300	23.0	(19.9 - 26.1)
Race/Ethnicity								
White Non-Hispanic	592	10,100	8.2	(5.6 - 10.8)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
Education								
≤ High School	228	6,400	12.4	(6.4 - 18.3)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	184	4,200	9.8	(3.9 - 15.7)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	231	2,300	4.7	(2.2 - 7.2)	12,393	314,600	5.6	(4.3 - 6.9)
Income								
≤ \$24,999	147	4,600	16.1	(6.9 - 25.3)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	161	3,200	9.8	(4.5 - 15.1)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	146	2,700	6.8	(0.8 - 12.9)	8,538	183,500	4.1	(2.9 - 5.3)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Sample size from survey

³ Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 44b. Cardiovascular disease among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	8.5	(5.6 - 11.4)	37,810	7.6	(6.4 - 8.7)
Gender						
Male	264	12.2	(6.8 - 17.7)	14,477	9.7	(7.8 - 11.7)
Female	380	4.8	(3.0 - 6.5)	23,333	5.6	(4.3 - 6.9)
Race/Ethnicity						
White Non-Hispanic	592	7.8	(5.2 - 10.4)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
Education						
≤ High School	228	12.1	(6.2 - 18.0)	15,486	10.5	(8.0 - 13.0)
Some College	184	8.8	(3.0 - 14.7)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	231	4.4	(2.1 - 6.7)	12,393	5.5	(4.2 - 6.9)
Income						
≤ \$24,999	147	15.2	(6.1 - 24.4)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	161	9.3	(4.3 - 14.2)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	146	6.6	(0.5 - 12.8)	8,538	4.0	(2.7 - 5.2)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 45a. Coronary heart disease among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	10,000	6.9	(4.5 - 9.4)	37,838	929,400	6.3	(5.3 - 7.3)
Gender								
Male	264	6,700	9.5	(5.0 - 14.0)	14,479	598,600	8.5	(6.6 - 10.4)
Female	381	3,200	4.4	(2.6 - 6.3)	23,359	330,800	4.3	(3.4 - 5.2)
Age (years)								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	138	2,700	11.9	(5.8 - 17.9)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	208	4,400	18.1	(12.6 - 23.7)	12,452	473,800	18.9	(16.1 - 21.7)
Race/Ethnicity								
White Non-Hispanic	592	7,400	6.0	(4.3 - 7.7)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
Education								
≤ High School	229	5,600	10.8	(5.1 - 16.6)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	184	2,600	6.0	(2.8 - 9.2)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	231	1,700	3.6	(1.3 - 5.8)	12,411	259,700	4.6	(3.4 - 5.8)
Income								
≤ \$24,999	147	3,800	13.3	(4.3 - 22.2)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	162	2,600	7.9	(3.0 - 12.9)	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	*	*	*	*	8,541	151,800	3.4	(2.3 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Sample size from survey

³ Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 45b. Coronary heart disease among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	6.5	(4.2 - 8.8)	37,838	6.3	(5.2 - 7.3)
Gender						
Male	264	9.3	(4.9 - 13.7)	14,479	8.8	(6.9 - 10.8)
Female	381	3.7	(2.1 - 5.3)	23,359	3.9	(3.0 - 4.8)
Race/Ethnicity						
White Non-Hispanic	592	5.7	(4.0 - 7.3)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
Education						
≤ High School	229	10.5	(4.9 - 16.2)	15,485	8.5	(6.2 - 10.7)
Some College	184	5.1	(2.4 - 7.8)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	231	3.4	(1.3 - 5.4)	12,411	4.7	(3.4 - 5.9)
Income						
≤ \$24,999	147	12.4	(3.6 - 21.2)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	162	7.7	(3.0 - 12.4)	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	*	*	*	8,541	3.3	(2.1 - 4.5)

¹ Defined as having ever been told by a health professional that respondent had a heart attack or angina

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 46a. Ever diagnosed with diabetes among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	11,600	8.0	(5.7 - 10.4)	38,174	1,382,700	9.3	(8.0 - 10.5)
Gender								
Male	267	5,500	7.7	(4.2 - 11.2)	14,626	530,400	7.5	(6.2 - 8.8)
Female	382	6,100	8.4	(5.2 - 11.5)	23,548	852,300	11.0	(8.9 - 13.0)
Age (years)								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	150	1,900	6.6	(2.1 - 11.1)	7,830	279,000	9.8	(6.7 - 12.8)
55-64	138	2,100	9.4	(3.4 - 15.4)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	210	4,300	17.3	(11.6 - 22.9)	12,645	455,600	17.9	(15.0 - 20.8)
Race/Ethnicity								
White Non-Hispanic	596	10,100	8.2	(5.7 - 10.7)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	*	*	*	*	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
Education								
≤ High School	231	4,600	8.8	(4.6 - 13.0)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	185	4,100	9.5	(4.7 - 14.2)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	232	2,900	6.0	(2.7 - 9.3)	12,464	337,500	6.0	(4.8 - 7.2)
Income								
≤ \$24,999	149	3,600	12.4	(6.1 - 18.7)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	163	2,100	6.2	(2.1 - 10.4)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	120	2,500	9.6	(4.4 - 14.9)	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	*	*	*	*	8,565	220,800	4.9	(3.8 - 6.1)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Sample size from survey

³ Estimated number of adults who have diabetes (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 46b. Ever diagnosed with diabetes among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	8.0	(5.5 - 10.5)	38,174	9.0	(7.8 - 10.3)
Gender						
Male	267	7.6	(4.0 - 11.2)	14,626	7.5	(6.1 - 8.9)
Female	382	8.3	(4.9 - 11.7)	23,548	10.4	(8.4 - 12.4)
Race/Ethnicity						
White Non-Hispanic	596	8.0	(5.4 - 10.6)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	*	*	*	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
Education						
≤ High School	231	8.9	(4.3 - 13.6)	15,709	12.6	(10.0 - 15.2)
Some College	185	9.3	(4.2 - 14.4)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	232	5.7	(2.7 - 8.8)	12,464	5.9	(4.7 - 7.2)
Income						
≤ \$24,999	149	12.6	(5.6 - 19.7)	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	163	6.0	(2.0 - 9.9)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	120	9.7	(4.4 - 15.0)	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	*	*	*	8,565	4.7	(3.6 - 5.9)

¹ Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 47a. Ever diagnosed with asthma (lifetime) among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	20,800	14.5	(10.7 - 18.2)	38,096	2,225,100	15.0	(13.2 - 16.8)
Gender								
Male	266	6,400	9.0	(3.9 - 14.0)	14,601	875,800	12.4	(10.1 - 14.7)
Female	381	14,400	19.8	(14.5 - 25.2)	23,495	1,349,300	17.4	(14.6 - 20.1)
Age (years)								
18-34	68	7,500	18.1	(8.3 - 27.8)	3,931	825,100	18.5	(13.8 - 23.3)
35-44	83	4,300	16.7	(8.3 - 25.1)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	150	3,600	12.3	(5.8 - 18.7)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	137	2,700	12.1	(4.7 - 19.5)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	209	2,600	10.7	(5.9 - 15.6)	12,618	285,700	11.2	(8.6 - 13.8)
Race/Ethnicity								
White Non-Hispanic	594	18,000	14.7	(10.7 - 18.7)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	5,700	10.8	(5.6 - 16.0)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	184	8,200	19.1	(11.6 - 26.6)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	231	6,900	14.4	(7.6 - 21.1)	12,444	739,000	13.2	(10.4 - 15.9)
Income								
≤ \$24,999	149	5,300	18.3	(10.6 - 26.0)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	163	3,000	9.0	(4.4 - 13.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	147	5,000	12.6	(5.7 - 19.5)	8,562	577,900	12.8	(10.4 - 15.3)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Sample size from survey

³ Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 47b. Ever diagnosed with asthma (lifetime) among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	15.0	(11.0 - 18.9)	38,096	15.2	(13.3 - 17.0)
Gender						
Male	266	8.9	(3.8 - 14.0)	14,601	12.6	(10.3 - 14.9)
Female	381	20.9	(15.0 - 26.7)	23,495	17.5	(14.8 - 20.3)
Race/Ethnicity						
White Non-Hispanic	594	15.3	(11.0 - 19.6)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	11.0	(5.6 - 16.5)	15,675	15.1	(12.1 - 18.0)
Some College	184	20.3	(12.2 - 28.5)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	231	14.4	(7.5 - 21.3)	12,444	13.3	(10.6 - 16.0)
Income						
≤ \$24,999	149	18.9	(10.4 - 27.3)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	163	8.6	(4.0 - 13.2)	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	147	12.6	(5.7 - 19.5)	8,562	13.0	(10.6 - 15.4)

¹ Defined as adults having ever been told by a health professional that they had asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 48a. Current asthma among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	13,000	9.1	(6.2 - 12.0)	37,933	1,415,000	9.6	(8.1 - 11.0)
Gender								
Male	266	2,900	4.0	(0.8 - 7.2)	14,546	440,700	6.3	(4.8 - 7.7)
Female	378	10,200	14.2	(9.4 - 18.9)	23,387	974,300	12.6	(10.2 - 15.0)
Age (years)								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	83	2,400	9.4	(3.2 - 15.5)	4,947	246,800	8.7	(5.8 - 11.6)
45-54	149	2,800	9.6	(3.9 - 15.3)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	137	2,300	10.2	(3.0 - 17.5)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	208	1,700	6.7	(2.6 - 10.9)	12,564	229,900	9.1	(6.5 - 11.6)
Race/Ethnicity								
White Non-Hispanic	591	11,400	9.3	(6.2 - 12.5)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
Education								
≤ High School	230	4,500	8.7	(3.9 - 13.5)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	184	5,200	12.1	(5.8 - 18.4)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	229	3,300	6.9	(2.9 - 11.0)	12,394	430,900	7.7	(5.8 - 9.7)
Income								
≤ \$24,999	148	3,800	13.3	(7.2 - 19.4)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	*	*	*	*	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	119	3,900	15.0	(5.3 - 24.7)	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	*	*	*	*	8,541	339,200	7.6	(5.8 - 9.4)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Sample size from survey

³ Estimated number of adults who currently have asthma (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 48b. Current asthma among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	9.2	(6.2 - 12.2)	37,933	9.7	(8.2 - 11.2)
Gender						
Male	266	3.7	(0.8 - 6.7)	14,546	6.4	(4.9 - 7.9)
Female	378	14.6	(9.5 - 19.7)	23,387	12.7	(10.2 - 15.1)
Race/Ethnicity						
White Non-Hispanic	591	9.7	(6.3 - 13.1)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
Education						
≤ High School	230	8.9	(3.8 - 14.0)	15,594	10.8	(8.3 - 13.3)
Some College	184	12.8	(6.0 - 19.6)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	229	6.3	(2.6 - 10.0)	12,394	7.8	(5.8 - 9.7)
Income						
≤ \$24,999	148	13.4	(6.9 - 19.9)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	*	*	*	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	*	*	*	8,541	7.7	(5.9 - 9.5)

¹ Defined as adults having ever been told by a health professional that they had asthma and still have asthma

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 49a. Chronic joint symptoms among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	72,700	50.8	(45.5 - 56.2)	38,099	6,377,100	42.9	(40.5 - 45.3)
Gender								
Male	265	33,700	48.0	(39.6 - 56.4)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	382	39,000	53.6	(46.9 - 60.2)	23,504	3,343,500	43.0	(40.0 - 46.0)
Age (years)								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	150	14,600	50.0	(40.4 - 59.6)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	138	16,600	72.9	(64.9 - 80.9)	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	209	15,300	62.1	(54.9 - 69.3)	12,614	1,381,000	54.3	(50.5 - 58.1)
Race/Ethnicity								
White Non-Hispanic	594	61,700	50.6	(45.2 - 56.1)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	231	25,400	48.4	(38.9 - 57.9)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	184	22,400	53.2	(43.5 - 63.0)	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	231	24,800	51.2	(42.8 - 59.6)	12,440	2,313,100	41.1	(37.8 - 44.5)
Income								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	146	18,600	47.2	(37.4 - 57.1)	8,549	1,874,200	41.7	(38.4 - 45.1)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Sample size from survey

³ Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 49b. Chronic joint symptoms among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	49.5	(44.0 - 55.1)	38,099	42.1	(39.7 - 44.5)
Gender						
Male	265	47.1	(38.6 - 55.7)	14,595	42.6	(38.8 - 46.3)
Female	382	51.9	(44.7 - 59.0)	23,504	41.6	(38.6 - 44.7)
Race/Ethnicity						
White Non-Hispanic	594	49.2	(43.5 - 54.8)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	231	47.2	(37.4 - 57.1)	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	231	49.4	(40.7 - 58.1)	12,440	40.3	(37.0 - 43.7)
Income						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	*	*	*	8,549	40.8	(37.4 - 44.2)

¹ Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 50a. Arthritis among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	47,600	33.1	(28.5 - 37.8)	38,013	4,102,800	27.7	(25.9 - 29.6)
Gender								
Male	266	20,300	28.4	(21.7 - 35.1)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	379	27,300	37.8	(31.6 - 44.0)	23,458	2,460,100	31.8	(29.2 - 34.4)
Age (years)								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	*	*	*	*	4,972	412,500	14.5	(11.3 - 17.6)
45-54	149	9,200	31.8	(22.9 - 40.6)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	137	11,200	49.3	(39.4 - 59.1)	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	209	16,400	66.6	(59.6 - 73.6)	12,596	1,509,800	59.6	(55.8 - 63.3)
Race/Ethnicity								
White Non-Hispanic	593	42,600	34.7	(29.9 - 39.6)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	*	*	*	*	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
Education								
≤ High School	230	16,200	31.0	(23.5 - 38.5)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	184	16,100	37.3	(28.0 - 46.7)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	231	15,300	31.7	(24.6 - 38.8)	12,407	1,437,800	25.6	(22.9 - 28.4)
Income								
≤ \$24,999	*	*	*	*	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	163	13,300	40.3	(30.4 - 50.2)	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	146	10,200	26.0	(17.3 - 34.7)	8,536	1,012,800	22.6	(19.8 - 25.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Sample size from survey

³ Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 50b. Arthritis among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	31.5	(26.8 - 36.2)	38,013	26.6	(24.8 - 28.5)
Gender						
Male	266	28.0	(21.2 - 34.8)	14,555	23.5	(20.9 - 26.1)
Female	379	35.0	(28.6 - 41.4)	23,458	29.5	(27.0 - 32.1)
Race/Ethnicity						
White Non-Hispanic	593	33.1	(28.1 - 38.1)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	*	*	*	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
Education						
≤ High School	230	29.0	(21.5 - 36.6)	15,652	30.4	(26.9 - 33.8)
Some College	184	35.7	(26.0 - 45.4)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	231	30.4	(23.3 - 37.4)	12,407	24.7	(21.9 - 27.5)
Income						
≤ \$24,999	*	*	*	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	120	28.7	(18.9 - 38.6)	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	146	24.6	(16.0 - 33.2)	8,536	21.6	(18.8 - 24.3)

¹ Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 51a. Activity limitations because of physical, mental or emotional problems among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	645	31,500	22.0	(18.1 - 25.8)	37,998	3,053,000	20.6	(18.7 - 22.5)
Gender								
Male	265	12,100	17.0	(11.5 - 22.5)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	380	19,400	26.8	(21.4 - 32.2)	23,432	1,734,600	22.4	(19.8 - 25.0)
Age (years)								
18-34	68	5,000	11.9	(3.7 - 20.1)	3,929	580,000	13.0	(8.2 - 17.9)
35-44	*	*	*	*	4,973	418,600	14.5	(11.0 - 18.1)
45-54	149	5,100	17.7	(10.8 - 24.6)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	138	7,000	30.7	(22.2 - 39.1)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	208	8,400	34.0	(27.1 - 41.0)	12,545	782,700	31.1	(27.7 - 34.6)
Race/Ethnicity								
White Non-Hispanic	592	28,300	23.1	(18.9 - 27.3)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	*	*	*	*	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
Education								
≤ High School	230	11,900	22.7	(15.9 - 29.6)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	183	10,800	25.1	(17.2 - 33.0)	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	231	8,900	18.4	(12.9 - 23.8)	12,415	924,800	16.5	(14.2 - 18.7)
Income								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	163	7,400	22.2	(14.6 - 29.8)	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	119	3,800	14.6	(7.2 - 21.9)	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	145	4,500	11.5	(4.7 - 18.3)	8,544	583,300	13.0	(11.1 - 14.9)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Sample size from survey

³ Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 51b. Activity limitations because of physical, mental or emotional problems among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	645	21.5	(17.4 - 25.5)	37,998	20.1	(18.2 - 22.0)
Gender						
Male	265	17.2	(11.4 - 22.9)	14,566	18.6	(15.8 - 21.4)
Female	380	25.7	(20.0 - 31.3)	23,432	21.5	(18.9 - 24.1)
Race/Ethnicity						
White Non-Hispanic	592	22.6	(18.2 - 26.9)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	*	*	*	735	19.9	(13.2 - 26.5)
Hispanic	*	*	*	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
Education						
≤ High School	230	22.9	(15.7 - 30.2)	15,626	23.8	(20.1 - 27.4)
Some College	183	23.0	(15.1 - 30.9)	9,875	19.3	(16.0 - 22.6)
≥ College Degree	231	18.5	(12.8 - 24.3)	12,415	16.1	(13.9 - 18.3)
Income						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	163	21.8	(14.0 - 29.7)	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	119	14.3	(6.6 - 22.0)	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	145	11.5	(4.5 - 18.6)	8,544	12.7	(10.8 - 14.6)

¹ Defined as activity limitations because of physical, mental or emotional problems

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 52a. Have health problem that requires the use of special equipment among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	648	13,300	9.2	(6.8 - 11.6)	38,171	1,169,400	7.9	(6.9 - 8.9)
Gender								
Male	267	6,400	8.9	(5.6 - 12.3)	14,617	460,700	6.5	(5.3 - 7.7)
Female	381	6,900	9.5	(6.1 - 12.9)	23,554	708,700	9.1	(7.6 - 10.7)
Age (years)								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	149	2,500	8.5	(2.9 - 14.0)	7,836	182,500	6.4	(4.7 - 8.1)
55-64	138	3,600	16.0	(8.8 - 23.2)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	210	5,100	20.5	(14.2 - 26.7)	12,633	576,100	22.7	(19.0 - 26.3)
Race/Ethnicity								
White Non-Hispanic	595	11,000	9.0	(6.6 - 11.4)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
Education								
≤ High School	231	6,200	11.8	(7.1 - 16.6)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	184	4,400	10.3	(5.6 - 15.0)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	232	2,500	5.1	(2.5 - 7.7)	12,463	298,900	5.3	(4.1 - 6.5)
Income								
≤ \$24,999	149	5,900	20.5	(12.6 - 28.4)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	163	3,700	11.1	(5.1 - 17.1)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	*	*	*	*	8,566	136,000	3.0	(2.1 - 4.0)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Sample size from survey

³ Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 52b. Have health problem that requires the use of special equipment among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	648	8.6	(6.3 - 10.9)	38,171	7.6	(6.6 - 8.6)
Gender						
Male	267	8.6	(5.3 - 11.8)	14,617	6.8	(5.5 - 8.0)
Female	381	8.7	(5.3 - 12.0)	23,554	8.4	(6.9 - 9.9)
Race/Ethnicity						
White Non-Hispanic	595	8.5	(6.1 - 10.9)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
Education						
≤ High School	231	11.9	(7.0 - 16.7)	15,711	10.3	(8.3 - 12.3)
Some College	184	8.6	(4.5 - 12.6)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	232	4.9	(2.3 - 7.5)	12,463	5.3	(4.1 - 6.6)
Income						
≤ \$24,999	149	20.2	(12.1 - 28.3)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	163	10.6	(4.8 - 16.5)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	*	*	*	8,566	2.9	(2.0 - 3.9)

¹ Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 53a. Disability among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	644	34,100	23.7	(19.7 - 27.8)	38,016	3,394,200	22.9	(20.9 - 24.9)
Gender								
Male	265	13,500	19.0	(13.3 - 24.7)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	379	20,500	28.4	(22.9 - 33.9)	23,448	1,924,600	24.8	(22.1 - 27.5)
Age (years)								
18-34	68	5,000	11.9	(3.7 - 20.1)	3,931	590,300	13.3	(8.4 - 18.1)
35-44	*	*	*	*	4,974	447,900	15.6	(11.9 - 19.3)
45-54	148	5,700	19.8	(12.5 - 27.2)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	138	7,300	32.0	(23.4 - 40.7)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	208	10,000	40.7	(33.3 - 48.1)	12,560	1,010,000	39.9	(36.1 - 43.7)
Race/Ethnicity								
White Non-Hispanic	591	30,600	25.0	(20.7 - 29.4)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	*	*	*	*	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
Education								
≤ High School	230	12,900	24.6	(17.6 - 31.6)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	182	11,600	27.1	(19.0 - 35.3)	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	231	9,500	19.6	(14.0 - 25.2)	12,419	1,021,300	18.2	(15.9 - 20.5)
Income								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	163	8,400	25.3	(17.2 - 33.4)	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	119	4,100	15.8	(8.2 - 23.4)	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	144	4,800	12.3	(5.3 - 19.2)	8,546	632,700	14.1	(12.1 - 16.1)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Sample size from survey

³ Estimated number of adults with a disability (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 53b. Disability among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	644	23.2	(19.0 - 27.3)	38,016	22.3	(20.4 - 24.3)
Gender						
Male	265	19.2	(13.2 - 25.1)	14,568	20.9	(18.0 - 23.8)
Female	379	27.1	(21.4 - 32.9)	23,448	23.6	(21.0 - 26.3)
Race/Ethnicity						
White Non-Hispanic	591	24.5	(20.0 - 28.9)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	*	*	*	736	23.5	(16.5 - 30.5)
Hispanic	*	*	*	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
Education						
≤ High School	230	24.9	(17.4 - 32.4)	15,638	26.8	(23.0 - 30.6)
Some College	182	24.7	(16.6 - 32.9)	9,876	20.9	(17.4 - 24.3)
≥ College Degree	231	19.7	(13.7 - 25.6)	12,419	17.9	(15.5 - 20.3)
Income						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	163	24.7	(16.4 - 33.0)	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	119	15.4	(7.5 - 23.4)	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	144	12.2	(5.0 - 19.4)	8,546	13.8	(11.7 - 15.8)

¹ Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 54a. Current smoking among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	32,100	22.4	(17.8 - 27.0)	38,029	2,483,500	16.8	(15.1 - 18.6)
Gender								
Male	264	15,600	22.1	(15.0 - 29.3)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	379	16,400	22.7	(17.0 - 28.4)	23,470	1,127,100	14.6	(12.7 - 16.6)
Age (years)								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	*	*	*	*	4,977	421,100	14.8	(11.6 - 17.9)
45-54	150	9,200	31.6	(22.6 - 40.5)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	138	4,000	17.3	(9.4 - 25.3)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	205	2,200	9.0	(4.6 - 13.3)	12,572	245,600	9.7	(7.2 - 12.3)
Race/Ethnicity								
White Non-Hispanic	590	27,700	22.7	(18.0 - 27.4)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	229	14,800	28.3	(19.8 - 36.9)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	183	10,700	25.0	(16.3 - 33.8)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	230	6,600	13.7	(7.8 - 19.7)	12,421	563,300	10.0	(7.5 - 12.5)
Income								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	120	5,300	20.1	(10.7 - 29.5)	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	146	7,900	20.1	(11.5 - 28.7)	8,549	468,700	10.4	(8.6 - 12.3)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Sample size from survey

³ Estimated number of adult current smokers (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 54b. Current smoking among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	22.7	(17.9 - 27.4)	38,029	17.0	(15.3 - 18.8)
Gender						
Male	264	22.0	(14.6 - 29.4)	14,559	19.2	(16.3 - 22.1)
Female	379	23.3	(17.2 - 29.4)	23,470	15.0	(13.0 - 17.0)
Race/Ethnicity						
White Non-Hispanic	590	23.3	(18.3 - 28.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	229	28.8	(19.8 - 37.7)	15,654	22.8	(19.5 - 26.0)
Some College	183	25.6	(16.4 - 34.8)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	230	13.6	(7.5 - 19.6)	12,421	10.0	(7.6 - 12.5)
Income						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	120	20.5	(10.6 - 30.5)	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	146	19.9	(11.1 - 28.8)	8,549	10.6	(8.6 - 12.5)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 55a. Everyday smoking among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	643	23,000	16.1	(12.1 - 20.0)	38,029	1,626,800	11.0	(9.8 - 12.2)
Gender								
Male	264	10,700	15.1	(9.3 - 20.8)	14,559	848,400	12.0	(10.0 - 14.1)
Female	379	12,400	17.0	(11.7 - 22.3)	23,470	778,400	10.1	(8.7 - 11.5)
Age (years)								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	82	5,600	22.2	(12.5 - 31.9)	4,977	315,200	11.0	(8.4 - 13.7)
45-54	150	7,100	24.2	(15.7 - 32.6)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	138	3,400	14.7	(7.1 - 22.4)	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	*	*	*	*	12,572	171,700	6.8	(4.8 - 8.8)
Race/Ethnicity								
White Non-Hispanic	590	19,600	16.0	(12.0 - 20.1)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
Education								
≤ High School	229	11,400	21.9	(14.1 - 29.7)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	183	7,100	16.6	(9.8 - 23.4)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	230	4,600	9.4	(4.2 - 14.6)	12,421	323,500	5.8	(4.3 - 7.2)
Income								
≤ \$24,999	144	4,700	17.0	(9.2 - 24.8)	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	120	4,200	16.1	(7.1 - 25.1)	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	146	5,100	13.0	(6.5 - 19.4)	8,549	320,200	7.1	(5.5 - 8.8)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Sample size from survey

³ Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 55b. Everyday smoking among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	643	16.2	(12.1 - 20.3)	38,029	11.3	(10.0 - 12.5)
Gender						
Male	264	14.6	(8.8 - 20.4)	14,559	12.1	(10.1 - 14.1)
Female	379	17.7	(12.0 - 23.4)	23,470	10.5	(9.0 - 12.0)
Race/Ethnicity						
White Non-Hispanic	590	16.5	(12.2 - 20.8)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
Education						
≤ High School	229	22.0	(13.9 - 30.1)	15,654	16.4	(13.8 - 19.0)
Some College	183	17.1	(9.9 - 24.3)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	230	9.1	(3.9 - 14.3)	12,421	5.8	(4.3 - 7.3)
Income						
≤ \$24,999	144	17.6	(9.2 - 26.0)	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	120	16.5	(6.9 - 26.0)	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	146	12.5	(6.0 - 19.0)	8,549	7.2	(5.5 - 8.9)

¹ Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 56a. Adults living in homes in which smoking is prohibited¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	109,900	76.4	(71.6 - 81.2)	38,045	11,997,100	80.8	(79.0 - 82.6)
Gender								
Male	266	55,300	77.4	(69.8 - 85.1)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	381	54,600	75.4	(69.5 - 81.3)	23,468	6,362,800	82.1	(79.9 - 84.3)
Age (years)								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	82	20,200	79.7	(70.3 - 89.0)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	150	20,400	69.7	(59.9 - 79.5)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	138	17,300	75.9	(67.6 - 84.2)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	209	19,600	79.4	(73.4 - 85.4)	12,565	1,935,400	76.5	(73.4 - 79.5)
Race/Ethnicity								
White Non-Hispanic	594	94,800	77.3	(72.3 - 82.2)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	*	*	*	*	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	36,100	69.3	(60.4 - 78.3)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	185	33,600	77.9	(69.2 - 86.5)	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	231	40,200	83.0	(76.0 - 90.0)	12,437	4,817,300	85.7	(83.3 - 88.2)
Income								
≤ \$24,999	*	*	*	*	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	162	25,200	76.2	(67.0 - 85.5)	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	147	33,200	84.1	(76.4 - 91.8)	8,556	3,883,200	86.5	(84.3 - 88.7)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Sample size from survey

³ Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 56b. Adults living in homes in which smoking is prohibited¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	76.8	(71.8 - 81.8)	38,045	80.9	(79.2 - 82.7)
Gender						
Male	266	78.1	(70.4 - 85.8)	14,577	79.4	(76.7 - 82.2)
Female	381	75.5	(69.2 - 81.8)	23,468	82.3	(80.0 - 84.5)
Race/Ethnicity						
White Non-Hispanic	594	77.6	(72.4 - 82.7)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	*	*	*	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	70.1	(60.8 - 79.4)	15,647	76.9	(73.8 - 80.0)
Some College	185	77.6	(68.4 - 86.8)	9,883	79.1	(75.2 - 83.0)
≥ College Degree	231	83.6	(76.6 - 90.6)	12,437	86.0	(83.5 - 88.5)
Income						
≤ \$24,999	*	*	*	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	162	76.5	(66.7 - 86.3)	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	147	84.9	(77.3 - 92.6)	8,556	86.6	(84.3 - 88.9)

¹ Defined as having a rule that prohibits smoking anywhere inside the home

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 57a. Binge drinking within the past month among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	642	24,400	17.1	(12.5 - 21.7)	37,745	2,602,000	17.7	(15.7 - 19.8)
Gender								
Male	263	17,500	24.7	(16.7 - 32.7)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	379	6,900	9.6	(5.5 - 13.8)	23,325	889,600	11.6	(9.5 - 13.7)
Age (years)								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	83	3,800	14.7	(6.8 - 22.6)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	147	3,900	13.6	(7.2 - 20.0)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	136	2,700	12.0	(5.7 - 18.4)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
Race/Ethnicity								
White Non-Hispanic	591	19,300	15.8	(11.2 - 20.4)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
Education								
≤ High School	228	8,800	17.0	(9.6 - 24.4)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	183	7,200	16.8	(7.8 - 25.9)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	230	8,400	17.5	(9.8 - 25.2)	12,358	1,018,700	18.2	(15.3 - 21.1)
Income								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	163	6,200	18.8	(9.9 - 27.8)	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	144	7,800	20.1	(11.6 - 28.7)	8,501	1,011,400	22.6	(19.7 - 25.6)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Sample size from survey

³ Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 57b. Binge drinking within the past month among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	642	17.3	(12.6 - 22.1)	37,745	18.1	(16.1 - 20.2)
Gender						
Male	263	24.8	(16.6 - 33.0)	14,420	24.5	(21.0 - 27.9)
Female	379	10.0	(5.5 - 14.5)	23,325	12.4	(10.2 - 14.5)
Race/Ethnicity						
White Non-Hispanic	591	16.0	(11.2 - 20.8)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
Education						
≤ High School	228	17.2	(9.5 - 24.8)	15,491	17.5	(13.5 - 21.5)
Some College	183	17.0	(7.7 - 26.2)	9,819	18.6	(15.1 - 22.0)
≥ College Degree	230	17.9	(9.9 - 25.9)	12,358	18.8	(15.9 - 21.7)
Income						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	163	19.3	(9.8 - 28.9)	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	144	20.2	(11.4 - 29.1)	8,501	23.2	(20.2 - 26.1)

¹ Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 58a. Heavy drinking within the past month among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	636	9,600	6.8	(3.9 - 9.8)	37,553	718,700	4.9	(4.2 - 5.6)
Gender								
Male	262	5,300	7.7	(2.5 - 12.9)	14,330	333,300	4.8	(3.9 - 5.7)
Female	374	4,300	6.0	(3.0 - 9.0)	23,223	385,400	5.0	(4.0 - 6.1)
Age (years)								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	147	1,400	5.0	(1.4 - 8.6)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	*	*	*	*	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
Race/Ethnicity								
White Non-Hispanic	585	8,800	7.3	(4.0 - 10.7)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
Education								
≤ High School	225	3,400	6.6	(2.1 - 11.0)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	230	4,500	9.4	(3.2 - 15.6)	12,306	326,800	5.9	(4.5 - 7.3)
Income								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	146	3,100	8.0	(2.3 - 13.6)	8,481	313,900	7.0	(5.4 - 8.6)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Sample size from survey

³ Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 58b. Heavy drinking within the past month among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	636	6.9	(3.8 - 9.9)	37,553	5.0	(4.3 - 5.8)
Gender						
Male	262	8.0	(2.5 - 13.4)	14,330	4.9	(3.9 - 5.9)
Female	374	5.8	(2.8 - 8.7)	23,223	5.1	(4.0 - 6.2)
Race/Ethnicity						
White Non-Hispanic	585	7.3	(3.8 - 10.7)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
Education						
≤ High School	225	6.8	(2.0 - 11.5)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	230	9.0	(2.8 - 15.3)	12,306	6.0	(4.5 - 7.4)
Income						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	146	7.3	(1.9 - 12.7)	8,481	7.0	(5.4 - 8.7)

¹ Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 59a. Never or rarely been asked about sexual history during routine check-up among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	585	85,800	66.9	(61.4 - 72.5)	35,193	8,480,600	61.9	(59.2 - 64.5)
Gender								
Male	239	45,100	73.0	(64.1 - 81.9)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	346	40,700	61.3	(54.4 - 68.2)	21,894	4,123,300	56.8	(53.3 - 60.2)
Age (years)								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	137	18,700	72.9	(64.8 - 81.0)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	120	15,600	77.7	(68.9 - 86.4)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	190	19,500	87.2	(82.4 - 92.1)	11,772	1,908,900	80.3	(76.9 - 83.8)
Race/Ethnicity								
White Non-Hispanic	541	75,300	68.3	(62.7 - 73.9)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	217	32,900	75.9	(69.0 - 82.9)	11,706	3,476,000	65.0	(61.2 - 68.7)
Income								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	140	26,500	70.2	(60.7 - 79.7)	8,108	2,934,300	68.2	(64.7 - 71.7)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Sample size from survey

³ Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 59b. Never or rarely been asked about sexual history during routine check-up among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	585	65.7	(59.9 - 71.6)	35,193	61.4	(58.7 - 64.0)
Gender						
Male	239	72.7	(63.5 - 81.8)	13,299	67.9	(64.0 - 71.9)
Female	346	59.4	(51.9 - 66.8)	21,894	55.5	(52.0 - 59.0)
Race/Ethnicity						
White Non-Hispanic	541	67.1	(61.2 - 73.0)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	217	75.5	(68.2 - 82.7)	11,706	64.5	(60.8 - 68.2)
Income						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	140	69.7	(59.7 - 79.6)	8,108	67.5	(64.0 - 71.0)

¹ Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	381	71,800	76.1	(69.9 - 82.2)	22,788	7,011,100	77.9	(75.2 - 80.5)
Gender								
Male	148	39,600	88.5	(81.8 - 95.3)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	233	32,300	64.9	(56.1 - 73.7)	13,754	3,392,600	74.8	(71.2 - 78.4)
Age (years)								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	94	14,800	79.9	(70.2 - 89.5)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	73	9,100	81.3	(71.6 - 90.9)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	102	11,700	97.2	(94.3 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
Race/Ethnicity								
White Non-Hispanic	355	62,300	76.4	(70.5 - 82.4)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	*	*	*	*	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	140	21,800	74.6	(65.1 - 84.1)	7,928	2,824,800	75.6	(71.8 - 79.5)
Income								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	*	*	*	*	5,771	2,321,600	77.6	(74.0 - 81.2)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Sample size from survey

³ Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	381	74.8	(68.2 - 81.4)	22,788	77.3	(74.7 - 79.9)
Gender						
Male	148	88.0	(80.9 - 95.1)	9,034	81.1	(77.4 - 84.8)
Female	233	63.0	(53.5 - 72.5)	13,754	73.6	(70.0 - 77.3)
Race/Ethnicity						
White Non-Hispanic	355	75.2	(68.9 - 81.6)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	140	74.2	(64.3 - 84.0)	7,928	75.1	(71.3 - 79.0)
Income						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	*	*	*	5,771	77.0	(73.4 - 80.6)

¹ Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	625	128,000	91.6	(88.4 - 94.8)	36,287	12,738,300	89.7	(88.2 - 91.3)
Gender								
Male	257	62,100	89.7	(83.7 - 95.6)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	368	65,900	93.5	(91.3 - 95.8)	22,394	6,633,700	90.1	(87.9 - 92.2)
Age (years)								
18-34	66	37,300	91.2	(81.9 - 100)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	80	23,800	97.8	(94.6 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	149	27,800	95.6	(92.4 - 98.8)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	132	20,500	93.2	(87.8 - 98.6)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	198	18,600	79.4	(73.3 - 85.5)	11,544	1,858,900	79.7	(76.6 - 82.8)
Race/Ethnicity								
White Non-Hispanic	575	109,800	92.5	(89.4 - 95.5)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	*	*	*	*	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
Education								
≤ High School	217	42,500	85.2	(78.1 - 92.2)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	179	39,300	92.9	(87.2 - 98.7)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	228	46,200	97.6	(95.7 - 99.4)	12,142	5,228,800	95.4	(94.0 - 96.7)
Income								
≤ \$24,999	141	23,900	86.2	(77.2 - 95.2)	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	161	30,200	91.6	(84.2 - 99.1)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	117	25,200	97.6	(95.3 - 100)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	143	35,900	93.8	(87.6 - 100)	8,397	4,184,300	94.4	(92.5 - 96.3)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Sample size from survey

³ Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	625	92.0	(88.8 - 95.2)	36,287	89.8	(88.3 - 91.4)
Gender						
Male	257	89.6	(83.5 - 95.7)	13,893	89.1	(86.9 - 91.3)
Female	368	94.3	(92.3 - 96.4)	22,394	90.5	(88.3 - 92.7)
Race/Ethnicity						
White Non-Hispanic	575	92.8	(89.6 - 95.9)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	*	*	*	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
Education						
≤ High School	217	85.8	(78.7 - 92.9)	14,507	84.6	(81.8 - 87.4)
Some College	179	93.3	(87.3 - 99.2)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	228	97.7	(96.0 - 99.4)	12,142	95.4	(94.0 - 96.7)
Income						
≤ \$24,999	141	87.1	(78.0 - 96.2)	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	161	91.8	(84.3 - 99.2)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	117	97.8	(95.7 - 100)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	143	93.7	(87.3 - 100)	8,397	94.5	(92.6 - 96.4)

¹ Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 62a. Overweight among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	632	49,100	35.4	(30.4 - 40.4)	36,710	5,213,000	36.4	(34.0 - 38.8)
Gender								
Male	265	30,300	43.3	(35.1 - 51.5)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	367	18,800	27.3	(21.7 - 32.9)	22,208	2,139,800	29.3	(26.4 - 32.2)
Age (years)								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	145	10,700	38.4	(28.7 - 48.1)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	*	*	*	*	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	206	10,500	43.4	(35.9 - 50.8)	12,285	1,014,400	41.5	(37.6 - 45.4)
Race/Ethnicity								
White Non-Hispanic	582	41,200	34.5	(29.5 - 39.5)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	15,300	31.3	(23.2 - 39.4)	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	181	12,600	29.7	(21.4 - 38.0)	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	227	21,100	44.8	(36.2 - 53.4)	12,062	1,996,900	36.3	(32.8 - 39.7)
Income								
≤ \$24,999	145	7,100	26.6	(17.0 - 36.3)	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	145	15,400	39.8	(30.1 - 49.5)	8,337	1,659,100	37.5	(34.1 - 40.9)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 62b. Overweight among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	632	34.7	(29.6 - 39.9)	36,710	36.2	(33.8 - 38.6)
Gender						
Male	265	42.8	(34.5 - 51.2)	14,502	43.9	(40.1 - 47.6)
Female	367	26.5	(20.7 - 32.3)	22,208	28.9	(25.9 - 31.8)
Race/Ethnicity						
White Non-Hispanic	582	33.9	(28.7 - 39.0)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	30.2	(21.9 - 38.6)	15,079	35.2	(31.1 - 39.4)
Some College	181	29.2	(20.6 - 37.8)	9,515	38.3	(33.3 - 43.2)
≥ College Degree	227	44.5	(35.7 - 53.4)	12,062	36.2	(32.7 - 39.8)
Income						
≤ \$24,999	145	25.8	(15.9 - 35.7)	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	145	39.6	(29.6 - 49.5)	8,337	37.2	(33.7 - 40.6)

¹ Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 63a. Obesity among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	632	34,100	24.6	(20.0 - 29.1)	36,710	3,327,400	23.2	(21.2 - 25.3)
Gender								
Male	265	16,900	24.2	(17.0 - 31.3)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	367	17,200	25.0	(19.2 - 30.7)	22,208	1,821,600	25.0	(21.8 - 28.1)
Age (years)								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	145	5,500	19.8	(12.7 - 26.8)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	134	6,000	27.2	(18.6 - 35.7)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	206	5,000	20.7	(14.6 - 26.9)	12,285	554,000	22.7	(19.2 - 26.1)
Race/Ethnicity								
White Non-Hispanic	582	28,100	23.5	(18.9 - 28.1)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
Education								
≤ High School	223	11,900	24.4	(16.8 - 31.9)	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	181	14,600	34.3	(24.5 - 44.2)	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	227	7,600	16.1	(10.8 - 21.3)	12,062	915,000	16.6	(14.4 - 18.8)
Income								
≤ \$24,999	*	*	*	*	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	160	7,200	22.2	(13.4 - 30.9)	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	118	4,100	16.0	(8.0 - 24.0)	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	145	9,200	23.9	(15.3 - 32.6)	8,337	867,700	19.6	(17.0 - 22.3)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 63b. Obesity among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	632	24.9	(20.1 - 29.8)	36,710	23.1	(21.0 - 25.1)
Gender						
Male	265	24.4	(17.0 - 31.8)	14,502	21.5	(19.0 - 24.0)
Female	367	25.5	(19.2 - 31.7)	22,208	24.6	(21.5 - 27.8)
Race/Ethnicity						
White Non-Hispanic	582	23.7	(18.9 - 28.6)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
Education						
≤ High School	223	24.6	(16.5 - 32.7)	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	227	16.3	(10.7 - 21.8)	12,062	16.4	(14.2 - 18.5)
Income						
≤ \$24,999	*	*	*	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	160	21.7	(12.5 - 30.9)	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	118	16.3	(8.0 - 24.5)	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	145	24.1	(15.1 - 33.2)	8,337	19.3	(16.7 - 21.9)

¹ Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 64a. Overweight or obesity among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	632	83,300	59.9	(54.5 - 65.4)	36,710	8,540,500	59.6	(57.0 - 62.2)
Gender								
Male	265	47,200	67.5	(59.0 - 75.9)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	367	36,100	52.3	(45.5 - 59.0)	22,208	3,961,400	54.3	(51.0 - 57.6)
Age (years)								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	145	16,200	58.1	(48.4 - 67.8)	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	134	15,500	70.3	(61.6 - 78.9)	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	206	15,500	64.1	(57.0 - 71.2)	12,285	1,568,400	64.1	(60.6 - 67.7)
Race/Ethnicity								
White Non-Hispanic	582	69,200	58.0	(52.4 - 63.6)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	181	27,200	64.1	(54.5 - 73.6)	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	227	28,700	60.8	(52.6 - 69.0)	12,062	2,911,900	52.9	(49.2 - 56.6)
Income								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	145	24,600	63.8	(54.0 - 73.6)	8,337	2,526,700	57.1	(53.6 - 60.6)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Sample size from survey

³ Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 64b. Overweight or obesity among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	632	59.6	(53.9 - 65.4)	36,710	59.3	(56.8 - 61.9)
Gender						
Male	265	67.2	(58.5 - 75.9)	14,502	65.4	(61.3 - 69.4)
Female	367	52.0	(44.7 - 59.3)	22,208	53.5	(50.1 - 56.8)
Race/Ethnicity						
White Non-Hispanic	582	57.6	(51.8 - 63.5)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	181	64.1	(54.1 - 74.1)	9,515	61.4	(56.4 - 66.5)
≥ College Degree	227	60.8	(52.3 - 69.3)	12,062	52.6	(48.9 - 56.3)
Income						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	*	*	*	8,337	56.5	(52.9 - 60.0)

¹ Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 65a. Received advice about weight by a health professional among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	630	34,000	24.4	(20.0 - 28.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
Gender								
Male	264	14,700	20.7	(14.5 - 27.0)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	366	19,300	28.1	(22.1 - 34.1)	22,230	2,274,900	31.0	(27.7 - 34.3)
Age (years)								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	144	6,500	23.6	(15.7 - 31.4)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	133	6,500	29.5	(20.6 - 38.4)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	205	5,800	23.9	(17.7 - 30.2)	12,313	659,500	26.9	(23.0 - 30.7)
Race/Ethnicity								
White Non-Hispanic	579	29,400	24.7	(20.3 - 29.2)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	223	9,800	19.5	(13.2 - 25.9)	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	181	14,700	34.6	(25.0 - 44.2)	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	225	9,500	20.3	(14.3 - 26.3)	12,041	1,445,500	26.2	(23.0 - 29.4)
Income								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	160	6,300	19.6	(11.8 - 27.3)	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	144	8,500	22.1	(14.5 - 29.8)	8,334	1,207,100	27.3	(24.2 - 30.5)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 65b. Received advice about weight by a health professional among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	630	24.5	(19.9 - 29.1)	36,729	27.1	(24.8 - 29.4)
Gender						
Male	264	20.4	(14.1 - 26.7)	14,499	23.4	(20.5 - 26.3)
Female	366	28.7	(22.1 - 35.2)	22,230	30.6	(27.3 - 34.0)
Race/Ethnicity						
White Non-Hispanic	579	24.8	(20.1 - 29.6)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	223	19.2	(12.5 - 25.9)	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	225	20.8	(14.5 - 27.0)	12,041	25.9	(22.7 - 29.0)
Income						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	160	19.4	(11.1 - 27.7)	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	144	21.9	(14.0 - 29.8)	8,334	26.9	(23.7 - 30.0)

¹ Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 66a. Received advice to lose weight by a health professional among adults provided weight advice¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	167	29,500	86.9	(80.4 - 93.3)	9,724	3,412,900	86.8	(83.9 - 89.8)
Gender								
Male	66	13,500	91.6	(84.9 - 98.3)	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	101	16,100	83.2	(73.3 - 93.1)	5,917	1,944,200	85.5	(80.8 - 90.1)
Age (years)								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	50	5,000	87.3	(79.1 - 95.5)	2,893	552,300	83.7	(76.9 - 90.6)
Race/Ethnicity								
White Non-Hispanic	154	25,200	85.8	(78.7 - 92.9)	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	57	13,800	94.1	(88.1 - 100)	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	*	*	*	*	3,115	1,290,900	89.3	(85.3 - 93.3)
Income								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	*	*	*	*	2,270	1,073,200	88.9	(83.7 - 94.1)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Sample size from survey

³ Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 66b. Received advice to lose weight by a health professional among adults provided weight advice¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	167	86.0	(78.9 - 93.0)	9,724	86.9	(83.8 - 89.9)
Gender						
Male	66	91.1	(83.8 - 98.3)	3,807	88.7	(85.7 - 91.8)
Female	*	*	*	5,917	85.5	(80.7 - 90.3)
Race/Ethnicity						
White Non-Hispanic	154	85.0	(77.3 - 92.8)	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	57	93.8	(87.2 - 100)	2,633	85.6	(79.5 - 91.7)
≥ College Degree	*	*	*	3,115	89.4	(85.4 - 93.3)
Income						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	*	*	*	2,270	88.7	(83.1 - 94.2)

¹ Defined as provided advice by a health professional about their weight and advised to lose weight

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 67a. No leisure-time physical activity among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	647	35,000	24.5	(20.0 - 29.0)	38,128	3,541,700	23.9	(21.6 - 26.1)
Gender								
Male	266	15,900	22.6	(16.3 - 29.0)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	381	19,100	26.3	(20.0 - 32.5)	23,526	2,059,200	26.6	(23.4 - 29.7)
Age (years)								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	150	7,800	26.8	(18.4 - 35.1)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	138	4,600	20.2	(12.5 - 27.9)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	209	8,500	34.5	(27.5 - 41.5)	12,610	778,800	30.7	(27.3 - 34.2)
Race/Ethnicity								
White Non-Hispanic	595	28,700	23.4	(19.1 - 27.6)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
Education								
≤ High School	230	20,900	40.9	(31.7 - 50.1)	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	185	8,800	20.4	(13.1 - 27.7)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	231	5,100	10.5	(5.9 - 15.1)	12,458	841,000	14.9	(11.9 - 18.0)
Income								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	162	8,400	26.5	(17.7 - 35.3)	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	119	3,600	13.6	(6.0 - 21.3)	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	147	5,900	15.0	(8.2 - 21.8)	8,565	560,800	12.5	(10.3 - 14.6)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Sample size from survey

³ Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 67b. No leisure-time physical activity among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	647	24.6	(19.8 - 29.4)	38,128	23.7	(21.5 - 25.9)
Gender						
Male	266	22.7	(16.1 - 29.3)	14,602	20.9	(17.8 - 23.9)
Female	381	26.4	(19.6 - 33.3)	23,526	26.3	(23.1 - 29.5)
Race/Ethnicity						
White Non-Hispanic	595	23.3	(18.8 - 27.7)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
Education						
≤ High School	230	41.5	(31.7 - 51.3)	15,683	32.3	(28.3 - 36.4)
Some College	185	20.1	(12.3 - 27.8)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	231	10.5	(5.7 - 15.4)	12,458	14.9	(11.8 - 17.9)
Income						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	162	26.5	(17.3 - 35.8)	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	119	12.9	(5.5 - 20.3)	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	147	14.9	(7.8 - 22.0)	8,565	12.6	(10.3 - 14.9)

¹ Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	649	42,300	29.3	(24.6 - 34.1)	38,203	4,023,400	27.0	(24.9 - 29.2)
Gender								
Male	267	19,000	26.6	(18.9 - 34.2)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	382	23,400	32.1	(26.2 - 37.9)	23,569	2,419,500	31.1	(28.2 - 34.0)
Age (years)								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	83	5,400	20.9	(11.7 - 30.0)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	150	7,600	25.9	(18.2 - 33.6)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	138	5,800	25.6	(17.3 - 33.8)	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	210	8,800	35.6	(28.5 - 42.7)	12,660	747,800	29.4	(26.0 - 32.8)
Race/Ethnicity								
White Non-Hispanic	596	36,700	29.8	(24.9 - 34.7)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
Education								
≤ High School	231	12,100	23.1	(15.6 - 30.6)	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	185	15,100	35.1	(25.3 - 44.9)	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	232	15,100	31.1	(23.8 - 38.4)	12,471	1,747,500	31.0	(27.9 - 34.1)
Income								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	163	8,700	26.4	(18.3 - 34.5)	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	120	6,200	23.6	(15.0 - 32.2)	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	147	14,200	35.9	(26.0 - 45.8)	8,569	1,260,100	28.0	(25.0 - 31.0)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Sample size from survey

³ Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	649	29.3	(24.3 - 34.3)	38,203	27.1	(24.9 - 29.2)
Gender						
Male	267	26.9	(19.0 - 34.7)	14,634	22.7	(19.6 - 25.9)
Female	382	31.7	(25.5 - 37.9)	23,569	31.0	(28.1 - 34.0)
Race/Ethnicity						
White Non-Hispanic	596	29.7	(24.6 - 34.8)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
Education						
≤ High School	231	23.2	(15.4 - 31.1)	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	232	30.8	(23.3 - 38.3)	12,471	31.2	(28.0 - 34.3)
Income						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	163	26.0	(17.5 - 34.4)	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	120	22.9	(14.1 - 31.6)	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	*	*	*	8,569	28.0	(24.9 - 31.1)

¹ Defined as having consumed 5 or more servings of fruits and vegetables in an average day

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 69a. Had a fall within the past 3 months among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	489	13,700	18.3	(14.4 - 22.1)	28,783	1,244,800	17.0	(14.9 - 19.0)
Gender								
Male	204	5,400	15.2	(10.1 - 20.4)	10,966	489,400	14.4	(11.9 - 16.8)
Female	285	8,300	21.0	(15.5 - 26.6)	17,817	755,300	19.2	(16.1 - 22.3)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	148	4,400	15.4	(8.9 - 22.0)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	133	4,800	21.9	(14.2 - 29.6)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	208	4,500	18.4	(12.7 - 24.2)	12,588	463,300	18.4	(15.2 - 21.6)
Race/Ethnicity								
White Non-Hispanic	458	13,000	19.3	(15.2 - 23.4)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
Education								
≤ High School	182	3,600	13.3	(7.7 - 18.9)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	134	5,900	28.4	(19.7 - 37.1)	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	172	4,200	15.6	(9.8 - 21.5)	9,086	441,500	15.4	(12.9 - 17.9)
Income								
≤ \$24,999	117	3,300	23.1	(14.9 - 31.4)	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	127	4,100	22.6	(13.7 - 31.4)	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	92	2,200	13.9	(6.0 - 21.8)	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	98	2,500	13.1	(6.2 - 20.0)	5,874	287,100	12.5	(10.0 - 15.1)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 69b. Had a fall within the past 3 months among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	489	18.0	(14.2 - 21.8)	28,783	17.3	(15.0 - 19.5)
Gender						
Male	204	14.9	(9.9 - 19.9)	10,966	15.0	(12.1 - 17.8)
Female	285	21.0	(15.4 - 26.6)	17,817	19.4	(16.0 - 22.8)
Race/Ethnicity						
White Non-Hispanic	458	19.0	(14.9 - 23.0)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
Education						
≤ High School	182	13.6	(7.9 - 19.2)	12,417	17.4	(13.0 - 21.7)
Some College	134	27.2	(18.7 - 35.7)	7,232	19.0	(14.7 - 23.2)
≥ College Degree	172	15.7	(9.8 - 21.6)	9,086	16.0	(13.1 - 18.8)
Income						
≤ \$24,999	117	22.9	(14.7 - 31.1)	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	127	22.2	(13.4 - 31.0)	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	92	13.0	(5.5 - 20.4)	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	98	13.7	(6.6 - 20.9)	5,874	12.9	(9.9 - 15.8)

¹ Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009
Ulster County**

Table 70a. Had a fall that caused injury within the past 3 months among adults¹ in Ulster County and New York State

	Ulster County				New York State			
	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴	n ²	Est. # of Adults ³	Percent	(C.I.) ⁴
Total	489	4,000	5.3	(3.2 - 7.4)	28,760	335,700	4.6	(3.7 - 5.5)
Gender								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	285	3,000	7.7	(4.2 - 11.2)	17,803	215,600	5.5	(4.1 - 6.9)
Age (years)								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	133	1,400	6.5	(2.5 - 10.5)	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	208	1,600	6.4	(2.3 - 10.4)	12,574	130,300	5.2	(3.4 - 6.9)
Race/Ethnicity								
White Non-Hispanic	458	3,900	5.8	(3.5 - 8.2)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
Education								
≤ High School	182	1,100	4.3	(1.5 - 7.0)	12,404	148,900	5.2	(3.6 - 6.8)
Some College	134	2,000	9.4	(3.8 - 15.0)	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
Income								
≤ \$24,999	117	1,500	10.6	(4.7 - 16.5)	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Sample size from survey

³ Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

Expanded BRFSS Report: July 2008 - June 2009
Ulster County

Table 70b. Had a fall that caused injury within the past 3 months among adults¹ in Ulster County and New York State - Age-Adjusted²

	Ulster County			New York State		
	n ³	Percent	(C.I.) ⁴	n ³	Percent	(C.I.) ⁴
Total	489	5.2	(3.1 - 7.2)	28,760	4.6	(3.6 - 5.5)
Gender						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	285	7.6	(4.1 - 11.1)	17,803	5.5	(4.1 - 6.9)
Race/Ethnicity						
White Non-Hispanic	458	5.6	(3.4 - 7.8)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
Education						
≤ High School	182	4.1	(1.5 - 6.8)	12,404	5.2	(3.5 - 6.8)
Some College	134	9.2	(3.7 - 14.8)	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
Income						
≤ \$24,999	117	10.2	(4.4 - 16.0)	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

¹ Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

² Prevalence estimates are age-adjusted to the 2000 US Standard population

³ Sample size from survey

⁴ 95% confidence interval

* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)