

# **New York State Expanded Behavioral Risk Factor Surveillance System**

**Westchester County**

**Final Report  
July 2008 - June 2009**

**New York State Department of Health  
December 2009**

## Contents

<b>Introduction</b>	12
Table 1. Westchester County and New York State adult US Census Bureau population estimates, 2007	13
<b>General Health</b>	
Table 2a. Fair or poor general health among adults in Westchester County and New York State	14
Table 2b. Fair or poor general health among adults in Westchester County and New York State - Age-adjusted	15
Table 3a. Poor physical health 14 or more days within the past month among adults in Westchester County and New York State	16
Table 3b. Poor physical health 14 or more days within the past month among adults in Westchester County and New York State - Age-adjusted	17
Table 4a. Poor mental health 14 or more days within the past month among adults in Westchester County and New York State	18
Table 4b. Poor mental health 14 or more days within the past month among adults in Westchester County and New York State - Age-adjusted	19
Table 5a. Poor physical or mental health 14 or more days within the past month among adults in Westchester County and New York State	20
Table 5b. Poor physical or mental health 14 or more days within the past month among adults in Westchester County and New York State - Age-adjusted	21
<b>Quality Health Care</b>	
Table 6a. Health insurance among adults in Westchester County and New York State	22
Table 6b. Health insurance among adults in Westchester County and New York State - Age-adjusted	23
Table 7a. Health insurance among adults aged 18-64 in Westchester County and New York State	24
Table 7b. Health insurance among adults aged 18-64 in Westchester County and New York State - Age-adjusted	25

## Contents

Table 8a. No health insurance among adults in Westchester County and New York State	26
Table 8b. No health insurance among adults in Westchester County and New York State - Age-adjusted	27
Table 9a. No health insurance among adults aged 18-64 in Westchester County and New York State	28
Table 9b. No health insurance among adults aged 18-64 in Westchester County and New York State - Age-adjusted	29
Table 10a. Adults with regular health care provider in Westchester County and New York State	30
Table 10b. Adults with regular health care provider in Westchester County and New York State - Age-adjusted	31
Table 11a. Cost prevented visit to doctor within the past year among adults in Westchester County and New York State	32
Table 11b. Cost prevented visit to doctor within the past year among adults in Westchester County and New York State - Age-adjusted	33
Table 12a. Visited a doctor for routine checkup within the past year among adults in Westchester County and New York State	34
Table 12b. Visited a doctor for routine checkup within the past year among adults in Westchester County and New York State - Age-adjusted	35
Table 13a. Visited a doctor for routine checkup within the past 2 years among adults in Westchester County and New York State	36
Table 13b. Visited a doctor for routine checkup within the past 2 years among adults in Westchester County and New York State - Age-adjusted	37
Table 14a. Dentist visit within the past year among adults in Westchester County and New York State	38
Table 14b. Dentist visit within the past year among adults in Westchester County and New York State - Age-adjusted	39
Table 15a. Had teeth cleaned within the past year among adults in Westchester County and New York State	40
Table 15b. Had teeth cleaned within the past year among adults in Westchester County and New York State - Age-adjusted	41

## Contents

Table 16a. Permanent teeth extracted due to decay or gum disease among adults in Westchester County and New York State	42
Table 16b. Permanent teeth extracted due to decay or gum disease among adults in Westchester County and New York State - Age-adjusted	43
Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Westchester County and New York State	44
Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older in Westchester County and New York State - Age-adjusted	45
Table 18a. Flu shot within the past 12 months in Westchester County and New York State	46
Table 18b. Flu shot within the past 12 months in Westchester County and New York State - Age-adjusted	47
Table 19a. Flu vaccine that was sprayed in nose within the past 12 months in Westchester County and New York State	48
Table 19b. Flu vaccine that was sprayed in nose within the past 12 months in Westchester County and New York State - Age-adjusted	49
Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months in Westchester County and New York State	50
Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months in Westchester County and New York State - Age-adjusted	51
Table 21a. Flu shot among adults aged 65 and older in Westchester County and New York State	52
Table 21b. Flu shot among adults aged 65 and older in Westchester County and New York State - Age-adjusted	53
Table 22a. Pneumonia shot or pneumococcal vaccine in Westchester County and New York State	54
Table 22b. Pneumonia shot or pneumococcal vaccine in Westchester County and New York State - Age-adjusted	55
Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Westchester County and New York State	56

## Contents

Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older in Westchester County and New York State - Age-adjusted	57
--	----

### Cancer Screening

Table 24a. Ever had a mammogram among women aged 40 and older in Westchester County and New York State	58
--	----

Table 24b. Ever had a mammogram among women aged 40 and older in Westchester County and New York State - Age-adjusted	59
---	----

Table 25a. Had mammogram within the past 2 years among women aged 40 and older in Westchester County and New York State	60
---	----

Table 25b. Had mammogram within the past 2 years among women aged 40 and older in Westchester County and New York State - Age-adjusted	61
--	----

Table 26a. Had mammogram within the past 2 years among women aged 50 and older in Westchester County and New York State	62
---	----

Table 26b. Had mammogram within the past 2 years among women aged 50 and older in Westchester County and New York State - Age-adjusted	63
--	----

Table 27a. Ever had a Pap test among women in Westchester County and New York State	64
---	----

Table 27b. Ever had a Pap test among women in Westchester County and New York State - Age-adjusted	65
--	----

Table 28a. Had a Pap test within the past 3 years among women in Westchester County and New York State	66
--	----

Table 28b. Had a Pap test within the past 3 years among women in Westchester County and New York State - Age-adjusted	67
---	----

Table 29a. Ever had a digital rectal exam among men aged 40 and older in Westchester County and New York State	68
--	----

Table 29b. Ever had a digital rectal exam among men aged 40 and older in Westchester County and New York State - Age-adjusted	69
---	----

Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older in Westchester County and New York State	70
---	----

## Contents

Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older in Westchester County and New York State - Age-adjusted	71
Table 31a. Ever had a prostate specific antigen test among men aged 40 and older in Westchester County and New York State	72
Table 31b. Ever had a prostate specific antigen test among men aged 40 and older in Westchester County and New York State - Age-adjusted	73
Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Westchester County and New York State	74
Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older in Westchester County and New York State - Age-adjusted	75
Table 33a. Prostate cancer among men aged 40 and older in Westchester County and New York State	76
Table 33b. Prostate cancer among men aged 40 and older in Westchester County and New York State - Age-adjusted	77
Table 34a. Home blood stool test ever used among adults aged 50 and older in Westchester County and New York State	78
Table 34b. Home blood stool test ever used among adults aged 50 and older in Westchester County and New York State - Age-adjusted	79
Table 35a. Home blood stool test used within the past year among adults aged 50 and older in Westchester County and New York State	80
Table 35b. Home blood stool test used within the past year among adults aged 50 and older in Westchester County and New York State - Age-adjusted	81
Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older in Westchester County and New York State	82
Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older in Westchester County and New York State - Age-adjusted	83
Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Westchester County and New York State	84
Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older in Westchester County and New York State - Age-adjusted	85

## Contents

Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Westchester County and New York State	86
Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Westchester County and New York State - Age-adjusted	87
Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Westchester County and New York State	88
Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older in Westchester County and New York State - Age-adjusted	89

### Chronic Diseases

Table 40a. High blood pressure among adults in Westchester County and New York State	90
Table 40b. High blood pressure among adults in Westchester County and New York State - Age-adjusted	91
Table 41a. Blood pressure medication among adults with high blood pressure in Westchester County and New York State	92
Table 41b. Blood pressure medication among adults with high blood pressure in Westchester County and New York State - Age-adjusted	93
Table 42a. Ever had blood cholesterol checked among adults in Westchester County and New York State	94
Table 42b. Ever had blood cholesterol checked among adults in Westchester County and New York State - Age-adjusted	95
Table 43a. Blood cholesterol checked within the past 5 years among adults in Westchester County and New York State	96
Table 43b. Blood cholesterol checked within the past 5 years among adults in Westchester County and New York State - Age-adjusted	97
Table 44a. Cardiovascular disease among adults in Westchester County and New York State	98
Table 44b. Cardiovascular disease among adults in Westchester County and New York State - Age-adjusted	99

## Contents

Table 45a. Coronary heart disease among adults in Westchester County and New York State	100
Table 45b. Coronary heart disease among adults in Westchester County and New York State - Age-adjusted	101
Table 46a. Ever diagnosed with diabetes among adults in Westchester County and New York State	102
Table 46b. Ever diagnosed with diabetes among adults in Westchester County and New York State - Age-adjusted	103
Table 47a. Ever diagnosed with asthma (lifetime) among adults in Westchester County and New York State	104
Table 47b. Ever diagnosed with asthma (lifetime) among adults in Westchester County and New York State - Age-adjusted	105
Table 48a. Current asthma among adults in Westchester County and New York State	106
Table 48b. Current asthma among adults in Westchester County and New York State - Age-adjusted	107
Table 49a. Chronic joint symptoms among adults in Westchester County and New York State	108
Table 49b. Chronic joint symptoms among adults in Westchester County and New York State - Age-adjusted	109
Table 50a. Arthritis among adults in Westchester County and New York State	110
Table 50b. Arthritis among adults in Westchester County and New York State - Age-adjusted	111
Table 51a. Activity limitations because of physical, mental or emotional problems among adults in Westchester County and New York State	112
Table 51b. Activity limitations because of physical, mental or emotional problems among adults in Westchester County and New York State - Age-adjusted	113
Table 52a. Have health problem that requires the use of special equipment among adults in Westchester County and New York State	114
Table 52b. Have health problem that requires the use of special equipment among adults in Westchester County and New York State - Age-adjusted	115



## Contents

Table 53a. Disability among adults in Westchester County and New York State	116
Table 53b. Disability among adults in Westchester County and New York State - Age-adjusted	117

### Health Behaviors

Table 54a. Current smoking among adults in Westchester County and New York State	118
Table 54b. Current smoking among adults in Westchester County and New York State - Age-adjusted	119
Table 55a. Everyday smoking among adults in Westchester County and New York State	120
Table 55b. Everyday smoking among adults in Westchester County and New York State - Age-adjusted	121
Table 56a. Adults living in homes in which smoking is prohibited in Westchester County and New York State	122
Table 56b. Adults living in homes in which smoking is prohibited in Westchester County and New York State - Age-adjusted	123
Table 57a. Binge drinking within the past month among adults in Westchester County and New York State	124
Table 57b. Binge drinking within the past month among adults in Westchester County and New York State - Age-adjusted	125
Table 58a. Heavy drinking within the past month among adults in Westchester County and New York State	126
Table 58b. Heavy drinking within the past month among adults in Westchester County and New York State - Age-adjusted	127
Table 59a. Never or rarely been asked about sexual history during routine check-up among adults in Westchester County and New York State	128
Table 59b. Never or rarely been asked about sexual history during routine check-up among adults in Westchester County and New York State - Age-adjusted	129
Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Westchester County and New York State	130

## Contents

Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults in Westchester County and New York State - Age-adjusted	131
Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Westchester County and New York State	132
Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults in Westchester County and New York State - Age-adjusted	133

### **Overweight / Obesity**

Table 62a. Overweight among adults in Westchester County and New York State	134
Table 62b. Overweight among adults in Westchester County and New York State - Age-adjusted	135
Table 63a. Obesity among adults in Westchester County and New York State	136
Table 63b. Obesity among adults in Westchester County and New York State - Age-adjusted	137
Table 64a. Overweight or obesity among adults in Westchester County and New York State	138
Table 64b. Overweight or obesity among adults in Westchester County and New York State - Age-adjusted	139
Table 65a. Received advice about weight by a health professional among adults in Westchester County and New York State	140
Table 65b. Received advice about weight by a health professional among adults in Westchester County and New York State - Age-adjusted	141
Table 66a. Received advice to lose weight by a health professional among adults provided weight advice in Westchester County and New York State	142
Table 66b. Received advice to lose weight by a health professional among adults provided weight advice in Westchester County and New York State - Age-adjusted	143

## Contents

### Physical Activity / Nutrition

Table 67a. No leisure-time physical activity among adults in Westchester County and New York State	144
Table 67b. No leisure-time physical activity among adults in Westchester County and New York State - Age-adjusted	145
Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults in Westchester County and New York State	146
Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults in Westchester County and New York State - Age-adjusted	147

### Injury

Table 69a. Had a fall within the past 3 months among adults in Westchester County and New York State	148
Table 69b. Had a fall within the past 3 months among adults in Westchester County and New York State - Age-adjusted	149
Table 70a. Had a fall that caused injury within the past 3 months among adults in Westchester County and New York State	150
Table 70b. Had a fall that caused injury within the past 3 months among adults in Westchester County and New York State - Age-adjusted	151

## Introduction

The New York State Expanded Behavioral Risk Factor Surveillance System (Expanded BRFSS) is a random digit dialed telephone survey of adults (18 years of age and older) that is representative of the non-institutionalized civilian population with landline telephones living in New York State. The goal of the Expanded BRFSS is to collect county-specific data on preventive health practices, risk behaviors, injuries and preventable chronic and infectious diseases. Topics assessed by the Expanded BRFSS include tobacco use, physical inactivity, diet, use of cancer screening services and other factors linked to the leading causes of morbidity and mortality. For each topic, health indicators are based on answers to one or more questions in the survey. The survey results are weighted to more accurately represent the adult population living in each county. Weighting procedures adjust for the differential selection probabilities by race, age and gender. More detailed information on weighting procedures is available in the technical brief.

Survey data collection occurred in 58 geographic areas of New York State, including each of the 57 counties outside of New York City and New York City (5 counties) as a single area. A standard questionnaire was used in all areas. Data collection for the 2009 Expanded BRFSS took place during the period of July 2008 through June 2009. The goal was to complete about 650 interviews in each area. The final number of interviews varies because of the sampling design of the survey and differential response rates. More detailed information on the sampling design is available in the technical brief.

The New York State Department of Health contracted with RTI International, which is responsible for the data collection, sampling, weighting and creation of the statistical reports. RTI International subcontracted with Clearwater Research Inc. for data collection and additional expertise in sample design and data quality control.

This report presents both crude estimates and estimates that have been age-adjusted to the Year 2000 US Standard Population when they represent the entire adult population of an area. Estimates for specific age groups are not age-adjusted. Age adjustment is a statistical process applied to rates that allows communities with different age structures to be compared. Counties can compare their data with results from New York State as a whole and with other counties. Confidence intervals at the 95% level associated with each health indicator give an estimated range of values which is likely to include the actual prevalence of the indicator. Confidence intervals are similar to margins of error. When the confidence intervals of two estimates of the same indicator from different areas do not overlap, they may be said to be statistically significantly different, i.e., these differences are unlikely related to chance and are considered true differences. If there is any value that is included in both intervals, the two estimates are not statistically significantly different.

The survey results for each of the 69 health indicators included in the survey are typically provided by gender, age, race and ethnicity, education and income in the Expanded BRFSS county reports. The estimates for some of these groupings may be suppressed in geographic areas with low proportions of adult respondents in these groupings.

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 1. Westchester County and New York State adult US Census Bureau population estimates,<sup>1</sup> 2007**

	Westchester County		New York State	
	Adult Population <sup>1</sup>	Percent	Adult Population <sup>1</sup>	Percent
<b>Total</b>	720,737	100	14,884,315	100
<b>Gender</b>				
Male	340,972	47.3	7,103,791	47.7
Female	379,765	52.7	7,780,524	52.3
<b>Age (years)</b>				
18-34	184,889	25.7	4,497,479	30.2
35-44	140,901	19.5	2,844,115	19.1
45-54	150,074	20.8	2,854,316	19.2
55-64	111,566	15.5	2,142,000	14.4
≥ 65	133,307	18.5	2,546,405	17.1
<b>Race/Ethnicity</b>				
White Non-Hispanic	453,100	62.9	9,343,884	62.8
Black Non-Hispanic	97,537	13.5	2,156,941	14.5
Hispanic	126,872	17.6	2,258,717	15.2
Other Non-Hispanic	43,228	6.0	1,124,773	7.6

<sup>1</sup> Source: National Center for Health Statistics. Postcensal estimates of the resident population of the United States for July 1, 2000-July 1, 2007, by year, county, age, bridged race, Hispanic origin, and sex (Vintage 2007). Prepared under a collaborative arrangement with the U.S. Census Bureau; released August 7, 2008. Available from: [http://www.cdc.gov/nchs/nvss/bridged\\_race.htm](http://www.cdc.gov/nchs/nvss/bridged_race.htm) as of November 25, 2009.

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 2a. Fair or poor general health among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	84,500	11.8	(8.9 - 14.7)	38,124	2,531,400	17.1	(15.1 - 19.0)
<b>Gender</b>								
Male	251	39,000	11.4	(7.2 - 15.7)	14,599	1,069,700	15.1	(12.4 - 17.8)
Female	400	45,500	12.0	(8.0 - 16.0)	23,525	1,461,700	18.8	(16.1 - 21.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	535,800	12.0	(7.2 - 16.8)
35-44	*	*	*	*	4,985	289,200	10.0	(6.8 - 13.3)
45-54	140	17,200	11.6	(4.2 - 19.1)	7,819	507,800	17.9	(14.0 - 21.8)
55-64	130	18,600	16.8	(8.0 - 25.5)	8,757	424,700	19.9	(16.0 - 23.9)
≥ 65	243	35,400	26.6	(19.9 - 33.2)	12,623	773,900	30.5	(26.8 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	519	47,500	10.5	(7.7 - 13.3)	35,811	1,226,600	13.2	(11.7 - 14.6)
Black Non-Hispanic	*	*	*	*	739	457,300	21.3	(14.8 - 27.9)
Hispanic	58	15,600	12.5	(4.0 - 20.9)	861	684,100	30.4	(22.2 - 38.6)
Other Non-Hispanic	*	*	*	*	713	163,400	14.5	(5.1 - 24.0)
<b>Education</b>								
≤ High School	159	37,200	20.2	(12.9 - 27.6)	15,682	1,466,500	26.3	(22.6 - 30.0)
Some College	129	21,800	12.6	(5.5 - 19.7)	9,904	508,500	14.3	(10.9 - 17.8)
≥ College Degree	363	25,500	7.0	(4.2 - 9.9)	12,457	493,500	8.8	(6.5 - 11.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,633	1,269,200	36.3	(30.1 - 42.4)
\$25,000-\$49,999	95	18,000	16.0	(6.6 - 25.4)	9,649	447,600	15.4	(11.9 - 18.9)
\$50,000-\$74,999	*	*	*	*	5,769	237,800	12.1	(8.0 - 16.2)
≥ \$75,000	281	14,400	4.7	(2.0 - 7.3)	8,562	218,300	4.9	(3.6 - 6.1)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have fair or poor health (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 2b. Fair or poor general health among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	10.7	(8.0 - 13.4)	38,124	16.7	(14.8 - 18.6)
<b>Gender</b>						
Male	251	10.8	(6.9 - 14.7)	14,599	15.3	(12.6 - 18.0)
Female	400	10.6	(6.8 - 14.4)	23,525	18.0	(15.2 - 20.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	519	10.0	(7.1 - 13.0)	35,811	12.9	(11.4 - 14.4)
Black Non-Hispanic	*	*	*	739	20.8	(14.2 - 27.3)
Hispanic	58	9.6	(3.0 - 16.2)	861	29.9	(21.8 - 37.9)
Other Non-Hispanic	*	*	*	713	13.8	(4.8 - 22.8)
<b>Education</b>						
≤ High School	159	17.8	(11.0 - 24.6)	15,682	25.8	(22.1 - 29.5)
Some College	129	11.7	(4.9 - 18.5)	9,904	14.1	(10.7 - 17.6)
≥ College Degree	363	6.6	(3.8 - 9.4)	12,457	8.5	(6.3 - 10.8)
<b>Income</b>						
≤ \$24,999	101	22.1	(12.5 - 31.8)	9,633	35.9	(29.7 - 42.0)
\$25,000-\$49,999	95	14.5	(5.7 - 23.2)	9,649	15.0	(11.6 - 18.5)
\$50,000-\$74,999	*	*	*	5,769	11.8	(7.7 - 16.0)
≥ \$75,000	281	4.4	(1.6 - 7.3)	8,562	4.7	(3.5 - 6.0)

<sup>1</sup> Defined as reporting fair or poor general health

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 3a. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	52,000	7.4	(4.9 - 9.8)	37,327	1,472,900	10.1	(8.7 - 11.6)
<b>Gender</b>								
Male	244	13,500	4.0	(1.8 - 6.2)	14,325	604,200	8.7	(7.0 - 10.5)
Female	389	38,500	10.4	(6.3 - 14.4)	23,002	868,600	11.4	(9.2 - 13.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,891	268,100	6.1	(2.7 - 9.5)
35-44	*	*	*	*	4,948	232,100	8.1	(5.2 - 11.1)
45-54	141	14,000	9.4	(2.5 - 16.2)	7,764	350,900	12.5	(9.4 - 15.6)
55-64	129	8,900	8.1	(2.3 - 13.9)	8,621	271,200	13.0	(10.3 - 15.8)
≥ 65	227	16,900	13.5	(8.6 - 18.4)	12,103	350,600	14.5	(12.1 - 16.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	506	38,100	8.6	(5.6 - 11.5)	35,073	929,700	10.2	(8.8 - 11.6)
Black Non-Hispanic	*	*	*	*	724	208,200	9.9	(4.8 - 14.9)
Hispanic	*	*	*	*	835	250,300	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	*	695	84,600	7.6	(1.3 - 13.9)
<b>Education</b>								
≤ High School	149	16,700	9.3	(4.8 - 13.9)	15,178	692,800	12.9	(10.6 - 15.3)
Some College	126	15,400	9.0	(2.3 - 15.6)	9,751	362,500	10.3	(7.4 - 13.2)
≥ College Degree	358	19,900	5.6	(2.8 - 8.4)	12,327	359,300	6.4	(4.8 - 8.1)
<b>Income</b>								
≤ \$24,999	95	10,100	8.4	(3.8 - 13.0)	9,294	625,600	18.4	(13.6 - 23.3)
\$25,000-\$49,999	91	10,400	9.6	(1.0 - 18.2)	9,495	279,100	9.8	(7.3 - 12.3)
\$50,000-\$74,999	*	*	*	*	5,733	186,400	9.5	(5.8 - 13.2)
≥ \$75,000	279	14,100	4.6	(1.5 - 7.7)	8,510	219,100	4.9	(3.6 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 3b. Poor physical health 14 or more days within the past month among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	633	6.9	(4.5 - 9.3)	37,327	9.9	(8.4 - 11.4)
<b>Gender</b>						
Male	244	3.9	(1.7 - 6.1)	14,325	8.7	(6.9 - 10.5)
Female	389	9.5	(5.5 - 13.5)	23,002	11.0	(8.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	506	8.3	(5.2 - 11.5)	35,073	9.9	(8.5 - 11.3)
Black Non-Hispanic	*	*	*	724	9.7	(4.6 - 14.9)
Hispanic	*	*	*	835	11.3	(6.3 - 16.2)
Other Non-Hispanic	*	*	*	695	7.6	(1.2 - 14.0)
<b>Education</b>						
≤ High School	149	8.3	(4.0 - 12.5)	15,178	12.7	(10.2 - 15.1)
Some College	126	7.9	(1.8 - 14.0)	9,751	10.1	(7.2 - 12.9)
≥ College Degree	358	5.6	(2.6 - 8.7)	12,327	6.3	(4.7 - 8.0)
<b>Income</b>						
≤ \$24,999	95	7.1	(3.1 - 11.2)	9,294	18.4	(13.5 - 23.4)
\$25,000-\$49,999	91	8.5	(0.8 - 16.2)	9,495	9.4	(7.0 - 11.9)
\$50,000-\$74,999	*	*	*	5,733	9.0	(5.3 - 12.6)
≥ \$75,000	279	5.0	(1.4 - 8.7)	8,510	4.9	(3.5 - 6.2)

<sup>1</sup> Defined as 14 or more days within the past month when physical health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 4a. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	69,200	9.7	(6.3 - 13.1)	37,528	1,473,200	10.1	(8.6 - 11.5)
<b>Gender</b>								
Male	247	33,300	9.9	(4.4 - 15.3)	14,407	555,200	7.9	(6.3 - 9.6)
Female	391	35,900	9.6	(5.3 - 13.8)	23,121	918,000	12.0	(9.7 - 14.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,889	496,700	11.2	(7.4 - 15.1)
35-44	*	*	*	*	4,947	254,100	8.9	(6.7 - 11.1)
45-54	141	10,500	7.0	(2.2 - 11.7)	7,749	347,200	12.3	(9.0 - 15.6)
55-64	130	16,400	14.8	(7.0 - 22.6)	8,623	211,300	10.1	(7.9 - 12.3)
≥ 65	229	5,700	4.5	(1.9 - 7.2)	12,320	163,900	6.7	(4.7 - 8.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	506	48,700	10.9	(6.5 - 15.4)	35,266	899,200	9.8	(8.4 - 11.2)
Black Non-Hispanic	*	*	*	*	722	227,800	10.9	(5.4 - 16.4)
Hispanic	*	*	*	*	845	263,700	11.8	(6.8 - 16.8)
Other Non-Hispanic	*	*	*	*	695	82,500	7.4	(1.4 - 13.5)
<b>Education</b>								
≤ High School	153	24,400	13.5	(5.2 - 21.7)	15,335	665,000	12.2	(10.0 - 14.5)
Some College	*	*	*	*	9,771	404,500	11.5	(8.3 - 14.8)
≥ College Degree	359	29,900	8.3	(4.8 - 11.9)	12,342	346,600	6.2	(4.5 - 7.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,398	611,500	17.9	(13.0 - 22.8)
\$25,000-\$49,999	*	*	*	*	9,547	260,300	9.0	(6.7 - 11.4)
\$50,000-\$74,999	*	*	*	*	5,726	187,300	9.6	(6.0 - 13.1)
≥ \$75,000	279	18,400	6.0	(2.4 - 9.6)	8,520	276,500	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 4b. Poor mental health 14 or more days within the past month among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	638	9.9	(6.1 - 13.8)	37,528	10.2	(8.7 - 11.7)
<b>Gender</b>						
Male	247	9.9	(3.8 - 16.0)	14,407	7.9	(6.3 - 9.6)
Female	391	9.9	(5.1 - 14.8)	23,121	12.2	(9.8 - 14.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	506	11.3	(6.3 - 16.4)	35,266	10.0	(8.5 - 11.4)
Black Non-Hispanic	*	*	*	722	11.1	(5.5 - 16.7)
Hispanic	*	*	*	845	11.5	(6.5 - 16.4)
Other Non-Hispanic	*	*	*	695	7.6	(1.5 - 13.7)
<b>Education</b>						
≤ High School	153	14.2	(4.9 - 23.5)	15,335	12.3	(10.0 - 14.6)
Some College	*	*	*	9,771	11.8	(8.5 - 15.1)
≥ College Degree	359	8.5	(4.5 - 12.4)	12,342	6.3	(4.6 - 8.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,398	18.2	(13.2 - 23.1)
\$25,000-\$49,999	*	*	*	9,547	9.4	(6.9 - 11.9)
\$50,000-\$74,999	*	*	*	5,726	9.5	(5.9 - 13.1)
≥ \$75,000	279	5.9	(2.0 - 9.9)	8,520	6.2	(4.6 - 7.7)

<sup>1</sup> Defined as 14 or more days within the past month when mental health was not good

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 5a. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	629	105,800	15.0	(11.1 - 18.9)	37,005	2,385,900	16.5	(14.8 - 18.2)
<b>Gender</b>								
Male	243	42,600	12.7	(7.0 - 18.5)	14,231	937,700	13.6	(11.4 - 15.8)
Female	386	63,200	17.1	(11.8 - 22.4)	22,774	1,448,200	19.1	(16.5 - 21.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,859	602,600	13.8	(9.7 - 17.9)
35-44	79	25,600	18.2	(8.4 - 27.9)	4,924	388,300	13.7	(10.4 - 17.0)
45-54	141	18,700	12.5	(5.2 - 19.7)	7,722	551,000	19.6	(15.8 - 23.4)
55-64	128	19,500	17.9	(9.7 - 26.0)	8,545	395,500	19.2	(16.1 - 22.3)
≥ 65	223	18,700	15.2	(10.1 - 20.3)	11,955	448,500	18.8	(15.9 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	502	77,100	17.4	(12.5 - 22.3)	34,778	1,485,700	16.3	(14.8 - 17.8)
Black Non-Hispanic	*	*	*	*	715	343,700	16.5	(10.3 - 22.7)
Hispanic	*	*	*	*	832	412,900	19.0	(12.6 - 25.3)
Other Non-Hispanic	*	*	*	*	680	143,500	13.0	(5.0 - 21.0)
<b>Education</b>								
≤ High School	147	34,800	19.5	(10.7 - 28.3)	15,018	1,077,200	20.3	(17.3 - 23.2)
Some College	125	25,500	14.9	(5.1 - 24.6)	9,672	615,500	17.6	(14.1 - 21.1)
≥ College Degree	357	45,500	12.8	(8.5 - 17.1)	12,244	634,200	11.4	(9.2 - 13.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,199	924,000	27.3	(21.9 - 32.8)
\$25,000-\$49,999	*	*	*	*	9,425	456,000	16.1	(13.0 - 19.2)
\$50,000-\$74,999	*	*	*	*	5,696	312,000	16.0	(11.4 - 20.5)
≥ \$75,000	278	31,500	10.2	(5.6 - 14.8)	8,475	447,600	10.0	(8.1 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with poor physical or mental health 14 or more days within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 5b. Poor physical or mental health 14 or more days within the past month among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	629	15.1	(10.8 - 19.4)	37,005	16.4	(14.7 - 18.2)
<b>Gender</b>						
Male	243	12.9	(6.6 - 19.2)	14,231	13.6	(11.4 - 15.8)
Female	386	17.1	(11.3 - 22.9)	22,774	19.0	(16.3 - 21.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	502	17.9	(12.3 - 23.4)	34,778	16.3	(14.7 - 17.8)
Black Non-Hispanic	*	*	*	715	16.7	(10.3 - 23.0)
Hispanic	*	*	*	832	18.5	(12.2 - 24.8)
Other Non-Hispanic	*	*	*	680	13.1	(5.0 - 21.3)
<b>Education</b>						
≤ High School	147	19.6	(10.0 - 29.3)	15,018	20.1	(17.1 - 23.1)
Some College	*	*	*	9,672	17.6	(14.1 - 21.1)
≥ College Degree	357	13.2	(8.4 - 18.0)	12,244	11.4	(9.2 - 13.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,199	27.6	(22.1 - 33.1)
\$25,000-\$49,999	*	*	*	9,425	16.1	(12.9 - 19.3)
\$50,000-\$74,999	*	*	*	5,696	15.6	(11.0 - 20.1)
≥ \$75,000	278	10.7	(5.5 - 15.9)	8,475	10.0	(8.0 - 12.0)

<sup>1</sup> Defined as 14 or more days within the past month when physical or mental health prevented usual activities, such as self-care, work or recreation

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 6a. Health insurance among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	632,900	88.1	(84.0 - 92.3)	38,119	12,854,200	86.6	(84.2 - 89.0)
<b>Gender</b>								
Male	248	283,800	83.9	(76.6 - 91.1)	14,597	5,881,100	83.0	(78.9 - 87.1)
Female	402	349,200	91.9	(87.6 - 96.3)	23,522	6,973,100	89.9	(87.2 - 92.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	79	120,300	85.4	(75.5 - 95.3)	4,986	2,560,300	88.9	(84.7 - 93.1)
45-54	141	137,400	91.6	(86.2 - 97.0)	7,831	2,530,100	88.9	(84.6 - 93.2)
55-64	130	97,700	87.9	(79.5 - 96.3)	8,764	1,986,700	92.8	(90.2 - 95.5)
≥ 65	242	128,600	96.8	(92.5 - 100)	12,628	2,475,000	97.8	(96.7 - 98.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	431,400	95.6	(93.1 - 98.2)	35,811	8,591,200	92.2	(90.6 - 93.8)
Black Non-Hispanic	*	*	*	*	736	1,781,600	82.7	(75.3 - 90.1)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,673	4,448,900	79.7	(74.9 - 84.5)
Some College	*	*	*	*	9,906	3,004,600	85.0	(80.1 - 89.8)
≥ College Degree	362	345,800	96.1	(93.7 - 98.5)	12,459	5,361,700	95.3	(93.3 - 97.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	2,437,200	69.7	(62.5 - 76.8)
\$25,000-\$49,999	*	*	*	*	9,662	2,384,000	82.2	(76.1 - 88.3)
\$50,000-\$74,999	68	74,700	99.5	(98.4 - 100)	5,772	1,855,700	94.0	(91.2 - 96.7)
≥ \$75,000	282	307,800	99.0	(98.0 - 100)	8,567	4,388,400	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 6b. Health insurance among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	88.1	(83.7 - 92.4)	38,119	86.7	(84.4 - 89.1)
<b>Gender</b>						
Male	248	84.4	(76.9 - 91.8)	14,597	83.6	(79.7 - 87.5)
Female	402	91.3	(86.5 - 96.2)	23,522	89.6	(86.8 - 92.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	95.6	(92.8 - 98.4)	35,811	92.1	(90.5 - 93.7)
Black Non-Hispanic	*	*	*	736	82.5	(75.0 - 90.0)
Hispanic	*	*	*	860	68.7	(59.0 - 78.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,673	80.1	(75.4 - 84.7)
Some College	*	*	*	9,906	84.6	(79.7 - 89.4)
≥ College Degree	362	96.6	(94.3 - 98.8)	12,459	95.4	(93.6 - 97.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	70.2	(63.2 - 77.1)
\$25,000-\$49,999	*	*	*	9,662	81.9	(76.0 - 87.9)
\$50,000-\$74,999	68	99.6	(98.8 - 100)	5,772	94.0	(91.3 - 96.7)
≥ \$75,000	282	99.2	(98.3 - 100)	8,567	97.5	(96.6 - 98.5)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 7a. Health insurance among adults aged 18-64<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	500,500	86.1	(81.1 - 91.0)	25,165	10,251,300	84.2	(81.3 - 87.1)
<b>Gender</b>								
Male	158	232,500	82.1	(73.7 - 90.5)	10,078	4,839,900	80.3	(75.5 - 85.0)
Female	244	268,000	89.9	(84.4 - 95.3)	15,087	5,411,400	88.0	(84.7 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	3,302,100	74.3	(67.8 - 80.7)
35-44	79	120,300	85.4	(75.5 - 95.3)	4,981	2,556,600	88.9	(84.7 - 93.1)
45-54	140	136,200	91.5	(86.1 - 96.9)	7,791	2,472,900	88.7	(84.3 - 93.0)
55-64	125	95,000	87.6	(79.1 - 96.2)	8,483	1,919,700	92.8	(90.1 - 95.5)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	296	321,500	94.3	(90.9 - 97.7)	23,354	6,582,200	90.3	(88.3 - 92.4)
Black Non-Hispanic	*	*	*	*	567	1,464,100	80.2	(71.6 - 88.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,037	3,191,500	74.6	(68.6 - 80.6)
Some College	*	*	*	*	7,031	2,540,400	82.9	(77.4 - 88.4)
≥ College Degree	246	280,400	95.2	(92.2 - 98.2)	9,068	4,502,400	94.5	(92.2 - 96.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,707,200	62.6	(54.1 - 71.2)
\$25,000-\$49,999	*	*	*	*	6,180	1,783,000	77.7	(70.3 - 85.1)
\$50,000-\$74,999	*	*	*	*	4,554	1,553,400	92.9	(89.7 - 96.1)
≥ \$75,000	223	275,100	98.9	(97.7 - 100)	7,324	3,987,600	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 7b. Health insurance among adults aged 18-64<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	86.2	(81.0 - 91.4)	25,165	84.3	(81.5 - 87.2)
<b>Gender</b>						
Male	158	82.4	(73.7 - 91.2)	10,078	80.5	(75.9 - 85.1)
Female	244	89.6	(83.7 - 95.4)	15,087	87.9	(84.6 - 91.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	296	94.4	(90.8 - 98.0)	23,354	90.3	(88.3 - 92.3)
Black Non-Hispanic	*	*	*	567	80.0	(71.3 - 88.6)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,037	75.1	(69.3 - 80.9)
Some College	*	*	*	7,031	82.6	(77.1 - 88.1)
≥ College Degree	246	95.8	(93.1 - 98.5)	9,068	94.6	(92.5 - 96.8)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	63.2	(54.9 - 71.6)
\$25,000-\$49,999	*	*	*	6,180	77.5	(70.2 - 84.7)
\$50,000-\$74,999	*	*	*	4,554	93.0	(89.8 - 96.2)
≥ \$75,000	223	99.1	(98.1 - 100)	7,324	97.3	(96.3 - 98.3)

<sup>1</sup> Defined as having any kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 8a. No health insurance among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	85,200	11.9	(7.7 - 16.0)	38,119	1,989,300	13.4	(11.0 - 15.8)
<b>Gender</b>								
Male	248	54,600	16.1	(8.9 - 23.4)	14,597	1,207,400	17.0	(12.9 - 21.1)
Female	402	30,600	8.1	(3.7 - 12.4)	23,522	781,900	10.1	(7.4 - 12.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,986	319,200	11.1	(6.9 - 15.3)
45-54	141	12,700	8.4	(3.0 - 13.8)	7,831	316,500	11.1	(6.8 - 15.4)
55-64	130	13,400	12.1	(3.7 - 20.5)	8,764	153,300	7.2	(4.5 - 9.8)
≥ 65	*	*	*	*	12,628	56,200	2.2	(1.2 - 3.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	19,700	4.4	(1.8 - 6.9)	35,811	727,100	7.8	(6.2 - 9.4)
Black Non-Hispanic	*	*	*	*	736	372,800	17.3	(9.9 - 24.7)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,673	1,134,400	20.3	(15.5 - 25.1)
Some College	*	*	*	*	9,906	531,400	15.0	(10.2 - 19.9)
≥ College Degree	362	14,000	3.9	(1.5 - 6.3)	12,459	266,300	4.7	(2.8 - 6.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,061,200	30.3	(23.2 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,662	516,700	17.8	(11.7 - 23.9)
\$50,000-\$74,999	*	*	*	*	5,772	119,100	6.0	(3.3 - 8.8)
≥ \$75,000	*	*	*	*	8,567	111,100	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 8b. No health insurance among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	11.9	(7.6 - 16.3)	38,119	13.3	(10.9 - 15.6)
<b>Gender</b>						
Male	248	15.6	(8.2 - 23.1)	14,597	16.4	(12.5 - 20.3)
Female	402	8.7	(3.8 - 13.5)	23,522	10.4	(7.7 - 13.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	4.4	(1.6 - 7.2)	35,811	7.9	(6.3 - 9.5)
Black Non-Hispanic	*	*	*	736	17.5	(10.0 - 25.0)
Hispanic	*	*	*	860	31.3	(21.6 - 41.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,673	19.9	(15.3 - 24.6)
Some College	*	*	*	9,906	15.4	(10.6 - 20.3)
≥ College Degree	362	3.4	(1.2 - 5.7)	12,459	4.6	(2.8 - 6.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	29.8	(22.9 - 36.8)
\$25,000-\$49,999	*	*	*	9,662	18.1	(12.1 - 24.0)
\$50,000-\$74,999	*	*	*	5,772	6.0	(3.3 - 8.7)
≥ \$75,000	*	*	*	8,567	2.5	(1.5 - 3.4)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 9a. No health insurance among adults aged 18-64<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	81,000	13.9	(9.0 - 18.9)	25,165	1,928,400	15.8	(12.9 - 18.7)
<b>Gender</b>								
Male	158	50,800	17.9	(9.5 - 26.3)	10,078	1,190,200	19.7	(15.0 - 24.5)
Female	244	30,300	10.1	(4.7 - 15.6)	15,087	738,200	12.0	(8.7 - 15.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,910	1,144,100	25.7	(19.3 - 32.2)
35-44	*	*	*	*	4,981	319,200	11.1	(6.9 - 15.3)
45-54	140	12,700	8.5	(3.1 - 13.9)	7,791	316,100	11.3	(7.0 - 15.7)
55-64	125	13,400	12.4	(3.8 - 20.9)	8,483	148,900	7.2	(4.5 - 9.9)
≥ 65	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>								
White Non-Hispanic	296	19,300	5.7	(2.3 - 9.1)	23,354	703,100	9.7	(7.6 - 11.7)
Black Non-Hispanic	*	*	*	*	567	361,800	19.8	(11.3 - 28.4)
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,037	1,087,700	25.4	(19.4 - 31.4)
Some College	*	*	*	*	7,031	522,800	17.1	(11.6 - 22.6)
≥ College Degree	246	14,000	4.8	(1.8 - 7.8)	9,068	261,200	5.5	(3.2 - 7.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,918	1,018,000	37.4	(28.8 - 45.9)
\$25,000-\$49,999	*	*	*	*	6,180	511,100	22.3	(14.9 - 29.7)
\$50,000-\$74,999	*	*	*	*	4,554	118,800	7.1	(3.9 - 10.3)
≥ \$75,000	*	*	*	*	7,324	110,700	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 18-64 who have no health insurance (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 9b. No health insurance among adults aged 18-64<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	402	13.8	(8.6 - 19.0)	25,165	15.7	(12.8 - 18.5)
<b>Gender</b>						
Male	158	17.6	(8.8 - 26.3)	10,078	19.5	(14.9 - 24.1)
Female	244	10.4	(4.6 - 16.3)	15,087	12.1	(8.8 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	296	5.6	(2.0 - 9.2)	23,354	9.7	(7.7 - 11.7)
Black Non-Hispanic	*	*	*	567	20.0	(11.4 - 28.7)
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,037	24.9	(19.1 - 30.7)
Some College	*	*	*	7,031	17.4	(11.9 - 22.9)
≥ College Degree	246	4.2	(1.5 - 6.9)	9,068	5.4	(3.2 - 7.5)
<b>Income</b>						
≤ \$24,999	*	*	*	4,918	36.8	(28.4 - 45.1)
\$25,000-\$49,999	*	*	*	6,180	22.5	(15.3 - 29.8)
\$50,000-\$74,999	*	*	*	4,554	7.0	(3.8 - 10.2)
≥ \$75,000	*	*	*	7,324	2.7	(1.7 - 3.7)

<sup>1</sup> Defined as having no kind of health care coverage, including health insurance, prepaid plans such as health maintenance organizations, or government plans such as Medicare among adults aged 18-64

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 10a. Adults with regular health care provider<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	618,200	86.0	(81.9 - 90.0)	38,135	12,324,300	83.0	(80.4 - 85.6)
<b>Gender</b>								
Male	250	287,100	84.6	(78.4 - 90.7)	14,593	5,494,300	77.6	(73.2 - 82.0)
Female	402	331,200	87.2	(81.9 - 92.6)	23,542	6,830,000	87.8	(85.1 - 90.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	2,931,600	65.8	(59.2 - 72.5)
35-44	*	*	*	*	4,988	2,471,000	86.1	(81.9 - 90.3)
45-54	141	130,600	87.0	(80.0 - 94.0)	7,823	2,529,300	88.6	(84.6 - 92.7)
55-64	130	101,800	92.5	(87.0 - 98.0)	8,770	2,002,000	93.6	(91.7 - 95.4)
≥ 65	243	128,500	96.4	(94.0 - 98.8)	12,625	2,390,400	94.1	(92.2 - 96.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	414,400	91.5	(88.1 - 94.8)	35,821	8,227,700	88.2	(86.4 - 89.9)
Black Non-Hispanic	*	*	*	*	740	1,753,200	81.3	(72.6 - 89.9)
Hispanic	*	*	*	*	860	1,453,100	64.7	(54.7 - 74.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,692	4,249,200	75.9	(70.9 - 80.8)
Some College	129	161,900	93.4	(88.2 - 98.7)	9,904	2,935,000	82.8	(77.2 - 88.4)
≥ College Degree	363	316,300	87.8	(82.7 - 92.8)	12,456	5,046,100	89.8	(87.1 - 92.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,644	2,554,200	72.7	(65.9 - 79.6)
\$25,000-\$49,999	*	*	*	*	9,655	2,243,100	77.3	(70.0 - 84.6)
\$50,000-\$74,999	67	68,400	93.0	(83.3 - 100)	5,771	1,767,500	89.5	(85.2 - 93.9)
≥ \$75,000	282	291,600	93.8	(90.3 - 97.3)	8,560	4,122,800	91.9	(90.2 - 93.7)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have at least one person they think of as their personal doctor or health care provider (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 10b. Adults with regular health care provider<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	85.3	(80.9 - 89.7)	38,135	83.0	(80.4 - 85.5)
<b>Gender</b>						
Male	250	84.8	(78.4 - 91.1)	14,593	78.1	(73.9 - 82.3)
Female	402	85.8	(79.6 - 92.0)	23,542	87.4	(84.6 - 90.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	91.1	(87.4 - 94.8)	35,821	88.0	(86.2 - 89.7)
Black Non-Hispanic	*	*	*	740	81.4	(73.0 - 89.8)
Hispanic	*	*	*	860	65.2	(55.5 - 75.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,692	75.8	(71.0 - 80.6)
Some College	129	93.5	(88.0 - 98.9)	9,904	82.9	(77.5 - 88.3)
≥ College Degree	363	87.1	(81.5 - 92.8)	12,456	89.8	(87.1 - 92.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,644	72.9	(66.1 - 79.6)
\$25,000-\$49,999	*	*	*	9,655	77.4	(70.5 - 84.3)
\$50,000-\$74,999	*	*	*	5,771	89.6	(85.3 - 94.0)
≥ \$75,000	282	93.4	(89.5 - 97.2)	8,560	91.6	(89.8 - 93.4)

<sup>1</sup> Defined as having one or more persons respondent thinks of as a personal doctor or health care provider

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 11a. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	80,800	11.3	(7.5 - 15.1)	38,143	2,034,800	13.7	(11.6 - 15.8)
<b>Gender</b>								
Male	250	42,900	12.7	(6.0 - 19.3)	14,607	903,300	12.7	(9.5 - 16.0)
Female	398	37,900	10.0	(6.0 - 14.1)	23,536	1,131,500	14.6	(11.8 - 17.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,939	947,300	21.2	(15.6 - 26.9)
35-44	*	*	*	*	4,987	347,900	12.1	(8.0 - 16.2)
45-54	*	*	*	*	7,825	382,200	13.5	(9.9 - 17.1)
55-64	130	17,200	15.5	(5.6 - 25.5)	8,766	236,800	11.1	(8.0 - 14.2)
≥ 65	241	10,800	8.1	(2.9 - 13.4)	12,626	120,600	4.8	(2.5 - 7.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	517	39,200	8.7	(5.1 - 12.3)	35,833	984,600	10.6	(8.9 - 12.2)
Black Non-Hispanic	*	*	*	*	738	280,000	13.1	(7.2 - 19.0)
Hispanic	*	*	*	*	859	597,900	26.5	(17.3 - 35.7)
Other Non-Hispanic	*	*	*	*	713	172,300	15.3	(5.7 - 24.9)
<b>Education</b>								
≤ High School	157	35,200	19.4	(10.3 - 28.4)	15,696	996,600	17.8	(13.8 - 21.9)
Some College	*	*	*	*	9,911	512,400	14.5	(10.4 - 18.6)
≥ College Degree	362	25,600	7.1	(3.5 - 10.7)	12,453	466,900	8.3	(6.0 - 10.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,639	854,500	24.3	(18.4 - 30.3)
\$25,000-\$49,999	*	*	*	*	9,656	532,900	18.4	(12.5 - 24.3)
\$50,000-\$74,999	*	*	*	*	5,776	202,700	10.3	(6.0 - 14.5)
≥ \$75,000	*	*	*	*	8,561	192,000	4.3	(2.9 - 5.6)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who did not see a doctor because of cost within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 11b. Cost prevented visit to doctor within the past year among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	11.5	(7.5 - 15.6)	38,143	13.8	(11.7 - 15.9)
<b>Gender</b>						
Male	250	12.2	(5.5 - 18.9)	14,607	12.5	(9.4 - 15.6)
Female	398	10.9	(6.1 - 15.7)	23,536	15.0	(12.1 - 17.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	517	9.6	(5.4 - 13.8)	35,833	10.8	(9.2 - 12.5)
Black Non-Hispanic	*	*	*	738	13.2	(7.2 - 19.3)
Hispanic	*	*	*	859	26.1	(17.2 - 35.1)
Other Non-Hispanic	*	*	*	713	14.8	(5.5 - 24.2)
<b>Education</b>						
≤ High School	157	19.4	(9.8 - 29.0)	15,696	17.8	(13.8 - 21.7)
Some College	*	*	*	9,911	15.3	(11.0 - 19.5)
≥ College Degree	362	7.1	(3.3 - 10.9)	12,453	8.2	(6.0 - 10.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,639	24.5	(18.6 - 30.4)
\$25,000-\$49,999	*	*	*	9,656	18.7	(12.9 - 24.6)
\$50,000-\$74,999	*	*	*	5,776	10.4	(6.1 - 14.7)
≥ \$75,000	*	*	*	8,561	4.4	(3.1 - 5.8)

<sup>1</sup> Defined as needing to see a doctor within the past year but not being able to because of cost

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 12a. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	535,500	74.8	(69.9 - 79.6)	38,026	10,809,300	72.9	(70.6 - 75.3)
<b>Gender</b>								
Male	249	236,600	69.7	(61.5 - 77.9)	14,592	4,738,400	66.9	(63.0 - 70.9)
Female	397	298,900	79.3	(73.7 - 84.9)	23,434	6,070,900	78.5	(75.9 - 81.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	2,747,400	61.7	(55.6 - 67.9)
35-44	*	*	*	*	4,973	1,883,100	65.5	(60.2 - 70.7)
45-54	141	103,100	68.7	(59.5 - 77.9)	7,808	2,174,100	76.6	(73.2 - 80.0)
55-64	129	88,500	80.2	(71.7 - 88.7)	8,751	1,728,600	81.4	(78.7 - 84.2)
≥ 65	238	120,100	92.3	(88.9 - 95.6)	12,573	2,276,000	90.0	(87.5 - 92.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	514	340,700	75.7	(70.5 - 81.0)	35,721	6,746,200	72.4	(70.6 - 74.2)
Black Non-Hispanic	*	*	*	*	736	1,688,900	78.8	(70.4 - 87.3)
Hispanic	*	*	*	*	857	1,550,900	69.3	(60.0 - 78.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,640	4,150,600	74.7	(70.7 - 78.7)
Some College	126	138,700	81.2	(72.1 - 90.2)	9,880	2,524,000	71.3	(66.1 - 76.5)
≥ College Degree	362	259,600	71.9	(65.3 - 78.6)	12,428	4,042,900	71.9	(68.5 - 75.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,469,200	70.4	(64.2 - 76.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,068,400	71.3	(65.3 - 77.3)
\$50,000-\$74,999	*	*	*	*	5,765	1,466,000	74.8	(69.6 - 80.0)
≥ \$75,000	280	233,000	75.3	(68.6 - 82.0)	8,547	3,176,500	70.7	(67.3 - 74.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 12b. Visited a doctor for routine checkup within the past year among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	74.1	(68.9 - 79.4)	38,026	72.7	(70.3 - 75.0)
<b>Gender</b>						
Male	249	69.5	(60.8 - 78.2)	14,592	67.1	(63.3 - 70.9)
Female	397	78.3	(72.0 - 84.6)	23,434	77.7	(75.1 - 80.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	514	75.3	(69.5 - 81.1)	35,721	71.9	(70.1 - 73.7)
Black Non-Hispanic	*	*	*	736	79.3	(71.3 - 87.4)
Hispanic	*	*	*	857	69.2	(60.1 - 78.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,640	74.4	(70.4 - 78.4)
Some College	126	81.2	(71.9 - 90.5)	9,880	70.9	(65.9 - 76.0)
≥ College Degree	362	71.2	(63.9 - 78.5)	12,428	71.7	(68.3 - 75.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	70.2	(64.1 - 76.2)
\$25,000-\$49,999	*	*	*	9,631	71.1	(65.3 - 76.9)
\$50,000-\$74,999	*	*	*	5,765	74.5	(69.2 - 79.8)
≥ \$75,000	280	74.8	(67.6 - 82.1)	8,547	70.3	(66.9 - 73.8)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 13a. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	604,300	84.4	(80.1 - 88.6)	38,026	12,726,600	85.9	(83.9 - 87.9)
<b>Gender</b>								
Male	249	269,000	79.3	(71.8 - 86.7)	14,592	5,791,900	81.8	(78.2 - 85.4)
Female	397	335,200	89.0	(84.6 - 93.3)	23,434	6,934,700	89.6	(87.9 - 91.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	3,535,400	79.4	(73.9 - 85.0)
35-44	*	*	*	*	4,973	2,355,600	81.9	(78.0 - 85.7)
45-54	141	127,000	84.7	(77.8 - 91.5)	7,808	2,507,900	88.4	(85.6 - 91.2)
55-64	129	94,100	85.3	(77.3 - 93.3)	8,751	1,924,800	90.7	(88.6 - 92.7)
≥ 65	238	125,300	96.3	(93.9 - 98.7)	12,573	2,402,900	95.0	(93.5 - 96.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	514	388,600	86.4	(82.2 - 90.6)	35,721	8,070,000	86.6	(85.4 - 87.9)
Black Non-Hispanic	*	*	*	*	736	1,914,500	89.4	(82.3 - 96.5)
Hispanic	59	110,500	87.1	(77.6 - 96.6)	857	1,832,800	81.9	(73.7 - 90.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	158	151,800	82.2	(72.4 - 92.1)	15,640	4,713,700	84.8	(81.2 - 88.4)
Some College	126	161,200	94.4	(90.5 - 98.3)	9,880	2,990,500	84.5	(79.6 - 89.4)
≥ College Degree	362	291,200	80.7	(74.6 - 86.8)	12,428	4,928,300	87.6	(85.3 - 89.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,616	2,911,700	83.0	(77.4 - 88.6)
\$25,000-\$49,999	*	*	*	*	9,631	2,375,500	81.9	(76.1 - 87.7)
\$50,000-\$74,999	*	*	*	*	5,765	1,733,500	88.4	(84.9 - 91.9)
≥ \$75,000	280	262,700	84.9	(79.1 - 90.7)	8,547	3,907,000	87.0	(84.8 - 89.2)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a doctor for a routine checkup within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 13b. Visited a doctor for routine checkup within the past 2 years among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	84.0	(79.4 - 88.6)	38,026	85.7	(83.7 - 87.6)
<b>Gender</b>						
Male	249	79.0	(71.1 - 86.8)	14,592	81.9	(78.4 - 85.3)
Female	397	88.5	(83.6 - 93.5)	23,434	89.1	(87.4 - 90.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	514	86.4	(81.9 - 90.9)	35,721	86.2	(85.0 - 87.5)
Black Non-Hispanic	*	*	*	736	89.6	(83.0 - 96.3)
Hispanic	59	87.5	(78.0 - 97.1)	857	81.8	(73.8 - 89.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,640	84.6	(81.1 - 88.1)
Some College	126	94.8	(91.0 - 98.5)	9,880	84.4	(79.8 - 89.0)
≥ College Degree	362	80.4	(73.7 - 87.0)	12,428	87.3	(85.0 - 89.6)
<b>Income</b>						
≤ \$24,999	*	*	*	9,616	83.2	(77.8 - 88.5)
\$25,000-\$49,999	*	*	*	9,631	81.9	(76.3 - 87.4)
\$50,000-\$74,999	*	*	*	5,765	88.1	(84.4 - 91.8)
≥ \$75,000	280	84.7	(78.4 - 90.9)	8,547	86.4	(84.2 - 88.7)

<sup>1</sup> Defined as having visited a doctor for a routine checkup (general physical exam, not an exam for a specific injury, illness or condition) within the past 2 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 14a. Dentist visit within the past year among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	561,800	78.4	(73.8 - 82.9)	38,026	10,540,400	71.1	(68.6 - 73.6)
<b>Gender</b>								
Male	248	259,400	76.9	(69.8 - 84.1)	14,573	4,845,800	68.4	(64.5 - 72.2)
Female	402	302,400	79.6	(73.8 - 85.4)	23,453	5,694,600	73.6	(70.4 - 76.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,924	2,789,700	62.6	(56.3 - 69.0)
35-44	*	*	*	*	4,979	2,181,000	75.8	(70.9 - 80.7)
45-54	141	114,300	76.2	(66.8 - 85.6)	7,814	2,149,300	75.8	(71.9 - 79.7)
55-64	129	93,000	85.0	(76.6 - 93.3)	8,742	1,690,500	79.2	(75.9 - 82.6)
≥ 65	242	107,600	81.7	(75.6 - 87.8)	12,567	1,729,800	68.5	(64.7 - 72.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	374,900	83.1	(78.6 - 87.7)	35,721	6,959,900	74.7	(72.7 - 76.6)
Black Non-Hispanic	*	*	*	*	735	1,405,800	66.2	(57.9 - 74.5)
Hispanic	*	*	*	*	862	1,425,600	63.1	(53.7 - 72.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,613	3,620,700	65.1	(60.7 - 69.5)
Some College	*	*	*	*	9,880	2,504,700	70.8	(66.1 - 75.5)
≥ College Degree	362	304,600	84.6	(79.5 - 89.8)	12,453	4,402,400	78.2	(74.6 - 81.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,594	1,972,200	56.2	(49.8 - 62.6)
\$25,000-\$49,999	*	*	*	*	9,649	1,896,000	65.8	(59.5 - 72.1)
\$50,000-\$74,999	68	68,700	91.5	(84.3 - 98.8)	5,763	1,482,400	75.2	(69.4 - 81.0)
≥ \$75,000	282	257,700	82.9	(76.8 - 89.0)	8,564	3,707,900	82.4	(79.5 - 85.3)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have visited a dentist or a dental clinic for any reason within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 14b. Dentist visit within the past year among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	650	78.1	(73.2 - 82.9)	38,026	71.1	(68.6 - 73.5)
<b>Gender</b>						
Male	248	77.3	(69.9 - 84.7)	14,573	68.3	(64.6 - 72.1)
Female	402	78.7	(72.2 - 85.2)	23,453	73.6	(70.4 - 76.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	82.5	(77.4 - 87.5)	35,721	74.4	(72.4 - 76.3)
Black Non-Hispanic	*	*	*	735	66.6	(58.3 - 74.9)
Hispanic	*	*	*	862	63.6	(54.4 - 72.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,613	65.3	(60.9 - 69.6)
Some College	*	*	*	9,880	70.4	(65.7 - 75.1)
≥ College Degree	362	84.3	(78.6 - 89.9)	12,453	78.1	(74.6 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,594	56.4	(50.1 - 62.8)
\$25,000-\$49,999	*	*	*	9,649	65.8	(59.6 - 72.0)
\$50,000-\$74,999	68	92.1	(85.1 - 99.1)	5,763	75.0	(69.1 - 80.8)
≥ \$75,000	282	82.2	(75.7 - 88.8)	8,564	82.1	(79.1 - 85.0)

<sup>1</sup> Defined as having visited a dentist or a dental clinic for any reason within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 15a. Had teeth cleaned within the past year among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	629	555,700	79.4	(75.0 - 83.7)	34,070	9,985,900	71.7	(69.1 - 74.3)
<b>Gender</b>								
Male	243	252,800	76.1	(68.9 - 83.3)	13,173	4,616,400	69.0	(65.0 - 73.1)
Female	386	302,900	82.3	(77.2 - 87.4)	20,897	5,369,500	74.2	(70.8 - 77.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,860	2,746,400	63.0	(56.5 - 69.5)
35-44	*	*	*	*	4,875	2,112,100	75.5	(70.7 - 80.3)
45-54	141	116,300	77.5	(68.8 - 86.2)	7,438	2,022,600	73.3	(69.1 - 77.4)
55-64	129	86,900	80.9	(73.1 - 88.6)	7,906	1,560,900	77.7	(73.8 - 81.6)
≥ 65	225	100,000	81.4	(74.8 - 87.9)	9,991	1,543,900	77.1	(73.7 - 80.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	503	364,300	81.9	(77.2 - 86.6)	31,982	6,601,500	75.4	(73.4 - 77.4)
Black Non-Hispanic	*	*	*	*	680	1,227,200	61.6	(52.1 - 71.0)
Hispanic	*	*	*	*	789	1,421,300	66.6	(57.1 - 76.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	12,740	3,388,600	67.7	(63.1 - 72.3)
Some College	121	133,500	80.2	(70.6 - 89.8)	9,145	2,286,800	68.5	(62.9 - 74.1)
≥ College Degree	357	303,000	84.9	(80.2 - 89.5)	12,128	4,298,500	78.3	(74.8 - 81.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,525	1,861,800	60.3	(53.5 - 67.1)
\$25,000-\$49,999	*	*	*	*	8,709	1,681,700	62.6	(55.4 - 69.8)
\$50,000-\$74,999	68	66,700	88.9	(80.7 - 97.0)	5,534	1,447,800	76.3	(70.7 - 81.8)
≥ \$75,000	280	253,300	81.8	(75.6 - 88.0)	8,448	3,617,500	80.8	(77.8 - 83.8)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had their teeth cleaned by a dentist or dental hygienist within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 15b. Had teeth cleaned within the past year among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	629	79.5	(74.9 - 84.1)	34,070	71.7	(69.1 - 74.2)
<b>Gender</b>						
Male	243	76.8	(69.3 - 84.2)	13,173	69.2	(65.3 - 73.1)
Female	386	82.0	(76.3 - 87.7)	20,897	73.9	(70.5 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	503	81.7	(76.6 - 86.9)	31,982	75.1	(73.0 - 77.1)
Black Non-Hispanic	*	*	*	680	62.0	(52.7 - 71.4)
Hispanic	*	*	*	789	66.9	(57.5 - 76.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	12,740	67.7	(63.2 - 72.3)
Some College	*	*	*	9,145	68.1	(62.6 - 73.6)
≥ College Degree	357	85.4	(80.6 - 90.2)	12,128	78.3	(74.9 - 81.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,525	60.2	(53.4 - 67.0)
\$25,000-\$49,999	*	*	*	8,709	62.7	(55.7 - 69.7)
\$50,000-\$74,999	68	90.0	(82.3 - 97.6)	5,534	76.4	(70.9 - 81.9)
≥ \$75,000	280	81.4	(74.8 - 88.0)	8,448	80.4	(77.4 - 83.4)

<sup>1</sup> Defined as having had teeth cleaned by a dentist or dental hygienist within the past year

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 16a. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	338,800	47.7	(42.3 - 53.2)	37,652	7,426,500	50.4	(47.8 - 52.9)
<b>Gender</b>								
Male	249	157,100	46.4	(37.6 - 55.1)	14,457	3,367,000	47.8	(43.9 - 51.6)
Female	393	181,700	49.0	(42.4 - 55.5)	23,195	4,059,500	52.7	(49.5 - 56.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,921	1,121,600	25.4	(19.7 - 31.0)
35-44	*	*	*	*	4,964	1,250,000	43.6	(37.9 - 49.2)
45-54	140	80,400	54.0	(44.3 - 63.6)	7,780	1,595,300	56.1	(51.4 - 60.7)
55-64	128	71,000	65.4	(55.5 - 75.4)	8,648	1,382,800	65.5	(61.6 - 69.4)
≥ 65	237	91,800	71.2	(64.7 - 77.6)	12,339	2,076,900	83.0	(80.6 - 85.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	511	211,900	47.7	(41.9 - 53.4)	35,364	4,425,700	47.9	(46.0 - 49.9)
Black Non-Hispanic	*	*	*	*	727	1,244,700	58.2	(48.9 - 67.4)
Hispanic	*	*	*	*	853	1,220,500	54.2	(44.9 - 63.5)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,427	3,436,000	61.9	(57.2 - 66.6)
Some College	*	*	*	*	9,798	1,726,200	49.3	(44.3 - 54.2)
≥ College Degree	358	150,300	42.3	(35.8 - 48.9)	12,351	2,242,600	40.1	(36.5 - 43.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,483	2,171,900	62.3	(55.8 - 68.8)
\$25,000-\$49,999	*	*	*	*	9,552	1,577,400	54.7	(48.3 - 61.0)
\$50,000-\$74,999	*	*	*	*	5,744	1,000,700	51.5	(45.6 - 57.4)
≥ \$75,000	279	138,300	45.0	(37.7 - 52.3)	8,516	1,738,200	38.8	(35.3 - 42.2)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had at least one permanent tooth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 16b. Permanent teeth extracted due to decay or gum disease among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	642	45.0	(39.3 - 50.8)	37,652	49.4	(46.9 - 51.9)
<b>Gender</b>						
Male	249	44.3	(35.2 - 53.3)	14,457	47.9	(44.1 - 51.7)
Female	393	45.7	(38.5 - 52.9)	23,195	50.7	(47.4 - 54.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	511	44.9	(38.7 - 51.1)	35,364	46.5	(44.5 - 48.5)
Black Non-Hispanic	*	*	*	727	57.7	(48.6 - 66.9)
Hispanic	*	*	*	853	53.8	(44.6 - 62.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,427	61.3	(56.7 - 66.0)
Some College	*	*	*	9,798	47.9	(43.0 - 52.9)
≥ College Degree	358	40.7	(33.6 - 47.8)	12,351	39.0	(35.5 - 42.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,483	61.6	(55.2 - 68.1)
\$25,000-\$49,999	*	*	*	9,552	54.2	(48.0 - 60.3)
\$50,000-\$74,999	*	*	*	5,744	49.9	(44.0 - 55.9)
≥ \$75,000	279	43.3	(35.6 - 51.0)	8,516	37.7	(34.2 - 41.1)

<sup>1</sup> Defined as having had at least one permanent tooth extracted because of tooth decay or gum disease

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 17a. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	237	8,400	6.5	(3.1 - 9.9)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Gender</b>								
Male	*	*	*	*	4,352	167,200	16.4	(11.8 - 20.9)
Female	149	5,800	7.6	(3.0 - 12.2)	7,987	324,000	21.8	(16.6 - 27.0)
<b>Age (years)</b>								
≥ 65	237	8,400	6.5	(3.1 - 9.9)	12,339	491,200	19.6	(16.0 - 23.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	212	6,700	6.4	(2.8 - 9.9)	11,885	322,600	16.8	(14.3 - 19.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,358	314,100	25.3	(19.9 - 30.7)
Some College	*	*	*	*	2,736	90,600	20.2	(12.1 - 28.2)
≥ College Degree	*	*	*	*	3,214	80,500	10.1	(3.6 - 16.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,558	199,600	26.9	(19.3 - 34.4)
\$25,000-\$49,999	*	*	*	*	3,365	123,900	21.4	(13.1 - 29.6)
\$50,000-\$74,999	*	*	*	*	1,179	21,400	7.3	(3.8 - 10.8)
≥ \$75,000	*	*	*	*	1,187	9,600	2.5	(1.0 - 4.0)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had all permanent teeth extracted because of tooth decay or gum disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 17b. Had all permanent teeth extracted due to decay or gum disease among adults aged 65 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	237	6.3	(3.0 - 9.6)	12,339	19.4	(15.7 - 23.2)
<b>Gender</b>						
Male	*	*	*	4,352	16.5	(11.5 - 21.4)
Female	149	7.6	(3.1 - 12.2)	7,987	22.1	(16.6 - 27.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	212	6.2	(2.7 - 9.6)	11,885	16.6	(13.9 - 19.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,358	24.9	(19.3 - 30.5)
Some College	*	*	*	2,736	21.0	(12.1 - 29.9)
≥ College Degree	*	*	*	3,214	10.0	(3.6 - 16.3)
<b>Income</b>						
≤ \$24,999	*	*	*	4,558	27.3	(19.1 - 35.5)
\$25,000-\$49,999	*	*	*	3,365	21.0	(12.9 - 29.1)
\$50,000-\$74,999	*	*	*	1,179	7.6	(3.6 - 11.5)
≥ \$75,000	*	*	*	1,187	2.2	(0.9 - 3.5)

<sup>1</sup> Defined as having all permanent teeth extracted because of tooth decay or gum disease among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 18a. Flu shot within the past 12 months<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	291,200	40.5	(35.5 - 45.5)	38,079	6,255,900	42.3	(39.9 - 44.8)
<b>Gender</b>								
Male	250	123,300	36.2	(28.4 - 44.1)	14,579	2,798,900	39.6	(35.8 - 43.5)
Female	399	167,900	44.3	(38.1 - 50.6)	23,500	3,456,900	44.8	(41.6 - 47.9)
<b>Age (years)</b>								
18-49	206	112,600	28.0	(20.9 - 35.1)	12,505	2,685,300	31.1	(27.3 - 34.9)
50-64	204	76,300	41.2	(33.2 - 49.3)	12,972	1,662,900	46.0	(42.6 - 49.5)
≥ 65	239	102,300	77.8	(71.9 - 83.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	516	208,300	46.2	(40.5 - 51.8)	35,770	4,029,000	43.3	(41.4 - 45.3)
Black Non-Hispanic	*	*	*	*	738	907,000	42.1	(33.1 - 51.1)
Hispanic	*	*	*	*	860	882,900	39.6	(30.4 - 48.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,663	2,457,800	44.3	(39.8 - 48.8)
Some College	128	48,900	28.3	(18.5 - 38.1)	9,898	1,377,700	38.9	(34.0 - 43.9)
≥ College Degree	363	161,000	44.6	(38.1 - 51.1)	12,436	2,404,400	43.0	(39.5 - 46.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,635	1,656,800	47.6	(41.2 - 54.0)
\$25,000-\$49,999	*	*	*	*	9,647	1,200,600	41.4	(35.6 - 47.3)
\$50,000-\$74,999	*	*	*	*	5,763	792,300	40.2	(34.3 - 46.2)
≥ \$75,000	282	127,800	41.1	(34.1 - 48.1)	8,548	1,776,100	39.6	(36.3 - 42.8)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 18b. Flu shot within the past 12 months<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	38.8	(33.5 - 44.1)	38,079	41.7	(39.2 - 44.1)
<b>Gender</b>						
Male	250	35.7	(27.6 - 43.8)	14,579	40.0	(36.2 - 43.8)
Female	399	41.6	(34.8 - 48.4)	23,500	43.1	(40.0 - 46.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	516	44.0	(37.9 - 50.1)	35,770	42.4	(40.4 - 44.3)
Black Non-Hispanic	*	*	*	738	42.3	(33.3 - 51.3)
Hispanic	*	*	*	860	39.0	(29.9 - 48.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,663	43.7	(39.1 - 48.2)
Some College	128	26.5	(16.8 - 36.3)	9,898	37.8	(33.0 - 42.7)
≥ College Degree	363	43.1	(36.1 - 50.0)	12,436	42.5	(39.1 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,635	47.3	(41.0 - 53.7)
\$25,000-\$49,999	*	*	*	9,647	40.3	(34.5 - 46.0)
\$50,000-\$74,999	*	*	*	5,763	39.4	(33.4 - 45.4)
≥ \$75,000	282	39.6	(32.3 - 47.0)	8,548	39.1	(35.8 - 42.4)

<sup>1</sup> Defined as having had a flu shot within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 19a. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	*	38,106	248,300	1.7	(0.6 - 2.8)
<b>Gender</b>								
Male	*	*	*	*	14,586	148,000	2.1	(0.0 - 4.2)
Female	*	*	*	*	23,520	100,300	1.3	(0.5 - 2.1)
<b>Age (years)</b>								
18-49	*	*	*	*	12,535	184,900	2.1	(0.3 - 3.9)
50-64	*	*	*	*	12,968	36,000	1.0	(0.2 - 1.8)
≥ 65	*	*	*	*	12,603	27,400	1.1	(0.4 - 1.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	35,796	66,000	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	*	740	38,500	1.8	(0.0 - 4.1)
Hispanic	*	*	*	*	860	133,700	5.9	(0.0 - 12.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,679	172,500	3.1	(0.3 - 5.9)
Some College	*	*	*	*	9,897	43,500	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	*	12,449	31,600	0.6	(0.3 - 0.8)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,636	138,400	3.9	(0.0 - 8.1)
\$25,000-\$49,999	*	*	*	*	9,648	41,500	1.4	(0.0 - 3.1)
\$50,000-\$74,999	*	*	*	*	5,766	13,300	0.7	(0.2 - 1.2)
≥ \$75,000	*	*	*	*	8,561	35,300	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 19b. Flu vaccine that was sprayed in nose within the past 12 months<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	*	*	*	38,106	1.7	(0.6 - 2.7)
<b>Gender</b>						
Male	*	*	*	14,586	2.0	(0.1 - 3.9)
Female	*	*	*	23,520	1.4	(0.5 - 2.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	35,796	0.7	(0.4 - 1.0)
Black Non-Hispanic	*	*	*	740	1.9	(0.0 - 4.4)
Hispanic	*	*	*	860	5.9	(0.0 - 11.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,679	3.1	(0.4 - 5.8)
Some College	*	*	*	9,897	1.2	(0.4 - 2.0)
≥ College Degree	*	*	*	12,449	0.6	(0.3 - 0.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,636	3.8	(0.0 - 7.7)
\$25,000-\$49,999	*	*	*	9,648	1.5	(0.0 - 3.4)
\$50,000-\$74,999	*	*	*	5,766	0.7	(0.1 - 1.2)
≥ \$75,000	*	*	*	8,561	0.8	(0.3 - 1.3)

<sup>1</sup> Defined as having had flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 20a. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	294,100	40.9	(35.9 - 46.0)	38,059	6,302,300	42.7	(40.2 - 45.1)
<b>Gender</b>								
Male	250	124,900	36.7	(28.8 - 44.6)	14,568	2,822,700	40.0	(36.1 - 43.9)
Female	399	169,200	44.7	(38.4 - 51.0)	23,491	3,479,500	45.1	(42.0 - 48.2)
<b>Age (years)</b>								
18-49	206	113,900	28.3	(21.2 - 35.4)	12,501	2,726,400	31.6	(27.8 - 35.4)
50-64	204	76,300	41.2	(33.2 - 49.3)	12,964	1,664,200	46.1	(42.7 - 49.5)
≥ 65	239	103,900	79.0	(73.4 - 84.6)	12,594	1,911,700	75.4	(72.2 - 78.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	516	209,600	46.4	(40.8 - 52.1)	35,750	4,048,700	43.6	(41.7 - 45.5)
Black Non-Hispanic	*	*	*	*	738	910,000	42.2	(33.2 - 51.2)
Hispanic	*	*	*	*	860	903,300	40.6	(31.3 - 49.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,651	2,480,100	44.7	(40.2 - 49.3)
Some College	128	48,900	28.3	(18.5 - 38.1)	9,895	1,387,300	39.2	(34.3 - 44.1)
≥ College Degree	363	163,900	45.4	(38.8 - 51.9)	12,431	2,418,300	43.2	(39.8 - 46.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	1,675,100	48.2	(41.8 - 54.6)
\$25,000-\$49,999	*	*	*	*	9,643	1,208,300	41.7	(35.8 - 47.6)
\$50,000-\$74,999	*	*	*	*	5,761	795,600	40.4	(34.5 - 46.3)
≥ \$75,000	282	129,100	41.5	(34.5 - 48.5)	8,548	1,791,200	39.9	(36.6 - 43.2)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a flu shot or flu vaccine sprayed in nose within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 20b. Flu shot or flu vaccine sprayed in nose within the past 12 months<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	39.3	(33.9 - 44.6)	38,059	42.0	(39.6 - 44.5)
<b>Gender</b>						
Male	250	36.2	(28.0 - 44.3)	14,568	40.4	(36.6 - 44.2)
Female	399	42.0	(35.2 - 48.9)	23,491	43.5	(40.3 - 46.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	516	44.3	(38.2 - 50.4)	35,750	42.6	(40.7 - 44.6)
Black Non-Hispanic	*	*	*	738	42.4	(33.4 - 51.4)
Hispanic	*	*	*	860	40.0	(30.9 - 49.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,651	44.1	(39.6 - 48.6)
Some College	128	26.5	(16.8 - 36.3)	9,895	38.1	(33.2 - 43.0)
≥ College Degree	363	43.9	(36.9 - 50.9)	12,431	42.8	(39.4 - 46.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	48.0	(41.6 - 54.3)
\$25,000-\$49,999	*	*	*	9,643	40.5	(34.8 - 46.3)
\$50,000-\$74,999	*	*	*	5,761	39.6	(33.6 - 45.6)
≥ \$75,000	282	40.1	(32.7 - 47.5)	8,548	39.4	(36.1 - 42.7)

<sup>1</sup> Defined as having had a flu shot or flu vaccine sprayed in nose within the past 12 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 21a. Flu shot among adults aged 65 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	239	102,300	77.8	(71.9 - 83.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Gender</b>								
Male	88	43,100	79.8	(70.6 - 89.0)	4,417	772,900	74.6	(69.3 - 79.8)
Female	151	59,300	76.4	(68.8 - 84.1)	8,185	1,134,800	75.6	(71.6 - 79.6)
<b>Age (years)</b>								
≥ 65	239	102,300	77.8	(71.9 - 83.7)	12,602	1,907,700	75.2	(72.0 - 78.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	213	83,000	78.5	(72.6 - 84.4)	12,137	1,487,100	76.0	(73.5 - 78.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	78	34,100	80.8	(71.3 - 90.3)	6,518	930,800	74.0	(68.9 - 79.2)
Some College	*	*	*	*	2,790	317,800	69.7	(62.7 - 76.7)
≥ College Degree	111	46,500	75.1	(66.1 - 84.1)	3,261	654,000	80.5	(76.4 - 84.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,665	545,300	72.4	(65.6 - 79.3)
\$25,000-\$49,999	*	*	*	*	3,422	430,600	72.8	(67.0 - 78.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,198	301,000	77.5	(70.9 - 84.2)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have had a flu shot within the past 12 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 21b. Flu shot among adults aged 65 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	239	78.1	(72.2 - 83.9)	12,602	75.0	(71.5 - 78.5)
<b>Gender</b>						
Male	88	79.6	(70.5 - 88.7)	4,417	74.4	(68.7 - 80.1)
Female	151	76.7	(69.2 - 84.2)	8,185	75.5	(71.3 - 79.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	213	78.3	(72.4 - 84.3)	12,137	75.9	(73.0 - 78.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	78	81.5	(72.3 - 90.6)	6,518	73.3	(67.5 - 79.1)
Some College	*	*	*	2,790	70.0	(62.7 - 77.2)
≥ College Degree	111	75.2	(66.1 - 84.3)	3,261	80.7	(76.2 - 85.1)
<b>Income</b>						
≤ \$24,999	*	*	*	4,665	72.6	(65.1 - 80.1)
\$25,000-\$49,999	*	*	*	3,422	71.4	(65.0 - 77.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	1,198	78.0	(70.8 - 85.1)

<sup>1</sup> Defined as having had a flu shot during the past 12 months among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 22a. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	596	155,200	24.2	(19.9 - 28.5)	35,303	3,456,800	26.1	(23.9 - 28.3)
<b>Gender</b>								
Male	218	71,200	24.4	(16.8 - 32.1)	13,052	1,542,200	25.2	(21.5 - 28.8)
Female	378	84,000	23.9	(19.4 - 28.5)	22,251	1,914,600	26.9	(24.2 - 29.6)
<b>Age (years)</b>								
18-49	185	40,100	11.3	(5.1 - 17.5)	10,943	1,097,000	14.6	(11.3 - 17.9)
50-64	184	29,900	18.3	(12.5 - 24.1)	12,179	758,000	23.0	(19.8 - 26.2)
≥ 65	227	85,200	69.3	(62.0 - 76.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	476	112,900	28.0	(23.2 - 32.8)	33,225	2,358,700	28.7	(26.9 - 30.5)
Black Non-Hispanic	*	*	*	*	685	584,400	28.4	(19.5 - 37.3)
Hispanic	*	*	*	*	769	408,000	19.5	(12.6 - 26.4)
Other Non-Hispanic	*	*	*	*	624	105,600	12.2	(2.3 - 22.2)
<b>Education</b>								
≤ High School	144	42,000	25.4	(17.6 - 33.2)	14,700	1,535,300	30.4	(26.4 - 34.3)
Some College	*	*	*	*	9,151	836,200	27.2	(21.9 - 32.5)
≥ College Degree	330	75,100	23.2	(17.8 - 28.7)	11,375	1,070,700	21.4	(18.6 - 24.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,082	1,050,900	33.1	(27.6 - 38.6)
\$25,000-\$49,999	87	22,800	24.5	(14.6 - 34.4)	9,033	797,500	30.3	(24.1 - 36.6)
\$50,000-\$74,999	*	*	*	*	5,320	378,800	21.8	(17.4 - 26.1)
≥ \$75,000	254	46,300	16.6	(12.1 - 21.2)	7,773	648,700	16.3	(14.1 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 22b. Pneumonia shot or pneumococcal vaccine<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	596	22.7	(18.2 - 27.2)	35,303	25.4	(23.2 - 27.6)
<b>Gender</b>						
Male	218	25.0	(16.8 - 33.2)	13,052	25.8	(22.3 - 29.4)
Female	378	20.8	(16.4 - 25.2)	22,251	25.1	(22.4 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	476	26.2	(21.1 - 31.3)	33,225	27.7	(25.9 - 29.5)
Black Non-Hispanic	*	*	*	685	27.9	(19.1 - 36.7)
Hispanic	*	*	*	769	19.6	(12.8 - 26.5)
Other Non-Hispanic	*	*	*	624	11.3	(2.0 - 20.7)
<b>Education</b>						
≤ High School	144	23.6	(15.7 - 31.5)	14,700	29.5	(25.6 - 33.5)
Some College	*	*	*	9,151	26.2	(21.0 - 31.3)
≥ College Degree	330	22.1	(16.2 - 27.9)	11,375	21.0	(18.3 - 23.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,082	32.3	(26.9 - 37.8)
\$25,000-\$49,999	87	21.8	(12.2 - 31.3)	9,033	29.0	(23.0 - 35.0)
\$50,000-\$74,999	*	*	*	5,320	21.2	(16.8 - 25.7)
≥ \$75,000	254	15.5	(11.1 - 20.0)	7,773	16.2	(13.9 - 18.5)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 23a. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	227	85,200	69.3	(62.0 - 76.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Gender</b>								
Male	*	*	*	*	4,180	606,400	62.1	(55.5 - 68.7)
Female	149	54,000	71.1	(62.9 - 79.2)	8,001	995,300	68.0	(63.1 - 73.0)
<b>Age (years)</b>								
≥ 65	227	85,200	69.3	(62.0 - 76.6)	12,181	1,601,700	65.7	(61.7 - 69.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	204	75,000	74.5	(68.0 - 81.0)	11,735	1,281,300	68.2	(64.9 - 71.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	6,345	806,200	65.6	(59.5 - 71.7)
Some College	*	*	*	*	2,694	289,500	66.8	(60.1 - 73.4)
≥ College Degree	*	*	*	*	3,111	501,100	65.6	(58.5 - 72.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,533	497,100	67.7	(59.9 - 75.5)
\$25,000-\$49,999	*	*	*	*	3,324	344,300	61.5	(53.3 - 69.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	1,138	236,300	64.5	(55.2 - 73.8)

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 65 and older who have ever had a pneumonia shot or pneumococcal vaccine (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 23b. Pneumonia shot or pneumococcal vaccine among adults aged 65 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	227	69.5	(62.1 - 77.0)	12,181	64.7	(60.4 - 69.1)
<b>Gender</b>						
Male	*	*	*	4,180	61.5	(54.3 - 68.6)
Female	149	71.3	(63.2 - 79.4)	8,001	67.6	(62.4 - 72.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	204	74.7	(68.1 - 81.2)	11,735	67.1	(63.2 - 70.9)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	6,345	64.2	(57.4 - 71.0)
Some College	*	*	*	2,694	65.8	(58.4 - 73.3)
≥ College Degree	*	*	*	3,111	65.3	(57.7 - 72.9)
<b>Income</b>						
≤ \$24,999	*	*	*	4,533	66.0	(57.0 - 74.9)
\$25,000-\$49,999	*	*	*	3,324	60.3	(51.9 - 68.6)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	*	*

<sup>1</sup> Defined as having ever had a pneumonia shot or pneumococcal vaccine among adults aged 65 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 24a. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	340	246,500	94.3	(91.3 - 97.3)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	340	246,500	94.3	(91.3 - 97.3)	19,491	4,328,800	91.8	(89.7 - 94.0)
<b>Age (years)</b>								
40-49	69	85,600	94.8	(89.4 - 100)	3,851	1,287,500	85.0	(79.7 - 90.3)
50-64	120	87,200	93.4	(87.8 - 99.0)	7,452	1,641,700	96.0	(94.1 - 97.9)
≥ 65	151	73,700	94.9	(90.6 - 99.1)	8,188	1,399,600	94.1	(90.5 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	291	188,300	96.4	(94.2 - 98.5)	18,548	2,976,100	93.9	(92.7 - 95.1)
Black Non-Hispanic	*	*	*	*	342	746,600	93.8	(87.3 - 100)
Hispanic	*	*	*	*	333	447,600	91.8	(84.6 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	88	55,900	86.9	(77.2 - 96.6)	8,266	1,698,700	91.0	(87.4 - 94.5)
Some College	78	68,500	97.0	(93.3 - 100)	5,322	1,055,500	93.6	(90.2 - 97.0)
≥ College Degree	174	122,100	96.6	(93.8 - 99.4)	5,872	1,560,700	91.6	(87.5 - 95.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,691	1,023,400	93.5	(89.7 - 97.4)
\$25,000-\$49,999	61	42,000	95.3	(89.8 - 100)	4,857	860,300	89.5	(83.6 - 95.5)
\$50,000-\$74,999	*	*	*	*	2,648	547,100	94.6	(92.2 - 96.9)
≥ \$75,000	127	109,000	98.5	(96.2 - 100)	3,582	1,185,100	92.2	(88.2 - 96.1)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have ever had a mammogram (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 24b. Ever had a mammogram among women aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	340	94.5	(91.5 - 97.4)	19,491	91.1	(88.7 - 93.6)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	340	94.5	(91.5 - 97.4)	19,491	91.1	(88.7 - 93.6)
<b>Race/Ethnicity</b>						
White Non-Hispanic	291	96.3	(93.9 - 98.7)	18,548	93.3	(92.0 - 94.7)
Black Non-Hispanic	*	*	*	342	93.1	(85.7 - 100)
Hispanic	*	*	*	333	91.0	(82.8 - 99.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	88	86.9	(77.3 - 96.4)	8,266	90.2	(86.1 - 94.2)
Some College	78	97.5	(94.3 - 100)	5,322	92.9	(88.9 - 96.9)
≥ College Degree	174	96.5	(93.4 - 99.7)	5,872	90.9	(86.6 - 95.3)
<b>Income</b>						
≤ \$24,999	*	*	*	5,691	93.0	(88.5 - 97.4)
\$25,000-\$49,999	61	94.4	(87.6 - 100)	4,857	88.8	(82.5 - 95.1)
\$50,000-\$74,999	*	*	*	2,648	94.3	(91.7 - 96.8)
≥ \$75,000	127	98.2	(95.2 - 100)	3,582	91.2	(86.8 - 95.6)

<sup>1</sup> Defined as having ever had a mammogram among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 25a. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	338	212,100	81.5	(76.2 - 86.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	338	212,100	81.5	(76.2 - 86.7)	19,376	3,760,000	80.3	(77.8 - 82.9)
<b>Age (years)</b>								
40-49	*	*	*	*	3,842	1,122,700	74.4	(68.5 - 80.2)
50-64	119	76,700	82.5	(74.7 - 90.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	150	61,300	79.4	(72.4 - 86.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	289	161,900	83.3	(78.4 - 88.1)	18,438	2,531,500	80.2	(78.3 - 82.2)
Black Non-Hispanic	*	*	*	*	339	667,100	85.6	(77.5 - 93.8)
Hispanic	*	*	*	*	332	419,700	86.1	(77.5 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	8,204	1,486,900	80.5	(76.4 - 84.6)
Some College	*	*	*	*	5,297	929,400	83.0	(78.8 - 87.1)
≥ College Degree	174	109,300	86.5	(81.1 - 91.9)	5,845	1,334,800	78.6	(73.9 - 83.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,650	882,300	80.8	(75.9 - 85.7)
\$25,000-\$49,999	*	*	*	*	4,846	732,300	76.3	(69.7 - 82.9)
\$50,000-\$74,999	*	*	*	*	2,641	494,200	85.6	(81.9 - 89.4)
≥ \$75,000	127	99,200	89.6	(83.8 - 95.4)	3,572	1,025,900	80.0	(75.2 - 84.8)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 40 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 25b. Had mammogram within the past 2 years among women aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	338	82.0	(76.8 - 87.3)	19,376	79.7	(76.9 - 82.5)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	338	82.0	(76.8 - 87.3)	19,376	79.7	(76.9 - 82.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	289	83.6	(78.6 - 88.5)	18,438	79.7	(77.6 - 81.8)
Black Non-Hispanic	*	*	*	339	85.3	(76.5 - 94.2)
Hispanic	*	*	*	332	85.2	(75.6 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	8,204	80.1	(75.6 - 84.7)
Some College	*	*	*	5,297	82.3	(77.7 - 86.9)
≥ College Degree	174	86.9	(81.4 - 92.4)	5,845	77.8	(72.9 - 82.8)
<b>Income</b>						
≤ \$24,999	*	*	*	5,650	80.8	(75.4 - 86.2)
\$25,000-\$49,999	*	*	*	4,846	75.7	(68.7 - 82.6)
\$50,000-\$74,999	*	*	*	2,641	85.5	(81.6 - 89.4)
≥ \$75,000	127	89.6	(83.7 - 95.6)	3,572	79.0	(73.8 - 84.2)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 26a. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	269	138,000	81.1	(75.8 - 86.4)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	269	138,000	81.1	(75.8 - 86.4)	15,534	2,637,300	83.2	(80.7 - 85.7)
<b>Age (years)</b>								
50-64	119	76,700	82.5	(74.7 - 90.3)	7,428	1,487,900	87.2	(84.5 - 89.8)
≥ 65	150	61,300	79.4	(72.4 - 86.4)	8,106	1,149,400	78.5	(74.2 - 82.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	242	119,200	82.9	(77.9 - 88.0)	14,887	1,907,000	82.3	(80.3 - 84.4)
Black Non-Hispanic	*	*	*	*	249	385,600	89.9	(83.2 - 96.7)
Hispanic	*	*	*	*	220	286,700	93.9	(89.1 - 98.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,026	1,094,500	83.3	(80.0 - 86.6)
Some College	*	*	*	*	4,124	646,700	87.3	(84.2 - 90.3)
≥ College Degree	137	72,500	84.0	(77.4 - 90.5)	4,356	890,500	80.6	(75.1 - 86.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,991	649,100	81.0	(76.8 - 85.2)
\$25,000-\$49,999	*	*	*	*	3,913	533,300	78.6	(70.9 - 86.2)
\$50,000-\$74,999	*	*	*	*	1,943	359,300	89.6	(86.3 - 93.0)
≥ \$75,000	87	57,800	89.1	(81.7 - 96.5)	2,303	601,300	84.6	(79.3 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women aged 50 and older who have had a mammogram within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 26b. Had mammogram within the past 2 years among women aged 50 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	269	81.0	(75.7 - 86.4)	15,534	83.1	(80.3 - 85.8)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	269	81.0	(75.7 - 86.4)	15,534	83.1	(80.3 - 85.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	242	82.8	(77.7 - 88.0)	14,887	82.1	(79.9 - 84.3)
Black Non-Hispanic	*	*	*	249	90.4	(83.6 - 97.2)
Hispanic	*	*	*	220	94.1	(89.3 - 99.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,026	83.6	(80.1 - 87.0)
Some College	*	*	*	4,124	87.3	(84.1 - 90.5)
≥ College Degree	137	83.8	(77.1 - 90.6)	4,356	79.9	(73.9 - 86.0)
<b>Income</b>						
≤ \$24,999	*	*	*	4,991	81.3	(76.9 - 85.6)
\$25,000-\$49,999	*	*	*	3,913	78.1	(69.9 - 86.4)
\$50,000-\$74,999	*	*	*	1,943	90.2	(87.1 - 93.4)
≥ \$75,000	87	88.6	(80.7 - 96.5)	2,303	83.9	(77.9 - 89.9)

<sup>1</sup> Defined as having had a mammogram within the past 2 years among women aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 27a. Ever had a Pap test among women<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	398	344,300	91.1	(86.0 - 96.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	398	344,300	91.1	(86.0 - 96.2)	23,381	7,045,300	92.1	(90.0 - 94.3)
<b>Age (years)</b>								
18-34	*	*	*	*	2,377	1,896,600	85.2	(79.3 - 91.0)
35-44	*	*	*	*	3,023	1,301,500	92.6	(87.7 - 97.5)
45-54	80	75,800	98.6	(96.7 - 100)	4,657	1,420,300	98.3	(97.0 - 99.6)
55-64	81	55,400	94.2	(85.3 - 100)	5,187	1,071,200	97.2	(95.0 - 99.3)
≥ 65	151	71,700	92.4	(87.6 - 97.2)	8,137	1,355,700	92.3	(88.5 - 96.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	320	234,700	97.2	(95.6 - 98.8)	21,976	4,439,700	94.2	(92.1 - 96.3)
Black Non-Hispanic	*	*	*	*	481	1,231,600	91.2	(84.0 - 98.4)
Hispanic	*	*	*	*	533	984,500	90.1	(85.3 - 94.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,526	2,540,500	88.3	(83.8 - 92.7)
Some College	*	*	*	*	6,462	1,782,200	93.5	(90.4 - 96.6)
≥ College Degree	206	176,100	95.3	(89.6 - 100)	7,345	2,643,200	95.0	(92.2 - 97.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,526	1,717,200	93.7	(90.9 - 96.6)
\$25,000-\$49,999	*	*	*	*	5,787	1,378,400	91.0	(85.6 - 96.4)
\$50,000-\$74,999	*	*	*	*	3,310	933,900	96.0	(91.8 - 100)
≥ \$75,000	151	152,600	99.5	(98.5 - 100)	4,570	1,943,300	95.4	(92.6 - 98.2)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have ever had a Pap test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 27b. Ever had a Pap test among women<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	398	90.6	(84.8 - 96.4)	23,381	91.8	(89.6 - 94.0)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	398	90.6	(84.8 - 96.4)	23,381	91.8	(89.6 - 94.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	320	97.5	(96.1 - 99.0)	21,976	94.0	(91.8 - 96.2)
Black Non-Hispanic	*	*	*	481	90.8	(83.5 - 98.1)
Hispanic	*	*	*	533	89.7	(84.6 - 94.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,526	87.8	(83.2 - 92.4)
Some College	*	*	*	6,462	93.1	(89.7 - 96.4)
≥ College Degree	206	94.8	(87.9 - 100)	7,345	94.9	(92.0 - 97.7)
<b>Income</b>						
≤ \$24,999	*	*	*	6,526	93.3	(90.1 - 96.5)
\$25,000-\$49,999	*	*	*	5,787	91.1	(85.7 - 96.5)
\$50,000-\$74,999	*	*	*	3,310	96.0	(91.9 - 100)
≥ \$75,000	151	99.6	(98.8 - 100)	4,570	95.0	(91.9 - 98.1)

<sup>1</sup> Defined as having ever had a Pap test among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 28a. Had a Pap test within the past 3 years among women<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	394	306,800	81.5	(76.2 - 86.9)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Gender</b>								
Male	-	-	-	-	-	-	-	-
Female	394	306,800	81.5	(76.2 - 86.9)	23,109	6,205,600	82.2	(79.8 - 84.6)
<b>Age (years)</b>								
18-34	*	*	*	*	2,371	1,818,400	81.8	(75.5 - 88.1)
35-44	*	*	*	*	3,012	1,220,300	86.9	(81.8 - 92.0)
45-54	80	73,800	96.0	(92.1 - 99.9)	4,640	1,311,500	92.0	(89.8 - 94.3)
55-64	*	*	*	*	5,152	924,300	84.5	(81.0 - 88.0)
≥ 65	148	50,100	65.8	(57.3 - 74.3)	7,934	931,100	66.4	(61.8 - 71.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	317	205,800	85.6	(81.9 - 89.4)	21,720	3,807,100	81.5	(79.2 - 83.8)
Black Non-Hispanic	*	*	*	*	473	1,142,800	86.7	(79.1 - 94.3)
Hispanic	*	*	*	*	527	894,900	83.6	(76.3 - 91.0)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	9,384	2,132,600	76.0	(71.1 - 81.0)
Some College	*	*	*	*	6,401	1,594,300	84.0	(80.4 - 87.5)
≥ College Degree	206	161,300	87.2	(80.9 - 93.6)	7,281	2,406,000	86.9	(83.7 - 90.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	6,441	1,453,900	82.0	(77.9 - 86.0)
\$25,000-\$49,999	*	*	*	*	5,740	1,182,000	78.3	(72.6 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,296	825,000	85.0	(78.0 - 91.9)
≥ \$75,000	151	145,600	94.9	(91.6 - 98.2)	4,555	1,810,200	89.0	(85.7 - 92.2)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of women who have had a Pap test within the past 3 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 28b. Had a Pap test within the past 3 years among women<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	394	82.7	(76.7 - 88.6)	23,109	82.7	(80.2 - 85.1)
<b>Gender</b>						
Male	-	-	-	-	-	-
Female	394	82.7	(76.7 - 88.6)	23,109	82.7	(80.2 - 85.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	317	87.6	(84.2 - 91.0)	21,720	82.3	(80.0 - 84.6)
Black Non-Hispanic	*	*	*	473	87.0	(79.3 - 94.6)
Hispanic	*	*	*	527	83.4	(75.9 - 90.9)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	9,384	76.4	(71.3 - 81.5)
Some College	*	*	*	6,401	84.2	(80.5 - 88.0)
≥ College Degree	206	88.5	(81.4 - 95.5)	7,281	87.5	(84.3 - 90.6)
<b>Income</b>						
≤ \$24,999	*	*	*	6,441	82.7	(78.5 - 86.9)
\$25,000-\$49,999	*	*	*	5,740	79.2	(73.5 - 84.8)
\$50,000-\$74,999	*	*	*	3,296	85.7	(78.7 - 92.8)
≥ \$75,000	151	96.0	(93.3 - 98.6)	4,555	88.9	(85.5 - 92.3)

<sup>1</sup> Defined as having had a Pap test within the past 3 years among women

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 29a. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	213	160,200	73.2	(64.8 - 81.5)	12,033	3,176,500	73.8	(69.7 - 77.8)
<b>Gender</b>								
Male	213	160,200	73.2	(64.8 - 81.5)	12,033	3,176,500	73.8	(69.7 - 77.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,098	922,800	66.8	(59.9 - 73.8)
55-64	*	*	*	*	3,504	865,600	87.1	(82.5 - 91.7)
≥ 65	*	*	*	*	4,348	953,900	92.9	(91.0 - 94.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	172	123,000	83.3	(76.4 - 90.2)	11,411	2,452,100	80.3	(77.7 - 82.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,013	931,600	64.1	(57.3 - 71.0)
Some College	*	*	*	*	2,695	674,200	75.5	(67.8 - 83.2)
≥ College Degree	138	113,600	87.3	(80.5 - 94.0)	4,302	1,568,000	80.5	(74.0 - 87.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,573	573,300	65.9	(56.0 - 75.9)
\$25,000-\$49,999	*	*	*	*	3,168	530,100	74.6	(67.2 - 82.1)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	115	96,800	79.4	(69.4 - 89.4)	3,309	1,351,100	78.0	(72.6 - 83.5)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a digital rectal exam (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 29b. Ever had a digital rectal exam among men aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	213	73.8	(65.5 - 82.1)	12,033	73.7	(69.6 - 77.8)
<b>Gender</b>						
Male	213	73.8	(65.5 - 82.1)	12,033	73.7	(69.6 - 77.8)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	172	83.6	(76.6 - 90.5)	11,411	79.9	(77.2 - 82.5)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,013	64.7	(57.8 - 71.7)
Some College	*	*	*	2,695	75.0	(67.1 - 82.9)
≥ College Degree	138	87.5	(80.8 - 94.2)	4,302	80.3	(73.8 - 86.8)
<b>Income</b>						
≤ \$24,999	*	*	*	2,573	66.9	(56.9 - 76.9)
\$25,000-\$49,999	*	*	*	3,168	74.8	(67.3 - 82.2)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,309	77.5	(72.0 - 83.0)

<sup>1</sup> Defined as having ever had a digital rectal exam among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 30a. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	212	123,800	56.7	(47.9 - 65.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
<b>Gender</b>								
Male	212	123,800	56.7	(47.9 - 65.4)	11,923	2,380,300	55.8	(51.8 - 59.8)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	1,078	246,800	27.5	(18.5 - 36.5)
45-54	*	*	*	*	3,074	650,000	47.6	(40.8 - 54.4)
55-64	*	*	*	*	3,467	673,500	68.1	(62.4 - 73.8)
≥ 65	*	*	*	*	4,304	809,900	79.7	(75.0 - 84.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	171	103,300	70.2	(61.6 - 78.8)	11,305	1,875,600	62.2	(59.2 - 65.2)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,963	718,700	49.6	(43.2 - 56.1)
Some College	*	*	*	*	2,665	511,500	58.5	(50.8 - 66.3)
≥ College Degree	137	84,800	65.4	(55.5 - 75.4)	4,277	1,148,400	59.4	(52.8 - 66.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,553	388,000	45.0	(35.0 - 55.0)
\$25,000-\$49,999	*	*	*	*	3,139	422,400	60.5	(53.0 - 68.0)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,295	978,300	56.9	(51.1 - 62.7)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a digital rectal exam within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 30b. Had digital rectal exam within the past 2 years among men aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	212	58.1	(49.3 - 66.8)	11,923	55.9	(51.7 - 60.0)
<b>Gender</b>						
Male	212	58.1	(49.3 - 66.8)	11,923	55.9	(51.7 - 60.0)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	171	71.0	(62.4 - 79.6)	11,305	62.0	(58.9 - 65.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,963	50.5	(43.7 - 57.3)
Some College	*	*	*	2,665	58.3	(50.4 - 66.2)
≥ College Degree	137	66.4	(56.5 - 76.3)	4,277	59.2	(52.4 - 65.9)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,139	60.8	(53.1 - 68.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,295	56.5	(50.5 - 62.4)

<sup>1</sup> Defined as having had a digital rectal exam within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 31a. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	203	129,900	63.8	(55.1 - 72.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
<b>Gender</b>								
Male	203	129,900	63.8	(55.1 - 72.5)	11,557	2,822,600	67.6	(63.9 - 71.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,938	760,600	57.4	(50.6 - 64.3)
55-64	*	*	*	*	3,373	811,400	83.4	(78.8 - 88.1)
≥ 65	87	48,000	89.4	(80.8 - 98.0)	4,215	905,400	90.4	(87.1 - 93.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	164	94,600	69.2	(60.0 - 78.4)	10,950	1,965,400	67.0	(63.9 - 70.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,775	829,200	59.0	(52.4 - 65.6)
Some College	*	*	*	*	2,584	535,000	61.9	(53.7 - 70.2)
≥ College Degree	134	89,800	69.6	(59.7 - 79.6)	4,176	1,455,700	76.8	(72.5 - 81.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,048	444,100	64.1	(56.0 - 72.3)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,188	1,211,100	72.3	(67.6 - 77.0)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever had a prostate specific antigen test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 31b. Ever had a prostate specific antigen test among men aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	203	62.9	(54.0 - 71.7)	11,557	67.4	(63.7 - 71.1)
<b>Gender</b>						
Male	203	62.9	(54.0 - 71.7)	11,557	67.4	(63.7 - 71.1)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	164	68.1	(58.4 - 77.8)	10,950	66.6	(63.4 - 69.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,775	59.7	(52.9 - 66.4)
Some College	*	*	*	2,584	61.4	(53.0 - 69.9)
≥ College Degree	*	*	*	4,176	76.3	(71.9 - 80.7)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,048	64.2	(56.1 - 72.4)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,188	71.5	(66.6 - 76.3)

<sup>1</sup> Defined as having ever had a prostate specific antigen test among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 32a. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	201	120,100	59.2	(50.4 - 67.9)	11,437	2,493,800	59.9	(56.0 - 63.9)
<b>Gender</b>								
Male	201	120,100	59.2	(50.4 - 67.9)	11,437	2,493,800	59.9	(56.0 - 63.9)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,917	659,400	49.9	(42.8 - 57.0)
55-64	*	*	*	*	3,326	719,700	74.5	(69.4 - 79.7)
≥ 65	85	45,700	86.2	(77.0 - 95.4)	4,166	830,000	83.3	(78.4 - 88.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	162	86,700	63.7	(54.3 - 73.1)	10,836	1,762,200	60.4	(57.3 - 63.5)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	4,727	734,200	52.4	(45.7 - 59.1)
Some College	*	*	*	*	2,558	483,800	56.3	(48.2 - 64.4)
≥ College Degree	*	*	*	*	4,133	1,273,200	67.4	(61.6 - 73.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	*	3,021	410,800	59.6	(51.5 - 67.6)
\$50,000-\$74,999	*	*	*	*	*	*	*	*
≥ \$75,000	*	*	*	*	3,170	1,080,100	64.6	(59.1 - 70.0)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have had a prostate specific antigen test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 32b. Had prostate specific antigen test within the past 2 years among men aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	201	58.5	(49.7 - 67.3)	11,437	59.8	(55.8 - 63.9)
<b>Gender</b>						
Male	201	58.5	(49.7 - 67.3)	11,437	59.8	(55.8 - 63.9)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	162	63.0	(53.2 - 72.8)	10,836	60.1	(56.9 - 63.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	4,727	52.9	(45.9 - 59.9)
Some College	*	*	*	2,558	56.0	(47.7 - 64.2)
≥ College Degree	*	*	*	4,133	67.1	(61.2 - 73.1)
<b>Income</b>						
≤ \$24,999	*	*	*	*	*	*
\$25,000-\$49,999	*	*	*	3,021	59.8	(51.7 - 67.9)
\$50,000-\$74,999	*	*	*	*	*	*
≥ \$75,000	*	*	*	3,170	63.9	(58.3 - 69.6)

<sup>1</sup> Defined as having had a prostate specific antigen test within the past 2 years among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 33a. Prostate cancer among men aged 40 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	218	14,800	6.6	(2.7 - 10.5)	12,133	178,200	4.1	(3.0 - 5.2)
<b>Gender</b>								
Male	218	14,800	6.6	(2.7 - 10.5)	12,133	178,200	4.1	(3.0 - 5.2)
Female	-	-	-	-	-	-	-	-
<b>Age (years)</b>								
40-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	3,120	6,100	0.4	(0.0 - 0.9)
55-64	*	*	*	*	3,532	31,600	3.1	(1.5 - 4.8)
≥ 65	*	*	*	*	4,388	140,400	13.6	(9.7 - 17.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	176	7,200	4.8	(2.2 - 7.4)	11,502	143,700	4.7	(3.5 - 5.8)
Black Non-Hispanic	*	*	*	*	184	23,500	5.1	(0.0 - 11.0)
Hispanic	*	*	*	*	197	7,700	1.6	(0.0 - 3.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	5,065	46,300	3.1	(2.2 - 4.1)
Some College	*	*	*	*	2,709	39,200	4.4	(1.3 - 7.5)
≥ College Degree	140	7,900	6.0	(1.4 - 10.6)	4,336	92,500	4.7	(3.0 - 6.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,597	35,800	4.1	(2.2 - 6.0)
\$25,000-\$49,999	*	*	*	*	3,196	29,600	4.1	(2.9 - 5.4)
\$50,000-\$74,999	*	*	*	*	2,007	20,300	2.8	(1.2 - 4.4)
≥ \$75,000	*	*	*	*	3,322	56,500	3.2	(1.7 - 4.8)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of men aged 40 and older who have ever been told they had prostate cancer (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 33b. Prostate cancer among men aged 40 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	218	6.9	(3.0 - 10.9)	12,133	4.5	(3.2 - 5.7)
<b>Gender</b>						
Male	218	6.9	(3.0 - 10.9)	12,133	4.5	(3.2 - 5.7)
Female	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White Non-Hispanic	176	5.4	(2.4 - 8.4)	11,502	5.1	(3.8 - 6.4)
Black Non-Hispanic	*	*	*	184	5.7	(0.0 - 12.8)
Hispanic	*	*	*	197	1.8	(0.0 - 4.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	5,065	3.3	(2.3 - 4.3)
Some College	*	*	*	2,709	5.0	(1.1 - 9.0)
≥ College Degree	140	6.4	(2.0 - 10.8)	4,336	5.2	(3.1 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	2,597	4.5	(2.2 - 6.7)
\$25,000-\$49,999	*	*	*	3,196	4.3	(3.0 - 5.6)
\$50,000-\$74,999	*	*	*	2,007	3.0	(1.1 - 5.0)
≥ \$75,000	*	*	*	3,322	3.5	(1.6 - 5.4)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had prostate cancer among men aged 40 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 34a. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	437	135,800	43.7	(38.1 - 49.3)	25,322	2,288,500	38.0	(35.5 - 40.4)
<b>Gender</b>								
Male	165	56,900	40.6	(31.4 - 49.8)	9,571	1,081,900	38.9	(35.1 - 42.6)
Female	272	79,000	46.3	(39.4 - 53.2)	15,751	1,206,600	37.2	(34.0 - 40.4)
<b>Age (years)</b>								
50-64	199	68,500	38.1	(30.2 - 46.1)	12,834	1,192,000	34.0	(30.8 - 37.2)
≥ 65	237	67,400	51.8	(44.4 - 59.1)	12,472	1,093,400	43.6	(39.8 - 47.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	379	116,700	48.8	(42.9 - 54.8)	24,213	1,754,500	39.1	(37.1 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,146	823,500	34.9	(30.5 - 39.2)
Some College	*	*	*	*	6,261	480,300	37.0	(32.6 - 41.4)
≥ College Degree	242	72,000	42.3	(35.1 - 49.6)	7,851	973,700	41.6	(37.8 - 45.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,222	505,000	35.4	(29.7 - 41.2)
\$25,000-\$49,999	*	*	*	*	6,609	467,600	40.3	(35.2 - 45.4)
\$50,000-\$74,999	*	*	*	*	3,500	313,000	38.2	(32.6 - 43.9)
≥ \$75,000	171	55,500	40.3	(31.9 - 48.8)	4,647	657,800	37.3	(33.0 - 41.6)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever used a home blood stool test (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 34b. Home blood stool test ever used among adults aged 50 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	437	43.9	(38.3 - 49.5)	25,322	38.1	(35.5 - 40.8)
<b>Gender</b>						
Male	165	41.1	(32.2 - 50.0)	9,571	39.4	(35.3 - 43.5)
Female	272	46.4	(39.5 - 53.2)	15,751	36.9	(33.5 - 40.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	379	48.3	(42.5 - 54.2)	24,213	38.9	(36.7 - 41.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,146	35.1	(30.3 - 39.9)
Some College	*	*	*	6,261	36.6	(32.0 - 41.3)
≥ College Degree	242	42.4	(35.2 - 49.5)	7,851	41.9	(37.9 - 46.0)
<b>Income</b>						
≤ \$24,999	*	*	*	7,222	35.9	(29.5 - 42.4)
\$25,000-\$49,999	*	*	*	6,609	40.2	(34.8 - 45.6)
\$50,000-\$74,999	*	*	*	3,500	38.1	(31.9 - 44.3)
≥ \$75,000	171	40.3	(31.9 - 48.6)	4,647	37.5	(32.9 - 42.2)

<sup>1</sup> Defined as having ever used a home blood stool test among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 35a. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	433	74,000	24.0	(19.1 - 28.9)	25,074	863,300	14.4	(12.6 - 16.2)
<b>Gender</b>								
Male	165	38,200	27.3	(19.0 - 35.6)	9,508	444,400	16.0	(13.2 - 18.9)
Female	268	35,800	21.3	(15.4 - 27.1)	15,566	418,900	13.1	(10.8 - 15.4)
<b>Age (years)</b>								
50-64	197	40,600	22.8	(15.8 - 29.7)	12,759	454,400	13.0	(10.6 - 15.5)
≥ 65	235	33,400	25.9	(19.1 - 32.7)	12,299	406,400	16.4	(13.7 - 19.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	376	61,700	26.0	(20.5 - 31.4)	23,971	634,300	14.3	(12.8 - 15.7)
Black Non-Hispanic	*	*	*	*	396	136,000	18.6	(9.4 - 27.8)
Hispanic	*	*	*	*	349	53,400	9.9	(2.5 - 17.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,026	288,600	12.3	(9.4 - 15.3)
Some College	*	*	*	*	6,208	212,500	16.4	(12.5 - 20.4)
≥ College Degree	240	38,500	22.7	(16.4 - 29.0)	7,778	352,400	15.2	(12.5 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,157	196,300	13.9	(10.1 - 17.6)
\$25,000-\$49,999	*	*	*	*	6,562	221,500	19.2	(14.1 - 24.3)
\$50,000-\$74,999	*	*	*	*	3,469	111,900	13.7	(10.1 - 17.4)
≥ \$75,000	171	33,000	24.0	(16.7 - 31.2)	4,623	205,100	11.7	(8.8 - 14.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past year (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 35b. Home blood stool test used within the past year among adults aged 50 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	433	24.4	(19.4 - 29.3)	25,074	14.6	(12.6 - 16.7)
<b>Gender</b>						
Male	165	27.7	(19.6 - 35.8)	9,508	16.4	(13.2 - 19.6)
Female	268	21.3	(15.4 - 27.1)	15,566	12.9	(10.4 - 15.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	376	26.1	(20.7 - 31.4)	23,971	14.2	(12.7 - 15.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	349	10.2	(1.7 - 18.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,026	12.7	(9.2 - 16.1)
Some College	*	*	*	6,208	16.6	(12.3 - 20.9)
≥ College Degree	240	23.0	(16.8 - 29.2)	7,778	15.3	(12.4 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	7,157	14.3	(9.8 - 18.7)
\$25,000-\$49,999	*	*	*	6,562	19.3	(13.8 - 24.8)
\$50,000-\$74,999	*	*	*	3,469	13.8	(9.8 - 17.7)
≥ \$75,000	171	24.3	(17.1 - 31.4)	4,623	11.8	(8.6 - 15.0)

<sup>1</sup> Defined as having used a home blood stool test within the past year among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 36a. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	433	87,200	28.3	(23.2 - 33.4)	25,074	1,218,000	20.4	(18.3 - 22.5)
<b>Gender</b>								
Male	165	43,700	31.1	(22.6 - 39.7)	9,508	593,100	21.4	(18.3 - 24.5)
Female	268	43,600	25.9	(19.8 - 32.0)	15,566	624,900	19.5	(16.6 - 22.4)
<b>Age (years)</b>								
50-64	197	44,800	25.1	(18.0 - 32.2)	12,759	629,900	18.1	(15.4 - 20.7)
≥ 65	235	42,500	32.9	(25.8 - 40.0)	12,299	585,500	23.6	(20.2 - 27.0)
<b>Race/Ethnicity</b>								
White Non-Hispanic	376	74,100	31.2	(25.6 - 36.9)	23,971	877,500	19.7	(18.2 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,026	454,600	19.4	(15.6 - 23.3)
Some College	*	*	*	*	6,208	262,200	20.3	(16.3 - 24.2)
≥ College Degree	240	45,200	26.7	(20.2 - 33.2)	7,778	491,400	21.2	(18.1 - 24.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,157	263,900	18.6	(14.6 - 22.7)
\$25,000-\$49,999	*	*	*	*	6,562	285,900	24.8	(19.6 - 30.0)
\$50,000-\$74,999	*	*	*	*	3,469	167,500	20.6	(15.6 - 25.5)
≥ \$75,000	171	38,400	27.9	(20.4 - 35.5)	4,623	294,900	16.8	(13.7 - 20.0)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test within the past 2 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 36b. Home blood stool test used within the past 2 years among adults aged 50 and older<sup>1</sup>  
in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	433	28.7	(23.6 - 33.8)	25,074	20.5	(18.2 - 22.8)
<b>Gender</b>						
Male	165	31.6	(23.3 - 40.0)	9,508	21.7	(18.3 - 25.1)
Female	268	25.9	(19.8 - 32.1)	15,566	19.4	(16.3 - 22.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	376	31.3	(25.7 - 36.9)	23,971	19.7	(18.0 - 21.3)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,026	19.5	(15.4 - 23.7)
Some College	*	*	*	6,208	20.4	(16.1 - 24.7)
≥ College Degree	240	27.1	(20.6 - 33.5)	7,778	21.4	(18.1 - 24.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,157	18.9	(14.2 - 23.6)
\$25,000-\$49,999	*	*	*	6,562	24.8	(19.3 - 30.3)
\$50,000-\$74,999	*	*	*	3,469	20.6	(15.3 - 25.9)
≥ \$75,000	171	28.4	(20.9 - 35.9)	4,623	16.9	(13.4 - 20.4)

<sup>1</sup> Defined as having used a home blood stool test within the past 2 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 37a. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	435	221,200	71.2	(65.6 - 76.7)	25,357	4,019,100	66.6	(64.1 - 69.1)
<b>Gender</b>								
Male	164	102,500	73.6	(64.3 - 82.8)	9,582	1,894,100	68.0	(64.2 - 71.7)
Female	271	118,700	69.2	(62.5 - 75.9)	15,775	2,125,000	65.5	(62.1 - 68.8)
<b>Age (years)</b>								
50-54	*	*	*	*	4,179	718,900	50.6	(44.6 - 56.5)
55-64	*	*	*	*	8,695	1,493,500	71.0	(67.3 - 74.8)
≥ 65	234	103,700	80.2	(73.9 - 86.4)	12,466	1,802,000	72.1	(68.6 - 75.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	378	181,600	75.9	(70.8 - 81.0)	24,248	3,093,900	68.8	(66.8 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,121	1,445,100	61.2	(56.7 - 65.8)
Some College	*	*	*	*	6,287	835,300	64.3	(59.7 - 69.0)
≥ College Degree	244	136,900	79.1	(72.9 - 85.2)	7,884	1,732,400	73.7	(70.0 - 77.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,220	892,600	62.7	(56.8 - 68.6)
\$25,000-\$49,999	*	*	*	*	6,619	697,300	60.1	(54.6 - 65.7)
\$50,000-\$74,999	*	*	*	*	3,514	613,700	74.2	(68.9 - 79.6)
≥ \$75,000	169	101,000	73.8	(65.8 - 81.8)	4,665	1,294,400	73.3	(69.2 - 77.5)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have ever had a sigmoidoscopy or colonoscopy (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 37b. Ever had sigmoidoscopy or colonoscopy among adults aged 50 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	435	71.7	(66.3 - 77.1)	25,357	66.6	(63.9 - 69.3)
<b>Gender</b>						
Male	164	75.0	(66.5 - 83.5)	9,582	68.5	(64.5 - 72.5)
Female	271	68.7	(62.0 - 75.5)	15,775	64.8	(61.2 - 68.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	378	75.8	(70.6 - 81.0)	24,248	68.7	(66.5 - 70.8)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,121	61.3	(56.4 - 66.2)
Some College	*	*	*	6,287	63.8	(58.8 - 68.8)
≥ College Degree	244	79.0	(72.8 - 85.1)	7,884	74.0	(70.2 - 77.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,220	63.0	(56.7 - 69.3)
\$25,000-\$49,999	*	*	*	6,619	59.7	(53.8 - 65.6)
\$50,000-\$74,999	*	*	*	3,514	74.4	(68.3 - 80.5)
≥ \$75,000	169	73.3	(65.2 - 81.4)	4,665	73.6	(69.3 - 78.0)

<sup>1</sup> Defined as having ever had a sigmoidoscopy or colonoscopy among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 38a. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	430	213,400	69.2	(63.6 - 74.8)	25,169	3,855,800	64.6	(62.1 - 67.1)
<b>Gender</b>								
Male	163	99,100	71.5	(62.2 - 80.8)	9,521	1,835,400	66.4	(62.6 - 70.1)
Female	267	114,300	67.4	(60.6 - 74.1)	15,648	2,020,400	63.1	(59.8 - 66.4)
<b>Age (years)</b>								
50-54	*	*	*	*	4,169	700,500	49.3	(43.3 - 55.3)
55-64	*	*	*	*	8,652	1,455,100	69.4	(65.7 - 73.2)
≥ 65	229	98,300	77.6	(71.1 - 84.0)	12,331	1,695,700	69.5	(65.9 - 73.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	374	174,500	73.5	(68.3 - 78.7)	24,069	2,981,500	66.6	(64.6 - 68.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	11,017	1,360,400	59.0	(54.5 - 63.5)
Some College	*	*	*	*	6,251	807,100	62.4	(57.8 - 67.1)
≥ College Degree	242	134,100	78.0	(71.7 - 84.2)	7,841	1,682,500	71.7	(68.0 - 75.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,163	858,900	61.0	(55.1 - 67.0)
\$25,000-\$49,999	*	*	*	*	6,584	664,900	57.7	(52.2 - 63.2)
\$50,000-\$74,999	*	*	*	*	3,501	602,600	73.1	(67.7 - 78.5)
≥ \$75,000	168	99,000	72.7	(64.7 - 80.8)	4,655	1,260,400	71.5	(67.3 - 75.7)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have had a sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 38b. Sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	430	69.6	(64.2 - 75.1)	25,169	64.6	(61.9 - 67.3)
<b>Gender</b>						
Male	163	72.8	(64.1 - 81.4)	9,521	66.9	(62.9 - 70.9)
Female	267	66.9	(60.1 - 73.7)	15,648	62.4	(58.9 - 66.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	374	73.3	(68.0 - 78.6)	24,069	66.5	(64.3 - 68.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	11,017	59.0	(54.1 - 63.9)
Some College	*	*	*	6,251	61.9	(56.9 - 66.9)
≥ College Degree	242	77.8	(71.5 - 84.0)	7,841	72.1	(68.2 - 75.9)
<b>Income</b>						
≤ \$24,999	*	*	*	7,163	61.3	(54.9 - 67.6)
\$25,000-\$49,999	*	*	*	6,584	57.2	(51.4 - 63.0)
\$50,000-\$74,999	*	*	*	3,501	73.3	(67.2 - 79.4)
≥ \$75,000	168	72.2	(64.0 - 80.4)	4,655	71.8	(67.4 - 76.2)

<sup>1</sup> Defined as having had a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 39a. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	423	227,100	74.9	(69.4 - 80.4)	24,792	4,049,200	69.1	(66.7 - 71.6)
<b>Gender</b>								
Male	161	103,800	75.6	(66.3 - 84.8)	9,418	1,945,200	70.7	(67.0 - 74.3)
Female	262	123,200	74.3	(67.9 - 80.8)	15,374	2,104,100	67.8	(64.6 - 71.1)
<b>Age (years)</b>								
50-54	*	*	*	*	4,132	751,200	54.1	(48.0 - 60.1)
55-64	*	*	*	*	8,366	1,487,600	73.7	(70.0 - 77.4)
≥ 65	230	105,100	82.7	(76.8 - 88.6)	12,294	1,810,500	74.0	(70.6 - 77.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	368	186,300	79.8	(75.0 - 84.6)	23,726	3,091,400	70.4	(68.4 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	10,872	1,461,600	64.2	(59.8 - 68.7)
Some College	*	*	*	*	6,170	873,300	68.4	(63.9 - 72.8)
≥ College Degree	237	135,500	80.7	(74.6 - 86.8)	7,708	1,709,000	74.6	(70.9 - 78.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,092	923,300	66.0	(60.1 - 71.9)
\$25,000-\$49,999	*	*	*	*	6,526	730,000	64.2	(58.9 - 69.6)
\$50,000-\$74,999	*	*	*	*	3,467	621,500	76.6	(71.4 - 81.9)
≥ \$75,000	169	107,300	78.7	(71.1 - 86.3)	4,615	1,292,500	73.8	(69.8 - 77.9)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults aged 50 and older who have used a home blood stool test in the past year or sigmoidoscopy or colonoscopy within the past 10 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 39b. Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 and older<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	423	75.5	(70.3 - 80.8)	24,792	69.3	(66.7 - 71.9)
<b>Gender</b>						
Male	161	76.9	(68.4 - 85.4)	9,418	71.5	(67.6 - 75.4)
Female	262	74.3	(67.9 - 80.7)	15,374	67.2	(63.7 - 70.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	368	79.7	(74.9 - 84.6)	23,726	70.3	(68.1 - 72.4)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	10,872	64.5	(59.8 - 69.3)
Some College	*	*	*	6,170	68.2	(63.4 - 72.9)
≥ College Degree	237	80.7	(74.6 - 86.8)	7,708	75.0	(71.2 - 78.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,092	66.4	(60.2 - 72.6)
\$25,000-\$49,999	*	*	*	6,526	63.8	(58.2 - 69.5)
\$50,000-\$74,999	*	*	*	3,467	76.7	(70.6 - 82.7)
≥ \$75,000	169	78.4	(70.8 - 86.1)	4,615	74.4	(70.2 - 78.6)

<sup>1</sup> Defined as having used a home blood stool test within the past year or a sigmoidoscopy or colonoscopy within the past 10 years among adults aged 50 years and older

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 40a. High blood pressure among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	181,200	25.5	(21.5 - 29.4)	38,125	3,974,800	26.8	(24.9 - 28.7)
<b>Gender</b>								
Male	250	78,300	23.6	(17.6 - 29.7)	14,611	1,960,500	27.7	(24.7 - 30.7)
Female	402	102,800	27.1	(21.9 - 32.3)	23,514	2,014,300	26.0	(23.6 - 28.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,935	312,200	7.0	(4.2 - 9.8)
35-44	*	*	*	*	4,984	426,200	14.8	(11.6 - 18.1)
45-54	141	45,100	30.1	(20.8 - 39.3)	7,825	862,400	30.3	(25.9 - 34.8)
55-64	131	35,100	31.4	(21.9 - 40.9)	8,765	890,800	41.6	(37.6 - 45.7)
≥ 65	243	78,900	59.2	(52.0 - 66.3)	12,616	1,483,200	58.5	(54.7 - 62.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	118,400	26.1	(21.8 - 30.4)	35,814	2,650,900	28.4	(26.9 - 30.0)
Black Non-Hispanic	*	*	*	*	736	558,500	26.2	(19.6 - 32.8)
Hispanic	*	*	*	*	863	538,100	23.8	(17.0 - 30.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	160	58,600	31.6	(22.6 - 40.5)	15,688	1,851,200	33.1	(29.4 - 36.9)
Some College	128	35,400	21.6	(12.9 - 30.2)	9,906	851,100	24.1	(20.9 - 27.3)
≥ College Degree	364	87,200	24.1	(19.1 - 29.0)	12,452	1,253,400	22.3	(19.7 - 24.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,153,000	32.8	(27.6 - 38.1)
\$25,000-\$49,999	*	*	*	*	9,657	807,800	27.9	(23.7 - 32.1)
\$50,000-\$74,999	*	*	*	*	5,773	507,600	25.8	(21.4 - 30.1)
≥ \$75,000	282	55,900	18.0	(13.1 - 22.8)	8,560	942,500	21.0	(18.4 - 23.6)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional that they have high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 40b. High blood pressure among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	22.8	(18.9 - 26.6)	38,125	25.7	(23.8 - 27.5)
<b>Gender</b>						
Male	250	22.2	(16.3 - 28.2)	14,611	27.7	(24.7 - 30.7)
Female	402	23.2	(18.2 - 28.2)	23,514	23.8	(21.5 - 26.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	24.0	(19.6 - 28.4)	35,814	27.2	(25.6 - 28.7)
Black Non-Hispanic	*	*	*	736	24.9	(18.4 - 31.3)
Hispanic	59	15.4	(6.3 - 24.5)	863	23.3	(16.6 - 30.0)
Other Non-Hispanic	*	*	*	712	19.3	(9.5 - 29.1)
<b>Education</b>						
≤ High School	160	29.1	(20.0 - 38.2)	15,688	32.1	(28.4 - 35.8)
Some College	128	19.3	(11.0 - 27.6)	9,906	22.8	(19.7 - 25.9)
≥ College Degree	364	21.1	(16.5 - 25.7)	12,452	21.2	(18.6 - 23.8)
<b>Income</b>						
≤ \$24,999	102	21.7	(12.0 - 31.3)	9,640	31.8	(26.7 - 37.0)
\$25,000-\$49,999	*	*	*	9,657	26.9	(22.8 - 30.9)
\$50,000-\$74,999	*	*	*	5,773	24.8	(20.4 - 29.2)
≥ \$75,000	282	15.9	(11.4 - 20.4)	8,560	19.9	(17.3 - 22.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent has high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 41a. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	239	141,900	78.3	(71.0 - 85.7)	15,288	3,145,800	79.2	(76.0 - 82.4)
<b>Gender</b>								
Male	*	*	*	*	6,080	1,432,100	73.1	(67.6 - 78.5)
Female	148	84,600	82.3	(73.5 - 91.0)	9,208	1,713,700	85.2	(82.1 - 88.2)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	2,315	645,500	74.9	(66.8 - 82.9)
55-64	*	*	*	*	4,045	782,300	87.8	(84.5 - 91.1)
≥ 65	147	75,600	95.8	(92.8 - 98.9)	7,675	1,383,400	93.4	(91.1 - 95.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	192	97,000	81.9	(73.9 - 90.0)	14,442	2,117,300	79.9	(77.5 - 82.4)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	7,354	1,482,800	80.2	(74.7 - 85.6)
Some College	*	*	*	*	3,868	632,000	74.3	(67.8 - 80.7)
≥ College Degree	*	*	*	*	4,035	1,013,200	80.9	(76.8 - 84.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	4,898	948,200	82.3	(75.7 - 88.9)
\$25,000-\$49,999	*	*	*	*	4,088	668,300	82.8	(77.6 - 88.0)
\$50,000-\$74,999	*	*	*	*	1,971	391,500	77.2	(67.7 - 86.6)
≥ \$75,000	*	*	*	*	2,397	683,700	72.5	(66.1 - 78.9)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with high blood pressure who are taking medicine for high blood pressure (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 41b. Blood pressure medication among adults with high blood pressure<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	239	77.9	(70.2 - 85.7)	15,288	78.5	(75.2 - 81.7)
<b>Gender</b>						
Male	*	*	*	6,080	73.3	(67.9 - 78.7)
Female	148	81.8	(72.6 - 90.9)	9,208	84.0	(80.7 - 87.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	192	80.9	(71.9 - 89.9)	14,442	79.0	(76.5 - 81.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	*	*	*
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	7,354	79.7	(74.3 - 85.2)
Some College	*	*	*	3,868	72.5	(65.7 - 79.3)
≥ College Degree	*	*	*	4,035	80.4	(76.1 - 84.6)
<b>Income</b>						
≤ \$24,999	*	*	*	4,898	81.6	(75.0 - 88.3)
\$25,000-\$49,999	*	*	*	4,088	82.1	(76.7 - 87.5)
\$50,000-\$74,999	*	*	*	1,971	76.4	(66.7 - 86.1)
≥ \$75,000	*	*	*	2,397	71.6	(64.8 - 78.3)

<sup>1</sup> Defined as currently taking medicine for high blood pressure among adults with high blood pressure

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 42a. Ever had blood cholesterol checked among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	586,100	85.4	(80.8 - 90.1)	37,450	11,496,600	80.3	(77.7 - 83.0)
<b>Gender</b>								
Male	244	260,900	81.8	(73.7 - 89.9)	14,389	5,288,400	77.7	(73.3 - 82.0)
Female	393	325,300	88.6	(83.7 - 93.5)	23,061	6,208,200	82.7	(79.6 - 85.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,684	2,296,400	55.3	(48.7 - 61.9)
35-44	76	114,300	84.0	(74.6 - 93.3)	4,883	2,264,200	81.6	(76.6 - 86.5)
45-54	139	132,800	90.4	(84.0 - 96.8)	7,731	2,539,400	91.0	(87.0 - 94.9)
55-64	127	98,200	89.8	(80.7 - 98.9)	8,718	2,014,900	95.4	(93.5 - 97.2)
≥ 65	240	126,600	96.0	(92.8 - 99.3)	12,434	2,381,700	95.9	(94.3 - 97.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	509	408,300	92.4	(88.0 - 96.8)	35,198	7,832,600	86.3	(84.8 - 87.9)
Black Non-Hispanic	51	78,800	89.3	(80.4 - 98.3)	720	1,588,900	77.8	(68.4 - 87.2)
Hispanic	*	*	*	*	842	1,224,600	56.8	(46.8 - 66.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	156	136,800	76.6	(66.8 - 86.4)	15,342	3,795,700	70.6	(65.6 - 75.6)
Some College	*	*	*	*	9,732	2,599,800	77.4	(71.7 - 83.2)
≥ College Degree	360	318,000	89.2	(83.4 - 95.0)	12,296	5,008,300	91.3	(88.9 - 93.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,437	2,277,500	68.4	(61.5 - 75.3)
\$25,000-\$49,999	*	*	*	*	9,492	2,053,000	71.9	(64.5 - 79.3)
\$50,000-\$74,999	68	72,100	96.1	(91.1 - 100)	5,721	1,736,100	90.0	(87.7 - 92.3)
≥ \$75,000	277	284,500	93.9	(89.7 - 98.1)	8,460	4,019,300	92.2	(90.8 - 93.6)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever had blood cholesterol checked (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 42b. Ever had blood cholesterol checked among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	637	84.7	(79.6 - 89.8)	37,450	79.9	(77.3 - 82.5)
<b>Gender</b>						
Male	244	81.4	(72.7 - 90.0)	14,389	78.0	(73.9 - 82.1)
Female	393	87.6	(81.9 - 93.3)	23,061	81.6	(78.4 - 84.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	509	91.2	(85.9 - 96.4)	35,198	85.6	(84.0 - 87.2)
Black Non-Hispanic	51	89.5	(80.8 - 98.3)	720	77.5	(68.2 - 86.7)
Hispanic	*	*	*	842	57.2	(47.4 - 67.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,342	70.2	(65.2 - 75.1)
Some College	*	*	*	9,732	76.7	(71.1 - 82.3)
≥ College Degree	360	87.9	(81.2 - 94.7)	12,296	90.9	(88.6 - 93.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,437	68.1	(61.3 - 74.9)
\$25,000-\$49,999	*	*	*	9,492	71.6	(64.4 - 78.7)
\$50,000-\$74,999	68	96.9	(93.2 - 100)	5,721	89.6	(87.2 - 92.0)
≥ \$75,000	277	93.1	(88.2 - 98.0)	8,460	91.7	(90.1 - 93.2)

<sup>1</sup> Defined as ever having blood cholesterol checked

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 43a. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	634	569,500	83.7	(79.0 - 88.5)	37,201	11,035,200	77.8	(75.1 - 80.4)
<b>Gender</b>								
Male	244	256,700	80.5	(72.3 - 88.7)	14,307	5,020,700	74.5	(70.2 - 78.9)
Female	390	312,800	86.6	(81.4 - 91.7)	22,894	6,014,600	80.7	(77.6 - 83.8)
<b>Age (years)</b>								
18-34	*	*	*	*	3,647	2,179,800	53.3	(46.7 - 59.9)
35-44	75	109,700	81.3	(71.5 - 91.1)	4,862	2,161,200	78.0	(72.8 - 83.2)
45-54	139	131,300	89.4	(82.9 - 95.9)	7,697	2,408,600	86.6	(82.4 - 90.8)
55-64	127	93,700	85.7	(75.9 - 95.4)	8,677	1,957,900	93.3	(91.4 - 95.3)
≥ 65	240	126,600	96.0	(92.8 - 99.3)	12,318	2,327,800	94.8	(93.1 - 96.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	506	393,000	90.2	(85.6 - 94.8)	34,960	7,486,600	83.4	(81.8 - 85.0)
Black Non-Hispanic	51	78,800	89.3	(80.4 - 98.3)	719	1,561,700	76.5	(67.1 - 85.9)
Hispanic	*	*	*	*	838	1,184,000	55.6	(45.6 - 65.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	156	135,500	75.9	(66.0 - 85.7)	15,215	3,612,500	68.3	(63.2 - 73.3)
Some College	*	*	*	*	9,673	2,524,200	75.4	(69.8 - 81.1)
≥ College Degree	358	307,100	87.0	(81.1 - 93.0)	12,236	4,806,500	88.1	(85.5 - 90.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,350	2,214,800	66.9	(60.1 - 73.8)
\$25,000-\$49,999	*	*	*	*	9,454	1,936,600	68.8	(61.5 - 76.1)
\$50,000-\$74,999	68	70,800	94.3	(88.7 - 99.9)	5,701	1,640,400	85.9	(82.4 - 89.5)
≥ \$75,000	274	273,500	92.0	(87.5 - 96.6)	8,435	3,872,400	89.2	(87.5 - 90.9)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had blood cholesterol checked within the past 5 years (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 43b. Blood cholesterol checked within the past 5 years among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	634	83.0	(77.8 - 88.1)	37,201	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	244	80.2	(71.5 - 88.9)	14,307	74.8	(70.7 - 79.0)
Female	390	85.4	(79.5 - 91.3)	22,894	79.5	(76.3 - 82.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	506	88.9	(83.5 - 94.4)	34,960	82.6	(81.0 - 84.3)
Black Non-Hispanic	51	89.5	(80.8 - 98.3)	719	76.2	(66.9 - 85.5)
Hispanic	*	*	*	838	55.9	(46.1 - 65.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,215	67.8	(62.9 - 72.8)
Some College	*	*	*	9,673	74.7	(69.1 - 80.2)
≥ College Degree	358	85.8	(78.9 - 92.7)	12,236	87.5	(85.0 - 90.1)
<b>Income</b>						
≤ \$24,999	*	*	*	9,350	66.6	(59.8 - 73.4)
\$25,000-\$49,999	*	*	*	9,454	68.5	(61.4 - 75.6)
\$50,000-\$74,999	68	95.1	(90.3 - 99.9)	5,701	85.4	(81.7 - 89.0)
≥ \$75,000	274	91.2	(85.9 - 96.4)	8,435	88.5	(86.7 - 90.3)

<sup>1</sup> Defined as having had blood cholesterol checked within the past 5 years

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 44a. Cardiovascular disease among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	41,000	5.7	(3.9 - 7.5)	37,810	1,135,000	7.7	(6.5 - 8.8)
<b>Gender</b>								
Male	250	29,400	8.6	(5.2 - 12.1)	14,477	664,600	9.4	(7.5 - 11.4)
Female	399	11,600	3.1	(1.6 - 4.5)	23,333	470,400	6.1	(4.8 - 7.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,930	100,800	2.3	(0.0 - 4.8)
35-44	*	*	*	*	4,971	103,400	3.6	(1.5 - 5.7)
45-54	*	*	*	*	7,768	131,300	4.6	(2.9 - 6.4)
55-64	131	12,700	11.4	(4.1 - 18.8)	8,699	224,200	10.6	(8.3 - 12.9)
≥ 65	239	24,200	18.5	(12.6 - 24.4)	12,442	575,300	23.0	(19.9 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	30,500	6.7	(4.5 - 9.0)	35,522	772,200	8.3	(7.4 - 9.2)
Black Non-Hispanic	*	*	*	*	728	140,700	6.6	(3.3 - 9.9)
Hispanic	*	*	*	*	854	163,300	7.3	(2.0 - 12.5)
Other Non-Hispanic	*	*	*	*	706	58,800	5.2	(0.9 - 9.5)
<b>Education</b>								
≤ High School	157	14,100	7.7	(3.6 - 11.7)	15,486	590,800	10.7	(8.2 - 13.2)
Some College	129	6,700	3.9	(1.4 - 6.4)	9,849	227,100	6.4	(4.7 - 8.1)
≥ College Degree	363	20,100	5.6	(2.9 - 8.2)	12,393	314,600	5.6	(4.3 - 6.9)
<b>Income</b>								
≤ \$24,999	101	12,200	9.9	(4.2 - 15.6)	9,505	448,100	12.9	(9.1 - 16.7)
\$25,000-\$49,999	94	6,100	5.5	(1.4 - 9.6)	9,571	179,300	6.2	(4.8 - 7.6)
\$50,000-\$74,999	*	*	*	*	5,751	166,900	8.5	(5.5 - 11.4)
≥ \$75,000	282	11,800	3.8	(1.3 - 6.3)	8,538	183,500	4.1	(2.9 - 5.3)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with cardiovascular disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 44b. Cardiovascular disease among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	5.2	(3.6 - 6.9)	37,810	7.6	(6.4 - 8.7)
<b>Gender</b>						
Male	250	8.1	(4.9 - 11.3)	14,477	9.7	(7.8 - 11.7)
Female	399	2.6	(1.3 - 4.0)	23,333	5.6	(4.3 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	6.3	(4.2 - 8.4)	35,522	8.2	(7.2 - 9.1)
Black Non-Hispanic	*	*	*	728	6.8	(3.2 - 10.4)
Hispanic	*	*	*	854	7.0	(2.0 - 12.0)
Other Non-Hispanic	*	*	*	706	5.5	(0.9 - 10.0)
<b>Education</b>						
≤ High School	157	7.3	(3.3 - 11.2)	15,486	10.5	(8.0 - 13.0)
Some College	129	3.5	(1.2 - 5.8)	9,849	6.4	(4.5 - 8.2)
≥ College Degree	363	5.0	(2.7 - 7.3)	12,393	5.5	(4.2 - 6.9)
<b>Income</b>						
≤ \$24,999	101	9.1	(3.9 - 14.4)	9,505	12.8	(9.0 - 16.6)
\$25,000-\$49,999	94	4.7	(1.2 - 8.2)	9,571	6.0	(4.7 - 7.4)
\$50,000-\$74,999	*	*	*	5,751	8.5	(5.4 - 11.6)
≥ \$75,000	282	3.4	(1.2 - 5.6)	8,538	4.0	(2.7 - 5.2)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina or a stroke

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 45a. Coronary heart disease among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	34,700	4.8	(3.2 - 6.4)	37,838	929,400	6.3	(5.3 - 7.3)
<b>Gender</b>								
Male	250	25,600	7.5	(4.4 - 10.6)	14,479	598,600	8.5	(6.6 - 10.4)
Female	399	9,100	2.4	(1.0 - 3.8)	23,359	330,800	4.3	(3.4 - 5.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,932	63,400	1.4	(0.0 - 3.6)
35-44	*	*	*	*	4,973	95,300	3.3	(1.2 - 5.4)
45-54	*	*	*	*	7,778	108,300	3.8	(2.1 - 5.6)
55-64	131	10,200	9.1	(3.0 - 15.3)	8,703	188,600	8.9	(6.7 - 11.1)
≥ 65	239	21,400	16.3	(10.6 - 22.0)	12,452	473,800	18.9	(16.1 - 21.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	27,200	6.0	(3.8 - 8.2)	35,552	636,700	6.9	(6.0 - 7.7)
Black Non-Hispanic	*	*	*	*	728	113,100	5.3	(2.3 - 8.4)
Hispanic	*	*	*	*	853	128,000	5.7	(1.1 - 10.3)
Other Non-Hispanic	*	*	*	*	705	51,500	4.6	(0.5 - 8.7)
<b>Education</b>								
≤ High School	157	12,800	7.0	(3.0 - 10.9)	15,485	474,500	8.6	(6.3 - 10.8)
Some College	129	5,100	3.0	(0.8 - 5.1)	9,860	193,000	5.5	(3.9 - 7.1)
≥ College Degree	363	16,800	4.6	(2.4 - 6.9)	12,411	259,700	4.6	(3.4 - 5.8)
<b>Income</b>								
≤ \$24,999	101	11,000	8.9	(3.5 - 14.3)	9,507	372,300	10.7	(7.3 - 14.1)
\$25,000-\$49,999	*	*	*	*	9,585	136,300	4.7	(3.8 - 5.7)
\$50,000-\$74,999	*	*	*	*	5,755	154,600	7.8	(4.9 - 10.7)
≥ \$75,000	282	8,900	2.9	(0.9 - 4.8)	8,541	151,800	3.4	(2.3 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with coronary heart disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 45b. Coronary heart disease among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	4.5	(3.0 - 6.0)	37,838	6.3	(5.2 - 7.3)
<b>Gender</b>						
Male	250	7.1	(4.2 - 10.1)	14,479	8.8	(6.9 - 10.8)
Female	399	2.1	(0.8 - 3.3)	23,359	3.9	(3.0 - 4.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	5.6	(3.6 - 7.6)	35,552	6.8	(5.9 - 7.7)
Black Non-Hispanic	*	*	*	728	5.6	(2.2 - 9.0)
Hispanic	*	*	*	853	5.4	(1.1 - 9.6)
Other Non-Hispanic	*	*	*	705	4.8	(0.4 - 9.2)
<b>Education</b>						
≤ High School	157	6.6	(2.8 - 10.5)	15,485	8.5	(6.2 - 10.7)
Some College	129	2.5	(0.7 - 4.4)	9,860	5.5	(3.7 - 7.2)
≥ College Degree	363	4.3	(2.2 - 6.4)	12,411	4.7	(3.4 - 5.9)
<b>Income</b>						
≤ \$24,999	101	8.1	(3.2 - 13.0)	9,507	10.7	(7.2 - 14.1)
\$25,000-\$49,999	*	*	*	9,585	4.7	(3.6 - 5.7)
\$50,000-\$74,999	*	*	*	5,755	8.0	(4.8 - 11.1)
≥ \$75,000	282	2.7	(0.8 - 4.6)	8,541	3.3	(2.1 - 4.5)

<sup>1</sup> Defined as having ever been told by a health professional that respondent had a heart attack or angina

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 46a. Ever diagnosed with diabetes among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	55,400	7.7	(5.2 - 10.1)	38,174	1,382,700	9.3	(8.0 - 10.5)
<b>Gender</b>								
Male	251	23,000	6.7	(3.7 - 9.8)	14,626	530,400	7.5	(6.2 - 8.8)
Female	400	32,400	8.5	(4.8 - 12.3)	23,548	852,300	11.0	(8.9 - 13.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,941	150,200	3.4	(1.0 - 5.8)
35-44	*	*	*	*	4,987	165,100	5.7	(3.6 - 7.9)
45-54	*	*	*	*	7,830	279,000	9.8	(6.7 - 12.8)
55-64	131	14,500	13.0	(6.0 - 20.1)	8,771	332,900	15.5	(12.3 - 18.8)
≥ 65	242	22,300	16.8	(10.7 - 22.8)	12,645	455,600	17.9	(15.0 - 20.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	30,500	6.7	(4.5 - 9.0)	35,862	809,300	8.7	(7.8 - 9.5)
Black Non-Hispanic	52	11,700	12.0	(3.5 - 20.5)	739	261,000	12.1	(6.6 - 17.6)
Hispanic	*	*	*	*	862	227,300	10.1	(5.4 - 14.8)
Other Non-Hispanic	*	*	*	*	711	85,100	7.6	(2.3 - 12.8)
<b>Education</b>								
≤ High School	159	22,400	12.1	(6.6 - 17.6)	15,709	730,000	13.0	(10.5 - 15.6)
Some College	129	10,300	5.9	(1.8 - 10.0)	9,918	303,500	8.6	(5.9 - 11.2)
≥ College Degree	363	22,700	6.3	(2.8 - 9.8)	12,464	337,500	6.0	(4.8 - 7.2)
<b>Income</b>								
≤ \$24,999	100	18,400	15.0	(5.2 - 24.9)	9,652	543,400	15.5	(11.4 - 19.5)
\$25,000-\$49,999	95	10,600	9.4	(3.4 - 15.4)	9,667	291,000	10.0	(7.5 - 12.6)
\$50,000-\$74,999	*	*	*	*	5,777	151,000	7.6	(5.0 - 10.3)
≥ \$75,000	282	11,100	3.6	(1.6 - 5.5)	8,565	220,800	4.9	(3.8 - 6.1)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have diabetes (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 46b. Ever diagnosed with diabetes among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	7.2	(4.6 - 9.7)	38,174	9.0	(7.8 - 10.3)
<b>Gender</b>						
Male	251	6.2	(3.4 - 9.0)	14,626	7.5	(6.1 - 8.9)
Female	400	8.1	(3.9 - 12.2)	23,548	10.4	(8.4 - 12.4)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	6.4	(4.1 - 8.7)	35,862	8.4	(7.5 - 9.2)
Black Non-Hispanic	52	10.9	(2.7 - 19.0)	739	11.4	(6.0 - 16.7)
Hispanic	*	*	*	862	10.1	(5.4 - 14.9)
Other Non-Hispanic	*	*	*	711	7.7	(2.3 - 13.0)
<b>Education</b>						
≤ High School	159	11.0	(5.6 - 16.3)	15,709	12.6	(10.0 - 15.2)
Some College	129	4.9	(1.6 - 8.1)	9,918	8.3	(5.6 - 10.9)
≥ College Degree	363	6.3	(2.3 - 10.4)	12,464	5.9	(4.7 - 7.2)
<b>Income</b>						
≤ \$24,999	*	*	*	9,652	15.2	(11.1 - 19.2)
\$25,000-\$49,999	95	8.6	(2.9 - 14.2)	9,667	9.7	(7.1 - 12.2)
\$50,000-\$74,999	*	*	*	5,777	7.6	(4.9 - 10.2)
≥ \$75,000	282	3.0	(1.4 - 4.6)	8,565	4.7	(3.6 - 5.9)

<sup>1</sup> Defined as having ever been told by a doctor that respondent had diabetes, excluding pre-diabetes and women with diabetes only when pregnant

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 47a. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	93,900	13.0	(9.3 - 16.8)	38,096	2,225,100	15.0	(13.2 - 16.8)
<b>Gender</b>								
Male	250	37,300	11.0	(5.3 - 16.7)	14,601	875,800	12.4	(10.1 - 14.7)
Female	402	56,600	14.9	(10.1 - 19.7)	23,495	1,349,300	17.4	(14.6 - 20.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	825,100	18.5	(13.8 - 23.3)
35-44	79	18,200	12.9	(4.7 - 21.2)	4,972	431,700	15.1	(11.2 - 19.1)
45-54	140	13,100	8.8	(4.3 - 13.3)	7,819	365,900	12.8	(9.7 - 16.0)
55-64	131	12,600	11.3	(5.6 - 17.0)	8,756	316,700	14.8	(11.9 - 17.7)
≥ 65	243	15,400	11.6	(7.3 - 15.8)	12,618	285,700	11.2	(8.6 - 13.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	519	65,200	14.4	(10.4 - 18.4)	35,783	1,365,700	14.6	(13.0 - 16.3)
Black Non-Hispanic	*	*	*	*	737	367,000	17.2	(10.2 - 24.2)
Hispanic	*	*	*	*	863	317,100	14.1	(9.0 - 19.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	160	25,300	13.6	(5.5 - 21.8)	15,675	831,600	14.9	(12.0 - 17.8)
Some College	129	25,500	14.7	(5.5 - 23.9)	9,893	587,500	16.6	(13.1 - 20.1)
≥ College Degree	363	43,100	12.0	(7.8 - 16.1)	12,444	739,000	13.2	(10.4 - 15.9)
<b>Income</b>								
≤ \$24,999	102	10,400	8.4	(3.4 - 13.4)	9,643	708,900	20.2	(14.9 - 25.5)
\$25,000-\$49,999	95	14,300	12.7	(2.9 - 22.5)	9,641	389,800	13.4	(10.0 - 16.9)
\$50,000-\$74,999	*	*	*	*	5,762	257,800	13.2	(10.0 - 16.5)
≥ \$75,000	281	44,700	14.4	(9.2 - 19.6)	8,562	577,900	12.8	(10.4 - 15.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have lifetime asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 47b. Ever diagnosed with asthma (lifetime) among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	652	13.7	(9.5 - 17.9)	38,096	15.2	(13.3 - 17.0)
<b>Gender</b>						
Male	250	11.6	(5.4 - 17.7)	14,601	12.6	(10.3 - 14.9)
Female	402	15.6	(10.0 - 21.3)	23,495	17.5	(14.8 - 20.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	519	15.2	(10.6 - 19.8)	35,783	14.9	(13.2 - 16.6)
Black Non-Hispanic	*	*	*	737	17.1	(10.1 - 24.1)
Hispanic	*	*	*	863	14.5	(9.3 - 19.7)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	160	14.4	(5.0 - 23.9)	15,675	15.1	(12.1 - 18.0)
Some College	129	15.1	(5.1 - 25.1)	9,893	16.9	(13.4 - 20.4)
≥ College Degree	363	12.7	(7.9 - 17.4)	12,444	13.3	(10.6 - 16.0)
<b>Income</b>						
≤ \$24,999	102	7.8	(2.7 - 12.9)	9,643	20.3	(15.0 - 25.6)
\$25,000-\$49,999	*	*	*	9,641	13.7	(10.2 - 17.2)
\$50,000-\$74,999	*	*	*	5,762	13.5	(10.0 - 17.0)
≥ \$75,000	281	15.6	(9.6 - 21.6)	8,562	13.0	(10.6 - 15.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 48a. Current asthma among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	58,600	8.2	(5.3 - 11.0)	37,933	1,415,000	9.6	(8.1 - 11.0)
<b>Gender</b>								
Male	249	14,400	4.2	(1.2 - 7.2)	14,546	440,700	6.3	(4.8 - 7.7)
Female	400	44,300	11.7	(7.2 - 16.2)	23,387	974,300	12.6	(10.2 - 15.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,909	467,200	10.5	(6.8 - 14.3)
35-44	*	*	*	*	4,947	246,800	8.7	(5.8 - 11.6)
45-54	139	8,400	5.7	(2.1 - 9.3)	7,787	240,000	8.4	(6.1 - 10.8)
55-64	131	7,300	6.5	(2.2 - 10.8)	8,726	231,100	10.8	(8.1 - 13.5)
≥ 65	242	10,900	8.2	(4.6 - 11.8)	12,564	229,900	9.1	(6.5 - 11.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	516	39,800	8.8	(5.7 - 12.0)	35,629	888,400	9.6	(8.2 - 11.0)
Black Non-Hispanic	*	*	*	*	736	246,900	11.6	(5.7 - 17.5)
Hispanic	*	*	*	*	859	186,800	8.3	(4.4 - 12.2)
Other Non-Hispanic	*	*	*	*	709	93,000	8.3	(1.4 - 15.2)
<b>Education</b>								
≤ High School	160	23,400	12.6	(4.5 - 20.7)	15,594	595,100	10.7	(8.2 - 13.2)
Some College	128	11,500	6.7	(2.2 - 11.1)	9,861	322,000	9.1	(7.0 - 11.3)
≥ College Degree	361	23,800	6.6	(3.6 - 9.6)	12,394	430,900	7.7	(5.8 - 9.7)
<b>Income</b>								
≤ \$24,999	100	7,200	5.9	(1.7 - 10.1)	9,600	489,200	14.0	(9.7 - 18.3)
\$25,000-\$49,999	94	12,300	10.9	(1.3 - 20.6)	9,590	268,400	9.3	(6.2 - 12.4)
\$50,000-\$74,999	*	*	*	*	5,741	143,400	7.4	(5.1 - 9.6)
≥ \$75,000	281	25,500	8.2	(4.3 - 12.2)	8,541	339,200	7.6	(5.8 - 9.4)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who currently have asthma (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 48b. Current asthma among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	8.7	(5.4 - 12.0)	37,933	9.7	(8.2 - 11.2)
<b>Gender</b>						
Male	249	4.7	(1.2 - 8.1)	14,546	6.4	(4.9 - 7.9)
Female	400	12.3	(6.9 - 17.6)	23,387	12.7	(10.2 - 15.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	516	9.4	(5.7 - 13.1)	35,629	9.7	(8.3 - 11.2)
Black Non-Hispanic	*	*	*	736	11.5	(5.6 - 17.3)
Hispanic	*	*	*	859	8.6	(4.5 - 12.6)
Other Non-Hispanic	*	*	*	709	8.3	(1.3 - 15.3)
<b>Education</b>						
≤ High School	160	13.5	(4.1 - 22.9)	15,594	10.8	(8.3 - 13.3)
Some College	128	6.9	(1.5 - 12.4)	9,861	9.4	(7.2 - 11.6)
≥ College Degree	361	7.0	(3.5 - 10.5)	12,394	7.8	(5.8 - 9.7)
<b>Income</b>						
≤ \$24,999	100	5.3	(1.1 - 9.6)	9,600	14.1	(9.7 - 18.4)
\$25,000-\$49,999	*	*	*	9,590	9.5	(6.3 - 12.7)
\$50,000-\$74,999	*	*	*	5,741	7.5	(5.0 - 10.1)
≥ \$75,000	281	9.1	(4.4 - 13.8)	8,541	7.7	(5.9 - 9.5)

<sup>1</sup> Defined as adults having ever been told by a health professional that they had asthma and still have asthma

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 49a. Chronic joint symptoms among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	305,100	42.3	(37.1 - 47.6)	38,099	6,377,100	42.9	(40.5 - 45.3)
<b>Gender</b>								
Male	251	133,700	39.2	(30.7 - 47.8)	14,595	3,033,600	42.8	(39.0 - 46.6)
Female	402	171,400	45.1	(38.8 - 51.5)	23,504	3,343,500	43.0	(40.0 - 46.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,933	1,261,300	28.3	(22.6 - 34.0)
35-44	*	*	*	*	4,984	1,110,900	38.6	(33.1 - 44.0)
45-54	141	75,700	50.4	(40.7 - 60.2)	7,817	1,456,500	51.2	(46.4 - 55.9)
55-64	*	*	*	*	8,751	1,167,400	54.6	(50.4 - 58.8)
≥ 65	243	69,800	52.3	(45.0 - 59.6)	12,614	1,381,000	54.3	(50.5 - 58.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	210,400	46.4	(40.7 - 52.2)	35,785	4,267,600	45.8	(43.8 - 47.7)
Black Non-Hispanic	*	*	*	*	740	890,500	41.3	(32.5 - 50.0)
Hispanic	*	*	*	*	860	827,500	36.7	(27.7 - 45.6)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	160	68,600	37.0	(27.2 - 46.8)	15,676	2,450,000	43.8	(39.4 - 48.1)
Some College	*	*	*	*	9,900	1,598,300	45.1	(40.1 - 50.1)
≥ College Degree	364	165,100	45.6	(38.9 - 52.3)	12,440	2,313,100	41.1	(37.8 - 44.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,641	1,483,000	42.2	(36.3 - 48.1)
\$25,000-\$49,999	*	*	*	*	9,647	1,332,100	45.9	(39.8 - 52.1)
\$50,000-\$74,999	*	*	*	*	5,768	894,200	45.3	(39.5 - 51.1)
≥ \$75,000	282	130,700	42.0	(34.9 - 49.2)	8,549	1,874,200	41.7	(38.4 - 45.1)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have chronic joint symptoms (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 49b. Chronic joint symptoms among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	40.6	(35.0 - 46.2)	38,099	42.1	(39.7 - 44.5)
<b>Gender</b>						
Male	251	38.7	(29.7 - 47.7)	14,595	42.6	(38.8 - 46.3)
Female	402	42.2	(35.3 - 49.1)	23,504	41.6	(38.6 - 44.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	44.6	(38.4 - 50.9)	35,785	44.7	(42.7 - 46.6)
Black Non-Hispanic	*	*	*	740	40.2	(31.5 - 48.9)
Hispanic	*	*	*	860	36.6	(27.8 - 45.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,676	43.1	(38.8 - 47.5)
Some College	*	*	*	9,900	43.9	(39.0 - 48.8)
≥ College Degree	364	44.4	(37.2 - 51.7)	12,440	40.3	(37.0 - 43.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,641	41.6	(35.7 - 47.4)
\$25,000-\$49,999	*	*	*	9,647	45.0	(39.0 - 51.0)
\$50,000-\$74,999	*	*	*	5,768	44.3	(38.4 - 50.2)
≥ \$75,000	282	39.8	(32.3 - 47.2)	8,549	40.8	(37.4 - 44.2)

<sup>1</sup> Defined as adults having symptoms of pain, aching or stiffness in or around a joint during the past 30 days and began more than 3 months ago

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 50a. Arthritis among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	187,400	26.2	(22.2 - 30.2)	38,013	4,102,800	27.7	(25.9 - 29.6)
<b>Gender</b>								
Male	248	64,100	18.9	(13.3 - 24.4)	14,555	1,642,700	23.3	(20.7 - 25.8)
Female	399	123,400	32.8	(27.3 - 38.3)	23,458	2,460,100	31.8	(29.2 - 34.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,927	312,100	7.0	(4.9 - 9.1)
35-44	79	21,900	15.6	(7.4 - 23.7)	4,972	412,500	14.5	(11.3 - 17.6)
45-54	137	35,900	24.8	(16.2 - 33.4)	7,789	869,100	30.7	(26.6 - 34.8)
55-64	*	*	*	*	8,729	999,300	47.0	(42.9 - 51.1)
≥ 65	241	75,600	57.0	(49.6 - 64.4)	12,596	1,509,800	59.6	(55.8 - 63.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	516	153,300	34.1	(29.0 - 39.1)	35,710	2,967,700	31.9	(30.3 - 33.6)
Black Non-Hispanic	*	*	*	*	737	588,100	27.3	(20.2 - 34.4)
Hispanic	57	15,000	12.1	(4.4 - 19.8)	856	380,700	17.1	(11.8 - 22.5)
Other Non-Hispanic	*	*	*	*	710	166,300	14.8	(7.8 - 21.8)
<b>Education</b>								
≤ High School	158	50,400	27.7	(19.6 - 35.8)	15,652	1,742,700	31.3	(27.8 - 34.8)
Some College	128	37,100	21.5	(13.0 - 29.9)	9,874	902,000	25.5	(22.3 - 28.6)
≥ College Degree	361	99,800	27.7	(22.4 - 33.1)	12,407	1,437,800	25.6	(22.9 - 28.4)
<b>Income</b>								
≤ \$24,999	100	27,900	22.7	(14.0 - 31.3)	9,618	1,112,500	32.0	(27.1 - 36.9)
\$25,000-\$49,999	*	*	*	*	9,624	821,900	28.4	(24.2 - 32.6)
\$50,000-\$74,999	*	*	*	*	5,753	542,500	27.5	(23.2 - 31.9)
≥ \$75,000	279	71,500	23.2	(17.6 - 28.7)	8,536	1,012,800	22.6	(19.8 - 25.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have ever been told by a health professional they have some form of arthritis (excluding back or neck) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 50b. Arthritis among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	647	24.1	(20.1 - 28.1)	38,013	26.6	(24.8 - 28.5)
<b>Gender</b>						
Male	248	18.8	(13.0 - 24.5)	14,555	23.5	(20.9 - 26.1)
Female	399	28.9	(23.4 - 34.4)	23,458	29.5	(27.0 - 32.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	516	31.5	(26.2 - 36.7)	35,710	30.4	(28.7 - 32.0)
Black Non-Hispanic	*	*	*	737	26.5	(19.3 - 33.6)
Hispanic	57	10.9	(3.5 - 18.3)	856	17.2	(11.8 - 22.6)
Other Non-Hispanic	*	*	*	710	14.9	(7.7 - 22.0)
<b>Education</b>						
≤ High School	158	25.2	(17.2 - 33.2)	15,652	30.4	(26.9 - 33.8)
Some College	128	19.2	(11.1 - 27.3)	9,874	24.1	(21.0 - 27.1)
≥ College Degree	361	25.9	(20.4 - 31.5)	12,407	24.7	(21.9 - 27.5)
<b>Income</b>						
≤ \$24,999	100	19.8	(11.7 - 27.9)	9,618	31.2	(26.3 - 36.1)
\$25,000-\$49,999	*	*	*	9,624	27.3	(23.2 - 31.3)
\$50,000-\$74,999	*	*	*	5,753	26.3	(21.9 - 30.7)
≥ \$75,000	279	21.8	(16.0 - 27.5)	8,536	21.6	(18.8 - 24.3)

<sup>1</sup> Defined as adults having ever been told by a health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia (excluding back or neck)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 51a. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	136,100	18.9	(15.1 - 22.7)	37,998	3,053,000	20.6	(18.7 - 22.5)
<b>Gender</b>								
Male	250	58,200	17.1	(11.3 - 22.9)	14,566	1,318,400	18.6	(15.7 - 21.5)
Female	401	78,000	20.6	(15.6 - 25.5)	23,432	1,734,600	22.4	(19.8 - 25.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	580,000	13.0	(8.2 - 17.9)
35-44	79	21,500	15.2	(7.0 - 23.5)	4,973	418,600	14.5	(11.0 - 18.1)
45-54	141	31,600	21.1	(12.8 - 29.4)	7,812	620,200	21.7	(18.3 - 25.2)
55-64	131	22,500	20.2	(11.4 - 28.9)	8,739	651,600	30.5	(26.5 - 34.6)
≥ 65	241	41,500	31.4	(24.8 - 37.9)	12,545	782,700	31.1	(27.7 - 34.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	104,900	23.2	(18.3 - 28.1)	35,688	2,037,200	21.9	(20.3 - 23.5)
Black Non-Hispanic	*	*	*	*	735	429,700	20.1	(13.5 - 26.7)
Hispanic	59	13,500	10.6	(2.9 - 18.3)	863	448,200	19.8	(11.9 - 27.8)
Other Non-Hispanic	*	*	*	*	712	137,900	12.3	(5.2 - 19.3)
<b>Education</b>								
≤ High School	159	34,100	18.4	(11.7 - 25.1)	15,626	1,359,600	24.4	(20.6 - 28.1)
Some College	*	*	*	*	9,875	700,800	19.8	(16.5 - 23.2)
≥ College Degree	364	60,500	16.7	(12.2 - 21.3)	12,415	924,800	16.5	(14.2 - 18.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,603	1,055,800	30.1	(24.7 - 35.5)
\$25,000-\$49,999	*	*	*	*	9,628	630,900	21.8	(16.6 - 27.0)
\$50,000-\$74,999	*	*	*	*	5,760	408,100	20.7	(16.1 - 25.2)
≥ \$75,000	282	41,900	13.5	(9.0 - 17.9)	8,544	583,300	13.0	(11.1 - 14.9)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are limited in any activities because of physical, mental or emotional problems (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 51b. Activity limitations because of physical, mental or emotional problems among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	18.4	(14.4 - 22.5)	37,998	20.1	(18.2 - 22.0)
<b>Gender</b>						
Male	250	17.2	(10.9 - 23.4)	14,566	18.6	(15.8 - 21.4)
Female	401	19.5	(14.3 - 24.8)	23,432	21.5	(18.9 - 24.1)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	23.4	(17.9 - 28.8)	35,688	21.3	(19.7 - 22.9)
Black Non-Hispanic	52	13.9	(4.0 - 23.7)	735	19.9	(13.2 - 26.5)
Hispanic	59	9.0	(2.1 - 15.8)	863	19.1	(11.5 - 26.8)
Other Non-Hispanic	*	*	*	712	12.4	(5.3 - 19.6)
<b>Education</b>						
≤ High School	159	16.5	(10.1 - 23.0)	15,626	23.8	(20.1 - 27.4)
Some College	*	*	*	9,875	19.3	(16.0 - 22.6)
≥ College Degree	364	16.6	(11.7 - 21.5)	12,415	16.1	(13.9 - 18.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,603	29.7	(24.3 - 35.2)
\$25,000-\$49,999	*	*	*	9,628	21.2	(16.1 - 26.3)
\$50,000-\$74,999	*	*	*	5,760	20.1	(15.6 - 24.6)
≥ \$75,000	282	13.7	(8.8 - 18.5)	8,544	12.7	(10.8 - 14.6)

<sup>1</sup> Defined as activity limitations because of physical, mental or emotional problems

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 52a. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	48,400	6.7	(4.5 - 8.9)	38,171	1,169,400	7.9	(6.9 - 8.9)
<b>Gender</b>								
Male	251	20,900	6.1	(3.6 - 8.7)	14,617	460,700	6.5	(5.3 - 7.7)
Female	402	27,400	7.2	(3.8 - 10.7)	23,554	708,700	9.1	(7.6 - 10.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	68,800	1.5	(0.7 - 2.4)
35-44	*	*	*	*	4,989	122,500	4.3	(2.4 - 6.1)
45-54	*	*	*	*	7,836	182,500	6.4	(4.7 - 8.1)
55-64	131	7,200	6.5	(2.0 - 10.9)	8,773	219,600	10.3	(7.8 - 12.8)
≥ 65	243	21,700	16.3	(11.5 - 21.1)	12,633	576,100	22.7	(19.0 - 26.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	37,500	8.3	(5.6 - 11.0)	35,853	802,000	8.6	(7.6 - 9.6)
Black Non-Hispanic	*	*	*	*	739	235,800	10.9	(6.4 - 15.5)
Hispanic	*	*	*	*	864	104,100	4.6	(2.1 - 7.1)
Other Non-Hispanic	*	*	*	*	715	27,600	2.5	(0.8 - 4.1)
<b>Education</b>								
≤ High School	160	15,100	8.1	(4.1 - 12.2)	15,711	604,200	10.8	(8.7 - 12.8)
Some College	129	13,100	7.6	(1.7 - 13.4)	9,914	260,000	7.3	(5.5 - 9.1)
≥ College Degree	364	20,100	5.6	(2.9 - 8.2)	12,463	298,900	5.3	(4.1 - 6.5)
<b>Income</b>								
≤ \$24,999	102	11,300	9.1	(4.4 - 13.8)	9,656	430,500	12.2	(9.6 - 14.8)
\$25,000-\$49,999	95	9,900	8.8	(0.6 - 17.0)	9,663	238,900	8.2	(5.9 - 10.5)
\$50,000-\$74,999	*	*	*	*	5,775	103,000	5.2	(3.6 - 6.8)
≥ \$75,000	282	14,600	4.7	(1.8 - 7.6)	8,566	136,000	3.0	(2.1 - 4.0)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have any health problem that requires the use of special equipment (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 52b. Have health problem that requires the use of special equipment among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	6.4	(4.2 - 8.5)	38,171	7.6	(6.6 - 8.6)
<b>Gender</b>						
Male	251	6.0	(3.4 - 8.5)	14,617	6.8	(5.5 - 8.0)
Female	402	6.7	(3.3 - 10.2)	23,554	8.4	(6.9 - 9.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	8.2	(5.2 - 11.1)	35,853	8.3	(7.3 - 9.3)
Black Non-Hispanic	*	*	*	739	10.5	(6.1 - 15.0)
Hispanic	*	*	*	864	4.5	(2.1 - 6.9)
Other Non-Hispanic	*	*	*	715	2.2	(0.7 - 3.8)
<b>Education</b>						
≤ High School	160	7.3	(3.5 - 11.0)	15,711	10.3	(8.3 - 12.3)
Some College	129	7.2	(1.5 - 12.9)	9,914	7.1	(5.2 - 8.9)
≥ College Degree	364	5.5	(2.7 - 8.3)	12,463	5.3	(4.1 - 6.6)
<b>Income</b>						
≤ \$24,999	102	8.2	(3.5 - 12.9)	9,656	11.9	(9.4 - 14.5)
\$25,000-\$49,999	95	7.8	(0.6 - 15.0)	9,663	7.7	(5.5 - 10.0)
\$50,000-\$74,999	*	*	*	5,775	5.1	(3.4 - 6.8)
≥ \$75,000	282	4.9	(1.5 - 8.2)	8,566	2.9	(2.0 - 3.9)

<sup>1</sup> Defined as having any health problem that requires the use of special equipment such as a cane, a wheelchair, a special bed, or a special telephone

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 53a. Disability among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	146,000	20.3	(16.4 - 24.2)	38,016	3,394,200	22.9	(20.9 - 24.9)
<b>Gender</b>								
Male	250	63,900	18.8	(12.8 - 24.7)	14,568	1,469,700	20.7	(17.8 - 23.7)
Female	401	82,000	21.6	(16.6 - 26.7)	23,448	1,924,600	24.8	(22.1 - 27.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,931	590,300	13.3	(8.4 - 18.1)
35-44	79	21,500	15.2	(7.0 - 23.5)	4,974	447,900	15.6	(11.9 - 19.3)
45-54	141	32,700	21.8	(13.4 - 30.1)	7,811	643,900	22.6	(19.1 - 26.0)
55-64	131	25,700	23.0	(14.0 - 32.1)	8,740	702,100	33.0	(28.9 - 37.0)
≥ 65	241	47,100	35.6	(28.8 - 42.3)	12,560	1,010,000	39.9	(36.1 - 43.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	518	112,900	25.0	(20.0 - 29.9)	35,703	2,253,400	24.2	(22.6 - 25.9)
Black Non-Hispanic	*	*	*	*	736	511,700	23.8	(16.8 - 30.8)
Hispanic	59	13,800	10.9	(3.1 - 18.7)	864	484,300	21.4	(13.4 - 29.5)
Other Non-Hispanic	*	*	*	*	713	144,800	12.9	(5.8 - 19.9)
<b>Education</b>								
≤ High School	159	38,600	20.8	(13.8 - 27.9)	15,638	1,544,200	27.6	(23.7 - 31.4)
Some College	*	*	*	*	9,876	755,200	21.4	(17.9 - 24.8)
≥ College Degree	364	64,700	17.9	(13.2 - 22.5)	12,419	1,021,300	18.2	(15.9 - 20.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,613	1,179,100	33.6	(28.0 - 39.2)
\$25,000-\$49,999	*	*	*	*	9,629	699,000	24.2	(18.9 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,757	430,100	21.8	(17.2 - 26.4)
≥ \$75,000	282	45,200	14.5	(10.0 - 19.1)	8,546	632,700	14.1	(12.1 - 16.1)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults with a disability (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 53b. Disability among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	651	19.6	(15.5 - 23.7)	38,016	22.3	(20.4 - 24.3)
<b>Gender</b>						
Male	250	18.6	(12.2 - 25.0)	14,568	20.9	(18.0 - 23.8)
Female	401	20.4	(15.1 - 25.7)	23,448	23.6	(21.0 - 26.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	518	24.9	(19.4 - 30.4)	35,703	23.6	(21.9 - 25.3)
Black Non-Hispanic	52	13.9	(4.0 - 23.7)	736	23.5	(16.5 - 30.5)
Hispanic	59	9.3	(2.4 - 16.2)	864	20.6	(12.9 - 28.3)
Other Non-Hispanic	*	*	*	713	12.9	(5.8 - 20.1)
<b>Education</b>						
≤ High School	159	18.6	(11.8 - 25.3)	15,638	26.8	(23.0 - 30.6)
Some College	*	*	*	9,876	20.9	(17.4 - 24.3)
≥ College Degree	364	17.5	(12.6 - 22.5)	12,419	17.9	(15.5 - 20.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,613	33.2	(27.6 - 38.8)
\$25,000-\$49,999	*	*	*	9,629	23.5	(18.3 - 28.6)
\$50,000-\$74,999	*	*	*	5,757	21.2	(16.6 - 25.8)
≥ \$75,000	282	14.6	(9.6 - 19.5)	8,546	13.8	(11.7 - 15.8)

<sup>1</sup> Defined as having activity limitations due to physical, mental or emotional problems or have health problems that require the use of special equipment

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 54a. Current smoking among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	84,000	11.7	(8.1 - 15.4)	38,029	2,483,500	16.8	(15.1 - 18.6)
<b>Gender</b>								
Male	248	53,100	15.8	(9.1 - 22.4)	14,559	1,356,400	19.3	(16.3 - 22.2)
Female	400	30,900	8.2	(4.6 - 11.7)	23,470	1,127,100	14.6	(12.7 - 16.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	993,500	22.3	(17.5 - 27.1)
35-44	79	18,100	12.8	(5.4 - 20.3)	4,977	421,100	14.8	(11.6 - 17.9)
45-54	139	21,900	15.0	(7.6 - 22.4)	7,807	508,800	18.3	(15.4 - 21.3)
55-64	131	9,700	8.7	(3.2 - 14.1)	8,744	314,500	14.7	(12.1 - 17.3)
≥ 65	*	*	*	*	12,572	245,600	9.7	(7.2 - 12.3)
<b>Race/Ethnicity</b>								
White Non-Hispanic	517	65,800	14.6	(9.5 - 19.6)	35,729	1,615,500	17.3	(15.9 - 18.8)
Black Non-Hispanic	*	*	*	*	735	284,100	13.6	(8.9 - 18.2)
Hispanic	*	*	*	*	858	350,900	15.8	(9.6 - 21.9)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	158	35,800	19.3	(10.6 - 28.1)	15,654	1,237,300	22.4	(19.1 - 25.6)
Some College	127	24,400	14.5	(6.1 - 22.8)	9,875	670,600	19.1	(15.5 - 22.8)
≥ College Degree	363	23,800	6.6	(2.4 - 10.8)	12,421	563,300	10.0	(7.5 - 12.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	835,100	24.1	(19.1 - 29.1)
\$25,000-\$49,999	*	*	*	*	9,629	558,100	19.4	(15.6 - 23.2)
\$50,000-\$74,999	*	*	*	*	5,756	338,100	17.3	(13.0 - 21.7)
≥ \$75,000	281	25,300	8.2	(3.6 - 12.7)	8,549	468,700	10.4	(8.6 - 12.3)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult current smokers (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 54b. Current smoking among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	12.3	(8.1 - 16.4)	38,029	17.0	(15.3 - 18.8)
<b>Gender</b>						
Male	248	16.9	(9.4 - 24.3)	14,559	19.2	(16.3 - 22.1)
Female	400	8.2	(4.2 - 12.2)	23,470	15.0	(13.0 - 17.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	517	15.6	(9.9 - 21.3)	35,729	17.7	(16.2 - 19.2)
Black Non-Hispanic	*	*	*	735	13.5	(8.8 - 18.2)
Hispanic	*	*	*	858	15.9	(9.8 - 22.0)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	158	20.1	(10.5 - 29.8)	15,654	22.8	(19.5 - 26.0)
Some College	127	15.3	(5.9 - 24.7)	9,875	19.4	(15.8 - 22.9)
≥ College Degree	363	6.8	(2.0 - 11.6)	12,421	10.0	(7.6 - 12.5)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	24.1	(19.2 - 29.1)
\$25,000-\$49,999	*	*	*	9,629	19.9	(16.0 - 23.7)
\$50,000-\$74,999	*	*	*	5,756	17.8	(13.3 - 22.3)
≥ \$75,000	281	8.2	(3.4 - 13.1)	8,549	10.6	(8.6 - 12.5)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day or some days

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 55a. Everyday smoking among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	61,600	8.6	(5.5 - 11.8)	38,029	1,626,800	11.0	(9.8 - 12.2)
<b>Gender</b>								
Male	248	39,500	11.7	(6.1 - 17.3)	14,559	848,400	12.0	(10.0 - 14.1)
Female	400	22,100	5.9	(2.6 - 9.1)	23,470	778,400	10.1	(8.7 - 11.5)
<b>Age (years)</b>								
18-34	*	*	*	*	3,929	559,800	12.6	(9.6 - 15.6)
35-44	*	*	*	*	4,977	315,200	11.0	(8.4 - 13.7)
45-54	139	17,700	12.1	(5.2 - 19.1)	7,807	377,000	13.6	(11.1 - 16.0)
55-64	*	*	*	*	8,744	203,000	9.5	(7.5 - 11.5)
≥ 65	*	*	*	*	12,572	171,700	6.8	(4.8 - 8.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	517	44,700	9.9	(5.7 - 14.0)	35,729	1,158,100	12.4	(11.2 - 13.7)
Black Non-Hispanic	*	*	*	*	735	197,700	9.4	(5.6 - 13.3)
Hispanic	*	*	*	*	858	176,200	7.9	(4.2 - 11.6)
Other Non-Hispanic	*	*	*	*	707	94,900	8.5	(3.3 - 13.7)
<b>Education</b>								
≤ High School	158	32,200	17.4	(8.8 - 26.0)	15,654	881,900	15.9	(13.4 - 18.5)
Some College	127	20,700	12.3	(4.2 - 20.3)	9,875	410,200	11.7	(9.6 - 13.8)
≥ College Degree	363	8,700	2.4	(0.6 - 4.3)	12,421	323,500	5.8	(4.3 - 7.2)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,626	452,800	13.1	(10.3 - 15.8)
\$25,000-\$49,999	*	*	*	*	9,629	425,900	14.8	(11.9 - 17.7)
\$50,000-\$74,999	*	*	*	*	5,756	222,700	11.4	(8.5 - 14.4)
≥ \$75,000	281	20,200	6.5	(2.2 - 10.8)	8,549	320,200	7.1	(5.5 - 8.8)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have smoked at least 100 cigarettes in lifetime and currently smoking everyday (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 55b. Everyday smoking among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	648	8.9	(5.4 - 12.4)	38,029	11.3	(10.0 - 12.5)
<b>Gender</b>						
Male	248	12.2	(6.1 - 18.4)	14,559	12.1	(10.1 - 14.1)
Female	400	6.0	(2.3 - 9.7)	23,470	10.5	(9.0 - 12.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	517	10.5	(5.8 - 15.1)	35,729	12.8	(11.5 - 14.1)
Black Non-Hispanic	*	*	*	735	9.4	(5.5 - 13.4)
Hispanic	*	*	*	858	8.0	(4.3 - 11.7)
Other Non-Hispanic	*	*	*	707	8.5	(3.2 - 13.8)
<b>Education</b>						
≤ High School	158	18.2	(8.8 - 27.7)	15,654	16.4	(13.8 - 19.0)
Some College	127	13.3	(4.1 - 22.4)	9,875	12.1	(9.9 - 14.3)
≥ College Degree	363	2.1	(0.5 - 3.8)	12,421	5.8	(4.3 - 7.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,626	13.4	(10.6 - 16.2)
\$25,000-\$49,999	*	*	*	9,629	15.3	(12.3 - 18.3)
\$50,000-\$74,999	*	*	*	5,756	11.7	(8.7 - 14.8)
≥ \$75,000	281	6.6	(2.0 - 11.3)	8,549	7.2	(5.5 - 8.9)

<sup>1</sup> Defined as having smoked at least 100 cigarettes in lifetime and currently smoking every day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 56a. Adults living in homes in which smoking is prohibited<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	589,900	82.1	(78.2 - 86.0)	38,045	11,997,100	80.8	(79.0 - 82.6)
<b>Gender</b>								
Male	249	268,800	79.1	(72.9 - 85.4)	14,577	5,634,400	79.4	(76.6 - 82.2)
Female	400	321,100	84.8	(79.8 - 89.7)	23,468	6,362,800	82.1	(79.9 - 84.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,934	3,655,200	82.1	(77.8 - 86.4)
35-44	79	126,500	89.8	(83.3 - 96.3)	4,985	2,479,700	86.1	(82.5 - 89.7)
45-54	141	116,400	77.5	(68.2 - 86.8)	7,808	2,194,400	77.2	(73.5 - 80.8)
55-64	131	92,700	83.1	(75.8 - 90.3)	8,753	1,732,500	81.0	(78.3 - 83.7)
≥ 65	239	98,600	75.3	(69.0 - 81.5)	12,565	1,935,400	76.5	(73.4 - 79.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	516	366,100	81.2	(76.8 - 85.6)	35,737	7,426,900	79.8	(78.3 - 81.2)
Black Non-Hispanic	*	*	*	*	738	1,692,100	78.6	(71.9 - 85.3)
Hispanic	59	119,400	94.1	(87.4 - 100)	863	2,003,900	88.7	(84.1 - 93.3)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	158	141,200	76.5	(67.4 - 85.6)	15,647	4,307,200	77.1	(74.0 - 80.2)
Some College	*	*	*	*	9,883	2,795,400	78.9	(75.0 - 82.8)
≥ College Degree	363	315,100	87.2	(83.4 - 91.1)	12,437	4,817,300	85.7	(83.3 - 88.2)
<b>Income</b>								
≤ \$24,999	102	101,900	82.4	(73.3 - 91.4)	9,608	2,627,700	74.9	(70.0 - 79.7)
\$25,000-\$49,999	*	*	*	*	9,640	2,314,500	79.8	(76.0 - 83.5)
\$50,000-\$74,999	*	*	*	*	5,766	1,551,300	78.7	(74.0 - 83.4)
≥ \$75,000	281	259,800	83.7	(78.1 - 89.4)	8,556	3,883,200	86.5	(84.3 - 88.7)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who live in a home with a rule that prohibits smoking anywhere inside the home (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 56b. Adults living in homes in which smoking is prohibited<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	649	82.5	(78.3 - 86.6)	38,045	80.9	(79.2 - 82.7)
<b>Gender</b>						
Male	249	79.4	(72.9 - 85.9)	14,577	79.4	(76.7 - 82.2)
Female	400	85.2	(79.8 - 90.6)	23,468	82.3	(80.0 - 84.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	516	81.4	(76.7 - 86.2)	35,737	79.9	(78.4 - 81.4)
Black Non-Hispanic	*	*	*	738	78.6	(71.8 - 85.4)
Hispanic	59	93.7	(86.1 - 100)	863	88.9	(84.4 - 93.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,647	76.9	(73.8 - 80.0)
Some College	*	*	*	9,883	79.1	(75.2 - 83.0)
≥ College Degree	363	87.7	(83.8 - 91.6)	12,437	86.0	(83.5 - 88.5)
<b>Income</b>						
≤ \$24,999	102	82.9	(73.4 - 92.4)	9,608	74.9	(70.1 - 79.7)
\$25,000-\$49,999	*	*	*	9,640	79.8	(76.1 - 83.6)
\$50,000-\$74,999	*	*	*	5,766	78.6	(73.8 - 83.3)
≥ \$75,000	281	84.2	(78.4 - 90.0)	8,556	86.6	(84.3 - 88.9)

<sup>1</sup> Defined as having a rule that prohibits smoking anywhere inside the home

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 57a. Binge drinking within the past month among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	117,700	16.5	(12.0 - 20.9)	37,745	2,602,000	17.7	(15.7 - 19.8)
<b>Gender</b>								
Male	248	75,800	22.5	(14.6 - 30.4)	14,420	1,712,400	24.5	(20.9 - 28.1)
Female	398	41,900	11.1	(6.7 - 15.5)	23,325	889,600	11.6	(9.5 - 13.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,895	1,254,300	28.5	(22.8 - 34.2)
35-44	78	28,600	20.4	(10.6 - 30.2)	4,934	584,800	20.6	(16.5 - 24.7)
45-54	140	22,600	15.3	(8.4 - 22.2)	7,738	467,600	16.6	(13.3 - 19.9)
55-64	129	8,600	7.8	(2.7 - 12.9)	8,663	207,200	9.8	(7.9 - 11.8)
≥ 65	*	*	*	*	12,515	88,100	3.5	(2.5 - 4.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	513	84,400	18.9	(13.4 - 24.4)	35,453	1,761,900	19.2	(17.5 - 20.8)
Black Non-Hispanic	*	*	*	*	728	247,000	11.6	(6.3 - 17.0)
Hispanic	*	*	*	*	854	460,600	20.5	(11.3 - 29.8)
Other Non-Hispanic	*	*	*	*	710	132,500	12.1	(3.4 - 20.7)
<b>Education</b>								
≤ High School	159	32,700	17.7	(7.8 - 27.5)	15,491	945,800	17.4	(13.2 - 21.6)
Some College	127	26,200	15.3	(6.3 - 24.3)	9,819	636,600	18.1	(14.6 - 21.5)
≥ College Degree	360	58,700	16.4	(10.5 - 22.3)	12,358	1,018,700	18.2	(15.3 - 21.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,557	469,100	13.5	(8.5 - 18.5)
\$25,000-\$49,999	*	*	*	*	9,575	534,300	18.5	(13.0 - 24.0)
\$50,000-\$74,999	*	*	*	*	5,726	378,200	19.2	(14.1 - 24.3)
≥ \$75,000	279	59,900	19.3	(13.1 - 25.6)	8,501	1,011,400	22.6	(19.7 - 25.6)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult binge drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 57b. Binge drinking within the past month among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	646	18.0	(13.0 - 23.0)	37,745	18.1	(16.1 - 20.2)
<b>Gender</b>						
Male	248	24.1	(15.4 - 32.9)	14,420	24.5	(21.0 - 27.9)
Female	398	12.5	(7.3 - 17.7)	23,325	12.4	(10.2 - 14.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	513	20.8	(14.5 - 27.1)	35,453	19.8	(18.1 - 21.6)
Black Non-Hispanic	*	*	*	728	11.8	(6.4 - 17.1)
Hispanic	*	*	*	854	20.2	(11.3 - 29.1)
Other Non-Hispanic	*	*	*	710	12.1	(3.4 - 20.8)
<b>Education</b>						
≤ High School	*	*	*	15,491	17.5	(13.5 - 21.5)
Some College	*	*	*	9,819	18.6	(15.1 - 22.0)
≥ College Degree	360	17.9	(11.2 - 24.6)	12,358	18.8	(15.9 - 21.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,557	13.4	(8.6 - 18.2)
\$25,000-\$49,999	*	*	*	9,575	18.9	(13.5 - 24.2)
\$50,000-\$74,999	*	*	*	5,726	19.9	(14.8 - 25.1)
≥ \$75,000	279	20.8	(13.9 - 27.8)	8,501	23.2	(20.2 - 26.1)

<sup>1</sup> Defined as men having 5 or more drinks or women having 4 or more drinks on 1 or more occasion within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 58a. Heavy drinking within the past month among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	636	37,600	5.4	(3.2 - 7.5)	37,553	718,700	4.9	(4.2 - 5.6)
<b>Gender</b>								
Male	243	12,200	3.7	(1.0 - 6.4)	14,330	333,300	4.8	(3.9 - 5.7)
Female	393	25,400	6.8	(3.5 - 10.0)	23,223	385,400	5.0	(4.0 - 6.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,866	224,900	5.1	(3.5 - 6.8)
35-44	*	*	*	*	4,924	137,200	4.8	(3.0 - 6.7)
45-54	139	8,200	5.6	(1.7 - 9.5)	7,715	144,600	5.2	(4.1 - 6.2)
55-64	129	7,600	6.9	(2.1 - 11.7)	8,624	117,400	5.6	(3.9 - 7.3)
≥ 65	*	*	*	*	12,424	94,600	3.8	(2.7 - 4.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	505	33,800	7.6	(4.6 - 10.6)	35,279	572,400	6.3	(5.4 - 7.1)
Black Non-Hispanic	*	*	*	*	723	58,100	2.8	(0.6 - 4.9)
Hispanic	*	*	*	*	848	60,900	2.7	(0.5 - 4.9)
Other Non-Hispanic	*	*	*	*	703	27,200	2.5	(0.8 - 4.2)
<b>Education</b>								
≤ High School	154	9,600	5.5	(1.1 - 9.9)	15,411	228,100	4.2	(3.2 - 5.2)
Some College	*	*	*	*	9,759	163,700	4.7	(3.6 - 5.8)
≥ College Degree	358	19,100	5.4	(2.5 - 8.2)	12,306	326,800	5.9	(4.5 - 7.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,512	104,200	3.0	(1.8 - 4.1)
\$25,000-\$49,999	*	*	*	*	9,537	158,700	5.5	(3.9 - 7.2)
\$50,000-\$74,999	*	*	*	*	5,708	95,400	4.9	(3.1 - 6.7)
≥ \$75,000	281	18,900	6.1	(3.1 - 9.0)	8,481	313,900	7.0	(5.4 - 8.6)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adult heavy drinkers within the past month (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 58b. Heavy drinking within the past month among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	636	5.4	(3.1 - 7.8)	37,553	5.0	(4.3 - 5.8)
<b>Gender</b>						
Male	243	3.7	(0.8 - 6.6)	14,330	4.9	(3.9 - 5.9)
Female	393	6.9	(3.3 - 10.6)	23,223	5.1	(4.0 - 6.2)
<b>Race/Ethnicity</b>						
White Non-Hispanic	505	7.7	(4.3 - 11.1)	35,279	6.4	(5.5 - 7.2)
Black Non-Hispanic	*	*	*	723	2.9	(0.6 - 5.1)
Hispanic	*	*	*	848	2.8	(0.5 - 5.1)
Other Non-Hispanic	*	*	*	703	2.5	(0.8 - 4.2)
<b>Education</b>						
≤ High School	154	5.5	(0.6 - 10.4)	15,411	4.3	(3.2 - 5.3)
Some College	*	*	*	9,759	4.8	(3.6 - 5.9)
≥ College Degree	358	5.7	(2.3 - 9.0)	12,306	6.0	(4.5 - 7.4)
<b>Income</b>						
≤ \$24,999	*	*	*	9,512	3.0	(1.9 - 4.1)
\$25,000-\$49,999	*	*	*	9,537	5.8	(4.0 - 7.5)
\$50,000-\$74,999	*	*	*	5,708	5.0	(3.1 - 7.0)
≥ \$75,000	281	5.7	(2.8 - 8.7)	8,481	7.0	(5.4 - 8.7)

<sup>1</sup> Defined as adult men averaging more than 2 alcoholic drinks per day and adult women averaging more than 1 alcoholic drink per day within the past month

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 59a. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	612	449,500	67.9	(62.3 - 73.5)	35,193	8,480,600	61.9	(59.2 - 64.5)
<b>Gender</b>								
Male	231	212,200	70.2	(60.5 - 79.9)	13,299	4,357,400	67.7	(63.6 - 71.7)
Female	381	237,300	65.9	(59.5 - 72.4)	21,894	4,123,300	56.8	(53.3 - 60.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,507	1,804,600	44.3	(37.8 - 50.8)
35-44	*	*	*	*	4,531	1,635,300	62.2	(56.6 - 67.8)
45-54	131	101,300	74.1	(65.3 - 82.9)	7,215	1,715,600	65.4	(60.5 - 70.3)
55-64	126	84,900	81.1	(73.7 - 88.6)	8,168	1,416,200	70.7	(66.6 - 74.8)
≥ 65	229	103,000	81.5	(75.5 - 87.5)	11,772	1,908,900	80.3	(76.9 - 83.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	494	306,800	71.4	(65.9 - 77.0)	33,090	5,940,300	68.5	(66.3 - 70.7)
Black Non-Hispanic	*	*	*	*	683	831,800	40.8	(31.8 - 49.9)
Hispanic	*	*	*	*	784	1,071,700	53.4	(43.6 - 63.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	14,264	3,001,200	60.1	(55.4 - 64.9)
Some College	*	*	*	*	9,156	1,972,800	60.3	(54.9 - 65.7)
≥ College Degree	346	253,000	73.4	(67.3 - 79.5)	11,706	3,476,000	65.0	(61.2 - 68.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	8,772	1,529,400	49.3	(42.6 - 56.0)
\$25,000-\$49,999	*	*	*	*	8,932	1,705,000	64.4	(58.0 - 70.7)
\$50,000-\$74,999	*	*	*	*	5,433	1,217,000	64.5	(58.5 - 70.5)
≥ \$75,000	269	208,200	70.3	(63.1 - 77.6)	8,108	2,934,300	68.2	(64.7 - 71.7)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who were never or rarely asked about their sexual history during a routine check-up at a doctor's office or clinic (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 59b. Never or rarely been asked about sexual history during routine check-up among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	612	66.4	(60.3 - 72.5)	35,193	61.4	(58.7 - 64.0)
<b>Gender</b>						
Male	*	*	*	13,299	67.9	(64.0 - 71.9)
Female	381	64.6	(57.5 - 71.8)	21,894	55.5	(52.0 - 59.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	494	69.9	(63.7 - 76.1)	33,090	67.8	(65.6 - 70.1)
Black Non-Hispanic	*	*	*	683	41.1	(32.0 - 50.2)
Hispanic	*	*	*	784	53.0	(43.3 - 62.6)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	14,264	59.5	(54.7 - 64.3)
Some College	*	*	*	9,156	59.7	(54.4 - 65.0)
≥ College Degree	346	72.1	(65.3 - 78.9)	11,706	64.5	(60.8 - 68.2)
<b>Income</b>						
≤ \$24,999	*	*	*	8,772	48.7	(42.0 - 55.4)
\$25,000-\$49,999	*	*	*	8,932	63.7	(57.5 - 70.0)
\$50,000-\$74,999	*	*	*	5,433	64.2	(58.2 - 70.2)
≥ \$75,000	269	68.2	(60.2 - 76.2)	8,108	67.5	(64.0 - 71.0)

<sup>1</sup> Defined as respondents who never or rarely (hardly ever) were asked about their sexual history, such as about sexual partners and sexual practices, during a routine check-up at a doctor's office or clinic

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 60a. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	364	340,100	79.4	(73.5 - 85.3)	22,788	7,011,100	77.9	(75.2 - 80.5)
<b>Gender</b>								
Male	142	165,900	85.4	(77.2 - 93.6)	9,034	3,618,500	81.0	(77.2 - 84.8)
Female	222	174,200	74.4	(66.3 - 82.6)	13,754	3,392,600	74.8	(71.2 - 78.4)
<b>Age (years)</b>								
18-34	*	*	*	*	3,213	2,362,500	70.8	(65.1 - 76.6)
35-44	*	*	*	*	3,513	1,313,400	71.7	(65.6 - 77.7)
45-54	87	74,600	83.7	(75.1 - 92.4)	4,975	1,290,600	80.3	(75.9 - 84.8)
55-64	66	47,700	84.7	(75.6 - 93.9)	4,955	932,200	87.2	(84.1 - 90.3)
≥ 65	107	57,000	97.7	(94.5 - 100)	6,132	1,112,400	95.9	(94.4 - 97.5)
<b>Race/Ethnicity</b>								
White Non-Hispanic	295	228,500	80.2	(74.0 - 86.5)	21,540	4,875,200	78.3	(75.6 - 80.9)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	491	1,002,400	84.8	(77.8 - 91.8)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	8,879	2,581,700	82.1	(77.9 - 86.3)
Some College	72	84,900	87.3	(77.5 - 97.1)	5,953	1,599,500	77.5	(72.6 - 82.3)
≥ College Degree	212	183,800	78.9	(71.8 - 85.9)	7,928	2,824,800	75.6	(71.8 - 79.5)
<b>Income</b>								
≤ \$24,999	*	*	*	*	5,491	1,602,900	78.7	(71.9 - 85.6)
\$25,000-\$49,999	*	*	*	*	5,912	1,335,900	78.8	(73.8 - 83.9)
\$50,000-\$74,999	*	*	*	*	3,717	987,500	76.6	(70.4 - 82.8)
≥ \$75,000	171	163,000	81.5	(74.4 - 88.6)	5,771	2,321,600	77.6	(74.0 - 81.2)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed hardly any or a few people their age in their community have had a sexually transmitted disease (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 60b. Believed hardly any or a few people their age in their community have had a sexually transmitted disease among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	364	77.9	(71.3 - 84.5)	22,788	77.3	(74.7 - 79.9)
<b>Gender</b>						
Male	142	84.3	(75.2 - 93.4)	9,034	81.1	(77.4 - 84.8)
Female	222	72.9	(63.8 - 81.9)	13,754	73.6	(70.0 - 77.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	295	79.1	(72.0 - 86.1)	21,540	77.5	(74.9 - 80.1)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	491	84.6	(77.6 - 91.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	8,879	81.6	(77.4 - 85.7)
Some College	*	*	*	5,953	76.8	(72.0 - 81.6)
≥ College Degree	212	77.9	(70.1 - 85.8)	7,928	75.1	(71.3 - 79.0)
<b>Income</b>						
≤ \$24,999	*	*	*	5,491	77.9	(71.0 - 84.7)
\$25,000-\$49,999	*	*	*	5,912	77.9	(72.8 - 83.0)
\$50,000-\$74,999	*	*	*	3,717	76.1	(70.0 - 82.3)
≥ \$75,000	171	81.3	(73.8 - 88.7)	5,771	77.0	(73.4 - 80.6)

<sup>1</sup> Defined as respondent estimating there were hardly any (0-1 out of 10) or a few (2-3 out of 10) persons their age in their community who have had a sexually transmitted disease such as gonorrhea, chlamydia, herpes or syphilis

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 61a. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	658,000	93.7	(91.3 - 96.1)	36,287	12,738,300	89.7	(88.2 - 91.3)
<b>Gender</b>								
Male	243	314,300	94.1	(90.4 - 97.9)	13,893	6,104,600	89.4	(87.2 - 91.5)
Female	384	343,700	93.2	(90.1 - 96.3)	22,394	6,633,700	90.1	(87.9 - 92.2)
<b>Age (years)</b>								
18-34	59	173,400	93.8	(87.8 - 99.7)	3,850	4,007,400	91.3	(87.5 - 95.1)
35-44	78	134,300	96.8	(93.0 - 100)	4,875	2,578,600	93.2	(90.4 - 96.0)
45-54	138	143,500	99.0	(97.7 - 100)	7,607	2,416,800	90.5	(87.9 - 93.2)
55-64	129	102,400	92.9	(86.0 - 99.8)	8,411	1,876,500	92.2	(90.0 - 94.5)
≥ 65	223	104,400	84.3	(77.9 - 90.6)	11,544	1,858,900	79.7	(76.6 - 82.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	500	420,900	95.0	(93.1 - 96.9)	34,102	8,050,700	89.4	(87.7 - 91.0)
Black Non-Hispanic	*	*	*	*	702	1,822,200	91.9	(88.2 - 95.6)
Hispanic	56	115,600	93.8	(86.7 - 100)	820	1,967,200	89.9	(85.2 - 94.7)
Other Non-Hispanic	*	*	*	*	663	898,200	88.6	(79.5 - 97.6)
<b>Education</b>								
≤ High School	147	152,700	85.9	(78.6 - 93.1)	14,507	4,385,300	84.6	(81.9 - 87.2)
Some College	122	159,900	94.5	(89.8 - 99.2)	9,571	3,094,300	90.0	(86.7 - 93.4)
≥ College Degree	358	345,300	97.2	(95.2 - 99.1)	12,142	5,228,800	95.4	(94.0 - 96.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,021	2,833,500	86.5	(82.6 - 90.3)
\$25,000-\$49,999	92	101,900	91.7	(85.0 - 98.5)	9,261	2,529,900	89.5	(86.5 - 92.5)
\$50,000-\$74,999	66	67,400	91.9	(84.9 - 99.0)	5,644	1,740,000	91.2	(87.4 - 95.1)
≥ \$75,000	276	299,800	98.0	(96.1 - 99.9)	8,397	4,184,300	94.4	(92.5 - 96.3)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who believed it is at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 61b. Believed it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	627	93.8	(91.3 - 96.3)	36,287	89.8	(88.3 - 91.4)
<b>Gender</b>						
Male	243	94.3	(90.8 - 97.8)	13,893	89.1	(86.9 - 91.3)
Female	384	93.3	(89.8 - 96.8)	22,394	90.5	(88.3 - 92.7)
<b>Race/Ethnicity</b>						
White Non-Hispanic	500	95.2	(93.1 - 97.3)	34,102	89.5	(87.8 - 91.2)
Black Non-Hispanic	*	*	*	702	91.7	(87.8 - 95.6)
Hispanic	56	94.4	(88.0 - 100)	820	89.6	(84.7 - 94.5)
Other Non-Hispanic	*	*	*	663	89.0	(80.5 - 97.6)
<b>Education</b>						
≤ High School	147	86.9	(79.8 - 93.9)	14,507	84.6	(81.8 - 87.4)
Some College	122	94.5	(89.2 - 99.8)	9,571	90.2	(86.9 - 93.5)
≥ College Degree	358	96.9	(94.6 - 99.2)	12,142	95.4	(94.0 - 96.7)
<b>Income</b>						
≤ \$24,999	*	*	*	9,021	86.5	(82.6 - 90.4)
\$25,000-\$49,999	92	92.0	(84.9 - 99.2)	9,261	89.6	(86.5 - 92.6)
\$50,000-\$74,999	66	92.6	(85.9 - 99.3)	5,644	91.1	(86.9 - 95.3)
≥ \$75,000	276	97.7	(95.3 - 100)	8,397	94.5	(92.6 - 96.4)

<sup>1</sup> Defined as believing it was at least somewhat acceptable to see and hear discussions about sexually transmitted disease risks in public forums in their community

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 62a. Overweight among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	263,700	38.4	(32.8 - 44.0)	36,710	5,213,000	36.4	(34.0 - 38.8)
<b>Gender</b>								
Male	247	167,400	49.4	(40.4 - 58.3)	14,502	3,073,200	43.7	(39.9 - 47.6)
Female	369	96,200	27.7	(21.5 - 33.8)	22,208	2,139,800	29.3	(26.4 - 32.2)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	1,295,200	30.1	(24.7 - 35.6)
35-44	*	*	*	*	4,785	1,052,000	37.5	(31.7 - 43.3)
45-54	131	42,600	30.0	(20.9 - 39.2)	7,495	1,053,300	38.8	(34.1 - 43.4)
55-64	*	*	*	*	8,356	798,100	38.8	(34.8 - 42.7)
≥ 65	230	54,400	43.3	(35.8 - 50.9)	12,285	1,014,400	41.5	(37.6 - 45.4)
<b>Race/Ethnicity</b>								
White Non-Hispanic	491	150,400	34.9	(28.9 - 40.8)	34,501	3,282,200	36.4	(34.4 - 38.3)
Black Non-Hispanic	*	*	*	*	708	740,000	36.7	(28.3 - 45.1)
Hispanic	*	*	*	*	813	781,500	35.6	(27.1 - 44.1)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,079	1,889,700	35.4	(31.2 - 39.5)
Some College	*	*	*	*	9,515	1,314,500	38.7	(33.8 - 43.7)
≥ College Degree	347	122,200	35.0	(28.2 - 41.8)	12,062	1,996,900	36.3	(32.8 - 39.7)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	1,170,900	34.0	(28.2 - 39.8)
\$25,000-\$49,999	*	*	*	*	9,368	1,136,000	40.4	(34.6 - 46.2)
\$50,000-\$74,999	*	*	*	*	5,615	738,700	38.3	(32.3 - 44.3)
≥ \$75,000	270	108,700	36.0	(28.5 - 43.4)	8,337	1,659,100	37.5	(34.1 - 40.9)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 62b. Overweight among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	38.7	(32.7 - 44.8)	36,710	36.2	(33.8 - 38.6)
<b>Gender</b>						
Male	247	50.1	(40.6 - 59.5)	14,502	43.9	(40.1 - 47.6)
Female	369	27.7	(20.8 - 34.5)	22,208	28.9	(25.9 - 31.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	491	35.1	(28.5 - 41.8)	34,501	36.0	(34.0 - 38.0)
Black Non-Hispanic	*	*	*	708	37.0	(28.5 - 45.5)
Hispanic	*	*	*	813	36.0	(27.5 - 44.4)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,079	35.2	(31.1 - 39.4)
Some College	*	*	*	9,515	38.3	(33.3 - 43.2)
≥ College Degree	347	35.8	(28.3 - 43.3)	12,062	36.2	(32.7 - 39.8)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	33.8	(28.0 - 39.5)
\$25,000-\$49,999	*	*	*	9,368	40.6	(34.8 - 46.4)
\$50,000-\$74,999	*	*	*	5,615	38.6	(32.5 - 44.7)
≥ \$75,000	270	36.7	(28.7 - 44.7)	8,337	37.2	(33.7 - 40.6)

<sup>1</sup> Defined as having a body mass index (BMI) more than 24.9 but less than 30.0. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 63a. Obesity among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	139,700	20.3	(15.6 - 25.0)	36,710	3,327,400	23.2	(21.2 - 25.3)
<b>Gender</b>								
Male	247	80,800	23.8	(15.9 - 31.8)	14,502	1,505,800	21.4	(19.0 - 23.9)
Female	369	58,900	16.9	(12.0 - 21.8)	22,208	1,821,600	25.0	(21.8 - 28.1)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	730,600	17.0	(12.4 - 21.6)
35-44	*	*	*	*	4,785	662,200	23.6	(19.4 - 27.9)
45-54	131	31,300	22.0	(13.2 - 30.9)	7,495	816,800	30.1	(25.3 - 34.8)
55-64	125	29,100	27.2	(17.9 - 36.6)	8,356	563,900	27.4	(23.7 - 31.1)
≥ 65	230	16,100	12.9	(7.6 - 18.1)	12,285	554,000	22.7	(19.2 - 26.1)
<b>Race/Ethnicity</b>								
White Non-Hispanic	491	85,900	19.9	(15.1 - 24.7)	34,501	2,062,700	22.9	(21.2 - 24.6)
Black Non-Hispanic	*	*	*	*	708	703,100	34.9	(26.1 - 43.7)
Hispanic	*	*	*	*	813	456,400	20.8	(14.3 - 27.2)
Other Non-Hispanic	*	*	*	*	688	105,200	9.6	(4.0 - 15.3)
<b>Education</b>								
≤ High School	*	*	*	*	15,079	1,561,600	29.2	(25.3 - 33.2)
Some College	*	*	*	*	9,515	792,800	23.4	(19.4 - 27.3)
≥ College Degree	347	55,700	15.9	(11.2 - 20.7)	12,062	915,000	16.6	(14.4 - 18.8)
<b>Income</b>								
≤ \$24,999	96	13,200	11.2	(4.0 - 18.3)	9,346	974,800	28.3	(22.6 - 34.0)
\$25,000-\$49,999	*	*	*	*	9,368	584,800	20.8	(17.1 - 24.5)
\$50,000-\$74,999	*	*	*	*	5,615	475,300	24.6	(20.0 - 29.3)
≥ \$75,000	270	64,200	21.3	(15.0 - 27.6)	8,337	867,700	19.6	(17.0 - 22.3)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 63b. Obesity among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	19.9	(14.9 - 24.8)	36,710	23.1	(21.0 - 25.1)
<b>Gender</b>						
Male	247	23.9	(15.4 - 32.3)	14,502	21.5	(19.0 - 24.0)
Female	369	16.0	(11.0 - 21.0)	22,208	24.6	(21.5 - 27.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	491	19.8	(14.7 - 25.0)	34,501	22.8	(21.0 - 24.5)
Black Non-Hispanic	*	*	*	708	34.8	(25.9 - 43.6)
Hispanic	*	*	*	813	20.5	(14.1 - 26.9)
Other Non-Hispanic	*	*	*	688	9.5	(3.8 - 15.2)
<b>Education</b>						
≤ High School	*	*	*	15,079	29.4	(25.4 - 33.3)
Some College	*	*	*	9,515	23.1	(19.2 - 27.1)
≥ College Degree	347	15.5	(10.5 - 20.4)	12,062	16.4	(14.2 - 18.5)
<b>Income</b>						
≤ \$24,999	96	10.9	(3.5 - 18.2)	9,346	28.3	(22.6 - 34.1)
\$25,000-\$49,999	*	*	*	9,368	21.0	(17.2 - 24.8)
\$50,000-\$74,999	*	*	*	5,615	24.0	(19.4 - 28.7)
≥ \$75,000	270	21.1	(14.4 - 27.7)	8,337	19.3	(16.7 - 21.9)

<sup>1</sup> Defined as having a body mass index (BMI) of 30.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 64a. Overweight or obesity among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	403,400	58.7	(53.4 - 64.0)	36,710	8,540,500	59.6	(57.0 - 62.2)
<b>Gender</b>								
Male	247	248,300	73.2	(66.1 - 80.3)	14,502	4,579,100	65.2	(61.0 - 69.4)
Female	369	155,100	44.6	(37.9 - 51.3)	22,208	3,961,400	54.3	(51.0 - 57.6)
<b>Age (years)</b>								
18-34	*	*	*	*	3,789	2,025,800	47.1	(40.8 - 53.5)
35-44	*	*	*	*	4,785	1,714,200	61.1	(55.6 - 66.6)
45-54	*	*	*	*	7,495	1,870,100	68.8	(64.6 - 73.1)
55-64	*	*	*	*	8,356	1,362,000	66.2	(61.9 - 70.4)
≥ 65	230	70,600	56.2	(48.9 - 63.5)	12,285	1,568,400	64.1	(60.6 - 67.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	491	236,300	54.8	(48.9 - 60.6)	34,501	5,344,900	59.3	(57.2 - 61.3)
Black Non-Hispanic	*	*	*	*	708	1,443,100	71.6	(62.5 - 80.7)
Hispanic	*	*	*	*	813	1,237,900	56.4	(46.5 - 66.2)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,079	3,451,400	64.6	(59.8 - 69.4)
Some College	*	*	*	*	9,515	2,107,300	62.1	(57.0 - 67.2)
≥ College Degree	347	177,900	50.9	(44.1 - 57.8)	12,062	2,911,900	52.9	(49.2 - 56.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,346	2,145,700	62.3	(55.7 - 68.9)
\$25,000-\$49,999	*	*	*	*	9,368	1,720,700	61.2	(54.5 - 67.9)
\$50,000-\$74,999	*	*	*	*	5,615	1,214,000	62.9	(57.1 - 68.8)
≥ \$75,000	270	172,900	57.2	(50.0 - 64.4)	8,337	2,526,700	57.1	(53.6 - 60.6)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who are overweight or obese (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 64b. Overweight or obesity among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	616	58.6	(52.9 - 64.3)	36,710	59.3	(56.8 - 61.9)
<b>Gender</b>						
Male	247	74.0	(66.7 - 81.3)	14,502	65.4	(61.3 - 69.4)
Female	369	43.6	(36.3 - 51.0)	22,208	53.5	(50.1 - 56.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	491	54.9	(48.5 - 61.4)	34,501	58.8	(56.7 - 60.8)
Black Non-Hispanic	*	*	*	708	71.8	(63.0 - 80.6)
Hispanic	*	*	*	813	56.5	(46.8 - 66.1)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,079	64.6	(59.9 - 69.3)
Some College	*	*	*	9,515	61.4	(56.4 - 66.5)
≥ College Degree	347	51.2	(43.8 - 58.7)	12,062	52.6	(48.9 - 56.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,346	62.1	(55.6 - 68.6)
\$25,000-\$49,999	*	*	*	9,368	61.6	(55.1 - 68.1)
\$50,000-\$74,999	*	*	*	5,615	62.6	(56.7 - 68.6)
≥ \$75,000	270	57.7	(50.1 - 65.3)	8,337	56.5	(52.9 - 60.0)

<sup>1</sup> Defined as having a body mass index (BMI) of 25.0 or greater. BMI is calculated as weight in kilograms divided by the square of height in meters.

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 65a. Received advice about weight by a health professional among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	619	185,300	26.8	(21.9 - 31.7)	36,729	3,929,700	27.4	(25.1 - 29.7)
<b>Gender</b>								
Male	247	77,900	23.0	(15.5 - 30.4)	14,499	1,654,800	23.6	(20.6 - 26.6)
Female	372	107,400	30.5	(24.2 - 36.9)	22,230	2,274,900	31.0	(27.7 - 34.3)
<b>Age (years)</b>								
18-34	*	*	*	*	3,796	895,500	20.7	(15.3 - 26.2)
35-44	*	*	*	*	4,779	722,700	25.8	(20.9 - 30.6)
45-54	132	39,000	27.2	(18.3 - 36.1)	7,490	910,900	33.5	(29.0 - 38.1)
55-64	125	30,900	28.9	(20.0 - 37.8)	8,351	741,100	36.1	(32.0 - 40.3)
≥ 65	230	24,200	19.2	(13.2 - 25.2)	12,313	659,500	26.9	(23.0 - 30.7)
<b>Race/Ethnicity</b>								
White Non-Hispanic	491	116,400	27.0	(21.6 - 32.3)	34,502	2,386,200	26.5	(24.6 - 28.4)
Black Non-Hispanic	*	*	*	*	709	615,700	30.4	(22.0 - 38.8)
Hispanic	*	*	*	*	830	555,400	25.1	(17.8 - 32.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,116	1,469,700	27.5	(23.6 - 31.4)
Some College	*	*	*	*	9,515	946,800	27.8	(23.2 - 32.4)
≥ College Degree	348	85,700	24.5	(18.7 - 30.3)	12,041	1,445,500	26.2	(23.0 - 29.4)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,360	1,079,400	31.4	(25.3 - 37.5)
\$25,000-\$49,999	*	*	*	*	9,365	696,900	24.6	(19.8 - 29.4)
\$50,000-\$74,999	*	*	*	*	5,603	507,100	26.3	(21.6 - 31.0)
≥ \$75,000	271	88,200	29.1	(22.2 - 36.0)	8,334	1,207,100	27.3	(24.2 - 30.5)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight (lose, gain or maintain) (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 65b. Received advice about weight by a health professional among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	619	27.0	(21.7 - 32.4)	36,729	27.1	(24.8 - 29.4)
<b>Gender</b>						
Male	247	23.0	(15.0 - 31.0)	14,499	23.4	(20.5 - 26.3)
Female	372	30.9	(23.9 - 37.9)	22,230	30.6	(27.3 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	491	27.4	(21.4 - 33.5)	34,502	26.1	(24.2 - 28.0)
Black Non-Hispanic	*	*	*	709	30.4	(21.9 - 38.9)
Hispanic	*	*	*	830	24.9	(17.7 - 32.2)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,116	27.3	(23.4 - 31.2)
Some College	*	*	*	9,515	27.4	(22.9 - 32.0)
≥ College Degree	348	24.6	(18.3 - 30.9)	12,041	25.9	(22.7 - 29.0)
<b>Income</b>						
≤ \$24,999	*	*	*	9,360	31.0	(24.9 - 37.0)
\$25,000-\$49,999	*	*	*	9,365	24.9	(20.0 - 29.8)
\$50,000-\$74,999	*	*	*	5,603	25.9	(21.2 - 30.6)
≥ \$75,000	271	30.0	(22.5 - 37.4)	8,334	26.9	(23.7 - 30.0)

<sup>1</sup> Defined as being advised by a doctor, nurse or other health professional about their weight (lose, gain or maintain)

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 66a. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	160	158,000	85.2	(77.1 - 93.4)	9,724	3,412,900	86.8	(83.9 - 89.8)
<b>Gender</b>								
Male	*	*	*	*	3,807	1,468,700	88.8	(85.7 - 91.8)
Female	101	92,000	85.7	(77.9 - 93.5)	5,917	1,944,200	85.5	(80.8 - 90.1)
<b>Age (years)</b>								
18-34	*	*	*	*	681	779,700	87.1	(80.6 - 93.6)
35-44	*	*	*	*	1,215	622,100	86.1	(76.9 - 95.2)
45-54	*	*	*	*	2,238	813,300	89.3	(84.4 - 94.2)
55-64	*	*	*	*	2,697	645,500	87.1	(81.2 - 93.0)
≥ 65	*	*	*	*	2,893	552,300	83.7	(76.9 - 90.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	*	*	*	*	9,082	2,076,700	87.0	(84.5 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	251	483,600	87.1	(78.5 - 95.7)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	3,962	1,239,700	84.3	(78.6 - 90.1)
Some College	*	*	*	*	2,633	814,800	86.1	(80.1 - 92.0)
≥ College Degree	88	75,800	88.4	(81.9 - 94.9)	3,115	1,290,900	89.3	(85.3 - 93.3)
<b>Income</b>								
≤ \$24,999	*	*	*	*	2,539	922,100	85.4	(78.7 - 92.1)
\$25,000-\$49,999	*	*	*	*	2,482	594,100	85.2	(78.4 - 92.1)
\$50,000-\$74,999	*	*	*	*	1,521	446,100	88.0	(83.2 - 92.7)
≥ \$75,000	70	76,700	87.0	(78.9 - 95.0)	2,270	1,073,200	88.9	(83.7 - 94.1)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults provided advice by a health professional about their weight and advised to lose weight (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 66b. Received advice to lose weight by a health professional among adults provided weight advice<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	160	84.6	(75.3 - 94.0)	9,724	86.9	(83.8 - 89.9)
<b>Gender</b>						
Male	*	*	*	3,807	88.7	(85.7 - 91.8)
Female	101	85.8	(77.4 - 94.3)	5,917	85.5	(80.7 - 90.3)
<b>Race/Ethnicity</b>						
White Non-Hispanic	*	*	*	9,082	87.0	(84.4 - 89.6)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	251	87.6	(79.3 - 95.8)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	3,962	84.6	(78.7 - 90.5)
Some College	*	*	*	2,633	85.6	(79.5 - 91.7)
≥ College Degree	88	88.7	(81.9 - 95.4)	3,115	89.4	(85.4 - 93.3)
<b>Income</b>						
≤ \$24,999	*	*	*	2,539	85.7	(79.0 - 92.3)
\$25,000-\$49,999	*	*	*	2,482	85.3	(78.4 - 92.3)
\$50,000-\$74,999	*	*	*	1,521	88.0	(83.1 - 92.8)
≥ \$75,000	70	86.5	(77.4 - 95.6)	2,270	88.7	(83.1 - 94.2)

<sup>1</sup> Defined as provided advice by a health professional about their weight and advised to lose weight

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 67a. No leisure-time physical activity among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	153,100	21.2	(17.1 - 25.4)	38,128	3,541,700	23.9	(21.6 - 26.1)
<b>Gender</b>								
Male	251	62,500	18.3	(12.2 - 24.5)	14,602	1,482,500	20.9	(17.8 - 24.0)
Female	402	90,600	23.9	(18.4 - 29.4)	23,526	2,059,200	26.6	(23.4 - 29.7)
<b>Age (years)</b>								
18-34	*	*	*	*	3,938	982,900	22.0	(16.6 - 27.5)
35-44	*	*	*	*	4,988	556,000	19.3	(15.0 - 23.6)
45-54	141	27,400	18.3	(10.5 - 26.1)	7,827	759,000	26.8	(21.7 - 31.9)
55-64	131	20,400	18.3	(10.8 - 25.8)	8,765	464,900	21.7	(18.2 - 25.2)
≥ 65	243	42,600	31.9	(24.8 - 39.1)	12,610	778,800	30.7	(27.3 - 34.2)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	87,700	19.4	(14.9 - 23.8)	35,816	1,892,800	20.3	(18.6 - 22.0)
Black Non-Hispanic	*	*	*	*	739	690,000	32.0	(23.4 - 40.6)
Hispanic	*	*	*	*	860	600,800	26.7	(19.1 - 34.4)
Other Non-Hispanic	*	*	*	*	*	*	*	*
<b>Education</b>								
≤ High School	*	*	*	*	15,683	1,810,200	32.5	(28.4 - 36.5)
Some College	129	35,300	20.4	(11.5 - 29.3)	9,906	814,200	23.0	(18.6 - 27.3)
≥ College Degree	364	45,300	12.5	(8.5 - 16.5)	12,458	841,000	14.9	(11.9 - 18.0)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,640	1,332,200	38.0	(31.7 - 44.3)
\$25,000-\$49,999	*	*	*	*	9,658	648,000	22.3	(18.3 - 26.3)
\$50,000-\$74,999	*	*	*	*	5,773	430,700	21.8	(16.6 - 27.0)
≥ \$75,000	282	46,600	15.0	(9.3 - 20.7)	8,565	560,800	12.5	(10.3 - 14.6)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have not participated in any physical activities or exercises (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)



**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 67b. No leisure-time physical activity among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	21.0	(16.6 - 25.5)	38,128	23.7	(21.5 - 25.9)
<b>Gender</b>						
Male	251	18.6	(12.1 - 25.1)	14,602	20.9	(17.8 - 23.9)
Female	402	23.3	(17.2 - 29.3)	23,526	26.3	(23.1 - 29.5)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	19.1	(14.2 - 24.0)	35,816	20.0	(18.3 - 21.7)
Black Non-Hispanic	*	*	*	739	32.0	(23.3 - 40.6)
Hispanic	*	*	*	860	26.9	(19.2 - 34.5)
Other Non-Hispanic	*	*	*	*	*	*
<b>Education</b>						
≤ High School	*	*	*	15,683	32.3	(28.3 - 36.4)
Some College	129	21.3	(11.4 - 31.2)	9,906	22.8	(18.5 - 27.2)
≥ College Degree	364	11.9	(7.8 - 16.0)	12,458	14.9	(11.8 - 17.9)
<b>Income</b>						
≤ \$24,999	*	*	*	9,640	37.9	(31.6 - 44.2)
\$25,000-\$49,999	*	*	*	9,658	22.0	(18.0 - 26.0)
\$50,000-\$74,999	*	*	*	5,773	21.6	(16.3 - 26.8)
≥ \$75,000	282	15.4	(9.1 - 21.7)	8,565	12.6	(10.3 - 14.9)

<sup>1</sup> Defined as having not participated in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 68a. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	223,500	31.0	(26.0 - 36.0)	38,203	4,023,400	27.0	(24.9 - 29.2)
<b>Gender</b>								
Male	251	101,500	29.8	(21.6 - 37.9)	14,634	1,603,900	22.6	(19.4 - 25.8)
Female	402	122,000	32.1	(26.1 - 38.1)	23,569	2,419,500	31.1	(28.2 - 34.0)
<b>Age (years)</b>								
18-34	*	*	*	*	3,940	1,261,700	28.3	(22.7 - 33.9)
35-44	79	28,600	20.3	(10.5 - 30.1)	4,989	688,000	23.9	(19.5 - 28.3)
45-54	141	46,200	30.8	(21.9 - 39.7)	7,837	746,800	26.2	(22.3 - 30.1)
55-64	*	*	*	*	8,777	579,100	27.0	(23.6 - 30.5)
≥ 65	243	40,800	30.6	(24.0 - 37.3)	12,660	747,800	29.4	(26.0 - 32.8)
<b>Race/Ethnicity</b>								
White Non-Hispanic	520	141,100	31.1	(25.9 - 36.4)	35,884	2,538,000	27.2	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	*	740	572,400	26.5	(19.2 - 33.9)
Hispanic	*	*	*	*	864	672,200	29.8	(21.0 - 38.5)
Other Non-Hispanic	*	*	*	*	715	240,800	21.4	(12.0 - 30.8)
<b>Education</b>								
≤ High School	*	*	*	*	15,726	1,309,800	23.4	(19.3 - 27.4)
Some College	*	*	*	*	9,924	964,300	27.2	(23.0 - 31.3)
≥ College Degree	364	128,700	35.6	(29.1 - 42.0)	12,471	1,747,500	31.0	(27.9 - 34.1)
<b>Income</b>								
≤ \$24,999	*	*	*	*	9,667	831,500	23.7	(18.6 - 28.7)
\$25,000-\$49,999	*	*	*	*	9,669	917,200	31.6	(25.6 - 37.6)
\$50,000-\$74,999	*	*	*	*	5,777	501,000	25.3	(21.4 - 29.3)
≥ \$75,000	282	98,200	31.6	(24.9 - 38.3)	8,569	1,260,100	28.0	(25.0 - 31.0)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who consume 5 or more servings of fruits and vegetables per day (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 68b. Consumption of 5 or more servings of fruits and vegetables per day among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	653	30.6	(25.3 - 36.0)	38,203	27.1	(24.9 - 29.2)
<b>Gender</b>						
Male	251	28.7	(20.3 - 37.2)	14,634	22.7	(19.6 - 25.9)
Female	402	32.4	(25.6 - 39.1)	23,569	31.0	(28.1 - 34.0)
<b>Race/Ethnicity</b>						
White Non-Hispanic	520	30.8	(25.0 - 36.6)	35,884	27.1	(25.4 - 28.9)
Black Non-Hispanic	*	*	*	740	26.8	(19.4 - 34.2)
Hispanic	*	*	*	864	29.5	(20.9 - 38.1)
Other Non-Hispanic	*	*	*	715	21.8	(12.2 - 31.5)
<b>Education</b>						
≤ High School	*	*	*	15,726	23.3	(19.3 - 27.3)
Some College	*	*	*	9,924	27.1	(22.9 - 31.2)
≥ College Degree	364	35.5	(28.5 - 42.5)	12,471	31.2	(28.0 - 34.3)
<b>Income</b>						
≤ \$24,999	*	*	*	9,667	23.9	(18.8 - 28.9)
\$25,000-\$49,999	*	*	*	9,669	32.0	(26.0 - 38.0)
\$50,000-\$74,999	*	*	*	5,777	25.0	(21.0 - 28.9)
≥ \$75,000	282	31.1	(24.0 - 38.2)	8,569	28.0	(24.9 - 31.1)

<sup>1</sup> Defined as having consumed 5 or more servings of fruits and vegetables in an average day

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 69a. Had a fall within the past 3 months among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	505	65,400	16.9	(12.5 - 21.2)	28,783	1,244,800	17.0	(14.9 - 19.0)
<b>Gender</b>								
Male	194	22,000	12.5	(7.0 - 18.0)	10,966	489,400	14.4	(11.9 - 16.8)
Female	311	43,500	20.5	(14.2 - 26.8)	17,817	755,300	19.2	(16.1 - 22.3)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	139	33,000	22.5	(13.5 - 31.5)	7,741	445,500	16.0	(12.0 - 20.0)
55-64	124	12,600	11.7	(4.6 - 18.7)	8,454	336,000	16.5	(13.4 - 19.6)
≥ 65	242	19,800	14.9	(10.1 - 19.7)	12,588	463,300	18.4	(15.2 - 21.6)
<b>Race/Ethnicity</b>								
White Non-Hispanic	429	46,000	16.0	(11.8 - 20.2)	27,456	869,000	16.6	(15.1 - 18.1)
Black Non-Hispanic	*	*	*	*	*	*	*	*
Hispanic	*	*	*	*	424	76,100	11.0	(4.5 - 17.4)
Other Non-Hispanic	*	*	*	*	445	44,300	10.0	(3.1 - 16.8)
<b>Education</b>								
≤ High School	125	18,100	19.1	(10.0 - 28.2)	12,417	493,000	17.3	(13.3 - 21.3)
Some College	*	*	*	*	7,232	299,400	18.7	(14.6 - 22.7)
≥ College Degree	287	31,100	14.4	(9.7 - 19.2)	9,086	441,500	15.4	(12.9 - 17.9)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,824	423,900	25.0	(18.5 - 31.6)
\$25,000-\$49,999	*	*	*	*	7,445	223,600	16.0	(12.8 - 19.2)
\$50,000-\$74,999	*	*	*	*	4,141	151,200	14.6	(10.8 - 18.4)
≥ \$75,000	216	17,900	9.9	(5.7 - 14.1)	5,874	287,100	12.5	(10.0 - 15.1)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 69b. Had a fall within the past 3 months among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	505	16.7	(12.4 - 20.9)	28,783	17.3	(15.0 - 19.5)
<b>Gender</b>						
Male	194	12.4	(7.1 - 17.7)	10,966	15.0	(12.1 - 17.8)
Female	311	20.5	(14.2 - 26.8)	17,817	19.4	(16.0 - 22.8)
<b>Race/Ethnicity</b>						
White Non-Hispanic	429	15.8	(11.7 - 20.0)	27,456	16.9	(15.2 - 18.7)
Black Non-Hispanic	*	*	*	*	*	*
Hispanic	*	*	*	424	10.7	(4.2 - 17.1)
Other Non-Hispanic	*	*	*	445	10.0	(2.9 - 17.0)
<b>Education</b>						
≤ High School	125	18.8	(9.8 - 27.7)	12,417	17.4	(13.0 - 21.7)
Some College	*	*	*	7,232	19.0	(14.7 - 23.2)
≥ College Degree	287	14.3	(9.7 - 19.0)	9,086	16.0	(13.1 - 18.8)
<b>Income</b>						
≤ \$24,999	*	*	*	7,824	25.3	(18.3 - 32.4)
\$25,000-\$49,999	*	*	*	7,445	15.9	(12.6 - 19.2)
\$50,000-\$74,999	*	*	*	4,141	14.7	(10.6 - 18.8)
≥ \$75,000	216	10.0	(5.7 - 14.3)	5,874	12.9	(9.9 - 15.8)

<sup>1</sup> Defined as respondent unintentionally coming to rest on the ground or another lower level one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009  
Westchester County**

**Table 70a. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Westchester County and New York State**

	Westchester County				New York State			
	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>2</sup>	Est. # of Adults <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	505	14,600	3.8	(1.8 - 5.7)	28,760	335,700	4.6	(3.7 - 5.5)
<b>Gender</b>								
Male	*	*	*	*	10,957	120,000	3.5	(2.5 - 4.6)
Female	311	8,800	4.1	(1.3 - 6.9)	17,803	215,600	5.5	(4.1 - 6.9)
<b>Age (years)</b>								
18-34	*	*	*	*	*	*	*	*
35-44	*	*	*	*	*	*	*	*
45-54	*	*	*	*	7,737	115,100	4.1	(2.9 - 5.4)
55-64	*	*	*	*	8,449	90,300	4.4	(2.7 - 6.1)
≥ 65	242	6,800	5.1	(2.2 - 8.1)	12,574	130,300	5.2	(3.4 - 6.9)
<b>Race/Ethnicity</b>								
White Non-Hispanic	429	11,400	4.0	(1.6 - 6.3)	27,433	270,800	5.2	(4.2 - 6.1)
Black Non-Hispanic	*	*	*	*	458	47,900	4.9	(0.9 - 9.0)
Hispanic	*	*	*	*	424	12,400	1.8	(0.2 - 3.3)
Other Non-Hispanic	*	*	*	*	445	4,600	1.0	(0.4 - 1.6)
<b>Education</b>								
≤ High School	*	*	*	*	12,404	148,900	5.2	(3.6 - 6.8)
Some College	*	*	*	*	7,228	85,400	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	*	9,081	101,300	3.5	(2.4 - 4.6)
<b>Income</b>								
≤ \$24,999	*	*	*	*	7,812	90,200	5.3	(3.6 - 7.1)
\$25,000-\$49,999	*	*	*	*	7,442	93,200	6.7	(3.9 - 9.4)
\$50,000-\$74,999	*	*	*	*	4,139	37,000	3.6	(1.8 - 5.3)
≥ \$75,000	*	*	*	*	5,872	54,700	2.4	(1.5 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Sample size from survey

<sup>3</sup> Estimated number of adults who have had a fall that caused an injury within the past 3 months (rounded to the nearest hundred)

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)

**Expanded BRFSS Report: July 2008 - June 2009**  
**Westchester County**

**Table 70b. Had a fall that caused injury within the past 3 months among adults<sup>1</sup> in Westchester County and New York State - Age-Adjusted<sup>2</sup>**

	Westchester County			New York State		
	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>	n <sup>3</sup>	Percent	(C.I.) <sup>4</sup>
<b>Total</b>	505	3.8	(1.8 - 5.8)	28,760	4.6	(3.6 - 5.5)
<b>Gender</b>						
Male	*	*	*	10,957	3.6	(2.4 - 4.7)
Female	311	4.2	(1.3 - 7.2)	17,803	5.5	(4.1 - 6.9)
<b>Race/Ethnicity</b>						
White Non-Hispanic	429	4.0	(1.6 - 6.4)	27,433	5.2	(4.2 - 6.2)
Black Non-Hispanic	*	*	*	458	4.7	(0.7 - 8.7)
Hispanic	*	*	*	424	1.8	(0.1 - 3.4)
Other Non-Hispanic	*	*	*	445	1.0	(0.4 - 1.6)
<b>Education</b>						
≤ High School	*	*	*	12,404	5.2	(3.5 - 6.8)
Some College	*	*	*	7,228	5.3	(3.1 - 7.5)
≥ College Degree	*	*	*	9,081	3.6	(2.4 - 4.7)
<b>Income</b>						
≤ \$24,999	*	*	*	7,812	5.1	(3.3 - 7.0)
\$25,000-\$49,999	*	*	*	7,442	6.6	(3.9 - 9.2)
\$50,000-\$74,999	*	*	*	4,139	3.7	(1.7 - 5.8)
≥ \$75,000	*	*	*	5,872	2.4	(1.4 - 3.3)

<sup>1</sup> Defined as as respondent unintentionally coming to rest on the ground or another lower level and caused respondent to limit regular activities for at least a day or to go see a doctor one or more times within the past 3 months

<sup>2</sup> Prevalence estimates are age-adjusted to the 2000 US Standard population

<sup>3</sup> Sample size from survey

<sup>4</sup> 95% confidence interval

\* Data do not meet reporting criteria (confidence interval with a half-width greater than 10, denominator less than 50 and/or a numerator less than 10)