eBRFSS 2013-2014 Health Indicators: Allegany

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers.	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based o	
guidelines	20
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines	ecent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ecent29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ecent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ecent2930313232
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	recent 29 31 32 33 34
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	29303132343534353637383939
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	2930313234353435363738393939
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	293031323435363738393939393939
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.	29 30 31 32 33 34 35 36 39 39 40 41 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	29 30 31 32 33 34 35 36 39 39 40 42 42 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year.	29 30 31 32 33 34 35 36 39 39 40 42 42 43 43
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on riguidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with collesterol checked. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 38+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	29 30 31 32 33 34 35 36 36 39 39 40 41 42 42 43 44 45
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	29 30 31 32 33 34 35 36 36 39 39 40 41 42 42 43 44 45 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on riguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with hysician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who tonsider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Percentage of ownen aged 18-44 years who had dental visit within the last year	29 30 31 32 33 34 35 36 36 39 39 40 41 42 42 43 44 45 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	29 30 31 32 33 34 35 36 36 39 39 40 41 42 42 43 44 45 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on riguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with hysician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who tonsider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Percentage of ownen aged 18-44 years who had dental visit within the last year	29 30 31 32 33 34 35 36 36 37 39 39 40 42 42 44 45 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with colesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on a guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with atheritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plumunization in the past year Percentage of adults aged 65+ years with plumunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year	29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma. Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years whose health care coverage.	29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on a guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with atheritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plumunization in the past year Percentage of adults aged 65+ years with plumunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year	ecent

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	All	egany Coui	nty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,253	5.9	(3.8-9.1)	111,076	9.2	(7.7-10.8)
Age						
18-24		#		16,858	9.8	(4.9-18.5)
25-34		#		25,019	14.6	(9.8-21.3)
35-44		#		18,404	10.7	(7.7-14.7)
45-64	929	7.0	(3.6-13.1)	44,281	10.2	(8.2-12.5)
65+	283	3.7	(1.9-7.1)	6,309	2.5	(1.5-4.1)
Race						
White, NH	2,074	6.1	(3.9-9.3)	88,308	8.7	(7.2-10.6)
Black, NH		#		12,547	13.6	(8.4-21.3)
Hispanic		#		7,904	13.2	(7.5-22.4)
Other, NH		#		2,317	5.1	(2.5-10.1)
Sex						
male	848	4.5	(2.1-9.1)	54,343	9.3	(7.0-12.3)
female	1,405	7.4	(4.4-12.3)	56,733	9.1	(7.5-10.9)
Age-adjusted ^{&}		6.3	(3.9-10.0)		9.8	(8.2-11.6)


^{*} Among people needing to see a doctor in the past 12 months

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	33,675	88.3	(81.9-92.6)	1,066,548	88.1	(86.1-89.9)
Age						
18-24		#		127,756	74.5	(64.0-82.7)
25-34		#		142,488	82.2	(76.7-86.6)
35-44		#		148,338	86.9	(81.1-91.1)
45-64	11,541	86.4	(74.8-93.1)	394,413	91.1	(88.5-93.1)
65+	7,527	97.3	(94.2-98.7)	240,905	96.8	(95.0-98.0)
Race						
White, NH	31,842	92.6	(88.4-95.3)	910,266	89.8	(87.7-91.6)
Black, NH		#		72,546	78.8	(69.0-86.2)
Hispanic		#		46,457	77.2^	(64.9-86.2)
Other, NH		#		37,279	83.4	(71.6-90.9)
Sex						
male	16,854	87.7	(77.7-93.5)	480,509	82.2	(78.5-85.4)
female	16,822	88.9	(79.3-94.3)	586,040	93.6	(91.9-95.0)
Age-adjusted ^{&}		86.2	(78.5-91.5)		87.4	(85.2-89.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Allegany County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,691	62.1	(55.0-68.8)	815,757	72.0	(69.5-74.4)
Age						
18-24		#		111,937	72.2	(62.3-80.3)
25-34		#		104,276	65.3	(57.4-72.5)
35-44		#		116,739	73.5	(66.6-79.5)
45-64	7,326	58.6	(48.8-67.8)	302,588	73.5	(69.9-76.8)
65+	4,489	61.3	(52.0-69.9)	169,803	72.1	(67.5-76.3)
Race						
White, NH	19,807	60.4	(53.0-67.4)	696,981	73.0	(70.4-75.5)
Black, NH		#		48,534	62.2^	(51.5-71.9)
Hispanic		#		39,253	69.8^	(56.2-80.6)
Other, NH		#		30,989	69.9^	(54.2-82.0)
Sex						
male	10,321	57.3 [^]	(45.7-68.1)	385,171	70.1	(66.0-74.0)
female	12,370	66.9	(58.4-74.4)	430,585	73.8	(70.7-76.6)
Age-adjusted ^{&}		63.9	(57.0-70.3)		71.6	(68.9-74.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,995	24.0	(19.2-29.5)	300,934	25.0	(22.8-27.4)
Age						
18-24		#		21,109	12.4	(7.0-21.1)
25-34		#		32,454	19.0	(13.1-26.6)
35-44		#		32,720	19.3	(14.1-25.9)
45-64	3,919	30.3	(22.1-39.9)	123,509	28.7	(25.1-32.5)
65+	3,403	44.3	(35.8-53.1)	89,167	36.1	(31.7-40.7)
Race						
White, NH	8,593	25.4	(20.3-31.3)	259,812	25.8	(23.3-28.5)
Black, NH		#		19,801	22.0	(15.4-30.5)
Hispanic		#		12,927	21.7	(13.6-32.9)
Other, NH		#		8,395	18.7^	(10.7-30.6)
Sex						
male	4,411	23.7	(16.6-32.6)	141,203	24.3	(20.8-28.3)
female	4,584	24.2	(18.4-31.2)	159,731	25.7	(22.9-28.7)
Age-adjusted ^{&}		22.6	(18.3-27.7)		24.0	(21.7-26.5)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,020	85.2	(77.3-90.7)	823,035	87.2	(84.7-89.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	22,960	87.4	(80.4-92.1)	674,524	88.0	(85.2-90.3)
Black, NH		#		68,376	82.4	(73.1-89.0)
Hispanic		#		46,078	79.4^	(66.7-88.1)
Other, NH		#		34,057	93.3	(84.4-97.3)
Sex						
male	12,204	84.5	(71.3-92.3)	400,391	84.8	(80.5-88.3)
female	12,816	85.9^	(75.0-92.5)	422,644	89.6	(86.8-91.8)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	21,509	73.4	(65.6-79.9)	713,093	75.2	(72.3-77.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	19,017	72.5	(64.8-79.0)	580,918	75.4	(72.2-78.3)
Black, NH		#		66,769	80.1^	(70.0-87.4)
Hispanic		#		43,398	75.9^	(63.1-85.3)
Other, NH		#		22,009	58.8	(38.3-76.7)
Sex						
male	10,266	68.9	(55.9-79.4)	332,817	70.2	(65.5-74.6)
female	11,244	78.0	(69.1-84.9)	380,276	80.1	(76.7-83.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	All	legany Cou	nty	Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	9,822	29.5	(23.7-36.1)	362,546	32.8	(30.1-35.6)	
18-24		#		41,076	29.1^	(20.6-39.4)	
25-34		#		73,260	46.0	(37.8-54.5)	
35-44		#		58,390	37.4	(30.9-44.4)	
45-64	4,475	37.2	(28.2-47.1)	141,359	35.2	(31.1-39.4)	
65+	1,336	18.5	(12.5-26.5)	46,422	19.6	(15.9-23.9)	
Race							
White, NH	8,769	29.6	(23.7-36.2)	275,138	29.5	(26.8-32.4)	
Black, NH		#		44,647	53.4^	(42.9-63.5)	
Hispanic		#		22,006	46.5	(33.0-60.5)	
Other, NH		#		20,755	47.6^	(30.8-64.9)	
Sex							
male	4,152	24.5	(17.0-33.9)	160,510	29.9	(25.8-34.3)	
female	5,670	34.7	(26.8-43.7)	202,036	35.5	(32.0-39.1)	
e-adjusted ^{&}		31.0	(24.9-37.9)		34.2	(31.4-37.1)	

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,108	21.8	(16.6-28.0)	246,116	21.0	(18.7-23.5)
Age						
18-24		#		38,217	23.4	(16.1-32.7)
25-34		#		51,496	30.6	(22.8-39.5)
35-44		#		38,805	23.7	(18.4-29.9)
45-64	3,665	28.5	(20.4-38.1)	90,979	21.7	(18.3-25.6)
65+	810	10.6	(6.1-17.8)	25,712	10.6	(8.0-13.9)
Race						
White, NH	7,278	21.7	(16.5-28.0)	181,689	18.5	(16.2-21.1)
Black, NH		#		29,550	34.3^	(25.4-44.3)
Hispanic		#		18,344	31.8^	(21.1-44.9)
Other, NH		#		16,533	36.8^	(21.0-55.9)
Sex						
male	3,122	16.8	(10.9-25.0)	113,695	20.0	(16.3-24.2)
female	4,986	26.7	(19.1-36.0)	132,421	22.0	(19.4-24.9)
Age-adjusted ^{&}		20.9	(15.5-27.4)		22.1	(19.6-24.8)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Al	legany Cou	nty	Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	1,939	5.2	(3.3-8.0)	59,362	4.9	(3.9-6.2)	
18-24		#			#		
25-34		#			#		
35-44		#		5,973	3.5	(2.0-6.0)	
45-64	932	7.1	(3.9-12.6)	30,602	7.1	(5.1-9.6)	
65+	567	7.4	(4.1-13.0)	17,350	7.0	(4.8-10.2)	
Race							
White, NH	1,772	5.3	(3.3-8.3)	49,277	4.9	(3.8-6.3)	
Black, NH		#		5,176	5.6	(2.6-11.7)	
Hispanic		#			#		
Other, NH		#			#		
Sex							
male	1,221	6.6	(3.5-11.9)	27,901	4.8	(3.3-6.9)	
female	718	3.8	(2.1-6.9)	31,461	5.0	(3.7-6.8)	
e-adjusted ^{&}		5.3	(3.0-9.2)		4.6	(3.6-5.8)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,054	13.7	(10.2-18.3)	159,607	13.5	(11.8-15.3)
Age						
18-24		#		9,020	5.3	(2.7-10.2)
25-34		#		13,051	7.7	(4.2-13.4)
35-44		#		21,720	12.9	(8.6-18.8)
45-64	2,688	21.0	(14.2-29.9)	75,885	17.9	(15.0-21.4)
65+	1,396	18.8	(13.0-26.5)	38,971	16.3	(12.9-20.3)
Race						
White, NH	4,541	13.7	(10.1-18.5)	131,797	13.3	(11.4-15.3)
Black, NH		#		16,150	17.8	(11.6-26.3)
Hispanic		#		5,447	9.6	(4.9-17.8)
Other, NH		#		6,214	14.1	(7.2-25.8)
Sex						
male	2,681	14.5	(9.3-22.0)	63,069	11.0	(8.7-13.7)
female	2,373	12.9	(8.7-18.8)	96,538	15.8	(13.4-18.5)
Age-adjusted ^{&}		13.6	(10.0-18.2)		13.0	(11.3-15.0)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Allegany Prevent Chronic Diseases

Percentage of adults who are obese*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,348	31.5	(25.1-38.6)	344,412	30.2	(27.7-32.8)
Age						
18-24		#		28,877	17.2	(11.7-24.7)
25-34		#		46,414	28.9	(21.7-37.5)
35-44		#		61,451	38.4	(31.3-46.1)
45-64	4,944	40.5	(31.6-50.1)	146,722	36.2	(32.3-40.2)
65+	2,320	31.6	(23.9-40.4)	60,875	25.7	(21.5-30.3)
Race						
White, NH	9,996	30.4	(24.1-37.6)	272,632	28.4	(25.7-31.2)
Black, NH		#		40,228	46.7	(36.9-56.8)
Hispanic		#		20,797	37.4	(25.4-51.1)
Other, NH		#		10,754	28.3	(16.6-44.0)
Sex						
male	6,068	32.1	(22.6-43.4)	178,617	31.1	(27.3-35.2)
female	5,280	30.7	(23.3-39.3)	165,795	29.2	(26.1-32.5)
Age-adjusted ^{&}		30.6	(24.2-37.9)		31.1	(28.5-33.9)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,646	38.3^	(26.6-51.6)	104,583	35.5	(30.9-40.3)
Age						
18-24		#		8,384	18.0^	(8.9-33.0)
25-34		#		16,598	35.7	(24.1-49.2)
35-44		#		19,177	61.3^	(48.2-73.0)
45-64		#		38,181	43.0	(35.8-50.5)
65+	967	32.2	(21.3-45.4)	22,243	27.3	(20.7-35.1)
Race						
White, NH	3,237	39.4	(27.0-53.3)	74,570	33.0	(28.0-38.4)
Black, NH		#		15,662	38.9^	(26.9-52.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,387	33.4	(15.7-57.4)	44,600	31.5	(24.9-39.0)
female	2,259	42.2	(27.8-58.0)	59,983	39.1	(33.3-45.2)
Age-adjusted ^{&}		39.4^	(25.7-55.0)		39.8	(35.2-44.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,363	49.5	(38.5-60.6)	128,816	44.6	(39.4-49.8)
Age						
18-24		#			#	
25-34		#		14,398	45.5	(26.9-65.4)
35-44		#		18,864	60.6	(43.0-75.9)
45-64	2,207	56.3	(38.7-72.5)	59,485	50.7	(43.2-58.2)
65+	1,355	41.7	(29.5-54.9)	30,693	35.4	(28.3-43.1)
Race						
White, NH	4,285	51.0	(39.7-62.1)	107,458	43.1	(37.5-48.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,879	43.4	(27.1-61.2)	61,413	43.8	(35.7-52.3)
female	2,484	55.5	(41.3-68.9)	67,402	45.2	(39.0-51.7)
Age-adjusted ^{&}		46.9^	(32.4-61.8)		46.0	(39.6-52.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,500	62.4	(54.5-69.6)	722,740	63.3	(60.2-66.3)
Age						
18-24		#		62,859	37.5	(28.0-48.1)
25-34		#		99,799	62.2	(54.6-69.4)
35-44		#		108,030	67.5	(59.7-74.4)
45-64	9,170	75.2	(67.0-81.9)	288,771	71.2	(67.0-75.0)
65+	4,952	67.4	(58.7-75.0)	158,839	67.0	(62.2-71.4)
Race						
White, NH	20,410	62.1	(54.0-69.7)	598,637	62.3	(58.9-65.6)
Black, NH		#		68,129	79.2	(70.8-85.6)
Hispanic		#		38,608	69.4	(53.9-81.4)
Other, NH		#		17,366	45.8^	(31.3-61.0)
Sex						
male	11,421	60.4	(47.9-71.7)	393,334	68.6	(63.5-73.3)
female	11,079	64.5	(55.4-72.6)	329,405	58.1	(54.3-61.8)
Age-adjusted ^{&}		63.2	(55.7-70.1)		63.7	(60.8-66.5)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,071	75.3	(69.2-80.6)	877,451	74.4	(72.0-76.6)
Age						
18-24		#		133,667	80.7	(72.8-86.7)
25-34		#		131,249	77.7	(70.8-83.4)
35-44		#		125,180	75.1	(68.8-80.5)
45-64	9,640	74.9	(66.6-81.7)	307,351	72.9	(69.1-76.4)
65+	4,729	62.7	(54.0-70.6)	171,171	70.2	(65.6-74.4)
Race						
White, NH	25,262	75.4	(69.3-80.6)	756,817	76.5	(74.1-78.7)
Black, NH		#		50,618	58.2	(48.0-67.8)
Hispanic		#		37,543	64.1	(49.9-76.2)
Other, NH		#		32,474	72.6	(56.3-84.5)
Sex						
male	14,337	77.4	(66.8-85.4)	439,933	77.0	(73.4-80.2)
female	13,735	73.3	(66.0-79.6)	437,519	72.0	(68.8-74.9)
Age-adjusted ^{&}		76.9	(71.1-81.9)		74.8	(72.4-77.0)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,583	25.9	(19.9-32.9)	301,463	26.2	(23.3-29.3)
Age						
18-24		#		75,402	45.9^	(34.2-58.1)
25-34		#		55,078	34.3	(27.2-42.1)
35-44		#		44,593	27.4	(21.4-34.3)
45-64	2,749	21.6	(15.1-29.8)	95,213	23.0	(19.4-27.0)
65+	1,388	18.6	(12.6-26.6)	28,279	11.9	(9.4-15.1)
Race						
White, NH	8,221	24.7	(18.8-31.7)	228,879	23.6	(20.6-27.0)
Black, NH		#		38,316	47.1	(36.9-57.6)
Hispanic		#		23,181	39.9^	(26.4-55.1)
Other, NH		#		11,087	25.0^	(14.1-40.4)
Sex						
male	5,625	30.6	(21.0-42.3)	189,430	34.0	(29.1-39.3)
female	3,958	21.2	(14.9-29.4)	112,033	18.9	(16.3-21.7)
Age-adjusted ^{&}		23.2	(17.7-29.9)		27.1	(24.3-30.0)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,195	6.0	(3.0-11.4)	77,073	6.7	(5.5-8.3)
Age						
18-24		#		14,257	8.8	(5.2-14.3)
25-34		#		14,510	9.0	(5.3-14.9)
35-44		#		20,808	12.8	(8.0-19.9)
45-64		#		19,934	4.8	(3.5-6.8)
65+		#		7,263	3.1	(1.8-5.2)
Race						
White, NH	1,887	5.7	(2.7-11.7)	56,907	5.9	(4.6-7.5)
Black, NH		#		12,107	15.3	(8.8-25.1)
Hispanic		#			#	
Other, NH		#		3,483	7.9^	(2.7-21.0)
Sex						
male		#		50,457	9.2	(7.0-11.8)
female		#		26,616	4.5	(3.1-6.5)
Age-adjusted ^{&}		4.8	(2.6-8.7)		7.6	(6.0-9.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes *



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,802	12.6	(9.3-16.7)	118,414	9.7	(8.3-11.4)
Age						
18-24		#			#	
25-34		#		4,633	2.7	(1.1-6.2)
35-44		#		8,125	4.7	(2.8-7.8)
45-64	2,054	15.4	(9.2-24.6)	52,043	11.9	(9.1-15.5)
65+	2,581	33.4	(25.5-42.3)	48,493	19.5	(16.1-23.4)
Race						
White, NH	3,896	11.3	(8.3-15.3)	92,279	9.1	(7.7-10.6)
Black, NH		#		16,081	17.4	(11.2-26.0)
Hispanic		#		2,951	4.9	(2.2-10.7)
Other, NH		#		7,104	15.7	(4.4-43.0)
Sex						
male	2,598	13.5	(8.4-20.9)	58,629	10.0	(7.8-12.8)
female	2,204	11.6	(8.2-16.3)	59,785	9.5	(7.9-11.5)
Age-adjusted ^{&}		11.0	(8.4-14.4)		8.7	(7.5-10.1)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,981	26.8	(20.7-33.8)	247,835	20.8	(18.8-23.0)
Age						
18-24		#		25,309	14.9	(9.9-21.7)
25-34		#		56,094	32.7	(25.8-40.4)
35-44		#		38,389	22.9	(18.1-28.6)
45-64	3,417	26.5	(19.4-35.2)	107,073	25.2	(21.7-29.1)
65+	698	9.3	(5.3-15.7)	20,570	8.4	(6.2-11.3)
Race						
White, NH	8,071	24.1	(18.4-30.8)	189,505	19.0	(16.9-21.3)
Black, NH		#		34,273	38.2	(29.0-48.3)
Hispanic		#		18,226	31.1	(19.3-46.1)
Other, NH		#		5,830	13.1	(7.7-21.6)
Sex						
male	5,378	28.8	(19.5-40.2)	126,440	22.0	(18.8-25.7)
female	4,603	24.7	(17.7-33.4)	121,395	19.7	(17.2-22.5)
Age-adjusted ^{&}		28.1	(21.6-35.7)		21.9	(19.7-24.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,135	42.2	(30.7-54.6)	97,449	31.1	(26.5-36.0)
Age						
18-24		#		11,645	24.5	(13.0-41.3)
25-34		#		24,473	45.0^	(31.7-59.0)
35-44		#		11,451	33.5	(22.8-46.2)
45-64		#		38,840	41.2	(33.3-49.5)
65+	565	17.9^	(9.5-31.2)	11,011	13.4	(8.4-20.7)
Race						
White, NH	2,924	34.4	(23.9-46.7)	67,100	28.5	(23.5-34.1)
Black, NH		#		22,273	50.8^	(37.9-63.6)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,687	41.4	(24.6-60.4)	49,706	34.0	(26.3-42.6)
female	2,449	42.8^	(28.1-58.9)	47,743	28.5	(23.5-34.2)
Age-adjusted ^{&}		51.8^	(39.7-63.7)		33.3	(28.6-38.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24		#		25,309	14.9	(9.9-21.7)
25-34 35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex		# # #		15,004	10.9 # # #	(6.7-17.3)
male female Age-adjusted+,&		#		17,008 8,301	15.9 13.1	(9.3-25.9) (7.0-23.0)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,095	73.6	(63.8-81.6)	196,724	83.1	(80.0-85.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,163	69.9	(59.9-78.2)	183,377	83.5	(80.2-86.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,095	73.6	(63.8-81.6)	196,724	83.1	(80.0-85.9)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		41,732	74.1	(66.1-80.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		37,146	74.6	(66.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		41,732	74.1	(66.1-80.8)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Allegany County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	12,253	83.6	(76.7-88.8)	360,599	83.2	(79.9-86.0)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	10,481	82.7	(75.2-88.2)	310,981	84.5	(81.0-87.4)	
Black, NH		#		23,632	75.8^	(58.9-87.3)	
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female	12,253	83.6	(76.7-88.8)	360,599	83.2	(79.9-86.0)	
Age-adjusted ^{+,&}							

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Allegany County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		80,264	76.6	(70.1-82.1)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		58,042	76.8	(69.5-82.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		80,264	76.6	(70.1-82.1)	
Age-adjusted+,&							

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,124	63.4	(55.0-71.0)	314,570	69.7	(66.0-73.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,691	60.4	(51.9-68.2)	284,419	70.9	(67.3-74.2)
Black, NH		#		21,964	75.7	(60.5-86.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,833	65.4	(52.3-76.5)	143,396	67.7	(61.6-73.3)
female	4,291	61.3	(50.3-71.2)	171,173	71.4	(67.0-75.5)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Allegany County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,453	62.0^	(47.5-74.7)	64,446	57.0	(48.7-65.0)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	1,993	60.9^	(45.9-74.1)	56,021	60.7	(52.9-68.1)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		26,654	48.3^	(35.9-60.9)	
female		#		37,792	65.3	(55.7-73.9)	
Age-adjusted+,&							

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,817	55.1	(47.1-62.9)	618,738	58.8	(55.6-61.9)
Age						
18-24		#		34,559	21.4	(15.2-29.4)
25-34		#		90,941	55.9	(48.1-63.4)
35-44		#		93,243	59.7	(52.1-66.9)
45-64	6,975	62.8^	(52.1-72.4)	252,542	68.7	(64.6-72.6)
65+	3,724	74.7	(64.2-82.9)	141,522	73.1	(67.7-77.9)
Race						
White, NH	16,768	56.9	(48.7-64.8)	522,976	59.1	(55.6-62.5)
Black, NH		#		45,591	61.3	(50.4-71.1)
Hispanic		#		33,895	59.7	(45.7-72.3)
Other, NH		#		16,276	44.7	(29.5-61.0)
Sex						
male	8,651	55.1	(42.2-67.4)	286,050	56.8	(51.6-61.9)
female	9,166	55.2	(45.4-64.6)	332,688	60.6	(56.8-64.2)
Age-adjusted ^{&}		57.1	(49.8-64.2)		59.1	(56.3-61.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,797	5.5	(2.5-11.3)	52,627	4.9	(3.9-6.1)
Age						
18-24		#			#	
25-34		#		7,276	4.3	(1.8-10.2)
35-44		#		5,652	3.5	(1.9-6.2)
45-64		#		19,280	5.1	(3.8-6.9)
65+		#		15,987	8.3	(5.9-11.4)
Race						
White, NH	1,205	4.0	(2.1-7.5)	46,288	5.1	(4.0-6.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,178	4.9	(3.3-7.0)
female	860	5.2	(2.6-10.0)	27,449	4.9	(3.8-6.2)
Age-adjusted ^{&}		6.7	(3.2-13.5)		4.7	(3.7-5.9)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Allegany County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,742	33.5	(27.6-39.9)	413,880	34.2	(31.6-36.8)
Age						
18-24		#		10,701	6.2	(3.5-10.8)
25-34		#		33,277	19.3	(13.5-26.8)
35-44		#		36,099	21.0	(15.2-28.3)
45-64	5,329	39.9	(31.3-49.2)	174,646	40.1	(36.0-44.3)
65+	4,717	61.9	(53.1-69.9)	155,613	62.7	(57.8-67.3)
Race						
White, NH	10,601	30.9	(25.3-37.0)	341,756	33.7	(31.1-36.5)
Black, NH		#		42,050	45.2	(35.9-54.8)
Hispanic		#		19,496	32.4	(19.3-49.0)
Other, NH		#		10,578	23.4	(10.1-45.3)
Sex						
male	7,158	37.4	(27.8-48.1)	209,209	35.8	(31.7-40.1)
female	5,584	29.5	(23.2-36.6)	204,672	32.6	(29.7-35.8)
Age-adjusted ^{&}		32.1	(26.2-38.8)		31.6	(29.2-34.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,853	77.7^	(65.8-86.3)	319,214	77.2	(72.7-81.2)
Age						
18-24		#			#	
25-34		#		10,589	31.8^	(15.4-54.5)
35-44		#		15,924	44.1	(28.5-60.9)
45-64	4,210	79.0^	(65.5-88.2)	140,590	80.5	(73.1-86.3)
65+	4,355	93.6	(86.2-97.2)	146,293	94.3	(90.8-96.5)
Race						
White, NH	8,764	83.2	(74.2-89.4)	275,448	80.7	(76.9-84.0)
Black, NH		#		33,258	79.1^	(66.1-88.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,266	73.6	(54.9-86.4)	148,316	71.0	(63.6-77.5)
female	4,587	83.1	(70.0-91.2)	170,898	83.6	(78.7-87.5)
Age-adjusted ^{&}		66.1^	(49.3-79.6)		59.2	(52.6-65.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Allegany County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,794	10.0	(6.1-16.0)	138,193	11.4	(9.9-13.2)
Age						
18-24		#		12,912	7.6	(4.8-12.0)
25-34		#		22,985	13.3	(9.1-18.9)
35-44		#		26,223	15.3	(11.2-20.6)
45-64	1,043	7.8	(4.5-13.1)	55,491	12.8	(10.1-16.1)
65+	563	7.4	(4.6-11.8)	20,540	8.3	(6.2-11.0)
Race						
White, NH	3,768	11.0	(6.7-17.5)	109,339	10.8	(9.2-12.6)
Black, NH		#		12,253	13.5	(8.2-21.4)
Hispanic		#		10,362	17.4^	(10.0-28.4)
Other, NH		#		6,238	13.8^	(6.7-26.3)
Sex						
male	1,459	7.6	(2.9-18.7)	46,098	7.9	(6.1-10.2)
female	2,335	12.3	(7.2-20.4)	92,095	14.7	(12.5-17.3)
Age-adjusted ^{&}		8.5	(5.6-12.7)		12.0	(10.4-13.9)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,193	84.4	(76.3-90.1)	996,592	84.1	(81.1-86.7)
Age						
18-24		#		69,246	41.9	(31.4-53.3)
25-34		#		120,610	73.5	(66.5-79.4)
35-44		#		147,897	89.7	(84.5-93.4)
45-64	12,740	95.7	(90.4-98.1)	403,910	93.3	(90.2-95.4)
65+	7,562	98.8	(96.3-99.6)	242,950	98.7	(97.6-99.3)
Race						
White, NH	27,284	85.1	(76.5-91.0)	848,158	85.5	(82.2-88.4)
Black, NH		#		71,883	78.5	(69.1-85.5)
Hispanic		#		47,340	79.8^	(68.7-87.7)
Other, NH		#		29,211	68.2	(46.7-84.0)
Sex						
male	14,905	83.6	(68.7-92.3)	465,998	81.5	(76.1-86.0)
female	15,288	85.1	(76.3-91.0)	530,594	86.4	(83.6-88.9)
Age-adjusted ^{&}		83.2	(75.9-88.6)		83.2	(80.9-85.3)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,563	42.1	(35.5-49.0)	398,531	40.4	(37.6-43.3)
Age						
18-24		#		13,007	19.2^	(8.0-39.4)
25-34		#		21,955	18.3^	(10.3-30.3)
35-44		#		39,377	27.2	(20.2-35.4)
45-64	6,153	48.3	(38.7-58.0)	185,641	46.1	(41.9-50.4)
65+	4,220	57.0	(48.2-65.5)	133,691	55.9	(50.9-60.8)
Race						
White, NH	10,555	39.2	(33.0-45.8)	351,251	41.7	(38.7-44.9)
Black, NH		#		24,985	36.0^	(26.3-47.0)
Hispanic		#		12,979	27.4^	(15.9-43.0)
Other, NH		#		9,315	34.2	(19.8-52.1)
Sex						
male	6,808	46.3	(36.1-56.8)	196,109	42.4	(38.0-47.0)
female	5,754	38.0	(29.7-47.2)	202,422	38.6	(35.1-42.3)
Age-adjusted ^{&}		35.8	(28.4-44.0)		35.1	(31.6-38.7)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,452	12.1	(7.8-18.4)	65,957	10.3	(8.4-12.7)
Age						
18-24		#			#	
25-34		#		6,722	9.0^	(3.5-21.0)
35-44		#		3,602	5.2	(2.5-10.7)
45-64	916	11.4	(5.4-22.6)	23,932	9.2	(6.5-12.8)
65+	811	13.1	(7.5-21.8)	29,019	14.9	(11.2-19.4)
Race						
White, NH	1,984	11.0	(6.8-17.3)	53,929	10.0	(7.9-12.5)
Black, NH		#		7,467	15.6^	(8.4-27.0)
Hispanic		#			#	
Other, NH		#		3,596	19.2^	(6.3-45.6)
Sex						
male		#		29,830	10.2	(7.3-14.0)
female	1,417	14.2	(8.6-22.8)	36,128	10.4	(7.9-13.6)
Age-adjusted ^{&}		14.6	(7.8-25.6)		9.0	(6.9-11.7)

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with arthritis*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,245	24.3	(19.8-29.4)	320,398	26.4	(24.2-28.8)
Age						
18-24		#			#	
25-34		#		18,912	10.9	(5.5-20.4)
35-44		#		25,812	15.0	(11.1-20.1)
45-64	5,024	37.6	(29.1-46.9)	143,574	33.0	(29.4-36.8)
65+	3,890	50.6	(41.9-59.3)	126,586	51.1	(46.4-55.9)
Race						
White, NH	8,360	24.3	(19.8-29.6)	285,993	28.2	(25.7-30.8)
Black, NH		#		16,561	17.8	(11.8-26.0)
Hispanic		#		10,492	17.4^	(10.6-27.5)
Other, NH		#		7,352	16.4^	(8.8-28.6)
Sex						
male	4,230	22.0	(15.6-30.2)	115,944	19.9	(17.1-22.9)
female	5,014	26.6	(20.9-33.2)	204,454	32.6	(29.4-35.9)
Age-adjusted ^{&}		21.4	(18.2-25.1)		24.1	(22.0-26.3)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	34,172	91.9	(85.7-95.6)	1,071,115	92.7	(90.9-94.1)
Age						
18-24		#		147,175	89.8	(80.7-94.9)
25-34		#		150,577	90.8	(85.7-94.2)
35-44		#		155,303	95.2	(92.2-97.0)
45-64	12,281	95.7	(89.7-98.3)	383,623	92.8	(90.2-94.7)
65+	7,082	94.1	(89.5-96.8)	222,347	93.7	(90.4-96.0)
Race						
White, NH	31,875	95.3	(90.9-97.6)	916,932	94.4	(92.8-95.7)
Black, NH		#		69,802	81.6	(71.7-88.6)
Hispanic		#		47,547	82.9^	(69.3-91.2)
Other, NH		#		36,834	87.1^	(74.3-94.0)
Sex						
male	17,470	94.5	(83.0-98.4)	520,960	93.1	(90.1-95.2)
female	16,702	89.4	(80.2-94.5)	550,155	92.3	(90.2-93.9)
Age-adjusted ^{&}		91.2	(83.3-95.6)		92.7	(91.0-94.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,589	34.3	(26.6-43.0)	60,568	25.3	(21.3-29.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,318	33.7	(25.9-42.4)	56,868	25.4	(21.2-30.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,251	34.6	(22.7-48.7)	29,073	28.5	(21.6-36.5)
female	1,339	34.1	(24.7-45.0)	31,495	22.9	(18.4-28.1)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,144	44.4^	(30.8-58.9)	24,648	40.9^	(31.5-51.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,092	47.3	(33.0-62.1)	23,554	41.6	(31.8-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		9,821	33.9^	(20.1-51.0)
female		#		14,827	47.4	(35.8-59.2)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,922	31.7	(23.6-41.1)	142,965	35.7	(31.7-40.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,569	32.0	(23.8-41.4)	107,393	31.2	(27.5-35.1)
Black, NH		#		17,645	62.2	(45.9-76.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,137	35.8	(23.3-50.6)	87,478	46.3	(39.7-53.1)
female	1,785	27.9^	(18.6-39.5)	55,487	26.3	(22.0-31.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,751	39.5	(33.2-46.3)	564,930	48.4	(45.4-51.3)
Age						
18-24		#		43,594	26.5	(18.0-37.1)
25-34		#		60,600	36.6	(28.5-45.5)
35-44		#		65,045	39.6	(32.2-47.4)
45-64	5,018	39.0	(30.3-48.4)	203,704	48.6	(44.4-52.8)
65+	5,337	70.0	(61.5-77.3)	184,502	76.4	(72.3-80.1)
Race						
White, NH	13,718	40.9	(34.2-47.9)	476,222	48.6	(45.4-51.8)
Black, NH		#		39,547	46.9^	(37.0-57.0)
Hispanic		#		33,195	57.1^	(43.1-70.0)
Other, NH		#		15,967	35.9	(22.2-52.4)
Sex						
male	6,272	33.8	(25.0-43.8)	254,448	45.0	(40.4-49.7)
female	8,479	45.3	(36.9-53.9)	310,483	51.6	(48.0-55.1)
Age-adjusted ^{&}		39.2	(32.9-45.9)		46.3	(43.3-49.3)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,337	70.0	(61.5-77.3)	184,502	76.4	(72.3-80.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,839	69.5	(61.2-76.8)	172,930	76.7	(72.4-80.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,754	74.9	(61.8-84.6)	82,045	79.3	(72.5-84.8)
female	2,582	65.5	(54.2-75.3)	102,457	74.3	(68.8-79.0)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,373	72.2	(63.9-79.3)	173,650	76.2	(72.0-80.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,875	71.9	(63.8-78.8)	165,973	78.1	(74.1-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,604	72.6	(59.6-82.6)	62,208	68.3	(60.3-75.3)
female	2,769	71.9^	(60.6-81.0)	111,442	81.5	(77.2-85.1)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,491	65.9^	(49.7-79.1)	160,792	71.3	(65.3-76.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,307	60.3	(43.1-75.3)	133,550	73.5	(67.1-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,491	65.9	(49.7-79.1)	160,792	71.3	(65.3-76.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,000	75.4^	(61.1-85.7)	187,734	74.7	(69.2-79.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,816	71.1	(55.3-83.0)	145,709	73.3	(67.1-78.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	6,000	75.4^	(61.1-85.7)	187,734	74.7	(69.2-79.5)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	All	egany Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,816	85.9^	(75.0-92.5)	422,644	89.6	(86.8-91.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	11,149	86.9^	(76.5-93.1)	355,498	89.9	(86.8-92.4)
Black, NH		#		34,857	89.5	(79.8-94.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	12,816	85.9^	(75.0-92.5)	422,644	89.6	(86.8-91.8)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,535	56.8^	(40.5-71.7)	118,151	52.1	(45.5-58.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,722	54.7	(37.7-70.7)	97,727	54.4	(47.0-61.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	4,535	56.8	(40.5-71.7)	118,151	52.1	(45.5-58.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month




	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,074	11.1	(7.9-15.3)	131,217	11.0	(9.4-13.0)
Age						
18-24		#		21,607	12.7	(6.9-22.3)
25-34		#		22,212	13.2	(8.4-20.2)
35-44		#		25,931	15.4	(10.9-21.2)
45-64	2,249	17.3	(11.0-26.1)	44,951	10.5	(8.5-13.1)
65+	598	8.1	(4.5-13.9)	16,476	6.8	(5.0-9.2)
Race						
White, NH	3,810	11.5	(8.1-15.9)	108,718	10.9	(9.0-13.0)
Black, NH		#		14,244	15.8	(9.9-24.4)
Hispanic		#		5,382	9.6	(4.8-18.3)
Other, NH		#		2,874	6.5	(3.2-12.5)
Sex						
male	1,998	10.8	(6.2-18.3)	59,832	10.4	(7.9-13.6)
female	2,077	11.3	(7.6-16.5)	71,386	11.6	(9.5-14.0)
Age-adjusted ^{&}		12.2	(8.5-17.1)		11.7	(9.9-13.9)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Allegany County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,962	16.1	(11.4-22.4)	205,623	17.6	(15.7-19.8)
Age						
18-24		#		43,355	25.9	(18.7-34.7)
25-34		#		42,241	25.2	(19.7-31.6)
35-44		#		38,381	23.2	(17.0-31.0)
45-64	1,630	12.7	(8.0-19.6)	67,364	16.2	(13.3-19.5)
65+	512	6.7	(3.6-12.2)	12,994	5.5	(3.7-8.1)
Race						
White, NH	4,934	14.9	(10.4-20.7)	175,202	17.9	(15.8-20.3)
Black, NH		#		21,921	25.3^	(17.1-35.7)
Hispanic		#		4,271	7.5	(3.4-15.7)
Other, NH		#		4,228	9.6	(4.7-18.5)
Sex						
male	4,460	24.0^	(15.5-35.0)	127,670	22.7	(19.5-26.3)
female	1,503	8.2	(4.8-13.6)	77,952	12.9	(10.5-15.7)
Age-adjusted ^{&}		16.8	(11.9-23.2)		18.8	(16.5-21.3)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Allegany County			Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	1,905	47.1	(30.9-64.0)	49,115	38.3	(30.3-47.0)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		10,514	43.8^	(27.4-61.8)	
45-64		#		16,205	36.3	(26.8-47.1)	
65+		#		1,696	10.7	(4.0-25.6)	
Race							
White, NH	1,687	44.6	(28.5-62.0)	35,020	32.8	(24.4-42.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		25,581	43.6	(30.1-58.1)	
female		#		23,535	33.8	(25.1-43.8)	
Age-adjusted ^{&}		42.2	(25.9-60.5)		38.0	(31.2-45.2)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).