eBRFSS 2013-2014 Health Indicators: Cattaraugus

General Description	
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screen	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer scree	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni	ng based on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ng based on recent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ng based on recent 29 30 31
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ng based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ng based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ng based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ng based on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ng based on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ng based on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	ng based on recent 29 30 31 32 33 34 35 36 37
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ng based on recent 29 30 31 32 33 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment	ng based on recent 29 30 31 32 33 34 35 36 37 38 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 43
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 43 44 45
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 54 years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year Percentage of adults aged 55+ years with flu immunization in the past year	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 41 42 42 43 44 45 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 41 42 42 42 42 43 44 44 45 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 44 45 46 46 47 48
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with colesterol checked Percentage of adults with current asthma Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had helth care coverage Percentage of women aged 18-44 years who had helth	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 44 45 46 46 46 47 48 49 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 39 40 41 41 42 42 43 44 45 44 45 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screeni guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with colesterol checked Percentage of adults with colesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 43 44 42 43 44 45 44 45 46 46 47 48 49 50 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



Cattaraugus County

Western NY

	Catt	araugus co	Juncy		western	• •
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,848	16.3	(10.1-25.1)	111,076	9.2	(7.7-10.8)
Age			. ,			. ,
18-24		#		16,858	9.8	(4.9-18.5)
25-34		#		25,019	14.6	(9.8-21.3)
35-44		#		18,404	10.7	(7.7-14.7)
45-64	2,621	11.5	(6.7-19.1)	44,281	10.2	(8.2-12.5)
65+		#		6,309	2.5	(1.5-4.1)
Race						
White, NH	6,715	12.4	(8.2-18.3)	88,308	8.7	(7.2-10.6)
Black, NH		#		12,547	13.6	(8.4-21.3)
Hispanic		#		7,904	13.2	(7.5-22.4)
Other, NH		#		2,317	5.1	(2.5-10.1)
Sex						
male	5,092	17.4	(7.9-34.0)	54,343	9.3	(7.0-12.3)
female	4,755	15.2	(8.9-24.7)	56,733	9.1	(7.5-10.9)
Age-adjusted ^{&}		17.9	(11.4-27.1)		9.8	(8.2-11.6)


* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Cattaraugus Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	52,901	86.5	(77.5-92.3)	1,066,548	88.1	(86.1-89.9)
Age						
18-24		#		127,756	74.5^	(64.0-82.7)
25-34		#		142,488	82.2	(76.7-86.6)
35-44		#		148,338	86.9	(81.1-91.1)
45-64	21,088	92.7	(87.5-95.8)	394,413	91.1	(88.5-93.1)
65+	12,411	97.7	(93.3-99.2)	240,905	96.8	(95.0-98.0)
Race						
White, NH	48,683	89.7	(84.0-93.6)	910,266	89.8	(87.7-91.6)
Black, NH		#		72,546	78.8	(69.0-86.2)
Hispanic		#		46,457	77.2^	(64.9-86.2)
Other, NH		#		37,279	83.4^	(71.6-90.9)
Sex						
male	23,519	78.7^	(63.0-88.9)	480,509	82.2	(78.5-85.4)
female	29,382	94.0	(87.0-97.3)	586,040	93.6	(91.9-95.0)
Age-adjusted ^{&}		84.7	(76.1-90.5)		87.4	(85.2-89.2)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	36,675	62.8	(55.4-69.7)	815,757	72.0	(69.5-74.4)
Age						
18-24		#		111,937	72.2	(62.3-80.3)
25-34		#		104,276	65.3	(57.4-72.5)
35-44		#		116,739	73.5	(66.6-79.5)
45-64	12,823	59.7^	(49.4-69.2)	302,588	73.5	(69.9-76.8)
65+	6,913	58.1	(48.4-67.2)	169,803	72.1	(67.5-76.3)
Race						
White, NH	31,750	61.6	(54.3-68.4)	696,981	73.0	(70.4-75.5)
Black, NH		#		48,534	62.2^	(51.5-71.9)
Hispanic		#		39,253	69.8^	(56.2-80.6)
Other, NH		#		30,989	69.9^	(54.2-82.0)
Sex						
male	17,533	61.4	(50.1-71.5)	385,171	70.1	(66.0-74.0)
female	19,142	64.2^	(54.1-73.1)	430,585	73.8	(70.7-76.6)
Age-adjusted ^{&}		61.8	(54.4-68.8)		71.6	(68.9-74.2)


Í

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	18,449	30.8	(24.8-37.5)	300,934	25.0	(22.8-27.4)
Age						
18-24		#		21,109	12.4	(7.0-21.1)
25-34		#		32,454	19.0	(13.1-26.6)
35-44		#		32,720	19.3	(14.1-25.9)
45-64	7,546	34.3	(25.8-44.0)	123,509	28.7	(25.1-32.5)
65+	5,590	44.9	(35.4-54.7)	89,167	36.1	(31.7-40.7)
Race						
White, NH	14,542	27.4	(22.1-33.4)	259,812	25.8	(23.3-28.5)
Black, NH		#		19,801	22.0	(15.4-30.5)
Hispanic		#		12,927	21.7^	(13.6-32.9)
Other, NH		#		8,395	18.7^	(10.7-30.6)
Sex						
male	8,218	27.7	(19.7-37.3)	141,203	24.3	(20.8-28.3)
female	10,231	33.8	(25.4-43.3)	159,731	25.7	(22.9-28.7)
Age-adjusted ^{&}		30.7	(24.9-37.2)		24.0	(21.7-26.5)

Í


* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Cattaraugus Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	37,912	80.2^	(69.3-87.8)	823,035	87.2	(84.7-89.3)
White, NH Black, NH Hispanic Other, NH Sex male female	35,236 18,133 19,779	84.6 # # 75.1 [^] 85.4 [^]	(77.2-90.0) (56.9-87.3) (74.8-92.0)	674,524 68,376 46,078 34,057 400,391 422,644	88.0 82.4 79.4 [^] 93.3 84.8 89.6	(85.2-90.3) (73.1-89.0) (66.7-88.1) (84.4-97.3) (80.5-88.3) (86.8-91.8)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	30,873	64.9^	(54.8-73.8)	713,093	75.2	(72.3-77.9)
White, NH Black, NH Hispanic Other, NH Sex male female	29,020 13,506 17,367	68.6 # # 55.9 [^] 74.2 [^]	(59.9-76.3) (41.4-69.5) (62.0-83.5)	580,918 66,769 43,398 22,009 332,817 380,276	75.4 80.1 [^] 75.9 [^] 58.8 [^] 70.2 80.1	(72.2-78.3) (70.0-87.4) (63.1-85.3) (38.3-76.7) (65.5-74.6) (76.7-83.0)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	18,776	33.0	(25.6-41.2)	362,546	32.8	(30.1-35.6)
Age						
18-24		#		41,076	29.1^	(20.6-39.4)
25-34		#		73,260	46.0	(37.8-54.5)
35-44		#		58,390	37.4	(30.9-44.4)
45-64	6,072	28.5	(20.9-37.6)	141,359	35.2	(31.1-39.4)
65+	2,977	25.2	(16.6-36.2)	46,422	19.6	(15.9-23.9)
Race						
White, NH	15,056	30.0	(23.9-36.8)	275,138	29.5	(26.8-32.4)
Black, NH		#		44,647	53.4^	(42.9-63.5)
Hispanic		#		22,006	46.5^	(33.0-60.5)
Other, NH		#		20,755	47.6^	(30.8-64.9)
Sex						
male	11,210	40.0^	(28.0-53.2)	160,510	29.9	(25.8-34.3)
female	7,566	26.2	(19.3-34.5)	202,036	35.5	(32.0-39.1)
Age-adjusted ^{&}		34.6	(26.8-43.3)		34.2	(31.4-37.1)

T


* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	17,100	28.6	(21.6-36.9)	246,116	21.0	(18.7-23.5)
Age						
18-24		#		38,217	23.4	(16.1-32.7)
25-34		#		51,496	30.6	(22.8-39.5)
35-44		#		38,805	23.7	(18.4-29.9)
45-64	5,222	23.6	(16.4-32.8)	90,979	21.7	(18.3-25.6)
65+	2,313	18.8^	(10.6-31.0)	25,712	10.6	(8.0-13.9)
Race						
White, NH	12,929	24.5	(18.8-31.1)	181,689	18.5	(16.2-21.1)
Black, NH		#		29,550	34.3^	(25.4-44.3)
Hispanic		#		18,344	31.8^	(21.1-44.9)
Other, NH		#		16,533	36.8^	(21.0-55.9)
Sex						
male	9,064	31.0^	(19.6-45.2)	113,695	20.0	(16.3-24.2)
female	8,036	26.4	(19.2-35.2)	132,421	22.0	(19.4-24.9)
Age-adjusted ^{&}		31.3	(24.0-39.7)		22.1	(19.6-24.8)

T


* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



Cattaraugus County	

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	4,175	6.9	(4.3-10.9)	59,362	4.9	(3.9-6.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,973	3.5	(2.0-6.0)
45-64	1,531	6.7	(3.0-14.3)	30,602	7.1	(5.1-9.6)
65+	1,127	8.9	(4.1-18.0)	17,350	7.0	(4.8-10.2)
Race						
White, NH	3,923	7.3	(4.4-11.7)	49,277	4.9	(3.8-6.3)
Black, NH		#		5,176	5.6	(2.6-11.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,609	5.4	(2.6-11.1)	27,901	4.8	(3.3-6.9)
female	2,566	8.2	(4.4-14.8)	31,461	5.0	(3.7-6.8)
Age-adjusted ^{&}		7.2	(4.3-11.9)		4.6	(3.6-5.8)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	7,896	13.2	(9.6-17.9)	159,607	13.5	(11.8-15.3)
Age						
18-24		#		9,020	5.3	(2.7-10.2)
25-34		#		13,051	7.7	(4.2-13.4)
35-44		#		21,720	12.9	(8.6-18.8)
45-64	3,585	16.1	(10.1-24.8)	75,885	17.9	(15.0-21.4)
65+	2,228	17.9	(11.4-27.1)	38,971	16.3	(12.9-20.3)
Race						
White, NH	6,920	12.9	(9.6-17.3)	131,797	13.3	(11.4-15.3)
Black, NH		#		16,150	17.8	(11.6-26.3)
Hispanic		#		5,447	9.6	(4.9-17.8)
Other, NH		#		6,214	14.1^	(7.2-25.8)
Sex						
male	3,407	11.5	(7.3-17.7)	63,069	11.0	(8.7-13.7)
female	4,489	14.8	(9.5-22.4)	96,538	15.8	(13.4-18.5)
Age-adjusted ^{&}		12.6	(9.0-17.3)		13.0	(11.3-15.0)

I


* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Cattaraugus Prevent Chronic Diseases

Percentage of adults who are obese*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	19,418	33.6	(27.1-40.7)	344,412	30.2	(27.7-32.8)
Age						
18-24		#		28,877	17.2	(11.7-24.7)
25-34		#		46,414	28.9	(21.7-37.5)
35-44		#		61,451	38.4	(31.3-46.1)
45-64	8,095	38.1	(29.6-47.5)	146,722	36.2	(32.3-40.2)
65+	4,328	36.1^	(26.7-46.7)	60,875	25.7	(21.5-30.3)
Race						
White, NH	17,663	34.0	(27.6-41.1)	272,632	28.4	(25.7-31.2)
Black, NH		#		40,228	46.7^	(36.9-56.8)
Hispanic		#		20,797	37.4^	(25.4-51.1)
Other, NH		#		10,754	28.3^	(16.6-44.0)
Sex						
male	8,781	29.7^	(21.2-39.9)	178,617	31.1	(27.3-35.2)
female	10,638	37.5^	(28.5-47.6)	165,795	29.2	(26.1-32.5)
Age-adjusted ^{&}		33.5	(27.4-40.3)		31.1	(28.5-33.9)

Í


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



Cattaraugus County

Western NY

	Catta		Juncy		western	• •
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,305	39.9^	(26.9-54.4)	104,583	35.5	(30.9-40.3)
Age						
18-24		#		8,384	18.0^	(8.9-33.0)
25-34		#		16,598	35.7^	(24.1-49.2)
35-44		#		19,177	61.3^	(48.2-73.0)
45-64		#		38,181	43.0	(35.8-50.5)
65+	1,532	33.1^	(21.4-47.4)	22,243	27.3	(20.7-35.1)
Race						
White, NH	7,020	47.8^	(35.5-60.3)	74,570	33.0	(28.0-38.4)
Black, NH		#		15,662	38.9^	(26.9-52.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,890	29.8^	(14.3-51.8)	44,600	31.5	(24.9-39.0)
female	4,416	51.2^	(36.3-65.9)	59,983	39.1	(33.3-45.2)
Age-adjusted ^{&}		43.7	(33.0-55.0)		39.8	(35.2-44.6)


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese^{*}



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	8,124	47.2^	(35.9-58.7)	128,816	44.6	(39.4-49.8)
Age						
18-24		#			#	
25-34		#		14,398	45.5^	(26.9-65.4)
35-44		#		18,864	60.6^	(43.0-75.9)
45-64	4,021	61.7^	(45.3-75.8)	59,485	50.7	(43.2-58.2)
65+	2,012	37.3^	(21.8-56.0)	30,693	35.4	(28.3-43.1)
Race						
White, NH	6,788	48.5^	(37.5-59.7)	107,458	43.1	(37.5-48.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,051	38.3	(23.7-55.3)	61,413	43.8	(35.7-52.3)
female	5,073	54.8^	(38.8-69.9)	67,402	45.2	(39.0-51.7)
Age-adjusted ^{&}		47.1	(33.4-61.1)		46.0	(39.6-52.6)

1


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults overweight or obese*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	39,441	68.2	(60.1-75.2)	722,740	63.3	(60.2-66.3)
Age						
18-24		#		62,859	37.5^	(28.0-48.1)
25-34		#		99,799	62.2	(54.6-69.4)
35-44		#		108,030	67.5	(59.7-74.4)
45-64	17,205	81.1	(73.5-86.9)	288,771	71.2	(67.0-75.0)
65+	8,914	74.4	(66.4-81.1)	158,839	67.0	(62.2-71.4)
Race						
White, NH	35,166	67.8	(59.8-74.8)	598,637	62.3	(58.9-65.6)
Black, NH		#		68,129	79.2	(70.8-85.6)
Hispanic		#		38,608	69.4^	(53.9-81.4)
Other, NH		#		17,366	45.8^	(31.3-61.0)
Sex						
male	21,529	72.9^	(61.2-82.1)	393,334	68.6	(63.5-73.3)
female	17,912	63.2^	(52.1-73.1)	329,405	58.1	(54.3-61.8)
Age-adjusted ^{&}		66.3	(57.9-73.8)		63.7	(60.8-66.5)

I


* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	44,997	76.0	(69.9-81.2)	877,451	74.4	(72.0-76.6)
Age						
18-24		#		133,667	80.7	(72.8-86.7)
25-34		#		131,249	77.7	(70.8-83.4)
35-44		#		125,180	75.1	(68.8-80.5)
45-64	16,556	74.8	(65.7-82.1)	307,351	72.9	(69.1-76.4)
65+	7,635	61.3	(51.8-70.0)	171,171	70.2	(65.6-74.4)
Race						
White, NH	39,532	74.6	(68.3-80.0)	756,817	76.5	(74.1-78.7)
Black, NH		#		50,618	58.2	(48.0-67.8)
Hispanic		#		37,543	64.1^	(49.9-76.2)
Other, NH		#		32,474	72.6^	(56.3-84.5)
Sex						
male	22,723	79.2	(71.2-85.5)	439,933	77.0	(73.4-80.2)
female	22,274	72.9	(63.8-80.5)	437,519	72.0	(68.8-74.9)
Age-adjusted ^{&}		77.9	(72.1-82.8)		74.8	(72.4-77.0)

Í


* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	18,457	31.3	(23.6-40.2)	301,463	26.2	(23.3-29.3)
Age						
18-24		#		75,402	45.9^	(34.2-58.1)
25-34		#		55,078	34.3	(27.2-42.1)
35-44		#		44,593	27.4	(21.4-34.3)
45-64	4,357	20.3^	(12.8-30.6)	95,213	23.0	(19.4-27.0)
65+	1,867	15.3	(9.3-24.0)	28,279	11.9	(9.4-15.1)
Race						
White, NH	15,311	29.4	(22.4-37.4)	228,879	23.6	(20.6-27.0)
Black, NH		#		38,316	47.1^	(36.9-57.6)
Hispanic		#		23,181	39.9^	(26.4-55.1)
Other, NH		#		11,087	25.0^	(14.1-40.4)
Sex						
male	12,812	44.6^	(32.6-57.2)	189,430	34.0	(29.1-39.3)
female	5,645	18.7^	(11.4-29.0)	112,033	18.9	(16.3-21.7)
Age-adjusted ^{&}		33.1	(25.8-41.4)		27.1	(24.3-30.0)

Í


* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



Cattaraugus County	W

Nestern NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	4,559	7.8	(4.0-14.8)	77,073	6.7	(5.5-8.3)
Age						
18-24		#		14,257	8.8	(5.2-14.3)
25-34		#		14,510	9.0	(5.3-14.9)
35-44		#		20,808	12.8	(8.0-19.9)
45-64	1,352	6.3	(2.9-13.5)	19,934	4.8	(3.5-6.8)
65+		#		7,263	3.1	(1.8-5.2)
Race						
White, NH	4,559	8.9	(4.6-16.6)	56,907	5.9	(4.6-7.5)
Black, NH		#		12,107	15.3	(8.8-25.1)
Hispanic		#			#	
Other, NH		#		3,483	7.9^	(2.7-21.0)
Sex						
male	3,216	11.2	(4.9-23.9)	50,457	9.2	(7.0-11.8)
female		#		26,616	4.5	(3.1-6.5)
Age-adjusted ^{&}		7.6	(4.1-13.9)		7.6	(6.0-9.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



Cattaraugus County

Western NY

	Cart		Janey		Western P	••
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,796	11.1	(8.1-15.1)	118,414	9.7	(8.3-11.4)
Age						
18-24		#			#	
25-34		#		4,633	2.7	(1.1-6.2)
35-44		#		8,125	4.7	(2.8-7.8)
45-64	2,931	12.9	(7.6-20.9)	52,043	11.9	(9.1-15.5)
65+	3,575	27.9	(20.1-37.3)	48,493	19.5	(16.1-23.4)
Race						
White, NH	5,826	10.7	(7.7-14.8)	92,279	9.1	(7.7-10.6)
Black, NH		#		16,081	17.4	(11.2-26.0)
Hispanic		#		2,951	4.9	(2.2-10.7)
Other, NH		#		7,104	15.7^	(4.4-43.0)
Sex						
male	2,692	9.0	(5.7-13.9)	58,629	10.0	(7.8-12.8)
female	4,103	13.1	(8.5-19.7)	59,785	9.5	(7.9-11.5)
Age-adjusted ^{&}		9.0	(6.8-12.0)		8.7	(7.5-10.1)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are current smokers



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	16,998	28.4	(21.2-36.8)	247,835	20.8	(18.8-23.0)
Age						
18-24		#		25,309	14.9	(9.9-21.7)
25-34		#		56,094	32.7	(25.8-40.4)
35-44		#		38,389	22.9	(18.1-28.6)
45-64	5,574	25.0	(17.5-34.5)	107,073	25.2	(21.7-29.1)
65+	1,715	14.2	(7.0-26.5)	20,570	8.4	(6.2-11.3)
Race						
White, NH	12,178	22.9	(17.6-29.4)	189,505	19.0	(16.9-21.3)
Black, NH		#		34,273	38.2^	(29.0-48.3)
Hispanic		#		18,226	31.1^	(19.3-46.1)
Other, NH		#		5,830	13.1	(7.7-21.6)
Sex						
male	9,679	32.7	(21.4-46.4)	126,440	22.0	(18.8-25.7)
female	7,319	24.1	(16.6-33.8)	121,395	19.7	(17.2-22.5)
Age-adjusted ^{&}		31.5	(24.1-40.1)		21.9	(19.7-24.2)


Í

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Catt	araugus Co	ounty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,969	51.6^	(37.2-65.8)	97,449	31.1	(26.5-36.0)
Age				-		
18-24		#		11,645	24.5	(13.0-41.3)
25-34		#		24,473	45.0^	(31.7-59.0)
35-44		#		11,451	33.5^	(22.8-46.2)
45-64		#		38,840	41.2	(33.3-49.5)
65+		#		11,011	13.4	(8.4-20.7)
Race						
White, NH	6,478	43.0^	(31.3-55.6)	67,100	28.5	(23.5-34.1)
Black, NH		#		22,273	50.8^	(37.9-63.6)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	6,235	64.2	(42.1-81.6)	49,706	34.0	(26.3-42.6)
female	3,734	38.9^	(24.6-55.3)	47,743	28.5	(23.5-34.2)

(43.5-69.2)

33.3

(28.6 - 38.3)

& Percent is age-adjusted to the 2000 United States Population.


Age-adjusted[&]

Rates with <10 in the numerator or <50 in the denominator are suppressed.

56.8^

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Cattaraugus County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24		#		25,309	14.9	(9.9-21.7)
25-34 35-44 45-64 65+						
Race White, NH Black, NH Hispanic Other, NH		# # #		15,004	10.9 # # #	(6.7-17.3)
Sex male female Age-adjusted ^{+,&}		# #		17,008 8,301	15.9 13.1	(9.3-25.9) (7.0-23.0)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



	Cattaraugus County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	9,221	69.1^	(57.5-78.7)	196,724	83.1	(80.0-85.9)
White, NH Black, NH Hispanic Other, NH Sex male female	8,123 9,221	69.4 [^] # # # 69.1 [^]	(57.8-79.0) (57.5-78.7)	183,377 196,724	83.5 # # # 83.1	(80.2-86.3) (80.0-85.9)
Age-adjusted ^{+,&}						

* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines^{*}



	Cattaraugus County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24 25-34 35-44 45-64		#		41,732	74.1	(66.1-80.8)	
65+ Race White, NH Black, NH Hispanic Other, NH		# # #		37,146	74.6 # # #	(66.0-81.6)	
Sex male female Age-adjusted ^{+,&}		# #		41,732	# 74.1	(66.1-80.8)	

* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines^{*}



	Cattaraugus County			Western NY		
F	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,147	84.7	(76.1-90.6)	360,599	83.2	(79.9-86.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,594	82.8	(73.3-89.4)	310,981	84.5	(81.0-87.4)
Black, NH		#		23,632	75.8^	(58.9-87.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	19,147	84.7	(76.1-90.6)	360,599	83.2	(79.9-86.0)
Age-adjusted ^{+,&}						

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines^{*}



	Cattaraugus County			Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24 25-34 35-44 45-64 65+		#		80,264	76.6	(70.1-82.1)	
Race White, NH Black, NH Hispanic Other, NH Sex		# # #		58,042	76.8 # # #	(69.5-82.8)	
male female Age-adjusted ^{+,&}		# #		80,264	# 76.6	(70.1-82.1)	

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines^{*}



	Cattaraugus County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,730	61.6	(53.3-69.4)	314,570	69.7	(66.0-73.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	13,596	63.4	(55.5-70.7)	284,419	70.9	(67.3-74.2)
Black, NH		#		21,964	75.7^	(60.5-86.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,873	57.5^	(45.3-68.8)	143,396	67.7	(61.6-73.3)
female	8,857	64.7^	(53.4-74.5)	171,173	71.4	(67.0-75.5)
Age-adjusted ^{+,&}						

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,539	59.8^	(45.0-73.0)	64,446	57.0	(48.7-65.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,497	54.8^	(40.4-68.4)	56,021	60.7	(52.9-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		26,654	48.3^	(35.9-60.9)
female		#		37,792	65.3	(55.7-73.9)
Age-adjusted ^{+,&}						

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



Cattaraugus County

Western NY

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	26,088	49.5	(41.3-57.8)	618,738	58.8	(55.6-61.9)
Age						
18-24		#		34,559	21.4	(15.2-29.4)
25-34		#		90,941	55.9	(48.1-63.4)
35-44		#		93,243	59.7	(52.1-66.9)
45-64	11,474	59.2^	(48.5-69.0)	252,542	68.7	(64.6-72.6)
65+	6,043	67.7	(54.9-78.3)	141,522	73.1	(67.7-77.9)
Race						
White, NH	24,506	52.4	(44.4-60.3)	522,976	59.1	(55.6-62.5)
Black, NH		#		45,591	61.3^	(50.4-71.1)
Hispanic		#		33,895	59.7^	(45.7-72.3)
Other, NH		#		16,276	44.7^	(29.5-61.0)
Sex						
male	10,200	39.7^	(29.0-51.4)	286,050	56.8	(51.6-61.9)
female	15,887	59.0^	(47.6-69.5)	332,688	60.6	(56.8-64.2)
Age-adjusted ^{&}		49.7	(42.7-56.7)		59.1	(56.3-61.8)


I

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



Cattaraugus County	

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	2,846	5.4	(2.9-9.9)	52,627	4.9	(3.9-6.1)
Age						
18-24		#			#	
25-34		#		7,276	4.3	(1.8-10.2)
35-44		#		5,652	3.5	(1.9-6.2)
45-64	1,029	5.3	(2.4-11.3)	19,280	5.1	(3.8-6.9)
65+	849	9.7	(4.9-18.1)	15,987	8.3	(5.9-11.4)
Race						
White, NH	2,051	4.4	(2.6-7.3)	46,288	5.1	(4.0-6.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	818	3.1	(1.2-7.4)	25,178	4.9	(3.3-7.0)
female	2,029	7.7	(3.4-16.3)	27,449	4.9	(3.8-6.2)
Age-adjusted ^{&}		5.9	(2.9-11.5)		4.7	(3.7-5.9)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	23,993	39.3	(32.7-46.3)	413,880	34.2	(31.6-36.8)
Age						
18-24		#		10,701	6.2	(3.5-10.8)
25-34		#		33,277	19.3	(13.5-26.8)
35-44		#		36,099	21.0	(15.2-28.3)
45-64	10,067	44.2	(35.1-53.8)	174,646	40.1	(36.0-44.3)
65+	8,115	64.4	(54.4-73.4)	155,613	62.7	(57.8-67.3)
Race						
White, NH	22,193	41.0	(34.5-47.9)	341,756	33.7	(31.1-36.5)
Black, NH		#		42,050	45.2	(35.9-54.8)
Hispanic		#		19,496	32.4^	(19.3-49.0)
Other, NH		#		10,578	23.4^	(10.1-45.3)
Sex						
male	11,664	39.0^	(29.3-49.5)	209,209	35.8	(31.7-40.1)
female	12,329	39.6	(31.0-48.9)	204,672	32.6	(29.7-35.8)
Age-adjusted ^{&}		37.5	(31.2-44.2)		31.6	(29.2-34.1)


I

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



Cattaraugus County

Western NY

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	17,379	72.4^	(61.6-81.2)	319,214	77.2	(72.7-81.2)
Age						
18-24		#			#	
25-34		#		10,589	31.8^	(15.4-54.5)
35-44		#		15,924	44.1^	(28.5-60.9)
45-64	8,359	83.0^	(71.4-90.6)	140,590	80.5	(73.1-86.3)
65+	7,702	94.9	(88.8-97.8)	146,293	94.3	(90.8-96.5)
Race						
White, NH	15,673	70.6^	(59.4-79.8)	275,448	80.7	(76.9-84.0)
Black, NH		#		33,258	79.1^	(66.1-88.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	7,494	64.3	(49.2-77.0)	148,316	71.0	(63.6-77.5)
female	9,884	80.2^	(64.0-90.2)	170,898	83.6	(78.7-87.5)
Age-adjusted ^{&}		50.0	(42.7-57.2)		59.2	(52.6-65.6)


Í

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with current asthma*



Cattaraugus County

Western NY

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Г	Addits	reiteitt	9378 CI	Audits	Fercent	3570 CI
Total	7,506	12.3	(8.6-17.4)	138,193	11.4	(9.9-13.2)
Age						
18-24		#		12,912	7.6	(4.8-12.0)
25-34		#		22,985	13.3	(9.1-18.9)
35-44		#		26,223	15.3	(11.2-20.6)
45-64	3,047	13.6	(8.2-21.7)	55,491	12.8	(10.1-16.1)
65+	1,548	12.1	(7.4-19.3)	20,540	8.3	(6.2-11.0)
Race						
White, NH	6,648	12.3	(8.5-17.6)	109,339	10.8	(9.2-12.6)
Black, NH		#		12,253	13.5	(8.2-21.4)
Hispanic		#		10,362	17.4^	(10.0-28.4)
Other, NH		#		6,238	13.8^	(6.7-26.3)
Sex						
male	3,453	11.6	(6.6-19.5)	46,098	7.9	(6.1-10.2)
female	4,053	13.0	(8.1-20.2)	92,095	14.7	(12.5-17.3)
Age-adjusted ^{&}		12.4	(8.4-17.9)		12.0	(10.4-13.9)

I


* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	45,789	75.2	(65.8-82.7)	996,592	84.1	(81.1-86.7)
Age						
18-24		#		69,246	41.9^	(31.4-53.3)
25-34		#		120,610	73.5	(66.5-79.4)
35-44		#		147,897	89.7	(84.5-93.4)
45-64	19,631	87.3^	(75.4-93.9)	403,910	93.3	(90.2-95.4)
65+	11,683	92.1^	(77.6-97.5)	242,950	98.7	(97.6-99.3)
Race						
White, NH	42,917	79.5	(71.4-85.8)	848,158	85.5	(82.2-88.4)
Black, NH		#		71,883	78.5	(69.1-85.5)
Hispanic		#		47,340	79.8^	(68.7-87.7)
Other, NH		#		29,211	68.2	(46.7-84.0)
Sex						
male	20,727	69.8	(54.5-81.7)	465,998	81.5	(76.1-86.0)
female	25,061	80.4^	(69.8-87.9)	530,594	86.4	(83.6-88.9)
Age-adjusted ^{&}		72.0	(64.4-78.5)		83.2	(80.9-85.3)

I


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	20,464	44.9	(38.1-51.9)	398,531	40.4	(37.6-43.3)
Age						
18-24		#		13,007	19.2	(8.0-39.4)
25-34		#		21,955	18.3^	(10.3-30.3)
35-44		#		39,377	27.2	(20.2-35.4)
45-64	10,537	53.8	(44.6-62.7)	185,641	46.1	(41.9-50.4)
65+	6,811	59.0	(50.1-67.3)	133,691	55.9	(50.9-60.8)
Race						
White, NH	19,059	44.6	(37.7-51.7)	351,251	41.7	(38.7-44.9)
Black, NH		#		24,985	36.0^	(26.3-47.0)
Hispanic		#		12,979	27.4^	(15.9-43.0)
Other, NH		#		9,315	34.2	(19.8-52.1)
Sex						
male	9,085	44.3	(35.1-53.9)	196,109	42.4	(38.0-47.0)
female	11,379	45.4	(35.8-55.4)	202,422	38.6	(35.1-42.3)
Age-adjusted ^{&}		35.3	(28.8-42.3)		35.1	(31.6-38.7)

Í


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition^{*}



Cattaraugus County

Western NY

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,372	7.1	(4.8-10.4)	65,957	10.3	(8.4-12.7)
Age	_/		(,		(0)
18-24		#			#	
25-34		#		6,722	9.0^	(3.5-21.0)
35-44		#		3,602	5.2	(2.5-10.7)
45-64	760	5.4	(2.6-10.6)	23,932	9.2	(6.5-12.8)
65+	1,204	12.0	(7.7-18.3)	29,019	14.9	(11.2-19.4)
Race						
White, NH	2,247	7.3	(4.9-10.9)	53,929	10.0	(7.9-12.5)
Black, NH		#		7,467	15.6^	(8.4-27.0)
Hispanic		#			#	
Other, NH		#		3,596	19.2^	(6.3-45.6)
Sex						
male	1,505	9.5	(5.6-15.7)	29,830	10.2	(7.3-14.0)
female	868	4.9	(2.8-8.5)	36,128	10.4	(7.9-13.6)
Age-adjusted ^{&}		5.0	(3.0-8.1)		9.0	(6.9-11.7)

I


* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with arthritis*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	17,356	28.3	(23.1-34.3)	320,398	26.4	(24.2-28.8)
Age						
18-24		#			#	
25-34		#		18,912	10.9	(5.5-20.4)
35-44		#		25,812	15.0	(11.1-20.1)
45-64	6,616	29.1	(21.8-37.6)	143,574	33.0	(29.4-36.8)
65+	6,645	51.9	(42.5-61.1)	126,586	51.1	(46.4-55.9)
Race						
White, NH	15,817	29.1	(23.9-34.9)	285,993	28.2	(25.7-30.8)
Black, NH		#		16,561	17.8	(11.8-26.0)
Hispanic		#		10,492	17.4^	(10.6-27.5)
Other, NH		#		7,352	16.4^	(8.8-28.6)
Sex						
male	7,025	23.4	(16.7-31.8)	115,944	19.9	(17.1-22.9)
female	10,331	33.0	(25.5-41.5)	204,454	32.6	(29.4-35.9)
Age-adjusted ^{&}		26.5	(21.1-32.6)		24.1	(22.0-26.3)

I


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	53,986	91.7	(85.9-95.2)	1,071,115	92.7	(90.9-94.1)
Age						
18-24		#		147,175	89.8	(80.7-94.9)
25-34		#		150,577	90.8	(85.7-94.2)
35-44		#		155,303	95.2	(92.2-97.0)
45-64	20,468	94.5	(89.7-97.2)	383,623	92.8	(90.2-94.7)
65+	11,135	91.2^	(77.1-96.9)	222,347	93.7	(90.4-96.0)
Race						
White, NH	47,980	91.8	(85.9-95.4)	916,932	94.4	(92.8-95.7)
Black, NH		#		69,802	81.6	(71.7-88.6)
Hispanic		#		47,547	82.9^	(69.3-91.2)
Other, NH		#		36,834	87.1^	(74.3-94.0)
Sex						
male	26,121	91.4	(81.6-96.2)	520,960	93.1	(90.1-95.2)
female	27,865	91.9	(83.7-96.2)	550,155	92.3	(90.2-93.9)
Age-adjusted ^{&}		90.4	(83.2-94.7)		92.7	(91.0-94.1)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



... .

....

	Catt	araugus Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	4,153	33.9^	(25.0-44.2)	60,568	25.3	(21.3-29.8)
25-34 35-44 45-64						
45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH	3,267	29.4 # # #	(22.2-37.9)	56,868	25.4 # # #	(21.2-30.1)
Sex male female	2,239 1,914	41.1 [^] 28.2 [^]	(25.7-58.4) (19.7-38.6)	29,073 31,495	28.5 22.9	(21.6-36.5) (18.4-28.1)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

...

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	1,593	38.9^	(23.7-56.6)	24,648	40.9^	(31.5-51.0)
White, NH Black, NH Hispanic Other, NH Sex male female	1,593	49.6 [^] # # #	(34.6-64.6)	23,554 9,821 14,827	41.6 [^] # # 33.9 [^] 47.4 [^]	(31.8-52.1) (20.1-51.0) (35.8-59.2)
Age-adjusted ^{+,&}						


* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,072	29.0	(21.4-38.0)	142,965	35.7	(31.7-40.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,805	29.9	(22.1-39.2)	107,393	31.2	(27.5-35.1)
Black, NH		#		17,645	62.2^	(45.9-76.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,375	34.7^	(23.5-47.8)	87,478	46.3	(39.7-53.1)
female	2,697	24.0^	(14.5-37.1)	55,487	26.3	(22.0-31.0)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year^{*}



Cattaraugus County

Western NY

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	23,100	39.0	(32.3-46.0)	564,930	48.4	(45.4-51.3)
Age						
18-24		#		43,594	26.5	(18.0-37.1)
25-34		#		60,600	36.6	(28.5-45.5)
35-44		#		65,045	39.6	(32.2-47.4)
45-64	9,546	44.0	(34.9-53.6)	203,704	48.6	(44.4-52.8)
65+	8,147	66.0	(56.5-74.4)	184,502	76.4	(72.3-80.1)
Race						
White, NH	20,481	39.1	(32.7-45.9)	476,222	48.6	(45.4-51.8)
Black, NH		#		39,547	46.9^	(37.0-57.0)
Hispanic		#		33,195	57.1^	(43.1-70.0)
Other, NH		#		15,967	35.9^	(22.2-52.4)
Sex						
male	10,600	36.7^	(27.1-47.5)	254,448	45.0	(40.4-49.7)
female	12,500	41.1	(32.4-50.4)	310,483	51.6	(48.0-55.1)
Age-adjusted ^{&}		36.7	(30.4-43.4)		46.3	(43.3-49.3)

T


* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year *



	Catt	araugus Co	ounty	Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	8,147	66.0	(56.5-74.4)	184,502	76.4	(72.3-80.1)
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,171	64.6	(55.1-73.0)	172,930	76.7	(72.4-80.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,893	71.4^	(57.1-82.4)	82,045	79.3	(72.5-84.8)
female	4,254	61.8^	(49.3-72.9)	102,457	74.3	(68.8-79.0)
Age-adjusted ^{+,&}						

* Includes flu shot or flu spray


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,597	62.5^	(52.1-71.9)	173,650	76.2	(72.0-80.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,320	67.1	(57.9-75.1)	165,973	78.1	(74.1-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,680	50.9^	(34.8-66.8)	62,208	68.3	(60.3-75.3)
female	4,917	71.4^	(60.4-80.4)	111,442	81.5	(77.2-85.1)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		160,792	71.3	(65.3-76.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		133,550	73.5	(67.1-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		160,792	71.3	(65.3-76.6)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		187,734	74.7	(69.2-79.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		145,709	73.3	(67.1-78.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		187,734	74.7	(69.2-79.5)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,779	85.4^	(74.8-92.0)	422,644	89.6	(86.8-91.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	18,191	88.3	(79.5-93.6)	355,498	89.9	(86.8-92.4)
Black, NH		#		34,857	89.5	(79.8-94.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	19,779	85.4^	(74.8-92.0)	422,644	89.6	(86.8-91.8)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Cattaraugus County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		118,151	52.1	(45.5-58.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		97,727	54.4	(47.0-61.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		118,151	52.1	(45.5-58.6)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Cattaraugus Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



Cattaraugus County

Western NY

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	5,843	9.8	(6.6-14.2)	131,217	11.0	(9.4-13.0)
Age						
18-24		#		21,607	12.7	(6.9-22.3)
25-34		#		22,212	13.2	(8.4-20.2)
35-44		#		25,931	15.4	(10.9-21.2)
45-64	1,679	7.4	(4.3-12.5)	44,951	10.5	(8.5-13.1)
65+	1,107	8.8	(5.0-15.1)	16,476	6.8	(5.0-9.2)
Race						
White, NH	4,747	8.9	(6.1-12.9)	108,718	10.9	(9.0-13.0)
Black, NH		#		14,244	15.8	(9.9-24.4)
Hispanic		#		5,382	9.6	(4.8-18.3)
Other, NH		#		2,874	6.5	(3.2-12.5)
Sex						
male	3,117	10.7	(5.8-18.9)	59,832	10.4	(7.9-13.6)
female	2,726	8.9	(5.6-13.9)	71,386	11.6	(9.5-14.0)
Age-adjusted ^{&}		11.7	(7.5-17.6)		11.7	(9.9-13.9)


I

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Cattaraugus Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



Cattaraugus County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	11,664	20.4	(13.1-30.4)	205,623	17.6	(15.7-19.8)
Age						
18-24		#		43,355	25.9	(18.7-34.7)
25-34		#		42,241	25.2	(19.7-31.6)
35-44		#		38,381	23.2	(17.0-31.0)
45-64	3,356	15.6	(9.4-24.7)	67,364	16.2	(13.3-19.5)
65+	986	8.1	(4.3-14.4)	12,994	5.5	(3.7-8.1)
Race						
White, NH	9,635	18.9	(12.5-27.5)	175,202	17.9	(15.8-20.3)
Black, NH		#		21,921	25.3^	(17.1-35.7)
Hispanic		#		4,271	7.5	(3.4-15.7)
Other, NH		#		4,228	9.6	(4.7-18.5)
Sex						
male	8,013	29.5	(17.5-45.1)	127,670	22.7	(19.5-26.3)
female	3,651	12.2	(5.6-24.4)	77,952	12.9	(10.5-15.7)
Age-adjusted ^{&}		20.7	(15.1-27.8)		18.8	(16.5-21.3)

1


* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Cattaraugus Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Cattaraugus County			Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		49,115	38.3	(30.3-47.0)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		10,514	43.8^	(27.4-61.8)	
45-64		#		16,205	36.3^	(26.8-47.1)	
65+		#		1,696	10.7^	(4.0-25.6)	
Race							
White, NH		#		35,020	32.8	(24.4-42.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		25,581	43.6^	(30.1-58.1)	
female		#		23,535	33.8	(25.1-43.8)	
Age-adjusted ^{&}		#			38.0	(31.2-45.2)	

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.