# eBRFSS 2013-2014 Health Indicators: Cayuga

General Description	
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	ε
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	8
Percentage of adults experiencing housing insecurity in the past 12 months	g
Percentage of adults experiencing food insecurity in the past 12 months	10
Percentage of adults with poor self-reported health	11
Percentage of adults who report 14 or more days of poor physical health	12
Prevent Chronic Diseases	13
Percentage of adults who are obese	13
Percentage of adults with an annual household income less than \$25,000 who are obese	14
Percentage of adults living with a disability who are obese	15
Percentage of adults overweight or obese	16
Percentage of adults who participated in leisure time physical activity in the past 30 days	17
Percentage of adults who consume one or more sugary drinks daily	18
Percentage of adults who consume fast-food three or more times per week	19
Percentage of adults with physician diagnosed diabetes	20
Percentage of adults who are current smokers	21
Percentage of adults with annual household income less than \$25,000 who are current smokers	22
Percentage of adults aged 18-24 years who are current smokers	23
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on the second s	sed on recent
guidelines	25
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	26
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening b	ased on recent
guidelines	27
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines	ed on recent
	ed on recent
guidelines	ed on recent 29 30
guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ed on recent29
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes	ed on recent
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure	ed on recent
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	sed on recent
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	sed on recent
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked	sed on recent
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years	sed on recent
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years	sed on recent 29 30 31 32 35 36 37 38
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis	sed on recent 29 30 31 32 35 36 37 38 39 39
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity	sed on recent 29 30 31 32 35 36 36 35 36 36 36 36 36 36 36 36 36 36 36 36 36
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.	sed on recent 29 30 31 32 35 36 36 36 36 36 36 36 36 36 36 36 36 36
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes	sed on recent
guidelines	sed on recent 29 30 31 32 35 36 36 36 36 40 41 42
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	sed on recent
guidelines	sed on recent 29 30 31 32 33 35 36 36 40 42 42 42 45 46
guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults la years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year	sed on recent 29 30 31 32 33 35 36 36 40 42 42 42 45 46 46 47
guidelines	sed on recent 29 30 31 32 33 34 35 36 36 36 40 41 42 42 42 45 46 46 46 47 48
guidelines	sed on recent 29 30 31 32 33 34 35 36 36 36 40 41 42 42 45 46 46 46 46 46 46 46 46 46 46 46 46 46
guidelines	sed on recent 29 30 31 32 33 34 35 36 36 36 40 41 42 42 45 46 46 46 46 45 50 50 50
guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis.  Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pummunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year. Percentage of women aged 18-44 years who saw had constructed in the past year. Percentage of women aged 18-64 years with health care provider discussed planning a healthy pregnancy.	sed on recent 29 30 31 32 32 34 35 36 36 37 36 40 41 42 42 45 46 46 46 47 50 50 50 50 50

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

# Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



	Ca	ayuga Coun	ty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,279	11.6^	(4.8-25.6)	82,640	10.3	(8.8-12.1)
Age						
18-24		#		17,357	14.5	(8.8-22.9)
25-34		#		14,687	12.8	(8.7-18.3)
35-44		#		13,209	11.1	(7.7-15.6)
45-64	2,626	11.3	(5.9-20.5)	33,101	11.8	(9.6-14.4)
65+		#		3,151	2.0	(1.1-3.6)
Race						
White, NH	3,118	6.1	(3.5-10.5)	60,843	8.9	(7.6-10.4)
Black, NH		#		13,297	27.9^	(15.9-44.1)
Hispanic		#		5,887	19.8^	(10.4-34.5)
Other, NH		#			#	
Sex						
male		#		36,372	9.4	(7.5-11.7)
female	5,224	17.1	(5.3-43.1)	46,268	11.2	(9.0-14.0)
Age-adjusted <sup>&amp;</sup>		12.7	(7.2-21.6)		10.5	(8.9-12.3)

<sup>\*</sup> Among people needing to see a doctor in the past 12 months


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults who have a regular health care provider



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	51,233	82.0	(74.6-87.6)	678,119	84.8	(82.5-86.9)
Age						
18-24		#		77,821	64.9^	(54.5-74.0)
25-34		#		88,097	76.7	(70.0-82.3)
35-44		#		100,184	83.2	(75.3-88.9)
45-64	19,890	85.3	(76.9-91.0)	259,484	92.3	(90.2-93.9)
65+	11,679	91.7	(76.6-97.4)	143,879	93.9	(90.1-96.3)
Race						
White, NH	43,146	84.4	(77.1-89.7)	599,184	87.3	(85.0-89.3)
Black, NH		#		32,851	67.6^	(52.1-80.0)
Hispanic		#		19,132	64.4^	(47.8-78.1)
Other, NH		#		26,953	77.7^	(64.3-87.1)
Sex						
male	23,802	74.8^	(63.2-83.6)	305,662	78.7	(74.7-82.3)
female	27,431	89.5	(80.9-94.5)	372,457	90.6	(88.2-92.5)
Age-adjusted <sup>&amp;</sup>		82.9	(75.9-88.1)		84.2	(81.8-86.3)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults who had a dentist visit within the past year



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	39,599	65.8	(57.2-73.5)	534,407	71.1	(68.6-73.5)
Age						
18-24		#		82,518	72.1	(63.5-79.4)
25-34		#		74,301	70.2	(62.4-77.0)
35-44		#		85,568	75.9	(69.3-81.5)
45-64	14,625	63.5	(51.6-74.0)	193,071	72.9	(69.3-76.2)
65+	5,889	48.0	(38.3-58.0)	93,810	63.8	(59.0-68.4)
Race						
White, NH	33,348	68.1	(60.5-74.8)	466,489	72.0	(69.5-74.4)
Black, NH		#		30,825	66.3^	(52.1-78.1)
Hispanic		#		16,448	63.6^	(48.0-76.7)
Other, NH		#		20,645	65.3^	(49.7-78.1)
Sex						
male	18,156	60.1	(48.6-70.6)	250,463	68.1	(64.4-71.7)
female	21,442	71.6^	(59.1-81.4)	283,944	73.9	(70.6-77.0)
Age-adjusted <sup>&amp;</sup>		68.2	(61.0-74.7)		71.4	(68.8-73.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults living with a disability\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,386	24.7	(18.6-32.1)	201,979	25.7	(23.4-28.1)
Age						
18-24		#		15,357	13.0	(8.2-19.9)
25-34		#		16,610	14.9	(10.3-20.9)
35-44		#		29,031	24.4	(18.4-31.5)
45-64	6,390	27.5	(19.8-36.7)	87,967	31.8	(28.1-35.6)
65+	3,812	29.9	(22.1-39.1)	51,609	34.0	(29.7-38.7)
Race						
White, NH	13,802	27.2	(20.7-34.8)	178,968	26.5	(24.1-29.1)
Black, NH		#		8,919	18.6^	(10.9-29.8)
Hispanic		#		9,726	32.7	(20.5-47.9)
Other, NH		#		4,366	12.7	(7.4-21.0)
Sex						
male	7,447	23.6	(15.3-34.4)	86,850	22.7	(19.6-26.0)
female	7,939	26.0^	(17.4-36.8)	115,129	28.5	(25.3-31.9)
Age-adjusted <sup>&amp;</sup>		23.8	(17.6-31.3)		25.0	(22.8-27.4)

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults aged 18-64 years with healthcare coverage



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	40,905	84.5	(76.0-90.3)	548,937	87.4	(85.1-89.3)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	33,396	86.5	(78.3-91.9)	474,023	89.6	(87.4-91.4)
Black, NH		#		29,543	67.4^	(52.3-79.5)
Hispanic		#		21,208	77.9^	(62.8-88.0)
Other, NH		#		24,163	86.1^	(71.6-93.9)
Sex						
male	20,726	81.8	(69.2-90.0)	252,448	82.6	(78.8-85.9)
female	20,179	87.4	(75.1-94.1)	296,489	91.9	(89.6-93.7)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	33,763	69.8^	(59.3-78.6)	433,995	68.7	(65.5-71.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	25,845	68.0^	(57.4-77.1)	359,569	67.5	(64.1-70.8)
Black, NH		#		36,143	81.4^	(69.1-89.5)
Hispanic		#		19,995	73.4^	(58.8-84.2)
Other, NH		#		18,289	65.2	(48.2-79.1)
Sex						
male	15,538	60.9	(46.5-73.7)	191,802	61.5	(56.7-66.2)
female	18,225	79.7	(68.0-87.8)	242,193	75.6	(71.9-79.0)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults experiencing housing insecurity in the past 12 months\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,133	32.5	(25.7-40.0)	254,882	35.3	(32.5-38.1)
Age						
18-24		#		37,485	39.2	(28.9-50.6)
25-34		#		41,048	41.2	(32.6-50.4)
35-44		#		48,766	44.1	(36.4-52.1)
45-64	7,311	32.1	(23.3-42.3)	99,322	37.5	(33.6-41.5)
65+	2,749	21.8	(14.9-30.6)	25,648	17.7	(14.6-21.4)
Race						
White, NH	15,760	32.3	(25.5-40.1)	206,175	33.1	(30.3-36.2)
Black, NH		#		21,502	51.1	(36.2-65.9)
Hispanic		#		18,595	68.0^	(52.1-80.6)
Other, NH		#		8,609	27.5	(16.4-42.2)
Sex						
male	8,457	28.7	(19.3-40.4)	112,700	32.0	(27.9-36.5)
female	9,676	36.7	(27.6-46.7)	142,182	38.4	(34.6-42.2)
Age-adjusted <sup>&amp;</sup>		35.5	(26.6-45.6)		36.5	(33.4-39.6)

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults experiencing food insecurity in the past 12 months\*



	Cayuga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,577	19.2^	(11.1-31.2)	184,140	23.9	(21.4-26.7)
Age						
18-24		#		37,047	31.9^	(22.9-42.3)
25-34		#		35,326	32.8	(23.7-43.4)
35-44		#		33,267	29.0	(22.9-35.9)
45-64	3,931	17.1	(10.9-25.8)	64,611	23.8	(20.7-27.3)
65+	842	6.7	(3.4-12.9)	12,311	8.2	(6.0-11.0)
Race						
White, NH	7,220	14.8	(10.5-20.3)	145,175	22.0	(19.3-24.9)
Black, NH		#		21,475	46.1^	(31.5-61.3)
Hispanic		#		9,485	32.8^	(20.6-47.9)
Other, NH		#		8,006	24.8	(14.2-39.7)
Sex						
male	2,125	7.1	(3.6-13.7)	71,782	19.1	(15.8-23.0)
female	9,452	31.3	(17.2-49.8)	112,358	28.5	(24.7-32.6)
Age-adjusted <sup>&amp;</sup>		21.0	(14.4-29.4)		25.0	(22.2-27.9)

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults with poor self-reported health




	Cayuga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	3,686	5.9	(3.7-9.3)	37,110	4.7	(3.7-5.9)
18-24		#			#	
25-34 35-44		# #			# #	
45-64	1,683	7.3	(3.9-13.2)	20,709	7.4	(5.4-10.2)
65+ <b>Race</b>	912	7.2	(3.4-14.4)	8,009	5.2	(3.9-7.0)
White, NH Black, NH	3,118	6.1 #	(3.8-9.9)	31,424	4.6 #	(3.5-6.0)
Hispanic Other, NH <b>Sex</b>		#			#	
male female	2,718	# 8.9	(5.1-15.1)	18,540 18,570	4.8 4.5	(3.3-6.9) (3.3-6.1)
Age-adjusted <sup>&amp;</sup>		5.6	(3.4-9.0)		4.4	(3.4-5.7)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Improve Health Status and Reduce Health Disparities

### Percentage of adults who report 14 or more days of poor physical health\*



	Ca	ayuga Cour	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,954	14.6	(10.1-20.8)	99,092	12.7	(11.1-14.5)
Age						
18-24		#		7,266	6.3	(3.7-10.4)
25-34		#		9,276	8.2	(5.0-13.2)
35-44		#		13,032	10.9	(7.1-16.5)
45-64	3,506	15.7	(10.3-23.1)	47,772	17.4	(14.4-20.8)
65+	1,963	16.1	(9.8-25.3)	20,832	14.2	(11.6-17.4)
Race						
White, NH	8,386	16.6	(11.5-23.4)	86,267	12.9	(11.2-14.8)
Black, NH		#		3,917	8.5	(4.3-16.2)
Hispanic		#		6,628	22.9^	(12.6-37.9)
Other, NH		#		2,279	6.9	(3.5-13.3)
Sex						
male	4,020	12.9^	(6.7-23.4)	39,487	10.4	(8.5-12.7)
female	4,934	16.4	(10.6-24.6)	59,604	14.9	(12.5-17.7)
Age-adjusted <sup>&amp;</sup>		13.8	(9.4-19.9)		12.3	(10.7-14.1)

<sup>\*</sup> Out of the past 30 days.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults who are obese\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,584	33.3	(25.5-42.0)	232,180	31.0	(28.3-33.7)
Age						
18-24		#		15,545	14.4^	(7.9-24.9)
25-34		#		36,786	34.9^	(25.5-45.5)
35-44		#		39,745	34.8	(27.2-43.3)
45-64	7,344	33.2	(24.2-43.7)	94,910	35.5	(31.8-39.3)
65+	4,089	33.0^	(23.6-44.0)	44,163	29.4	(25.1-34.1)
Race						
White, NH	17,887	37.1	(29.4-45.6)	199,420	31.0	(28.2-34.0)
Black, NH		#		13,119	27.7	(16.3-42.9)
Hispanic		#		15,166	55.4^	(39.2-70.6)
Other, NH		#		4,476	13.7	(7.5-23.7)
Sex						
male	12,371	39.3	(28.7-51.0)	112,660	29.6	(25.9-33.5)
female	7,212	26.3	(17.1-38.3)	119,520	32.4	(28.6-36.4)
Age-adjusted <sup>&amp;</sup>		33.0	(25.4-41.6)		31.5	(28.5-34.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,475	38.5^	(25.1-54.0)	68,476	34.6	(30.2-39.3)
Age						
18-24		#			#	
25-34		#		12,831	45.4	(31.6-60.0)
35-44		#		9,132	34.1	(22.1-48.6)
45-64		#		27,821	42.7	(34.9-51.0)
65+	1,823	39.7	(22.1-60.4)	15,200	32.8	(26.0-40.4)
Race						
White, NH	5,419	40.7	(25.5-57.8)	53,173	35.0	(30.1-40.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		24,619	27.2	(21.4-33.8)
female	3,747	50.5	(31.5-69.3)	43,857	41.0	(34.8-47.4)
Age-adjusted <sup>&amp;</sup>		37.3^	(24.9-51.6)		35.5	(30.8-40.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults living with a disability who are obese\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,209	48.5^	(33.9-63.3)	90,164	46.0	(41.0-51.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		14,949	51.5	(36.4-66.3)
45-64	2,120	35.2	(20.4-53.5)	40,972	47.6	(40.3-55.0)
65+	1,422	38.8	(24.3-55.6)	23,313	46.4	(38.3-54.7)
Race						
White, NH	6,600	49.7	(34.3-65.2)	79,282	45.6	(40.4-51.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		34,300	39.8	(32.6-47.5)
female	4,182	56.0^	(38.3-72.3)	55,865	50.8	(44.3-57.4)
Age-adjusted <sup>&amp;</sup>		54.8^	(40.4-68.5)		45.1	(39.6-50.8)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults overweight or obese\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	38,379	65.2^	(54.3-74.7)	491,602	65.6	(62.8-68.2)
Age						
18-24		#		40,117	37.3	(28.4-47.1)
25-34		#		73,113	69.3	(61.5-76.1)
35-44		#		79,731	69.8	(62.5-76.3)
45-64	15,704	71.0^	(58.4-81.0)	188,285	70.4	(66.3-74.1)
65+	9,316	75.2	(66.9-82.1)	107,465	71.6	(67.1-75.7)
Race						
White, NH	34,801	72.2	(64.3-78.9)	427,099	66.5	(63.7-69.1)
Black, NH		#		32,244	68.1^	(52.1-80.7)
Hispanic		#		19,919	72.8^	(54.0-85.9)
Other, NH		#		12,340	37.8	(24.7-52.9)
Sex						
male	23,791	75.6 <sup>^</sup>	(63.7-84.5)	273,320	71.7	(68.0-75.2)
female	14,588	53.3^	(37.5-68.4)	218,282	59.2	(55.2-63.0)
Age-adjusted <sup>&amp;</sup>		63.2	(54.5-71.1)		66.0	(63.2-68.7)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	Ca	ayuga Cour	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	42,693	70.1	(62.3-76.8)	563,442	72.8	(70.3-75.2)
Age						
18-24		#		96,352	82.5	(73.4-89.0)
25-34		#		82,776	76.0	(68.5-82.2)
35-44		#		78,437	68.2	(60.1-75.4)
45-64	15,304	66.1	(56.5-74.6)	196,782	72.0	(68.4-75.4)
65+	8,830	69.6	(58.7-78.6)	103,254	68.3	(63.9-72.4)
Race						
White, NH	34,439	69.4	(62.1-75.9)	490,619	73.8	(71.2-76.3)
Black, NH		#		32,621	70.0^	(56.7-80.6)
Hispanic		#		16,954	59.3^	(43.4-73.5)
Other, NH		#		23,247	68.6	(52.7-81.0)
Sex						
male	20,745	68.3	(57.0-77.8)	278,507	73.9	(69.8-77.6)
female	21,948	71.8^	(61.2-80.4)	284,934	71.8	(68.5-74.9)
Age-adjusted <sup>&amp;</sup>		69.3	(61.4-76.1)		72.6	(69.9-75.2)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,400	25.5^	(16.6-37.0)	196,097	25.9	(23.4-28.5)
Age						
18-24		#		54,522	47.5	(37.4-57.9)
25-34		#		32,193	30.1	(23.2-38.1)
35-44		#		32,536	28.6	(22.5-35.6)
45-64	3,626	15.7	(9.9-24.2)	54,987	20.7	(17.6-24.2)
65+	1,534	12.4	(7.3-20.4)	21,285	14.4	(11.4-18.0)
Race						
White, NH	10,072	20.5	(14.4-28.2)	156,050	23.9	(21.5-26.5)
Black, NH		#		20,180	43.4^	(28.7-59.4)
Hispanic		#		12,492	45.9^	(30.4-62.2)
Other, NH		#		7,376	23.0^	(12.7-38.0)
Sex						
male	8,510	28.2	(18.6-40.2)	113,761	30.8	(27.0-34.8)
female	6,890	22.8	(9.7-44.7)	82,336	21.2	(18.1-24.7)
Age-adjusted <sup>&amp;</sup>		28.1^	(19.8-38.2)		26.5	(24.0-29.2)

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults who consume fast-food three or more times per week



	Ca	ayuga Coun	ty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,415	10.6^	(3.9-25.7)	48,560	6.5	(4.7-8.8)
Age						
18-24		#		15,881	13.8	(8.3-22.3)
25-34		#		13,958	13.1	(5.8-27.2)
35-44		#		7,133	6.3	(3.8-10.1)
45-64		#		9,229	3.5	(2.4-5.1)
65+		#		2,357	1.6	(1.0-2.5)
Race						
White, NH	2,503	5.1	(3.0-8.6)	36,435	5.6	(3.9-8.1)
Black, NH		#		8,233	17.9^	(7.7-36.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,846	6.1	(3.2-11.5)	22,355	6.1	(4.7-7.8)
female	4,569	15.1	(3.9-43.7)	26,205	6.8	(4.0-11.4)
Age-adjusted <sup>&amp;</sup>		12.1	(6.6-21.0)		6.9	(4.9-9.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

# Percentage of adults with physician diagnosed diabetes $^{\star}$



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,554	13.6	(8.9-20.3)	81,750	10.2	(8.8-11.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,759	4.8	(2.8-8.0)
45-64	4,973	21.3	(11.8-35.5)	40,265	14.3	(11.3-18.0)
65+	2,653	20.6	(14.0-29.3)	32,274	20.9	(17.7-24.4)
Race						
White, NH	6,353	12.4	(8.7-17.2)	69,888	10.2	(8.7-11.9)
Black, NH		#		4,062	8.3	(4.2-15.9)
Hispanic		#		4,507	15.2^	(7.4-28.4)
Other, NH		#		3,293	9.5^	(3.7-22.2)
Sex						
male	3,746	11.7	(7.0-18.8)	37,190	9.6	(8.0-11.5)
female	4,808	15.6	(8.1-28.0)	44,560	10.8	(8.7-13.4)
Age-adjusted <sup>&amp;</sup>		12.1	(8.1-17.6)		9.2	(8.0-10.6)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults who are current smokers



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,620	30.6^	(21.2-41.9)	173,163	22.2	(19.9-24.8)
Age						
18-24		#		34,340	29.1	(20.8-39.1)
25-34		#		24,697	22.4	(16.1-30.1)
35-44		#		33,920	28.8	(22.1-36.4)
45-64	5,407	23.3	(16.0-32.5)	65,132	23.7	(20.4-27.4)
65+	985	8.1	(4.4-14.4)	14,610	9.7	(7.3-12.8)
Race						
White, NH	12,987	26.3	(18.8-35.5)	144,674	21.6	(19.2-24.3)
Black, NH		#		15,388	32.3^	(19.6-48.3)
Hispanic		#		6,576	22.1^	(12.3-36.5)
Other, NH		#		6,525	19.5^	(10.9-32.4)
Sex						
male	10,929	36.2	(24.9-49.2)	87,995	23.2	(19.8-27.0)
female	7,691	25.1	(11.8-45.6)	85,169	21.3	(18.1-24.8)
Age-adjusted <sup>&amp;</sup>		34.3	(26.5-43.0)		22.9	(20.4-25.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

## Percentage of adults with annual household income less than \$25,000 who are current smokers



	Ca	iyuga Coun	ity	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,373	37.4	(23.5-53.8)	68,906	34.1	(29.5-39.1)
Age						
18-24		#		12,033	37.4	(24.5-52.4)
25-34		#		9,539	32.2	(20.4-46.9)
35-44		#		14,256	55.9^	(40.8-69.9)
45-64		#		27,331	41.2	(33.4-49.4)
65+		#		5 <i>,</i> 747	12.4	(8.2-18.3)
Race						
White, NH	5,424	40.9^	(25.0-59.0)	51,709	33.4	(28.3-38.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		34,818	38.1	(30.6-46.3)
female	1,803	22.4	(11.7-38.6)	34,089	30.8	(25.4-36.9)
Age-adjusted <sup>&amp;</sup>		41.1	(27.3-56.3)		37.4	(32.4-42.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults aged 18-24 years who are current smokers



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24 25-34 35-44 45-64		#		34,340	29.1	(20.8-39.1)
65+ Race White, NH Black, NH Hispanic Other, NH Sex		# # #		26,085	28.5 <sup>^</sup> # # #	(19.8-39.2)
male female Age-adjusted+,&		#		18,851 15,488	30.1 <sup>^</sup> 28.1 <sup>^</sup>	(19.3-43.7) (16.5-43.4)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	Ca	ayuga Cour	nty	Central NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	9,367	82.0^	(70.1-89.8)	128,239	85.8	(82.2-88.8)	
Age <sup>+</sup>							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	7,553	83.4	(75.7-89.1)	114,469	87.3	(84.1-90.0)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female	9,367	82.0^	(70.1-89.8)	128,239	85.8	(82.2-88.8)	
Age-adjusted <sup>+,&amp;</sup>							

<sup>\*</sup> Mammogram within past 2 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		31,053	78.2	(68.2-85.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		25,811	81.7	(73.3-87.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		31,053	78.2	(68.2-85.7)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,186	83.2^	(71.1-90.9)	245,988	85.8	(82.7-88.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,935	80.2	(67.8-88.7)	212,616	86.5	(83.4-89.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	19,186	83.2	(71.1-90.9)	245,988	85.8	(82.7-88.5)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		60,764	84.3	(77.8-89.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		46,184	83.2	(75.7-88.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		60,764	84.3	(77.8-89.2)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,904	73.4	(64.3-80.8)	210,614	73.7	(70.3-76.7)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	14,908	72.6	(63.9-79.8)	189,141	73.3	(69.9-76.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	8,976	68.8	(55.5-79.6)	98,872	72.8	(67.8-77.4)
female	8,928	78.6	(67.0-86.9)	111,742	74.4	(69.9-78.4)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,224	62.7	(42.3-79.4)	47,228	67.1	(59.9-73.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,436	67.5	(44.8-84.2)	38,073	66.9	(59.2-73.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		17,975	59.1^	(47.6-69.8)
female		#		29,254	73.2	(64.0-80.7)
Age-adjusted+,&						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,607	51.5	(41.5-61.4)	380,054	55.2	(52.0-58.3)
Age						
18-24		#		28,776	24.2	(17.6-32.3)
25-34		#		46,551	42.4	(34.1-51.2)
35-44		#		62,705	58.1	(50.4-65.4)
45-64	10,870	62.6	(52.3-71.9)	154,905	67.4	(63.5-71.0)
65+	6,066	61.1	(49.0-72.0)	82,449	72.3	(66.6-77.3)
Race						
White, NH	24,691	58.2	(49.2-66.8)	343,623	58.2	(54.9-61.4)
Black, NH		#		16,147	36.4^	(23.1-52.1)
Hispanic		#		11,146	44.2^	(28.5-61.2)
Other, NH		#		9,138	31.4	(19.1-47.0)
Sex						
male	13,991	50.8	(38.6-62.9)	175,727	52.4	(48.1-56.7)
female	12,616	52.3^	(36.1-68.1)	204,327	57.8	(53.1-62.2)
Age-adjusted <sup>&amp;</sup>		51.4	(43.3-59.6)		56.0	(53.2-58.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed prediabetes



	Cayuga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,487	6.7	(3.2-13.5)	27,859	3.9	(3.1-4.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,689	3.3	(1.8-5.7)
45-64		#		12,324	5.2	(3.6-7.3)
65+	710	7.4	(3.8-13.9)	7,468	6.3	(4.5-8.7)
Race						
White, NH	2,718	6.3	(2.8-13.5)	24,742	4.1	(3.2-5.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,393	5.2	(1.8-13.8)	13,397	3.8	(2.7-5.4)
female	2,094	8.3^	(2.9-21.1)	14,462	4.0	(3.0-5.4)
Age-adjusted <sup>&amp;</sup>		6.6	(3.4-12.4)		4.0	(3.1-5.0)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed high blood pressure



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,837	39.6	(31.8-48.0)	246,672	30.9	(28.5-33.3)
Age						
18-24		#		8,206	6.8	(2.8-15.8)
25-34		#		12,808	11.2	(7.7-16.0)
35-44		#		23,198	19.2	(13.7-26.3)
45-64	12,995	56.0^	(45.8-65.7)	112,074	39.9	(36.1-43.8)
65+	7,776	60.5	(50.0-70.1)	86,174	56.0	(51.1-60.7)
Race						
White, NH	21,955	42.8	(35.6-50.3)	218,414	31.8	(29.3-34.4)
Black, NH		#		13,814	28.4^	(18.5-40.8)
Hispanic		#		6,447	21.7	(13.0-34.0)
Other, NH		#		7,997	23.7	(13.9-37.3)
Sex						
male	13,589	42.4	(32.3-53.3)	123,566	31.9	(28.5-35.4)
female	11,249	36.6	(25.5-49.3)	123,106	29.9	(26.8-33.3)
Age-adjusted <sup>&amp;</sup>		35.7	(29.2-42.9)		28.6	(26.4-30.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Cayuga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	20,369	82.0^	(71.5-89.2)	191,045	77.6	(73.1-81.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		11,677	50.3^	(32.7-67.9)
45-64	10,730	82.6	(69.9-90.6)	88,520	79.1	(72.7-84.3)
65+	7,462	96.0	(90.6-98.3)	80,813	94.1	(91.2-96.1)
Race						
White, NH	17,959	81.8	(71.2-89.1)	171,648	78.7	(73.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	10,508	77.3^	(61.1-88.1)	91,238	73.9	(66.7-80.1)
female	9,860	87.7	(75.1-94.4)	99,807	81.2	(75.7-85.8)
Age-adjusted <sup>&amp;</sup>		66.0	(56.6-74.3)		59.7	(52.7-66.4)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with current asthma\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,800	17.2^	(9.2-29.9)	89,417	11.3	(9.5-13.4)
Age						
18-24		#		20,846	17.5	(10.7-27.4)
25-34		#		10,529	9.3	(5.3-15.8)
35-44		#		17,793	15.0	(10.2-21.5)
45-64	2,631	11.3	(6.9-18.1)	28,901	10.4	(8.4-12.9)
65+		#		10,467	6.8	(5.1-9.1)
Race						
White, NH	7,314	14.3	(8.9-22.1)	72,841	10.7	(8.9-12.8)
Black, NH		#		8,396	17.8^	(7.6-36.0)
Hispanic		#		5,616	19.1	(9.9-33.6)
Other, NH		#		2,565	7.4	(3.6-14.6)
Sex						
male	3,517	11.0^	(5.0-22.4)	32,206	8.4	(6.1-11.6)
female	7,283	23.7	(10.4-45.4)	57,211	14.0	(11.5-17.0)
Age-adjusted <sup>&amp;</sup>		20.1^	(12.4-30.9)		11.5	(9.6-13.7)

<sup>\*</sup> Physician diagnosed asthma.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percent of adults with cholesterol checked\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	51,955	86.1	(77.6-91.7)	642,971	82.8	(80.1-85.2)
Age						
18-24		#		46,812	41.9	(32.2-52.4)
25-34		#		74,666	68.3	(60.3-75.4)
35-44		#		104,016	87.0	(81.8-90.9)
45-64	20,964	96.3	(90.1-98.6)	261,309	95.0	(93.3-96.4)
65+	12,350	98.0	(94.6-99.3)	148,817	98.0	(95.9-99.0)
Race						
White, NH	43,760	86.9	(77.5-92.8)	571,682	85.9	(83.2-88.3)
Black, NH		#		29,234	60.3^	(44.9-73.8)
Hispanic		#		18,035	60.7	(43.9-75.3)
Other, NH		#		24,020	72.5	(56.9-84.0)
Sex						
male	26,559	83.7	(69.6-92.0)	299,643	79.8	(75.8-83.3)
female	25,396	88.8	(78.5-94.5)	343,328	85.5	(81.6-88.8)
Age-adjusted <sup>&amp;</sup>		85.1^	(75.0-91.5)		82.1	(79.7-84.2)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults 18 years and older with elevated cholesterol\*



	Cayuga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,376	35.4	(27.9-43.7)	247,651	38.9	(36.0-41.8)
Age						
18-24		#		6,696	14.3	(7.3-26.1)
25-34		#		17,442	23.4	(14.6-35.3)
35-44		#		32,399	31.3	(23.3-40.6)
45-64	8,547	40.8	(32.0-50.3)	115,697	44.7	(40.6-48.8)
65+	6,309	51.4	(41.2-61.5)	73,480	50.2	(45.4-55.1)
Race						
White, NH	17,050	39.1	(32.1-46.5)	223,293	39.4	(36.5-42.5)
Black, NH		#		8,429	29.1	(14.5-49.7)
Hispanic		#			#	
Other, NH		#		8,310	34.6^	(19.2-54.1)
Sex						
male	9,167	34.5	(25.5-44.8)	127,334	42.8	(38.4-47.3)
female	9,209	36.4	(24.9-49.7)	120,317	35.4	(31.7-39.3)
Age-adjusted <sup>&amp;</sup>		30.9	(23.7-39.0)		34.9	(31.7-38.3)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	Ca	ayuga Coun	ity	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,026	5.4	(3.2-8.8)	37,703	8.9	(7.3-10.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,799	11.4^	(5.4-22.7)
45-64	1,093	6.8	(3.6-12.5)	14,257	8.4	(6.3-10.9)
65+	638	6.4	(3.2-12.1)	12,654	10.7	(8.2-13.9)
Race						
White, NH	1,957	6.4	(3.9-10.2)	32,738	8.9	(7.2-10.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		14,855	7.4	(5.6-9.9)
female	1,261	6.3	(3.1-12.4)	22,848	10.3	(7.9-13.3)
Age-adjusted <sup>&amp;</sup>		4.7	(2.2-10.0)		8.7	(6.6-11.4)

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults with arthritis\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	21,876	34.8	(27.3-43.2)	234,937	29.4	(27.1-31.8)
Age						
18-24		#			#	
25-34		#		12,694	11.0	(6.3-18.6)
35-44		#		24,442	20.3	(14.6-27.4)
45-64	9,967	42.7	(32.2-54.0)	111,733	39.9	(36.0-43.9)
65+	6,991	54.6	(44.6-64.3)	79,738	51.7	(46.9-56.5)
Race						
White, NH	18,756	36.5	(29.5-44.2)	207,132	30.2	(27.8-32.7)
Black, NH		#		10,134	20.9^	(11.2-35.6)
Hispanic		#		9,074	30.5	(18.8-45.5)
Other, NH		#		8,597	24.9^	(14.6-39.1)
Sex						
male	10,620	33.1	(23.5-44.4)	94,368	24.3	(21.3-27.7)
female	11,255	36.6	(25.5-49.4)	140,569	34.2	(30.9-37.7)
Age-adjusted <sup>&amp;</sup>		32.8	(25.7-40.8)		27.6	(25.4-30.0)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

## Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	55,254	91.7	(85.6-95.4)	686,255	90.0	(88.0-91.7)
Age						
18-24		#		97,478	84.7	(75.2-91.0)
25-34		#		91,278	85.7	(78.0-91.0)
35-44		#		104,240	91.4	(86.5-94.6)
45-64	20,875	90.9	(83.3-95.2)	247,654	92.0	(89.6-93.8)
65+	11,759	93.9^	(76.4-98.7)	138,296	93.0	(89.8-95.2)
Race						
White, NH	45,385	92.7	(86.3-96.2)	603,475	92.1	(90.2-93.7)
Black, NH		#		36,386	78.0^	(64.3-87.5)
Hispanic		#		22,200	76.8^	(58.5-88.6)
Other, NH		#		24,194	76.4^	(60.3-87.4)
Sex						
male	26,669	89.2	(77.5-95.2)	333,237	89.9	(86.4-92.5)
female	28,584	94.2	(88.4-97.2)	353,017	90.2	(87.7-92.2)
Age-adjusted <sup>&amp;</sup>		92.2	(84.7-96.2)		89.9	(87.8-91.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Promote a Health and Safe Environment

#### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,556	36.4	(27.7-46.2)	43,813	29.1	(25.3-33.2)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,199	35.3	(26.5-45.2)	41,256	29.4	(25.5-33.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,050	32.2	(19.8-47.7)	16,907	24.4	(19.2-30.4)
female	2,506	40.9^	(30.2-52.5)	26,906	33.1	(28.0-38.7)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	993	21.8^	(12.5-35.3)	15,308	35.0	(28.3-42.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	946	22.5	(12.7-36.8)	14,325	34.8	(27.9-42.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		5,175	30.6	(20.8-42.5)
female		#		10,133	37.8	(29.1-47.3)
Age-adjusted+,&						

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,296	31.8	(23.6-41.2)	84,368	33.6	(29.9-37.5)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,505	34.1	(26.2-43.0)	74,836	33.0	(29.2-37.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,117	32.9^	(22.6-45.3)	40,311	33.3	(28.1-38.9)
female	3,179	30.4	(18.7-45.2)	44,057	33.9	(28.8-39.4)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 18+ years with flu immunization in the past year\*



	Ca	ayuga Cour	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,850	40.9	(33.2-49.2)	377,085	49.1	(46.2-51.9)
Age						
18-24		#		36,542	31.4	(22.3-42.3)
25-34		#		37,892	35.3	(27.9-43.5)
35-44		#		46,129	40.3	(32.8-48.2)
45-64	10,174	44.0^	(34.4-54.1)	138,266	51.0	(47.1-55.0)
65+	9,592	76.7	(68.0-83.7)	115,003	76.1	(72.1-79.7)
Race						
White, NH	23,333	47.3	(39.7-54.9)	336,711	51.0	(48.0-53.9)
Black, NH		#		11,183	24.0^	(14.5-37.0)
Hispanic		#		13,658	47.2^	(32.2-62.8)
Other, NH		#		15,532	48.0^	(32.3-64.0)
Sex						
male	11,993	39.5	(29.7-50.2)	160,998	43.0	(39.1-46.9)
female	12,857	42.4	(30.5-55.2)	216,087	54.9	(50.8-58.9)
Age-adjusted <sup>&amp;</sup>		37.6	(31.0-44.7)		47.6	(44.7-50.5)

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with flu immunization in the past year\*



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,592	76.7	(68.0-83.7)	115,003	76.1	(72.1-79.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	9,344	78.5	(69.9-85.2)	107,314	76.3	(72.1-79.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,948	77.6^	(63.0-87.6)	54,341	78.0	(71.3-83.5)
female	4,645	75.8	(65.1-84.0)	60,663	74.5	(69.4-79.1)
Age-adjusted+,&						

<sup>\*</sup> Includes flu shot or flu spray

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with pneumococcal immunization



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,745	71.7	(62.4-79.4)	111,504	76.7	(72.7-80.3)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,631	73.8	(64.6-81.2)	105,550	78.0	(74.1-81.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,595	72.5	(57.4-83.8)	50,740	75.0	(68.2-80.7)
female	4,150	70.8	(59.8-79.9)	60,765	78.2	(73.3-82.5)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



**Cayuga County Central NY** Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI **Total** # 126,109 77.4 (71.5-82.4)Age<sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race White, NH # 103,652 77.4 (70.8-82.8)Black, NH # Hispanic # Other, NH # Sex male female 126,109 77.4 (71.5-82.4)Age-adjusted+,&


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		125,925	72.6	(66.6-77.9)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		100,555	70.7	(63.9-76.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		125,925	72.6	(66.6-77.9)
Age-adjusted+,&						


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Promote Healthy Women, Infants, and Children

#### Percentage of women aged 18-64 years with health care coverage



	Ca	ayuga Coun	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	20,179	87.4^	(75.1-94.1)	296,489	91.9	(89.6-93.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	13,857	85.7	(72.1-93.3)	254,032	92.9	(90.8-94.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	20,179	87.4	(75.1-94.1)	296,489	91.9	(89.6-93.7)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



**Cayuga County Central NY** Est. # of Est. # of **Adults Adults** Percent 95% CI Percent 95% CI **Total** # 80,608 50.2 (42.3-58.0)Age<sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race White, NH # 65,622 48.9 (40.5-57.4)Black, NH # Hispanic # Other, NH # Sex male female # 80,608 50.2 (42.3-58.0)Age-adjusted+,&


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month



	Ca	ayuga Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,948	17.8^	(9.6-30.5)	108,500	13.9	(11.9-16.1)
Age						
18-24		#		20,377	17.4	(10.6-27.1)
25-34		#		18,720	16.4	(11.3-23.2)
35-44		#		20,735	17.5	(12.2-24.4)
45-64	1,947	8.6	(5.3-13.8)	39,286	14.3	(11.5-17.7)
65+		#		8,787	5.9	(4.3-8.2)
Race						
White, NH	7,415	14.6	(9.3-22.2)	95,871	14.2	(12.2-16.6)
Black, NH		#		6,460	13.9^	(5.0-33.1)
Hispanic		#			#	
Other, NH		#		1,888	5.9	(2.6-12.9)
Sex						
male		#		41,014	10.7	(8.2-14.0)
female	8,871	29.4^	(15.3-48.9)	67,486	16.9	(14.0-20.2)
Age-adjusted <sup>&amp;</sup>		19.5	(12.7-28.7)		14.3	(12.3-16.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

### Percentage of adult binge drinking during the past month\*



	Cayuga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,425	12.2	(7.3-19.9)	133,104	17.5	(15.5-19.7)
Age						
18-24		#		31,378	27.5	(20.0-36.6)
25-34		#		29,508	28.2	(21.7-35.8)
35-44		#		20,611	18.4	(13.5-24.6)
45-64	1,917	8.3	(5.2-12.9)	43,871	16.2	(13.4-19.4)
65+		#		7,576	5.1	(3.3-7.6)
Race						
White, NH	6,861	13.9	(8.2-22.6)	114,597	17.5	(15.5-19.8)
Black, NH		#		8,623	19.6^	(11.0-32.5)
Hispanic		#			#	
Other, NH		#		5,248	15.6	(7.4-29.9)
Sex						
male	4,880	15.9^	(7.9-29.5)	85,764	23.5	(20.2-27.1)
female	2,546	8.5	(4.4-15.9)	47,341	12.0	(9.9-14.5)
Age-adjusted <sup>&amp;</sup>		14.0	(7.9-23.5)		18.4	(16.3-20.8)

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Promote Mental Health and Prevention Substance Abuse

#### Percentage of cigarette smoking among adults who report poor mental health



	Cayuga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		50,537	47.9	(39.3-56.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		10,440	50.3^	(31.9-68.7)
45-64		#		14,946	38.9^	(27.4-51.7)
65+		#		1,202	14.7	(7.0-28.3)
Race						
White, NH		#		42,564	45.5	(36.8-54.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		18,392	45.6	(31.0-60.9)
female		#		32,145	49.3^	(39.1-59.5)
Age-adjusted <sup>&amp;</sup>		#			43.8	(36.8-51.1)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).