eBRFSS 2013-2014 Health Indicators: Central NY

General Description	
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	9
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician-diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening b	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based by the second s	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba	ased on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening baguidelines	ased on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening baguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ased on recent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening baguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ased on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ased on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ased on recent 29 30 31 32 33
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ased on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ased on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	ased on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ased on recent 29 30 31 32 33 34 35 36 37
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ased on recent 29 30 31 32 33 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with colesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with atken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with colesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. percent that resulted in injury	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines	ased on recent 29 30 31 32 33 34 35 36 36 37 38 39 39 40 40 41 42 42 43
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines	ased on recent 29 30 31 32 33 34 35 36 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ased on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 39 40 41 41 42 42 42 43 44 45
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines	ased on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 40 40 41 42 42 42 42 42 43 44 45 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Pe	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with physician-diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with current asthma Percent of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDS, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pheumococcal immunization. Percentage of adults aged 65+ year	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 43 44 44 45 46 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with physician-diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Prevent HIV/STDS, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 43 44 44 45 46 46 47 48
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening big guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 42 43 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42 42 43 44 45 46 46 47 48 49 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening big guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42 43 44 45 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening be guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42 42 42 43 44 45 46 46 46 47 48 49 50 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.

Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.


Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Central NY

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*




		Centra	al NY			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	82,640	10.3	8.8	12.1	1,994,210	13.1	11.2	15.3
Age	47.057							25.4
18-24	17,357	14.5	8.8	22.9	281,654	14.1^	7.5	25.1
25-34	14,687	12.8	8.7	18.3	537,866	19.7	14.2	26.6
35-44	13,209	11.1	7.7	15.6	423,154	17.0	12.3	23.0
45-64	33,101	11.8	9.6	14.4	596,074	11.9	9.8	14.3
65+	3,151	2.0	1.1	3.6	139,733	5.1	3.0	8.4
Race								
White, NH	60,843	8.9	7.6	10.4	959,531	10.5	8.7	12.7
Black, NH	13,297	27.9^	15.9	44.1	335,184	15.5	10.0	23.4
Hispanic	5,887	19.8^	10.4	34.5	465,114	18.4	14.5	23.0
Other, NH		#			234,381	16.3^	7.3	32.6
Sex								
Male	36,372	9.4	7.5	11.7	890,677	12.3	9.6	15.5
Female	46,268	11.2	9.0	14.0	1,103,533	13.8	11.2	16.9
Age-adjusted ^{&}		10.5	8.9	12.3		13.6	11.6	15.8

* Among people needing to see a doctor in the past 12 months

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.


Percentage of adults who have a regular health care provider



		Centra	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	678,119	84.8	82.5	86.9	12,905,860	84.9	83.1	86.6
Age								
18-24	77,821	64.9^	54.5	74.0	1,486,954	76.3	69.8	81.8
25-34	88,097	76.7	70.0	82.3	1,983,479	72.3	66.1	77.7
35-44	100,184	83.2	75.3	88.9	2,091,488	84.7	79.6	88.7
45-64	259,484	92.3	90.2	93.9	4,450,345	88.6	85.5	91.1
65+	143,879	93.9	90.1	96.3	2,640,269	96.0	94.7	97.1
Race								
White, NH	599,184	87.3	85.0	89.3	7,996,007	88.0	86.6	89.3
Black, NH	32,851	67.6^	52.1	80.0	1,926,090	89.0	83.6	92.7
Hispanic	19,132	64.4^	47.8	78.1	1,725,153	68.6	61.2	75.1
Other, NH	26,953	77.7^	64.3	87.1	1,258,610	87.9	79.9	93.0
Sex								
Male	305,662	78.7	74.7	82.3	5,804,831	80.1	77.1	82.8
Female	372,457	90.6	88.2	92.5	7,101,029	89.3	87.0	91.3
Age-adjusted ^{&}		84.2	81.8	86.3		84.5	82.5	86.2

& Percent is age adjusted to the 2000 United States Population.


Percentage of adults who had a dentist visit within the past year



		Centra	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	534,407	71.1	68.6	73.5	9,774,786	69.5	66.9	72.0
Age								
18-24	82,518	72.1	63.5	79.4	1,100,494	62.2^	51.0	72.2
25-34	74,301	70.2	62.4	77.0	1,624,123	65.1	57.7	71.8
35-44	85,568	75.9	69.3	81.5	1,687,707	71.9	65.2	77.8
45-64	193,071	72.9	69.3	76.2	3,421,923	72.6	69.3	75.7
65+	93,810	63.8	59.0	68.4	1,743,883	69.8	66.0	73.4
Race								
White, NH	466,489	72.0	69.5	74.4	6,152,109	72.4	70.1	74.6
Black, NH	30,825	66.3^	52.1	78.1	1,309,282	66.6	57.4	74.7
Hispanic	16,448	63.6^	48.0	76.7	1,435,933	62.9	55.3	70.0
Other, NH	20,645	65.3^	49.7	78.1	877,462	66.5^	52.1	78.4
Sex								
Male	250,463	68.1	64.4	71.7	4,591,800	67.3	63.4	71.1
Female	283,944	73.9	70.6	77.0	5,182,986	71.6	68.1	74.8
Age-adjusted ^{&}		71.4	68.8	73.9		69.3	66.6	71.8

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults living with a disability $\!\!\!\!\!\!^*$




		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	201,979	25.7	23.4	28.1	3,111,131	20.8	19.1	22.7
Age								
18-24	15,357	13.0	8.2	19.9	119,872	6.1	4.3	8.5
25-34	16,610	14.9	10.3	20.9	426,647	16.0	10.8	23.2
35-44	29,031	24.4	18.4	31.5	294,471	12.2	9.7	15.3
45-64	87,967	31.8	28.1	35.6	1,195,176	24.2	21.6	27.1
65+	51,609	34.0	29.7	38.7	989,611	36.8	33.1	40.6
Race								
White, NH	178,968	26.5	24.1	29.1	2,187,495	24.4	22.4	26.6
Black, NH	8,919	18.6^	10.9	29.8	332,469	15.8	11.9	20.7
Hispanic	9,726	32.7^	20.5	47.9	420,342	17.0	12.7	22.5
Other, NH	4,366	12.7	7.4	21.0	170,824	12.3	7.7	19.1
Sex								
Male	86,850	22.7	19.6	26.0	1,349,486	18.9	16.3	21.9
Female	115,129	28.5	25.3	31.9	1,761,645	22.6	20.4	24.9
Age-adjusted ^{&}		25.0	22.8	27.4		19.9	18.3	21.6

* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults aged 18-64 years with healthcare coverage




		Centra	al NY		Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	548,937	87.4	85.1	89.3	10,275,389	85.2	82.8	87.3
Age⁺	-							
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	474,023	89.6	87.4	91.4	6,192,415	90.1	88.8	91.3
Black, NH	29,543	67.4^	52.3	79.5	1,606,586	87.9	82.0	92.1
Hispanic	21,208	77.9^	62.8	88.0	1,626,540	73.2	66.2	79.2
Other, NH	24,163	86.1^	71.6	93.9	849,849	74.5^	56.8	86.6
Sex								
Male	252,448	82.6	78.8	85.9	4,924,290	83.2	79.9	86.0
Female	296,489	91.9	89.6	93.7	5,351,099	87.2	83.4	90.2
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year




		Centra	al NY			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	433,995	68.7	65.5	71.6	8,622,736	70.9	68.1	73.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	359,569	67.5	64.1	70.8	4,721,851	68.7	65.8	71.4
Black, NH	36,143	81.4^	69.1	89.5	1,477,782	80.8	73.1	86.6
Hispanic	19,995	73.4^	58.8	84.2	1,583,308	71.1	63.6	77.6
Other, NH	18,289	65.2^	48.2	79.1	839,795	68.4^	53.1	80.5
Sex								
Male	191,802	61.5	56.7	66.2	3,938,722	65.6	61.4	69.6
Female	242,193	75.6	71.9	79.0	4,684,014	76.0	72.3	79.4
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Percentage of adults experiencing housing insecurity in the past 12 months*




		Centra	al NY			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	254,882	35.3	32.5	38.1	5,967,540	43.4	40.8	46.1
Age								
18-24	37,485	39.2^	28.9	50.6	487,620	30.7^	21.3	42.0
25-34	41,048	41.2	32.6	50.4	1,403,277	57.7	50.8	64.3
35-44	48,766	44.1	36.4	52.1	1,180,494	50.7	43.4	57.9
45-64	99,322	37.5	33.6	41.5	2,100,265	44.9	41.4	48.4
65+	25,648	17.7	14.6	21.4	688,870	27.8	23.8	32.1
Race								
White, NH	206,175	33.1	30.3	36.2	3,030,019	36.7	34.3	39.2
Black, NH	21,502	51.1^	36.2	65.9	1,078,432	55.5	46.2	64.3
Hispanic	18,595	68.0^	52.1	80.6	1,268,822	57.3	49.7	64.6
Other, NH	8,609	27.5^	16.4	42.2	590,266	44.6^	31.2	58.9
Sex								
Male	112,700	32.0	27.9	36.5	2,630,128	40.1	36.1	44.2
Female	142,182	38.4	34.6	42.2	3,337,412	46.5	43.0	50.0
Age-adjusted ^{&}		36.5	33.4	39.6		43.7	41.0	46.5

* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults experiencing food insecurity in the past 12 months*




		Centra	al NY			State	wide	
F	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	184,140	23.9	21.4	26.7	4,211,702	29.0	26.6	31.5
Age								
18-24	37,047	31.9^	22.9	42.3	339,128	17.9	13.5	23.3
25-34	35,326	32.8^	23.7	43.4	1,154,171	44.8	37.7	52.1
35-44	33,267	29.0	22.9	35.9	786,490	33.0	26.3	40.4
45-64	64,611	23.8	20.7	27.3	1,464,969	30.3	26.9	33.9
65+	12,311	8.2	6.0	11.0	405,259	15.6	12.5	19.3
Race								
White, NH	145,175	22.0	19.3	24.9	1,998,541	22.9	20.6	25.4
Black, NH	21,475	46.1^	31.5	61.3	765,155	37.2	29.3	45.7
Hispanic	9,485	32.8^	20.6	47.9	1,031,787	43.4	36.2	50.8
Other, NH	8,006	24.8^	14.2	39.7	416,220	30.4^	20.2	42.9
Sex								
Male	71,782	19.1	15.8	23.0	1,903,904	27.4	23.6	31.5
Female	112,358	28.5	24.7	32.6	2,307,798	30.5	27.5	33.6
Age-adjusted ^{&}		25.0	22.2	27.9		29.4	27.1	31.9

* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults with poor self-reported health




		Centr	al NY			State	wide	
r	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total Age	37,110	4.7	3.7	5.9	680,314	4.5	3.7	5.4
18-24		#			20,778	1.0	0.5	2.3
25-34		#			38,067	1.4	0.8	2.5
35-44		#			58,460	2.4	1.5	3.9
45-64	20,709	7.4	5.4	10.2	300,529	6.1	4.5	8.1
65+	8,009	5.2	3.9	7.0	248,637	9.1	6.9	12.0
Race								
White, NH	31,424	4.6	3.5	6.0	365,138	4.0	3.5	4.7
Black, NH		#			58,105	2.7	1.6	4.7
Hispanic		#			213,536	8.4	5.3	13.2
Other, NH		#			43,535	3.0	1.4	6.4
Sex								
Male	18,540	4.8	3.3	6.9	298,899	4.1	3.1	5.5
Female	18,570	4.5	3.3	6.1	381,415	4.8	3.9	6.0
Age-adjusted ^{&}		4.4	3.4	5.7		4.3	3.6	5.1

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who report 14 or more days of poor physical health*




		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	99,092	12.7	11.1	14.5	1,717,941	11.8	10.5	13.1
Age								
18-24	7,266	6.3	3.7	10.4	59,108	3.1	1.9	5.1
25-34	9,276	8.2	5.0	13.2	184,980	7.0	4.8	10.0
35-44	13,032	10.9	7.1	16.5	176,691	7.2	5.2	9.9
45-64	47,772	17.4	14.4	20.8	763,670	15.8	13.5	18.5
65+	20,832	14.2	11.6	17.4	491,091	19.1	16.1	22.5
Race								
White, NH	86,267	12.9	11.2	14.8	1,043,432	11.8	10.7	13.0
Black, NH	3,917	8.5	4.3	16.2	188,315	9.3	6.3	13.5
Hispanic	6,628	22.9^	12.6	37.9	372,059	16.0	11.5	21.9
Other, NH	2,279	6.9	3.5	13.3	114,135	8.1	4.7	13.7
Sex								
Male	39,487	10.4	8.5	12.7	722,008	10.3	8.7	12.3
Female	59,604	14.9	12.5	17.7	995,933	13.0	11.3	14.9
0								
Age-adjusted ^{&}		12.3	10.7	14.1		11.3	10.1	12.5

* Out of the past 30 days.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults who are obese*




		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	232,180	31.0	28.3	33.7	3,527,077	24.9	23.0	26.9
Age								
18-24	15,545	14.4^	7.9	24.9	318,556	17.8	11.7	26.0
25-34	36,786	34.9^	25.5	45.5	509,101	20.8	16.8	25.4
35-44	39,745	34.8	27.2	43.3	573,976	24.7	20.0	30.1
45-64	94,910	35.5	31.8	39.3	1,452,755	30.5	27.5	33.7
65+	44,163	29.4	25.1	34.1	615,010	23.4	20.1	27.0
Race								
White, NH	199,420	31.0	28.2	34.0	2,139,878	25.0	23.2	26.9
Black, NH	13,119	27.7^	16.3	42.9	638,079	30.7	24.2	38.1
Hispanic	15,166	55.4^	39.2	70.6	622,984	28.0	21.8	35.1
Other, NH	4,476	13.7^	7.5	23.7	126,136	9.6	6.3	14.4
Sex								
Male	112,660	29.6	25.9	33.5	1,782,686	25.3	22.5	28.3
Female	119,520	32.4	28.6	36.4	1,744,390	24.5	22.0	27.1
Age-adjusted ^{&}		31.5	28.5	34.6		24.6	22.7	26.6

* Obesity defined as a Body Mass Index (BMI) >= 30. BMI is calculated based on weight and height.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults with an annual household income less than \$25,000 who are obese*




		Centra	al NY			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	68,476	34.6	30.2	39.3	1,029,079	28.7	24.7	33.0
Age	,				_,,-			
18-24		#			88,578	21.3^	10.0	39.7
25-34	12,831	45.4^	31.6	60.0	177,054	26.6^	17.0	39.0
35-44	9,132	34.1^	22.1	48.6	165,333	28.8^	19.5	40.3
45-64	27,821	42.7	34.9	51.0	386,736	34.8	28.0	42.1
65+	15,200	32.8	26.0	40.4	190,291	24.4	18.8	31.1
Race								
White, NH	53,173	35.0	30.1	40.2	500,787	30.3	25.6	35.4
Black, NH		#			165,021	25.3^	16.7	36.3
Hispanic		#			287,948	30.1^	21.1	41.0
Other, NH		#			75,322	23.1^	12.4	39.0
Sex								
Male	24,619	27.2	21.4	33.8	386,764	23.8	18.1	30.5
Female	43,857	41.0	34.8	47.4	642,314	32.7	27.6	38.3
Age-adjusted ^{&}		35.5	30.8	40.6		28.5	24.3	33.0

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults living with a disability who are obese*




		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	90,164	46.0	41.0	51.0	1,093,091	36.9	32.7	41.3
Age								
18-24		#			18,440	16.5^	9.8	26.5
25-34		#			122,752	31.0^	16.7	50.1
35-44	14,949	51.5^	36.4	66.3	109,843	39.7^	30.4	49.8
45-64	40,972	47.6	40.3	55.0	535,031	45.9	39.5	52.5
65+	23,313	46.4	38.3	54.7	283,502	30.3	25.2	36.1
Race								
White, NH	79,282	45.6	40.4	51.0	698,173	33.3	29.0	37.8
Black, NH		#			188,077	58.3^	44.8	70.6
Hispanic		#			170,166	46.0^	30.4	62.5
Other, NH		#			36,674	21.7^	12.1	35.9
Sex								
Male	34,300	39.8	32.6	47.5	430,886	32.6	26.2	39.7
Female	55,865	50.8	44.3	57.4	662,205	40.4	35.1	45.8
Age-adjusted ^{&}		45.1	39.6	50.8		35.4	31.0	40.0

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults overweight or obese*




		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	491,602	65.6	62.8	68.2	8,631,360	60.9	58.4	63.3
Age								
18-24	40,117	37.3	28.4	47.1	656,771	36.6	28.8	45.2
25-34	73,113	69.3	61.5	76.1	1,528,245	62.4	55.9	68.4
35-44	79,731	69.8	62.5	76.3	1,362,541	58.6	50.8	66.0
45-64	188,285	70.4	66.3	74.1	3,335,153	70.0	66.8	73.1
65+	107,465	71.6	67.1	75.7	1,632,723	62.1	58.1	65.9
Race								
White, NH	427,099	66.5	63.7	69.1	5,260,942	61.5	59.3	63.5
Black, NH	32,244	68.1^	52.1	80.7	1,520,031	73.1	63.8	80.7
Hispanic	19,919	72.8^	54.0	85.9	1,346,413	60.5	52.9	67.5
Other, NH	12,340	37.8^	24.7	52.9	503,974	38.4^	28.1	49.9
Sex								
Male	273,320	71.7	68.0	75.2	4,736,847	67.1	63.2	70.8
Female	218,282	59.2	55.2	63.0	3,894,512	54.7	51.4	57.9
Age-adjusted ^{&}		66.0	63.2	68.7		60.5	57.9	63.0

* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults who participated in leisure time physical activity in the past 30 days*




		Centra	al NY			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	563,442	72.8	70.3	75.2	10,681,161	72.8	70.6	74.9
Age	,				, ,			
18-24	96,352	82.5	73.4	89.0	1,601,630	84.1	78.5	88.5
25-34	82,776	76.0	68.5	82.2	1,900,064	73.1	67.1	78.4
35-44	78,437	68.2	60.1	75.4	1,722,858	71.5	63.8	78.1
45-64	196,782	72.0	68.4	75.4	3,443,881	70.8	67.5	73.8
65+	103,254	68.3	63.9	72.4	1,840,519	69.5	66.1	72.7
Race								
White, NH	490,619	73.8	71.2	76.3	6,662,678	75.8	74.0	77.4
Black, NH	32,621	70.0^	56.7	80.6	1,525,317	73.8	66.8	79.7
Hispanic	16,954	59.3^	43.4	73.5	1,507,430	62.4	55.4	68.9
Other, NH	23,247	68.6^	52.7	81.0	985,735	70.6^	56.9	81.3
Sex								
Male	278,507	73.9	69.8	77.6	5,439,883	77.3	74.6	79.8
Female	284,934	71.8	68.5	74.9	5,241,278	68.6	65.3	71.7
Age-adjusted ^{&}		72.6	69.9	75.2		72.9	70.5	75.1

* Any physical activities or exercises such as running or walking

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults who consume one or more sugary drinks daily*




		Centra	al NY			State	wide	Upper 95% limit 26.3 46.7 36.4 40.3 20.5 16.9 22.8 43.0 36.8 35.5 29.8 25.3	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	••	
Γ									
Total	196,097	25.9	23.4	28.5	3,402,766	23.8	21.5	26.3	
Age									
18-24	54,522	47.5^	37.4	57.9	670,630	36.9	28.0	46.7	
25-34	32,193	30.1	23.2	38.1	733,289	28.9	22.5	36.4	
35-44	32,536	28.6	22.5	35.6	769,136	32.4	25.4	40.3	
45-64	54,987	20.7	17.6	24.2	839,390	17.6	15.0	20.5	
65+	21,285	14.4	11.4	18.0	348,734	13.7	11.1	16.9	
Race									
White, NH	156,050	23.9	21.5	26.5	1,754,487	20.4	18.3	22.8	
Black, NH	20,180	43.4^	28.7	59.4	671,592	33.6	25.4	43.0	
Hispanic	12,492	45.9^	30.4	62.2	700,337	29.8	23.7	36.8	
Other, NH	7,376	23.0^	12.7	38.0	276,350	20.4	10.6	35.5	
Sex									
Male	113,761	30.8	27.0	34.8	1,782,648	26.0	22.5	29.8	
Female	82,336	21.2	18.1	24.7	1,620,118	21.8	18.7	25.3	
Age-adjusted ^{&}		26.5	24.0	29.2		24.7	22.2	27.4	

* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults who consume fast-food three or more times per week




		Centra	al NY			State	wide	
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	48,560	6.5	4.7	8.8	817,815	5.8	4.8	6.9
Age								
18-24	15,881	13.8	8.3	22.3	172,464	9.7	6.9	13.6
25-34	13,958	13.1^	5.8	27.2	252,437	10.0	6.9	14.2
35-44	7,133	6.3	3.8	10.1	106,397	4.5	3.2	6.3
45-64	9,229	3.5	2.4	5.1	234,582	5.0	3.3	7.4
65+	2,357	1.6	1.0	2.5	47,255	1.9	1.3	2.7
Race								
White, NH	36,435	5.6	3.9	8.1	433,016	5.1	4.4	5.9
Black, NH	8,233	17.9^	7.7	36.2	122,943	6.2	4.1	9.3
Hispanic		#			219,779	9.6	5.6	16.0
Other, NH		#			42,077	3.2	1.8	5.5
Sex								
Male	22,355	6.1	4.7	7.8	560,514	8.2	6.6	10.3
Female	26,205	6.8	4.0	11.4	257,301	3.5	2.6	4.8
Age-adjusted ^{&}		6.9	4.9	9.5		5.9	4.9	7.0

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed diabetes*




		Centra	al NY			State	wide	Upper 95% limit 10.8 0.8 5.5 7.7 16.9 22.2 9.6	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	• •	
Total	81,750	10.2	8.8	11.8	1,456,783	9.5	8.4	10.8	
Age									
18-24		#			8,338	0.4	0.2	0.8	
25-34		#			58,319	2.1	0.8	5.5	
35-44	5,759	4.8	2.8	8.0	111,205	4.5	2.5	7.7	
45-64	40,265	14.3	11.3	18.0	714,501	14.2	11.9	16.9	
65+	32,274	20.9	17.7	24.4	525,500	19.1	16.3	22.2	
Race									
White, NH	69,888	10.2	8.7	11.9	781,028	8.6	7.6	9.6	
Black, NH	4,062	8.3	4.2	15.9	250,921	11.6	8.2	16.2	
Hispanic	4,507	15.2^	7.4	28.4	296,635	11.6	7.7	17.0	
Other, NH	3,293	9.5^	3.7	22.2	128,200	8.9	5.4	14.4	
Sex									
Male	37,190	9.6	8.0	11.5	795,054	10.9	9.0	13.1	
Female	44,560	10.8	8.7	13.4	661,729	8.3	7.0	9.7	
Age-adjusted ^{&}		9.2	8.0	10.6		8.9	7.9	10.1	

* As diagnosed by a health professional.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.


Percentage of adults who are current smokers



		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	173,163	22.2	19.9	24.8	2,311,528	15.6	14.0	17.4
Age								
18-24	34,340	29.1	20.8	39.1	254,033	13.0	9.8	17.0
25-34	24,697	22.4	16.1	30.1	524,783	19.7	14.3	26.7
35-44	33,920	28.8	22.1	36.4	427,187	17.6	13.3	23.0
45-64	65,132	23.7	20.4	27.4	937,977	19.2	16.7	22.1
65+	14,610	9.7	7.3	12.8	149,820	5.7	4.7	6.8
Race								
White, NH	144,674	21.6	19.2	24.3	1,598,923	18.1	16.0	20.3
Black, NH	15,388	32.3^	19.6	48.3	314,837	15.0	10.0	21.7
Hispanic	6,576	22.1^	12.3	36.5	303,908	12.4	8.8	17.1
Other, NH	6,525	19.5^	10.9	32.4	93,860	6.7	4.3	10.3
Sex								
Male	87,995	23.2	19.8	27.0	1,331,531	18.8	15.9	22.1
Female	85,169	21.3	18.1	24.8	979,997	12.7	11.1	14.4
Age-adjusted ^{&}		22.9	20.4	25.6		15.9	14.1	17.7

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults with annual household income less than \$25,000 who are current smokers




		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	68,906	34.1	29.5	39.1	910,061	23.6	19.2	28.7
Age								
18-24	12,033	37.4^	24.5	52.4	84,893	16.1	9.8	25.4
25-34	9,539	32.2^	20.4	46.9	254,993	32.7^	18.8	50.6
35-44	14,256	55.9^	40.8	69.9	141,275	24.5^	15.5	36.5
45-64	27,331	41.2	33.4	49.4	354,621	31.5	24.7	39.1
65+	5,747	12.4	8.2	18.3	63,044	7.9	5.6	11.0
Race								
White, NH	51,709	33.4	28.3	38.9	562,213	32.6	25.7	40.3
Black, NH		#			187,054	28.1^	17.8	41.4
Hispanic		#			119,918	11.3	7.1	17.6
Other, NH		#			40,876	10.0	5.0	19.2
Sex								
Male	34,818	38.1	30.6	46.3	507,987	30.0	21.9	39.5
Female	34,089	30.8	25.4	36.9	402,073	18.6	14.7	23.3
Age-adjusted ^{&}		37.4	32.4	42.6		24.2	20.0	28.9

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults aged 18-24 years who are current smokers




		Centr	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	34,340	29.1	20.8	39.1	254,033	13.0	9.8	17.0
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	26,085	28.5^	19.8	39.2	188,030	19.4	14.8	25.2
Black, NH		#			21,086	6.1	2.8	13.1
Hispanic		#			33,121	9.8^	4.6	19.9
Other, NH		#			11,797	3.8	1.4	10.0
Sex								
Male	18,851	30.1^	19.3	43.7	153,298	15.5	10.7	21.8
Female	15,488	28.1^	16.5	43.4	100,736	10.4	6.6	16.0
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



		Centr	al NY		StatewideEst. # ofLowerUpperAdultsPercent95% limit95% limit2,225,65180.977.783.7			
	Est. # of		Lower	Upper				= =
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	128,239	85.8	82.2	88.8	2,225,651	80.9	77.7	83.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	114,469	87.3	84.1	90.0	1,417,374	79.0	75.9	81.8
Black, NH		#			347,690	87.0^	73.4	94.3
Hispanic		#			309,667	83.8^	70.9	91.6
Other, NH		#			150,920	79.7^	61.2	90.7
Sex								
Male		#				#		
Female	128,239	85.8	82.2	88.8	2,225,651	80.9	77.7	83.7
Age-adjusted ^{+,&}								

* Mammogram within past 2 years.

& Percent is age adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines^{*}



		Centra	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	31,053	78.2	68.2	85.7	554,880	76.7	69.6	82.6
Age⁺	-							
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	25,811	81.7	73.3	87.9	232,138	66.5	57.9	74.1
Black, NH		#			139,053	95.4	89.6	98.1
Hispanic		#			134,524	82.0^	61.8	92.7
Other, NH		#			49,165	76.3^	44.1	93.0
Sex								
Male		#				#		
Female	31,053	78.2	68.2	85.7	554,880	76.7	69.6	82.6
Age-adjusted ^{+,&}								


* Mammogram within past 2 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines^{*}



	Central NY				Statewide				
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	245,988	85.8	82.7	88.5	4,362,995	80.6	75.7	84.7	
Age⁺									
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	212,616	86.5	83.4	89.2	2,640,598	84.5	82.2	86.6	
Black, NH		#			711,417	84.5^	72.6	91.8	
Hispanic		#			684,308	78.0^	66.2	86.6	
Other, NH		#			326,671	57.1^	31.0	79.8	
Sex									
Male		#				#			
Female	245,988	85.8	82.7	88.5	4,362,995	80.6	75.7	84.7	
Age-adjusted ^{+,&}									

* Pap test within past 3 years.

& Percent is age adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines^{*}



	Central NY				Statewide				
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	60,764	84.3	77.8	89.2	1,068,153	75.3^	63.2	84.4	
Age⁺									
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	46,184	83.2	75.7	88.7	433,489	74.8	68.6	80.2	
Black, NH		#			283,693	93.7	87.8	96.8	
Hispanic		#			292,551	77.4^	61.6	88.0	
Other, NH		#			58,419	36.7^	8.5	78.5	
Sex									
Male		#				#			
Female	60,764	84.3	77.8	89.2	1,068,153	75.3^	63.2	84.4	
Age-adjusted ^{+,&}									


* Pap test within past 3 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines^{*}



	Central NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	210,614	73.7	70.3	76.7	3,471,945	69.3	66.3	72.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	189,141	73.3	69.9	76.5	2,335,990	70.4	67.9	72.7
Black, NH		#			514,345	69.6^	57.5	79.4
Hispanic		#			416,087	70.6^	58.4	80.4
Other, NH		#			205,524	57.4^	39.9	73.2
Sex								
Male	98,872	72.8	67.8	77.4	1,545,645	66.8	62.1	71.2
Female	111,742	74.4	69.9	78.4	1,926,301	71.5	67.5	75.2
Age-adjusted ^{+,&}								

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



		Centr	al NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	47,228	67.1	59.9	73.5	736,005	61.4	54.7	67.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	38,073	66.9	59.2	73.8	345,064	57.6	51.4	63.7
Black, NH		#			155,775	60.0^	38.7	78.0
Hispanic		#			187,721	75.1^	60.9	85.4
Other, NH		#			47,444	52.8^	29.9	74.5
Sex								
Male	17,975	59.1^	47.6	69.8	253,900	51.4^	41.0	61.6
Female	29,254	73.2	64.0	80.7	482,104	68.5	60.2	75.7
Age-adjusted ^{+,&}								


* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.


Percentage of adults who had a test for high blood sugar or diabetes within the past three years



		Centra	al NY		Statewide				
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	
Total	380,054	55.2	52.0	58.3	7,849,939	58.7	56.0	61.5	
Age									
18-24	28,776	24.2	17.6	32.3	503,420	26.8	20.2	34.6	
25-34	46,551	42.4	34.1	51.2	1,337,915	51.0	44.1	57.9	
35-44	62,705	58.1	50.4	65.4	1,475,455	63.3	56.2	69.9	
45-64	154,905	67.4	63.5	71.0	2,822,324	68.0	64.3	71.4	
65+	82,449	72.3	66.6	77.3	1,541,702	71.4	66.8	75.6	
Race									
White, NH	343,623	58.2	54.9	61.4	4,823,563	61.0	58.6	63.4	
Black, NH	16,147	36.4^	23.1	52.1	1,240,630	65.1	55.4	73.7	
Hispanic	11,146	44.2^	28.5	61.2	1,203,330	53.5	46.1	60.8	
Other, NH	9,138	31.4^	19.1	47.0	582,416	44.7^	31.9	58.2	
Sex									
Male	175,727	52.4	48.1	56.7	3,534,063	56.3	52.1	60.4	
Female	204,327	57.8	53.1	62.2	4,315,875	60.9	57.2	64.5	
Age-adjusted ^{&}		56.0	53.2	58.9		59.1	56.6	61.6	

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults with physician-diagnosed prediabetes




		Centra	al NY		Statewide				
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	
Total Age	27,859	3.9	3.1	4.9	783,799	5.8	4.6	7.2	
18-24		#			57,540	2.9	0.7	10.7	
25-34		#			43,246	1.6	1.0	2.7	
35-44	3,689	3.3	1.8	5.7	198,127	8.5	4.4	16.0	
45-64	12,324	5.2	3.6	7.3	283,693	6.7	5.3	8.5	
65+ Race	7,468	6.3	4.5	8.7	171,261	7.8	6.2	9.9	
White, NH	24,742	4.1	3.2	5.1	489,253	6.0	4.8	7.4	
Black, NH		#			96,242	5.2	2.9	9.2	
Hispanic		#			81,294	3.6	1.8	7.2	
Other, NH		#			117,011	8.9^	3.2	22.3	
Sex									
Male	13,397	3.8	2.7	5.4	377,968	5.9	4.1	8.5	
Female	14,462	4.0	3.0	5.4	405,832	5.6	4.3	7.3	
Age-adjusted ^{&}		4.0	3.1	5.0		5.9	4.6	7.5	

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.


Percentage of adults with physician-diagnosed high blood pressure



		Centra	al NY		Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	246,672	30.9	28.5	33.3	4,323,615	28.3	26.5	30.3
Age								
18-24	8,206	6.8	2.8	15.8	103,520	5.2	3.3	8.0
25-34	12,808	11.2	7.7	16.0	299,126	10.9	7.8	15.0
35-44	23,198	19.2	13.7	26.3	470,752	18.9	14.1	24.8
45-64	112,074	39.9	36.1	43.8	1,715,223	34.1	31.2	37.2
65+	86,174	56.0	51.1	60.7	1,654,516	60.4	56.5	64.2
Race								
White, NH	218,414	31.8	29.3	34.4	2,701,979	29.7	28.0	31.4
Black, NH	13,814	28.4^	18.5	40.8	740,669	34.2	27.2	42.0
Hispanic	6,447	21.7^	13.0	34.0	609,542	23.8	18.7	29.9
Other, NH	7,997	23.7	13.9	37.3	271,424	18.9	12.7	27.1
Sex								
Male	123,566	31.9	28.5	35.4	2,116,294	29.0	26.2	32.1
Female	123,106	29.9	26.8	33.3	2,207,320	27.7	25.3	30.2
Age-adjusted ^{&}		28.6	26.4	30.9		27.3	25.6	29.1

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication




	Central NY				Statewide				
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	
Total	191,045	77.6	73.1	81.6	3,243,246	75.2	71.5	78.5	
Age									
18-24		#			8,688	8.4	3.9	17.4	
25-34		#			96,762	32.4^	18.9	49.5	
35-44	11,677	50.3 [^]	32.7	67.9	186,971	39.7^	26.7	54.3	
45-64	88,520	79.1	72.7	84.3	1,395,152	81.6	77.8	84.9	
65+	80,813	94.1	91.2	96.1	1,497,501	90.8	86.9	93.6	
Race									
White, NH	171,648	78.7	73.8	82.8	2,081,796	77.4	74.1	80.3	
Black, NH		#			552,688	74.6^	60.0	85.3	
Hispanic		#			420,934	69.1^	56.3	79.5	
Other, NH		#			187,828	69.2^	50.8	83.0	
Sex									
Male	91,238	73.9	66.7	80.1	1,525,386	72.2	66.5	77.2	
Female	99,807	81.2	75.7	85.8	1,717,859	78.1	73.2	82.4	
Age-adjusted ^{&}		59.7	52.7	66.4		55.6	51.1	60.0	

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with current asthma*




		Centra	al NY		Statewide				
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	
Total	89,417	11.3	9.5	13.4	1,520,940	10.0	8.9	11.3	
Age									
18-24	20,846	17.5	10.7	27.4	170,340	8.6	6.2	11.8	
25-34	10,529	9.3	5.3	15.8	322,447	11.7	8.2	16.4	
35-44	17,793	15.0	10.2	21.5	240,590	9.7	7.1	13.0	
45-64	28,901	10.4	8.4	12.9	551,257	11.1	9.3	13.3	
65+	10,467	6.8	5.1	9.1	222,952	8.1	6.5	10.1	
Race									
White, NH	72,841	10.7	8.9	12.8	946,198	10.4	9.1	11.9	
Black, NH	8,396	17.8^	7.6	36.0	199,011	9.2	6.5	12.9	
Hispanic	5,616	19.1^	9.9	33.6	283,809	11.3	7.9	16.0	
Other, NH	2,565	7.4	3.6	14.6	91,921	6.4	4.0	10.0	
Sex									
Male	32,206	8.4	6.1	11.6	504,039	7.0	5.6	8.6	
Female	57,211	14.0	11.5	17.0	1,016,901	12.8	11.1	14.8	
Age-adjusted ^{&}		11.5	9.6	13.7		10.1	8.9	11.4	

* Physician diagnosed asthma.

& Percent is age adjusted to the 2000 United States Population.

Percent of adults with cholesterol checked*




		Centra	al NY		Statewide				
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	642,971	82.8	80.1	85.2	12,572,076	84.2	81.7	86.3	
Age									
18-24	46,812	41.9^	32.2	52.4	891,216	49.0	39.4	58.6	
25-34	74,666	68.3	60.3	75.4	1,896,541	71.3	63.9	77.7	
35-44	104,016	87.0	81.8	90.9	2,197,539	88.9	85.0	91.8	
45-64	261,309	95.0	93.3	96.4	4,694,424	93.8	91.2	95.6	
65+	148,817	98.0	95.9	99.0	2,641,873	97.2	95.8	98.2	
Race									
White, NH	571,682	85.9	83.2	88.3	7,746,530	87.0	84.7	89.0	
Black, NH	29,234	60.3^	44.9	73.8	1,730,762	81.9	73.0	88.3	
Hispanic	18,035	60.7^	43.9	75.3	1,923,116	77.3	70.1	83.1	
Other, NH	24,020	72.5^	56.9	84.0	1,171,667	81.9^	67.3	90.8	
Sex									
Male	299,643	79.8	75.8	83.3	5,864,748	82.0	78.2	85.2	
Female	343,328	85.5	81.6	88.8	6,707,327	86.2	82.9	88.9	
Age-adjusted ^{&}		82.1	79.7	84.2		83.4	81.2	85.4	

* As diagnosed by a health professional.

& Percent is age adjusted to the 2000 United States Population.

Percentage of adults 18 years and older with elevated cholesterol*



		Central NY				Statewide				
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit		
Total Age	247,651	38.9	36.0	41.8	4,711,105	37.7	35.4	40.1		
18-24	6,696	14.3^	7.3	26.1	124,288	14.0	8.0	23.2		
25-34	17,442	23.4^	14.6	35.3	435,898	23.0	16.9	30.5		
35-44	32,399	31.3	23.3	40.6	620,994	28.3	22.0	35.6		
45-64	115,697	44.7	40.6	48.8	2,009,889	43.1	39.8	46.4		
65+	73,480	50.2	45.4	55.1	1,439,336	55.4	51.3	59.4		
Race										
White, NH	223,293	39.4	36.5	42.5	3,102,928	40.3	38.2	42.4		
Black, NH	8,429	29.1^	14.5	49.7	561,511	33.1	25.6	41.6		
Hispanic		#			727,074	37.8	30.7	45.5		
Other, NH	8,310	34.6^	19.2	54.1	319,592	27.3^	18.7	38.1		
Sex										
Male	127,334	42.8	38.4	47.3	2,369,080	40.5	37.0	44.3		
Female	120,317	35.4	31.7	39.3	2,342,025	35.2	32.4	38.2		
Age-adjusted ^{&}		34.9	31.7	38.3		34.5	32.1	37.0		


* As diagnosed by a health professional.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition^{*}



		Centra	al NY			Statewide Est. # of Lower Upper Adults Percent 95% limit 95% limit 713,905 10.2 8.5 12.2 11,960 2.0 1.4 6.1			
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit		Percent			
Total	37,703	8.9	7.3	10.8	713,905	10.2	8.5	12.2	
Age									
18-24		#			11,969	2.9	1.4	6.1	
25-34		#			137,115	17.9^	9.2	31.8	
35-44	5,799	11.4^	5.4	22.7	51,465	6.0	3.8	9.2	
45-64	14,257	8.4	6.3	10.9	282,601	10.2	8.0	13.0	
65+	12,654	10.7	8.2	13.9	208,847	10.1	8.0	12.7	
Race									
White, NH	32,738	8.9	7.2	10.9	398,657	8.8	7.0	11.1	
Black, NH		#			143,698	14.2	9.5	20.7	
Hispanic		#			92,991	8.7	4.5	16.4	
Other, NH		#			78,559	19.0^	10.4	32.2	
Sex									
Male	14,855	7.4	5.6	9.9	324,668	10.2	7.7	13.4	
Female	22,848	10.3	7.9	13.3	389,237	10.2	8.0	12.9	
Age-adjusted ^{&}		8.7	6.6	11.4		9.7	7.7	12.3	


* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY Prevent Chronic Diseases

Percentage of adults with arthritis*



		Centra	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	234,937	29.4	27.1	31.8	3,491,206	22.9	21.3	24.6
Age								
18-24		#			40,067	2.0	1.1	3.6
25-34	12,694	11.0	6.3	18.6	228,246	8.3	5.9	11.7
35-44	24,442	20.3	14.6	27.4	323,152	12.9	9.4	17.5
45-64	111,733	39.9	36.0	43.9	1,465,151	29.2	26.5	32.1
65+	79,738	51.7	46.9	56.5	1,353,867	49.3	45.4	53.2
Race								
White, NH	207,132	30.2	27.8	32.7	2,474,787	27.2	25.6	28.9
Black, NH	10,134	20.9^	11.2	35.6	400,524	18.5	13.4	24.9
Hispanic	9,074	30.5^	18.8	45.5	460,563	18.0	13.6	23.4
Other, NH	8,597	24.9^	14.6	39.1	155,331	10.8	7.2	15.8
Sex								
Male	94,368	24.3	21.3	27.7	1,258,898	17.3	15.2	19.6
Female	140,569	34.2	30.9	37.7	2,232,309	28.0	25.7	30.4
Age-adjusted ^{&}		27.6	25.4	30.0		21.8	20.3	23.3


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity




		Centra	al NY			State	wide	
	Est. # of	_ .	Lower	Upper	Est. # of	- .	Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	686,255	90.0	88.0	91.7	13,107,891	91.3	89.8	92.6
Age								
18-24	97,478	84.7	75.2	91.0	1,641,319	87.9	80.9	92.5
25-34	91,278	85.7	78.0	91.0	2,218,379	86.6	80.9	90.8
35-44	104,240	91.4	86.5	94.6	2,218,331	93.4	90.6	95.4
45-64	247,654	92.0	89.6	93.8	4,372,743	92.2	90.1	93.9
65+	138,296	93.0	89.8	95.2	2,447,810	94.7	92.7	96.1
Race								
White, NH	603,475	92.1	90.2	93.7	8,055,698	93.1	91.7	94.3
Black, NH	36,386	78.0^	64.3	87.5	1,798,763	89.3	83.3	93.4
Hispanic	22,200	76.8^	58.5	88.6	1,963,304	84.3	78.2	89.0
Other, NH	24,194	76.4^	60.3	87.4	1,290,125	94.0	88.9	96.9
Sex								
Male	333,237	89.9	86.4	92.5	6,375,291	92.5	90.3	94.3
Female	353,017	90.2	87.7	92.2	6,732,600	90.1	87.9	91.9
Age-adjusted ^{&}		89.9	87.8	91.7		91.3	89.8	92.6

& Percent is age adjusted to the 2000 United States Population.

Promote a Healthy and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



		Centr	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	43,813	29.1	25.3	33.2	802,383	30.8	27.3	34.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	41,256	29.4	25.5	33.5	600,059	31.3	28.3	34.5
Black, NH		#			61,485	22.9^	12.6	38.1
Hispanic		#			96,513	39.1^	21.8	59.7
Other, NH		#			44,326	25.2^	12.2	45.0
Sex								
Male	16,907	24.4	19.2	30.4	324,764	30.4	25.5	35.7
Female	26,906	33.1	28.0	38.7	477,619	31.1	26.4	36.2
A + - &								
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environments

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



		Centr	al NY		StatewideEst. # ofLowerUpperAdultsPercent95% limit304,37638.332.244.9			
F	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit		Percent		
Total	15,308	35.0	28.3	42.4	304,376	38.3	32.2	44.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	14,325	34.8	27.9	42.4	223,708	37.6	32.1	43.4
Black, NH		#			33,030	53.7^	28.5	77.2
Hispanic		#			31,933	34.1^	11.7	66.8
Other, NH		#			15,705	35.4^	12.0	68.8
Sex								
Male	5,175	30.6^	20.8	42.5	103,371	32.2	24.1	41.5
Female	10,133	37.8	29.1	47.3	201,005	42.5	33.9	51.5
Age-adjusted ^{+,&}								


* Falls that limited regular activities or lead to doctor visits.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



		Centr	al NY			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	84,368	33.6	29.9	37.5	1,662,747	37.3	34.0	40.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	74,836	33.0	29.2	37.0	957,863	33.7	31.0	36.4
Black, NH		#			347,642	52.3^	40.1	64.2
Hispanic		#			270,194	44.2^	31.2	58.1
Other, NH		#			87,049	26.2	15.7	40.4
Sex								
Male	40,311	33.3	28.1	38.9	929,342	43.4	38.2	48.7
Female	44,057	33.9	28.8	39.4	733,405	31.7	27.6	36.1
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*




		Centra	al NY		StatewideEst. # ofLowerUpperAdultsPercent95% limit95% limit6,798,70646.744.349.2			
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit		Percent		
Total	377,085	49.1	46.2	51.9	6,798,706	46.7	44.3	49.2
Age								
18-24	36,542	31.4^	22.3	42.3	600,414	31.7	23.4	41.5
25-34	37,892	35.3	27.9	43.5	907,897	35.3	29.0	42.1
35-44	46,129	40.3	32.8	48.2	981,422	41.1	33.9	48.6
45-64	138,266	51.0	47.1	55.0	2,282,268	47.4	44.1	50.8
65+	115,003	76.1	72.1	79.7	1,895,586	72.1	67.9	75.9
Race								
White, NH	336,711	51.0	48.0	53.9	4,296,522	49.3	47.1	51.5
Black, NH	11,183	24.0^	14.5	37.0	718,122	35.0	27.6	43.3
Hispanic	13,658	47.2^	32.2	62.8	971,941	40.8	34.1	47.8
Other, NH	15,532	48.0^	32.3	64.0	812,120	58.5^	45.1	70.7
Sex								
Male	160,998	43.0	39.1	46.9	3,045,064	43.8	40.1	47.5
Female	216,087	54.9	50.8	58.9	3,753,643	49.5	46.2	52.8
Age-adjusted ^{&}		47.6	44.7	50.5		46.0	43.4	48.6

* Includes flu shot or flu spray

& Percent is age adjusted to the 2000 United States Population.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



		Centr	al NY			Statewide Est. # of Adults Lower Percent Upper 95% limit 1,895,586 72.1 67.9 75.9 1,895,586 72.1 67.9 75.9 1,484,360 76.9 73.9 79.6 103,016 38.4^ 23.8 55.5 170,589 69.0^ 47.8 84.3 137,621 75.2^ 51.4 89.7		
	Est. # of		Lower	Upper				
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	115,003	76.1	72.1	79.7	1,895,586	72.1	67.9	75.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	107,314	76.3	72.1	79.9	1,484,360	76.9	73.9	79.6
Black, NH		#			103,016	38.4^	23.8	55.5
Hispanic		#			170,589	69.0^	47.8	84.3
Other, NH		#			137,621	75.2^	51.4	89.7
Sex								
Male	54,341	78.0	71.3	83.5	802,715	73.9	67.7	79.3
Female	60,663	74.5	69.4	79.1	1,092,871	70.8	65.0	76.0
Age-adjusted ^{+,&}								
Age-aujusteu								

* Includes flu shot or flu spray


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization




		Centr	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	111,504	76.7	72.7	80.3	1,617,276	65.1	60.7	69.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	105,550	78.0	74.1	81.4	1,303,462	71.4	68.1	74.4
Black, NH		#			123,843	48.9^	30.2	67.8
Hispanic		#			104,466	45.7^	27.5	65.3
Other, NH		#			85,505	48.1^	27.7	69.2
Sex								
Male	50,740	75.0	68.2	80.7	631,549	62.4	56.7	67.7
Female	60,765	78.2	73.3	82.5	985,727	66.9	60.5	72.7
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-44 years who had dental visit within the last year




		Centr	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	126,109	77.4	71.5	82.4	2,268,176	70.7	64.0	76.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	103,652	77.4	70.8	82.8	1,155,302	73.5	68.1	78.3
Black, NH		#			426,771	78.8^	61.7	89.5
Hispanic		#			412,421	62.2^	48.3	74.4
Other, NH		#			273,683	63.0^	30.7	86.8
Sex								
Male		#				#		
Female	126,109	77.4	71.5	82.4	2,268,176	70.7	64.0	76.5
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Women aged 18-44 years who saw a doctor for a routine checkup within the last year




		Centr	al NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	125,925	72.6	66.6	77.9	2,615,375	72.5	66.5	77.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	100,555	70.7	63.9	76.7	1,220,281	70.1	65.1	74.6
Black, NH		#			512,270	83.8^	68.8	92.4
Hispanic		#			606,739	76.3^	64.1	85.3
Other, NH		#			276,085	60.1^	30.5	83.8
Sex								
Male		#				#		
Female	125,925	72.6	66.6	77.9	2,615,375	72.5	66.5	77.8
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-64 years with health care coverage




		Centra	al NY			State	wide	90.2 93.0 96.1 83.5 89.5	
	Est. # of	_	Lower	Upper	Est. # of	_	Lower		
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	296,489	91.9	89.6	93.7	5,351,099	87.2	83.4	90.2	
Age⁺									
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	254,032	92.9	90.8	94.6	3,178,979	91.6	90.0	93.0	
Black, NH		#			916,108	93.3	88.7	96.1	
Hispanic		#			807,553	76.0	66.5	83.5	
Other, NH		#			448,460	71.8^	43.3	89.5	
Sex									
Male		#				#			
Female	296,489	91.9	89.6	93.7	5,351,099	87.2	83.4	90.2	
Age-adjusted ^{+,&}									

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Central NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	80,608	50.2	42.3	58.0	1,268,971	39.3	33.7	45.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	65,622	48.9	40.5	57.4	723,302	45.9	41.1	50.9
Black, NH		#			291,237	53.7^	35.5	71.0
Hispanic		#			192,904	28.5^	19.0	40.3
Other, NH		#			61,528	14.1^	6.5	27.9
Sex								
Male		#				#		
Female	80,608	50.2	42.3	58.0	1,268,971	39.3	33.7	45.2
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month




	Central NY				Statewide			
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	108,500	13.9	11.9	16.1	1,672,677	11.3	9.7	13.0
Age								
18-24	20,377	17.4	10.6	27.1	186,862	9.5	6.7	13.1
25-34	18,720	16.4	11.3	23.2	418,716	15.7	10.2	23.4
35-44	20,735	17.5	12.2	24.4	259,463	10.5	7.0	15.4
45-64	39,286	14.3	11.5	17.7	587,164	12.1	10.3	14.2
65+	8,787	5.9	4.3	8.2	175,961	6.7	4.9	9.0
Race								
White, NH	95,871	14.2	12.2	16.6	1,072,012	12.0	10.2	14.2
Black, NH	6,460	13.9^	5.0	33.1	237,227	11.2	7.0	17.5
Hispanic		#			264,437	11.0	7.1	16.6
Other, NH	1,888	5.9	2.6	12.9	99,001	7.0	3.9	12.2
Sex								
Male	41,014	10.7	8.2	14.0	734,315	10.4	7.9	13.5
Female	67,486	16.9	14.0	20.2	938,362	12.1	10.2	14.2
Age-adjusted ^{&}		14.3	12.3	16.7		11.1	9.6	13.0

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Central NY				Statewide			
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	133,104	17.5	15.5	19.7	2,413,447	16.9	14.9	19.1
Age								
18-24	31,378	27.5	20.0	36.6	515,466	27.1	19.4	36.6
25-34	29,508	28.2	21.7	35.8	633,963	25.0	18.9	32.3
35-44	20,611	18.4	13.5	24.6	509,131	22.6	17.2	29.1
45-64	43,871	16.2	13.4	19.4	656,578	13.7	11.7	16.0
65+	7,576	5.1	3.3	7.6	86,636	3.4	2.7	4.2
Race								
White, NH	114,597	17.5	15.5	19.8	1,649,594	19.1	17.0	21.5
Black, NH	8,623	19.6^	11.0	32.5	324,364	16.3^	9.4	26.8
Hispanic		#			277,966	11.6	7.7	17.1
Other, NH	5,248	15.6^	7.4	29.9	161,523	12.4	6.8	21.7
Sex								
Male	85,764	23.5	20.2	27.1	1,567,117	22.8	19.3	26.8
Female	47,341	12.0	9.9	14.5	846,330	11.4	9.6	13.4
Age-adjusted ^{&}		18.4	16.3	20.8		17.7	15.6	20.0


* Men who have five or more drinks, women having four or more drinks on one occasion

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Central NY Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Central NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	50,537	47.9	39.3	56.5	519,245	31.8	24.1	40.6
Age								
18-24		#			64,468	35.6^	22.4	51.5
25-34		#			192,926	47.3^	24.8	70.8
35-44	10,440	50.3^	31.9	68.7	70,340	27.6^	16.6	42.1
45-64	14,946	38.9^	27.4	51.7	177,977	31.2	24.0	39.5
65+	1,202	14.7^	7.0	28.3	13,368	7.7	4.1	13.9
Race								
White, NH	42,564	45.5	36.8	54.4	423,246	39.9^	29.9	50.7
Black, NH		#			33,694	14.4^	7.7	25.3
Hispanic		#			45,968	18.1^	9.4	31.9
Other, NH		#			16,336	19.6^	9.4	36.5
Sex								
Male	18,392	45.6^	31.0	60.9	272,857	38.4^	24.1	55.0
Female	32,145	49.3^	39.1	59.5	246,388	26.7	20.7	33.8
Age-adjusted ^{&}		43.8	36.8	51.1		29.9	24.1	36.4

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.