# eBRFSS 2013-2014 Health Indicators: Chautauqua

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults with annual nousehold income less than \$25,000 who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of	
guidelines	20
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes	ecent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure	ecent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ecent2930313232
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	ecent 29 31 32 33 34
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked	ecent 29 31 32 34 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	ecent 29 30 31 32 34 35 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ecent 29 30 31 32 34 35 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis	ecent 29 31 32 34 35 36 37 38
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults with ohave taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 18+ years with flu immunization in the past year.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months  Promote HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with hysician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-44 years who had dental visit within the last year	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months  Promote HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with hysician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-44 years who had dental visit within the last year	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 47-68 years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults with arthritis such as a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percenta	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years whose health care coverage.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults with arthritis such as a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percenta	ecent

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

### Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,369	9.9	(6.7-14.3)	111,076	9.2	(7.7-10.8)
Age						
18-24		#		16,858	9.8	(4.9-18.5)
25-34		#		25,019	14.6	(9.8-21.3)
35-44		#		18,404	10.7	(7.7-14.7)
45-64	6,183	16.5	(9.8-26.5)	44,281	10.2	(8.2-12.5)
65+		#		6,309	2.5	(1.5-4.1)
Race						
White, NH	6,458	7.3	(4.9-10.8)	88,308	8.7	(7.2-10.6)
Black, NH		#		12,547	13.6	(8.4-21.3)
Hispanic		#		7,904	13.2	(7.5-22.4)
Other, NH		#		2,317	5.1	(2.5-10.1)
Sex						
male	7,357	14.4	(8.4-23.4)	54,343	9.3	(7.0-12.3)
female	3,012	5.6	(2.9-10.5)	56,733	9.1	(7.5-10.9)
Age-adjusted <sup>&amp;</sup>		11.1	(7.6-16.0)		9.8	(8.2-11.6)

<sup>\*</sup> Among people needing to see a doctor in the past 12 months


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

### Percentage of adults who have a regular health care provider



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	84,849	80.8^	(70.7-88.1)	1,066,548	88.1	(86.1-89.9)
Age						
18-24		#		127,756	74.5	(64.0-82.7)
25-34		#		142,488	82.2	(76.7-86.6)
35-44	12,556	86.7	(69.9-94.8)	148,338	86.9	(81.1-91.1)
45-64	33,139	88.5	(80.0-93.7)	394,413	91.1	(88.5-93.1)
65+	22,121	95.8	(90.1-98.2)	240,905	96.8	(95.0-98.0)
Race						
White, NH	71,992	81.3	(69.5-89.3)	910,266	89.8	(87.7-91.6)
Black, NH		#		72,546	78.8	(69.0-86.2)
Hispanic		#		46,457	77.2^	(64.9-86.2)
Other, NH		#		37,279	83.4	(71.6-90.9)
Sex						
male	37,398	72.7	(56.1-84.7)	480,509	82.2	(78.5-85.4)
female	47,451	88.7	(76.3-95.0)	586,040	93.6	(91.9-95.0)
Age-adjusted <sup>&amp;</sup>		80.6	(73.0-86.4)		87.4	(85.2-89.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

### Percentage of adults who had a dentist visit within the past year



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	57,637	60.1	(52.5-67.2)	815,757	72.0	(69.5-74.4)
Age						
18-24		#		111,937	72.2	(62.3-80.3)
25-34		#		104,276	65.3	(57.4-72.5)
35-44	9,125	63.9^	(44.5-79.6)	116,739	73.5	(66.6-79.5)
45-64	21,154	60.1	(49.6-69.7)	302,588	73.5	(69.9-76.8)
65+	12,211	58.0	(48.9-66.7)	169,803	72.1	(67.5-76.3)
Race						
White, NH	48,622	60.7	(53.0-68.0)	696,981	73.0	(70.4-75.5)
Black, NH		#		48,534	62.2^	(51.5-71.9)
Hispanic		#		39,253	69.8^	(56.2-80.6)
Other, NH		#		30,989	69.9^	(54.2-82.0)
Sex						
male	25,780	58.4	(45.9-69.9)	385,171	70.1	(66.0-74.0)
female	31,857	61.5	(52.4-70.0)	430,585	73.8	(70.7-76.6)
Age-adjusted <sup>&amp;</sup>		59.5	(51.7-66.9)		71.6	(68.9-74.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

### Percentage of adults living with a disability\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,265	24.2	(18.8-30.6)	300,934	25.0	(22.8-27.4)
Age						
18-24		#		21,109	12.4	(7.0-21.1)
25-34		#		32,454	19.0	(13.1-26.6)
35-44		#		32,720	19.3	(14.1-25.9)
45-64	8,674	23.4	(16.3-32.4)	123,509	28.7	(25.1-32.5)
65+	8,416	37.0	(28.5-46.3)	89,167	36.1	(31.7-40.7)
Race						
White, NH	18,937	21.6	(16.5-27.6)	259,812	25.8	(23.3-28.5)
Black, NH		#		19,801	22.0	(15.4-30.5)
Hispanic		#		12,927	21.7	(13.6-32.9)
Other, NH		#		8,395	18.7	(10.7-30.6)
Sex						
male	10,941	21.5	(14.1-31.3)	141,203	24.3	(20.8-28.3)
female	14,324	26.8	(20.0-34.9)	159,731	25.7	(22.9-28.7)
Age-adjusted <sup>&amp;</sup>		23.4	(18.0-29.9)		24.0	(21.7-26.5)

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

#### Percentage of adults aged 18-64 years with healthcare coverage



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	68,214	83.9^	(71.7-91.5)	823,035	87.2	(84.7-89.3)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	54,100	83.0^	(68.1-91.7)	674,524	88.0	(85.2-90.3)
Black, NH		#		68,376	82.4	(73.1-89.0)
Hispanic		#		46,078	79.4^	(66.7-88.1)
Other, NH		#		34,057	93.3	(84.4-97.3)
Sex						
male	34,470	79.0^	(57.9-91.2)	400,391	84.8	(80.5-88.3)
female	33,744	89.6	(81.8-94.3)	422,644	89.6	(86.8-91.8)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	57,934	71.4	(63.2-78.4)	713,093	75.2	(72.3-77.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	47,762	73.4	(64.3-80.9)	580,918	75.4	(72.2-78.3)
Black, NH		#		66,769	80.1^	(70.0-87.4)
Hispanic		#		43,398	75.9^	(63.1-85.3)
Other, NH		#		22,009	58.8	(38.3-76.7)
Sex						
male	30,340	70.2	(56.9-80.8)	332,817	70.2	(65.5-74.6)
female	27,593	72.8	(61.8-81.6)	380,276	80.1	(76.7-83.0)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,839	33.4	(26.4-41.2)	362,546	32.8	(30.1-35.6)
Age						
18-24		#		41,076	29.1^	(20.6-39.4)
25-34		#		73,260	46.0	(37.8-54.5)
35-44		#		58,390	37.4	(30.9-44.4)
45-64	12,961	36.5	(26.8-47.5)	141,359	35.2	(31.1-39.4)
65+	4,550	21.2	(14.5-30.0)	46,422	19.6	(15.9-23.9)
Race						
White, NH	22,238	28.6	(22.2-35.9)	275,138	29.5	(26.8-32.4)
Black, NH		#		44,647	53.4	(42.9-63.5)
Hispanic		#		22,006	46.5^	(33.0-60.5)
Other, NH		#		20,755	47.6	(30.8-64.9)
Sex						
male	13,929	31.3	(20.6-44.6)	160,510	29.9	(25.8-34.3)
female	16,910	35.3	(27.3-44.2)	202,036	35.5	(32.0-39.1)
Age-adjusted <sup>&amp;</sup>		33.9	(26.9-41.7)		34.2	(31.4-37.1)

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,689	18.3	(13.5-24.3)	246,116	21.0	(18.7-23.5)
Age						
18-24		#		38,217	23.4	(16.1-32.7)
25-34		#		51,496	30.6	(22.8-39.5)
35-44	3,835	26.9^	(13.7-45.9)	38,805	23.7	(18.4-29.9)
45-64	6,549	18.1	(12.0-26.3)	90,979	21.7	(18.3-25.6)
65+	3,034	13.8	(8.5-21.6)	25,712	10.6	(8.0-13.9)
Race						
White, NH	13,705	15.9	(11.6-21.4)	181,689	18.5	(16.2-21.1)
Black, NH		#		29,550	34.3	(25.4-44.3)
Hispanic		#		18,344	31.8^	(21.1-44.9)
Other, NH		#		16,533	36.8^	(21.0-55.9)
Sex						
male	9,225	18.6	(11.4-28.7)	113,695	20.0	(16.3-24.2)
female	9,464	18.1	(12.3-25.7)	132,421	22.0	(19.4-24.9)
Age-adjusted <sup>&amp;</sup>		18.6	(13.7-24.9)		22.1	(19.6-24.8)

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

### Percentage of adults with poor self-reported health




	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,547	4.3	(2.5-7.4)	59,362	4.9	(3.9-6.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,973	3.5	(2.0-6.0)
45-64	2,447	6.6	(2.8-14.8)	30,602	7.1	(5.1-9.6)
65+	1,455	6.3	(3.4-11.4)	17,350	7.0	(4.8-10.2)
Race						
White, NH	3,625	4.1	(2.6-6.5)	49,277	4.9	(3.8-6.3)
Black, NH		#		5,176	5.6	(2.6-11.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,507	4.9	(2.6-8.9)	27,901	4.8	(3.3-6.9)
female	2,041	3.8	(1.5-9.6)	31,461	5.0	(3.7-6.8)
Age-adjusted <sup>&amp;</sup>		4.0	(2.4-6.6)		4.6	(3.6-5.8)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,021	13.7	(9.9-18.7)	159,607	13.5	(11.8-15.3)
Age						
18-24		#		9,020	5.3	(2.7-10.2)
25-34		#		13,051	7.7	(4.2-13.4)
35-44		#		21,720	12.9	(8.6-18.8)
45-64	6,947	19.0	(12.1-28.6)	75,885	17.9	(15.0-21.4)
65+	4,471	20.2	(13.0-30.0)	38,971	16.3	(12.9-20.3)
Race						
White, NH	10,352	12.0	(8.6-16.5)	131,797	13.3	(11.4-15.3)
Black, NH		#		16,150	17.8	(11.6-26.3)
Hispanic		#		5,447	9.6	(4.9-17.8)
Other, NH		#		6,214	14.1	(7.2-25.8)
Sex						
male	6,185	12.4	(7.3-20.3)	63,069	11.0	(8.7-13.7)
female	7,836	14.9	(10.0-21.7)	96,538	15.8	(13.4-18.5)
Age-adjusted <sup>&amp;</sup>		12.4	(9.1-16.7)		13.0	(11.3-15.0)

<sup>\*</sup> Out of the past 30 days.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults who are obese\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,107	28.3	(22.3-35.2)	344,412	30.2	(27.7-32.8)
Age						
18-24		#		28,877	17.2	(11.7-24.7)
25-34		#		46,414	28.9	(21.7-37.5)
35-44		#		61,451	38.4	(31.3-46.1)
45-64	9,429	27.1	(19.6-36.1)	146,722	36.2	(32.3-40.2)
65+	6,155	27.9	(20.2-37.3)	60,875	25.7	(21.5-30.3)
Race						
White, NH	22,081	26.5	(20.6-33.5)	272,632	28.4	(25.7-31.2)
Black, NH		#		40,228	46.7^	(36.9-56.8)
Hispanic		#		20,797	37.4	(25.4-51.1)
Other, NH		#		10,754	28.3	(16.6-44.0)
Sex						
male	13,393	26.3	(17.9-37.0)	178,617	31.1	(27.3-35.2)
female	14,714	30.3	(22.6-39.2)	165,795	29.2	(26.1-32.5)
Age-adjusted <sup>&amp;</sup>		32.1	(25.9-39.0)		31.1	(28.5-33.9)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	Chau	ıtauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,330	42.1^	(31.4-53.6)	104,583	35.5	(30.9-40.3)
Age						
18-24		#		8,384	18.0^	(8.9-33.0)
25-34		#		16,598	35.7	(24.1-49.2)
35-44		#		19,177	61.3^	(48.2-73.0)
45-64		#		38,181	43.0	(35.8-50.5)
65+	2,668	33.9^	(19.0-52.9)	22,243	27.3	(20.7-35.1)
Race						
White, NH	9,324	38.5	(27.7-50.7)	74,570	33.0	(28.0-38.4)
Black, NH		#		15,662	38.9^	(26.9-52.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	6,627	45.2	(29.5-61.9)	44,600	31.5	(24.9-39.0)
female	5,704	39.0^	(25.4-54.6)	59,983	39.1	(33.3-45.2)
Age-adjusted <sup>&amp;</sup>		45.3 <sup>^</sup>	(35.4-55.6)		39.8	(35.2-44.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults living with a disability who are obese\*



	Chau	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,454	34.9^	(24.3-47.2)	128,816	44.6	(39.4-49.8)
Age						
18-24		#			#	
25-34		#		14,398	45.5	(26.9-65.4)
35-44		#		18,864	60.6	(43.0-75.9)
45-64		#		59,485	50.7	(43.2-58.2)
65+	2,748	32.9	(20.7-48.0)	30,693	35.4	(28.3-43.1)
Race						
White, NH	7,182	39.5	(28.2-52.1)	107,458	43.1	(37.5-48.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,528	24.2	(13.5-39.7)	61,413	43.8	(35.7-52.3)
female	5,926	42.9^	(27.5-59.8)	67,402	45.2	(39.0-51.7)
Age-adjusted <sup>&amp;</sup>		37.2	(24.9-51.4)		46.0	(39.6-52.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults overweight or obese\*



	Cha	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	61,610	62.0	(52.9-70.3)	722,740	63.3	(60.2-66.3)
Age						
18-24		#		62,859	37.5	(28.0-48.1)
25-34		#		99,799	62.2	(54.6-69.4)
35-44		#		108,030	67.5	(59.7-74.4)
45-64	23,667	67.9	(58.2-76.3)	288,771	71.2	(67.0-75.0)
65+	13,984	63.4	(53.9-72.1)	158,839	67.0	(62.2-71.4)
Race						
White, NH	50,644	60.9	(50.9-70.0)	598,637	62.3	(58.9-65.6)
Black, NH		#		68,129	79.2	(70.8-85.6)
Hispanic		#		38,608	69.4^	(53.9-81.4)
Other, NH		#		17,366	45.8^	(31.3-61.0)
Sex						
male	31,759	62.5	(47.6-75.3)	393,334	68.6	(63.5-73.3)
female	29,851	61.4	(51.2-70.8)	329,405	58.1	(54.3-61.8)
Age-adjusted <sup>&amp;</sup>		63.2	(55.2-70.5)		63.7	(60.8-66.5)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	Chau	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	66,620	65.0	(57.4-71.9)	877,451	74.4	(72.0-76.6)
Age						
18-24		#		133,667	80.7	(72.8-86.7)
25-34		#		131,249	77.7	(70.8-83.4)
35-44	8,343	57.5	(39.7-73.5)	125,180	75.1	(68.8-80.5)
45-64	20,851	57.3	(46.5-67.5)	307,351	72.9	(69.1-76.4)
65+	12,758	57.8	(48.4-66.7)	171,171	70.2	(65.6-74.4)
Race						
White, NH	58,798	67.9	(60.4-74.5)	756,817	76.5	(74.1-78.7)
Black, NH		#		50,618	58.2	(48.0-67.8)
Hispanic		#		37,543	64.1^	(49.9-76.2)
Other, NH		#		32,474	72.6	(56.3-84.5)
Sex						
male	32,449	65.3 <sup>^</sup>	(52.5-76.2)	439,933	77.0	(73.4-80.2)
female	34,171	64.8	(55.9-72.7)	437,519	72.0	(68.8-74.9)
Age-adjusted <sup>&amp;</sup>		65.6	(59.1-71.6)		74.8	(72.4-77.0)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



	Cha	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,171	27.9	(21.9-34.8)	301,463	26.2	(23.3-29.3)
Age						
18-24		#		75,402	45.9^	(34.2-58.1)
25-34		#		55,078	34.3	(27.2-42.1)
35-44	4,240	29.2	(16.9-45.6)	44,593	27.4	(21.4-34.3)
45-64	10,279	29.1	(20.5-39.5)	95,213	23.0	(19.4-27.0)
65+	4,394	20.3	(13.7-29.0)	28,279	11.9	(9.4-15.1)
Race						
White, NH	22,233	26.1	(20.1-33.1)	228,879	23.6	(20.6-27.0)
Black, NH		#		38,316	47.1	(36.9-57.6)
Hispanic		#		23,181	39.9^	(26.4-55.1)
Other, NH		#		11,087	25.0^	(14.1-40.4)
Sex						
male	16,050	32.8	(22.3-45.4)	189,430	34.0	(29.1-39.3)
female	12,121	23.2	(16.8-31.2)	112,033	18.9	(16.3-21.7)
Age-adjusted <sup>&amp;</sup>		30.5	(24.3-37.4)		27.1	(24.3-30.0)

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults who consume fast-food three or more times per week



	Cha	ıtauqua Co	unty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,493	6.5	(4.0-10.4)	77,073	6.7	(5.5-8.3)
Age						
18-24		#		14,257	8.8	(5.2-14.3)
25-34		#		14,510	9.0	(5.3-14.9)
35-44		#		20,808	12.8	(8.0-19.9)
45-64	1,630	4.6	(2.3-9.2)	19,934	4.8	(3.5-6.8)
65+		#		7,263	3.1	(1.8-5.2)
Race						
White, NH	5,675	6.7	(4.0-11.3)	56,907	5.9	(4.6-7.5)
Black, NH		#		12,107	15.3	(8.8-25.1)
Hispanic		#			#	
Other, NH		#		3,483	7.9^	(2.7-21.0)
Sex						
male	3,853	7.9	(4.5-13.5)	50,457	9.2	(7.0-11.8)
female	2,640	5.1	(2.0-12.4)	26,616	4.5	(3.1-6.5)
Age-adjusted <sup>&amp;</sup>		7.5	(4.6-12.0)		7.6	(6.0-9.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

## Percentage of adults with physician diagnosed diabetes $^{\star}$



	Chau	utauqua Co	ounty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,002	7.6	(5.2-11.1)	118,414	9.7	(8.3-11.4)
Age						
18-24		#			#	
25-34		#		4,633	2.7	(1.1-6.2)
35-44		#		8,125	4.7	(2.8-7.8)
45-64	2,599	7.0	(3.2-14.5)	52,043	11.9	(9.1-15.5)
65+	4,144	17.9	(12.2-25.5)	48,493	19.5	(16.1-23.4)
Race						
White, NH	6,354	7.2	(5.1-10.0)	92,279	9.1	(7.7-10.6)
Black, NH		#		16,081	17.4	(11.2-26.0)
Hispanic		#		2,951	4.9	(2.2-10.7)
Other, NH		#		7,104	15.7	(4.4-43.0)
Sex						
male	3,169	6.2	(3.5-10.6)	58,629	10.0	(7.8-12.8)
female	4,834	9.0	(5.4-14.7)	59,785	9.5	(7.9-11.5)
Age-adjusted <sup>&amp;</sup>		6.6	(4.6-9.4)		8.7	(7.5-10.1)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults who are current smokers



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,284	24.7	(19.0-31.5)	247,835	20.8	(18.8-23.0)
Age						
18-24		#		25,309	14.9	(9.9-21.7)
25-34		#		56,094	32.7	(25.8-40.4)
35-44	5,965	41.1	(25.1-59.2)	38,389	22.9	(18.1-28.6)
45-64	9,622	26.7	(19.2-35.9)	107,073	25.2	(21.7-29.1)
65+	3,102	13.6	(7.5-23.2)	20,570	8.4	(6.2-11.3)
Race						
White, NH	18,963	21.7	(16.5-28.0)	189,505	19.0	(16.9-21.3)
Black, NH		#		34,273	38.2	(29.0-48.3)
Hispanic		#		18,226	31.1	(19.3-46.1)
Other, NH		#		5,830	13.1	(7.7-21.6)
Sex						
male	12,501	25.2	(16.6-36.3)	126,440	22.0	(18.8-25.7)
female	12,783	24.2	(17.4-32.6)	121,395	19.7	(17.2-22.5)
Age-adjusted <sup>&amp;</sup>		27.8	(21.7-35.0)		21.9	(19.7-24.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults with annual household income less than \$25,000 who are current smokers



	Chau	ıtauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,066	37.7	(27.2-49.5)	97,449	31.1	(26.5-36.0)
Age						
18-24		#		11,645	24.5	(13.0-41.3)
25-34		#		24,473	45.0^	(31.7-59.0)
35-44		#		11,451	33.5	(22.8-46.2)
45-64		#		38,840	41.2	(33.3-49.5)
65+	1,931	23.0^	(10.2-44.0)	11,011	13.4	(8.4-20.7)
Race						
White, NH	8,736	35.1	(24.8-47.1)	67,100	28.5	(23.5-34.1)
Black, NH		#		22,273	50.8^	(37.9-63.6)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	6,316	43.6	(27.7-60.8)	49,706	34.0	(26.3-42.6)
female	4,750	32.0^	(19.9-47.1)	47,743	28.5	(23.5-34.2)
Age-adjusted <sup>&amp;</sup>		40.3^	(29.3-52.4)		33.3	(28.6-38.3)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults aged 18-24 years who are current smokers



**Chautauqua County Western NY** Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI **Total** # 25,309 14.9 (9.9-21.7)Age<sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race White, NH 15,004 # 10.9 (6.7-17.3)Black, NH # Hispanic # Other, NH # Sex male 17,008 15.9 (9.3-25.9)female # 8,301 13.1 (7.0-23.0)Age-adjusted+,&


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	Chau	ıtauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,511	79.3	(69.6-86.5)	196,724	83.1	(80.0-85.9)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,487	78.3	(68.4-85.7)	183,377	83.5	(80.2-86.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	17,511	79.3	(69.6-86.5)	196,724	83.1	(80.0-85.9)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		41,732	74.1	(66.1-80.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		37,146	74.6	(66.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		41,732	74.1	(66.1-80.8)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,061	78.6	(68.8-86.0)	360,599	83.2	(79.9-86.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	25,484	82.5	(73.4-88.9)	310,981	84.5	(81.0-87.4)
Black, NH		#		23,632	75.8^	(58.9-87.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	28,061	78.6	(68.8-86.0)	360,599	83.2	(79.9-86.0)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Chautauqua County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		80,264	76.6	(70.1-82.1)	
Age <sup>+</sup>							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		58,042	76.8	(69.5-82.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		80,264	76.6	(70.1-82.1)	
Age-adjusted+,&							

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> ⁺ 18-24	27,462	69.8	(60.9-77.4)	314,570	69.7	(66.0-73.1)
25-34 35-44 45-64						
65+ <b>Race</b>						
White, NH Black, NH Hispanic Other, NH	25,312	71.3 # # #	(62.9-78.5)	284,419 21,964	70.9 75.7 <sup>^</sup> # #	(67.3-74.2) (60.5-86.3)
Sex male female Age-adjusted+,&	10,985 16,477	64.6 <sup>^</sup> 73.8	(48.4-77.9) (64.5-81.3)	143,396 171,173	67.7 71.4	(61.6-73.3) (67.0-75.5)

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Chautauqua County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	6,420	63.0^	(44.8-78.2)	64,446	57.0	(48.7-65.0)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	6,319	62.6	(44.3-77.9)	56,021	60.7	(52.9-68.1)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		26,654	48.3	(35.9-60.9)	
female		#		37,792	65.3	(55.7-73.9)	
Age-adjusted+,&							

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	48,797	54.2	(45.5-62.6)	618,738	58.8	(55.6-61.9)
Age						
18-24		#		34,559	21.4	(15.2-29.4)
25-34		#		90,941	55.9	(48.1-63.4)
35-44	8,073	57.6	(40.1-73.3)	93,243	59.7	(52.1-66.9)
45-64	21,302	62.6	(51.8-72.2)	252,542	68.7	(64.6-72.6)
65+	12,619	70.7	(59.5-79.7)	141,522	73.1	(67.7-77.9)
Race						
White, NH	41,388	54.8	(45.4-63.8)	522,976	59.1	(55.6-62.5)
Black, NH		#		45,591	61.3^	(50.4-71.1)
Hispanic		#		33,895	59.7^	(45.7-72.3)
Other, NH		#		16,276	44.7	(29.5-61.0)
Sex						
male	21,771	51.5	(37.5-65.2)	286,050	56.8	(51.6-61.9)
female	27,026	56.5	(46.6-66.0)	332,688	60.6	(56.8-64.2)
Age-adjusted <sup>&amp;</sup>		53.8	(46.5-60.8)		59.1	(56.3-61.8)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed prediabetes




	Chautauqua County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,007	6.3	(4.2-9.5)	52,627	4.9	(3.9-6.1)
Age						
18-24		#			#	
25-34		#		7,276	4.3	(1.8-10.2)
35-44		#		5,652	3.5	(1.9-6.2)
45-64	2,842	8.3	(4.5-14.9)	19,280	5.1	(3.8-6.9)
65+	1,939	10.4	(6.3-16.7)	15,987	8.3	(5.9-11.4)
Race						
White, NH	5,256	6.5	(4.3-9.9)	46,288	5.1	(4.0-6.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,171	6.7	(3.5-12.5)	25,178	4.9	(3.3-7.0)
female	2,836	5.9	(3.5-9.8)	27,449	4.9	(3.8-6.2)
Age-adjusted <sup>&amp;</sup>		6.5	(4.1-10.2)		4.7	(3.7-5.9)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed high blood pressure



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,845	31.4	(25.5-37.9)	413,880	34.2	(31.6-36.8)
Age						
18-24		#		10,701	6.2	(3.5-10.8)
25-34		#		33,277	19.3	(13.5-26.8)
35-44		#		36,099	21.0	(15.2-28.3)
45-64	12,303	33.0	(24.8-42.4)	174,646	40.1	(36.0-44.3)
65+	16,213	70.2	(61.9-77.4)	155,613	62.7	(57.8-67.3)
Race						
White, NH	29,366	33.3	(26.9-40.3)	341,756	33.7	(31.1-36.5)
Black, NH		#		42,050	45.2	(35.9-54.8)
Hispanic		#		19,496	32.4	(19.3-49.0)
Other, NH		#		10,578	23.4	(10.1-45.3)
Sex						
male	14,381	28.1	(19.5-38.7)	209,209	35.8	(31.7-40.1)
female	18,464	34.4	(27.3-42.3)	204,672	32.6	(29.7-35.8)
Age-adjusted <sup>&amp;</sup>		26.7	(22.5-31.4)		31.6	(29.2-34.1)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	27,052	82.5^	(72.4-89.5)	319,214	77.2	(72.7-81.2)
18-24		#			#	
25-34		#		10,589	31.8^	(15.4-54.5)
35-44		#		15,924	44.1	(28.5-60.9)
45-64	9,598	78.0^	(63.4-87.9)	140,590	80.5	(73.1-86.3)
65+	16,106	99.7	(98.2- 100.0)	146,293	94.3	(90.8-96.5)
Race						
White, NH	25,298	86.3	(78.2-91.7)	275,448	80.7	(76.9-84.0)
Black, NH		#		33,258	79.1^	(66.1-88.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	10,836	75.3^	(56.6-87.7)	148,316	71.0	(63.6-77.5)
female	16,216	88.1^	(78.0-94.0)	170,898	83.6	(78.7-87.5)
Age-adjusted <sup>&amp;</sup>		58.5	(51.1-65.5)		59.2	(52.6-65.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults with current asthma\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,997	10.5	(7.1-15.2)	138,193	11.4	(9.9-13.2)
Age						
18-24		#		12,912	7.6	(4.8-12.0)
25-34		#		22,985	13.3	(9.1-18.9)
35-44		#		26,223	15.3	(11.2-20.6)
45-64	4,892	13.1	(7.9-20.8)	55,491	12.8	(10.1-16.1)
65+	1,592	6.9	(4.0-11.6)	20,540	8.3	(6.2-11.0)
Race						
White, NH	7,440	8.4	(5.8-12.0)	109,339	10.8	(9.2-12.6)
Black, NH		#		12,253	13.5	(8.2-21.4)
Hispanic		#		10,362	17.4^	(10.0-28.4)
Other, NH		#		6,238	13.8^	(6.7-26.3)
Sex						
male	4,658	9.1	(4.8-16.3)	46,098	7.9	(6.1-10.2)
female	6,339	11.8	(7.2-18.7)	92,095	14.7	(12.5-17.3)
Age-adjusted <sup>&amp;</sup>		11.7	(7.6-17.6)		12.0	(10.4-13.9)

<sup>\*</sup> Physician diagnosed asthma.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percent of adults with cholesterol checked\*



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	84,434	82.4	(72.4-89.3)	996,592	84.1	(81.1-86.7)
18-24		#		69,246	41.9^	(31.4-53.3)
25-34		#		120,610	73.5	(66.5-79.4)
35-44	13,540	95.0	(85.0-98.4)	147,897	89.7	(84.5-93.4)
45-64	33,002	89.8	(80.8-94.8)	403,910	93.3	(90.2-95.4)
65+	22,277	99.7	(97.9- 100.0)	242,950	98.7	(97.6-99.3)
Race						
White, NH	69,975	80.7^	(69.4-88.6)	848,158	85.5	(82.2-88.4)
Black, NH		#	,	71,883	78.5	(69.1-85.5)
Hispanic		#		47,340	79.8^	(68.7-87.7)
Other, NH		#		29,211	68.2	(46.7-84.0)
Sex						
male	38,123	76.3^	(58.3-88.2)	465,998	81.5	(76.1-86.0)
female	46,311	88.1	(80.0-93.2)	530,594	86.4	(83.6-88.9)
Age-adjusted <sup>&amp;</sup>		81.5	(74.0-87.2)		83.2	(80.9-85.3)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults 18 years and older with elevated cholesterol\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	29,994	35.6	(29.0-42.8)	398,531	40.4	(37.6-43.3)
Age						
18-24		#		13,007	19.2^	(8.0-39.4)
25-34		#		21,955	18.3^	(10.3-30.3)
35-44		#		39,377	27.2	(20.2-35.4)
45-64	12,327	37.4	(28.5-47.1)	185,641	46.1	(41.9-50.4)
65+	13,781	62.2	(53.2-70.4)	133,691	55.9	(50.9-60.8)
Race						
White, NH	26,974	38.7	(31.4-46.5)	351,251	41.7	(38.7-44.9)
Black, NH		#		24,985	36.0^	(26.3-47.0)
Hispanic		#		12,979	27.4	(15.9-43.0)
Other, NH		#		9,315	34.2	(19.8-52.1)
Sex						
male	13,205	34.6	(24.3-46.7)	196,109	42.4	(38.0-47.0)
female	16,789	36.4	(28.5-45.2)	202,422	38.6	(35.1-42.3)
Age-adjusted <sup>&amp;</sup>		29.2	(23.7-35.3)		35.1	(31.6-38.7)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,764	5.6	(3.6-8.6)	65,957	10.3	(8.4-12.7)
Age						
18-24		#			#	
25-34		#		6,722	9.0^	(3.5-21.0)
35-44		#		3,602	5.2	(2.5-10.7)
45-64		#		23,932	9.2	(6.5-12.8)
65+	1,057	5.9	(3.0-11.1)	29,019	14.9	(11.2-19.4)
Race						
White, NH	2,764	6.5	(4.2-10.0)	53,929	10.0	(7.9-12.5)
Black, NH		#		7,467	15.6^	(8.4-27.0)
Hispanic		#			#	
Other, NH		#		3,596	19.2^	(6.3-45.6)
Sex						
male		#		29,830	10.2	(7.3-14.0)
female	1,746	6.2	(3.5-10.6)	36,128	10.4	(7.9-13.6)
Age-adjusted <sup>&amp;</sup>		5.5	(3.0-9.8)		9.0	(6.9-11.7)

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with arthritis\*



	Cha	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,131	24.0	(19.3-29.4)	320,398	26.4	(24.2-28.8)
Age						
18-24		#			#	
25-34		#		18,912	10.9	(5.5-20.4)
35-44		#		25,812	15.0	(11.1-20.1)
45-64	10,857	29.4	(22.0-37.9)	143,574	33.0	(29.4-36.8)
65+	12,081	52.3	(43.7-60.7)	126,586	51.1	(46.4-55.9)
Race						
White, NH	23,848	27.0	(21.6-33.2)	285,993	28.2	(25.7-30.8)
Black, NH		#		16,561	17.8	(11.8-26.0)
Hispanic		#		10,492	17.4^	(10.6-27.5)
Other, NH		#		7,352	16.4	(8.8-28.6)
Sex						
male	7,677	15.1	(10.2-21.7)	115,944	19.9	(17.1-22.9)
female	17,454	32.5	(25.7-40.1)	204,454	32.6	(29.4-35.9)
Age-adjusted <sup>&amp;</sup>		20.8	(17.5-24.6)		24.1	(22.0-26.3)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

### Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Chau	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	94,846	93.8	(90.4-96.0)	1,071,115	92.7	(90.9-94.1)
Age						
18-24		#		147,175	89.8	(80.7-94.9)
25-34		#		150,577	90.8	(85.7-94.2)
35-44	13,359	92.0	(82.6-96.6)	155,303	95.2	(92.2-97.0)
45-64	33,551	94.6	(89.4-97.4)	383,623	92.8	(90.2-94.7)
65+	20,376	94.0	(89.3-96.7)	222,347	93.7	(90.4-96.0)
Race						
White, NH	80,495	94.4	(91.1-96.5)	916,932	94.4	(92.8-95.7)
Black, NH		#		69,802	81.6	(71.7-88.6)
Hispanic		#		47,547	82.9^	(69.3-91.2)
Other, NH		#		36,834	87.1^	(74.3-94.0)
Sex						
male	47,201	95.8	(90.7-98.2)	520,960	93.1	(90.1-95.2)
female	47,644	91.8	(86.7-95.1)	550,155	92.3	(90.2-93.9)
Age-adjusted <sup>&amp;</sup>		92.2	(87.3-95.3)		92.7	(91.0-94.1)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote a Health and Safe Environment

#### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,467	34.7	(26.9-43.3)	60,568	25.3	(21.3-29.8)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,177	33.9	(26.3-42.5)	56,868	25.4	(21.2-30.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		29,073	28.5	(21.6-36.5)
female	5,260	35.7	(26.4-46.3)	31,495	22.9	(18.4-28.1)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	Chau	utauqua Co	unty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,522	33.8	(21.8-48.2)	24,648	40.9^	(31.5-51.0)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,522	35.1	(22.9-49.8)	23,554	41.6	(31.8-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		9,821	33.9^	(20.1-51.0)
female		#		14,827	47.4	(35.8-59.2)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Cha	ıtauqua Co	unty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,115	39.0^	(29.2-49.7)	142,965	35.7	(31.7-40.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,496	28.9	(21.7-37.3)	107,393	31.2	(27.5-35.1)
Black, NH		#		17,645	62.2	(45.9-76.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	9,577	55.4	(39.4-70.5)	87,478	46.3	(39.7-53.1)
female	4,537	24.0^	(15.8-34.5)	55,487	26.3	(22.0-31.0)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 18+ years with flu immunization in the past year\*



	Chau	utauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	51,508	50.5	(42.1-58.9)	564,930	48.4	(45.4-51.3)
Age						
18-24		#		43,594	26.5	(18.0-37.1)
25-34		#		60,600	36.6	(28.5-45.5)
35-44	4,596	31.7	(18.5-48.7)	65,045	39.6	(32.2-47.4)
45-64	18,845	52.0	(42.1-61.8)	203,704	48.6	(44.4-52.8)
65+	16,282	74.6	(66.6-81.3)	184,502	76.4	(72.3-80.1)
Race						
White, NH	43,867	51.0	(41.9-60.0)	476,222	48.6	(45.4-51.8)
Black, NH		#		39,547	46.9^	(37.0-57.0)
Hispanic		#		33,195	57.1^	(43.1-70.0)
Other, NH		#		15,967	35.9^	(22.2-52.4)
Sex						
male	23,069	46.4	(32.5-60.9)	254,448	45.0	(40.4-49.7)
female	28,438	54.4	(45.5-63.1)	310,483	51.6	(48.0-55.1)
Age-adjusted <sup>&amp;</sup>		45.7	(38.5-53.1)		46.3	(43.3-49.3)

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with flu immunization in the past year\*



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,282	74.6	(66.6-81.3)	184,502	76.4	(72.3-80.1)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,181	75.5	(67.6-82.0)	172,930	76.7	(72.4-80.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		82,045	79.3	(72.5-84.8)
female	10,754	72.4	(62.5-80.6)	102,457	74.3	(68.8-79.0)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with pneumococcal immunization



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,962	75.3	(67.3-81.8)	173,650	76.2	(72.0-80.0)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	15,860	75.2	(67.1-81.8)	165,973	78.1	(74.1-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		62,208	68.3	(60.3-75.3)
female	10,934	74.6	(64.4-82.6)	111,442	81.5	(77.2-85.1)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Chau	ıtauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,015	64.1^	(44.6-79.9)	160,792	71.3	(65.3-76.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		133,550	73.5	(67.1-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	13,015	64.1	(44.6-79.9)	160,792	71.3	(65.3-76.6)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Chau	ıtauqua Co	ounty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,300	64.9^	(46.4-79.8)	187,734	74.7	(69.2-79.5)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		145,709	73.3	(67.1-78.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	13,300	64.9^	(46.4-79.8)	187,734	74.7	(69.2-79.5)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

### Percentage of women aged 18-64 years with health care coverage



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	33,744	89.6	(81.8-94.3)	422,644	89.6	(86.8-91.8)
18-24 25-34 35-44						
45-64 65+						
Race White, NH Black, NH Hispanic Other, NH	28,768	88.0 # # #	(79.2-93.4)	355,498 34,857	89.9 89.5 # #	(86.8-92.4) (79.8-94.9)
Sex male female Age-adjusted+,&	33,744	# 89.6	(81.8-94.3)	422,644	# 89.6	(86.8-91.8)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,749	44.5^	(27.1-63.3)	118,151	52.1	(45.5-58.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		97,727	54.4	(47.0-61.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	8,749	44.5	(27.1-63.3)	118,151	52.1	(45.5-58.6)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month



	Chautauqua County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,512	14.1	(9.6-20.2)	131,217	11.0	(9.4-13.0)
Age						
18-24		#		21,607	12.7	(6.9-22.3)
25-34		#		22,212	13.2	(8.4-20.2)
35-44	3,234	22.6^	(10.9-41.0)	25,931	15.4	(10.9-21.2)
45-64	4,273	11.5	(6.6-19.3)	44,951	10.5	(8.5-13.1)
65+	1,274	5.8	(3.0-10.7)	16,476	6.8	(5.0-9.2)
Race						
White, NH	11,109	12.8	(8.4-18.8)	108,718	10.9	(9.0-13.0)
Black, NH		#		14,244	15.8	(9.9-24.4)
Hispanic		#		5,382	9.6	(4.8-18.3)
Other, NH		#		2,874	6.5	(3.2-12.5)
Sex						
male	6,271	12.5	(6.8-21.7)	59,832	10.4	(7.9-13.6)
female	8,241	15.6	(9.7-24.3)	71,386	11.6	(9.5-14.0)
Age-adjusted <sup>&amp;</sup>		16.3	(11.0-23.3)		11.7	(9.9-13.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Mental Health and Prevention Substance Abuse

### Percentage of adult binge drinking during the past month\*



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,781	11.5	(8.2-16.0)	205,623	17.6	(15.7-19.8)
Age						
18-24		#		43,355	25.9	(18.7-34.7)
25-34		#		42,241	25.2	(19.7-31.6)
35-44		#		38,381	23.2	(17.0-31.0)
45-64	3,698	10.4	(6.8-15.6)	67,364	16.2	(13.3-19.5)
65+	1,536	6.8	(3.0-14.6)	12,994	5.5	(3.7-8.1)
Race						
White, NH	10,064	11.6	(8.1-16.3)	175,202	17.9	(15.8-20.3)
Black, NH		#		21,921	25.3^	(17.1-35.7)
Hispanic		#		4,271	7.5	(3.4-15.7)
Other, NH		#		4,228	9.6	(4.7-18.5)
Sex						
male	7,145	14.4	(9.3-21.8)	127,670	22.7	(19.5-26.3)
female	4,636	8.8	(4.8-15.6)	77,952	12.9	(10.5-15.7)
Age-adjusted <sup>&amp;</sup>		11.9	(8.4-16.7)		18.8	(16.5-21.3)

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Mental Health and Prevention Substance Abuse

#### Percentage of cigarette smoking among adults who report poor mental health



	Chautauqua County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,942	56.3^	(37.1-73.7)	49,115	38.3	(30.3-47.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		10,514	43.8^	(27.4-61.8)
45-64		#		16,205	36.3^	(26.8-47.1)
65+		#		1,696	10.7	(4.0-25.6)
Race						
White, NH		#		35,020	32.8	(24.4-42.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,581	43.6	(30.1-58.1)
female		#		23,535	33.8	(25.1-43.8)
Age-adjusted <sup>&amp;</sup>		55.7^	(41.8-68.8)		38.0	(31.2-45.2)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).