eBRFSS 2013-2014 Health Indicators: Chemung

General Description	2
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer so	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc	reening based on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines	reening based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	reening based on recent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	reening based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	reening based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer so guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	reening based on recent 29 30 31 32 33
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	reening based on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	reening based on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	reening based on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	reening based on recent 29 30 31 32 33 33 34 35 36 37
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	reening based on recent 29 30 31 32 33 34 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	reening based on recent 29 30 31 32 33 33 34 35 36 37 38 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	reening based on recent 29 30 31 32 33 33 34 34 35 36 37 38 39 39 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	reening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	reening based on recent 29 30 31 32 33 33 34 34 35 36 37 38 39 39 40 40 41
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	reening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	reening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	reening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines	reening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	reening based on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 40 40 41 42 42 42 43
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year	reening based on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 40 40 41 42 42 42 42 43 44 45
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with ave taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	reening based on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 40 40 41 41 42 42 42 42 43 44 44 45 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines	reening based on recent 29 30 31 32 33 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu munization in the past year Percentage of adults aged 65+ years with flu munization in the past year Percentage of adults aged 65+ years with flu munization in the past year Percentage of adults aged 65+ years with flu munization in the past year Percentage of adults aged 65+ years with flu munization in the past year Percentage of adults aged 65+ years with preumococcal immunization Percentage of adults aged 65+ years with preumococcal immunization Percentage of adults aged 65+ years with preumococcal immunization Percentage of women aged 18-44 years who had dental visit within the last year	reening based on recent 29 30 31 31 32 33 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 42 42 42 42 42 43 44 44 45 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines	reening based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 41 42 42 42 43 44 44 45 46 47 48
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with at have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with and Children Percentage of adults aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage	reening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 40 41 42 42 42 42 42 43 44 44 45 46 47 48 49
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy.	reening based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 42 43 44 45 46 46 49 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with current asthma Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who ad dental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years who see health care provider discussed planning a healthy pregnancy Percentage of adults with poor mental health for 14 or more days in the last month	reening based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 41 42 42 42 43 44 45 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer sc guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with avera and older with elevated cholesterol Percentage of adults with avera and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pueumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had health care coverage Percentage of women aged 18-44 years whos health care provider discussed planning a healthy pregnancy Percontage of momen aged 18-44 years whose health care prov	reening based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 41 42 42 42 43 44 45 46 46 47 48 49 50 50 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



Chemung County	

Finger Lakes

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	7,445	10.7	(5.5-20.1)	105,514	10.5	(9.0-12.3)
Age						
18-24		#		18,069	13.6	(8.4-21.2)
25-34		#		23,656	15.2	(10.8-21.1)
35-44		#		18,598	12.5	(8.5-17.9)
45-64	3,041	10.9	(6.5-17.8)	35,930	10.1	(7.9-12.8)
65+		#		7,633	3.9	(2.5-6.1)
Race						
White, NH	4,358	8.3	(5.3-12.7)	78,405	9.9	(8.3-11.7)
Black, NH		#		11,314	14.5	(8.2-24.2)
Hispanic		#		8,090	15.4	(9.2-24.8)
Other, NH		#		7,706	10.2^	(4.8-20.4)
Sex						
male		#		46,595	9.7	(7.5-12.3)
female	3,617	10.3	(6.3-16.5)	58,919	11.4	(9.3-13.9)
Age-adjusted ^{&}		9.7	(5.4-17.0)		11.0	(9.3-12.9)


* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



Chemung County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	60,444	87.6	(78.3-93.3)	891,951	89.5	(87.7-91.0)
Age						
18-24		#		98,637	75.1	(65.5-82.8)
25-34		#		124,962	80.4	(74.7-85.1)
35-44		#		130,769	88.1	(82.8-91.9)
45-64	26,137	93.5	(87.5-96.8)	336,849	94.7	(92.7-96.1)
65+	13,013	93.3	(87.2-96.6)	190,189	97.8	(96.5-98.6)
Race						
White, NH	47,393	90.1	(85.0-93.6)	717,170	90.5	(88.8-92.0)
Black, NH		#		64,548	83.7	(73.7-90.4)
Hispanic		#		40,023	77.2^	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
Sex						
male	27,921	82.4	(64.9-92.2)	407,470	84.7	(81.6-87.3)
female	32,523	92.7	(87.0-96.0)	484,481	94.0	(92.0-95.5)
Age-adjusted ^{&}		87.7	(79.8-92.8)		88.6	(86.7-90.4)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



Chemung County

Finger Lakes

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	42,554	65.8	(58.1-72.8)	684,119	72.7	(69.7-75.6)
Age						
18-24		#		90,313	71.2	(57.6-81.8)
25-34		#		89,852	61.3	(52.1-69.7)
35-44		#		107,877	77.2	(69.7-83.3)
45-64	16,488	65.9	(56.0-74.5)	254,354	76.5	(72.6-79.9)
65+	8,336	61.3	(52.1-69.7)	136,480	72.9	(67.8-77.5)
Race						
White, NH	30,108	60.5	(53.9-66.8)	562,395	74.8	(72.3-77.1)
Black, NH		#		45,366	66.5	(56.6-75.2)
Hispanic		#		38,236	76.0^	(62.5-85.8)
Other, NH		#		38,122	54.6^	(32.4-75.0)
Sex						
male	19,883	64.0^	(52.6-74.1)	317,427	70.0	(65.6-74.1)
female	22,672	67.5^	(56.9-76.6)	366,693	75.2	(70.9-79.1)
Age-adjusted ^{&}		61.3	(54.6-67.5)		72.6	(69.4-75.5)


Í

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



Chemung County	

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	21,889	32.4	(24.9-40.8)	248,993	25.3	(22.9-27.8)
Age						
18-24		#		13,165	9.9	(5.7-16.7)
25-34		#		24,795	16.2	(11.5-22.3)
35-44		#		30,187	21.0	(15.4-28.0)
45-64	9,103	32.9	(24.3-42.9)	103,044	29.1	(25.3-33.2)
65+	5,426	39.3	(31.5-47.6)	74,769	39.3	(34.1-44.7)
Race						
White, NH	17,111	33.4	(27.8-39.4)	193,463	24.7	(22.3-27.3)
Black, NH		#		23,963	31.7^	(22.9-41.9)
Hispanic		#		17,435	34.3^	(23.4-47.2)
Other, NH		#		14,132	18.8°	(9.4-34.1)
Sex						
male	12,697	38.8^	(26.6-52.6)	112,778	23.7	(20.7-27.1)
female	9,191	26.3	(19.1-35.0)	136,215	26.7	(23.3-30.5)
Age-adjusted ^{&}		31.7	(24.6-39.9)		24.2	(22.0-26.7)


* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Chemung County				Finger Lak	es
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	49,152	91.5	(86.3-94.8)	694,148	87.8	(85.7-89.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	33,746	88.6	(82.3-92.9)	546,972	89.1	(87.0-90.9)
Black, NH		#		54,874	83.7	(75.1-89.8)
Hispanic		#		37,833	76.4^	(61.7-86.6)
Other, NH		#		54,469	88.5^	(75.0-95.2)
Sex						
male	24,463	90.8	(82.5-95.4)	329,824	84.5	(80.9-87.5)
female	24,689	92.1	(84.6-96.1)	364,324	91.0	(88.6-93.0)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Chemung County				Finger Lak	es
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺ 18-24	38,799	72.3^	(61.7-80.8)	501,658	63.5	(59.9-66.9)
25-34 35-44 45-64 65+						
Race White, NH Black, NH Hispanic Other, NH Sex	27,358	71.9 # # #	(64.3-78.5)	387,058 52,686 32,661 29,253	63.1 79.2 [^] 66.3 [^] 47.7 [^]	(59.7-66.4) (68.3-87.1) (51.9-78.3) (25.7-70.6)
male female Age-adjusted ^{+,&}	19,038 19,761	71.4 [^] 73.1 [^]	(53.4-84.5) (61.2-82.5)	228,555 273,103	58.5 68.3	(53.4-63.5) (63.6-72.6)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



Finger Lakes

	Est. # of	. .		Est. # of		
,	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	18,634	30.3	(23.8-37.7)	314,889	34.4	(31.5-37.4)
Age						
18-24		#		32,879	32.4^	(22.8-43.7)
25-34		#		72,916	51.0	(42.6-59.4)
35-44		#		49,765	35.8	(29.2-43.0)
45-64	9,509	35.5^	(25.1-47.3)	111,638	33.0	(28.9-37.4)
65+	2,398	17.5	(12.0-24.7)	42,474	23.1	(17.9-29.3)
Race						
White, NH	13,598	28.0	(22.8-33.9)	232,180	31.9	(29.2-34.7)
Black, NH		#		34,856	49.6^	(39.3-60.0)
Hispanic		#		18,970	38.4^	(26.4-51.9)
Other, NH		#		28,883	42.5	(23.1-64.4)
Sex						
male	10,481	32.5	(21.8-45.4)	141,970	32.0	(27.8-36.6)
female	8,153	27.8	(21.8-34.8)	172,920	36.6	(32.7-40.7)
Age-adjusted ^{&}		32.6	(26.2-39.6)		35.1	(32.2-38.2)

I


* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



Chemung County	

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	16,099	23.8	(17.7-31.2)	213,556	22.2	(19.7-24.8)
Age						
18-24		#		27,370	21.4	(15.0-29.6)
25-34		#		52,899	35.3	(27.0-44.7)
35-44		#		36,748	26.0	(20.2-32.8)
45-64	7,726	28.2	(18.5-40.5)	70,256	20.4	(17.2-24.1)
65+	1,648	11.8	(7.4-18.3)	23,573	12.4	(9.0-17.0)
Race						
White, NH	10,893	21.4	(16.8-26.9)	154,900	20.2	(18.0-22.7)
Black, NH		#		27,276	37.2^	(28.1-47.4)
Hispanic		#		14,323	28.0^	(18.4-40.2)
Other, NH		#		17,057	23.4^	(9.5-47.1)
Sex						
male	8,998	27.3^	(17.4-40.1)	97,708	21.1	(17.2-25.4)
female	7,100	20.5	(14.3-28.5)	115,848	23.2	(20.2-26.5)
Age-adjusted ^{&}		26.2	(20.7-32.5)		23.1	(20.6-25.9)


* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,219	4.7	(2.9-7.5)	35,254	3.5	(2.8-4.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	1,776	6.5	(3.5-11.6)	16,753	4.7	(3.4-6.4)
65+	920	6.5	(3.5-11.7)	11,921	6.1	(4.4-8.5)
Race						
White, NH	2,893	5.6	(3.5-8.9)	23,699	3.0	(2.3-3.8)
Black, NH		#		4,892	6.3	(3.1-12.1)
Hispanic		#		4,142	7.9^	(3.2-18.0)
Other, NH		#		2,522	3.4	(1.3-8.5)
Sex						
male	1,671	5.0	(2.4-10.0)	19,535	4.1	(2.9-5.6)
female	1,549	4.5	(2.4-8.1)	15,719	3.1	(2.2-4.2)
Age-adjusted ^{&}		4.5	(2.5-8.0)		3.3	(2.6-4.3)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*




	Chemung County			l	Finger Lak	es
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,526	14.2	(10.3-19.2)	113,479	11.6	(10.0-13.5)
Age						
18-24		#		6,519	4.9	(1.9-12.4)
25-34		#		11,848	7.9	(5.0-12.3)
35-44		#		13,334	9.1	(5.5-14.7)
45-64	4,498	16.5	(10.6-24.8)	53,981	15.3	(12.4-18.8)
65+	2,642	20.3	(14.1-28.2)	26,922	14.7	(11.9-18.1)
Race						
White, NH	8,780	17.3	(13.0-22.7)	91,151	11.7	(10.0-13.8)
Black, NH		#		10,140	13.4	(8.2-21.4)
Hispanic		#		8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
Sex						
male	5,315	16.1	(10.1-24.7)	53,813	11.3	(9.0-14.1)
female	4,211	12.4	(8.1-18.4)	59,667	11.9	(9.8-14.4)
Age-adjusted ^{&}		14.9	(10.4-20.8)		11.2	(9.6-13.0)

* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are obese*



Chemung	County
---------	--------

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	19,392	29.9	(23.0-37.9)	254,425	27.0	(24.4-29.8)
Age						
18-24		#		16,808	13.5	(7.9-22.1)
25-34		#		43,074	29.7	(21.3-39.6)
35-44		#		41,076	28.7	(22.4-36.0)
45-64	10,317	38.9^	(27.8-51.3)	100,327	30.0	(26.3-34.1)
65+	4,544	33.9	(26.2-42.7)	51,798	27.9	(23.3-33.1)
Race						
White, NH	15,172	31.6	(26.0-37.7)	195,881	26.2	(23.8-28.8)
Black, NH		#		25,307	34.7	(26.0-44.5)
Hispanic		#		17,493	34.1^	(22.9-47.5)
Other, NH		#		15,744	22.5	(8.5-47.8)
Sex						
male	11,041	32.8^	(22.5-45.0)	131,663	27.7	(23.8-32.0)
female	8,351	26.9	(18.9-36.6)	122,762	26.3	(23.0-29.9)
Age-adjusted ^{&}		29.8	(24.0-36.3)		27.2	(24.5-30.1)


Ĩ

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Ch	emung Cou	Finger Lake			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	
1	7,522	43.2^	(29.0-58.5)	83,889	36.9	(


_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	7,522	43.2^	(29.0-58.5)	83,889	36.9	(30.6-43.7)
Age						
18-24		#		5,671	17.5^	(7.9-34.3)
25-34		#		19,305	46.4^	(25.9-68.2)
35-44		#		9,968	34.8^	(22.0-50.3)
45-64	3,569	56.2^	(38.5-72.5)	28,074	40.1	(31.3-49.6)
65+	2,616	46.7	(33.4-60.4)	20,012	37.5^	(28.1-48.0)
Race						
White, NH	6,166	47.4^	(36.5-58.6)	56,366	36.0	(30.2-42.2)
Black, NH		#		10,712	30.8^	(20.0-44.3)
Hispanic		#			#	
Other, NH		#		10,722	55.3^	(20.0-85.9)
Sex						
male	3,841	40.6^	(19.7-65.6)	38,883	32.8^	(23.0-44.5)
female	3,681	46.2^	(33.9-59.0)	45,006	41.3	(34.4-48.7)
Age-adjusted ^{&}		42.9^	(30.3-56.5)		36.7	(30.6-43.3)

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults living with a disability who are obese^{*}



Chemung County	

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	9,016	44.5^	(31.2-58.6)	90,664	38.5	(33.5-43.7)
Age						
18-24		#			#	
25-34		#		7,827	35.1^	(21.1-52.2)
35-44		#		10,209	34.6^	(21.2-50.8)
45-64	4,602	53.8^	(38.8-68.1)	43,860	45.1	(37.3-53.1)
65+	2,327	46.5	(34.0-59.4)	25,854	36.6	(28.1-46.1)
Race						
White, NH	7,816	50.5^	(39.8-61.1)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,407	43.6	(24.6-64.7)	40,686	36.9	(30.2-44.1)
female	3,609	45.8^	(33.2-59.0)	49,978	40.0	(32.9-47.5)
Age-adjusted ^{&}		36.2	(28.9-44.2)		35.8	(30.4-41.6)

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults overweight or obese*



Chemung County

Finger Lakes

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	43,859	67.7^	(57.1-76.8)	581,065	61.8	(58.6-64.8)
Age						
18-24		#		41,425	33.2^	(23.5-44.5)
25-34		#		83,868	57.7	(49.6-65.5)
35-44		#		83,850	58.6	(50.5-66.3)
45-64	20,162	76.1	(67.1-83.2)	241,793	72.4	(68.0-76.4)
65+	9,365	69.9	(61.2-77.4)	125,252	67.6	(62.1-72.6)
Race						
White, NH	32,159	66.9	(59.9-73.2)	471,523	63.1	(60.2-66.0)
Black, NH		#		49,324	67.6^	(57.0-76.7)
Hispanic		#		33,809	65.9^	(50.0-78.9)
Other, NH		#		26,409	37.8^	(20.1-59.5)
Sex						
male	26,442	78.4^	(67.3-86.5)	329,186	69.4	(65.4-73.1)
female	17,417	56.1^	(41.0-70.1)	251,879	54.0	(49.3-58.6)
Age-adjusted ^{&}		67.9	(59.2-75.6)		60.8	(57.7-63.8)


T

* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who participated in leisure time physical activity in the past 30 days*



Chemung County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	48,117	71.0	(63.3-77.7)	703,242	72.6	(69.5-75.6)
Age						
18-24		#		97,421	75.5^	(60.0-86.3)
25-34		#		106,989	71.1^	(60.7-79.7)
35-44		#		105,857	74.8	(66.9-81.3)
45-64	18,125	66.0^	(53.4-76.6)	256,126	73.8	(69.9-77.4)
65+	8,267	58.9	(50.0-67.3)	128,648	67.9	(62.3-73.0)
Race						
White, NH	35,283	69.2	(63.0-74.7)	588,978	76.4	(73.9-78.8)
Black, NH		#		53,055	72.5	(63.6-79.9)
Hispanic		#		33,495	65.3^	(52.7-76.0)
Other, NH		#		27,713	38.0^	(22.0-57.0)
Sex						
male	23,705	71.7^	(59.0-81.8)	346,071	74.1	(69.7-78.0)
female	24,412	70.4	(60.5-78.6)	357,171	71.3	(66.6-75.6)
Age-adjusted ^{&}		70.1	(62.8-76.5)		72.7	(69.4-75.9)


Í

* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume one or more sugary drinks daily*



Chemung County	

Finger Lakes


	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	23,427	35.2^	(25.5-46.2)	214,679	22.5	(19.9-25.3)
Age						
18-24		#		55,277	43.6	(31.8-56.0)
25-34		#		35,087	23.6	(18.5-29.7)
35-44		#		34,865	24.9	(19.2-31.6)
45-64	5,764	21.4	(14.6-30.3)	57,660	16.9	(13.8-20.6)
65+	2,120	15.7	(10.4-23.1)	30,644	16.3	(12.8-20.6)
Race						
White, NH	15,294	30.5	(24.0-37.8)	150,493	19.8	(17.6-22.2)
Black, NH		#		22,275	31.3^	(22.6-41.4)
Hispanic		#		15,272	30.5^	(19.3-44.5)
Other, NH		#		26,640	36.6^	(18.8-59.1)
Sex						
male	13,174	40.6	(27.7-54.9)	120,224	26.1	(22.7-29.8)
female	10,252	30.0^	(16.6-48.0)	94,456	19.2	(15.4-23.6)
Age-adjusted ^{&}		36.5	(30.2-43.3)		23.2	(20.7-26.0)

* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume fast-food three or more times per week




	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,280	6.6	(3.2-13.2)	58,515	6.2	(5.0-7.7)
Age						
18-24		#		16,427	12.9	(7.6-20.9)
25-34		#		9,670	6.5	(3.9-10.9)
35-44		#		5,131	3.7	(2.0-6.7)
45-64		#		20,550	6.2	(4.2-8.9)
65+		#		6,737	3.6	(2.4-5.6)
Race						
White, NH	3,869	7.8	(3.6-15.9)	39,988	5.3	(4.1-6.8)
Black, NH		#		7,235	10.4	(5.5-18.9)
Hispanic		#		6,059	12.1^	(5.1-25.9)
Other, NH		#		5,233	7.4^	(2.8-18.0)
Sex						
male	2,939	9.6^	(3.5-23.6)	43,869	9.7	(7.5-12.5)
female	1,341	4.0	(2.0-7.6)	14,646	3.0	(2.0-4.5)
Age-adjusted ^{&}		6.0	(3.2-11.0)		6.1	(4.9-7.6)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician diagnosed diabetes*



Chemung County	

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	7,275	10.5	(7.6-14.4)	100,031	10.0	(8.7-11.5)
Age						
18-24		#			#	
25-34		#		7,103	4.6	(2.5-8.4)
35-44		#		6,332	4.3	(2.4-7.6)
45-64	3,599	12.9	(7.9-20.2)	47,349	13.3	(10.8-16.3)
65+	3,033	21.2	(15.4-28.5)	38,439	19.6	(16.4-23.3)
Race						
White, NH	6,825	13.0	(9.6-17.4)	70,994	8.9	(7.7-10.3)
Black, NH		#		17,328	22.6	(15.2-32.3)
Hispanic		#		6,956	13.5	(8.0-21.9)
Other, NH		#		4,753	6.3	(2.5-15.0)
Sex						
male	4,337	12.7	(8.0-19.5)	50,941	10.6	(8.7-12.8)
female	2,938	8.4	(5.3-13.0)	49,090	9.5	(7.8-11.5)
Age-adjusted ^{&}		9.1	(6.4-12.8)		9.1	(8.0-10.5)

* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are current smokers



Chemung County	I


Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	16,865	24.8	(17.4-34.2)	170,861	17.4	(15.5-19.6)
Age						
18-24		#		25,688	19.3	(12.8-28.2)
25-34		#		40,770	26.8	(21.3-33.1)
35-44		#		27,819	19.5	(14.0-26.5)
45-64	7,541	27.3^	(17.3-40.3)	61,479	17.5	(14.6-20.8)
65+	1,832	13.0	(7.8-20.8)	14,504	7.6	(5.5-10.5)
Race						
White, NH	11,207	21.9	(17.1-27.6)	134,960	17.4	(15.3-19.6)
Black, NH		#		20,478	26.8^	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8^	(5.6-23.2)
Sex						
male	10,638	32.2	(19.6-48.0)	95,560	20.3	(17.2-23.8)
female	6,227	17.9	(12.3-25.3)	75,301	14.8	(12.6-17.4)
Age-adjusted ^{&}		26.4	(19.1-35.2)		18.2	(16.1-20.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with annual household income less than \$25,000 who are current smokers




	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	8,258	45.6^	(29.7-62.6)	69,503	29.6	(24.7-34.9)
18-24		#		14,247	40.5	(26.5-56.2)
25-34		#		16,608	37.7^	(22.9-55.2)
35-44		#		9,252	33.3^	(19.5-50.8)
45-64	3,004	45.4^	(29.2-62.6)	23,452	32.4	(24.6-41.5)
65+	1,012	17.8^	(9.9-29.9)	5,766	10.6	(6.7-16.2)
Race						
White, NH	5,264	38.5^	(28.2-50.0)	48,760	29.6	(24.4-35.3)
Black, NH		#		15,001	43.1^	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8^	(5.4-41.5)
Sex						
male	5,610	60.3	(35.2-81.0)	36,273	31.2	(23.4-40.3)
female	2,649	30.1^	(19.9-42.8)	33,230	27.9	(22.4-34.1)
Age-adjusted ^{&}		52.4^	(38.8-65.6)		30.9	(25.5-36.9)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults aged 18-24 years who are current smokers




	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		25,688	19.3	(12.8-28.2)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		18,243	21.5	(14.1-31.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		13,906	22.2	(13.2-34.9)
female		#		11,783	16.8^	(8.6-30.1)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	9,938	80.0	(70.0-87.2)	156,901	82.4	(78.1-86.0)
White, NH Black, NH Hispanic Other, NH Sex male female	8,915 9,938	78.2 [^] # # # 80.0	(67.8-85.9) (70.0-87.2)	136,370 156,901	83.2 # # # 82.4	(78.8-86.8) (78.1-86.0)
Age-adjusted ^{+,&}						

* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines^{*}



	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,514	83.6^	(69.6-91.8)	32,858	75.7^	(65.5-83.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		24,468	77.6	(68.5-84.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	3,514	83.6^	(69.6-91.8)	32,858	75.7^	(65.5-83.6)
Age-adjusted ^{+,&}						


* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines^{*}



	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,590	82.7	(75.1-88.4)	287,036	83.6	(80.3-86.4)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	15,979	82.2	(73.8-88.3)	236,785	84.1	(80.7-87.0)
Black, NH		#		23,521	86.1^	(71.0-94.0)
Hispanic		#		12,743	79.7^	(63.4-89.9)
Other, NH		#			#	
Sex						
male		#			#	
female	18,590	82.7	(75.1-88.4)	287,036	83.6	(80.3-86.4)
Age-adjusted ^{+,&}						

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines^{*}



	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺ 18-24 25-34 35-44 45-64		#		55,266	73.1	(65.6-79.5)
65+ Race White, NH Black, NH Hispanic		# # #		37,702	73.2 # #	(64.7-80.2)
Other, NH Sex male female		# # #		55,266	# # 73.1	(65.6-79.5)
Age-adjusted ^{+,&}						


* Pap test within past 3 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines^{*}



	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,058	62.0^	(50.1-72.6)	250,507	69.3	(65.3-73.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,316	70.8	(62.9-77.7)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8^	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4^	(30.2-72.2)
Sex						
male	9,509	58.1^	(39.6-74.6)	116,224	69.1	(62.9-74.7)
female	8,549	66.9^	(56.3-76.0)	134,284	69.5	(64.2-74.3)
Age-adjusted ^{+,&}						

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,177	70.2^	(55.2-81.9)	51,562	66.4	(59.0-73.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,539	71.8^	(55.7-83.7)	38,437	68.1	(60.3-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		21,576	64.5^	(53.7-74.1)
female	3,254	75.1^	(59.6-86.0)	29,986	67.9^	(57.5-76.7)
Age-adjusted ^{+,&}						


* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



Chemung County	
----------------	--


Finger Lakes

	cheming county			Tinger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,027	53.3^	(42.8-63.5)	473,695	54.6	(51.3-57.9)
Age	,		. ,			. ,
18-24		#		26,476	20.7	(14.1-29.4)
25-34		#		60,826	42.3	(34.5-50.4)
35-44		#		68,543	50.5	(42.7-58.3)
45-64	15,430	64.7^	(51.9-75.7)	205,917	68.5	(63.9-72.9)
65+	7,145	68.7^	(58.5-77.4)	106,367	71.4	(66.0-76.3)
Race						
White, NH	26,668	60.4	(53.1-67.2)	397,203	57.1	(54.1-60.2)
Black, NH		#		32,135	55.7^	(44.5-66.3)
Hispanic		#		21,736	48.1^	(33.4-63.1)
Other, NH		#		22,622	32.5^	(17.6-52.2)
Sex						
male	15,423	54.4^	(39.1-68.9)	220,518	52.8	(48.1-57.4)
female	16,604	52.3^	(38.3-66.0)	253,177	56.3	(51.5-61.0)
Age-adjusted ^{&}		53.1	(45.0-61.0)		54.1	(51.2-57.0)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed prediabetes




	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,708	4.4	(2.7-7.2)	49,926	5.6	(4.5-7.0)
Age						
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64	1,355	5.6	(2.7-11.4)	23,774	7.9	(5.9-10.5)
65+	1,120	10.1	(5.2-18.8)	15,665	10.3	(7.2-14.4)
Race						
White, NH	2,708	6.0	(3.7-9.5)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,658	5.6	(2.8-10.8)	25,274	6.0	(4.3-8.2)
female	1,050	3.3	(1.6-6.6)	24,651	5.3	(3.9-7.2)
Age-adjusted ^{&}		4.1	(2.5-6.4)		5.5	(4.4-6.9)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed high blood pressure



Chemung County	


Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	23,157	33.5	(26.6-41.1)	314,920	31.7	(29.2-34.2)
Age						
18-24		#		8,315	6.4	(3.1-12.6)
25-34		#		20,783	13.5	(9.7-18.4)
35-44		#		29,430	19.8	(14.6-26.2)
45-64	10,604	37.9^	(28.0-49.0)	134,360	37.8	(33.7-42.1)
65+	8,021	56.5	(47.7-64.9)	118,288	60.8	(55.4-66.0)
Race						
White, NH	19,752	37.7	(31.8-43.9)	256,263	32.3	(29.8-34.9)
Black, NH		#		32,880	44.2	(34.8-54.0)
Hispanic		#		14,927	28.5^	(19.0-40.3)
Other, NH		#		10,850	14.4^	(7.9-25.0)
Sex						
male	13,461	39.3^	(28.4-51.4)	158,361	33.0	(29.5-36.6)
female	9,695	27.8	(20.4-36.5)	156,559	30.4	(27.1-33.9)
Age-adjusted ^{&}		31.9	(25.4-39.1)		29.3	(27.1-31.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



Chemung County


Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,713	80.8^	(70.7-88.0)	243,314	77.3	(73.4-80.8)
Age						
18-24		#			#	
25-34		#		5,688	27.4^	(15.6-43.5)
35-44		#		16,627	56.5^	(40.3-71.4)
45-64	8,689	81.9^	(69.9-89.9)	108,563	80.8	(74.8-85.7)
65+	7,538	94.0	(86.3-97.5)	108,613	91.9	(88.6-94.3)
Race						
White, NH	16,295	82.5	(72.5-89.4)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4^	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	10,737	79.8^	(63.2-90.1)	113,745	71.9	(66.0-77.1)
female	7,976	82.3^	(71.5-89.5)	129,569	82.8	(77.4-87.2)
Age-adjusted ^{&}		68.5	(58.4-77.1)		58.7	(53.6-63.6)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with current asthma*



Chemung County	I.

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	13,180	19.1^	(10.9-31.2)	112,310	11.3	(9.6-13.3)
Age						
18-24		#		20,356	15.3	(8.9-25.2)
25-34		#		20,425	13.3	(9.3-18.6)
35-44		#		13,324	9.1	(5.4-15.0)
45-64	5,255	18.8^	(10.7-30.9)	40,947	11.6	(9.0-14.7)
65+	1,056	7.4	(4.2-12.7)	15,560	8.0	(5.9-10.6)
Race						
White, NH	5,947	11.4	(7.8-16.3)	81,926	10.4	(8.7-12.4)
Black, NH		#		11,764	15.4	(9.3-24.3)
Hispanic		#		7,513	14.3	(8.6-23.0)
Other, NH		#		11,106	14.8^	(6.3-30.8)
Sex						
male	3,772	11.1^	(4.9-23.3)	41,563	8.7	(6.6-11.3)
female	9,408	26.9^	(13.7-45.8)	70,747	13.8	(11.2-16.8)
Age-adjusted ^{&}		19.0	(12.2-28.5)		11.2	(9.4-13.3)

* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percent of adults with cholesterol checked*



Chemung County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	53,107	78.5^	(64.9-87.8)	798,681	82.4	(79.3-85.0)
Age						
18-24		#		49,911	42.6	(31.0-55.0)
25-34		#		95,361	64.6	(55.3-72.9)
35-44		#		117,490	80.4	(73.0-86.1)
45-64	26,527	95.6	(89.2-98.3)	336,574	95.0	(93.5-96.3)
65+	13,420	97.0	(92.2-98.9)	188,822	97.7	(96.4-98.5)
Race						
White, NH	43,733	85.3	(77.4-90.7)	646,121	83.9	(81.6-86.0)
Black, NH		#		59,974	80.5^	(70.4-87.8)
Hispanic		#		42,285	84.3^	(74.0-91.0)
Other, NH		#		50,300	67.0^	(41.4-85.4)
Sex						
male	26,470	79.2	(61.0-90.3)	375,301	80.0	(75.5-83.8)
female	26,637	77.8^	(56.0-90.6)	423,380	84.6	(80.3-88.1)
Age-adjusted ^{&}		77.9	(71.9-82.9)		80.0	(77.1-82.5)


Í

* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults 18 years and older with elevated cholesterol*



Chemung County

Finger Lakes

	enemang county			i inger zakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,274	42.4	(35.4-49.7)	300,637	37.9	(35.0-40.9)
Age						
18-24		#			#	
25-34		#		17,828	18.8	(12.5-27.2)
35-44		#		30,289	25.8	(19.3-33.5)
45-64	12,410	47.0^	(35.6-58.6)	139,330	41.7	(37.3-46.4)
65+	7,160	54.1	(45.2-62.8)	102,175	54.6	(49.2-60.0)
Race						
White, NH	18,210	42.2	(36.1-48.5)	241,155	37.6	(34.7-40.6)
Black, NH		#		23,513	39.5^	(29.4-50.5)
Hispanic		#		15,023	35.5^	(23.3-50.0)
Other, NH		#		20,947	41.7^	(24.0-61.8)
Sex						
male	12,383	47.0^	(35.3-59.1)	151,064	40.6	(36.4-44.9)
female	9,891	37.7	(30.5-45.5)	149,573	35.6	(31.6-39.7)
Age-adjusted ^{&}		34.0	(26.6-42.2)		32.7	(29.1-36.6)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



Chemung County	Fi

inger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	8,819	21.7^	(9.9-41.0)	51,667	10.0	(7.8-12.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,726	6.8	(3.1-14.2)
45-64	3,086	16.5^	(7.0-34.3)	26,449	12.7	(9.1-17.5)
65+	1,292	12.1	(7.3-19.4)	12,705	8.1	(5.8-11.2)
Race						
White, NH	3,669	11.9	(7.4-18.6)	34,619	8.2	(6.3-10.7)
Black, NH		#		6,746	15.1^	(8.2-26.3)
Hispanic		#			#	
Other, NH		#		8,215	31.5^	(12.6-59.6)
Sex						
male	3,588	19.1^	(8.8-36.4)	23,976	9.8	(6.9-13.9)
female	5,231	23.9^	(7.0-56.7)	27,691	10.2	(7.2-14.2)
Age-adjusted ^{&}		21.4^	(11.8-35.5)		9.5	(6.8-13.3)


* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Prevent Chronic Diseases

Percentage of adults with arthritis*



Chemung County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	19,302	27.8	(22.2-34.2)	273,908	27.5	(25.1-30.0)
Age						
18-24		#			#	
25-34		#		11,753	7.6	(4.9-11.6)
35-44		#		27,015	18.2	(12.9-25.1)
45-64	9,223	33.0	(24.4-42.9)	122,234	34.4	(30.2-38.9)
65+	7,783	54.4	(45.8-62.8)	107,901	55.4	(50.3-60.3)
Race						
White, NH	18,025	34.3	(28.8-40.2)	230,014	29.0	(26.4-31.7)
Black, NH		#		21,965	28.9	(21.1-38.3)
Hispanic		#		10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9^	(6.7-29.9)
Sex						
male	8,220	24.0	(16.9-32.9)	118,312	24.6	(21.3-28.2)
female	11,082	31.6	(23.3-41.2)	155,596	30.1	(26.7-33.8)
Age-adjusted ^{&}		24.2	(19.5-29.7)		25.3	(23.2-27.5)


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



Chemung County

Finger Lakes


	enemang county			Tinger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	57,448	86.4	(76.9-92.4)	897,106	93.4	(92.0-94.6)
Age						
18-24		#		114,680	89.2	(81.1-94.1)
25-34		#		134,928	90.1	(85.9-93.2)
35-44		#		134,641	95.3	(92.3-97.2)
45-64	24,803	90.5	(83.6-94.7)	326,991	94.9	(93.0-96.3)
65+	12,505	94.4	(89.8-97.0)	176,297	94.4	(92.1-96.1)
Race						
White, NH	45,658	91.1	(86.6-94.2)	723,466	94.7	(93.4-95.8)
Black, NH		#		58,381	80.4^	(70.2-87.8)
Hispanic		#		45,612	89.3	(79.9-94.6)
Other, NH		#		69,648	95.6	(90.2-98.0)
Sex						
male	26,701	83.2	(64.5-93.1)	435,275	93.9	(91.7-95.5)
female	30,747	89.3	(82.0-93.9)	461,832	92.9	(91.0-94.5)
Age-adjusted ^{&}		87.8	(80.4-92.7)		93.3	(91.9-94.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	4,264	30.4	(23.1-38.8)	57,486	30.5	(25.8-35.7)
White, NH Black, NH Hispanic Other, NH Sex male female	4,058 1,886 2,378	30.6 # # 27.1 [^] 33.7 [^]	(23.3-38.9) (17.2-39.8) (24.0-44.9)	43,381 26,845 30,641	26.6 # # 31.6 29.6	(22.9-30.7) (25.8-38.1) (22.7-37.6)
Age-adjusted ^{+,&}	_,;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	2317	()	23,011	_510	(


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



. .

	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	2,107	51.6^	(36.7-66.3)	19,362	33.9	(26.1-42.8)
Race White, NH Black, NH Hispanic Other, NH Sex male	1,901	49.0 [^] # # #	(34.3-63.9)	16,678 8,530	38.8 # # # 32.0 [^]	(31.4-46.7) (22.0-43.9)
female		#		10,832	35.6^	(24.2-49.0)
Age-adjusted ^{+,&}						

* Falls that limited regular activities or lead to doctor visits.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

~

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,061	40.6^	(30.4-51.7)	106,026	32.9	(28.9-37.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,373	31.4	(23.9-40.0)	83,817	31.1	(26.9-35.6)
Black, NH		#		14,865	57.1^	(40.3-72.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,622	43.8^	(27.7-61.3)	56,263	36.6	(30.6-43.1)
female	4,440	37.1^	(26.3-49.3)	49,763	29.6	(24.4-35.3)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year^{*}



Chemung County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	34,197	50.5	(41.4-59.6)	556,353	57.7	(54.7-60.6)
Age						
18-24		#		52,329	40.8^	(30.1-52.4)
25-34		#		65,604	43.6	(35.2-52.4)
35-44		#		69,933	49.5	(41.8-57.1)
45-64	11,812	43.1^	(32.4-54.5)	205,087	59.5	(55.2-63.7)
65+	9,122	64.8	(55.8-72.9)	157,801	83.2	(80.0-85.9)
Race						
White, NH	26,346	51.7	(45.1-58.2)	443,049	57.6	(54.7-60.4)
Black, NH		#		40,970	57.1^	(47.0-66.7)
Hispanic		#		30,516	59.7^	(46.2-71.9)
Other, NH		#		41,817	57.3^	(35.8-76.4)
Sex						
male	14,748	44.6^	(32.5-57.4)	260,048	55.9	(51.8-60.0)
female	19,450	56.1^	(44.3-67.3)	296,305	59.3	(54.9-63.5)
Age-adjusted ^{&}		48.7	(40.3-57.3)		56.0	(52.9-59.1)

1


* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year $\!\!\!\!\!\!*$



	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,122	64.8	(55.8-72.9)	157,801	83.2	(80.0-85.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,443	63.4	(54.3-71.7)	136,667	83.2	(80.1-85.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,836	69.4	(54.9-80.8)	72,669	85.0	(80.9-88.3)
female	4,286	60.4^	(48.8-70.8)	85,131	81.7	(76.8-85.8)
Age-adjusted ^{+,&}						

* Includes flu shot or flu spray


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization




	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	9,609	69.3	(60.0-77.3)	135,060	74.0	(68.5-78.8)
White, NH Black, NH Hispanic Other, NH Sex male female	9,280 4,360 5,249	70.8 # # 64.0 [^] 74.5 [^]	(61.8-78.5) (49.4-76.4) (63.1-83.3)	122,920 56,221 78,839	78.0 # # 68.3 78.7	(74.0-81.6) (61.1-74.7) (70.1-85.3)
Age-adjusted ^{+,&}	5,2 75	,	(3312 3313)	. 0,000	,	(. 0.1 00.0)

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-44 years who had dental visit within the last year




	Chemung County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,371	71.1^	(48.1-86.7)	158,478	76.1	(67.5-83.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		120,797	78.0	(71.5-83.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	9,371	71.1^	(48.1-86.7)	158,478	76.1	(67.5-83.1)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Women aged 18-44 years who saw a doctor for a routine checkup within the last year




	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,897	66.5^	(42.6-84.2)	135,013	61.9	(54.3-68.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		99,001	61.6	(54.7-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	8,897	66.5^	(42.6-84.2)	135,013	61.9	(54.3-68.9)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-64 years with health care coverage




	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,689	92.1	(84.6-96.1)	364,324	91.0	(88.6-93.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	17,695	89.3	(80.6-94.4)	282,703	91.1	(88.4-93.2)
Black, NH		#		28,417	85.7^	(74.1-92.6)
Hispanic		#		16,002	91.5^	(74.4-97.5)
Other, NH		#		37,203	94.7^	(84.6-98.3)
Sex						
male		#			#	
female	24,689	92.1	(84.6-96.1)	364,324	91.0	(88.6-93.0)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,712	43.7^	(20.3-70.3)	89,890	43.1	(35.9-50.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		72,684	46.8	(39.7-54.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,712	43.7^	(20.3-70.3)	89,890	43.1	(35.9-50.6)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



. .

	Chemung County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,164	23.6^	(14.9-35.3)	120,784	12.3	(10.6-14.2)
Age						
18-24		#		18,248	13.9	(8.2-22.4)
25-34		#		21,945	14.4	(10.5-19.4)
35-44		#		17,847	12.2	(8.1-18.0)
45-64	7,933	28.4^	(17.8-42.2)	50,391	14.4	(11.5-17.7)
65+	1,934	13.9	(8.9-21.0)	11,819	6.3	(4.5-8.7)
Race						
White, NH	8,479	16.4	(12.2-21.6)	90,447	11.6	(9.9-13.6)
Black, NH		#		12,561	16.5	(10.8-24.5)
Hispanic		#		9,450	18.5^	(11.2-29.0)
Other, NH		#		8,325	11.1°	(4.0-27.3)
Sex						
male	7,206	21.2	(12.0-34.7)	49,351	10.4	(8.2-13.2)
female	8,958	26.0^	(12.9-45.4)	71,433	14.1	(11.7-16.9)
Age-adjusted ^{&}		21.2	(14.2-30.3)		12.5	(10.7-14.5)


& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

~

Chemung Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



Chemung County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	9,667	14.7	(9.1-22.7)	154,347	16.1	(14.1-18.4)
Age						
18-24		#		32,152	24.8	(17.7-33.6)
25-34		#		37,099	24.8	(19.2-31.4)
35-44		#		26,167	18.7	(12.6-26.7)
45-64	5,046	18.5^	(9.5-32.9)	52,235	15.2	(12.0-19.1)
65+		#		5,899	3.2	(2.2-4.5)
Race						
White, NH	7,785	15.7	(10.6-22.7)	129,788	17.1	(14.7-19.6)
Black, NH		#		8,750	12.2	(7.4-19.5)
Hispanic		#		10,236	19.8^	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
Sex						
male	7,116	22.4	(12.3-37.2)	99,542	21.7	(18.3-25.4)
female	2,551	7.5	(4.5-12.2)	54,805	11.0	(8.8-13.7)
Age-adjusted ^{&}		14.4	(9.4-21.4)		16.9	(14.6-19.5)


* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Chemung Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Chemung County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,634	35.0^	(16.1-60.1)	41,696	34.8	(27.8-42.5)
Age						
18-24		#			#	
25-34		#		10,400	48.1^	(33.0-63.5)
35-44		#		7,009	39.7^	(20.7-62.3)
45-64		#		19,075	38.1^	(27.3-50.2)
65+		#		740	6.3	(3.3-11.9)
Race						
White, NH	3,786	44.9^	(29.9-60.9)	32,992	36.8	(28.9-45.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		19,261	39.2	(27.0-53.0)
female		#		22,435	31.7	(24.4-40.1)
Age-adjusted ^{&}		40.4^	(26.1-56.5)		33.1	(26.5-40.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.