eBRFSS 2013-2014 Health Indicators: Columbia

General Description	
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	θ
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on receiving breast cancer screening breast cancer	
guidelinesguidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screen	
guidelinesguidelines	
· ·	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ng based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ng based on recent29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 28 29 29 29 29 29 29 29 29 29 29 29 29 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	28 29 29 29 29 29 29 29 29 29 29 29 29 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	28 29 29 29 29 29 29 29 29 29 29 29 29 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	28 ag based on recent 29 as 30 as 32 as 35 as 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	28 28 29 29 29 29 29 29 29 29 29 29 29 29 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	28 ag based on recent 29 as 30 as 32 as 36 as 37 as 38
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	28 ang based on recent 29 ang based on recent 30 ang based 31 ang based 32 ang based 35 ang based 36 ang base
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	28 ag based on recent 29 as 30 as 32 as 35 as 36 as 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	28 ang based on recent 29 ang based on recent 30 ang based 31 ang based 32 ang base
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	28 ang based on recent 29 ang based on recent 30 and 31 and 32 and 33 and 34 and 35 and 36 and 37 and 38 and 39 an
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ang based on recent 29 ang based on recent 30 and 31 and 32 and 33 and 34 and 35 and 36 and 37 and 38 and 39 an
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	28 ang based on recent 29 ang based on recent 30 and 31 and 32 and 33 and 34 and 35 and 36 an
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	28 ang based on recent 29 ang based on recent 30 ang based 31 ang 32 ang 33 ang 34 ang 35 ang 36 ang
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year.	28 ang based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	28 ang based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year	28 ang based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year	28 ng based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 45 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ng based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 45 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with a syears and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Women aged 18-44 years who saw a doctor for a routine checkup within the last year. Percentage of women aged 18-64 years with health care coverage.	28 ng based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 45 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ang based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who se health care coverage Percentage of women aged 18-44 years whose	28 ang based on recent 29 ang based on recent 30 ang based on recent 31 ang based on recent 32 ang based on recent 33 ang based on recent 34 ang based on recent 35 ang based on recent 36 ang based on recent 37 ang based on recent 38 ang based on recent 38 ang based on recent 39 ang based on recent 30 ang based on recent 31 ang based on recent 32 ang based on recent 34 ang based on recent 36 ang based on recent 36 ang based on recent 37 ang based on recent 38 ang based on recent 39 ang based on recent 30 ang based on recent 30 ang based on recent 30 ang based on recent 31 ang based on recent 32 ang based on recent 34 ang based on recent 36 ang based on recent 36 ang based on recent 37 ang based on recent 38 ang based on recent 39 ang based on recent 30 ang based on recent 31 ang based on recent 32 ang based on recent 31 ang based on recent 32 ang based on recent 32 ang based on recent 32 ang based on recent 34 ang based on recent 35 ang based on recent 36 ang based on recen
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ang based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who se health care coverage. Percentage of women ag	28 ang based on recent 29

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Co	lumbia Cou	inty	Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	3,462	6.9	(4.1-11.3)	78,780	10.4	(8.9-12.2)	
Age							
18-24		#		9,000	9.5	(5.8-15.1)	
25-34		#		21,597	17.3	(12.2-23.9)	
35-44		#		12,616	11.0	(7.4-16.0)	
45-64	1,795	9.9	(6.1-15.9)	29,082	11.0	(8.6-14.1)	
65+		#		6,173	4.3	(2.9-6.2)	
Race							
White, NH	3,462	7.7	(4.6-12.6)	61,538	9.6	(7.9-11.5)	
Black, NH		#		5,810	15.6	(10.2-23.1)	
Hispanic		#		6,161	24.0	(16.3-33.9)	
Other, NH		#		5,270	10.6	(4.3-24.0)	
Sex							
male	1,641	6.6	(2.5-16.1)	35,709	9.7	(7.5-12.5)	
female	1,820	7.2	(4.4-11.6)	43,071	11.1	(9.0-13.6)	
e-adjusted ^{&}		7.4	(4.0-13.2)		10.8	(9.2-12.7)	

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	44,323	88.1	(82.5-92.0)	655,372	86.7	(84.8-88.4)
Age						
18-24		#		69,621	73.2	(64.4-80.5)
25-34		#		89,783	71.5	(64.8-77.5)
35-44		#		102,018	88.6	(84.5-91.7)
45-64	16,304	90.3	(82.1-95.0)	241,515	92.1	(89.9-93.9)
65+	11,878	97.2	(93.3-98.9)	140,729	97.2	(96.0-98.1)
Race						
White, NH	39,424	87.9	(81.9-92.2)	563,297	87.5	(85.5-89.3)
Black, NH		#		27,716	74.9^	(61.2-85.0)
Hispanic		#		20,329	79.8	(71.9-86.0)
Other, NH		#		44,030	88.6	(81.8-93.0)
Sex						
male	20,040	80.4	(70.2-87.6)	296,915	81.0	(77.7-84.0)
female	24,283	95.6	(91.2-97.9)	358,457	92.0	(90.1-93.6)
Age-adjusted ^{&}		85.5	(79.6-90.0)		86.0	(84.1-87.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	33,137	70.8	(63.4-77.2)	503,799	71.5	(69.1-73.8)
Age						
18-24		#		60,059	72.7	(61.6-81.5)
25-34		#		80,087	68.6	(61.6-75.0)
35-44		#		80,262	72.9	(66.8-78.3)
45-64	11,119	65.1	(51.3-76.7)	183,034	73.5	(69.8-76.8)
65+	7,802	68.6	(59.3-76.6)	90,249	67.0	(63.2-70.7)
Race						
White, NH	30,812	74.4	(68.8-79.3)	436,972	72.6	(70.0-75.0)
Black, NH		#		17,633	53.0	(40.6-64.9)
Hispanic		#		14,975	67.1^	(56.8-76.0)
Other, NH		#		34,218	73.1	(60.5-82.7)
Sex						
male	16,209	68.3	(56.4-78.2)	231,254	67.5	(63.6-71.1)
female	16,928	73.4	(64.6-80.6)	272,544	75.4	(72.6-78.0)
Age-adjusted ^{&}		72.5	(65.3-78.6)		71.3	(68.7-73.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,283	22.8	(17.8-28.8)	175,208	23.6	(21.7-25.7)
Age						
18-24		#		8,717	9.4	(5.9-14.5)
25-34		#		20,013	16.5	(11.4-23.4)
35-44		#		18,192	16.2	(12.0-21.5)
45-64	4,585	25.5	(18.1-34.6)	74,792	28.8	(25.5-32.3)
65+	4,170	35.1	(27.1-44.2)	51,545	36.3	(32.6-40.1)
Race						
White, NH	9,675	22.0	(17.2-27.6)	152,818	24.2	(22.1-26.4)
Black, NH		#		8,407	23.4	(16.1-32.7)
Hispanic		#		6,619	26.5	(18.4-36.7)
Other, NH		#		7,364	14.9^	(8.4-25.1)
Sex						
male	3,811	15.3	(10.0-22.6)	83,089	23.2	(20.3-26.4)
female	7,472	30.4	(22.6-39.4)	92,118	24.1	(21.6-26.8)
Age-adjusted ^{&}		20.2	(15.0-26.6)		22.6	(20.6-24.6)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	34,847	92.3	(87.1-95.5)	534,574	89.6	(87.6-91.2)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	30,490	91.9	(86.3-95.3)	453,130	90.5	(88.4-92.3)
Black, NH		#		27,834	87.0	(77.3-93.0)
Hispanic		#		16,505	68.9^	(57.4-78.4)
Other, NH		#		37,106	91.8	(79.9-96.9)
Sex						
male	17,278	92.4	(83.4-96.7)	262,286	87.7	(84.6-90.2)
female	17,569	92.1	(85.1-96.0)	272,288	91.5	(88.8-93.5)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,832	76.4	(68.8-82.6)	426,846	71.7	(69.1-74.2)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	24,844	74.9	(66.9-81.5)	350,182	70.2	(67.3-73.0)
Black, NH		#		25,151	78.0^	(67.5-85.8)
Hispanic		#		17,511	72.3	(62.4-80.4)
Other, NH		#		34,002	85.1	(76.5-91.0)
Sex						
male	13,530	72.3	(59.6-82.2)	198,036	66.4	(62.4-70.2)
female	15,302	80.4	(71.1-87.2)	228,809	77.1	(73.6-80.3)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,700	30.5	(24.4-37.3)	227,646	33.9	(31.5-36.4)
Age						
18-24		#		25,551	37.1	(27.3-48.2)
25-34		#		46,389	43.5	(36.8-50.5)
35-44		#		44,836	41.9	(35.5-48.6)
45-64	5,789	33.3	(24.3-43.9)	84,567	34.2	(30.7-38.0)
65+	2,510	21.8	(14.8-31.1)	25,225	19.1	(16.3-22.3)
Race						
White, NH	11,793	29.3	(23.6-35.8)	186,009	32.2	(29.7-34.9)
Black, NH		#		16,688	57.1^	(47.0-66.6)
Hispanic		#		10,980	49.7^	(39.3-60.2)
Other, NH		#		13,970	32.2	(21.0-46.0)
Sex						
male	4,627	21.5	(14.7-30.4)	100,235	31.3	(27.8-35.0)
female	9,074	38.7	(29.9-48.3)	127,411	36.3	(33.1-39.6)
Age-adjusted ^{&}		30.6	(23.8-38.4)		35.4	(32.8-38.1)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Co	lumbia Cou	unty	Capital Region			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	9,649	20.0	(14.9-26.3)	153,218	21.2	(19.1-23.6)	
18-24		#		23,761	27.0	(19.2-36.7)	
25-34		#		30,679	25.7	(20.3-32.0)	
35-44		#		31,379	28.4	(22.6-35.1)	
45-64	3,261	18.2	(12.0-26.8)	54,262	21.4	(18.0-25.1)	
65+	1,727	14.7	(8.6-24.0)	12,444	9.0	(6.9-11.6)	
Race							
White, NH	7,965	18.3	(13.6-24.1)	117,239	19.0	(16.9-21.2)	
Black, NH		#		13,625	39.9^	(28.9-52.1)	
Hispanic		#		8,032	34.9^	(25.9-45.1)	
Other, NH		#		14,323	30.8	(17.5-48.2)	
Sex							
male	2,812	11.8	(7.3-18.6)	66,917	19.2	(15.9-23.0)	
female	6,837	28.1	(19.9-37.9)	86,301	23.2	(20.5-26.1)	
e-adjusted ^{&}		21.3	(15.5-28.4)		22.3	(20.0-24.8)	

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



	Co	lumbia Cou	nty	Capital Region			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	3,270	6.6	(3.4-12.2)	31,086	4.1	(3.1-5.4)	
18-24		#			#		
25-34		#			#		
35-44		#		4,002	3.5	(1.9-6.5)	
45-64		#		15,190	5.8	(3.6-9.2)	
65+	956	8.0	(4.0-15.7)	8,158	5.7	(4.1-7.8)	
Race							
White, NH	2,169	4.9	(2.4-9.6)	21,951	3.4	(2.6-4.5)	
Black, NH		#		3,013	8.1	(3.9-16.2)	
Hispanic		#			#		
Other, NH		#		5,390	10.8^	(3.7-27.7)	
Sex							
male		#		12,669	3.5	(2.2-5.4)	
female	2,466	9.9^	(4.4-20.6)	18,417	4.7	(3.3-6.7)	
e-adjusted ^{&}		6.4	(3.2-12.5)		4.0	(3.0-5.2)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,222	12.8	(8.7-18.4)	86,530	11.7	(10.2-13.4)
Age						
18-24		#		6,770	7.2	(3.3-14.8)
25-34		#		7,049	5.8	(3.7-8.9)
35-44		#		11,350	9.9	(6.8-14.3)
45-64	2,043	11.6	(6.9-18.9)	36,240	14.2	(11.4-17.4)
65+	2,244	19.6	(12.9-28.6)	24,874	17.8	(14.8-21.3)
Race						
White, NH	5,336	12.3	(8.6-17.4)	67,869	10.8	(9.5-12.2)
Black, NH		#		9,363	25.8	(14.7-41.2)
Hispanic		#		2,326	9.8	(4.9-18.7)
Other, NH		#		6,972	14.1	(6.0-29.7)
Sex						
male	1,890	7.7	(4.3-13.5)	36,753	10.2	(8.0-12.9)
female	4,332	18.0	(11.2-27.7)	49,778	13.1	(11.2-15.3)
Age-adjusted ^{&}		11.6	(7.6-17.3)		11.4	(9.9-13.1)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

ColumbiaPrevent Chronic Diseases

Percentage of adults who are obese*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,996	25.2	(19.6-31.8)	196,015	27.6	(25.5-29.9)
Age						
18-24		#		12,899	14.4	(8.4-23.4)
25-34		#		27,900	24.7	(19.0-31.4)
35-44		#		36,257	33.5	(27.6-40.0)
45-64	4,992	29.0	(20.9-38.8)	84,116	33.3	(29.8-37.0)
65+	2,957	25.2	(18.0-34.1)	33,329	24.5	(21.4-27.9)
Race						
White, NH	10,760	25.6	(20.0-32.0)	167,713	27.7	(25.4-30.1)
Black, NH		#		12,819	38.0^	(27.3-50.1)
Hispanic		#		6,873	28.0	(20.4-37.1)
Other, NH		#		8,610	18.6^	(10.1-31.8)
Sex						
male	5,137	20.7	(14.9-28.1)	98,578	27.4	(24.2-30.7)
female	6,859	30.0^	(21.1-40.7)	97,437	27.9	(24.9-31.1)
Age-adjusted ^{&}		24.0	(18.3-30.8)		27.8	(25.6-30.3)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Co	lumbia Coเ	ınty	Capital Region			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	3,615	33.5^	(18.4-52.9)	54,587	36.9	(31.5-42.8)	
18-24		#		3,020	17.4	(8.4-32.5)	
25-34		#		10,222	39.3^	(24.9-55.8)	
35-44		#		7,713	41.2	(25.5-58.9)	
45-64		#		23,403	48.3^	(38.0-58.8)	
65+		#		10,229	27.6	(21.5-34.7)	
Race							
White, NH	2,803	36.6	(21.3-55.3)	41,621	36.5	(30.4-43.0)	
Black, NH		#		4,238	36.2	(22.1-53.2)	
Hispanic		#		2,717	28.5^	(16.7-44.3)	
Other, NH		#			#		
Sex							
male		#		20,376	30.7	(22.4-40.6)	
female	2,935	44.7	(24.5-66.8)	34,212	42.0	(35.0-49.3)	
e-adjusted ^{&}		28.2^	(17.3-42.3)		37.6	(31.8-43.7)	

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Col	umbia Cou	inty	Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,811	34.8^	(23.1-48.7)	65,790	39.9	(35.1-45.0)
Age						
18-24		#			#	
25-34		#		7,184	38.8^	(19.6-62.4)
35-44		#		7,077	41.0^	(26.7-56.9)
45-64	1,475	32.8	(20.3-48.2)	33,361	46.8	(39.6-54.2)
65+	1,511	38.5	(24.9-54.3)	17,293	35.7	(29.7-42.3)
Race						
White, NH	2,936	31.4	(21.8-42.9)	55,500	38.7	(33.6-44.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		30,702	37.8	(30.6-45.6)
female	2,379	33.2	(18.3-52.4)	35,087	42.0	(35.7-48.5)
Age-adjusted ^{&}		30.9^	(18.1-47.5)		37.4	(31.6-43.7)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,713	60.3	(52.7-67.4)	449,862	63.4	(60.9-65.8)
Age						
18-24		#		36,543	40.7	(31.2-51.1)
25-34		#		65,156	57.7	(51.1-64.0)
35-44		#		71,436	66.1	(59.8-71.8)
45-64	10,181	59.2	(46.5-70.8)	182,293	72.2	(68.8-75.3)
65+	8,873	75.7	(67.4-82.5)	88,147	64.8	(60.7-68.6)
Race						
White, NH	25,935	61.6	(54.6-68.1)	381,643	63.1	(60.5-65.6)
Black, NH		#		25,401	75.3	(65.7-83.0)
Hispanic		#		17,407	70.9^	(60.2-79.7)
Other, NH		#		25,411	55.0^	(40.4-68.8)
Sex						
male	14,949	60.4	(48.4-71.2)	249,199	69.2	(65.4-72.7)
female	13,763	60.2	(51.1-68.7)	200,663	57.5	(54.1-60.8)
Age-adjusted ^{&}		57.6	(50.1-64.7)		62.9	(60.4-65.3)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	35,358	73.2	(66.7-78.8)	556,553	76.1	(73.9-78.2)
Age						
18-24		#		75,199	82.7	(71.5-90.1)
25-34		#		94,246	78.5	(71.7-84.0)
35-44		#		88,206	79.6	(73.8-84.3)
45-64	13,330	74.3	(64.9-81.8)	196,559	76.2	(72.8-79.3)
65+	7,778	65.8	(56.2-74.3)	93,338	66.8	(62.9-70.4)
Race						
White, NH	32,125	73.8	(67.5-79.3)	479,185	76.6	(74.2-78.8)
Black, NH		#		24,322	71.4	(59.7-80.9)
Hispanic		#		17,336	72.5^	(60.3-82.1)
Other, NH		#		35,711	75.0^	(63.2-84.0)
Sex						
male	17,665	74.0	(65.1-81.2)	272,326	76.8	(73.1-80.1)
female	17,693	72.4	(62.6-80.4)	284,227	75.6	(72.8-78.1)
ge-adjusted ^{&}		74.3	(67.1-80.3)		76.6	(74.2-78.8)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Col	lumbia Cou	inty	Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,696	20.3	(15.1-26.8)	146,058	20.5	(18.5-22.7)
Age						
18-24		#		28,523	32.9	(24.4-42.8)
25-34		#		36,519	31.0	(24.6-38.1)
35-44		#		18,018	16.3	(12.6-20.9)
45-64	3,373	19.2	(12.7-28.1)	42,321	16.9	(14.4-19.8)
65+	1,166	10.2	(5.7-17.5)	18,870	13.9	(11.5-16.7)
Race						
White, NH	7,965	18.8	(13.9-25.1)	121,145	19.9	(17.8-22.3)
Black, NH		#		10,242	30.3^	(20.6-42.2)
Hispanic		#		8,727	38.5	(29.0-49.0)
Other, NH		#		5,944	12.5	(7.4-20.3)
Sex						
male	5,122	21.6	(14.5-30.9)	84,851	24.6	(21.5-28.0)
female	4,574	19.1	(12.1-29.0)	61,207	16.7	(14.2-19.5)
Age-adjusted ^{&}		22.9	(16.9-30.4)		20.9	(18.8-23.1)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Co	lumbia Cou	inty	Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	2,365	5.0	(2.6-9.5)	39,790	5.6	(4.4-7.1)	
18-24		#		8,329	9.7	(5.1-17.5)	
25-34		#		11,200	9.6	(5.7-15.5)	
35-44		#		5,776	5.3	(3.2-8.5)	
45-64		#		10,867	4.4	(2.9-6.5)	
65+		#		3,146	2.3	(1.5-3.6)	
Race							
White, NH	2,365	5.6	(2.9-10.5)	31,483	5.2	(4.1-6.6)	
Black, NH		#		5,232	15.8^	(6.0-35.5)	
Hispanic		#		2,006	9.0	(5.0-15.8)	
Other, NH		#			#		
Sex							
male	1,405	6.1	(2.9-12.5)	31,282	9.1	(6.9-12.0)	
female		#		8,509	2.3	(1.7-3.3)	
e-adjusted ^{&}		6.5	(3.2-12.7)		5.9	(4.6-7.4)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Col	umbia Cou	inty	Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,693	9.4	(6.8-12.8)	70,730	9.3	(8.0-10.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		8,295	7.2	(3.8-13.1)
45-64	1,327	7.4	(4.2-12.5)	27,350	10.4	(8.0-13.3)
65+	3,244	27.0	(19.2-36.6)	32,001	22.1	(18.9-25.7)
Race						
White, NH	4,261	9.5	(7.0-12.8)	56,938	8.8	(7.6-10.2)
Black, NH		#		5,143	13.9	(8.7-21.3)
Hispanic		#		2,015	7.9	(4.6-13.0)
Other, NH		#		6,634	13.3^	(5.6-28.3)
Sex						
male	2,625	10.6	(6.6-16.6)	40,032	10.9	(8.7-13.5)
female	2,067	8.1	(5.3-12.3)	30,698	7.9	(6.5-9.4)
Age-adjusted ^{&}		7.1	(5.3-9.4)		8.7	(7.4-10.2)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Col	lumbia Coเ	ınty	Capital Region			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	10,331	21.0	(15.6-27.5)	141,063	19.1	(17.2-21.2)	
Age							
18-24		#		18,990	20.7	(14.6-28.6)	
25-34		#		31,739	26.0	(20.4-32.5)	
35-44		#		24,107	21.5	(16.4-27.8)	
45-64	3,686	20.8	(13.7-30.2)	55,144	21.2	(18.3-24.4)	
65+		#		10,388	7.4	(5.4-10.0)	
Race							
White, NH	9,601	21.9	(16.3-28.9)	117,876	18.7	(16.7-20.9)	
Black, NH		#		7,493	21.5	(14.8-30.2)	
Hispanic		#		8,467	34.6^	(24.9-45.8)	
Other, NH		#		7,227	14.7	(8.0-25.4)	
Sex							
male	5,140	21.0	(14.4-29.8)	75,766	21.1	(18.2-24.4)	
female	5,191	20.9^	(13.3-31.2)	65,298	17.2	(14.8-19.8)	
-adjusted ^{&}		23.5	(17.3-31.1)		19.7	(17.7-22.0)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Col	umbia Cou	inty	Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,811	33.6^	(18.8-52.4)	56,135	36.7	(31.4-42.3)
Age						
18-24		#		5,940	34.3	(21.7-49.4)
25-34		#		14,236	52.5	(38.9-65.8)
35-44		#		10,218	51.2	(35.3-66.7)
45-64		#		20,764	41.1	(31.8-51.1)
65+		#		4,979	13.3	(8.1-21.0)
Race						
White, NH	3,226	39.3	(23.0-58.4)	43,833	37.2	(31.3-43.6)
Black, NH		#		3,373	25.7	(14.8-40.8)
Hispanic		#		4,581	47.6	(31.2-64.5)
Other, NH		#			#	
Sex						
male		#		30,330	46.8	(38.0-55.7)
female	3,023	42.1	(23.4-63.4)	25,806	29.3	(23.5-35.9)
Age-adjusted ^{&}		35.2	(21.6-51.6)		39.8	(34.2-45.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24		#		18,990	20.7	(14.6-28.6)
25-34 35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex		# # #		16,226	22.0 # # #	(14.9-31.2)
male female Age-adjusted+,&		# #		9,187 9,803	17.5 25.0^	(10.9-27.0) (14.9-38.8)

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Col	umbia Cou	inty	Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,021	78.4	(69.7-85.1)	110,971	79.0	(75.0-82.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,302	76.8	(67.7-83.9)	100,353	78.7	(74.5-82.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	8,021	78.4	(69.7-85.1)	110,971	79.0	(75.0-82.5)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race		#		21,656	70.5^	(59.2-79.7)
White, NH Black, NH Hispanic Other, NH Sex male female		# # # #		16,285 21,656	66.3 [^] # # # 70.5 [^]	(53.7-76.9) (59.2-79.7)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,030	76.3^	(63.4-85.7)	218,954	80.0	(76.6-83.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	13,011	78.3^	(66.2-87.0)	189,224	81.8	(78.5-84.8)
Black, NH		#		10,116	74.0^	(54.2-87.3)
Hispanic		#		6,537	74.3^	(52.7-88.2)
Other, NH		#		13,077	65.6 [^]	(44.1-82.1)
Sex						
male		#			#	
female	14,030	76.3^	(63.4-85.7)	218,954	80.0	(76.6-83.0)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Columbia County			Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		38,085	65.7	(56.0-74.2)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		29,878	69.6	(59.7-77.9)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		38,085	65.7	(56.0-74.2)	
Age-adjusted+,&							

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	12,823	59.3^	(48.7-69.1)	187,405	69.4	(66.3-72.4)
25-34 35-44 45-64						
65+ Race	44.005	64.0	(5.0.70.4)	467.405	=0.0	(55.0.70.0)
White, NH Black, NH Hispanic	11,885	64.9 # #	(56.9-72.1)	167,485 5,819	70.0 57.4^ #	(66.9-73.0) (37.3-75.2)
Other, NH Sex	5 700	#	(44.0.77.0)	10,135	69.0^	(45.3-85.6)
female female Age-adjusted+,&	6,790 6,033	59.6 [^] 59.0 [^]	(41.8-75.2) (48.4-68.9)	86,398 101,007	67.2 71.5	(62.2-71.9) (67.5-75.1)

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,088	36.2	(18.2-59.3)	33,685	61.0	(52.1-69.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		26,261	62.3	(53.5-70.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		11,885	49.3^	(35.9-62.9)
female		#		21,800	70.0	(60.2-78.3)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,927	61.0	(53.3-68.1)	387,390	58.9	(56.3-61.5)
Age						
18-24		#		27,483	30.4	(21.5-41.0)
25-34		#		62,651	51.6	(45.0-58.1)
35-44		#		60,615	58.6	(51.9-65.0)
45-64	10,910	67.5	(56.4-77.0)	154,280	69.2	(65.5-72.7)
65+	5,762	67.0 [^]	(56.1-76.2)	74,984	69.3	(65.0-73.3)
Race						
White, NH	23,098	59.0	(51.5-66.1)	336,654	60.0	(57.3-62.7)
Black, NH		#		18,952	60.5^	(46.6-73.0)
Hispanic		#		11,998	53.0^	(41.9-63.8)
Other, NH		#		19,787	46.7	(32.5-61.4)
Sex						
male	12,581	57.7	(45.7-68.8)	181,844	57.7	(53.8-61.6)
female	14,346	64.2	(54.6-72.8)	205,546	60.0	(56.5-63.5)
Age-adjusted ^{&}		59.4	(51.6-66.7)		58.7	(56.1-61.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	3,065	6.8	(3.8-11.8)	33,014	4.9	(4.0-5.8)
18-24		#			#	
25-34		#		3,641	2.9	(1.7-5.1)
35-44		#		3,857	3.6	(2.0-6.4)
45-64		#		13,796	5.9	(4.5-7.8)
65+	1,659	19.1	(11.7-29.7)	10,296	9.3	(6.9-12.4)
Race						
White, NH	1,748	4.3	(2.7-7.0)	26,899	4.6	(3.8-5.6)
Black, NH		#		2,420	7.6	(3.6-15.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,636	7.4	(4.1-12.9)	16,246	5.0	(3.9-6.5)
female	1,429	6.2^	(2.1-16.6)	16,768	4.7	(3.7-6.0)
Age-adjusted ^{&}		6.4	(3.5-11.6)		4.8	(4.0-5.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,015	33.8	(27.9-40.3)	243,986	32.3	(30.1-34.6)
Age						
18-24		#		4,516	4.8	(1.7-12.9)
25-34		#		17,383	13.8	(9.4-19.9)
35-44		#		26,620	23.1	(18.0-29.1)
45-64	5,547	30.7	(22.6-40.2)	100,694	38.3	(34.7-42.1)
65+	8,243	67.6	(59.4-74.9)	88,328	61.4	(57.5-65.1)
Race						
White, NH	15,643	34.9	(28.9-41.4)	209,708	32.6	(30.4-35.0)
Black, NH		#		16,696	44.7^	(33.4-56.6)
Hispanic		#		5,472	21.3	(14.7-30.0)
Other, NH		#		12,111	24.3^	(13.7-39.3)
Sex						
male	8,683	34.8	(25.7-45.2)	133,745	36.5	(33.0-40.1)
female	8,332	32.8	(25.7-40.9)	110,242	28.4	(25.7-31.2)
Age-adjusted ^{&}		29.0	(23.1-35.7)		30.1	(28.0-32.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,519	73.6^	(60.2-83.7)	184,933	76.2	(72.5-79.6)
Age						
18-24		#			#	
25-34		#		6,283	36.1	(17.2-60.7)
35-44		#		16,792	63.1	(49.8-74.6)
45-64	4,508	81.3^	(66.5-90.4)	76,505	76.4	(70.5-81.4)
65+	7,217	87.6	(77.6-93.5)	79,451	90.6	(87.3-93.1)
Race						
White, NH	11,738	75.0^	(60.6-85.5)	158,180	75.9	(72.1-79.4)
Black, NH		#		12,368	74.1^	(47.5-90.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,864	67.5 [^]	(47.1-83.0)	99,560	75.2	(69.6-80.1)
female	6,655	79.9^	(63.4-90.1)	85,373	77.5	(72.4-81.9)
Age-adjusted ^{&}		49.9^	(39.0-60.9)		59.3	(53.7-64.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Co	lumbia Cοι	ınty	Capital Region			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	7,379	14.7	(9.4-22.2)	85,825	11.4	(9.8-13.1)	
18-24		#		8,015	8.5	(5.1-13.6)	
25-34		#		21,480	17.1	(11.8-24.3)	
35-44		#		14,809	12.8	(9.2-17.6)	
45-64	989	5.5	(3.1-9.6)	29,947	11.4	(9.1-14.2)	
65+	917	7.5	(4.1-13.2)	10,717	7.4	(5.9-9.4)	
Race							
White, NH	6,427	14.3	(8.9-22.2)	72,459	11.3	(9.6-13.2)	
Black, NH		#		5,334	14.5	(7.6-25.7)	
Hispanic		#		3,520	13.8	(8.0-22.9)	
Other, NH		#		4,512	9.0^	(4.0-19.1)	
Sex							
male	3,041	12.2	(5.5-25.0)	34,052	9.3	(7.2-11.9)	
female	4,338	17.1	(10.1-27.5)	51,772	13.3	(11.2-15.8)	
e-adjusted ^{&}		16.9	(11.1-25.0)		11.7	(10.1-13.6)	

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	41,796	84.1	(76.0-89.8)	639,140	86.5	(84.7-88.2)
Age						
18-24		#		44,907	50.1	(39.8-60.5)
25-34		#		89,079	74.8	(69.7-79.3)
35-44		#		100,962	90.2	(86.2-93.1)
45-64	15,566	87.9^	(66.2-96.4)	252,435	96.6	(94.9-97.8)
65+	11,603	95.3	(88.1-98.2)	139,365	96.8	(95.2-97.9)
Race						
White, NH	38,181	86.4	(79.8-91.0)	550,269	87.4	(85.4-89.1)
Black, NH		#		30,769	84.0	(74.9-90.3)
Hispanic		#		18,164	74.0	(64.3-81.8)
Other, NH		#		39,939	83.5	(73.4-90.3)
Sex						
male	18,585	76.4	(62.2-86.4)	304,962	85.4	(82.7-87.7)
female	23,211	91.4	(85.5-95.0)	334,177	87.6	(84.9-89.8)
Age-adjusted ^{&}		80.6	(74.0-85.9)		85.3	(83.3-87.0)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,461	44.5	(37.6-51.5)	235,112	37.1	(34.6-39.6)
Age						
18-24		#		5,953	13.3	(4.8-31.8)
25-34		#		16,241	18.2	(12.4-26.0)
35-44		#		24,632	24.4	(19.4-30.3)
45-64	7,196	46.8	(37.6-56.2)	109,820	43.9	(40.1-47.7)
65+	6,777	58.9	(49.8-67.4)	74,721	54.5	(50.5-58.4)
Race						
White, NH	16,085	42.4	(35.7-49.5)	203,433	37.3	(34.8-39.8)
Black, NH		#		10,346	33.6^	(23.0-46.2)
Hispanic		#		7,318	40.6^	(29.2-53.1)
Other, NH		#		14,016	35.1	(21.2-52.1)
Sex						
male	8,477	46.2	(35.8-56.9)	113,334	37.5	(33.8-41.5)
female	9,984	43.1	(34.2-52.5)	121,779	36.6	(33.5-39.9)
Age-adjusted ^{&}		37.9	(30.8-45.7)		32.8	(30.1-35.6)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,203	4.3	(2.1-8.7)	38,954	9.7	(7.8-12.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		2,378	4.4	(2.3-8.5)
45-64		#		16,610	10.3	(7.5-14.0)
65+		#		12,432	11.0	(8.6-13.9)
Race						
White, NH	1,203	4.8	(2.3-9.5)	32,271	9.3	(7.5-11.6)
Black, NH		#		2,454	11.4	(6.3-20.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		17,247	9.1	(7.0-11.7)
female		#		21,707	10.2	(7.3-14.1)
Age-adjusted ^{&}		3.4	(1.6-6.9)		8.2	(6.3-10.6)


^{*} Courses for high blood pressure, arthritis, or diabetes.

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Columbia County			Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	17,289	34.4	(28.1-41.3)	215,186	28.6	(26.5-30.7)	
Age							
18-24		#		5 <i>,</i> 786	6.1	(2.9-12.1)	
25-34		#		9,822	8.0	(5.3-11.9)	
35-44		#		22,489	19.5	(14.0-26.6)	
45-64	5,537	30.7	(22.5-40.3)	96,695	36.8	(33.2-40.4)	
65+	6,305	51.9	(42.8-60.8)	77,396	53.7	(49.8-57.5)	
Race							
White, NH	15,796	35.2	(29.0-42.1)	186,495	29.1	(27.0-31.3)	
Black, NH		#		8,607	23.1	(15.9-32.2)	
Hispanic		#		5,766	22.5	(15.2-32.0)	
Other, NH		#		14,318	28.7	(16.8-44.4)	
Sex							
male	6,108	24.6	(16.6-34.7)	76,893	21.1	(18.7-23.8)	
female	11,181	44.0	(35.5-52.9)	138,293	35.5	(32.5-38.6)	
Age-adjusted ^{&}		31.6	(24.8-39.4)		26.7	(24.7-28.8)	

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Columbia County			Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	44,339	92.1	(87.5-95.1)	655,340	91.6	(89.8-93.0)
Age						
18-24		#		77,470	89.2	(79.8-94.5)
25-34		#		102,214	86.1	(79.6-90.7)
35-44		#		102,548	93.2	(90.0-95.4)
45-64	17,345	97.1	(92.2-98.9)	234,077	92.8	(90.3-94.7)
65+	10,645	90.5	(82.7-95.0)	128,519	94.2	(92.1-95.7)
Race						
White, NH	39,201	91.6	(86.6-94.9)	565,421	92.4	(90.7-93.8)
Black, NH		#		29,736	87.1	(79.3-92.3)
Hispanic		#		20,397	90.9	(85.2-94.5)
Other, NH		#		39,787	84.2^	(67.8-93.1)
Sex						
male	22,061	92.5	(86.8-95.8)	318,464	92.0	(89.0-94.3)
female	22,278	91.7	(83.5-96.0)	336,877	91.1	(89.1-92.8)
Age-adjusted ^{&}		91.1	(85.4-94.7)		91.4	(89.6-92.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,516	39.6	(31.0-49.0)	38,155	27.8	(24.5-31.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,516	42.9	(34.1-52.1)	36,209	28.6	(25.2-32.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,884	33.9	(21.8-48.5)	15,469	25.5	(20.9-30.7)
female	2,632	45.1	(33.8-56.9)	22,685	29.6	(25.1-34.5)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Columbia County			Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	1,041	23.3^	(14.1-36.1)	13,231	34.8	(28.6-41.7)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	1,041	23.3	(14.1-36.1)	12,411	34.4	(28.1-41.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		4,370	28.2	(19.7-38.7)	
female		#		8,861	39.4	(30.9-48.5)	
Age-adjusted+,&							

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,627	30.7	(22.8-39.9)	76,642	33.0	(29.5-36.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,074	33.3	(25.6-42.1)	67,188	33.0	(29.3-36.9)
Black, NH		#		4,175	45.6	(27.9-64.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,730	28.4	(17.7-42.2)	42,342	37.1	(31.6-42.9)
female	2,897	33.2	(23.0-45.3)	34,300	29.1	(24.6-34.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Columbia County			Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	22,990	47.5	(40.5-54.6)	374,103	51.9	(49.4-54.4)	
Age							
18-24		#		39,893	45.7	(35.3-56.5)	
25-34		#		43,833	36.8	(30.7-43.4)	
35-44		#		47,801	43.1	(36.6-49.8)	
45-64	6,946	38.9^	(29.4-49.3)	130,568	51.5	(47.7-55.2)	
65+	9,185	77.7	(69.4-84.3)	104,721	75.8	(72.3-78.9)	
Race							
White, NH	21,113	49.1	(42.3-55.9)	318,858	51.8	(49.2-54.3)	
Black, NH		#		14,742	43.2	(31.3-55.9)	
Hispanic		#		10,649	46.5^	(36.6-56.8)	
Other, NH		#		29,854	62.7	(49.2-74.6)	
Sex							
male	10,169	42.5	(32.5-53.1)	168,675	48.4	(44.6-52.2)	
female	12,821	52.5	(43.2-61.7)	205,428	55.2	(51.9-58.5)	
Age-adjusted ^{&}		43.8	(36.4-51.6)		50.3	(47.7-53.0)	

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,185	77.7	(69.4-84.3)	104,721	75.8	(72.3-78.9)
Age ⁺ 18-24						
25-34 35-44						
45-64						
65+ Race						
White, NH Black, NH Hispanic Other, NH	8,833	80.6 # # #	(73.3-86.3)	96,169	75.6 # # #	(72.0-78.8)
Sex male female	4,507 4,678	77.4 [^] 78.0 [^]	(63.2-87.2) (67.9-85.7)	44,927 59,794	73.5 77.6	(67.8-78.5) (73.3-81.4)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,092	70.8	(61.0-79.1)	92,729	70.0	(66.2-73.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,092	76.6	(68.1-83.4)	86,365	71.1	(67.2-74.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,212	58.6	(43.4-72.3)	36,740	63.6	(57.5-69.3)
female	4,880	82.1	(71.2-89.4)	55,989	74.9	(70.2-79.2)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



Capital Region

Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI # **Total** 120,363 79.8 (75.1-83.8)Age⁺ 18-24 25-34 35-44 45-64 65+ Race White, NH # 97,127 82.5 (77.5-86.6)Black, NH # Hispanic # Other, NH # Sex male female 120,363 79.8 (75.1-83.8) Age-adjusted+,&

Columbia County


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



Capital Region Columbia County Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI # **Total** 119,498 74.1 (68.6-79.0)Age⁺ 18-24 25-34 35-44 45-64 65+ Race White, NH # 91,769 72.7 (66.2-78.4)Black, NH 9,034 73.0 (53.7-86.3)Hispanic 4,441 65.9 (48.1-80.1) Other, NH # # Sex male female # 119,498 74.1 (68.6-79.0)Age-adjusted+,&

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,569	92.1	(85.1-96.0)	272,288	91.5	(88.8-93.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	15,727	91.3	(83.6-95.6)	231,253	92.5	(89.8-94.6)
Black, NH		#		13,163	85.1^	(67.6-94.0)
Hispanic		#		7,840	79.4^	(67.0-88.0)
Other, NH		#		20,032	89.6	(68.0-97.2)
Sex						
male		#			#	
female	17,569	92.1	(85.1-96.0)	272,288	91.5	(88.8-93.5)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Columbia County			Capital Region			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24		#		63,605	42.2	(36.4-48.1)	
25-34 35-44 45-64 65+ Race							
White, NH Black, NH Hispanic Other, NH Sex male		# # # #		51,464	43.9 # # #	(37.5-50.6)	
female Age-adjusted+,&		#		63,605	42.2	(36.4-48.1)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Col	umbia Cou	nty	Capital Region		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,481	9.1	(5.8-14.0)	97,381	13.1	(11.2-15.2)
Age						
18-24		#		15,415	16.5	(10.0-25.9)
25-34		#		21,884	17.7	(12.4-24.8)
35-44		#		15,297	13.4	(9.0-19.6)
45-64	1,647	9.2	(5.4-15.1)	35,365	13.7	(11.1-16.8)
65+		#		8,895	6.3	(4.5-8.8)
Race						
White, NH	3,361	7.7	(5.1-11.4)	77,087	12.2	(10.3-14.4)
Black, NH		#		10,860	29.8^	(18.5-44.2)
Hispanic		#		4,600	19.0	(12.7-27.4)
Other, NH		#		4,834	9.7^	(4.2-20.9)
Sex						
male	1,346	5.6	(2.9-10.3)	45,948	12.7	(9.9-16.1)
female	3,136	12.6	(7.1-21.3)	51,433	13.5	(11.2-16.2)
Age-adjusted ^{&}		9.6	(5.8-15.4)		13.5	(11.5-15.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Columbia County			Capital Region		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,025	16.8	(11.8-23.3)	124,613	17.3	(15.4-19.3)
Age						
18-24		#		26,578	29.9^	(21.5-40.0)
25-34		#		33,259	27.9	(22.6-33.9)
35-44		#		21,657	19.6	(15.1-25.1)
45-64	2,328	13.1	(7.5-21.8)	35,598	14.0	(11.9-16.6)
65+		#		6,695	4.8	(3.4-6.8)
Race						
White, NH	7,963	18.5	(13.1-25.4)	109,332	17.7	(15.8-19.8)
Black, NH		#		6,496	18.9^	(9.3-34.8)
Hispanic		#		3,636	15.3	(9.8-23.0)
Other, NH		#		5,148	11.1	(4.9-23.0)
Sex						
male	5,075	21.6	(13.5-32.8)	76,161	21.9	(19.0-25.1)
female	2,951	12.1	(7.3-19.4)	48,452	12.9	(10.7-15.5)
Age-adjusted ^{&}		19.4	(13.7-26.7)		18.3	(16.3-20.4)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Columbia County			Capital Region			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		32,029	34.0	(26.4-42.5)	
Age							
18-24		#			#		
25-34		#		8,601	39.7	(22.1-60.5)	
35-44		#			#		
45-64		#		10,462	29.8^	(20.9-40.6)	
65+		#			#		
Race							
White, NH		#		25,081	33.3	(25.0-42.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		17,555	39.9^	(27.2-54.2)	
female		#		14,474	28.8	(20.8-38.5)	
Age-adjusted ^{&}		#			35.3	(28.2-43.2)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).