# eBRFSS 2013-2014 Health Indicators: Delaware

General Description	2
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
•	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screeni	0
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer scree	-
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening	ng based on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening uidelines	ng based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening uidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ng based on recent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ng based on recent 29 
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ng based on recent 29 30 31 32
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening uidelines	ng based on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening uidelines	ng based on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ng based on recent 29 30 31 32 33 34 35 36 37
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ng based on recent 29 30 31 32 33 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ng based on recent 29 30 31 32 33 34 34 35 36 37 38 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ng based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months.	ng based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening uidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 43
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening uidelines	ng based on recent 29 30 31 32 33 34 35 36 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 36 37 38 39 39 40 40 41 41 42 42 42 43 44 45
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 42 42 42 42 43 44 45 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication . Percentage of adults with corrent asthma Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition . Percentage of adults with arthritis . Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition . Percentage of adults who consider their neighborhood suitable for walking and physical activity . Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ years with flu immunization in the past year . Percentage of adults aged 65+ ye	ng based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 42 43 44 44 45 46 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 44 45 46 46 47 48
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 43 44 44 45 46 46 47 48 49 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 41 42 42 42 43 44 45 44 45 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	ng based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 43 44 45 46 46 46 47 48 49 50 50 50

## **General Description**

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

### Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

### Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than  $\pm 10\%$  are noted.

### Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



Delaware County	So

Southern Tier

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	3,317	8.7	(4.9-14.9)	36,229	10.0	(8.2-12.2)
Age						
18-24		#		3,485	6.2	(3.1-11.9)
25-34		#		7,509	12.3	(7.7-19.0)
35-44		#		6,772	14.2	(8.3-23.3)
45-64	2,135	15.3^	(7.7-28.0)	16,052	13.5	(10.3-17.5)
65+		#		2,128	2.9	(1.8-4.6)
Race						
White, NH	1,755	5.3	(3.3-8.5)	28,746	9.5	(7.7-11.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,904	7.0	(3.2-14.7)
Sex						
male	2,366	12.4	(5.9-24.3)	16,682	9.4	(7.2-12.3)
female	950	5.0	(2.7-9.1)	19,547	10.6	(7.9-13.9)
Age-adjusted <sup>&amp;</sup>		7.9	(4.6-13.2)		10.7	(8.6-13.2)


\* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# **Delaware** Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



### Delaware County

#### **Southern Tier**

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	32,401	86.3	(80.5-90.6)	305,033	85.0	(82.4-87.2)
Age						
18-24		#		42,341	75.8^	(64.6-84.3)
25-34		#		47,402	77.7	(69.2-84.4)
35-44		#		37,697	79.2	(71.3-85.4)
45-64	12,377	89.2	(83.1-93.3)	105,441	89.5	(86.3-92.0)
65+	9,596	96.9	(92.2-98.8)	67,547	93.9	(90.9-95.9)
Race						
White, NH	27,789	86.4	(80.7-90.7)	253,550	84.9	(82.3-87.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		22,327	81.9^	(68.4-90.4)
Sex						
male	15,480	81.4	(71.3-88.5)	136,951	77.5	(73.5-81.1)
female	16,921	91.4	(85.5-95.0)	168,081	92.2	(88.9-94.6)
Age-adjusted <sup>&amp;</sup>		82.1	(73.8-88.2)		84.1	(81.3-86.5)


1

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



#### Delaware County

### **Southern Tier**

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	21,306	58.7	(50.4-66.5)	220,423	66.7	(63.4-69.8)
Age						
18-24		#		29,851	66.4^	(54.2-76.8)
25-34		#		36,594	65.9^	(55.2-75.2)
35-44		#		28,479	64.5	(54.6-73.3)
45-64	9,059	66.9^	(56.6-75.8)	77,932	68.5	(63.7-73.0)
65+	5,668	60.7^	(49.9-70.6)	44,963	65.7	(60.9-70.2)
Race						
White, NH	17,646	56.8	(48.2-64.9)	188,016	66.6	(63.2-69.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		16,234	73.3^	(57.0-85.0)
Sex						
male	10,086	55.0^	(43.6-65.8)	102,550	62.3	(57.5-67.0)
female	11,220	62.5^	(51.1-72.7)	117,873	71.0	(66.6-75.0)
Age-adjusted <sup>&amp;</sup>		56.9^	(46.8-66.5)		66.4	(62.8-69.8)


1

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability\*



Delaware County	S

Southern Tier

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	9,450	25.1	(19.3-32.0)	89,618	25.2	(22.5-28.1)
Age						
18-24		#		4,554	8.2	(4.3-15.1)
25-34		#		12,577	21.1^	(13.6-31.4)
35-44		#		8,889	19.4	(13.5-27.2)
45-64	3,442	24.7	(17.8-33.1)	36,485	30.8	(26.7-35.3)
65+	3,708	37.8^	(28.6-48.0)	26,446	36.6	(31.9-41.5)
Race						
White, NH	8,310	25.8	(19.7-33.0)	77,336	26.0	(23.3-28.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		5,878	23.1^	(12.8-38.2)
Sex						
male	4,892	25.7	(17.8-35.6)	43,459	24.9	(21.0-29.2)
female	4,558	24.5^	(16.6-34.7)	46,159	25.5	(21.9-29.5)
Age-adjusted <sup>&amp;</sup>		22.1	(16.1-29.6)		24.6	(22.0-27.5)


\* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# **Delaware** Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Delaware County			Southern Tier		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	23,491	83.9^	(73.4-90.8)	245,502	88.7	(86.2-90.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	19,992	84.3^	(72.7-91.5)	203,392	88.5	(85.9-90.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		19,259	91.4^	(78.8-96.8)
Sex						
male	11,997	83.5^	(71.8-91.0)	119,966	86.4	(82.8-89.3)
female	11,495	84.3^	(64.1-94.1)	125,536	91.0	(87.3-93.7)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Delaware County			Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,373	62.2^	(52.1-71.2)	182,948	64.9	(60.8-68.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	14,065	59.4^	(48.8-69.3)	143,786	62.5	(58.3-66.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		13,771	65.4^	(47.0-80.2)
Sex						
male	7,240	50.6^	(37.0-64.1)	78,883	56.8	(51.1-62.4)
female	10,132	74.3^	(61.2-84.1)	104,066	72.8	(67.0-77.9)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months\*



**Southern Tier** 

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	
tal	11,948	34.4	(27.0-42.7)	110,120	33.7	
ge						
24		#		13,414	30.9^	
24		щ		20 1 60	26.6^	

**Delaware County** 

	ESL. # 01			ESL. # 01		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	11,948	34.4	(27.0-42.7)	110,120	33.7	(30.4-37.2)
Age						
18-24		#		13,414	30.9^	(19.6-45.0)
25-34		#		20,168	36.6^	(27.2-47.0)
35-44		#		21,029	46.7	(37.1-56.5)
45-64	4,515	33.9	(25.3-43.8)	42,480	38.1	(33.2-43.2)
65+	1,921	21.8^	(13.0-34.2)	12,309	18.1	(14.2-22.8)
Race						
White, NH	10,222	34.4	(26.8-43.0)	94,835	34.9	(31.5-38.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		5,731	24.3^	(13.0-40.7)
Sex						
male	5,329	31.5^	(21.4-43.6)	47,371	30.5	(26.3-35.0)
female	6,619	37.3^	(27.1-48.8)	62,749	36.6	(31.6-42.0)
Age-adjusted <sup>&amp;</sup>		41.1	(34.0-48.5)		35.4	(31.8-39.1)


\* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months\*



	De	laware Coເ	unty	l	Southern T	ier
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	7,904	21.4	(15.4-28.9)	82,315	23.7	(20.6-27.1)
18-24		#		12,360	23.2	(14.6-34.8)
25-34		#		13,426	23.0	(16.2-31.4)
35-44		#		16,225	35.4^	(26.0-46.1)
45-64	2,900	20.9	(14.1-29.9)	30,573	26.5	(21.5-32.2)
65+	1,218	13.0	(7.9-20.7)	9,530	13.5	(9.7-18.6)
Race						
White, NH	7,278	22.9	(16.4-31.1)	66,830	23.0	(20.0-26.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		7,161	29.6	(14.1-51.9)
Sex						

(10.3-27.8)

(16.7-36.6)

(19.2 - 34.1)

34,087

48,228

20.1

27.1

25.2

(16.1-24.9)

(22.6-32.1)

(21.9 - 28.8)

\* Worried or stressed about having enough money to buy nutritious meals.

3,247

4,657

17.4

25.4^

26.0

& Percent is age-adjusted to the 2000 United States Population.

male


female

Age-adjusted<sup>&</sup>

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,903	5.1	(3.3-8.0)	18,143	5.1	(3.7-6.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	721	5.4	(2.6-10.6)	7,509	6.4	(4.5-9.0)
65+	1,063	10.8	(6.1-18.5)	5,843	8.1	(5.8-11.2)
Race						
White, NH	1,611	5.0	(3.1-8.0)	14,079	4.7	(3.2-6.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,274	8.6	(4.0-17.6)
Sex						
male	1,034	5.7	(3.0-10.5)	10,260	5.8	(3.6-9.4)
female	869	4.6	(2.5-8.5)	7,882	4.3	(3.1-6.1)
Age-adjusted <sup>&amp;</sup>		4.2	(2.5-7.0)		4.8	(3.4-6.6)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health\*



# Delaware County

**Southern Tier** 

	Est. # of	Deveent		Est. # of	Deveent	
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	4,699	12.6	(8.8-17.5)	43,428	12.4	(10.4-14.8)
Age						
18-24		#			#	
25-34		#		5,741	9.6^	(4.3-20.1)
35-44		#		5,563	12.0	(6.8-20.5)
45-64	1,651	12.0	(7.2-19.3)	17,383	15.3	(12.1-19.0)
65+	2,073	22.1	(14.0-33.1)	12,114	17.3	(13.5-21.9)
Race						
White, NH	3,876	12.1	(8.4-17.0)	34,674	11.9	(9.9-14.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,940	19.1^	(9.7-34.2)
Sex						
male	2,955	15.7	(9.7-24.4)	22,786	13.2	(10.1-17.2)
female	1,744	9.4	(5.8-14.8)	20,642	11.6	(9.2-14.5)
Age-adjusted <sup>&amp;</sup>		12.3	(8.0-18.5)		12.3	(10.1-14.9)


\* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults who are obese\*



Delaware County	

**Southern Tier** 

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	9,051	24.3	(18.5-31.3)	95,241	28.5	(25.4-31.9)
Age						
18-24		#		7,926	14.8^	(8.1-25.3)
25-34		#		16,121	30.6^	(21.4-41.6)
35-44		#		15,806	36.4^	(27.1-46.9)
45-64	3,945	29.1^	(20.4-39.5)	37,057	32.8	(28.3-37.6)
65+	2,439	25.5	(17.8-35.1)	18,039	26.4	(21.6-31.9)
Race						
White, NH	8,435	26.5	(20.1-34.0)	82,917	29.7	(26.5-33.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,994	19.2^	(9.3-35.7)
Sex						
male	5,687	29.8^	(20.4-41.2)	49,087	28.2	(23.8-33.0)
female	3,363	18.6	(13.1-25.6)	46,154	28.9	(24.5-33.7)
Age-adjusted <sup>&amp;</sup>		25.8	(18.5-34.7)		29.8	(26.4-33.4)


\* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese\*



Delaware County		So
	1	

Southern Tier

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	2,132	20.0	(13.0-29.5)	29,061	32.0	(26.9-37.5)
Age						
18-24		#			#	
25-34		#		3,472	20.1	(11.0-33.8)
35-44		#		4,258	44.8^	(26.9-64.2)
45-64	994	31.6^	(18.7-48.2)	12,769	40.5	(31.9-49.7)
65+	1,010	23.8^	(12.5-40.4)	6,552	28.8	(22.1-36.6)
Race						
White, NH	2,014	23.8^	(15.5-34.7)	24,568	32.3	(27.0-38.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	969	20.6^	(10.1-37.3)	11,743	25.7	(19.2-33.5)
female	1,163	19.6^	(11.4-31.6)	17,318	38.3	(31.1-46.1)
Age-adjusted <sup>&amp;</sup>		18.1	(11.4-27.7)		33.2	(27.4-39.4)


\* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults living with a disability who are obese\*



	De	laware Cou	inty	Southern Tier			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,686	29.2^	(19.0-42.1)	32,685	38.8	(32.9-45.1)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64		#		15,081	43.9	(36.0-52.2)	
65+	987	26.6	(14.4-43.9)	7,075	27.6	(21.3-35.0)	
Race							

(19.7 - 43.9)

(19.5-54.2)

(12.5-37.9)

(20.3-50.7)

26,719

15,797

16,888

37.0

#

#

#

36.6

41.2

41.7

(30.9-43.7)

(27.5 - 46.8)

(34.0-48.7)

(34.0 - 49.9)

\* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

White, NH

Black, NH

Hispanic

Sex male

female

Age-adjusted<sup>&</sup>

Other, NH

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

2,454

1,708

978

30.5^

#

#

#


34.9^

22.7^

33.9^

### Prevent Chronic Diseases

### Percentage of adults overweight or obese\*



### Delaware County

#### **Southern Tier**

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	21,930	59.0	(50.9-66.6)	199,985	59.9	(56.1-63.7)
Age						
18-24		#		19,724	36.7	(25.1-50.2)
25-34		#		26,653	50.6^	(40.5-60.7)
35-44		#		30,381	70.0	(60.6-78.1)
45-64	8,460	62.3^	(51.5-72.0)	76,054	67.3	(62.0-72.3)
65+	6,897	72.0	(62.7-79.7)	45,261	66.4	(61.6-70.8)
Race						
White, NH	19,041	59.9	(51.6-67.6)	174,723	62.5	(59.1-65.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		11,547	44.5^	(28.3-61.9)
Sex						
male	12,684	66.4	(54.8-76.4)	112,653	64.7	(59.7-69.4)
female	9,246	51.1^	(39.9-62.1)	87,331	54.7	(49.0-60.3)
Age-adjusted <sup>&amp;</sup>		58.6	(49.7-67.0)		60.8	(57.1-64.3)

1


\* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## **Delaware** Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days<sup>\*</sup>



#### Delaware County

### **Southern Tier**

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
1						
Total	27,037	72.5	(65.3-78.7)	259,735	74.2	(70.9-77.4)
Age						
18-24		#		41,971	78.8^	(66.5-87.4)
25-34		#		42,562	71.7^	(58.8-81.7)
35-44		#		36,839	80.3	(72.6-86.3)
45-64	10,577	75.7	(67.5-82.4)	85,632	73.9	(69.3-78.1)
65+	5,269	55.7^	(44.6-66.1)	48,976	68.8	(64.2-73.1)
Race						
White, NH	23,311	72.7	(65.2-79.1)	213,124	72.9	(69.7-75.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		22,139	88.7^	(78.0-94.6)
Sex						
male	13,832	73.8^	(63.6-82.0)	133,344	78.2	(74.0-81.9)
female	13,205	71.2^	(60.5-79.9)	126,391	70.5	(65.2-75.2)
Age-adjusted <sup>&amp;</sup>		74.7	(66.3-81.5)		74.7	(71.2-77.8)

1


\* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



# Delaware County

### **Southern Tier**

	Est. # of	Damaant	05% 01	Est. # of	Demonst	
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	10,756	29.4	(21.3-38.9)	88,098	25.6	(22.3-29.3)
Age						
18-24		#		20,979	40.1	(27.3-54.3)
25-34		#		23,280	40.2^	(29.5-52.0)
35-44		#		11,061	24.2	(18.0-31.8)
45-64	3,243	23.7^	(14.4-36.5)	23,746	20.8	(17.0-25.1)
65+	1,205	12.9^	(5.8-26.5)	8,799	12.6	(10.0-15.8)
Race						
White, NH	8,803	28.0^	(19.7-38.3)	71,236	24.8	(21.6-28.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,913	20.3^	(11.0-34.3)
Sex						
male	5,596	29.9^	(19.9-42.3)	44,773	26.7	(22.6-31.2)
female	5,160	28.8^	(17.2-44.0)	43,325	24.6	(19.6-30.4)
Age-adjusted <sup>&amp;</sup>		34.5	(25.8-44.4)		26.2	(22.9-29.7)


\* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week




	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		20,347	6.0	(4.5-8.0)
Age						
18-24		#			#	
25-34		#		6,344	11.0	(6.3-18.6)
35-44		#		2,414	5.3	(2.5-10.8)
45-64		#		5,371	4.7	(2.9-7.5)
65+		#		1,671	2.4	(1.4-4.1)
Race						
White, NH		#		15,486	5.4	(3.9-7.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		12,975	7.9	(5.5-11.2)
female		#		7,372	4.2	(2.6-6.9)
Age-adjusted <sup>&amp;</sup>		#			6.1	(4.5-8.2)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes\*



Delaware County	

**Southern Tier** 

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	3,090	8.1	(5.6-11.5)	36,788	10.2	(8.1-12.7)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	1,206	8.6	(4.8-15.1)	14,046	11.8	(9.1-15.1)
65+	1,805	18.2	(11.9-26.9)	16,124	22.1	(17.8-27.1)
Race						
White, NH	2,688	8.2	(5.6-11.8)	27,473	9.1	(7.8-10.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,025	14.8^	(6.9-28.9)
Sex						
male	1,485	7.8	(4.6-12.9)	16,397	9.3	(7.2-11.9)
female	1,605	8.4	(5.1-13.6)	20,391	11.1	(7.7-15.6)
Age-adjusted <sup>&amp;</sup>		6.0	(4.2-8.4)		9.1	(7.1-11.7)


\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

### Percentage of adults who are current smokers



De	elaware Cour	1	Southern Tie	r	
Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	


F	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	8,566	22.9	(16.7-30.4)	71,044	20.1	(17.4-23.0)
Age						
18-24		#		9,973	18.3^	(10.8-29.1)
25-34		#		15,353	26.0	(18.4-35.4)
35-44		#		12,078	26.2	(17.7-36.9)
45-64	4,163	29.8^	(21.0-40.3)	28,406	24.0	(20.1-28.4)
65+	764	7.9	(4.1-14.6)	5,115	7.1	(5.2-9.7)
Race						
White, NH	7,456	23.3	(16.6-31.6)	63,096	21.3	(18.5-24.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,338	13.4^	(7.1-23.9)
Sex						
male	4,774	25.1^	(16.6-36.0)	36,695	21.1	(17.4-25.4)
female	3,792	20.6^	(12.9-31.1)	34,348	19.1	(15.4-23.3)
Age-adjusted <sup>&amp;</sup>		24.6	(17.4-33.7)		21.2	(18.3-24.6)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,523	32.7^	(20.4-47.9)	33,082	33.4	(27.8-39.6)
Age						
18-24		#			#	
25-34		#		8,325	38.6^	(22.8-57.1)
35-44		#		4,330	37.6^	(21.9-56.6)
45-64	1,393	42.9^	(26.4-61.0)	14,058	43.6	(35.1-52.4)
65+		#		2,371	9.7	(5.9-15.5)
Race						
White, NH	2,821	32.9^	(19.6-49.6)	28,558	35.6	(29.9-41.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,257	26.8^	(13.6-46.0)	15,897	35.6	(27.7-44.3)
female	2,266	37.2^	(19.9-58.6)	17,185	31.7	(24.1-40.3)
Age-adjusted <sup>&amp;</sup>		41.3^	(28.3-55.7)		35.6	(29.4-42.4)


& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

.

## Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	De	laware Cour	nty	Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64		#		9,973	18.3^	(10.8-29.1)
65+ <b>Race</b> White, NH Black, NH Hispanic Other, NH		# # #		9,651	23.3 <sup>^</sup> # #	(14.1-36.0)
Sex male female Age-adjusted <sup>+,&amp;</sup>		# #		6,557	23.4 <sup>^</sup> #	(12.3-40.0)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines<sup>\*</sup>



	De	aware Cou	inty	Southern Tier		
F	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+	6,646	83.6	(75.1-89.6)	51,498	79.0	(74.1-83.2)
Race White, NH Black, NH Hispanic Other, NH Sex	5,759	81.8 # # #	(72.7-88.3)	45,195	78.4 # # #	(73.2-82.8)
male female Age-adjusted <sup>+,&amp;</sup>	6,646	# 83.6	(75.1-89.6)	51,498	# 79.0	(74.1-83.2)

\* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines<sup>\*</sup>



	Delaware County			Southern Tier			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		12,012	69.1^	(57.8-78.5)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		10,516	68.8^	(56.7-78.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		12,012	69.1^	(57.8-78.5)	
Age-adjusted <sup>+,&amp;</sup>							

\* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

.

## Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines<sup>\*</sup>



	Delaware County			Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,383	73.8^	(59.8-84.1)	100,500	81.9	(77.2-85.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,969	74.3^	(59.5-85.1)	84,356	81.9	(77.5-85.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	8,383	73.8^	(59.8-84.1)	100,500	81.9	(77.2-85.8)
Age-adjusted <sup>+,&amp;</sup>						

\* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines<sup>\*</sup>



	De	laware Cour	nty	Southern Tier			
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		29,790	79.7	(71.0-86.4)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		21,880	75.4	(66.0-82.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		29,790	79.7	(71.0-86.4)	
Age-adjusted <sup>+,&amp;</sup>							

\* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines<sup>\*</sup>



	De	laware Cou	inty	Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	10,597	63.4	(54.9-71.2)	82,061	63.4	(58.5-68.1)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male	8,532	59.8 # # 61.0 <sup>^</sup>	(51.2-67.9)	72,849 38,092	65.4 # # 61.3	(61.3-69.3)
female Age-adjusted <sup>+,&amp;</sup>	5,218	66.1^	(55.5-75.3)	43,969	65.4	(59.3-71.0)

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines<sup>\*</sup>



	Delaware County			Southern Tier			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	3,223	67.9^	(52.5-80.1)	19,541	56.0	(47.4-64.3)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	2,252	63.3^	(48.2-76.2)	16,747	55.0	(46.2-63.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		9,923	60.7^	(49.2-71.2)	
female		#		9,618	51.9^	(39.9-63.6)	
Age-adjusted <sup>+,&amp;</sup>							

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	De	laware Cou	unty	Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	21,592	63.0	(54.3-71.0)	164,536	53.6	(49.7-57.5)
Age						
18-24		#		13,960	28.0^	(18.0-40.8)
25-34		#		25,224	46.6^	(36.7-56.7)
35-44		#		24,844	54.5	(44.6-64.1)
45-64	8,008	63.8^	(53.3-73.2)	60,606	60.3	(54.6-65.7)
65+	6,269	78.9	(69.1-86.3)	37,837	71.0	(65.6-75.8)
Race						
White, NH	17,694	60.4	(51.3-68.9)	142,752	55.3	(51.7-59.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,459	39.2^	(23.2-57.8)
Sex						
male	11,180	65.0^	(52.6-75.6)	78,714	51.4	(46.1-56.7)

(48.4-72.3)

(51.1-69.4)

85,822

55.8

54.2

(49.9-61.6)

(50.4 - 57.9)

& Percent is age-adjusted to the 2000 United States Population.

10,412

female

Age-adjusted<sup>&</sup>


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

61.1^

60.6

## **Delaware** Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Delaware County			Southern Tier		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,445	4.2	(2.5-7.1)	16,763	5.3	(3.8-7.3)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	877	7.4	(3.7-14.2)	6,771	6.6	(4.8-9.1)
65+		#		3,770	6.8	(4.5-10.1)
Race						
White, NH	1,343	4.5	(2.6-7.7)	15,289	5.7	(4.0-8.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		8,956	5.7	(3.3-9.7)
female	774	4.5	(2.4-8.2)	7,807	4.8	(3.4-6.7)
Age-adjusted <sup>&amp;</sup>		3.4	(2.0-5.6)		5.4	(3.8-7.5)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



Delaware County	

**Southern Tier** 


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	12,864	33.6	(27.3-40.7)	108,205	30.1	(27.2-33.1)
Age						
18-24		#		5,198	9.2	(4.7-17.4)
25-34		#		8,421	13.8	(8.3-22.1)
35-44		#		6,819	14.3	(9.4-21.3)
45-64	4,991	35.7^	(25.9-46.9)	41,371	35.0	(30.6-39.7)
65+	6,302	63.7	(52.6-73.5)	44,299	61.4	(56.5-66.1)
Race						
White, NH	11,098	33.8	(27.3-40.9)	93,946	31.4	(28.6-34.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		7,589	27.8^	(15.4-44.8)
Sex						
male	7,550	39.5	(29.4-50.6)	57,850	33.0	(28.8-37.5)
female	5,314	27.8	(21.1-35.6)	50,354	27.3	(23.7-31.3)
Age-adjusted <sup>&amp;</sup>		28.6	(21.6-36.9)		27.8	(25.3-30.4)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



Delaware County	

**Southern Tier** 


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	8,798	69.8^	(54.3-81.8)	81,095	75.3	(70.3-79.7)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	2,956	59.2^	(36.3-78.8)	32,070	77.5	(70.3-83.4)
65+	5,632	93.1	(85.5-96.9)	40,246	91.8	(88.4-94.3)
Race						
White, NH	7,861	72.5^	(56.4-84.3)	69,969	74.9	(69.7-79.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,935	53.9^	(34.8-72.0)	38,709	67.5	(59.6-74.5)
female	4,863	91.5	(83.9-95.7)	42,386	84.2	(78.8-88.4)
Age-adjusted <sup>&amp;</sup>		43.3^	(32.3-54.9)		57.9	(50.4-65.1)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with current asthma\*



<b>Delaware County</b>	

**Southern Tier** 

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
[						
Total	5,684	14.9	(8.7-24.2)	39,362	11.1	(8.7-13.9)
Age						
18-24		#		7,986	15.4	(9.2-24.5)
25-34		#		9,891	16.2	(8.1-29.8)
35-44		#		3,554	7.5	(4.4-12.4)
45-64	2,165	15.6^	(8.8-26.1)	11,753	9.9	(7.7-12.8)
65+	420	4.2	(2.2-8.2)	6,076	8.4	(4.9-13.8)
Race						
White, NH	4,702	14.3^	(7.9-24.7)	28,448	9.5	(7.8-11.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,373	12.4^	(4.7-28.7)
Sex						
male	2,171	11.4^	(5.2-22.9)	14,033	7.9	(5.9-10.6)
female	3,513	18.4^	(9.1-33.6)	25,329	14.1	(10.2-19.1)
Age-adjusted <sup>&amp;</sup>		13.3	(9.0-19.3)		11.0	(8.7-13.8)


\* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percent of adults with cholesterol checked\*



### **Delaware County**

#### **Southern Tier**

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	31,399	86.4	(79.0-91.5)	280,906	81.0	(76.9-84.5)
Age						
18-24		#		25,093	50.3^	(36.0-64.5)
25-34		#		37,573	65.7^	(53.6-76.1)
35-44		#		36,981	79.8	(70.1-87.0)
45-64	12,999	93.5	(87.8-96.7)	107,406	91.5	(88.6-93.6)
65+	9,820	99.8	(98.7-	69,502	97.5	(95.6-98.6)
			100.0)			
Race						
White, NH	26,394	85.3	(77.1-90.9)	238,055	82.8	(79.7-85.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		21,553	80.6^	(64.6-90.4)
Sex						
male	15,908	85.4^	(73.9-92.3)	138,828	81.3	(77.1-84.9)
female	15,491	87.5^	(76.4-93.8)	142,078	80.7	(73.5-86.3)
Age-adjusted <sup>&amp;</sup>		80.7	(71.3-87.6)		79.9	(76.3-83.2)

1


\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol\*



# Delaware County

#### **Southern Tier**

	Est. # of	<b>_</b> .		Est. # of		
,	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	12,639	40.5	(33.5-48.0)	107,760	38.9	(35.5-42.5)
Age						
18-24		#			#	
25-34		#		8,162	21.9^	(11.8-36.9)
35-44		#		9,810	26.7	(18.9-36.3)
45-64	5,365	42.0^	(32.1-52.6)	49,298	46.7	(41.4-52.2)
65+	6,192	63.1^	(53.1-72.1)	37,715	55.7	(50.5-60.7)
Race						
White, NH	10,585	40.2	(33.3-47.4)	89,873	38.3	(35.0-41.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		11,862	56.1^	(36.5-74.0)
Sex						
male	6,533	41.7	(31.1-53.1)	56,113	40.9	(35.6-46.5)
female	6,106	39.4	(30.6-49.0)	51,646	37.0	(32.7-41.6)
Age-adjusted <sup>&amp;</sup>		27.7	(22.6-33.4)		33.6	(30.1-37.2)


\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition<sup>\*</sup>



	De	laware Cou	inty	Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,893	8.2	(5.3-12.4)	20,040	10.6	(7.3-15.1)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	811	9.1	(4.7-17.0)	6,755	9.8	(7.3-13.0)
65+	880	11.0	(6.2-19.0)	6,303	10.7	(7.6-14.9)
Race						
White, NH	1,615	8.4	(5.4-12.8)	14,247	9.0	(7.2-11.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		6,930	7.9	(5.4-11.5)
female	1,120	10.2	(6.1-16.6)	13,110	12.9	(7.6-20.9)
Age-adjusted <sup>&amp;</sup>		7.2	(3.9-12.7)		10.5	(6.4-16.7)


\* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults with arthritis\*



# Delaware County

#### **Southern Tier**

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	11,829	31.0	(25.1-37.7)	102,167	28.3	(25.6-31.1)
Age						
18-24		#			#	
25-34		#		5,390	8.9	(5.4-14.2)
35-44		#		7,770	16.4	(11.2-23.3)
45-64	5,034	36.0	(27.2-45.8)	44,194	37.1	(32.6-41.8)
65+	5,754	58.3	(48.4-67.6)	40,660	56.0	(50.9-60.9)
Race						
White, NH	9,435	28.8	(23.2-35.2)	91,598	30.4	(27.7-33.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		5,619	20.6^	(10.7-35.9)
Sex						
male	5,781	30.5	(22.0-40.6)	38,769	21.9	(18.9-25.3)
female	6,048	31.6	(23.8-40.6)	63,397	34.3	(30.0-39.0)
Age-adjusted <sup>&amp;</sup>		25.0	(20.1-30.7)		26.3	(24.1-28.6)


\* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



#### Delaware County

#### **Southern Tier**

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	34,342	93.4	(86.4-96.9)	315,627	91.6	(89.7-93.2)
Age						
18-24		#		47,540	89.3	(79.4-94.7)
25-34		#		53,444	91.4	(85.0-95.2)
35-44		#		40,753	90.0	(84.4-93.7)
45-64	13,602	97.9	(94.7-99.2)	106,162	93.3	(90.2-95.4)
65+	8,955	96.5	(91.5-98.6)	63,978	91.6	(88.9-93.7)
Race						
White, NH	29,559	93.7	(85.8-97.3)	261,499	90.9	(88.7-92.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		23,022	95.9	(89.7-98.4)
Sex						
male	17,806	95.8	(88.0-98.6)	156,230	92.9	(89.8-95.1)
female	16,536	90.9^	(77.7-96.6)	159,397	90.4	(87.5-92.7)
Age-adjusted <sup>&amp;</sup>		92.6	(84.8-96.6)		91.4	(89.4-93.1)


1

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Delaware County			Southern Tier		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,106	33.9^	(23.5-46.2)	23,488	33.4	(28.7-38.5)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,151	26.2	(18.4-36.0)	20,224	32.3	(28.2-36.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,771	42.1	(26.8-59.0)	10,838	32.5	(25.0-40.9)
female	1,335	27.0^	(14.3-45.0)	12,650	34.2	(28.3-40.6)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury<sup>\*</sup>



	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		8,522	36.4	(28.5-45.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		7,465	37.0	(29.7-45.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		3,078	28.4	(17.1-43.3)
female		#		5,444	43.2	(34.0-52.9)
Age-adjusted <sup>+,&amp;</sup>						


\* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Delaware County			Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,934	35.4^	(26.2-45.9)	28,278	25.7	(21.9-29.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,761	33.1	(25.0-42.3)	25,192	27.0	(23.1-31.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,878	38.1	(24.1-54.4)	14,697	28.1	(22.3-34.8)
female	2,057	32.3^	(22.3-44.2)	13,581	23.5	(18.7-29.0)
Age-adjusted <sup>+,&amp;</sup>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year<sup>\*</sup>



#### Delaware County

#### **Southern Tier**

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	16,764	45.1	(37.6-52.8)	169,235	48.7	(44.9-52.4)
Age						
18-24		#		22,678	42.8^	(28.8-58.0)
25-34		#		21,280	36.4^	(25.5-48.8)
35-44		#		13,516	29.5	(22.3-37.9)
45-64	5,698	40.8	(31.6-50.7)	58,844	50.9	(45.9-55.9)
65+	6,827	72.1	(63.5-79.4)	49,932	70.4	(65.0-75.3)
Race						
White, NH	13,506	42.3	(35.0-50.0)	135,586	46.6	(43.2-50.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		12,106	50.0^	(32.3-67.7)
Sex						
male	7,689	41.0^	(30.8-52.1)	76,549	45.2	(40.3-50.2)
female	9,074	49.2	(38.4-60.1)	92,686	52.0	(46.5-57.4)
Age-adjusted <sup>&amp;</sup>		41.0	(32.6-50.0)		45.8	(42.1-49.7)

1


\* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year  $^{st}$ 



	Delaware County			Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,827	72.1	(63.5-79.4)	49,932	70.4	(65.0-75.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,871	69.0	(60.3-76.5)	45,116	71.5	(66.6-75.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,029	69.9^	(55.8-81.1)	22,538	66.9	(58.4-74.4)
female	3,797	73.9^	(62.7-82.7)	27,394	73.6	(67.0-79.3)
Age-adjusted <sup>+,&amp;</sup>						

\* Includes flu shot or flu spray


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Delaware County			Southern Tier		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+	5,812	63.8^	(52.7-73.6)	46,831	68.2	(62.5-73.3)
Race White, NH Black, NH Hispanic Other, NH Sex	5,407	66.3 # # #	(56.9-74.5)	42,016	68.9 # # #	(63.7-73.6)
male female Age-adjusted <sup>+,&amp;</sup>	2,789 3,023	67.2 <sup>^</sup> 60.9 <sup>^</sup>	(52.1-79.5) (45.3-74.6)	20,119 26,713	62.6 73.1	(54.0-70.5) (66.0-79.1)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	De	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
<b>Total</b> <b>Age</b> ⁺ 18-24 25-34		#		52,014	74.0	(65.7-80.9)	
35-44 45-64 65+ <b>Race</b>							
White, NH Black, NH Hispanic Other, NH <b>Sex</b>		# # #		41,836	72.1 # # #	(63.2-79.6)	
male female Age-adjusted <sup>+,&amp;</sup>		# #		52,014	# 74.0	(65.7-80.9)	


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+		#		57,821	69.8	(60.6-77.7)
Race White, NH Black, NH Hispanic Other, NH Sex male female		# # # #		42,375 57,821	69.2 # # # 69.8	(59.7-77.2) (60.6-77.7)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	De	aware Cou	inty	Southern Tier		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+	11,495	84.3^	(64.1-94.1)	125,536	91.0	(87.3-93.7)
Race White, NH Black, NH Hispanic Other, NH Sex male female	10,913 11,495	84.0 <sup>^</sup> # # # 84.3 <sup>^</sup>	(62.8-94.2) (64.1-94.1)	103,783 125,536	90.9 # # # 91.0	(87.0-93.7) (87.3-93.7)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> ⁺ 18-24		#		28,913	38.5^	(29.1-48.7)
25-34 35-44 45-64 65+						
Race White, NH Black, NH Hispanic Other, NH		# # #		26,118	45.0 # # #	(35.5-55.0)
Sex male female Age-adjusted <sup>+,&amp;</sup>		# #		28,913	# 38.5 <sup>^</sup>	(29.1-48.7)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



Delaware County	

**Southern Tier** 


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	2,283	6.1	(3.8-9.6)	36,482	10.3	(8.6-12.4)
Age						
18-24		#		4,996	8.9	(5.0-15.3)
25-34		#		8,024	13.5	(7.8-22.5)
35-44		#		5,170	11.0	(7.3-16.3)
45-64	1,024	7.5	(4.0-13.6)	13,514	11.7	(9.1-14.9)
65+	659	7.0	(3.1-15.1)	4,696	6.6	(4.5-9.7)
Race						
White, NH	2,283	7.1	(4.5-11.2)	30,947	10.5	(8.6-12.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,326	8.8^	(3.8-19.1)
Sex						
male	946	5.1	(2.3-10.8)	16,352	9.5	(6.9-12.9)
female	1,338	7.2	(4.1-12.2)	20,130	11.2	(8.9-13.8)
Age-adjusted <sup>&amp;</sup>		6.3	(3.6-11.0)		10.6	(8.8-12.8)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month\*



Delaware County	

**Southern Tier** 

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	4,952	13.4	(8.4-20.8)	61,605	18.1	(15.2-21.4)
Age						
18-24		#		15,284	30.1^	(19.4-43.6)
25-34		#		16,238	28.9^	(18.7-41.7)
35-44		#		10,075	22.3	(15.8-30.6)
45-64	1,827	13.3^	(6.9-24.2)	16,863	14.8	(12.0-18.2)
65+		#		3,145	4.5	(3.1-6.4)
Race						
White, NH	4,160	13.1	(8.1-20.6)	52,768	18.2	(15.5-21.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,495	15.9^	(7.6-30.2)
Sex						
male	3,922	21.2	(12.3-33.9)	37,622	23.0	(19.2-27.4)
female	1,030	5.6	(2.7-11.3)	23,983	13.5	(9.5-19.0)
Age-adjusted <sup>&amp;</sup>		18.1^	(11.0-28.5)		19.2	(16.2-22.7)


\* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Delaware County			Southern Tier		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		14,908	42.2	(33.1-51.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		5,646	42.7^	(30.4-55.9)
65+		#		718	15.5^	(7.1-30.8)
Race						
White, NH		#		12,617	42.3^	(32.5-52.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		5,524	34.7^	(21.2-51.2)
female		#		9,384	48.2^	(37.5-59.2)
Age-adjusted <sup>&amp;</sup>		#			40.4	(31.9-49.6)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.