eBRFSS 2013-2014 Health Indicators: Erie

General Description	
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	8
Percentage of adults experiencing housing insecurity in the past 12 months	9
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer scre	
guidelines	-
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer sc	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre	ening based on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines	ening based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ening based on recent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ening based on recent 29 30 31
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ening based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ening based on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ening based on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ening based on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	ening based on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ening based on recent 29 30 31 32 33 34 34 35 36 37
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	ening based on recent 29 30 31 32 33 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with colesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year	ening based on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with at hritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ening based on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 40 40 41 42 42 42 43 44 45
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with a least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 42 43 44 45 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with peumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 40 40 41 41 42 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in th	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 40 40 41 42 42 42 42 42 42 43 44 44 45 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 42 43 44 44 45 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with hysician-diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with ather a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years morting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 18+ years with flu immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years who sehealth care provider discussed planning a healthy pregnancy	ening based on recent 29 30 31 32 33 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 43 44 44 45 44 44 45 46 47 48 49
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines	ening based on recent 29 30 31 32 33 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 42 42 43 44 43 44 44 45 46 46 47 48 49 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines	ening based on recent 29 30 31 32 33 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 43 44 42 43 44 42 43 44 45 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer scre guidelines	ening based on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 40 41 42 42 43 40 41 42 42 43 40 41 42 43 40 41 42 43 43 50 50 50 50 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Erie Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost^{*}



Erie County

Western NY


					Western N	••
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	62,481	8.6	(6.6-11.2)	111,076	9.2	(7.7-10.8)
Age						
18-24	11,172	11.5^	(4.4-26.7)	16,858	9.8	(4.9-18.5)
25-34	17,426	15.5	(9.1-25.1)	25,019	14.6	(9.8-21.3)
35-44	8,212	7.8	(4.7-12.6)	18,404	10.7	(7.7-14.7)
45-64	23,234	9.2	(6.5-12.9)	44,281	10.2	(8.2-12.5)
65+		#		6,309	2.5	(1.5-4.1)
Race						
White, NH	50,280	8.6	(6.3-11.7)	88,308	8.7	(7.2-10.6)
Black, NH	8,319	11.6	(6.7-19.2)	12,547	13.6	(8.4-21.3)
Hispanic		#		7,904	13.2	(7.5-22.4)
Other, NH		#		2,317	5.1	(2.5-10.1)
Sex						
male	30,750	8.9	(5.6-13.9)	54,343	9.3	(7.0-12.3)
female	31,731	8.4	(6.3-11.1)	56,733	9.1	(7.5-10.9)
Age-adjusted ^{&}		9.0	(6.9-11.7)		9.8	(8.2-11.6)

* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who have a regular health care provider



Erie County

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	637,513	88.3	(85.5-90.6)	1,066,548	88.1	(86.1-89.9)
Age						
18-24	74,956	77.3^	(62.4-87.5)	127,756	74.5^	(64.0-82.7)
25-34	91,751	80.1	(72.3-86.2)	142,488	82.2	(76.7-86.6)
35-44	91,192	86.7	(78.1-92.3)	148,338	86.9	(81.1-91.1)
45-64	229,654	91.5	(87.6-94.3)	394,413	91.1	(88.5-93.1)
65+	142,707	96.8	(93.7-98.4)	240,905	96.8	(95.0-98.0)
Race						
White, NH	526,225	90.2	(87.2-92.6)	910,266	89.8	(87.7-91.6)
Black, NH	56,692	79.9^	(68.5-87.9)	72,546	78.8	(69.0-86.2)
Hispanic	28,752	77.1^	(58.5-88.9)	46,457	77.2^	(64.9-86.2)
Other, NH		#		37,279	83.4	(71.6-90.9)
Sex						
male	283,098	82.4	(77.0-86.7)	480,509	82.2	(78.5-85.4)
female	354,415	93.6	(91.3-95.4)	586,040	93.6	(91.9-95.0)
Age-adjusted ^{&}		87.5	(84.4-90.0)		87.4	(85.2-89.2)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	518,943	76.3	(72.6-79.7)	815,757	72.0	(69.5-74.4)
Age						
18-24	63,976	71.1^	(55.2-83.1)	111,937	72.2	(62.3-80.3)
25-34	72,378	68.4^	(57.7-77.5)	104,276	65.3	(57.4-72.5)
35-44	76,921	78.8^	(68.7-86.3)	116,739	73.5	(66.6-79.5)
45-64	191,049	79.6	(74.3-84.1)	302,588	73.5	(69.9-76.8)
65+	108,268	77.6	(70.2-83.6)	169,803	72.1	(67.5-76.3)
Race						
White, NH	432,895	78.0	(73.9-81.6)	696,981	73.0	(70.4-75.5)
Black, NH	36,718	61.5^	(48.7-72.9)	48,534	62.2^	(51.5-71.9)
Hispanic		#		39,253	69.8^	(56.2-80.6)
Other, NH		#		30,989	69.9^	(54.2-82.0)
Sex						
male	242,558	74.0	(67.7-79.4)	385,171	70.1	(66.0-74.0)
female	276,384	78.5	(74.1-82.3)	430,585	73.8	(70.7-76.6)
Age-adjusted ^{&}		76.0	(72.0-79.5)		71.6	(68.9-74.2)

Í


& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



Erie County

Western NY

	,		,			•••
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	174,553	24.3	(21.0-28.0)	300,934	25.0	(22.8-27.4)
Age						
18-24	13,630	14.2	(6.1-29.8)	21,109	12.4	(7.0-21.1)
25-34	21,719	19.3^	(11.5-30.4)	32,454	19.0	(13.1-26.6)
35-44	20,450	19.7^	(12.3-30.0)	32,720	19.3	(14.1-25.9)
45-64	66,940	26.6	(21.4-32.6)	123,509	28.7	(25.1-32.5)
65+	50,690	34.5	(28.0-41.7)	89,167	36.1	(31.7-40.7)
Race						
White, NH	154,035	26.5	(22.6-30.8)	259,812	25.8	(23.3-28.5)
Black, NH	13,595	19.7^	(12.3-30.0)	19,801	22.0	(15.4-30.5)
Hispanic		#		12,927	21.7^	(13.6-32.9)
Other, NH		#		8,395	18.7^	(10.7-30.6)
Sex						
male	83,953	24.5	(19.2-30.8)	141,203	24.3	(20.8-28.3)
female	90,600	24.1	(20.2-28.6)	159,731	25.7	(22.9-28.7)
Age-adjusted ^{&}		23.5	(20.1-27.3)		24.0	(21.7-26.5)


* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Erie County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	492,982	87.3	(83.6-90.3)	823,035	87.2	(84.7-89.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	382,922	88.0	(83.6-91.4)	674,524	88.0	(85.2-90.3)
Black, NH	54,949	84.4	(74.6-90.9)	68,376	82.4	(73.1-89.0)
Hispanic		#		46,078	79.4^	(66.7-88.1)
Other, NH		#		34,057	93.3	(84.4-97.3)
Sex						
male	236,220	84.7	(78.3-89.5)	400,391	84.8	(80.5-88.3)
female	256,762	89.8	(85.5-93.0)	422,644	89.6	(86.8-91.8)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



Western NY

	Life county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	444,402	78.1	(73.7-81.9)	713,093	75.2	(72.3-77.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	345,140	78.6	(73.6-82.8)	580,918	75.4	(72.2-78.3)
Black, NH	53,416	82.2	(71.0-89.8)	66,769	80.1^	(70.0-87.4)
Hispanic		#		43,398	75.9^	(63.1-85.3)
Other, NH		#		22,009	58.8^	(38.3-76.7)
Sex						
male	203,349	72.4	(65.1-78.7)	332,817	70.2	(65.5-74.6)
female	241,052	83.6	(78.8-87.4)	380,276	80.1	(76.7-83.0)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


Erie County

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	220,948	33.3	(29.3-37.5)	362,546	32.8	(30.1-35.6)
Age						
18-24	24,207	29.6^	(17.7-45.2)	41,076	29.1	(20.6-39.4)
25-34	56,429	52.1^	(41.5-62.6)	73,260	46.0	(37.8-54.5)
35-44	31,542	33.6^	(24.8-43.6)	58,390	37.4	(30.9-44.4)
45-64	83,227	35.9	(29.7-42.6)	141,359	35.2	(31.1-39.4)
65+	25,542	18.0	(12.9-24.4)	46,422	19.6	(15.9-23.9)
Race						
White, NH	161,379	29.9	(25.7-34.4)	275,138	29.5	(26.8-32.4)
Black, NH	35,116	53.4^	(41.3-65.2)	44,647	53.4^	(42.9-63.5)
Hispanic		#		22,006	46.5^	(33.0-60.5)
Other, NH		#		20,755	47.6^	(30.8-64.9)
Sex						
male	95,986	30.0	(24.0-36.7)	160,510	29.9	(25.8-34.3)
female	124,962	36.3	(31.2-41.7)	202,036	35.5	(32.0-39.1)
Age-adjusted ^{&}		34.5	(30.6-38.6)		34.2	(31.4-37.1)

Í

* Worried or stressed about having enough money to pay for rent or mortgage.


& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	144,351	20.7	(17.3-24.5)	246,116	21.0	(18.7-23.5)
Age						
18-24	21,541	23.5	(13.0-38.8)	38,217	23.4	(16.1-32.7)
25-34	35,566	32.0^	(21.6-44.6)	51,496	30.6	(22.8-39.5)
35-44	21,013	21.1	(14.2-30.1)	38,805	23.7	(18.4-29.9)
45-64	53,150	21.8	(16.6-28.1)	90,979	21.7	(18.3-25.6)
65+	12,920	9.0	(5.7-13.8)	25,712	10.6	(8.0-13.9)
Race						
White, NH	101,213	17.9	(14.5-22.1)	181,689	18.5	(16.2-21.1)
Black, NH	20,900	31.3^	(21.7-42.9)	29,550	34.3^	(25.4-44.3)
Hispanic		#		18,344	31.8^	(21.1-44.9)
Other, NH		#		16,533	36.8^	(21.0-55.9)
Sex						
male	70,903	21.0	(15.6-27.8)	113,695	20.0	(16.3-24.2)
female	73,448	20.4	(16.8-24.5)	132,421	22.0	(19.4-24.9)
Age-adjusted ^{&}		21.5	(18.0-25.5)		22.1	(19.6-24.8)


* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



	Erie County		1	Western NY
Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent
Adults	Percent	95% CI	Adults	Percent


	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	30,327	4.2	(2.8-6.2)	59,362	4.9	(3.9-6.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,973	3.5	(2.0-6.0)
45-64	13,424	5.3	(2.9-9.5)	30,602	7.1	(5.1-9.6)
65+	10,484	7.1	(4.1-12.1)	17,350	7.0	(4.8-10.2)
Race						
White, NH	25,382	4.4	(2.8-6.7)	49,277	4.9	(3.8-6.3)
Black, NH		#		5,176	5.6	(2.6-11.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	14,339	4.2	(2.3-7.5)	27,901	4.8	(3.3-6.9)
female	15,988	4.2	(2.5-7.0)	31,461	5.0	(3.7-6.8)
Age-adjusted ^{&}		4.0	(2.7-5.9)		4.6	(3.6-5.8)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	89,024	12.6	(10.1-15.5)	159,607	13.5	(11.8-15.3)
Age						
18-24		#		9,020	5.3	(2.7-10.2)
25-34		#		13,051	7.7	(4.2-13.4)
35-44	14,140	13.5	(7.6-22.9)	21,720	12.9	(8.6-18.8)
45-64	38,262	15.5	(11.3-21.0)	75,885	17.9	(15.0-21.4)
65+	21,328	15.1	(10.4-21.4)	38,971	16.3	(12.9-20.3)
Race						
White, NH	72,410	12.6	(9.9-16.0)	131,797	13.3	(11.4-15.3)
Black, NH	13,131	18.8^	(11.4-29.5)	16,150	17.8	(11.6-26.3)
Hispanic		#		5,447	9.6	(4.9-17.8)
Other, NH		#		6,214	14.1^	(7.2-25.8)
Sex						
male	31,653	9.3	(6.3-13.4)	63,069	11.0	(8.7-13.7)
female	57,371	15.6	(12.2-19.9)	96,538	15.8	(13.4-18.5)
Age-adjusted ^{&}		12.4	(9.9-15.4)		13.0	(11.3-15.0)


Í

* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are obese*



Erie County

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	203,075	29.8	(26.1-33.8)	344,412	30.2	(27.7-32.8)
Age						
18-24	18,056	19.1^	(10.8-31.5)	28,877	17.2	(11.7-24.7)
25-34	30,089	28.4^	(18.6-40.8)	46,414	28.9	(21.7-37.5)
35-44	37,376	37.5^	(27.5-48.7)	61,451	38.4	(31.3-46.1)
45-64	83,830	35.8	(30.0-42.1)	146,722	36.2	(32.3-40.2)
65+	33,723	23.9	(17.7-31.5)	60,875	25.7	(21.5-30.3)
Race						
White, NH	151,628	27.3	(23.3-31.7)	272,632	28.4	(25.7-31.2)
Black, NH	33,914	51.3^	(39.6-62.8)	40,228	46.7^	(36.9-56.8)
Hispanic		#		20,797	37.4^	(25.4-51.1)
Other, NH		#		10,754	28.3	(16.6-44.0)
Sex						
male	107,008	31.9	(26.1-38.2)	178,617	31.1	(27.3-35.2)
female	96,067	27.8	(23.3-32.7)	165,795	29.2	(26.1-32.5)
Age-adjusted ^{&}		30.7	(26.8-34.8)		31.1	(28.5-33.9)

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with an annual household income less than \$25,000 who are obese*



Erie County

Western NY


			,		Western N	••
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	55,648	31.9	(25.5-39.1)	104,583	35.5	(30.9-40.3)
Age						
18-24		#		8,384	18.0^	(8.9-33.0)
25-34		#		16,598	35.7^	(24.1-49.2)
35-44		#		19,177	61.3^	(48.2-73.0)
45-64	21,655	44.6^	(33.6-56.2)	38,181	43.0	(35.8-50.5)
65+	11,552	23.7^	(14.5-36.4)	22,243	27.3	(20.7-35.1)
Race						
White, NH	33,890	26.6	(19.7-34.8)	74,570	33.0	(28.0-38.4)
Black, NH	12,999	42.6^	(28.3-58.3)	15,662	38.9^	(26.9-52.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	22,637	27.6^	(18.6-39.0)	44,600	31.5	(24.9-39.0)
female	33,011	35.7	(27.5-44.9)	59,983	39.1	(33.3-45.2)
Age-adjusted ^{&}		36.0	(29.4-43.2)		39.8	(35.2-44.6)

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults living with a disability who are obese*



Erie County

Western NY


	,					••
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	74,933	44.2	(36.3-52.4)	128,816	44.6	(39.4-49.8)
Age						
18-24		#			#	
25-34		#		14,398	45.5^	(26.9-65.4)
35-44		#		18,864	60.6^	(43.0-75.9)
45-64	32,388	50.5^	(38.5-62.4)	59,485	50.7	(43.2-58.2)
65+	16,572	33.5^	(22.9-46.2)	30,693	35.4	(28.3-43.1)
Race						
White, NH	60,930	40.8	(32.5-49.8)	107,458	43.1	(37.5-48.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	39,708	47.3^	(34.8-60.1)	61,413	43.8	(35.7-52.3)
female	35,225	41.2^	(31.7-51.3)	67,402	45.2	(39.0-51.7)
Age-adjusted ^{&}		46.2	(37.0-55.6)		46.0	(39.6-52.6)

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults overweight or obese*



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	427,243	62.7	(58.1-67.2)	722,740	63.3	(60.2-66.3)
Age						
18-24	30,071	31.9^	(20.1-46.6)	62,859	37.5	(28.0-48.1)
25-34	69,300	65.5^	(55.4-74.3)	99,799	62.2	(54.6-69.4)
35-44	65,074	65.3^	(53.7-75.3)	108,030	67.5	(59.7-74.4)
45-64	163,659	70.0	(63.3-75.9)	288,771	71.2	(67.0-75.0)
65+	96,126	68.2	(60.9-74.7)	158,839	67.0	(62.2-71.4)
Race						
White, NH	340,293	61.2	(55.9-66.2)	598,637	62.3	(58.9-65.6)
Black, NH	53,501	80.9	(70.9-88.0)	68,129	79.2	(70.8-85.6)
Hispanic		#		38,608	69.4^	(53.9-81.4)
Other, NH		#		17,366	45.8^	(31.3-61.0)
Sex						
male	229,832	68.5	(60.5-75.6)	393,334	68.6	(63.5-73.3)
female	197,411	57.1	(51.6-62.5)	329,405	58.1	(54.3-61.8)
Age-adjusted ^{&}		62.9	(58.7-66.9)		63.7	(60.8-66.5)


1

* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who participated in leisure time physical activity in the past 30 days*



Erie County

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	536,353	76.2	(72.7-79.4)	877,451	74.4	(72.0-76.6)
Age						
18-24	69,742	75.9^	(62.5-85.6)	133,667	80.7	(72.8-86.7)
25-34	84,593	75.5	(66.0-83.0)	131,249	77.7	(70.8-83.4)
35-44	80,710	79.2	(70.2-85.9)	125,180	75.1	(68.8-80.5)
45-64	187,256	76.1	(70.3-81.1)	307,351	72.9	(69.1-76.4)
65+	109,326	75.6	(68.4-81.6)	171,171	70.2	(65.6-74.4)
Race						
White, NH	449,632	79.1	(75.5-82.3)	756,817	76.5	(74.1-78.7)
Black, NH	38,496	56.6^	(44.7-67.8)	50,618	58.2	(48.0-67.8)
Hispanic		#		37,543	64.1^	(49.9-76.2)
Other, NH		#		32,474	72.6^	(56.3-84.5)
Sex						
male	266,850	78.6	(73.2-83.2)	439,933	77.0	(73.4-80.2)
female	269,504	74.0	(69.4-78.1)	437,519	72.0	(68.8-74.9)
Age-adjusted ^{&}		76.6	(73.0-79.8)		74.8	(72.4-77.0)

* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume one or more sugary drinks daily*



Erie County

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	177,024	25.8	(21.5-30.7)	301,463	26.2	(23.3-29.3)
Age						
18-24	48,429	52.9^	(35.8-69.4)	75,402	45.9^	(34.2-58.1)
25-34	35,396	33.4^	(24.1-44.3)	55,078	34.3	(27.2-42.1)
35-44	25,437	25.5^	(17.5-35.6)	44,593	27.4	(21.4-34.3)
45-64	55,169	22.9	(17.5-29.3)	95,213	23.0	(19.4-27.0)
65+	10,993	7.8	(4.9-12.3)	28,279	11.9	(9.4-15.1)
Race						
White, NH	127,284	22.8	(18.0-28.5)	228,879	23.6	(20.6-27.0)
Black, NH	29,265	47.4^	(35.5-59.7)	38,316	47.1	(36.9-57.6)
Hispanic		#		23,181	39.9^	(26.4-55.1)
Other, NH		#		11,087	25.0^	(14.1-40.4)
Sex						
male	113,791	34.5	(27.0-42.8)	189,430	34.0	(29.1-39.3)
female	63,233	17.8	(14.1-22.1)	112,033	18.9	(16.3-21.7)
Age-adjusted ^{&}		26.7	(22.8-31.0)		27.1	(24.3-30.0)

* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume fast-food three or more times per week



Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	52,991	7.8	(5.8-10.3)	77,073	6.7	(5.5-8.3)
Age						
18-24		#		14,257	8.8	(5.2-14.3)
25-34	12,654	11.8	(6.4-20.6)	14,510	9.0	(5.3-14.9)
35-44	15,478	15.5^	(8.4-26.8)	20,808	12.8	(8.0-19.9)
45-64	13,039	5.4	(3.4-8.7)	19,934	4.8	(3.5-6.8)
65+		#		7,263	3.1	(1.8-5.2)
Race						
White, NH	36,276	6.5	(4.6-9.2)	56,907	5.9	(4.6-7.5)
Black, NH	10,764	17.9^	(9.8-30.3)	12,107	15.3	(8.8-25.1)
Hispanic		#			#	
Other, NH		#		3,483	7.9^	(2.7-21.0)
Sex						
male	35,570	10.9	(7.7-15.3)	50,457	9.2	(7.0-11.8)
female	17,421	4.9	(2.9-8.2)	26,616	4.5	(3.1-6.5)
Age-adjusted ^{&}		8.8	(6.5-11.8)		7.6	(6.0-9.5)

Ì

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician diagnosed diabetes*



Erie County

Western NY


	Enceounty			Westernin			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	70,320	9.7	(7.6-12.4)	118,414	9.7	(8.3-11.4)	
Age	,		· · ·			· · ·	
18-24		#			#		
25-34		#		4,633	2.7	(1.1-6.2)	
35-44	5,071	4.8	(2.3-9.8)	8,125	4.7	(2.8-7.8)	
45-64	31,912	12.6	(8.3-18.7)	52,043	11.9	(9.1-15.5)	
65+	27,040	18.3	(13.3-24.7)	48,493	19.5	(16.1-23.4)	
Race							
White, NH	50,575	8.6	(6.7-11.2)	92,279	9.1	(7.7-10.6)	
Black, NH	13,323	18.6^	(11.2-29.5)	16,081	17.4	(11.2-26.0)	
Hispanic		#		2,951	4.9	(2.2-10.7)	
Other, NH		#		7,104	15.7^	(4.4-43.0)	
Sex							
male	36,838	10.7	(7.2-15.4)	58,629	10.0	(7.8-12.8)	
female	33,482	8.8	(6.5-11.8)	59,785	9.5	(7.9-11.5)	
Age-adjusted ^{&}		8.8	(6.9-11.1)		8.7	(7.5-10.1)	

* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are current smokers



Erie County


Western NY

	Enceounty			Westerninn			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	133,426	18.8	(15.9-22.0)	247,835	20.8	(18.8-23.0)	
Age	,		, ,	ŗ		· · · ·	
18-24	9,670	10.0	(4.7-19.9)	25,309	14.9	(9.9-21.7)	
25-34	34,811	30.8^	(21.9-41.4)	56,094	32.7	(25.8-40.4)	
35-44	17,681	17.3	(11.7-24.9)	38,389	22.9	(18.1-28.6)	
45-64	60,348	24.4	(19.1-30.5)	107,073	25.2	(21.7-29.1)	
65+	10,708	7.4	(4.3-12.3)	20,570	8.4	(6.2-11.3)	
Race							
White, NH	94,919	16.6	(13.5-20.1)	189,505	19.0	(16.9-21.3)	
Black, NH	27,465	39.4^	(28.8-51.1)	34,273	38.2^	(29.0-48.3)	
Hispanic		#		18,226	31.1^	(19.3-46.1)	
Other, NH		#		5,830	13.1	(7.7-21.6)	
Sex							
male	69,446	20.5	(15.9-26.0)	126,440	22.0	(18.8-25.7)	
female	63,980	17.2	(13.7-21.4)	121,395	19.7	(17.2-22.5)	
Age-adjusted ^{&}		19.2	(16.4-22.5)		21.9	(19.7-24.2)	

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with annual household income less than \$25,000 who are current smokers



Erie County	
-------------	--

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	50,060	26.9	(20.5-34.4)	97,449	31.1	(26.5-36.0)
Age						
18-24		#		11,645	24.5	(13.0-41.3)
25-34		#		24,473	45.0^	(31.7-59.0)
35-44		#		11,451	33.5^	(22.8-46.2)
45-64	18,476	34.4^	(23.5-47.1)	38,840	41.2	(33.3-49.5)
65+	6,179	12.7	(5.8-25.7)	11,011	13.4	(8.4-20.7)
Race						
White, NH	30,985	23.8	(16.3-33.3)	67,100	28.5	(23.5-34.1)
Black, NH	16,878	49.8^	(35.2-64.5)	22,273	50.8^	(37.9-63.6)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	25,111	28.8^	(18.5-41.9)	49,706	34.0	(26.3-42.6)
female	24,949	25.3	(18.1-34.1)	47,743	28.5	(23.5-34.2)
Age-adjusted ^{&}		28.9	(22.6-36.2)		33.3	(28.6-38.3)

Ĩ


& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers




	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	9,670	10.0	(4.7-19.9)	25,309	14.9	(9.9-21.7)
Race White, NH Black, NH Hispanic Other, NH Sex		# # #		15,004	10.9 # # #	(6.7-17.3)
male female Age-adjusted ^{+,&}		# #		17,008 8,301	15.9 13.1	(9.3-25.9) (7.0-23.0)

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	121,883	87.8	(83.2-91.3)	196,724	83.1	(80.0-85.9)
White, NH Black, NH Hispanic Other, NH Sex male female	113,667 121,883	89.0 # # # 87.8	(84.3-92.4) (83.2-91.3)	183,377 196,724	83.5 # # # 83.1	(80.2-86.3) (80.0-85.9)
Age-adjusted ^{+,&}						

* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Erie County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,200	82.4^	(69.6-90.5)	41,732	74.1	(66.1-80.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		37,146	74.6	(66.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	26,200	82.4^	(69.6-90.5)	41,732	74.1	(66.1-80.8)
Age-adjusted ^{+,&}						


* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines^{*}



	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	215,568	83.5	(78.4-87.7)	360,599	83.2	(79.9-86.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	178,790	85.5	(79.7-89.8)	310,981	84.5	(81.0-87.4)
Black, NH		#		23,632	75.8^	(58.9-87.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	215,568	83.5	(78.4-87.7)	360,599	83.2	(79.9-86.0)
Age-adjusted ^{+,&}						

* Pap test within past 3 years.

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines^{*}



	Erie County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	46,040	77.1^	(67.1-84.8)	80,264	76.6	(70.1-82.1)
18-24 25-34						
35-44						
45-64						
65+						
Race White, NH Black, NH Hispanic Other, NH Sex	27,724	77.2 [^] # # #	(64.6-86.3)	58,042	76.8 # # #	(69.5-82.8)
male female Age-adjusted ^{+,&}	46,040	# 77.1 [^]	(67.1-84.8)	80,264	# 76.6	(70.1-82.1)

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Fulle Count

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines^{*}



	Erie County			Western NY		
F	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	188,026	71.7	(65.8-77.0)	314,570	69.7	(66.0-73.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	168,347	73.7	(67.9-78.7)	284,419	70.9	(67.3-74.2)
Black, NH		#		21,964	75.7^	(60.5-86.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	85,270	69.9^	(59.9-78.3)	143,396	67.7	(61.6-73.3)
female	102,757	73.3	(66.2-79.4)	171,173	71.4	(67.0-75.5)
Age-adjusted ^{+,&}						

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	38,054	57.5^	(44.3-69.7)	64,446	57.0	(48.7-65.0)
Race White, NH Black, NH Hispanic Other, NH Sex	32,998	64.3 [^] # # #	(51.5-75.4)	56,021	60.7 # # #	(52.9-68.1)
Sex male female Age-adjusted ^{+,&}	17,002 21,052	50.8 [^] 64.4 [^]	(31.7-69.7) (48.3-77.7)	26,654 37,792	48.3 [^] 65.3	(35.9-60.9) (55.7-73.9)


* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



Erie County


Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	379,829	60.2	(55.5-64.8)	618,738	58.8	(55.6-61.9)
Age						
18-24	17,464	18.7^	(10.8-30.6)	34,559	21.4	(15.2-29.4)
25-34	64,233	60.1^	(49.8-69.6)	90,941	55.9	(48.1-63.4)
35-44	61,082	64.2^	(53.0-73.9)	93,243	59.7	(52.1-66.9)
45-64	148,794	70.6	(64.0-76.4)	252,542	68.7	(64.6-72.6)
65+	85,166	72.2	(63.7-79.3)	141,522	73.1	(67.7-77.9)
Race						
White, NH	309,649	60.2	(54.7-65.5)	522,976	59.1	(55.6-62.5)
Black, NH	36,080	64.3^	(51.7-75.2)	45,591	61.3^	(50.4-71.1)
Hispanic		#		33,895	59.7^	(45.7-72.3)
Other, NH		#		16,276	44.7^	(29.5-61.0)
Sex						
male	173,240	58.1	(50.1-65.8)	286,050	56.8	(51.6-61.9)
female	206,588	62.1	(56.6-67.3)	332,688	60.6	(56.8-64.2)
Age-adjusted ^{&}		60.9	(56.9-64.7)		59.1	(56.3-61.8)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed prediabetes



Erie County		


Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	29,925	4.6	(3.3-6.5)	52,627	4.9	(3.9-6.1)
Age						
18-24		#			#	
25-34		#		7,276	4.3	(1.8-10.2)
35-44		#		5,652	3.5	(1.9-6.2)
45-64	9,308	4.3	(2.6-7.1)	19,280	5.1	(3.8-6.9)
65+	10,056	8.7	(5.2-14.2)	15,987	8.3	(5.9-11.4)
Race						
White, NH	26,159	5.0	(3.4-7.2)	46,288	5.1	(4.0-6.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	16,096	5.3	(3.1-9.1)	25,178	4.9	(3.3-7.0)
female	13,829	4.0	(2.7-6.0)	27,449	4.9	(3.8-6.2)
Age-adjusted ^{&}		4.5	(3.2-6.5)		4.7	(3.7-5.9)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed high blood pressure



Erie County


Western NY

	Life county			Western M			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	251,671	34.7	(30.9-38.8)	413,880	34.2	(31.6-36.8)	
Age							
18-24		#		10,701	6.2	(3.5-10.8)	
25-34	22,960	20.1^	(12.3-31.0)	33,277	19.3	(13.5-26.8)	
35-44	24,118	22.8^	(14.4-34.0)	36,099	21.0	(15.2-28.3)	
45-64	101,729	40.2	(34.0-46.8)	174,646	40.1	(36.0-44.3)	
65+	94,809	64.3	(56.8-71.2)	155,613	62.7	(57.8-67.3)	
Race							
White, NH	198,725	34.0	(30.0-38.3)	341,756	33.7	(31.1-36.5)	
Black, NH	32,233	44.8^	(33.9-56.1)	42,050	45.2	(35.9-54.8)	
Hispanic	13,277	35.6^	(17.2-59.6)	19,496	32.4^	(19.3-49.0)	
Other, NH		#		10,578	23.4^	(10.1-45.3)	
Sex							
male	127,903	37.1	(30.9-43.8)	209,209	35.8	(31.7-40.1)	
female	123,768	32.6	(28.2-37.3)	204,672	32.6	(29.7-35.8)	
Age-adjusted ^{&}		32.4	(28.9-36.2)		31.6	(29.2-34.1)	

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



Erie County


Western NY

	Ene county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	191,427	76.1	(68.9-82.0)	319,214	77.2	(72.7-81.2)
Age			. ,			
18-24		#			#	
25-34		#		10,589	31.8^	(15.4-54.5)
35-44		#		15,924	44.1^	(28.5-60.9)
45-64	79,144	77.8^	(65.3-86.7)	140,590	80.5	(73.1-86.3)
65+	89,924	94.8	(88.7-97.7)	146,293	94.3	(90.8-96.5)
Race						
White, NH	162,043	81.5	(75.4-86.4)	275,448	80.7	(76.9-84.0)
Black, NH	25,211	78.2^	(62.1-88.7)	33,258	79.1^	(66.1-88.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	89,555	70.0^	(58.4-79.5)	148,316	71.0	(63.6-77.5)
female	101,872	82.3	(74.5-88.1)	170,898	83.6	(78.7-87.5)
Age-adjusted ^{&}		59.7	(50.0-68.7)		59.2	(52.6-65.6)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with current asthma*



Erie County

Western NY


	Enc county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	85,249	11.8	(9.6-14.5)	138,193	11.4	(9.9-13.2)
Age	·		, <i>,</i>	,		· · · ·
18-24	7,992	8.4	(4.3-15.7)	12,912	7.6	(4.8-12.0)
25-34	13,485	11.8	(6.7-19.9)	22,985	13.3	(9.1-18.9)
35-44	16,313	15.5	(9.8-23.5)	26,223	15.3	(11.2-20.6)
45-64	34,948	13.9	(9.8-19.4)	55,491	12.8	(10.1-16.1)
65+	12,510	8.5	(5.4-13.1)	20,540	8.3	(6.2-11.0)
Race						
White, NH	64,322	11.1	(8.6-14.1)	109,339	10.8	(9.2-12.6)
Black, NH	11,633	16.5	(9.8-26.4)	12,253	13.5	(8.2-21.4)
Hispanic		#		10,362	17.4^	(10.0-28.4)
Other, NH		#		6,238	13.8^	(6.7-26.3)
Sex						
male	25,989	7.6	(5.0-11.4)	46,098	7.9	(6.1-10.2)
female	59,260	15.7	(12.4-19.7)	92 <i>,</i> 095	14.7	(12.5-17.3)
Age-adjusted ^{&}		12.2	(9.9-15.1)		12.0	(10.4-13.9)

* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percent of adults with cholesterol checked*



Erie County

Western NY


	Life county			westernivi		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	601,909	84.8	(80.2-88.5)	996,592	84.1	(81.1-86.7)
Age	·		. ,	ŗ		· ,
18-24	41,158	43.3^	(27.8-60.2)	69,246	41.9^	(31.4-53.3)
25-34	84,000	76.7	(67.6-83.9)	120,610	73.5	(66.5-79.4)
35-44	90,014	89.1	(80.4-94.2)	147,897	89.7	(84.5-93.4)
45-64	235,511	93.7	(88.2-96.7)	403,910	93.3	(90.2-95.4)
65+	144,810	98.9	(97.1-99.6)	242,950	98.7	(97.6-99.3)
Race						
White, NH	499,761	87.2	(81.6-91.2)	848,158	85.5	(82.2-88.4)
Black, NH	56,249	79.7^	(69.1-87.3)	71,883	78.5	(69.1-85.5)
Hispanic		#		47,340	79.8^	(68.7-87.7)
Other, NH		#		29,211	68.2^	(46.7-84.0)
Sex						
male	278,549	82.3	(73.4-88.7)	465,998	81.5	(76.1-86.0)
female	323,360	87.1	(82.9-90.3)	530,594	86.4	(83.6-88.9)
Age-adjusted ^{&}		84.0	(80.5-87.0)		83.2	(80.9-85.3)

* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults 18 years and older with elevated cholesterol*



Erie County

Western NY

	Enc county			Western NT		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	245,487	41.3	(37.1-45.8)	398,531	40.4	(37.6-43.3)
Age						
18-24		#		13,007	19.2^	(8.0-39.4)
25-34	17,077	20.4^	(9.9-37.4)	21,955	18.3^	(10.3-30.3)
35-44	24,322	27.9^	(17.8-40.9)	39,377	27.2	(20.2-35.4)
45-64	110,218	46.9	(40.5-53.5)	185,641	46.1	(41.9-50.4)
65+	80,904	56.9	(49.1-64.3)	133,691	55.9	(50.9-60.8)
Race						
White, NH	210,641	42.5	(37.7-47.3)	351,251	41.7	(38.7-44.9)
Black, NH	21,580	40.1^	(28.2-53.3)	24,985	36.0^	(26.3-47.0)
Hispanic		#		12,979	27.4^	(15.9-43.0)
Other, NH		#		9,315	34.2^	(19.8-52.1)
Sex						
male	123,434	44.8	(38.2-51.7)	196,109	42.4	(38.0-47.0)
female	122,053	38.3	(33.1-43.8)	202,422	38.6	(35.1-42.3)
Age-adjusted ^{&}		36.8	(31.7-42.3)		35.1	(31.6-38.7)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



Western NY

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	45,287	11.8	(8.9-15.6)	65,957	10.3	(8.4-12.7)
Age						
18-24		#			#	
25-34		#		6,722	9.0^	(3.5-21.0)
35-44		#		3,602	5.2	(2.5-10.7)
45-64	16,749	10.8	(6.7-17.0)	23,932	9.2	(6.5-12.8)
65+	18,497	15.8	(10.8-22.7)	29,019	14.9	(11.2-19.4)
Race						
White, NH	37,556	12.0	(8.6-16.3)	53,929	10.0	(7.9-12.5)
Black, NH	6,660	17.6^	(8.9-31.8)	7,467	15.6^	(8.4-27.0)
Hispanic		#			#	
Other, NH		#		3,596	19.2^	(6.3-45.6)
Sex						
male	18,662	10.6	(6.5-16.7)	29,830	10.2	(7.3-14.0)
female	26,625	12.8	(9.0-18.1)	36,128	10.4	(7.9-13.6)
Age-adjusted ^{&}		10.8	(7.5-15.2)		9.0	(6.9-11.7)

Ĩ


* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Prevent Chronic Diseases

Percentage of adults with arthritis*



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	181,692	25.1	(21.8-28.7)	320,398	26.4	(24.2-28.8)
Age						
18-24		#			#	
25-34	12,590	11.0^	(4.2-26.0)	18,912	10.9	(5.5-20.4)
35-44	12,953	12.2	(7.5-19.4)	25,812	15.0	(11.1-20.1)
45-64	80,968	32.0	(26.6-38.0)	143,574	33.0	(29.4-36.8)
65+	73,674	50.4	(43.1-57.8)	126,586	51.1	(46.4-55.9)
Race						
White, NH	158,190	27.1	(23.3-31.3)	285,993	28.2	(25.7-30.8)
Black, NH	13,618	18.9^	(11.6-29.3)	16,561	17.8	(11.8-26.0)
Hispanic	7,371	19.8^	(10.2-34.7)	10,492	17.4^	(10.6-27.5)
Other, NH		#		7,352	16.4^	(8.8-28.6)
Sex						
male	61,908	18.0	(14.2-22.6)	115,944	19.9	(17.1-22.9)
female	119,784	31.5	(26.9-36.6)	204,454	32.6	(29.4-35.9)
Age-adjusted ^{&}		22.9	(19.9-26.3)		24.1	(22.0-26.3)

1


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



Erie County

Western NY


	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	634,388	92.3	(89.6-94.4)	1,071,115	92.7	(90.9-94.1)
Age						
18-24	78,314	86.4	(69.8-94.6)	147,175	89.8	(80.7-94.9)
25-34	100,581	91.8	(84.4-95.8)	150,577	90.8	(85.7-94.2)
35-44	96,028	96.3	(92.2-98.3)	155,303	95.2	(92.2-97.0)
45-64	219,461	91.5	(87.0-94.5)	383,623	92.8	(90.2-94.7)
65+	132,910	95.0	(89.7-97.6)	222,347	93.7	(90.4-96.0)
Race						
White, NH	528,031	94.9	(92.0-96.8)	916,932	94.4	(92.8-95.7)
Black, NH	51,278	77.7^	(65.4-86.5)	69,802	81.6	(71.7-88.6)
Hispanic		#		47,547	82.9^	(69.3-91.2)
Other, NH		#		36,834	87.1^	(74.3-94.0)
Sex						
male	305,195	92.4	(87.3-95.5)	520,960	93.1	(90.1-95.2)
female	329,193	92.3	(89.1-94.6)	550,155	92.3	(90.2-93.9)
Age-adjusted ^{&}		92.5	(89.8-94.6)		92.7	(91.0-94.1)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Erie County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	33,913	23.7	(17.7-31.0)	60,568	25.3	(21.3-29.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	32,066	23.7	(17.5-31.4)	56,868	25.4	(21.2-30.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	18,862	31.0^	(20.6-43.8)	29,073	28.5	(21.6-36.5)
female	15,051	18.3	(12.0-27.0)	31,495	22.9	(18.4-28.1)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



	Erie County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,096	44.5^	(29.2-60.9)	24,648	40.9^	(31.5-51.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	14,460	45.1^	(29.1-62.2)	23,554	41.6^	(31.8-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		9,821	33.9^	(20.1-51.0)
female		#		14,827	47.4^	(35.8-59.2)
Age-adjusted ^{+,&}						


* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	91,246	39.2	(32.9-45.9)	142,965	35.7	(31.7-40.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	65,556	33.7	(27.9-40.2)	107,393	31.2	(27.5-35.1)
Black, NH		#		17,645	62.2^	(45.9-76.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	55,668	51.5^	(41.2-61.7)	87,478	46.3	(39.7-53.1)
female	35,578	28.5	(21.9-36.1)	55,487	26.3	(22.0-31.0)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year^{*}



Erie County

Western NY


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	342,748	49.4	(44.9-53.8)	564,930	48.4	(45.4-51.3)
Age						
18-24	25,316	27.7^	(16.0-43.4)	43,594	26.5	(18.0-37.1)
25-34	39,534	36.3^	(25.5-48.7)	60,600	36.6	(28.5-45.5)
35-44	42,544	42.7^	(31.7-54.4)	65,045	39.6	(32.2-47.4)
45-64	120,360	49.4	(42.8-55.9)	203,704	48.6	(44.4-52.8)
65+	110,883	77.5	(70.8-83.0)	184,502	76.4	(72.3-80.1)
Race						
White, NH	279,961	49.8	(44.8-54.8)	476,222	48.6	(45.4-51.8)
Black, NH	30,302	46.7^	(35.2-58.6)	39,547	46.9^	(37.0-57.0)
Hispanic		#		33,195	57.1^	(43.1-70.0)
Other, NH		#		15,967	35.9^	(22.2-52.4)
Sex						
male	155,926	46.6	(39.7-53.7)	254,448	45.0	(40.4-49.7)
female	186,822	51.9	(46.6-57.2)	310,483	51.6	(48.0-55.1)
Age-adjusted ^{&}		47.5	(43.1-51.9)		46.3	(43.3-49.3)

* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 65+ years with flu immunization in the past year^{*}



	Erie County			Western NY			
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	110,883	77.5	(70.8-83.0)	184,502	76.4	(72.3-80.1)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	105,354	77.9	(71.0-83.6)	172,930	76.7	(72.4-80.5)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male	48,181	79.2	(67.9-87.3)	82,045	79.3	(72.5-84.8)	
female	62,703	76.3	(67.6-83.2)	102,457	74.3	(68.8-79.0)	
Age-adjusted ^{+,&}							

* Includes flu shot or flu spray


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization




	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	104,698	79.5	(73.0-84.7)	173,650	76.2	(72.0-80.0)
White, NH Black, NH Hispanic Other, NH Sex male female	100,518 35,222 69,477	80.9 # # 70.2 [^] 85.2	(74.5-86.0) (57.7-80.3) (78.4-90.1)	165,973 62,208 111,442	78.1 # # 68.3 81.5	(74.1-81.6) (60.3-75.3) (77.2-85.1)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-44 years who had dental visit within the last year




	Erie County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	102,213	74.6	(66.4-81.5)	160,792	71.3	(65.3-76.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	79,250	78.6	(69.3-85.7)	133,550	73.5	(67.1-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	102,213	74.6	(66.4-81.5)	160,792	71.3	(65.3-76.6)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Women aged 18-44 years who saw a doctor for a routine checkup within the last year




	Erie County			Western NY		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	122,149	79.4	(71.9-85.4)	187,734	74.7	(69.2-79.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	88,485	79.5	(70.6-86.2)	145,709	73.3	(67.1-78.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	122,149	79.4	(71.9-85.4)	187,734	74.7	(69.2-79.5)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-64 years with health care coverage




	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	256,762	89.8	(85.5-93.0)	422,644	89.6	(86.8-91.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	203,879	90.0	(84.7-93.6)	355,498	89.9	(86.8-92.4)
Black, NH	29,465	90.4^	(79.5-95.8)	34,857	89.5	(79.8-94.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	256,762	89.8	(85.5-93.0)	422,644	89.6	(86.8-91.8)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Erie County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	68,529	50.4	(41.1-59.7)	118,151	52.1	(45.5-58.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	51,219	52.6^	(41.2-63.6)	97,727	54.4	(47.0-61.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	68,529	50.4	(41.1-59.7)	118,151	52.1	(45.5-58.6)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	71,995	10.2	(7.8-13.1)	131,217	11.0	(9.4-13.0)
Age						
18-24		#		21,607	12.7	(6.9-22.3)
25-34	14,180	12.7	(6.5-23.4)	22,212	13.2	(8.4-20.2)
35-44	14,945	14.4	(8.4-23.4)	25,931	15.4	(10.9-21.2)
45-64	22,430	9.1	(6.3-13.1)	44,951	10.5	(8.5-13.1)
65+	9,517	6.6	(4.0-10.6)	16,476	6.8	(5.0-9.2)
Race						
White, NH	59,338	10.3	(7.7-13.8)	108,718	10.9	(9.0-13.0)
Black, NH	10,191	14.7^	(8.0-25.6)	14,244	15.8	(9.9-24.4)
Hispanic		#		5,382	9.6	(4.8-18.3)
Other, NH		#		2,874	6.5	(3.2-12.5)
Sex						
male	36,340	10.8	(7.1-16.1)	59,832	10.4	(7.9-13.6)
female	35,655	9.6	(7.0-13.0)	71,386	11.6	(9.5-14.0)
Age-adjusted ^{&}		10.8	(8.2-14.0)		11.7	(9.9-13.9)


Í

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



Erie County

Western NY

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	129,807	18.6	(15.8-21.9)	205,623	17.6	(15.7-19.8)
Age						
18-24	20,874	22.0^	(13.3-34.1)	43,355	25.9	(18.7-34.7)
25-34	32,087	29.0	(21.4-38.0)	42,241	25.2	(19.7-31.6)
35-44	24,723	24.4^	(15.4-36.3)	38,381	23.2	(17.0-31.0)
45-64	43,169	17.6	(13.3-22.9)	67,364	16.2	(13.3-19.5)
65+	7,665	5.6	(3.0-10.2)	12,994	5.5	(3.7-8.1)
Race						
White, NH	107,450	19.1	(15.8-22.8)	175,202	17.9	(15.8-20.3)
Black, NH	17,531	26.0^	(16.7-38.0)	21,921	25.3^	(17.1-35.7)
Hispanic		#		4,271	7.5	(3.4-15.7)
Other, NH		#		4,228	9.6	(4.7-18.5)
Sex						
male	79,350	23.8	(19.2-29.2)	127,670	22.7	(19.5-26.3)
female	50,458	13.9	(10.4-18.2)	77,952	12.9	(10.5-15.7)
Age-adjusted ^{&}		19.7	(16.5-23.3)		18.8	(16.5-21.3)


* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Erie Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



County

Erie

Western NY

	Enc county			Westerninn		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,439	34.9^	(22.9-49.1)	49,115	38.3	(30.3-47.0)
Age	ŗ		. ,	,		· · · ·
18-24		#			#	
25-34		#			#	
35-44		#		10,514	43.8^	(27.4-61.8)
45-64		#		16,205	36.3^	(26.8-47.1)
65+		#		1,696	10.7^	(4.0-25.6)
Race						
White, NH	16,654	28.6^	(16.4-45.1)	35,020	32.8	(24.4-42.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,581	43.6^	(30.1-58.1)
female	10,851	31.5^	(18.5-48.2)	23,535	33.8	(25.1-43.8)
Age-adjusted ^{&}		33.4^	(23.9-44.5)		38.0	(31.2-45.2)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.