eBRFSS 2013-2014 Health Indicators: Finger Lakes

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician-diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults with affidal nousehold income less than \$25,000 who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of a scientific and the second sec	
guidelines	20
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines	recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	recent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	recent2930313232
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	recent 29 31 32 33 34
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with colesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with a syears and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with a syears and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with colesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 418+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Women aged 18-44 years who saw a doctor for a routine checkup within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with atheritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years with flu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentag	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma. Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years whose health care coverage.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with atheritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years with flu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentag	recent

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*




		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	105,514	10.5	9.0	12.3	1,994,210	13.1	11.2	15.3
Age								
18-24	18,069	13.6	8.4	21.2	281,654	14.1^	7.5	25.1
25-34	23,656	15.2	10.8	21.1	537,866	19.7	14.2	26.6
35-44	18,598	12.5	8.5	17.9	423,154	17.0	12.3	23.0
45-64	35,930	10.1	7.9	12.8	596,074	11.9	9.8	14.3
65+	7,633	3.9	2.5	6.1	139,733	5.1	3.0	8.4
Race								
White, NH	78,405	9.9	8.3	11.7	959,531	10.5	8.7	12.7
Black, NH	11,314	14.5	8.2	24.2	335,184	15.5	10.0	23.4
Hispanic	8,090	15.4	9.2	24.8	465,114	18.4	14.5	23.0
Other, NH	7,706	10.2^	4.8	20.4	234,381	16.3^	7.3	32.6
Sex								
Male	46,595	9.7	7.5	12.3	890,677	12.3	9.6	15.5
Female	58,919	11.4	9.3	13.9	1,103,533	13.8	11.2	16.9
Age-adjusted ^{&}		11.0	9.3	12.9		13.6	11.6	15.8

^{*} Among people needing to see a doctor in the past 12 months

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults who have a regular health care provider




		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	891,951	89.5	87.7	91.0	12,905,860	84.9	83.1	86.6
Age								
18-24	98,637	75.1	65.5	82.8	1,486,954	76.3	69.8	81.8
25-34	124,962	80.4	74.7	85.1	1,983,479	72.3	66.1	77.7
35-44	130,769	88.1	82.8	91.9	2,091,488	84.7	79.6	88.7
45-64	336,849	94.7	92.7	96.1	4,450,345	88.6	85.5	91.1
65+	190,189	97.8	96.5	98.6	2,640,269	96.0	94.7	97.1
Race								
White, NH	717,170	90.5	88.8	92.0	7,996,007	88.0	86.6	89.3
Black, NH	64,548	83.7	73.7	90.4	1,926,090	89.0	83.6	92.7
Hispanic	40,023	77.2^	63.5	86.8	1,725,153	68.6	61.2	75.1
Other, NH	70,210	93.3	84.6	97.2	1,258,610	87.9	79.9	93.0
Sex								
Male	407,470	84.7	81.6	87.3	5,804,831	80.1	77.1	82.8
Female	484,481	94.0	92.0	95.5	7,101,029	89.3	87.0	91.3
Age-adjusted ^{&}		88.6	86.7	90.4		84.5	82.5	86.2

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults who had a dentist visit within the past year




		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	684,119	72.7	69.7	75.6	9,774,786	69.5	66.9	72.0
Age								
18-24	90,313	71.2^	57.6	81.8	1,100,494	62.2^	51.0	72.2
25-34	89,852	61.3	52.1	69.7	1,624,123	65.1	57.7	71.8
35-44	107,877	77.2	69.7	83.3	1,687,707	71.9	65.2	77.8
45-64	254,354	76.5	72.6	79.9	3,421,923	72.6	69.3	75.7
65+	136,480	72.9	67.8	77.5	1,743,883	69.8	66.0	73.4
Race								
White, NH	562,395	74.8	72.3	77.1	6,152,109	72.4	70.1	74.6
Black, NH	45,366	66.5	56.6	75.2	1,309,282	66.6	57.4	74.7
Hispanic	38,236	76.0^	62.5	85.8	1,435,933	62.9	55.3	70.0
Other, NH	38,122	54.6^	32.4	75.0	877,462	66.5	52.1	78.4
Sex								
Male	317,427	70.0	65.6	74.1	4,591,800	67.3	63.4	71.1
Female	366,693	75.2	70.9	79.1	5,182,986	71.6	68.1	74.8
Age-adjusted ^{&}		72.6	69.4	75.5		69.3	66.6	71.8

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults living with a disability*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
<u>-</u>	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	248,993	25.3	22.9	27.8	3,111,131	20.8	19.1	22.7
Age								
18-24	13,165	9.9	5.7	16.7	119,872	6.1	4.3	8.5
25-34	24,795	16.2	11.5	22.3	426,647	16.0	10.8	23.2
35-44	30,187	21.0	15.4	28.0	294,471	12.2	9.7	15.3
45-64	103,044	29.1	25.3	33.2	1,195,176	24.2	21.6	27.1
65+	74,769	39.3	34.1	44.7	989,611	36.8	33.1	40.6
Race								
White, NH	193,463	24.7	22.3	27.3	2,187,495	24.4	22.4	26.6
Black, NH	23,963	31.7	22.9	41.9	332,469	15.8	11.9	20.7
Hispanic	17,435	34.3^	23.4	47.2	420,342	17.0	12.7	22.5
Other, NH	14,132	18.8^	9.4	34.1	170,824	12.3	7.7	19.1
Sex								
Male	112,778	23.7	20.7	27.1	1,349,486	18.9	16.3	21.9
Female	136,215	26.7	23.3	30.5	1,761,645	22.6	20.4	24.9
Age-adjusted ^{&}		24.2	22.0	26.7		19.9	18.3	21.6


^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	694,148	87.8	85.7	89.6	10,275,389	85.2	82.8	87.3
Age ⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	546,972	89.1	87.0	90.9	6,192,415	90.1	88.8	91.3
Black, NH	54,874	83.7	75.1	89.8	1,606,586	87.9	82.0	92.1
Hispanic	37,833	76.4^	61.7	86.6	1,626,540	73.2	66.2	79.2
Other, NH	54,469	88.5^	75.0	95.2	849,849	74.5^	56.8	86.6
Sex								
Male	329,824	84.5	80.9	87.5	4,924,290	83.2	79.9	86.0
Female	364,324	91.0	88.6	93.0	5,351,099	87.2	83.4	90.2
Age-adjusted+,&								


[&]amp; Percent is age adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	501,658	63.5	59.9	66.9	8,622,736	70.9	68.1	73.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	387,058	63.1	59.7	66.4	4,721,851	68.7	65.8	71.4
Black, NH	52,686	79.2^	68.3	87.1	1,477,782	80.8	73.1	86.6
Hispanic	32,661	66.3^	51.9	78.3	1,583,308	71.1	63.6	77.6
Other, NH	29,253	47.7	25.7	70.6	839,795	68.4^	53.1	80.5
Sex								
Male	228,555	58.5	53.4	63.5	3,938,722	65.6	61.4	69.6
Female	273,103	68.3	63.6	72.6	4,684,014	76.0	72.3	79.4
Age-adjusted+,&								


[&]amp; Percent is age adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	314,889	34.4	31.5	37.4	5,967,540	43.4	40.8	46.1
Age								
18-24	32,879	32.4^	22.8	43.7	487,620	30.7	21.3	42.0
25-34	72,916	51.0	42.6	59.4	1,403,277	57.7	50.8	64.3
35-44	49,765	35.8	29.2	43.0	1,180,494	50.7	43.4	57.9
45-64	111,638	33.0	28.9	37.4	2,100,265	44.9	41.4	48.4
65+	42,474	23.1	17.9	29.3	688,870	27.8	23.8	32.1
Race								
White, NH	232,180	31.9	29.2	34.7	3,030,019	36.7	34.3	39.2
Black, NH	34,856	49.6^	39.3	60.0	1,078,432	55.5	46.2	64.3
Hispanic	18,970	38.4^	26.4	51.9	1,268,822	57.3	49.7	64.6
Other, NH	28,883	42.5	23.1	64.4	590,266	44.6^	31.2	58.9
Sex								
Male	141,970	32.0	27.8	36.6	2,630,128	40.1	36.1	44.2
Female	172,920	36.6	32.7	40.7	3,337,412	46.5	43.0	50.0
Age-adjusted ^{&}		35.1	32.2	38.2		43.7	41.0	46.5


^{*} Worried or stressed about having enough money to pay for rent or mortgage.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*




		Finger	Lakes			State	Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper		
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit		
Total	213,556	22.2	19.7	24.8	4,211,702	29.0	26.6	31.5		
Age										
18-24	27,370	21.4	15.0	29.6	339,128	17.9	13.5	23.3		
25-34	52,899	35.3	27.0	44.7	1,154,171	44.8	37.7	52.1		
35-44	36,748	26.0	20.2	32.8	786,490	33.0	26.3	40.4		
45-64	70,256	20.4	17.2	24.1	1,464,969	30.3	26.9	33.9		
65+	23,573	12.4	9.0	17.0	405,259	15.6	12.5	19.3		
Race										
White, NH	154,900	20.2	18.0	22.7	1,998,541	22.9	20.6	25.4		
Black, NH	27,276	37.2	28.1	47.4	765,155	37.2	29.3	45.7		
Hispanic	14,323	28.0^	18.4	40.2	1,031,787	43.4	36.2	50.8		
Other, NH	17,057	23.4^	9.5	47.1	416,220	30.4	20.2	42.9		
Sex										
Male	97,708	21.1	17.2	25.4	1,903,904	27.4	23.6	31.5		
Female	115,848	23.2	20.2	26.5	2,307,798	30.5	27.5	33.6		
Age-adjusted ^{&}		23.1	20.6	25.9		29.4	27.1	31.9		

^{*} Worried or stressed about having enough money to buy nutritious meals.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults with poor self-reported health



		Finger	Lakes		Statewide			
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	35,254	3.5	2.8	4.5	680,314	4.5	3.7	5.4
Age								
18-24		#			20,778	1.0	0.5	2.3
25-34		#			38,067	1.4	0.8	2.5
35-44		#			58,460	2.4	1.5	3.9
45-64	16,753	4.7	3.4	6.4	300,529	6.1	4.5	8.1
65+	11,921	6.1	4.4	8.5	248,637	9.1	6.9	12.0
Race								
White, NH	23,699	3.0	2.3	3.8	365,138	4.0	3.5	4.7
Black, NH	4,892	6.3	3.1	12.1	58,105	2.7	1.6	4.7
Hispanic	4,142	7.9^	3.2	18.0	213,536	8.4	5.3	13.2
Other, NH	2,522	3.4	1.3	8.5	43,535	3.0	1.4	6.4
Sex								
Male	19,535	4.1	2.9	5.6	298,899	4.1	3.1	5.5
Female	15,719	3.1	2.2	4.2	381,415	4.8	3.9	6.0
Age-adjusted ^{&}		3.3	2.6	4.3		4.3	3.6	5.1


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*




		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	113,479	11.6	10.0	13.5	1,717,941	11.8	10.5	13.1
Age								
18-24	6,519	4.9	1.9	12.4	59,108	3.1	1.9	5.1
25-34	11,848	7.9	5.0	12.3	184,980	7.0	4.8	10.0
35-44	13,334	9.1	5.5	14.7	176,691	7.2	5.2	9.9
45-64	53,981	15.3	12.4	18.8	763,670	15.8	13.5	18.5
65+	26,922	14.7	11.9	18.1	491,091	19.1	16.1	22.5
Race								
White, NH	91,151	11.7	10.0	13.8	1,043,432	11.8	10.7	13.0
Black, NH	10,140	13.4	8.2	21.4	188,315	9.3	6.3	13.5
Hispanic	8,112	16.1	9.8	25.5	372,059	16.0	11.5	21.9
Other, NH	4,076	5.6	2.7	11.2	114,135	8.1	4.7	13.7
Sex								
Male	53,813	11.3	9.0	14.1	722,008	10.3	8.7	12.3
Female	59,667	11.9	9.8	14.4	995,933	13.0	11.3	14.9
Age-adjusted ^{&}		11.2	9.6	13.0		11.3	10.1	12.5

^{*} Out of the past 30 days.

[&]amp; Percent is age adjusted to the 2000 United States Population.

Percentage of adults who are obese*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	254,425	27.0	24.4	29.8	3,527,077	24.9	23.0	26.9
Age								
18-24	16,808	13.5	7.9	22.1	318,556	17.8	11.7	26.0
25-34	43,074	29.7	21.3	39.6	509,101	20.8	16.8	25.4
35-44	41,076	28.7	22.4	36.0	573,976	24.7	20.0	30.1
45-64	100,327	30.0	26.3	34.1	1,452,755	30.5	27.5	33.7
65+	51,798	27.9	23.3	33.1	615,010	23.4	20.1	27.0
Race								
White, NH	195,881	26.2	23.8	28.8	2,139,878	25.0	23.2	26.9
Black, NH	25,307	34.7	26.0	44.5	638,079	30.7	24.2	38.1
Hispanic	17,493	34.1	22.9	47.5	622,984	28.0	21.8	35.1
Other, NH	15,744	22.5	8.5	47.8	126,136	9.6	6.3	14.4
Sex								
Male	131,663	27.7	23.8	32.0	1,782,686	25.3	22.5	28.3
Female	122,762	26.3	23.0	29.9	1,744,390	24.5	22.0	27.1
Age-adjusted ^{&}		27.2	24.5	30.1		24.6	22.7	26.6


^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	83,889	36.9	30.6	43.7	1,029,079	28.7	24.7	33.0
Age								
18-24	5,671	17.5^	7.9	34.3	88,578	21.3^	10.0	39.7
25-34	19,305	46.4^	25.9	68.2	177,054	26.6^	17.0	39.0
35-44	9,968	34.8^	22.0	50.3	165,333	28.8^	19.5	40.3
45-64	28,074	40.1	31.3	49.6	386,736	34.8	28.0	42.1
65+	20,012	37.5 [^]	28.1	48.0	190,291	24.4	18.8	31.1
Race								
White, NH	56,366	36.0	30.2	42.2	500,787	30.3	25.6	35.4
Black, NH	10,712	30.8^	20.0	44.3	165,021	25.3^	16.7	36.3
Hispanic		#			287,948	30.1^	21.1	41.0
Other, NH	10,722	55.3^	20.0	85.9	75,322	23.1	12.4	39.0
Sex								
Male	38,883	32.8^	23.0	44.5	386,764	23.8	18.1	30.5
Female	45,006	41.3	34.4	48.7	642,314	32.7	27.6	38.3
Age-adjusted ^{&}		36.7	30.6	43.3		28.5	24.3	33.0

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	90,664	38.5	33.5	43.7	1,093,091	36.9	32.7	41.3
Age								
18-24		#			18,440	16.5^	9.8	26.5
25-34	7,827	35.1^	21.1	52.2	122,752	31.0^	16.7	50.1
35-44	10,209	34.6^	21.2	50.8	109,843	39.7	30.4	49.8
45-64	43,860	45.1	37.3	53.1	535,031	45.9	39.5	52.5
65+	25,854	36.6	28.1	46.1	283,502	30.3	25.2	36.1
Race								
White, NH	68,651	37.7	32.3	43.4	698,173	33.3	29.0	37.8
Black, NH		#			188,077	58.3	44.8	70.6
Hispanic		#			170,166	46.0^	30.4	62.5
Other, NH		#			36,674	21.7	12.1	35.9
Sex								
Male	40,686	36.9	30.2	44.1	430,886	32.6	26.2	39.7
Female	49,978	40.0	32.9	47.5	662,205	40.4	35.1	45.8
Age-adjusted ^{&}		35.8	30.4	41.6		35.4	31.0	40.0


^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults overweight or obese*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
<u>-</u>	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	581,065	61.8	58.6	64.8	8,631,360	60.9	58.4	63.3
Age								
18-24	41,425	33.2^	23.5	44.5	656,771	36.6	28.8	45.2
25-34	83,868	57.7	49.6	65.5	1,528,245	62.4	55.9	68.4
35-44	83,850	58.6	50.5	66.3	1,362,541	58.6	50.8	66.0
45-64	241,793	72.4	68.0	76.4	3,335,153	70.0	66.8	73.1
65+	125,252	67.6	62.1	72.6	1,632,723	62.1	58.1	65.9
Race								
White, NH	471,523	63.1	60.2	66.0	5,260,942	61.5	59.3	63.5
Black, NH	49,324	67.6^	57.0	76.7	1,520,031	73.1	63.8	80.7
Hispanic	33,809	65.9^	50.0	78.9	1,346,413	60.5	52.9	67.5
Other, NH	26,409	37.8	20.1	59.5	503,974	38.4	28.1	49.9
Sex								
Male	329,186	69.4	65.4	73.1	4,736,847	67.1	63.2	70.8
Female	251,879	54.0	49.3	58.6	3,894,512	54.7	51.4	57.9
Age-adjusted ^{&}		60.8	57.7	63.8		60.5	57.9	63.0


^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	703,242	72.6	69.5	75.6	10,681,161	72.8	70.6	74.9
Age								
18-24	97,421	75.5^	60.0	86.3	1,601,630	84.1	78.5	88.5
25-34	106,989	71.1^	60.7	79.7	1,900,064	73.1	67.1	78.4
35-44	105,857	74.8	66.9	81.3	1,722,858	71.5	63.8	78.1
45-64	256,126	73.8	69.9	77.4	3,443,881	70.8	67.5	73.8
65+	128,648	67.9	62.3	73.0	1,840,519	69.5	66.1	72.7
Race								
White, NH	588,978	76.4	73.9	78.8	6,662,678	75.8	74.0	77.4
Black, NH	53,055	72.5	63.6	79.9	1,525,317	73.8	66.8	79.7
Hispanic	33,495	65.3^	52.7	76.0	1,507,430	62.4	55.4	68.9
Other, NH	27,713	38.0^	22.0	57.0	985,735	70.6^	56.9	81.3
Sex								
Male	346,071	74.1	69.7	78.0	5,439,883	77.3	74.6	79.8
Female	357,171	71.3	66.6	75.6	5,241,278	68.6	65.3	71.7
Age-adjusted ^{&}		72.7	69.4	75.9		72.9	70.5	75.1


^{*} Any physical activities or exercises such as running or walking

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*




		Finger	Lakes			State	wide	Upper 95% limit 26.3 46.7 36.4 40.3 20.5 16.9 22.8 43.0 36.8 35.5	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	214,679	22.5	19.9	25.3	3,402,766	23.8	21.5	26.3	
Age									
18-24	55,277	43.6^	31.8	56.0	670,630	36.9	28.0	46.7	
25-34	35,087	23.6	18.5	29.7	733,289	28.9	22.5	36.4	
35-44	34,865	24.9	19.2	31.6	769,136	32.4	25.4	40.3	
45-64	57,660	16.9	13.8	20.6	839,390	17.6	15.0	20.5	
65+	30,644	16.3	12.8	20.6	348,734	13.7	11.1	16.9	
Race									
White, NH	150,493	19.8	17.6	22.2	1,754,487	20.4	18.3	22.8	
Black, NH	22,275	31.3^	22.6	41.4	671,592	33.6	25.4	43.0	
Hispanic	15,272	30.5	19.3	44.5	700,337	29.8	23.7	36.8	
Other, NH	26,640	36.6	18.8	59.1	276,350	20.4^	10.6	35.5	
Sex									
Male	120,224	26.1	22.7	29.8	1,782,648	26.0	22.5	29.8	
Female	94,456	19.2	15.4	23.6	1,620,118	21.8	18.7	25.3	
Age-adjusted ^{&}		23.2	20.7	26.0		24.7	22.2	27.4	

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults who consume fast-food three or more times per week




		Finger	Lakes			State	wide	Upper 95% limit 6.9 13.6 14.2 6.3 7.4 2.7 5.9 9.3 16.0 5.5 10.3 4.8	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	58,515	6.2	5.0	7.7	817,815	5.8	4.8	6.9	
Age									
18-24	16,427	12.9	7.6	20.9	172,464	9.7	6.9	13.6	
25-34	9,670	6.5	3.9	10.9	252,437	10.0	6.9	14.2	
35-44	5,131	3.7	2.0	6.7	106,397	4.5	3.2	6.3	
45-64	20,550	6.2	4.2	8.9	234,582	5.0	3.3	7.4	
65+	6,737	3.6	2.4	5.6	47,255	1.9	1.3	2.7	
Race									
White, NH	39,988	5.3	4.1	6.8	433,016	5.1	4.4	5.9	
Black, NH	7,235	10.4	5.5	18.9	122,943	6.2	4.1	9.3	
Hispanic	6,059	12.1^	5.1	25.9	219,779	9.6	5.6	16.0	
Other, NH	5,233	7.4^	2.8	18.0	42,077	3.2	1.8	5.5	
Sex									
Male	43,869	9.7	7.5	12.5	560,514	8.2	6.6	10.3	
Female	14,646	3.0	2.0	4.5	257,301	3.5	2.6	4.8	
Age-adjusted ^{&}		6.1	4.9	7.6		5.9	4.9	7.0	

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed diabetes*




		Finger	Lakes			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total Age	100,031	10.0	8.7	11.5	1,456,783	9.5	8.4	10.8
18-24		#			8,338	0.4	0.2	0.8
25-34	7,103	4.6	2.5	8.4	58,319	2.1	0.8	5.5
35-44	6,332	4.3	2.4	7.6	111,205	4.5	2.5	7.7
45-64	47,349	13.3	10.8	16.3	714,501	14.2	11.9	16.9
65+	38,439	19.6	16.4	23.3	525,500	19.1	16.3	22.2
Race								
White, NH	70,994	8.9	7.7	10.3	781,028	8.6	7.6	9.6
Black, NH	17,328	22.6	15.2	32.3	250,921	11.6	8.2	16.2
Hispanic	6,956	13.5	8.0	21.9	296,635	11.6	7.7	17.0
Other, NH	4,753	6.3	2.5	15.0	128,200	8.9	5.4	14.4
Sex								
Male	50,941	10.6	8.7	12.8	795,054	10.9	9.0	13.1
Female	49,090	9.5	7.8	11.5	661,729	8.3	7.0	9.7
		0.4		40.5				40.4
Age-adjusted ^{&}		9.1	8.0	10.5		8.9	7.9	10.1

^{*} As diagnosed by a health professional.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are current smokers




		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	170,861	17.4	15.5	19.6	2,311,528	15.6	14.0	17.4
Age								
18-24	25,688	19.3	12.8	28.2	254,033	13.0	9.8	17.0
25-34	40,770	26.8	21.3	33.1	524,783	19.7	14.3	26.7
35-44	27,819	19.5	14.0	26.5	427,187	17.6	13.3	23.0
45-64	61,479	17.5	14.6	20.8	937,977	19.2	16.7	22.1
65+	14,504	7.6	5.5	10.5	149,820	5.7	4.7	6.8
Race								
White, NH	134,960	17.4	15.3	19.6	1,598,923	18.1	16.0	20.3
Black, NH	20,478	26.8^	18.6	37.0	314,837	15.0	10.0	21.7
Hispanic	6,643	12.9	7.7	20.9	303,908	12.4	8.8	17.1
Other, NH	8,780	11.8^	5.6	23.2	93,860	6.7	4.3	10.3
Sex								
Male	95,560	20.3	17.2	23.8	1,331,531	18.8	15.9	22.1
Female	75,301	14.8	12.6	17.4	979,997	12.7	11.1	14.4
Age-adjusted ^{&}		18.2	16.1	20.5		15.9	14.1	17.7

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	69,503	29.6	24.7	34.9	910,061	23.6	19.2	28.7
Age								
18-24	14,247	40.5^	26.5	56.2	84,893	16.1	9.8	25.4
25-34	16,608	37.7	22.9	55.2	254,993	32.7	18.8	50.6
35-44	9,252	33.3^	19.5	50.8	141,275	24.5	15.5	36.5
45-64	23,452	32.4	24.6	41.5	354,621	31.5	24.7	39.1
65+	5,766	10.6	6.7	16.2	63,044	7.9	5.6	11.0
Race								
White, NH	48,760	29.6	24.4	35.3	562,213	32.6	25.7	40.3
Black, NH	15,001	43.1^	29.3	58.0	187,054	28.1^	17.8	41.4
Hispanic		#			119,918	11.3	7.1	17.6
Other, NH	3,255	16.8^	5.4	41.5	40,876	10.0	5.0	19.2
Sex								
Male	36,273	31.2	23.4	40.3	507,987	30.0	21.9	39.5
Female	33,230	27.9	22.4	34.1	402,073	18.6	14.7	23.3
Age-adjusted ^{&}		30.9	25.5	36.9		24.2	20.0	28.9


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	25,688	19.3	12.8	28.2	254,033	13.0	9.8	17.0
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	18,243	21.5	14.1	31.5	188,030	19.4	14.8	25.2
Black, NH		#			21,086	6.1	2.8	13.1
Hispanic		#			33,121	9.8^	4.6	19.9
Other, NH		#			11,797	3.8	1.4	10.0
Sex								
Male	13,906	22.2^	13.2	34.9	153,298	15.5	10.7	21.8
Female	11,783	16.8^	8.6	30.1	100,736	10.4	6.6	16.0
Age-adjusted ^{+,&}								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



		Finger	Lakes			State	wide	
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total Age ⁺ 18-24 25-34	156,901	82.4	78.1	86.0	2,225,651	80.9	77.7	83.7
35-44 45-64 65+ Race								
White, NH Black, NH Hispanic Other, NH Sex	136,370	83.2 # # #	78.8	86.8	1,417,374 347,690 309,667 150,920	79.0 87.0 [^] 83.8 [^] 79.7 [^]	75.9 73.4 70.9 61.2	81.8 94.3 91.6 90.7
Male Female	156,901	# 82.4	78.1	86.0	2,225,651	# 80.9	77.7	83.7

^{*} Mammogram within past 2 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}wedge}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	32,858	75.7^	65.5	83.6	554,880	76.7	69.6	82.6
Age ⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	24,468	77.6	68.5	84.7	232,138	66.5	57.9	74.1
Black, NH		#			139,053	95.4	89.6	98.1
Hispanic		#			134,524	82.0^	61.8	92.7
Other, NH		#			49,165	76.3^	44.1	93.0
Sex								
Male		#				#		
Female	32,858	75.7	65.5	83.6	554,880	76.7	69.6	82.6
Age-adjusted ^{+,&}								

^{*} Mammogram within past 2 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	287,036	83.6	80.3	86.4	4,362,995	80.6	75.7	84.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	236,785	84.1	80.7	87.0	2,640,598	84.5	82.2	86.6
Black, NH	23,521	86.1^	71.0	94.0	711,417	84.5^	72.6	91.8
Hispanic	12,743	79.7^	63.4	89.9	684,308	78.0^	66.2	86.6
Other, NH		#			326,671	57.1	31.0	79.8
Sex								
Male		#				#		
Female	287,036	83.6	80.3	86.4	4,362,995	80.6	75.7	84.7
Age-adjusted+,&								

^{*} Pap test within past 3 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}wedge}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	55,266	73.1	65.6	79.5	1,068,153	75.3^	63.2	84.4
Age ⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	37,702	73.2	64.7	80.2	433,489	74.8	68.6	80.2
Black, NH		#			283,693	93.7	87.8	96.8
Hispanic		#			292,551	77.4^	61.6	88.0
Other, NH		#			58,419	36.7	8.5	78.5
Sex								
Male		#				#		
Female	55,266	73.1	65.6	79.5	1,068,153	75.3^	63.2	84.4
Age-adjusted ^{+,&}								

^{*} Pap test within past 3 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	250,507	69.3	65.3	73.0	3,471,945	69.3	66.3	72.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	218,863	70.7	66.5	74.6	2,335,990	70.4	67.9	72.7
Black, NH	18,387	75.8^	61.6	86.0	514,345	69.6^	57.5	79.4
Hispanic		#			416,087	70.6^	58.4	80.4
Other, NH	9,650	51.4	30.2	72.2	205,524	57.4^	39.9	73.2
Sex								
Male	116,224	69.1	62.9	74.7	1,545,645	66.8	62.1	71.2
Female	134,284	69.5	64.2	74.3	1,926,301	71.5	67.5	75.2
Age-adjusted+,&								

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}wedge}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	51,562	66.4	59.0	73.2	736,005	61.4	54.7	67.7
Age ⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	38,437	68.1	60.3	74.9	345,064	57.6	51.4	63.7
Black, NH		#			155,775	60.0^	38.7	78.0
Hispanic		#			187,721	75.1^	60.9	85.4
Other, NH		#			47,444	52.8	29.9	74.5
Sex								
Male	21,576	64.5^	53.7	74.1	253,900	51.4	41.0	61.6
Female	29,986	67.9 [^]	57.5	76.7	482,104	68.5	60.2	75.7
Age-adjusted ^{+,&}								

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years




		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	473,695	54.6	51.3	57.9	7,849,939	58.7	56.0	61.5
Age								
18-24	26,476	20.7	14.1	29.4	503,420	26.8	20.2	34.6
25-34	60,826	42.3	34.5	50.4	1,337,915	51.0	44.1	57.9
35-44	68,543	50.5	42.7	58.3	1,475,455	63.3	56.2	69.9
45-64	205,917	68.5	63.9	72.9	2,822,324	68.0	64.3	71.4
65+	106,367	71.4	66.0	76.3	1,541,702	71.4	66.8	75.6
Race								
White, NH	397,203	57.1	54.1	60.2	4,823,563	61.0	58.6	63.4
Black, NH	32,135	55.7^	44.5	66.3	1,240,630	65.1	55.4	73.7
Hispanic	21,736	48.1^	33.4	63.1	1,203,330	53.5	46.1	60.8
Other, NH	22,622	32.5	17.6	52.2	582,416	44.7	31.9	58.2
Sex								
Male	220,518	52.8	48.1	57.4	3,534,063	56.3	52.1	60.4
Female	253,177	56.3	51.5	61.0	4,315,875	60.9	57.2	64.5
Age-adjusted ^{&}		54.1	51.2	57.0		59.1	56.6	61.6

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults with physician-diagnosed prediabetes




		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
<u>-</u>	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	49,926	5.6	4.5	7.0	783,799	5.8	4.6	7.2
Age								
18-24		#			57,540	2.9	0.7	10.7
25-34	2,644	1.8	0.9	3.7	43,246	1.6	1.0	2.7
35-44	5,077	3.6	1.7	7.7	198,127	8.5	4.4	16.0
45-64	23,774	7.9	5.9	10.5	283,693	6.7	5.3	8.5
65+	15,665	10.3	7.2	14.4	171,261	7.8	6.2	9.9
Race								
White, NH	42,109	5.9	4.7	7.5	489,253	6.0	4.8	7.4
Black, NH	4,034	7.0	3.0	15.7	96,242	5.2	2.9	9.2
Hispanic		#			81,294	3.6	1.8	7.2
Other, NH		#			117,011	8.9^	3.2	22.3
Sex								
Male	25,274	6.0	4.3	8.2	377,968	5.9	4.1	8.5
Female	24,651	5.3	3.9	7.2	405,832	5.6	4.3	7.3
Age-adjusted ^{&}		5.5	4.4	6.9		5.9	4.6	7.5

[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults with physician-diagnosed high blood pressure




		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	314,920	31.7	29.2	34.2	4,323,615	28.3	26.5	30.3
Age								
18-24	8,315	6.4	3.1	12.6	103,520	5.2	3.3	8.0
25-34	20,783	13.5	9.7	18.4	299,126	10.9	7.8	15.0
35-44	29,430	19.8	14.6	26.2	470,752	18.9	14.1	24.8
45-64	134,360	37.8	33.7	42.1	1,715,223	34.1	31.2	37.2
65+	118,288	60.8	55.4	66.0	1,654,516	60.4	56.5	64.2
Race								
White, NH	256,263	32.3	29.8	34.9	2,701,979	29.7	28.0	31.4
Black, NH	32,880	44.2	34.8	54.0	740,669	34.2	27.2	42.0
Hispanic	14,927	28.5^	19.0	40.3	609,542	23.8	18.7	29.9
Other, NH	10,850	14.4^	7.9	25.0	271,424	18.9	12.7	27.1
Sex								
Male	158,361	33.0	29.5	36.6	2,116,294	29.0	26.2	32.1
Female	156,559	30.4	27.1	33.9	2,207,320	27.7	25.3	30.2
Age-adjusted ^{&}		29.3	27.1	31.5		27.3	25.6	29.1

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication




		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	243,314	77.3	73.4	80.8	3,243,246	75.2	71.5	78.5
Age								
18-24		#			8,688	8.4	3.9	17.4
25-34	5,688	27.4^	15.6	43.5	96,762	32.4^	18.9	49.5
35-44	16,627	56.5	40.3	71.4	186,971	39.7	26.7	54.3
45-64	108,563	80.8	74.8	85.7	1,395,152	81.6	77.8	84.9
65+	108,613	91.9	88.6	94.3	1,497,501	90.8	86.9	93.6
Race								
White, NH	196,305	76.7	72.2	80.6	2,081,796	77.4	74.1	80.3
Black, NH	27,437	83.4^	71.8	90.9	552,688	74.6^	60.0	85.3
Hispanic		#			420,934	69.1^	56.3	79.5
Other, NH		#			187,828	69.2^	50.8	83.0
Sex								
Male	113,745	71.9	66.0	77.1	1,525,386	72.2	66.5	77.2
Female	129,569	82.8	77.4	87.2	1,717,859	78.1	73.2	82.4
Age-adjusted ^{&}		58.7	53.6	63.6		55.6	51.1	60.0

[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percentage of adults with current asthma*




		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	112,310	11.3	9.6	13.3	1,520,940	10.0	8.9	11.3
Age								
18-24	20,356	15.3	8.9	25.2	170,340	8.6	6.2	11.8
25-34	20,425	13.3	9.3	18.6	322,447	11.7	8.2	16.4
35-44	13,324	9.1	5.4	15.0	240,590	9.7	7.1	13.0
45-64	40,947	11.6	9.0	14.7	551,257	11.1	9.3	13.3
65+	15,560	8.0	5.9	10.6	222,952	8.1	6.5	10.1
Race								
White, NH	81,926	10.4	8.7	12.4	946,198	10.4	9.1	11.9
Black, NH	11,764	15.4	9.3	24.3	199,011	9.2	6.5	12.9
Hispanic	7,513	14.3	8.6	23.0	283,809	11.3	7.9	16.0
Other, NH	11,106	14.8^	6.3	30.8	91,921	6.4	4.0	10.0
Sex								
Male	41,563	8.7	6.6	11.3	504,039	7.0	5.6	8.6
Female	70,747	13.8	11.2	16.8	1,016,901	12.8	11.1	14.8
Age-adjusted ^{&}		11.2	9.4	13.3		10.1	8.9	11.4

^{*} Physician diagnosed asthma.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Percent of adults with cholesterol checked*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	798,681	82.4	79.3	85.0	12,572,076	84.2	81.7	86.3
Age								
18-24	49,911	42.6^	31.0	55.0	891,216	49.0	39.4	58.6
25-34	95,361	64.6	55.3	72.9	1,896,541	71.3	63.9	77.7
35-44	117,490	80.4	73.0	86.1	2,197,539	88.9	85.0	91.8
45-64	336,574	95.0	93.5	96.3	4,694,424	93.8	91.2	95.6
65+	188,822	97.7	96.4	98.5	2,641,873	97.2	95.8	98.2
Race								
White, NH	646,121	83.9	81.6	86.0	7,746,530	87.0	84.7	89.0
Black, NH	59,974	80.5^	70.4	87.8	1,730,762	81.9	73.0	88.3
Hispanic	42,285	84.3^	74.0	91.0	1,923,116	77.3	70.1	83.1
Other, NH	50,300	67.0 [^]	41.4	85.4	1,171,667	81.9^	67.3	90.8
Sex								
Male	375,301	80.0	75.5	83.8	5,864,748	82.0	78.2	85.2
Female	423,380	84.6	80.3	88.1	6,707,327	86.2	82.9	88.9
Age-adjusted ^{&}		80.0	77.1	82.5		83.4	81.2	85.4


^{*} As diagnosed by a health professional.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



		Finger	Lakes		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	300,637	37.9	35.0	40.9	4,711,105	37.7	35.4	40.1
Age								
18-24		#			124,288	14.0	8.0	23.2
25-34	17,828	18.8	12.5	27.2	435,898	23.0	16.9	30.5
35-44	30,289	25.8	19.3	33.5	620,994	28.3	22.0	35.6
45-64	139,330	41.7	37.3	46.4	2,009,889	43.1	39.8	46.4
65+	102,175	54.6	49.2	60.0	1,439,336	55.4	51.3	59.4
Race								
White, NH	241,155	37.6	34.7	40.6	3,102,928	40.3	38.2	42.4
Black, NH	23,513	39.5^	29.4	50.5	561,511	33.1	25.6	41.6
Hispanic	15,023	35.5	23.3	50.0	727,074	37.8	30.7	45.5
Other, NH	20,947	41.7	24.0	61.8	319,592	27.3	18.7	38.1
Sex								
Male	151,064	40.6	36.4	44.9	2,369,080	40.5	37.0	44.3
Female	149,573	35.6	31.6	39.7	2,342,025	35.2	32.4	38.2
Age-adjusted ^{&}		32.7	29.1	36.6		34.5	32.1	37.0

^{*} As diagnosed by a health professional.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



		Finger	Lakes			Percent 95% limit 95% limit 95 10.2 8.5 12.2 69 2.9 1.4 6.1		
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	51,667	10.0	7.8	12.8	713,905	10.2	8.5	12.2
Age								
18-24		#			11,969	2.9	1.4	6.1
25-34		#			137,115	17.9^	9.2	31.8
35-44	3,726	6.8	3.1	14.2	51,465	6.0	3.8	9.2
45-64	26,449	12.7	9.1	17.5	282,601	10.2	8.0	13.0
65+	12,705	8.1	5.8	11.2	208,847	10.1	8.0	12.7
Race								
White, NH	34,619	8.2	6.3	10.7	398,657	8.8	7.0	11.1
Black, NH	6,746	15.1^	8.2	26.3	143,698	14.2	9.5	20.7
Hispanic		#			92,991	8.7	4.5	16.4
Other, NH	8,215	31.5	12.6	59.6	78,559	19.0^	10.4	32.2
Sex								
Male	23,976	9.8	6.9	13.9	324,668	10.2	7.7	13.4
Female	27,691	10.2	7.2	14.2	389,237	10.2	8.0	12.9
Age-adjusted ^{&}		9.5	6.8	13.3		9.7	7.7	12.3

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Finger Lakes Prevent Chronic Diseases

Percentage of adults with arthritis*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	273,908	27.5	25.1	30.0	3,491,206	22.9	21.3	24.6
Age								
18-24		#			40,067	2.0	1.1	3.6
25-34	11,753	7.6	4.9	11.6	228,246	8.3	5.9	11.7
35-44	27,015	18.2	12.9	25.1	323,152	12.9	9.4	17.5
45-64	122,234	34.4	30.2	38.9	1,465,151	29.2	26.5	32.1
65+	107,901	55.4	50.3	60.3	1,353,867	49.3	45.4	53.2
Race								
White, NH	230,014	29.0	26.4	31.7	2,474,787	27.2	25.6	28.9
Black, NH	21,965	28.9	21.1	38.3	400,524	18.5	13.4	24.9
Hispanic	10,718	20.5	13.4	30.1	460,563	18.0	13.6	23.4
Other, NH	11,212	14.9^	6.7	29.9	155,331	10.8	7.2	15.8
Sex								
Male	118,312	24.6	21.3	28.2	1,258,898	17.3	15.2	19.6
Female	155,596	30.1	26.7	33.8	2,232,309	28.0	25.7	30.4
Age-adjusted ^{&}		25.3	23.2	27.5		21.8	20.3	23.3

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}wedge}$ Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity




		Finger	Lakes			State	wide	ower Upper		
	Est. # of		Lower	Upper	Est. # of		Lower	Upper		
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit		
Total	897,106	93.4	92.0	94.6	13,107,891	91.3	89.8	92.6		
Age										
18-24	114,680	89.2	81.1	94.1	1,641,319	87.9	80.9	92.5		
25-34	134,928	90.1	85.9	93.2	2,218,379	86.6	80.9	90.8		
35-44	134,641	95.3	92.3	97.2	2,218,331	93.4	90.6	95.4		
45-64	326,991	94.9	93.0	96.3	4,372,743	92.2	90.1	93.9		
65+	176,297	94.4	92.1	96.1	2,447,810	94.7	92.7	96.1		
Race										
White, NH	723,466	94.7	93.4	95.8	8,055,698	93.1	91.7	94.3		
Black, NH	58,381	80.4^	70.2	87.8	1,798,763	89.3	83.3	93.4		
Hispanic	45,612	89.3	79.9	94.6	1,963,304	84.3	78.2	89.0		
Other, NH	69,648	95.6	90.2	98.0	1,290,125	94.0	88.9	96.9		
Sex										
Male	435,275	93.9	91.7	95.5	6,375,291	92.5	90.3	94.3		
Female	461,832	92.9	91.0	94.5	6,732,600	90.1	87.9	91.9		
Age-adjusted ^{&}		93.3	91.9	94.5		91.3	89.8	92.6		

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	57,486	30.5	25.8	35.7	802,383	30.8	27.3	34.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	43,381	26.6	22.9	30.7	600,059	31.3	28.3	34.5
Black, NH		#			61,485	22.9^	12.6	38.1
Hispanic		#			96,513	39.1^	21.8	59.7
Other, NH		#			44,326	25.2	12.2	45.0
Sex								
Male	26,845	31.6	25.8	38.1	324,764	30.4	25.5	35.7
Female	30,641	29.6	22.7	37.6	477,619	31.1	26.4	36.2
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environments

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	19,362	33.9	26.1	42.8	304,376	38.3	32.2	44.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	16,678	38.8	31.4	46.7	223,708	37.6	32.1	43.4
Black, NH		#			33,030	53.7	28.5	77.2
Hispanic		#			31,933	34.1	11.7	66.8
Other, NH		#			15,705	35.4^	12.0	68.8
Sex								
Male	8,530	32.0^	22.0	43.9	103,371	32.2	24.1	41.5
Female	10,832	35.6^	24.2	49.0	201,005	42.5	33.9	51.5
Age-adjusted+,&								

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	106,026	32.9	28.9	37.2	1,662,747	37.3	34.0	40.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	83,817	31.1	26.9	35.6	957,863	33.7	31.0	36.4
Black, NH	14,865	57.1	40.3	72.4	347,642	52.3	40.1	64.2
Hispanic		#			270,194	44.2^	31.2	58.1
Other, NH		#			87,049	26.2^	15.7	40.4
Sex								
Male	56,263	36.6	30.6	43.1	929,342	43.4	38.2	48.7
Female	49,763	29.6	24.4	35.3	733,405	31.7	27.6	36.1
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Finger Lakes Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	556,353	57.7	54.7	60.6	6,798,706	46.7	44.3	49.2
Age								
18-24	52,329	40.8^	30.1	52.4	600,414	31.7	23.4	41.5
25-34	65,604	43.6	35.2	52.4	907,897	35.3	29.0	42.1
35-44	69,933	49.5	41.8	57.1	981,422	41.1	33.9	48.6
45-64	205,087	59.5	55.2	63.7	2,282,268	47.4	44.1	50.8
65+	157,801	83.2	80.0	85.9	1,895,586	72.1	67.9	75.9
Race								
White, NH	443,049	57.6	54.7	60.4	4,296,522	49.3	47.1	51.5
Black, NH	40,970	57.1	47.0	66.7	718,122	35.0	27.6	43.3
Hispanic	30,516	59.7	46.2	71.9	971,941	40.8	34.1	47.8
Other, NH	41,817	57.3	35.8	76.4	812,120	58.5	45.1	70.7
Sex								
Male	260,048	55.9	51.8	60.0	3,045,064	43.8	40.1	47.5
Female	296,305	59.3	54.9	63.5	3,753,643	49.5	46.2	52.8
Age-adjusted ^{&}		56.0	52.9	59.1		46.0	43.4	48.6


^{*} Includes flu shot or flu spray

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	157,801	83.2	80.0	85.9	1,895,586	72.1	67.9	75.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	136,667	83.2	80.1	85.9	1,484,360	76.9	73.9	79.6
Black, NH		#			103,016	38.4^	23.8	55.5
Hispanic		#			170,589	69.0^	47.8	84.3
Other, NH		#			137,621	75.2^	51.4	89.7
Sex								
Male	72,669	85.0	80.9	88.3	802,715	73.9	67.7	79.3
Female	85,131	81.7	76.8	85.8	1,092,871	70.8	65.0	76.0
Age-adjusted+,&								

^{*} Includes flu shot or flu spray

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}wedge}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	135,060	74.0	68.5	78.8	1,617,276	65.1	60.7	69.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	122,920	78.0	74.0	81.6	1,303,462	71.4	68.1	74.4
Black, NH		#			123,843	48.9^	30.2	67.8
Hispanic		#			104,466	45.7	27.5	65.3
Other, NH		#			85,505	48.1^	27.7	69.2
Sex								
Male	56,221	68.3	61.1	74.7	631,549	62.4	56.7	67.7
Female	78,839	78.7	70.1	85.3	985,727	66.9	60.5	72.7
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	158,478	76.1	67.5	83.1	2,268,176	70.7	64.0	76.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	120,797	78.0	71.5	83.4	1,155,302	73.5	68.1	78.3
Black, NH		#			426,771	78.8^	61.7	89.5
Hispanic		#			412,421	62.2^	48.3	74.4
Other, NH		#			273,683	63.0^	30.7	86.8
Sex								
Male		#				#		
Female	158,478	76.1	67.5	83.1	2,268,176	70.7	64.0	76.5
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
r	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	135,013	61.9	54.3	68.9	2,615,375	72.5	66.5	77.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	99,001	61.6	54.7	68.1	1,220,281	70.1	65.1	74.6
Black, NH		#			512,270	83.8^	68.8	92.4
Hispanic		#			606,739	76.3^	64.1	85.3
Other, NH		#			276,085	60.1	30.5	83.8
Sex								
Male		#				#		
Female	135,013	61.9	54.3	68.9	2,615,375	72.5	66.5	77.8
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



		Finger	Lakes			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	364,324	91.0	88.6	93.0	5,351,099	87.2	83.4	90.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	282,703	91.1	88.4	93.2	3,178,979	91.6	90.0	93.0
Black, NH	28,417	85.7	74.1	92.6	916,108	93.3	88.7	96.1
Hispanic	16,002	91.5^	74.4	97.5	807,553	76.0	66.5	83.5
Other, NH	37,203	94.7	84.6	98.3	448,460	71.8^	43.3	89.5
Sex								
Male		#				#		
Female	364,324	91.0	88.6	93.0	5,351,099	87.2	83.4	90.2
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Finger Lakes				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	89,890	43.1	35.9	50.6	1,268,971	39.3	33.7	45.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	72,684	46.8	39.7	54.0	723,302	45.9	41.1	50.9
Black, NH		#			291,237	53.7	35.5	71.0
Hispanic		#			192,904	28.5^	19.0	40.3
Other, NH		#			61,528	14.1^	6.5	27.9
Sex								
Male		#				#		
Female	89,890	43.1	35.9	50.6	1,268,971	39.3	33.7	45.2
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month




	Finger Lakes				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	120,784	12.3	10.6	14.2	1,672,677	11.3	9.7	13.0
Age								
18-24	18,248	13.9	8.2	22.4	186,862	9.5	6.7	13.1
25-34	21,945	14.4	10.5	19.4	418,716	15.7	10.2	23.4
35-44	17,847	12.2	8.1	18.0	259,463	10.5	7.0	15.4
45-64	50,391	14.4	11.5	17.7	587,164	12.1	10.3	14.2
65+	11,819	6.3	4.5	8.7	175,961	6.7	4.9	9.0
Race								
White, NH	90,447	11.6	9.9	13.6	1,072,012	12.0	10.2	14.2
Black, NH	12,561	16.5	10.8	24.5	237,227	11.2	7.0	17.5
Hispanic	9,450	18.5^	11.2	29.0	264,437	11.0	7.1	16.6
Other, NH	8,325	11.1^	4.0	27.3	99,001	7.0	3.9	12.2
Sex								
Male	49,351	10.4	8.2	13.2	734,315	10.4	7.9	13.5
Female	71,433	14.1	11.7	16.9	938,362	12.1	10.2	14.2
Age-adjusted ^{&}		12.5	10.7	14.5		11.1	9.6	13.0

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Finger Lakes				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	154,347	16.1	14.1	18.4	2,413,447	16.9	14.9	19.1
Age								
18-24	32,152	24.8	17.7	33.6	515,466	27.1	19.4	36.6
25-34	37,099	24.8	19.2	31.4	633,963	25.0	18.9	32.3
35-44	26,167	18.7	12.6	26.7	509,131	22.6	17.2	29.1
45-64	52,235	15.2	12.0	19.1	656,578	13.7	11.7	16.0
65+	5,899	3.2	2.2	4.5	86,636	3.4	2.7	4.2
Race								
White, NH	129,788	17.1	14.7	19.6	1,649,594	19.1	17.0	21.5
Black, NH	8,750	12.2	7.4	19.5	324,364	16.3^	9.4	26.8
Hispanic	10,236	19.8^	12.0	30.9	277,966	11.6	7.7	17.1
Other, NH	5,572	7.5	3.2	16.9	161,523	12.4	6.8	21.7
Sex								
Male	99,542	21.7	18.3	25.4	1,567,117	22.8	19.3	26.8
Female	54,805	11.0	8.8	13.7	846,330	11.4	9.6	13.4
Age-adjusted ^{&}		16.9	14.6	19.5		17.7	15.6	20.0


 $^{^{}st}$ Men who have five or more drinks , women having four or more drinks on one occasion

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Finger Lakes				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	41,696	34.8	27.8	42.5	519,245	31.8	24.1	40.6
Age								
18-24		#			64,468	35.6^	22.4	51.5
25-34	10,400	48.1^	33.0	63.5	192,926	47.3^	24.8	70.8
35-44	7,009	39.7	20.7	62.3	70,340	27.6^	16.6	42.1
45-64	19,075	38.1^	27.3	50.2	177,977	31.2	24.0	39.5
65+	740	6.3	3.3	11.9	13,368	7.7	4.1	13.9
Race								
White, NH	32,992	36.8	28.9	45.4	423,246	39.9^	29.9	50.7
Black, NH		#			33,694	14.4^	7.7	25.3
Hispanic		#			45,968	18.1^	9.4	31.9
Other, NH		#			16,336	19.6^	9.4	36.5
Sex								
Male	19,261	39.2^	27.0	53.0	272,857	38.4^	24.1	55.0
Female	22,435	31.7	24.4	40.1	246,388	26.7	20.7	33.8
Age-adjusted ^{&}		33.1	26.5	40.5		29.9	24.1	36.4

[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).