eBRFSS 2013-2014 Health Indicators: Franklin

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of	
guidelinesguidelines	
	27
	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines	recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31 32
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	recent 29 31 32 33 34
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percent of adults with cholesterol checked	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with corrent asthma. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with corrent asthma. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with clagnosed high blood pressure taking high blood pressure medication. Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with nathritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Women aged 08-04 years who saw a doctor for a routine checkup within the last year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year Percentage of women aged 18-64 years with health care coverage	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years whose health care coverage	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with atherists and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with bealth care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with ose health care coverage. Percentage of women aged 18-64 years whose health care coverage. Percentage of women aged 18-64 years with ose health care coverage. Percentage of women aged 18-64 years with ose health care coverage. Percentage of adults with poor mental health for 14 or more days in the last month.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with atherists and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year.	recent

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Franklin County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,311	17.6	(11.2-26.6)	28,018	11.4	(9.4-13.7)
Age						
18-24		#		4,414	11.9^	(5.7-23.4)
25-34		#		5,416	17.9	(11.0-27.7)
35-44	1,291	19.6	(9.0-37.6)	4,524	13.0	(8.2-20.0)
45-64	2,986	20.6	(12.4-32.3)	10,765	11.6	(9.1-14.6)
65+		#		2,625	5.2	(3.1-8.7)
Race						
White, NH	6,144	17.7	(10.6-28.0)	25,274	11.8	(9.6-14.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,436	10.0^	(4.6-20.1)
Sex						
male	5,003	21.6	(11.5-36.8)	13,644	10.7	(7.7-14.7)
female	2,307	12.6	(8.1-19.2)	14,374	12.1	(9.7-14.9)
Age-adjusted ^{&}		16.7	(11.2-24.1)		12.0	(9.8-14.6)

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Franklin County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	31,419	76.3^	(64.6-85.0)	205,922	83.9	(80.8-86.6)
Age						
18-24		#		22,744	61.6	(47.4-74.2)
25-34		#		20,035	66.6	(57.8-74.3)
35-44	5,326	81.0^	(66.2-90.2)	29,229	83.9	(77.7-88.7)
45-64	12,350	85.9^	(73.4-93.1)	85,160	91.8	(89.1-93.9)
65+	6,865	95.6	(90.2-98.1)	47,824	96.1	(94.4-97.3)
Race						
White, NH	27,395	79.0	(69.2-86.4)	181,641	85.0	(82.2-87.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		12,078	84.6	(68.5-93.3)
Sex						
male	14,746	64.1	(47.3-78.0)	98,478	77.7	(72.4-82.3)
female	16,673	91.7	(86.0-95.2)	107,444	90.5	(87.9-92.5)
Age-adjusted ^{&}		76.9	(69.2-83.2)		82.3	(79.4-84.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,951	63.3	(54.7-71.1)	154,725	67.0	(63.8-70.0)
Age						
18-24		#		23,796	69.1	(54.4-80.7)
25-34		#		17,522	61.9	(52.6-70.4)
35-44	3,765	60.1^	(43.7-74.6)	23,269	71.2	(63.6-77.7)
45-64	8,690	62.1	(51.4-71.8)	60,242	68.6	(64.1-72.7)
65+	3,660	55.0^	(45.0-64.7)	29,317	62.5	(57.8-67.0)
Race						
White, NH	20,295	61.8	(53.2-69.7)	134,170	66.5	(63.2-69.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,104	66.0^	(48.8-79.9)
Sex						
male	14,021	63.0^	(49.6-74.7)	74,708	62.7	(57.5-67.7)
female	10,931	63.6	(54.1-72.1)	80,018	71.5	(67.8-74.9)
Age-adjusted ^{&}		60.2	(52.7-67.2)		67.0	(63.7-70.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,790	26.5	(20.5-33.4)	60,646	25.2	(22.7-27.7)
Age						
18-24		#		3,275	9.0	(4.6-16.7)
25-34		#		5,204	17.7	(10.7-27.8)
35-44	1,506	23.7	(12.0-41.3)	6,132	17.9	(12.9-24.2)
45-64	3,962	27.9	(20.5-36.7)	26,345	29.2	(25.4-33.2)
65+	3,262	46.0	(36.4-56.0)	19,465	39.5	(35.1-44.0)
Race						
White, NH	9,018	26.3	(20.2-33.5)	55,271	26.2	(23.7-28.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,669	28.2	(17.1-42.8)
Sex						
male	5,608	24.7	(16.3-35.5)	29,650	23.9	(20.3-27.8)
female	5,182	28.7	(21.7-37.0)	30,996	26.5	(23.4-29.9)
Age-adjusted ^{&}		26.0	(20.8-32.1)		23.7	(21.3-26.4)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,301	78.1^	(64.3-87.6)	165,949	85.6	(82.2-88.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	24,164	85.9	(76.1-92.2)	144,277	87.0	(84.2-89.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,771	77.5^	(56.1-90.3)
Sex						
male	14,597	74.0^	(52.7-87.9)	84,358	83.2	(77.5-87.7)
female	11,705	83.9	(71.5-91.5)	81,591	88.1	(84.6-91.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,650	67.1	(54.8-77.4)	127,809	65.9	(61.7-69.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	19,938	70.7	(59.9-79.6)	110,971	67.0	(63.1-70.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		7,845	68.7	(47.2-84.3)
Sex						
male	11,554	57.8	(40.6-73.3)	60,376	59.1	(52.7-65.3)
female	11,097	80.6	(71.7-87.1)	67,432	73.4	(68.7-77.7)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,911	47.2	(38.0-56.6)	79,887	36.1	(32.9-39.6)
Age						
18-24		#		11,808	41.7	(26.6-58.5)
25-34		#		14,248	50.1	(40.4-59.8)
35-44	3,232	51.2	(36.0-66.2)	13,402	43.6	(35.8-51.7)
45-64	4,776	34.9	(26.2-44.7)	31,270	36.3	(31.9-40.9)
65+	1,980	28.9^	(20.3-39.3)	9,032	19.5	(15.9-23.5)
Race						
White, NH	13,898	44.3	(35.5-53.4)	69,765	36.2	(33.0-39.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,510	27.9^	(16.2-43.7)
Sex						
male	10,401	49.1	(34.6-63.8)	39,358	34.5	(29.4-40.1)
female	7,510	44.8	(36.0-53.9)	40,528	37.9	(33.9-42.0)
Age-adjusted ^{&}		48.2	(41.1-55.3)		38.2	(34.7-41.9)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Fr	anklin Cou	nty	North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	14,023	35.0^	(25.8-45.3)	54,992	23.3	(20.4-26.4)	
Age							
18-24		#		9,341	25.6^	(15.1-40.0)	
25-34		#		8,659	30.1	(21.5-40.2)	
35-44	2,950	46.7	(31.7-62.3)	11,252	34.3	(26.9-42.5)	
45-64	3,667	26.2	(17.2-37.8)	20,526	23.0	(19.4-27.0)	
65+	1,288	18.7	(11.9-28.2)	5,056	10.5	(7.7-14.1)	
Race							
White, NH	10,310	30.8	(22.7-40.2)	46,859	22.7	(20.0-25.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#		2,675	20.4	(11.2-34.1)	
Sex							
male	8,528	38.2	(24.0-54.8)	25,388	20.9	(16.6-25.9)	
female	5,495	30.9	(23.0-40.0)	29,604	25.8	(22.3-29.7)	
e-adjusted ^{&}		35.7	(28.2-44.0)		25.0	(21.9-28.3)	

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




Franklin County North Country Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI **Total** 2,417 5.9 (3.6-9.5)11,452 4.7 (3.7-5.9)Age 18-24 # # 25-34 # # 35-44 # 1,574 (2.2-9.0)4.5 45-64 4,871 5.3 (3.9-7.2)65+ 966 (7.7-22.4)3,854 (5.2-11.5)13.5 7.8 Race White, NH 2,047 6.0 (3.5-10.1)10,405 4.9 (3.8-6.3)Black, NH # # Hispanic # # Other, NH # # Sex male 1,207 5.2 (2.4-11.2)5,562 4.4 (3.0-6.4)female 1,211 5,890 6.8 (3.8-11.8)5.0 (3.6-6.8)Age-adjusted[&] 6.2 (3.7-10.2)4.6 (3.5-5.9)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Franklin County			ſ	North Coun	itry
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,273	13.0	(8.9-18.7)	31,544	13.1	(11.1-15.5)
Age						
18-24		#			#	
25-34		#		2,490	8.2	(4.2-15.4)
35-44		#		3,606	10.6	(6.8-16.0)
45-64	2,884	20.3	(12.1-32.0)	15,979	17.7	(13.8-22.4)
65+	1,451	21.7	(14.2-31.7)	8,242	17.4	(13.6-21.9)
Race						
White, NH	3,964	11.6	(7.4-17.8)	26,807	12.9	(11.0-15.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,627	25.6	(11.2-48.3)
Sex						
male	2,717	12.0	(6.2-21.8)	14,649	11.8	(9.2-15.0)
female	2,556	14.3	(9.7-20.5)	16,896	14.6	(11.6-18.2)
Age-adjusted ^{&}		12.7	(8.9-17.8)		12.5	(10.5-14.7)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Franklin Prevent Chronic Diseases

Percentage of adults who are obese*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,889	33.7	(27.1-41.0)	69,111	29.7	(26.9-32.6)
Age						
18-24		#		6,455	18.8	(11.4-29.4)
25-34		#		7,572	26.2	(19.0-34.9)
35-44	2,631	40.8^	(26.9-56.3)	12,036	36.6	(29.2-44.7)
45-64	5,147	37.4	(28.3-47.5)	30,053	34.0	(29.7-38.7)
65+	2,323	32.8	(24.2-42.8)	12,924	26.9	(23.1-31.0)
Race						
White, NH	11,331	33.6	(26.5-41.5)	59,501	28.8	(26.2-31.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,539	38.5	(23.1-56.6)
Sex						
male	6,966	32.9	(23.5-44.0)	35,574	28.8	(24.9-32.9)
female	5,923	34.7	(26.4-43.9)	33,537	30.7	(26.9-34.8)
Age-adjusted ^{&}		33.4	(27.0-40.4)		30.0	(27.1-33.0)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,009	28.9^	(19.4-40.6)	16,539	28.2	(23.6-33.3)
Age						
18-24		#			#	
25-34		#		1,941	22.4^	(10.9-40.5)
35-44		#			#	
45-64		#		5,921	30.9	(23.5-39.5)
65+	1,287	35.8	(23.6-50.2)	4,769	29.8	(23.6-36.8)
Race						
White, NH	3,251	27.6	(17.6-40.5)	13,731	27.4	(22.7-32.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,956	24.4	(12.7-41.6)	6,267	24.1	(17.4-32.2)
female	2,053	35.0^	(22.3-50.2)	10,272	31.5	(25.5-38.2)
Age-adjusted ^{&}		30.5	(20.7-42.4)		29.7	(24.3-35.8)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,442	41.5	(30.1-53.8)	21,343	36.7	(31.9-41.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	1,617	41.2	(26.6-57.6)	9,126	35.7	(29.2-42.9)
65+	1,406	43.6	(29.6-58.7)	6,663	36.4	(29.5-43.9)
Race						
White, NH	3,440	38.5	(26.4-52.2)	18,789	35.6	(30.7-40.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,715	30.6	(17.4-47.9)	9,247	32.2	(25.5-39.7)
female	2,726	53.4	(38.5-67.7)	12,096	41.2	(34.8-47.9)
Age-adjusted ^{&}		39.8^	(26.8-54.4)		37.7	(30.8-45.1)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,897	65.1	(56.7-72.7)	150,027	64.4	(61.0-67.6)
Age						
18-24		#		14,473	42.2	(29.6-56.0)
25-34		#		17,264	59.8	(50.1-68.8)
35-44	4,984	77.3^	(63.2-87.1)	24,149	73.4	(66.2-79.6)
45-64	9,413	68.3	(56.8-78.0)	60,442	68.5	(63.4-73.1)
65+	5,191	73.3	(63.9-81.1)	33,445	69.5	(65.4-73.4)
Race						
White, NH	22,479	66.6	(57.5-74.7)	133,793	64.8	(61.5-68.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		6,822	57.9^	(40.1-73.9)
Sex						
male	14,057	66.5	(52.9-77.8)	84,846	68.6	(63.4-73.4)
female	10,840	63.5	(53.9-72.0)	65,181	59.6	(55.4-63.7)
Age-adjusted ^{&}		65.2	(57.3-72.5)		64.8	(61.4-68.0)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Franklin County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,057	69.5^	(59.4-78.0)	175,499	73.8	(70.8-76.5)
Age						
18-24		#		29,851	82.0^	(67.1-91.0)
25-34		#		23,329	81.0	(72.5-87.3)
35-44	4,741	75.1	(60.1-85.8)	24,720	73.2	(65.4-79.8)
45-64	11,310	79.8	(71.1-86.3)	66,141	74.0	(69.8-77.8)
65+	4,041	57.7	(47.7-67.0)	30,956	63.7	(59.1-68.0)
Race						
White, NH	25,274	74.8	(66.8-81.5)	154,352	74.3	(71.5-76.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		9,362	71.3	(54.5-83.7)
Sex						
male	15,672	69.8	(52.7-82.8)	93,092	75.9	(71.2-80.0)
female	12,386	69.1	(59.8-77.0)	82,406	71.5	(67.7-75.0)
Age-adjusted ^{&}		71.0	(63.1-77.8)		74.4	(71.3-77.2)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,581	34.1	(24.5-45.3)	67,716	29.1	(25.7-32.7)
Age						
18-24		#		20,919	59.4^	(45.8-71.7)
25-34		#		11,575	40.6	(31.2-50.8)
35-44	1,929	30.8^	(17.7-47.9)	9,048	27.6	(21.3-34.9)
45-64	2,778	19.8^	(11.6-31.7)	16,825	19.2	(15.8-23.1)
65+	587	8.7	(4.9-15.2)	9,134	19.3	(15.4-23.8)
Race						
White, NH	11,071	33.3	(24.4-43.7)	57,041	28.0	(24.7-31.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,928	23.8	(13.4-38.7)
Sex						
male	10,653	47.7	(33.6-62.3)	46,475	38.9	(33.5-44.5)
female	2,928	16.7	(10.2-26.3)	21,240	18.8	(15.5-22.5)
Age-adjusted ^{&}		31.7	(25.3-39.0)		30.1	(27.1-33.4)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



Franklin County North Country Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI **Total** 1,041 2.6 (1.2-5.6)12,105 5.2 (3.8-7.1)Age (4.7-18.8)18-24 # 3,395 9.7 25-34 3,148 11.1 (5.5-21.2)# 35-44 # 1,831 5.6 (3.2-9.5)45-64 # 3,150 3.6 (2.1-6.0)65+ (0.6-2.3)# 561 1.2 Race 781 White, NH 2.4 (1.0-5.7)9,640 4.8 (3.4-6.6)Black, NH # # Hispanic # # Other, NH # # Sex male # 9,610 8.1 (5.5-11.6)female # 2,495 2.2 (1.5-3.4)Age-adjusted[&] 3.3 (1.4-7.5)5.8 (4.2-7.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,790	11.6	(8.4-15.7)	23,236	9.4	(8.1-10.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		1,072	3.1	(1.6-6.0)
45-64	2,296	15.8	(10.1-24.1)	10,661	11.5	(9.1-14.3)
65+	2,224	30.8	(22.1-41.1)	10,593	21.1	(17.7-24.9)
Race						
White, NH	3,323	9.6	(6.8-13.3)	19,762	9.2	(7.9-10.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,930	13.4^	(7.1-24.0)
Sex						
male	2,030	8.8	(5.3-14.1)	12,352	9.7	(7.8-12.1)
female	2,760	15.1	(10.3-21.7)	10,884	9.1	(7.5-11.0)
Age-adjusted ^{&}		10.8	(8.3-13.9)		8.1	(7.0-9.4)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



Franklin County North Country Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI **Total** 11,039 27.0 (20.0-35.3)51,412 21.4 (18.9-24.1)Age 18-24 # 7,759 21.1 (13.3-31.8)25-34 # 9,359 32.0 (23.4-42.1)35-44 2,217 34.8 (21.4-51.3)8,623 25.2 (19.0-32.6)45-64 3,890 27.0 (18.0-38.2)21,472 23.7 (20.0-27.8)65+ 775 (6.4-18.1)8.3 10.9 4,028 (6.3-10.8)Race White, NH 9,603 28.0 (20.5-37.0)44,514 21.2 (18.6-24.0)Black, NH # # Hispanic # # Other, NH # 2,652 20.3 (11.5-33.2)Sex male 5,775 25.3 (15.2-39.1)24,983 20.1 (16.4-24.4)female 5,264 29.0 (21.2-38.3)26,429 22.7 (19.5-26.2)Age-adjusted[&] 28.2 (21.5-35.9)22.6 (19.9-25.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,177	37.8	(25.0-52.6)	20,863	34.5	(29.0-40.4)
Age						
18-24		#			#	
25-34		#		3,373	38.1^	(21.7-57.9)
35-44		#			#	
45-64		#		9,634	49.1	(40.4-57.7)
65+	448	12.7	(6.4-23.7)	1,911	11.7	(7.6-17.5)
Race						
White, NH	4,124	35.5	(21.7-52.4)	16,783	32.6	(26.9-38.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,176	27.7	(12.6-50.5)	7,341	28.5	(20.3-38.4)
female	3,001	51.3	(35.9-66.4)	13,522	38.9	(32.1-46.2)
Age-adjusted ^{&}		44.1^	(32.9-55.9)		38.6	(32.3-45.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



North Country Franklin County Est. # of Est. # of **Adults Adults** Percent 95% CI Percent 95% CI **Total** # 7,759 21.1 (13.3-31.8)Age⁺ 18-24 25-34 35-44 45-64 65+ Race White, NH 20.5 # 6,162 (12.3-32.3)Black, NH # Hispanic # Other, NH # Sex male 6,217 26.2 (14.8-42.1)female # 1,542 11.8 (5.8-22.4)Age-adjusted+,&

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,574	76.3^	(64.5-85.1)	36,651	79.7	(75.1-83.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,620	79.4^	(67.9-87.6)	32,120	79.1	(74.5-83.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		# .			#	
female	5,574	76.3	(64.5-85.1)	36,651	79.7	(75.1-83.6)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Franklin County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		10,027	70.8	(61.5-78.6)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		8,429	71.3	(61.5-79.5)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		10,027	70.8	(61.5-78.6)	
Age-adjusted+,&							

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,040	76.1^	(62.8-85.7)	66,440	79.5	(73.7-84.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,329	78.0^	(65.1-87.1)	60,761	83.0	(78.4-86.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	10,040	76.1	(62.8-85.7)	66,440	79.5	(73.7-84.3)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Franklin County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		18,029	79.7	(71.7-85.9)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		15,460	79.3	(70.4-86.1)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		18,029	79.7	(71.7-85.9)	
Age-adjusted+,&							

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	9,671	65.9^	(55.7-74.8)	66,203	69.9	(65.1-74.2)
18-24						
25-34 35-44						
45-64						
65+ Race						
White, NH Black, NH Hispanic	8,463	67.4 [^] # #	(56.4-76.9)	58,021	71.0 # #	(67.4-74.3)
Other, NH Sex		#			#	
male female	4,883 4,788	65.7 [^] 66.1 [^]	(49.3-79.0) (53.9-76.5)	33,025 33,179	67.6 72.3	(59.7-74.6) (67.4-76.7)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Franklin County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,695	47.5	(31.4-64.2)	14,192	59.6	(52.1-66.8)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	1,912	46.3	(28.1-65.6)	12,204	59.4	(51.4-66.9)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		5,411	54.2	(42.0-66.0)	
female		#		8,781	63.5	(54.3-71.8)	
Age-adjusted+,&							

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,961	53.9^	(43.9-63.6)	118,562	54.9	(51.1-58.6)
Age						
18-24		#		9,729	28.2	(18.2-40.9)
25-34		#		12,071	41.2	(32.2-50.9)
35-44	3,019	48.7	(33.3-64.3)	15,058	45.5	(37.6-53.7)
45-64	7,891	65.7	(53.6-76.0)	53,957	67.5	(62.4-72.3)
65+	3,618	73.1	(61.8-82.0)	27,414	71.5	(66.8-75.8)
Race						
White, NH	17,560	58.6	(49.3-67.3)	106,468	56.6	(52.9-60.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,889	40.8^	(22.0-62.7)
Sex						
male	10,051	50.3	(35.5-65.0)	56,518	50.9	(45.3-56.6)
female	8,910	58.7	(48.3-68.5)	62,044	59.0	(54.4-63.5)
Age-adjusted ^{&}		55.0	(47.2-62.7)		53.5	(50.2-56.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



	Franklin County			ļ	North Coun	try
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,656	7.4	(4.8-11.3)	13,102	6.0	(4.8-7.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	1,291	10.9	(5.8-19.4)	5,532	6.9	(5.1-9.2)
65+	971	20.9^	(12.0-33.7)	4,811	12.5	(8.9-17.3)
Race						
White, NH	2,576	8.4	(5.4-12.7)	12,050	6.3	(5.0-7.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,856	8.9	(5.0-15.2)	6,408	5.7	(4.1-7.8)
female	801	5.3	(2.6-10.5)	6,695	6.3	(4.6-8.6)
Age-adjusted ^{&}		8.2	(5.6-11.8)		5.9	(4.6-7.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Franklin County			I	North Coun	itry
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,232	36.8	(29.4-45.0)	80,985	32.9	(30.1-35.9)
Age						
18-24		#			#	
25-34		#		5,394	17.8^	(10.0-29.7)
35-44	1,458	22.2	(12.0-37.3)	6,113	17.6	(12.8-23.6)
45-64	6,938	47.9^	(38.0-57.9)	35,673	38.5	(34.1-43.1)
65+	4,676	65.4	(56.0-73.8)	31,079	62.1	(57.8-66.2)
Race						
White, NH	13,022	37.5	(29.9-45.8)	71,982	33.6	(30.8-36.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,627	32.1	(19.7-47.7)
Sex						
male	9,292	40.1	(28.2-53.2)	44,134	34.7	(30.4-39.3)
female	5,940	32.7	(25.4-40.8)	36,851	31.0	(27.6-34.7)
Age-adjusted ^{&}		35.1	(29.1-41.7)		30.0	(27.3-32.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,545	69.2^	(54.1-81.1)	61,682	76.3	(70.9-81.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,142	51.4	(35.3-67.2)
45-64	5,283	76.1	(55.1-89.2)	27,315	76.6	(70.0-82.0)
65+	4,234	90.5	(78.4-96.2)	29,298	94.4	(91.1-96.6)
Race						
White, NH	8,464	65.0^	(48.8-78.4)	55,009	76.6	(70.8-81.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,260	56.6	(37.9-73.6)	31,730	72.1	(64.0-78.9)
female	5,285	89.0	(79.1-94.5)	29,952	81.4	(74.2-87.0)
Age-adjusted ^{&}		52.5^	(39.3-65.4)		55.4	(49.2-61.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,421	13.1	(8.5-19.7)	30,846	12.6	(10.7-14.8)
Age						
18-24		#		4,764	12.9^	(6.8-23.2)
25-34		#		3,671	12.1	(6.2-22.3)
35-44		#		4,602	13.3	(9.0-19.1)
45-64	2,283	15.8^	(8.3-28.1)	11,755	12.8	(10.2-15.9)
65+	1,080	15.1	(8.7-25.1)	5,923	11.8	(9.3-14.9)
Race						
White, NH	4,902	14.2	(9.0-21.7)	28,154	13.2	(11.1-15.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,056	7.3	(3.4-15.0)
Sex						
male	3,406	14.8^	(7.7-26.5)	11,063	8.7	(6.6-11.5)
female	2,015	11.1	(7.4-16.1)	19,783	16.7	(13.7-20.3)
Age-adjusted ^{&}		12.6	(8.5-18.3)		12.6	(10.5-15.1)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Franklin County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	27,890	69.9^	(58.5-79.2)	192,776	79.7	(76.2-82.9)
Age						
18-24		#		12,967	36.8	(24.9-50.5)
25-34		#		17,273	58.8	(48.9-68.1)
35-44	4,634	70.5	(53.1-83.4)	27,030	79.4	(71.6-85.4)
45-64	13,014	90.2	(75.8-96.4)	86,788	94.0	(91.3-95.8)
65+	6,842	94.7	(88.4-97.6)	47,750	96.4	(94.9-97.6)
Race						
White, NH	24,339	73.1	(63.0-81.4)	169,614	80.8	(77.4-83.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		10,761	74.8^	(56.0-87.4)
Sex						
male	13,988	63.9	(46.5-78.3)	94,035	75.4	(69.5-80.4)
female	13,902	77.1	(66.5-85.1)	98,741	84.4	(80.6-87.6)
Age-adjusted ^{&}		68.8	(61.7-75.1)		77.4	(74.3-80.2)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Franklin County			ſ	North Coun	itry
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,770	42.5	(36.1-49.2)	74,553	38.8	(35.8-42.0)
Age						
18-24		#			#	
25-34		#		3,314	19.2^	(9.9-34.0)
35-44		#		6,778	25.1	(18.4-33.2)
45-64	5,476	42.3	(33.5-51.7)	35,468	41.0	(36.4-45.8)
65+	4,530	67.5	(58.0-75.7)	28,575	60.3	(55.8-64.7)
Race						
White, NH	9,750	40.4	(33.7-47.5)	67,637	40.0	(37.0-43.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,179	29.5	(16.8-46.6)
Sex						
male	6,318	45.7	(35.8-55.9)	39,982	42.7	(37.9-47.6)
female	5,452	39.4	(31.2-48.2)	34,571	35.1	(31.4-39.0)
Age-adjusted ^{&}		33.0	(28.0-38.3)		31.7	(28.7-35.0)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Fr	anklin Cour	nty	North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	1,893	8.2	(5.3-12.7)	9,988	7.7	(6.0-9.7)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64	1,136	11.0	(5.9-19.5)	5,290	9.3	(6.7-12.7)	
65+	551	9.9	(5.2-17.9)	3,094	7.9	(5.2-12.0)	
Race							
White, NH	1,012	5.0	(2.9-8.4)	8,517	7.3	(5.6-9.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		4,706	7.4	(5.0-10.9)	
female	1,266	12.4	(7.3-20.3)	5,283	7.9	(6.0-10.4)	
ge-adjusted ^{&}		7.0	(4.1-11.6)		6.6	(5.0-8.6)	


^{*} Courses for high blood pressure, arthritis, or diabetes.

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,972	26.5	(21.1-32.7)	73,148	29.8	(27.2-32.4)
Age						
18-24		#			#	
25-34		#		3,273	10.8	(5.6-20.0)
35-44	1,046	15.9^	(8.5-27.7)	6,894	19.8	(14.5-26.4)
45-64	5,331	36.8	(28.2-46.3)	35,034	37.9	(33.5-42.4)
65+	3,796	52.5	(42.8-62.1)	26,699	53.3	(48.8-57.7)
Race						
White, NH	9,310	26.8	(21.4-33.0)	65,059	30.4	(27.9-33.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,661	32.5	(20.0-48.1)
Sex						
male	4,525	19.5	(13.3-27.8)	32,111	25.3	(21.7-29.3)
female	6,448	35.3	(27.9-43.4)	41,037	34.6	(31.2-38.1)
Age-adjusted ^{&}		25.8	(21.5-30.6)		27.1	(24.7-29.5)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



Franklin County North Country Est. # of Est. # of **Adults** 95% CI **Adults** 95% CI **Percent** Percent **Total** 39,179 97.6 (95.9 - 98.6)222,821 95.5 (94.3-96.4)Age 18-24 # 34,874 98.6 (95.5-99.6)25-34 # 26,562 (86.7 - 95.7)92.4 6,002 (87.4 - 98.4)31,219 95.2 35-44 95.3 (90.2-97.7)45-64 13,802 99.0 (96.5-99.7)84,111 95.1 (92.9-96.6)65+ 6,758 (92.3-98.5)96.6 45,338 96.4 (94.8 - 97.5)Race White, NH 32,770 97.7 (95.8-98.8)194,850 95.4 (94.1 - 96.4)Black, NH # # Hispanic # # Other, NH # 11,350 92.4 (80.5-97.3)Sex male 22,053 98.9 (96.2-99.7)116,192 97.1 (95.5-98.1)female 17,126 106,629 96.0 (92.8-97.8)93.8 (91.8 - 95.3)Age-adjusted[&] 97.3 (94.9 - 98.5)95.3 (93.8-96.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,444	35.2	(26.3-45.3)	14,556	30.5	(26.4-35.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,899	32.3	(23.5-42.6)	13,203	29.9	(25.7-34.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,179	38.4	(24.9-54.0)	7,014	30.6	(24.1-38.1)
female	1,265	32.7	(21.6-46.1)	7,542	30.4	(25.7-35.7)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Fı	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		5,938	40.8	(32.4-49.8)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		5,210	39.5	(31.0-48.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		3,059	43.6	(29.9-58.4)	
female		#		2,879	38.2	(29.3-48.0)	
Age-adjusted+,&							

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,130	39.3^	(29.8-49.6)	32,843	39.6	(34.6-44.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,554	40.3^	(30.1-51.4)	26,791	38.0	(33.9-42.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,473	51.6	(35.8-67.0)	21,469	49.2	(41.4-57.0)
female	1,657	26.2	(16.7-38.5)	11,374	29.0	(24.0-34.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,960	39.5	(32.0-47.6)	110,154	46.8	(43.5-50.1)
Age						
18-24		#		12,030	34.2	(23.1-47.3)
25-34		#		11,377	39.5	(30.4-49.4)
35-44	1,540	24.5	(14.5-38.1)	9,920	30.2	(23.6-37.7)
45-64	6,074	43.0	(33.7-52.7)	40,255	45.2	(40.5-49.9)
65+	4,979	70.7	(61.1-78.7)	35,970	74.4	(70.0-78.3)
Race						
White, NH	13,337	39.5	(32.1-47.4)	100,613	48.8	(45.6-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		5,223	42.4	(26.5-60.0)
Sex						
male	6,733	30.0	(20.7-41.3)	47,885	39.6	(35.0-44.4)
female	9,227	51.4	(42.3-60.4)	62,269	54.4	(50.2-58.7)
Age-adjusted ^{&}		40.2	(33.8-47.1)		44.4	(41.2-47.7)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,979	70.7	(61.1-78.7)	35,970	74.4	(70.0-78.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,033	67.4	(57.2-76.2)	33,589	75.0	(70.6-78.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,245	73.2	(58.6-84.0)	17,159	73.6	(66.0-80.1)
female	2,734	68.7	(55.6-79.4)	18,811	75.1	(70.2-79.4)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Fra	Franklin County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	5,310	77.6	(68.6-84.6)	34,235	73.7	(69.5-77.5)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	4,403	76.1	(66.6-83.7)	31,731	73.7	(69.4-77.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		15,735	70.0	(62.7-76.4)	
female	3,204	82.5	(70.6-90.3)	18,500	77.3	(72.6-81.3)	
Age-adjusted ^{+,&}							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,450	65.7^	(46.1-81.0)	32,535	73.7	(66.4-79.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		28,511	72.7	(65.2-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	4,450	65.7	(46.1-81.0)	32,535	73.7	(66.4-79.8)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,461	79.3^	(64.9-88.8)	31,701	68.7	(60.8-75.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		28,928	70.4	(62.6-77.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,461	79.3^	(64.9-88.8)	31,701	68.7	(60.8-75.7)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,705	83.9^	(71.5-91.5)	81,591	88.1	(84.6-91.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	10,557	90.7	(81.5-95.6)	71,891	88.3	(84.7-91.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	11,705	83.9	(71.5-91.5)	81,591	88.1	(84.6-91.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Fra	anklin Cou	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,734	40.6^	(24.6-59.0)	20,534	46.8	(38.5-55.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		18,718	48.1	(39.5-56.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	2,734	40.6	(24.6-59.0)	20,534	46.8	(38.5-55.2)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



Franklin County North Country Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI **Total** 4,021 9.8 (6.3-15.1)26,594 10.9 (9.3-12.8)Age 18-24 4,035 # 10.9 (6.0-19.0)25-34 # 4,055 (8.7-20.2)13.4 35-44 # 3,975 (7.7-17.0)11.6 45-64 1,346 9.4 (5.6-15.2)11,488 12.6 (10.0-15.6)65+ 926 (7.2-23.3)13.3 2,947 6.0 (4.0-8.8)Race White, NH 2,709 7.9 (4.4-13.8)22,928 10.8 (9.1-12.8)Black, NH # # Hispanic # # Other, NH # 1,840 13.3 (7.0-24.1)Sex male 2,013 8.8 (4.0-18.2)10,174 8.1 (6.0-10.9)female 2,008 16,419 (7.1-16.9)13.9 (11.5-16.7)11.1 Age-adjusted[&] 9.7 (6.6-14.2)11.2 (9.4-13.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Franklin County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,447	16.8	(10.9-25.1)	40,850	17.5	(14.9-20.4)
Age						
18-24		#		12,835	37.0^	(25.1-50.6)
25-34		#		6,170	21.4	(15.7-28.6)
35-44		#		6,989	20.8	(15.0-28.1)
45-64	2,157	15.3	(9.9-23.0)	12,611	14.3	(11.6-17.6)
65+	905	13.1	(7.2-22.8)	2,218	4.6	(3.2-6.6)
Race						
White, NH	5,719	16.9	(10.5-26.2)	37,011	18.0	(15.2-21.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,005	15.5^	(7.9-28.0)
Sex						
male	4,854	23.7	(13.7-37.7)	29,018	24.4	(20.1-29.3)
female	1,593	8.9	(5.3-14.5)	11,832	10.3	(8.0-13.2)
Age-adjusted ^{&}		15.7	(10.7-22.4)		18.3	(15.8-21.1)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Franklin County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		10,221	39.1	(31.3-47.4)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64		#		5,474	47.7	(36.5-59.0)	
65+		#			#		
Race							
White, NH		#		8,398	37.3	(29.3-46.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		3,234	32.7	(21.0-47.2)	
female		#		6,987	42.9	(33.5-52.8)	
Age-adjusted ^{&}		#			35.5	(28.1-43.8)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).