## eBRFSS 2013-2014 Health Indicators: Fulton

General Description	2
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	
Percentage of adults who have a regular health care provider	
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last yea	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guideli	
Percentage of women aged 50-74 years vice with annual household income of less than \$25,000 received to the second	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guide	
Percentage of women aged 21-65 years receiving cervical cancer screening based of recent guide Percentage of women aged 21-65 years with annual household income of less than \$25,000 recei	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disea	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disea Percentage of adults with arthritis	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disea Percentage of adults with arthritis Promote a Healthy and Safe Environment	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines  28    colorectal cancer screening based on recent  29    30  31    31  32    33  34    35  36    se or condition  37    38  39    39  39    40  11    injury  41
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39    39  40    injury  41    42  42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	elines  28    colorectal cancer screening based on recent  29    30  31    31  32    33  34    35  36    se or condition  37    38  39    39  39    injury  41    42  42    43  43
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults who have taken a course or class to learn how to manage their chronic disea Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	elines  28    colorectal cancer screening based on recent  29    30  31    31  32    33  34    35  36    se or condition  37    38  39    39  40    injury  41    42  42    43  44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39    39  40    injury  41    42  42    43  44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with atheritis Percentage of adults with arthritis Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39    10  40    11  42    42  42    43  44    44  45    46  46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with ave taken a course or class to learn how to manage their chronic disea Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39    39  40    injury  41    42  42    43  44    44  45    46  46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39    39  40    injury  41    42  42    43  44    44  45    46  46    47  47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    39  39    10  40    injury  41    42  42    43  44    45  46    47  48
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had bental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care provider discussed planning a healthy	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    39  39    10  40    injury.  41    42  42    43  44    45  46    46  47    47  48    pregnancy  49
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults with ohad a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with current asthma Percentage of adults with ohave taken a course or class to learn how to manage their chronic disea Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization. Percentage of adults aged 65+ years with hold here Percentage of adults aged 65+ years with hold receive the past year Percentage of adults aged 65+ years with hold menococcal immunization. Percentage of adults aged 65+ years with hold menococcal immunization. Percentage of adults aged 65+ years with helth care coverage Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years who heal th care provider discussed planning a healthy Promote Mental Health and Prevention Substance Abuse	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39    40  39    1njury.  41    42  42    43  44    45  46    46  47    47  48    pregnancy  49    50  50
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	ellines  28    colorectal cancer screening based on recent  29    30  31    31  32    33  34    35  36    se or condition  37    38  39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with ather a course or class to learn how to manage their chronic disea Percentage of adults who have taken a course or class to learn how to manage their chronic disea Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization Percentage of adults aged 65+ years with flu immunization Percentage of adults aged 65+ years with hole dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with sea the recoverage Percentage of women aged 18-44 years whose health care provider discussed planning a healthy Promote Mental Health and Prevention Substance Abuse Percentage of adults with poo	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guide Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving guidelines	elines  28    colorectal cancer screening based on recent  29    30  31    32  33    34  35    36  36    se or condition  37    38  39

### **General Description**

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

### Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

### Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than  $\pm 10\%$  are noted.

### Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



## Fulton County

#### **Mohawk Valley**

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,925	11.4	(7.5-17.0)	25,495	12.2	(9.7-15.3)
Age	,		. ,			· · · ·
18-24		#		4,963	20.3	(9.6-38.0)
25-34		#		6,352	19.9^	(11.5-32.0)
35-44		#		2,409	8.5	(5.3-13.5)
45-64	2,193	13.7^	(7.3-24.2)	10,267	13.5	(10.4-17.2)
65+		#		1,314	2.9	(1.8-4.4)
Race						
White, NH	3,805	9.7	(6.4-14.6)	21,153	11.5	(8.8-14.8)
Black, NH		#			#	
Hispanic		#		2,119	17.6^	(8.3-33.5)
Other, NH		#		1,640	18.3^	(7.6-37.9)
Sex						
male	2,544	12.0	(6.5-21.2)	13,758	13.6	(9.3-19.4)
female	2,381	10.8	(6.0-18.7)	11,736	10.9	(8.5-13.9)
Age-adjusted <sup>&amp;</sup>		11.5	(7.4-17.2)		12.6	(10.0-15.9)


\* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## **Fulton** Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



#### Fulton County

#### **Mohawk Valley**

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	36,308	85.1	(77.0-90.6)	178,551	86.4	(83.5-88.9)
Age						
18-24		#		17,923	77.3^	(64.8-86.3)
25-34		#		24,155	75.8^	(64.5-84.4)
35-44		#		22,811	82.1^	(71.0-89.6)
45-64	14,433	89.9	(84.2-93.7)	68,580	89.9	(87.0-92.2)
65+	9,125	98.7	(96.5-99.5)	43,482	94.9	(91.5-97.0)
Race						
White, NH	34,042	88.1	(82.8-92.0)	159,236	87.4	(84.6-89.7)
Black, NH		#			#	
Hispanic		#		9,218	72.8^	(50.4-87.6)
Other, NH		#		7,804	92.5^	(82.1-97.1)
Sex						
male	15,881	76.6^	(62.2-86.7)	79,609	79.7	(74.3-84.1)
female	20,427	93.0	(88.3-96.0)	98,942	92.8	(90.6-94.5)
Age-adjusted <sup>&amp;</sup>		82.3	(73.0-88.9)		84.8	(81.4-87.8)


1

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



#### Fulton County

### **Mohawk Valley**


	r alton county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,545	61.9	(55.3-68.1)	120,003	61.7	(58.1-65.0)
Age						
18-24		#		13,968	62.7	(47.0-76.1)
25-34		#		19,077	62.4^	(51.4-72.3)
35-44		#		17,119	71.2	(62.4-78.6)
45-64	9,726	64.0	(55.9-71.5)	42,537	58.2	(52.9-63.3)
65+	4,526	50.6	(41.0-60.2)	26,653	61.4	(56.5-66.1)
Race						
White, NH	22,556	61.1	(54.3-67.5)	108,248	62.7	(59.2-66.0)
Black, NH		#			#	
Hispanic		#		7,338	68.9^	(51.9-82.0)
Other, NH		#		3,087	38.3^	(17.9-63.9)
Sex						
male	10,392	55.7^	(45.0-66.0)	51,611	54.2	(48.6-59.6)
female	14,152	67.4	(60.0-74.1)	68,392	68.8	(65.0-72.5)
Age-adjusted <sup>&amp;</sup>		63.2	(56.2-69.7)		62.9	(59.1-66.6)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability\*



### Fulton County

### **Mohawk Valley**

	· · · · · · · · · · · · · · · · · · ·					
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,508	29.1	(22.7-36.3)	56,344	27.3	(24.4-30.4)
Age						
18-24		#			#	
25-34		#		5,335	16.7	(10.9-24.8)
35-44	2,723	40.5^	(18.6-66.9)	6,828	24.3^	(15.9-35.4)
45-64	4,821	30.1	(22.2-39.4)	24,816	32.9	(28.0-38.2)
65+	3,205	34.7	(26.0-44.5)	16,563	36.9	(32.4-41.6)
Race						
White, NH	9,996	25.6	(20.8-31.1)	46,724	25.7	(23.2-28.5)
Black, NH		#			#	
Hispanic		#		5,344	42.2^	(25.0-61.5)
Other, NH		#		3,225	35.9^	(14.4-65.1)
Sex						
male	5,589	26.5	(16.6-39.5)	27,372	27.1	(22.4-32.3)
female	6,919	31.5	(24.4-39.5)	28,972	27.6	(24.1-31.3)
Age-adjusted <sup>&amp;</sup>		29.0	(22.3-36.7)		25.8	(22.7-29.2)


\* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## **Fulton** Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Fulton County			Ν	/lohawk Va	lley
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,493	78.8	(69.4-85.9)	135,591	84.7	(80.9-87.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	25,096	83.6	(77.1-88.6)	119,366	85.5	(81.6-88.8)
Black, NH		#			#	
Hispanic		#		7,974	72.7^	(48.5-88.3)
Other, NH		#			#	
Sex						
male	12,527	74.2	(57.3-86.0)	62,882	80.6	(73.5-86.1)
female	13,966	83.4	(75.8-89.0)	72,708	88.7	(85.3-91.4)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Fulton County			Ν	/Iohawk Va	lley
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,118	72.0	(63.2-79.4)	114,077	71.8	(68.1-75.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	22,463	75.1	(68.3-80.9)	99,065	71.6	(67.9-75.0)
Black, NH		#			#	
Hispanic		#		7,461	68.0^	(44.9-84.7)
Other, NH		#			#	
Sex						
male	10,883	64.9^	(49.7-77.5)	51,586	67.1	(61.0-72.8)
female	13,235	79.1	(71.6-85.0)	62,491	76.2	(71.9-80.1)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months\*



#### Fulton County

#### **Mohawk Valley**

	Est. # of	Deveent		Est. # of	Deveent	
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	13,664	34.9	(29.1-41.2)	68,431	36.6	(33.3-40.0)
Age						
18-24		#		5,154	29.2	(16.5-46.1)
25-34		#		13,314	44.3^	(34.2-55.0)
35-44		#		12,783	50.7	(40.9-60.5)
45-64	6,211	41.8	(33.8-50.2)	28,632	40.5	(35.7-45.4)
65+	1,829	21.4	(14.6-30.3)	8,011	19.0	(15.8-22.7)
Race						
White, NH	12,951	36.9	(31.1-43.1)	60,465	36.6	(33.3-40.0)
Black, NH		#			#	
Hispanic		#		4,317	40.8^	(23.4-60.7)
Other, NH		#		2,119	26.7	(12.4-48.4)
Sex						
male	5,260	28.1	(20.3-37.5)	29,853	33.1	(28.1-38.5)
female	8,403	41.1	(33.6-49.0)	38,579	39.8	(35.7-44.1)
Age-adjusted <sup>&amp;</sup>		34.7	(28.2-41.9)		38.3	(34.5-42.2)

1


\* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months\*



#### Fulton County

#### **Mohawk Valley**

	Est. # of	_		Est. # of	_	
ŗ	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	9,841	23.7	(19.2-28.9)	51,745	26.0	(22.9-29.2)
Age						
18-24		#		6,939	30.9^	(18.6-46.7)
25-34		#		10,887	35.0^	(25.5-46.0)
35-44		#		9,575	36.6	(28.0-46.2)
45-64	4,321	28.1	(21.5-35.8)	19,400	26.2	(22.3-30.4)
65+	862	9.6	(5.5-16.4)	4,715	10.7	(8.2-13.7)
Race						
White, NH	9,221	24.6	(20.0-29.9)	44,036	25.0	(22.0-28.3)
Black, NH		#			#	
Hispanic		#		4,530	37.2^	(21.3-56.5)
Other, NH		#		2,354	29.0^	(13.7-51.3)
Sex						
male	3,175	15.8	(10.6-23.0)	23,314	23.9	(19.2-29.2)
female	6,666	31.1	(24.6-38.5)	28,431	28.0	(24.3-32.0)
Age-adjusted <sup>&amp;</sup>		25.1	(19.8-31.3)		28.0	(24.6-31.8)

1


\* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## **Fulton** Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



. . .

. . . ..

	Fulton County			Mohawk Valley		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	2,068	4.8	(2.4-9.3)	10,550	5.1	(3.9-6.5)
18-24		#			#	
25-34 35-44		# #			# #	
45-64	1,491	9.3^	(3.9-20.8)	6,176	8.2	(5.8-11.3)
65+	-	#		2,659	5.8	(4.1-8.2)
Race						
White, NH Black, NH Hispanic Other, NH	1,345	3.5 # # #	(2.1-5.6)	9,037	4.9 # # #	(3.8-6.3)
Sex						
male female	1,614	# 7.3	(3.2-16.0)	3,898 6,652	3.9 6.2	(2.6-5.6) (4.5-8.6)
Age-adjusted <sup>&amp;</sup>		4.1	(2.1-7.5)		4.6	(3.4-6.1)


& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

...

### Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health\*



Fulton County	

**Mohawk Valley** 


	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	6,221	14.8	(10.7-20.2)	29,861	14.8	(12.7-17.2)
Age						
18-24		#			#	
25-34		#		3,109	9.9	(5.3-17.8)
35-44		#		4,086	15.3	(9.4-23.8)
45-64	3,441	21.7	(14.3-31.5)	13,912	18.9	(15.3-23.1)
65+	1,140	12.6	(7.6-20.3)	6,869	15.7	(12.7-19.2)
Race						
White, NH	5,422	14.2	(10.5-19.0)	25,670	14.4	(12.3-16.8)
Black, NH		#			#	
Hispanic		#		3,000	24.1^	(12.3-41.8)
Other, NH		#		1,035	12.8^	(4.1-33.4)
Sex						
male	2,124	10.2	(5.9-16.9)	11,588	12.0	(9.4-15.1)
female	4,097	19.4	(13.0-27.9)	18,273	17.5	(14.3-21.1)
Age-adjusted <sup>&amp;</sup>		14.0	(9.8-19.5)		14.4	(12.1-17.0)

\* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are obese\*



#### Fulton County

### **Mohawk Valley**

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	12,719	30.9	(25.1-37.3)	60,595	30.8	(27.7-34.0)
Age						
18-24		#		4,420	18.4	(8.7-34.7)
25-34		#		9,122	31.3^	(22.1-42.3)
35-44		#		9,682	36.9	(28.3-46.4)
45-64	4,988	33.1	(24.8-42.5)	24,732	34.4	(29.8-39.3)
65+	2,701	29.6	(21.7-38.9)	12,362	27.8	(23.8-32.2)
Race						
White, NH	11,438	30.7	(25.2-36.8)	53,932	31.0	(27.9-34.4)
Black, NH		#			#	
Hispanic		#		2,996	27.1^	(14.7-44.5)
Other, NH		#		2,236	25.2^	(11.2-47.3)
Sex						
male	6,860	32.6	(23.8-42.8)	31,672	32.0	(27.2-37.2)
female	5,859	29.1	(22.0-37.3)	28,923	29.5	(25.7-33.6)
Age-adjusted <sup>&amp;</sup>		31.4	(25.3-38.3)		31.2	(27.7-34.9)


Í

\* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with an annual household income less than \$25,000 who are obese\*



Fulton County	

**Mohawk Valley** 

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	4,198	35.0^	(26.0-45.2)	17,765	32.2	(26.8-38.3)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		2,079	32.6^	(17.9-51.7)
45-64	1,523	33.0^	(21.4-47.0)	6,638	34.5	(27.0-42.9)
65+	927	30.5	(18.5-45.9)	4,972	30.4	(23.7-38.1)
Race						
White, NH	3,962	34.8^	(25.7-45.2)	14,894	31.6	(25.8-38.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,104	39.1^	(24.9-55.4)	8,275	34.0^	(24.5-45.0)
female	2,093	31.7^	(21.1-44.6)	9,491	30.9	(24.9-37.5)
Age-adjusted <sup>&amp;</sup>		36.4	(25.5-48.9)		32.3	(26.1-39.3)


\* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults living with a disability who are obese\*



#### Fulton County

1

#### **Mohawk Valley**

	Est. # of	<b>_</b> .		Est. # of	<b>_</b> .	
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	5,355	45.5^	(31.4-60.4)	22,893	43.0	(36.7-49.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	2,487	53.9^	(35.5-71.3)	10,332	44.7^	(34.6-55.3)
65+	1,327	42.5	(26.9-59.7)	6,555	40.1	(32.9-47.8)
Race						
White, NH	4,463	48.3^	(37.2-59.5)	19,729	44.7	(38.9-50.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,142	38.3^	(18.9-62.4)	10,802	40.2	(30.8-50.3)
female	3,212	52.1^	(36.7-67.1)	12,091	45.9	(38.0-54.0)
Age-adjusted <sup>&amp;</sup>		42.2^	(29.9-55.6)		43.3	(33.9-53.1)


\* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

### Percentage of adults overweight or obese\*



### Fulton County

### **Mohawk Valley**

	Est. # of	<b>.</b> .	050/ 01	Est. # of	<b>.</b> .	050/ 01
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	25,737	62.5	(55.3-69.2)	131,535	66.8	(63.3-70.1)
Age						
18-24		#		10,728	44.7	(30.9-59.3)
25-34		#		16,842	57.8^	(47.2-67.8)
35-44		#		20,315	77.4	(70.0-83.4)
45-64	10,058	66.7	(58.6-74.0)	51,948	72.3	(67.1-77.0)
65+	5,822	63.8	(53.8-72.7)	31,025	69.8	(65.3-73.9)
Race						
White, NH	22,898	61.5	(54.3-68.1)	115,938	66.7	(63.3-70.0)
Black, NH		#			#	
Hispanic		#		8,112	73.4^	(55.6-85.9)
Other, NH		#		4,931	55.5^	(29.6-78.8)
Sex						
male	13,464	64.0^	(52.1-74.4)	70,693	71.4	(65.8-76.5)
female	12,273	60.9	(52.6-68.5)	60,843	62.1	(57.8-66.2)
Age-adjusted <sup>&amp;</sup>		63.0	(57.5-68.1)		66.8	(63.2-70.2)


T

\* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



#### Fulton County

#### **Mohawk Valley**


	r alton county			inonaux valley		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	27,628	66.1	(59.1-72.4)	138,763	69.2	(66.2-72.1)
Age						
18-24		#		16,894	73.4^	(58.5-84.5)
25-34		#		26,053	82.7	(75.0-88.4)
35-44		#		16,488	63.4	(53.8-72.0)
45-64	11,090	71.5	(63.9-78.0)	49,363	66.6	(61.9-71.0)
65+	5,957	65.4	(55.8-73.9)	29,150	65.3	(60.7-69.6)
Race						
White, NH	24,325	64.4	(57.5-70.8)	122,921	69.5	(66.4-72.4)
Black, NH		#			#	
Hispanic		#		7,241	59.4^	(40.6-75.8)
Other, NH		#		6,518	80.5	(63.1-90.9)
Sex						
male	13,378	66.0^	(53.8-76.4)	69,524	70.6	(65.7-75.1)
female	14,250	66.1	(58.7-72.8)	69,239	67.9	(64.0-71.5)
Age-adjusted <sup>&amp;</sup>		65.3	(57.8-72.0)		69.5	(66.1-72.7)

\* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Percentage of adults who consume one or more sugary drinks daily\*



#### Fulton County

### **Mohawk Valley**


	r alton county			monaux valley		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,734	28.3	(21.8-35.9)	52,428	26.6	(23.4-30.0)
Age						
18-24		#		9,776	43.6^	(30.0-58.2)
25-34		#		12,116	39.3^	(29.4-50.1)
35-44		#		9,558	36.9^	(27.1-48.0)
45-64	3,230	21.1	(15.4-28.2)	13,685	18.8	(15.4-22.7)
65+	1,583	17.6	(10.9-27.3)	7,223	16.4	(13.1-20.4)
Race						
White, NH	9,898	26.5	(21.1-32.7)	44,750	25.7	(22.6-29.1)
Black, NH		#			#	
Hispanic		#		5,831	48.2^	(30.0-66.9)
Other, NH		#			#	
Sex						
male	7,261	36.2	(25.1-49.1)	30,568	31.7	(26.6-37.3)
female	4,474	20.9	(15.2-28.0)	21,860	21.7	(18.1-25.7)
Age-adjusted <sup>&amp;</sup>		31.2	(24.0-39.4)		29.3	(25.7-33.2)

\* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Percentage of adults who consume fast-food three or more times per week




	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,122	5.1	(3.2-8.2)	8,472	4.3	(3.2-5.8)
Age						
18-24		#			#	
25-34		#		1,686	5.5	(2.7-10.9)
35-44		#		946	3.7	(1.9-6.9)
45-64	669	4.4	(2.3-8.1)	2,524	3.5	(2.4-5.0)
65+		#		1,145	2.6	(1.5-4.5)
Race						
White, NH	1,793	4.8	(3.0-7.7)	7,397	4.3	(3.1-5.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	914	4.6	(2.4-8.5)	6,106	6.4	(4.4-9.2)
female	1,208	5.6	(2.8-10.9)	2,366	2.4	(1.5-3.6)
Age-adjusted <sup>&amp;</sup>		5.4	(3.2-9.0)		4.5	(3.3-6.2)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes\*



#### Fulton County

### **Mohawk Valley**

	r attoir county			inonaux vancy		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,925	11.4	(8.6-15.0)	26,908	12.9	(11.0-15.0)
Age						
18-24		#			#	
25-34		#		1,776	5.6	(2.7-11.2)
35-44		#		2,255	8.0	(4.0-15.5)
45-64	2,155	13.4	(9.1-19.3)	11,420	15.0	(11.9-18.6)
65+	1,899	20.3	(13.9-28.8)	11,318	24.6	(20.0-29.9)
Race						
White, NH	4,583	11.7	(8.8-15.5)	21,832	11.8	(10.2-13.8)
Black, NH		#			#	
Hispanic		#		1,646	13.0^	(5.8-26.6)
Other, NH		#		2,456	27.4^	(10.7-54.3)
Sex						
male	2,043	9.7	(6.3-14.6)	13,341	13.1	(10.2-16.8)
female	2,882	13.1	(9.1-18.6)	13,567	12.6	(10.4-15.3)
Age-adjusted <sup>&amp;</sup>		10.3	(7.6-13.7)		11.4	(9.7-13.5)


\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

### Percentage of adults who are current smokers



#### Fulton County

### **Mohawk Valley**

	Est. # of			Est. # of		
F	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	12,394	29.0	(23.2-35.5)	52,067	25.3	(22.3-28.7)
Age						
18-24		#		5,575	23.0^	(12.8-37.9)
25-34		#		12,670	39.8^	(29.8-50.7)
35-44	2,307	34.3^	(18.1-55.2)	9,692	34.7	(26.0-44.6)
45-64	5,015	31.3	(23.3-40.6)	20,418	27.1	(23.0-31.6)
65+	869	9.6	(5.4-16.6)	3,513	7.9	(5.8-10.8)
Race						
White, NH	11,367	29.4	(23.7-35.7)	45,456	25.2	(22.0-28.6)
Black, NH		#			#	
Hispanic		#		3,750	29.7^	(15.5-49.2)
Other, NH		#		2,323	25.9^	(11.1-49.5)
Sex						
male	5,386	25.6	(17.5-35.9)	28,059	27.9	(22.9-33.5)
female	7,008	32.2	(24.8-40.6)	24,008	22.9	(19.5-26.7)
Age-adjusted <sup>&amp;</sup>		30.7	(24.1-38.2)		27.3	(23.9-30.9)


T

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



Fulton County	Moł

Mohawk Valley


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	5,715	46.3^	(36.4-56.4)	19,843	34.8	(29.0-41.0)
Age						
18-24		#			#	
25-34		#		3,104	44.7^	(29.0-61.5)
35-44		#		4,248	66.0^	(48.0-80.3)
45-64	2,329	48.4^	(34.9-62.2)	7,288	36.4	(29.1-44.3)
65+	658	22.0^	(11.2-38.6)	1,892	11.7	(7.6-17.6)
Race						
White, NH	5,525	47.1^	(37.1-57.3)	16,819	34.6	(28.7-41.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,782	51.6^	(36.8-66.2)	9,513	39.1^	(29.5-49.6)
female	2,933	42.1^	(29.9-55.4)	10,330	31.5	(24.7-39.2)
Age-adjusted <sup>&amp;</sup>		51.9^	(40.8-62.8)		41.4	(35.2-47.9)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Fulton County			Mohawk Valley		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		5,575	23.0^	(12.8-37.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		5,397	24.9^	(13.6-41.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#			#	
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines<sup>\*</sup>



	Fulton County			Mohawk Valley		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	7,525	76.2	(66.9-83.5)	30,177	75.7	(70.6-80.1)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	6,494 7,525	73.4 # # # 76.2	(64.1-81.0) (66.9-83.5)	27,509 30,177	78.0 # # # 75.7	(73.7-81.8) (70.6-80.1)
Age-adjusted <sup>+,&amp;</sup>						

\* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Fulton County			Mohawk Valley		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	1,841	69.1^	(50.2-83.2)	7,622	63.8	(54.2-72.4)
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		6,482	66.1	(56.5-74.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	1,841	69.1^	(50.2-83.2)	7,622	63.8	(54.2-72.4)
Age-adjusted <sup>+,&amp;</sup>						

\* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines<sup>\*</sup>



	Fulton County			Mohawk Valley		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race	12,026	78.7	(70.4-85.2)	58,844	79.9	(76.1-83.2)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	10,624 12,026	77.0 # # # 78.7	(68.3-83.9) (70.4-85.2)	52,741 58,844	80.0 # # # 79.9	(76.1-83.4) (76.1-83.2)
Age-adjusted <sup>+,&amp;</sup>						

\* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines<sup>\*</sup>



	Fulton County			Mohawk Valley		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	3,554	73.2^	(56.2-85.3)	14,979	70.6	(61.8-78.1)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	3,318 3,554	71.8 <sup>^</sup> # # # 73.2 <sup>^</sup>	(54.3-84.5) (56.2-85.3)	12,453 14,979	71.0 # # # 70.6	(61.8-78.6) (61.8-78.1)
Age-adjusted <sup>+,&amp;</sup>						

\* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines<sup>\*</sup>



	Fulton County			Mohawk Valley		
F	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	10,067	59.3	(51.2-67.0)	50,394	64.0	(59.5-68.2)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	9,684 4,129 5,938	62.3 # # 59.2 <sup>^</sup> 59.4 <sup>^</sup>	(55.2-68.9) (48.3-69.4) (47.8-70.1)	45,621 24,385 26,009	66.3 # # # 63.8 64.2	(62.5-70.0) (56.4-70.5) (58.7-69.3)
Age-adjusted <sup>+,&amp;</sup>						

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> Age <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	2,396	49.4^	(37.1-61.8)	11,737	54.0	(47.0-60.7)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	2,328	50.7 <sup>^</sup> # # # 53.6 <sup>^</sup>	(38.3-63.0)	10,335 5,221	56.2 # # 54.4 <sup>^</sup>	(49.1-63.0) (43.8-64.7) (44.5-62.5)
Age-adjusted <sup>+,&amp;</sup>	1,447	53.0	(36.3-70.1)	6,516	53.6	(44.5-62.5)


\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



Fulton	County	
FUILOII	County	

**Mohawk Valley** 

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	20,046	53.6	(45.7-61.2)	105,935	59.8	(56.1-63.5)
Age						
18-24		#		7,570	31.3^	(19.1-46.8)
25-34		#		16,024	55.2^	(44.5-65.4)
35-44		#		15,536	60.7^	(50.3-70.2)
45-64	8,976	66.2	(57.6-73.9)	43,443	68.2	(63.4-72.7)
65+	5,401	74.5	(63.3-83.2)	22,579	68.3	(63.1-73.0)
Race						
White, NH	18,795	55.7	(48.3-62.9)	94,138	59.8	(56.1-63.5)
Black, NH		#			#	
Hispanic		#		5,108	46.7^	(28.0-66.3)
Other, NH		#			#	
Sex						
male	9,423	50.2	(37.8-62.6)	46,949	54.9	(48.8-60.9)
female	10,623	56.9	(48.2-65.2)	58,985	64.4	(60.0-68.6)
Age-adjusted <sup>&amp;</sup>		51.5	(44.2-58.9)		59.4	(55.6-63.2)


I

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,977	5.2	(3.4-8.0)	8,690	4.9	(3.8-6.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	947	6.9	(3.6-12.9)	3,916	6.2	(4.2-9.1)
65+	1,002	13.7	(8.0-22.5)	2,933	8.7	(6.3-11.8)
Race						
White, NH	1,977	5.8	(3.7-8.8)	8,433	5.3	(4.1-6.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,042	5.5	(2.9-10.2)	3,986	4.6	(3.0-6.8)
female	935	4.9	(2.7-8.7)	4,704	5.1	(3.8-6.9)
Age-adjusted <sup>&amp;</sup>		4.5	(3.0-6.7)		4.7	(3.6-6.1)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



#### Fulton County

### **Mohawk Valley**


	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	15,716	36.5	(30.7-42.7)	71,371	34.3	(31.4-37.3)
Age						
18-24		#			#	
25-34		#		4,214	13.2	(8.2-20.6)
35-44	1,574	23.4^	(11.5-41.8)	6,237	22.1	(15.4-30.8)
45-64	7,151	44.5	(36.3-53.1)	30,476	40.1	(35.5-44.9)
65+	6,229	66.7	(57.3-75.0)	28,845	62.9	(58.2-67.3)
Race						
White, NH	14,367	36.8	(31.4-42.6)	63,747	34.8	(31.9-37.7)
Black, NH		#			#	
Hispanic		#		3,383	26.7^	(14.8-43.5)
Other, NH		#		3,562	39.7^	(19.3-64.5)
Sex						
male	8,081	38.4	(29.2-48.5)	35,130	34.8	(30.3-39.6)
female	7,635	34.7	(27.8-42.3)	36,241	33.8	(30.2-37.6)
Age-adjusted <sup>&amp;</sup>		32.2	(27.4-37.3)		30.5	(27.9-33.3)

T

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



#### Fulton County

### **Mohawk Valley**


	r alton county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,461	79.3	(71.4-85.5)	57,303	80.4	(75.9-84.3)
Age			. ,			. ,
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	5,888	82.3^	(70.6-90.1)	24,611	80.8	(74.4-85.8)
65+	5,590	89.7	(83.0-94.0)	26,906	93.6	(90.2-95.8)
Race						
White, NH	11,661	81.2	(73.4-87.1)	51,214	80.5	(75.8-84.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,826	72.1	(59.9-81.7)	26,829	76.6	(70.1-82.0)
female	6,636	86.9	(77.5-92.8)	30,474	84.2	(77.4-89.3)
Age-adjusted <sup>&amp;</sup>		63.8^	(50.8-75.0)		59.6	(53.7-65.3)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults with current asthma\*



## Fulton County

### **Mohawk Valley**

	Est. # of	Deveent		Est. # of	Deveent	
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	7,613	17.7	(12.0-25.4)	25,680	12.4	(10.3-14.9)
Age						
18-24		#		3,091	13.0^	(6.2-25.2)
25-34		#		3,952	12.5	(7.8-19.4)
35-44		#		5,118	18.2^	(10.1-30.4)
45-64	2,487	15.6	(10.5-22.5)	9,161	12.1	(9.5-15.3)
65+	972	10.4	(6.2-17.0)	4,273	9.3	(6.9-12.4)
Race						
White, NH	6,023	15.5	(11.3-20.9)	20,573	11.2	(9.4-13.4)
Black, NH		#			#	
Hispanic		#		3,786	31.9^	(15.4-54.6)
Other, NH		#			#	
Sex						
male	2,844	13.5^	(5.1-31.3)	8,771	8.7	(5.8-12.8)
female	4,769	21.8	(16.2-28.5)	16,909	15.9	(13.0-19.3)
Age-adjusted <sup>&amp;</sup>		19.1	(12.4-28.3)		13.1	(10.5-16.3)


\* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

### Percent of adults with cholesterol checked\*



### Fulton County

### **Mohawk Valley**

	r arcon county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	34,290	80.8	(73.0-86.7)	172,485	84.3	(81.1-87.0)
Age						
18-24		#		8,988	37.6^	(24.8-52.4)
25-34		#		22,994	76.0	(68.2-82.3)
35-44		#		24,643	88.7	(82.9-92.7)
45-64	14,456	90.8^	(79.1-96.3)	70,539	92.8	(89.6-95.1)
65+	9,079	99.6	(97.3-99.9)	44,081	97.7	(95.9-98.8)
Race						
White, NH	31,746	82.7	(74.7-88.6)	152,925	84.9	(81.5-87.7)
Black, NH		#			#	
Hispanic		#		9,191	74.7^	(56.4-87.1)
Other, NH		#		7,972	88.9^	(75.7-95.3)
Sex						
male	15,781	76.3^	(62.9-85.9)	79,506	80.4	(74.9-85.0)
female	18,509	85.0	(76.2-91.0)	92,979	87.9	(84.6-90.6)
Age-adjusted <sup>&amp;</sup>		78.0	(72.5-82.7)		82.6	(79.8-85.0)


\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol\*



#### Fulton County

### **Mohawk Valley**

	r alton county			wonawk vancy		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,137	41.4	(35.2-47.9)	69,936	40.8	(37.5-44.1)
Age	-			-		. ,
18-24		#			#	
25-34		#		4,385	19.1^	(11.6-29.9)
35-44		#		6,830	27.7	(19.8-37.3)
45-64	7,317	50.6	(42.7-58.5)	32,804	47.0	(42.0-52.0)
65+	5,093	56.6	(46.9-65.8)	25,396	57.9	(53.1-62.6)
Race						
White, NH	13,845	43.8	(38.0-49.8)	61,740	40.6	(37.5-43.8)
Black, NH		#			#	
Hispanic		#		4,290	46.7^	(26.7-67.7)
Other, NH		#			#	
Sex						
male	6,046	38.3^	(28.7-48.9)	34,064	43.1	(37.8-48.6)
female	8,092	44.0	(36.6-51.7)	35,873	38.8	(34.8-42.8)
Age-adjusted <sup>&amp;</sup>		31.9	(27.0-37.4)		33.6	(30.6-36.7)


\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# **Fulton** Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition<sup>\*</sup>



Fulton County	Mohawk Valley

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,529	9.9	(6.5-15.0)	12,472	10.8	(8.8-13.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	797	7.6	(3.8-14.6)	5,325	11.1	(8.2-15.0)
65+	1,213	16.3^	(9.5-26.4)	4,606	12.6	(9.6-16.3)
Race						
White, NH	2,529	11.3	(7.5-16.7)	10,903	10.8	(8.8-13.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,183	9.5	(5.0-17.3)	5,467	10.2	(7.5-13.8)
female	1,346	10.4	(5.8-17.9)	7,005	11.3	(8.6-14.6)
Age-adjusted <sup>&amp;</sup>		8.3	(4.8-14.1)		9.3	(7.0-12.1)


\* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### Prevent Chronic Diseases

Percentage of adults with arthritis\*



#### **Fulton County**

#### **Mohawk Valley**

	r alton county			inolian k valicy		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,333	30.9	(25.8-36.6)	64,351	30.9	(28.3-33.7)
Age						
18-24		#			#	
25-34		#		4,328	13.6	(8.7-20.6)
35-44	1,348	20.0^	(8.9-39.2)	5,510	19.6	(13.7-27.0)
45-64	6,558	40.8	(33.2-48.9)	28,873	37.9	(33.5-42.6)
65+	4,665	50.0	(40.6-59.3)	24,702	53.9	(49.0-58.8)
Race						
White, NH	12,747	32.6	(27.4-38.3)	58,709	31.9	(29.2-34.8)
Black, NH		#			#	
Hispanic		#		3,287	27.3^	(15.1-44.2)
Other, NH		#		1,541	17.4^	(8.3-33.0)
Sex						
male	5,560	26.3	(19.0-35.1)	27,291	27.1	(23.2-31.3)
female	7,773	35.4	(28.9-42.5)	37,061	34.6	(31.1-38.2)
Age-adjusted <sup>&amp;</sup>		27.4	(22.9-32.5)		27.5	(25.1-29.9)


\* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



#### Fulton County

#### **Mohawk Valley**


	r alton county			monatik vancy		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	37,988	91.8	(88.2-94.4)	183,338	93.0	(90.9-94.6)
Age						
18-24		#		19,425	87.4^	(70.4-95.3)
25-34		#		28,290	91.3	(86.1-94.7)
35-44		#		24,515	95.2	(90.6-97.6)
45-64	14,376	94.7	(90.5-97.1)	68,724	93.4	(90.8-95.3)
65+	8,363	93.2	(86.4-96.7)	41,118	94.8	(92.7-96.4)
Race						
White, NH	34,039	91.2	(87.3-94.0)	162,230	93.0	(90.8-94.7)
Black, NH		#			#	
Hispanic		#		10,248	89.2^	(74.3-95.9)
Other, NH		#		7,643	94.2	(84.8-98.0)
Sex						
male	18,285	91.7	(85.6-95.3)	89,870	93.2	(89.2-95.8)
female	19,702	91.9	(86.9-95.1)	93 <i>,</i> 467	92.7	(90.7-94.3)
Age-adjusted <sup>&amp;</sup>		91.0	(86.6-94.1)		92.9	(90.6-94.6)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



. . .

. . . ..

	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44	3,155	35.1	(26.5-44.7)	13,908	31.5	(27.3-36.1)
45-64 65+ <b>Race</b> White, NH Black, NH Hispanic	3,155	36.9 # #	(28.1-46.7)	13,643	33.7 # #	(29.4-38.3)
Other, NH Sex male	1,157	# 28.1 <sup>^</sup>	(16.5-43.5)	6,493	# 31.5	(24.6-39.3)
female Age-adjusted <sup>+,&amp;</sup>	1,998	41.0^	(29.5-53.6)	7,415	31.6	(26.7-36.9)

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

...

### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury<sup>\*</sup>



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	932	29.9^	(17.8-45.7)	5,044	36.4	(28.7-44.9)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	932	29.9 <sup>^</sup> # # #	(17.8-45.7)	4,935 2,413 2,632	36.3 # # 37.4 <sup>^</sup> 35.6	(28.5-44.9) (24.9-51.8) (26.9-45.3)
Age-adjusted <sup>+,&amp;</sup>						


\* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,609	36.5	(28.4-45.5)	24,095	33.8	(29.3-38.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,679	33.3	(26.4-40.9)	21,229	34.4	(30.1-38.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,335	37.9^	(27.2-49.8)	12,842	36.2	(28.9-44.2)
female	3,274	35.6^	(24.5-48.6)	11,253	31.4	(26.2-37.1)
Age-adjusted <sup>+,&amp;</sup>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year<sup>\*</sup>



#### Fulton County

#### **Mohawk Valley**

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Г	Auuits	Fercent	95% CI	Auuits	Fercent	95% CI
Total	19,685	47.2	(40.5-54.1)	95 <i>,</i> 697	48.2	(44.8-51.6)
Age						
18-24		#		8,112	37.2	(23.5-53.3)
25-34		#		12,248	39.5^	(30.2-49.6)
35-44		#		10,337	39.7	(30.7-49.5)
45-64	8,066	52.5	(44.2-60.7)	33,478	45.3	(40.5-50.2)
65+	6,191	68.6	(58.9-76.9)	30,607	69.0	(63.8-73.8)
Race						
White, NH	18,287	48.6	(42.2-55.0)	86,474	49.2	(45.8-52.6)
Black, NH		#			#	
Hispanic		#		5,931	52.2	(33.2-70.6)
Other, NH		#		1,646	20.2	(9.4-38.3)
Sex						
male	7,741	38.5	(28.7-49.4)	40,862	42.2	(37.0-47.6)
female	11,945	55.3	(47.4-62.9)	54,834	53.9	(49.8-58.0)
Age-adjusted <sup>&amp;</sup>		44.0	(37.8-50.4)		46.0	(42.3-49.8)


1

\* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 65+ years with flu immunization in the past year<sup>\*</sup>



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,191	68.6	(58.9-76.9)	30,607	69.0	(63.8-73.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,022	70.2	(60.7-78.2)	28,875	71.0	(66.7-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,651	64.3	(48.8-77.4)	13,326	64.3	(55.0-72.7)
female	3,540	72.2^	(59.9-81.8)	17,281	73.2	(68.0-77.8)
Age-adjusted <sup>+,&amp;</sup>						

\* Includes flu shot or flu spray


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+	6,008	68.9	(59.0-77.3)	30,090	69.6	(64.2-74.5)
Race White, NH Black, NH Hispanic Other, NH Sex male	5,928 2,515	70.2 # # 62.5 <sup>^</sup>	(60.5-78.3) (46.8-75.9)	28,484 12,646	71.6 # # # 62.5	(67.2-75.6) (53.1-71.1)
female Age-adjusted <sup>+,&amp;</sup>	3,493	74.3^	(61.5-84.0)	17,444	75.7	(70.5-80.2)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Fulton County			Mohawk Valley		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,303	74.1^	(58.7-85.2)	28,581	72.5	(64.5-79.2)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,753	72.8^	(56.5-84.7)	25,670	73.8	(65.6-80.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,303	74.1^	(58.7-85.2)	28,581	72.5	(64.5-79.2)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,632	76.0^	(62.4-85.8)	32,547	74.6	(67.3-80.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,082	74.9^	(60.4-85.4)	28,057	72.6	(64.7-79.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,632	76.0^	(62.4-85.8)	32,547	74.6	(67.3-80.7)
Age-adjusted <sup>+,&amp;</sup>						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# **Fulton** Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64 65+ <b>Race</b>	13,966	83.4	(75.8-89.0)	72,708	88.7	(85.3-91.4)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	12,732 13,966	84.9 # # # 83.4	(77.5-90.1) (75.8-89.0)	65,234 72,708	89.6 # # # 88.7	(86.0-92.4) (85.3-91.4)
Age-adjusted <sup>+,&amp;</sup>						

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

...

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



. . .

. . . ..

	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> <sup>+</sup> 18-24 25-34 35-44 45-64	3,074	42.7^	(28.3-58.4)	19,970	50.4	(42.2-58.6)
65+ Race White, NH Black, NH Hispanic Other, NH Sex	3,074	46.8 <sup>^</sup> # #	(31.2-63.0)	17,541	50.2 # # #	(41.6-58.8)
male female Age-adjusted <sup>+,&amp;</sup>	3,074	# 42.7 <sup>^</sup>	(28.3-58.4)	19,970	# 50.4	(42.2-58.6)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



#### Fulton County

**Mohawk Valley** 


				······································		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,382	12.8	(8.8-18.1)	25,228	12.4	(10.4-14.8)
Age						
18-24		#		3,129	13.4^	(6.6-25.3)
25-34		#		4,401	13.9	(8.9-21.2)
35-44		#		3,323	12.0	(7.5-18.7)
45-64	2,381	15.0^	(8.3-25.5)	11,249	15.1	(11.6-19.4)
65+	489	5.3	(2.7-10.4)	3,115	7.1	(5.3-9.3)
Race						
White, NH	4,342	11.3	(8.0-15.7)	19,994	11.1	(9.2-13.4)
Black, NH		#			#	
Hispanic		#		2,924	25.2^	(12.2-44.8)
Other, NH		#		1,611	18.0^	(7.6-36.9)
Sex						
male	1,746	8.4	(4.8-14.3)	10,364	10.5	(7.9-13.8)
female	3,636	17.0	(10.8-25.7)	14,864	14.2	(11.3-17.8)
Age-adjusted <sup>&amp;</sup>		13.3	(9.2-18.8)		12.6	(10.4-15.2)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month\*



# Fulton County

#### **Mohawk Valley**

	Est. # of	Deveent		Est. # of	Dercent	
Г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	8,646	20.6	(14.7-28.1)	33,798	16.9	(14.2-20.0)
Age						
18-24		#		7,077	29.2	(18.0-43.7)
25-34		#		9,514	30.1^	(20.7-41.4)
35-44		#		5,720	21.9	(15.6-29.9)
45-64	2,422	15.7	(10.9-22.2)	9,475	13.1	(10.3-16.4)
65+		#		2,002	4.6	(2.8-7.2)
Race						
White, NH	8,388	22.2	(15.9-30.1)	32,077	18.2	(15.2-21.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,469	26.4	(16.6-39.4)	21,816	22.5	(17.9-27.8)
female	3,177	15.0	(9.6-22.6)	11,982	11.7	(9.0-15.0)
Age-adjusted <sup>&amp;</sup>		22.7	(17.0-29.8)		18.7	(15.8-22.1)


\* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Fulton County			Mohawk Valley		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,491	64.9^	(47.8-78.8)	11,899	49.3	(40.1-58.4)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		5,940	53.3^	(38.9-67.2)
65+		#			#	
Race						
White, NH	2,654	61.1^	(44.5-75.5)	9,319	49.2	(40.0-58.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		4,770	46.4	(32.6-60.7)
female		#		7,129	51.4^	(39.5-63.1)
Age-adjusted <sup>&amp;</sup>		60.8^	(46.0-73.8)		47.5	(39.2-56.0)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.