# eBRFSS 2013-2014 Health Indicators: Genesee

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of	
guidelinesguidelines	
	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines	recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30 31 32
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	recent 
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults who hose taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 18+ years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percentage of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percentage of adults with cholesterol checked  Percentage of adults with average and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with colresterol checked.  Percentage of adults with cholesterol checked.  Percentage of adults with nave taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year  Women aged 18-44 years who saw a doctor for a routine checkup within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with colorected of the standard sign blood pressure taking high blood pressure medication.  Percentage of adults with corrent asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Preventage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 48-49 years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-64 years with health care coverage	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years whose health care coverage.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults with atherists who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 55+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis.  Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Promote a Hully/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years whose health care coverage Percentage of women aged 18-64 years with one adults and prevention Substance Abuse.  Percentage of adults with poor mental health for 14 or more days in the last month	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults with atherists who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 55+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been accoverage.  Percentage of women aged 18-44 years who had been	recent

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

# Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



	Genesee County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,944	6.3	(4.1-9.5)	111,076	9.2	(7.7-10.8)
Age						
18-24		#		16,858	9.8	(4.9-18.5)
25-34		#		25,019	14.6	(9.8-21.3)
35-44		#		18,404	10.7	(7.7-14.7)
45-64	1,529	9.2	(5.1-15.9)	44,281	10.2	(8.2-12.5)
65+		#		6,309	2.5	(1.5-4.1)
Race						
White, NH	2,656	6.5	(4.3-9.8)	88,308	8.7	(7.2-10.6)
Black, NH		#		12,547	13.6	(8.4-21.3)
Hispanic		#		7,904	13.2	(7.5-22.4)
Other, NH		#		2,317	5.1	(2.5-10.1)
Sex						
male	897	3.8	(1.7-8.3)	54,343	9.3	(7.0-12.3)
female	2,046	8.7	(5.2-14.0)	56,733	9.1	(7.5-10.9)
Age-adjusted <sup>&amp;</sup>		6.8	(4.3-10.4)		9.8	(8.2-11.6)


<sup>\*</sup> Among people needing to see a doctor in the past 12 months

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Improve Health Status and Reduce Health Disparities

### Percentage of adults who have a regular health care provider



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	44,441	94.4	(90.6-96.7)	1,066,548	88.1	(86.1-89.9)
Age						
18-24		#		127,756	74.5	(64.0-82.7)
25-34		#		142,488	82.2	(76.7-86.6)
35-44		#		148,338	86.9	(81.1-91.1)
45-64	15,600	92.7	(86.7-96.1)	394,413	91.1	(88.5-93.1)
65+	9,076	93.2	(73.1-98.6)	240,905	96.8	(95.0-98.0)
Race						
White, NH	39,033	95.9	(93.2-97.5)	910,266	89.8	(87.7-91.6)
Black, NH		#		72,546	78.8	(69.0-86.2)
Hispanic		#		46,457	77.2^	(64.9-86.2)
Other, NH		#		37,279	83.4^	(71.6-90.9)
Sex						
male	21,610	93.0	(85.5-96.8)	480,509	82.2	(78.5-85.4)
female	22,831	95.7	(91.9-97.8)	586,040	93.6	(91.9-95.0)
Age-adjusted <sup>&amp;</sup>		94.8	(91.3-96.9)		87.4	(85.2-89.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults who had a dentist visit within the past year



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,123	68.1	(60.0-75.1)	815,757	72.0	(69.5-74.4)
Age						
18-24		#		111,937	72.2	(62.3-80.3)
25-34		#		104,276	65.3	(57.4-72.5)
35-44		#		116,739	73.5	(66.6-79.5)
45-64	10,655	66.8	(57.2-75.2)	302,588	73.5	(69.9-76.8)
65+	6,894	74.4	(58.4-85.7)	169,803	72.1	(67.5-76.3)
Race						
White, NH	26,066	68.8	(60.7-75.9)	696,981	73.0	(70.4-75.5)
Black, NH		#		48,534	62.2^	(51.5-71.9)
Hispanic		#		39,253	69.8^	(56.2-80.6)
Other, NH		#		30,989	69.9^	(54.2-82.0)
Sex						
male	16,333	73.4	(62.1-82.3)	385,171	70.1	(66.0-74.0)
female	13,790	62.6	(52.3-72.0)	430,585	73.8	(70.7-76.6)
Age-adjusted <sup>&amp;</sup>		66.4	(57.6-74.3)		71.6	(68.9-74.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

### Percentage of adults living with a disability\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,016	21.6	(17.0-27.0)	300,934	25.0	(22.8-27.4)
Age						
18-24		#		21,109	12.4	(7.0-21.1)
25-34		#		32,454	19.0	(13.1-26.6)
35-44		#		32,720	19.3	(14.1-25.9)
45-64	4,798	29.5	(22.0-38.2)	123,509	28.7	(25.1-32.5)
65+	3,273	33.6	(20.6-49.6)	89,167	36.1	(31.7-40.7)
Race						
White, NH	9,250	23.1	(18.3-28.6)	259,812	25.8	(23.3-28.5)
Black, NH		#		19,801	22.0	(15.4-30.5)
Hispanic		#		12,927	21.7	(13.6-32.9)
Other, NH		#		8,395	18.7^	(10.7-30.6)
Sex						
male	3,737	16.2	(10.4-24.2)	141,203	24.3	(20.8-28.3)
female	6,279	26.9	(20.6-34.4)	159,731	25.7	(22.9-28.7)
Age-adjusted <sup>&amp;</sup>		20.3	(15.7-25.7)		24.0	(21.7-26.5)

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults aged 18-64 years with healthcare coverage



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,538	88.5	(80.9-93.3)	823,035	87.2	(84.7-89.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	28,928	87.8	(79.5-93.0)	674,524	88.0	(85.2-90.3)
Black, NH		#		68,376	82.4	(73.1-89.0)
Hispanic		#		46,078	79.4^	(66.7-88.1)
Other, NH		#		34,057	93.3	(84.4-97.3)
Sex						
male	17,221	97.2	(93.6-98.8)	400,391	84.8	(80.5-88.3)
female	15,316	80.3^	(67.8-88.8)	422,644	89.6	(86.8-91.8)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,584	66.8	(57.8-74.8)	713,093	75.2	(72.3-77.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	21,859	66.3	(56.9-74.6)	580,918	75.4	(72.2-78.3)
Black, NH		#		66,769	80.1^	(70.0-87.4)
Hispanic		#		43,398	75.9^	(63.1-85.3)
Other, NH		#		22,009	58.8	(38.3-76.7)
Sex						
male	11,553	65.2	(50.8-77.3)	332,817	70.2	(65.5-74.6)
female	13,031	68.3^	(56.3-78.3)	380,276	80.1	(76.7-83.0)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults experiencing housing insecurity in the past 12 months\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,450	33.1	(24.8-42.7)	362,546	32.8	(30.1-35.6)
Age						
18-24		#		41,076	29.1^	(20.6-39.4)
25-34		#		73,260	46.0	(37.8-54.5)
35-44		#		58,390	37.4	(30.9-44.4)
45-64	4,391	27.6	(20.0-36.8)	141,359	35.2	(31.1-39.4)
65+	3,989	43.9	(23.1-67.0)	46,422	19.6	(15.9-23.9)
Race						
White, NH	10,962	29.4	(22.1-37.9)	275,138	29.5	(26.8-32.4)
Black, NH		#		44,647	53.4	(42.9-63.5)
Hispanic		#		22,006	46.5^	(33.0-60.5)
Other, NH		#		20,755	47.6^	(30.8-64.9)
Sex						
male	5,595	25.6	(13.4-43.3)	160,510	29.9	(25.8-34.3)
female	8,855	40.8	(31.3-51.0)	202,036	35.5	(32.0-39.1)
Age-adjusted <sup>&amp;</sup>		33.2	(24.9-42.5)		34.2	(31.4-37.1)

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,739	23.6	(16.2-32.9)	246,116	21.0	(18.7-23.5)
Age						
18-24		#		38,217	23.4	(16.1-32.7)
25-34		#		51,496	30.6	(22.8-39.5)
35-44		#		38,805	23.7	(18.4-29.9)
45-64	3,564	22.0	(15.2-30.9)	90,979	21.7	(18.3-25.6)
65+	3,344	35.5	(15.3-62.6)	25,712	10.6	(8.0-13.9)
Race						
White, NH	7,742	19.8	(14.2-26.9)	181,689	18.5	(16.2-21.1)
Black, NH		#		29,550	34.3^	(25.4-44.3)
Hispanic		#		18,344	31.8^	(21.1-44.9)
Other, NH		#		16,533	36.8	(21.0-55.9)
Sex						
male	3,837	16.9^	(6.8-36.0)	113,695	20.0	(16.3-24.2)
female	6,902	30.3	(22.0-40.1)	132,421	22.0	(19.4-24.9)
Age-adjusted <sup>&amp;</sup>		23.1	(16.5-31.5)		22.1	(19.6-24.8)

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

# Percentage of adults with poor self-reported health




	Genesee County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,138	4.6	(2.7-7.6)	59,362	4.9	(3.9-6.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,973	3.5	(2.0-6.0)
45-64	946	5.6	(2.4-12.8)	30,602	7.1	(5.1-9.6)
65+	731	7.5	(3.3-16.2)	17,350	7.0	(4.8-10.2)
Race						
White, NH	2,138	5.3	(3.1-8.7)	49,277	4.9	(3.8-6.3)
Black, NH		#		5,176	5.6	(2.6-11.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		27,901	4.8	(3.3-6.9)
female	1,675	7.1	(3.9-12.4)	31,461	5.0	(3.7-6.8)
Age-adjusted <sup>&amp;</sup>		4.4	(2.6-7.5)		4.6	(3.6-5.8)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Improve Health Status and Reduce Health Disparities

### Percentage of adults who report 14 or more days of poor physical health\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,976	10.8	(7.8-14.9)	159,607	13.5	(11.8-15.3)
Age						
18-24		#		9,020	5.3	(2.7-10.2)
25-34		#		13,051	7.7	(4.2-13.4)
35-44		#		21,720	12.9	(8.6-18.8)
45-64	2,586	15.8	(10.0-24.0)	75,885	17.9	(15.0-21.4)
65+	1,204	12.9^	(6.8-23.2)	38,971	16.3	(12.9-20.3)
Race						
White, NH	4,976	12.5	(9.1-17.0)	131,797	13.3	(11.4-15.3)
Black, NH		#		16,150	17.8	(11.6-26.3)
Hispanic		#		5,447	9.6	(4.9-17.8)
Other, NH		#		6,214	14.1^	(7.2-25.8)
Sex						
male	1,074	4.7	(2.3-9.7)	63,069	11.0	(8.7-13.7)
female	3,902	16.8	(11.8-23.3)	96,538	15.8	(13.4-18.5)
Age-adjusted <sup>&amp;</sup>		10.6	(7.6-14.6)		13.0	(11.3-15.0)

<sup>\*</sup> Out of the past 30 days.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults who are obese\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,700	28.7	(22.3-36.1)	344,412	30.2	(27.7-32.8)
Age						
18-24		#		28,877	17.2	(11.7-24.7)
25-34		#		46,414	28.9	(21.7-37.5)
35-44		#		61,451	38.4	(31.3-46.1)
45-64	5,703	36.8	(28.2-46.3)	146,722	36.2	(32.3-40.2)
65+	2,148	23.8	(14.1-37.4)	60,875	25.7	(21.5-30.3)
Race						
White, NH	11,083	29.0	(23.0-35.8)	272,632	28.4	(25.7-31.2)
Black, NH		#		40,228	46.7^	(36.9-56.8)
Hispanic		#		20,797	37.4	(25.4-51.1)
Other, NH		#		10,754	28.3	(16.6-44.0)
Sex						
male	6,024	26.0^	(16.9-37.8)	178,617	31.1	(27.3-35.2)
female	6,676	31.6	(23.5-40.9)	165,795	29.2	(26.1-32.5)
Age-adjusted <sup>&amp;</sup>		30.8	(23.7-39.0)		31.1	(28.5-33.9)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	Ge	nesee Cou	nty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,178	29.0^	(16.7-45.3)	104,583	35.5	(30.9-40.3)
Age						
18-24		#		8,384	18.0^	(8.9-33.0)
25-34		#		16,598	35.7	(24.1-49.2)
35-44		#		19,177	61.3^	(48.2-73.0)
45-64		#		38,181	43.0	(35.8-50.5)
65+	578	13.4	(4.6-33.5)	22,243	27.3	(20.7-35.1)
Race						
White, NH	2,738	35.3	(21.7-51.9)	74,570	33.0	(28.0-38.4)
Black, NH		#		15,662	38.9^	(26.9-52.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		44,600	31.5	(24.9-39.0)
female	1,587	37.3	(24.6-52.2)	59,983	39.1	(33.3-45.2)
Age-adjusted <sup>&amp;</sup>		42.0^	(31.3-53.4)		39.8	(35.2-44.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults living with a disability who are obese\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,979	42.0^	(31.2-53.6)	128,816	44.6	(39.4-49.8)
Age						
18-24		#			#	
25-34		#		14,398	45.5	(26.9-65.4)
35-44		#		18,864	60.6	(43.0-75.9)
45-64	1,557	34.6	(21.4-50.7)	59,485	50.7	(43.2-58.2)
65+	1,373	44.7	(29.4-61.1)	30,693	35.4	(28.3-43.1)
Race						
White, NH	3,717	42.7	(31.5-54.6)	107,458	43.1	(37.5-48.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		61,413	43.8	(35.7-52.3)
female	2,176	37.9^	(26.1-51.4)	67,402	45.2	(39.0-51.7)
Age-adjusted <sup>&amp;</sup>		42.5	(29.3-56.8)		46.0	(39.6-52.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

#### Percentage of adults overweight or obese\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	29,161	65.8	(56.7-73.9)	722,740	63.3	(60.2-66.3)
Age						
18-24		#		62,859	37.5	(28.0-48.1)
25-34		#		99,799	62.2	(54.6-69.4)
35-44		#		108,030	67.5	(59.7-74.4)
45-64	11,387	73.5	(64.4-80.9)	288,771	71.2	(67.0-75.0)
65+	4,551	50.5	(30.1-70.7)	158,839	67.0	(62.2-71.4)
Race						
White, NH	25,632	67.0	(59.2-74.0)	598,637	62.3	(58.9-65.6)
Black, NH		#		68,129	79.2	(70.8-85.6)
Hispanic		#		38,608	69.4	(53.9-81.4)
Other, NH		#		17,366	45.8	(31.3-61.0)
Sex						
male	16,608	71.6	(56.0-83.4)	393,334	68.6	(63.5-73.3)
female	12,553	59.4	(49.5-68.6)	329,405	58.1	(54.3-61.8)
Age-adjusted <sup>&amp;</sup>		66.1	(57.3-73.9)		63.7	(60.8-66.5)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,345	70.5	(62.8-77.2)	877,451	74.4	(72.0-76.6)
Age						
18-24		#		133,667	80.7	(72.8-86.7)
25-34		#		131,249	77.7	(70.8-83.4)
35-44		#		125,180	75.1	(68.8-80.5)
45-64	10,808	67.2	(57.7-75.5)	307,351	72.9	(69.1-76.4)
65+	6,373	65.6	(48.6-79.4)	171,171	70.2	(65.6-74.4)
Race						
White, NH	28,444	72.0	(64.8-78.2)	756,817	76.5	(74.1-78.7)
Black, NH		#		50,618	58.2	(48.0-67.8)
Hispanic		#		37,543	64.1	(49.9-76.2)
Other, NH		#		32,474	72.6	(56.3-84.5)
Sex						
male	17,599	76.5	(64.2-85.6)	439,933	77.0	(73.4-80.2)
female	14,745	64.4	(54.9-73.0)	437,519	72.0	(68.8-74.9)
Age-adjusted <sup>&amp;</sup>		70.4	(62.5-77.2)		74.8	(72.4-77.0)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults who consume one or more sugary drinks daily\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,347	27.2	(19.3-36.8)	301,463	26.2	(23.3-29.3)
Age						
18-24		#		75,402	45.9 <sup>^</sup>	(34.2-58.1)
25-34		#		55,078	34.3	(27.2-42.1)
35-44		#		44,593	27.4	(21.4-34.3)
45-64	3,718	23.1	(16.0-32.1)	95,213	23.0	(19.4-27.0)
65+	2,930	31.4	(11.9-61.0)	28,279	11.9	(9.4-15.1)
Race						
White, NH	10,251	26.3	(19.3-34.7)	228,879	23.6	(20.6-27.0)
Black, NH		#		38,316	47.1	(36.9-57.6)
Hispanic		#		23,181	39.9^	(26.4-55.1)
Other, NH		#		11,087	25.0^	(14.1-40.4)
Sex						
male	7,291	32.1	(19.1-48.6)	189,430	34.0	(29.1-39.3)
female	5,057	22.3	(15.1-31.7)	112,033	18.9	(16.3-21.7)
Age-adjusted <sup>&amp;</sup>		24.3	(18.2-31.6)		27.1	(24.3-30.0)

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults who consume fast-food three or more times per week



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,731	3.9	(2.1-7.1)	77,073	6.7	(5.5-8.3)
Age						
18-24		#		14,257	8.8	(5.2-14.3)
25-34		#		14,510	9.0	(5.3-14.9)
35-44		#		20,808	12.8	(8.0-19.9)
45-64	1,122	7.0	(3.3-14.1)	19,934	4.8	(3.5-6.8)
65+		#		7,263	3.1	(1.8-5.2)
Race						
White, NH	1,053	2.8	(1.4-5.5)	56,907	5.9	(4.6-7.5)
Black, NH		#		12,107	15.3	(8.8-25.1)
Hispanic		#			#	
Other, NH		#		3,483	7.9^	(2.7-21.0)
Sex						
male	1,274	5.7	(2.8-11.4)	50,457	9.2	(7.0-11.8)
female		#		26,616	4.5	(3.1-6.5)
Age-adjusted <sup>&amp;</sup>		3.2	(1.8-5.7)		7.6	(6.0-9.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults with physician diagnosed diabetes\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,558	11.8	(8.6-15.9)	118,414	9.7	(8.3-11.4)
Age						
18-24		#			#	
25-34		#		4,633	2.7	(1.1-6.2)
35-44		#		8,125	4.7	(2.8-7.8)
45-64	2,471	14.6	(9.3-22.2)	52,043	11.9	(9.1-15.5)
65+	1,850	18.8	(10.8-30.8)	48,493	19.5	(16.1-23.4)
Race						
White, NH	4,783	11.7	(8.5-15.9)	92,279	9.1	(7.7-10.6)
Black, NH		#		16,081	17.4	(11.2-26.0)
Hispanic		#		2,951	4.9	(2.2-10.7)
Other, NH		#		7,104	15.7	(4.4-43.0)
Sex						
male	3,159	13.5	(8.4-21.0)	58,629	10.0	(7.8-12.8)
female	2,398	10.1	(6.6-15.0)	59,785	9.5	(7.9-11.5)
Age-adjusted <sup>&amp;</sup>		11.5	(8.0-16.2)		8.7	(7.5-10.1)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults who are current smokers



	Ge	nesee Cou	nty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,981	25.8	(19.1-34.0)	247,835	20.8	(18.8-23.0)
Age						
18-24		#		25,309	14.9	(9.9-21.7)
25-34		#		56,094	32.7	(25.8-40.4)
35-44		#		38,389	22.9	(18.1-28.6)
45-64	4,124	25.5	(17.7-35.2)	107,073	25.2	(21.7-29.1)
65+	1,109	11.4	(6.0-20.6)	20,570	8.4	(6.2-11.3)
Race						
White, NH	11,090	27.7	(20.5-36.4)	189,505	19.0	(16.9-21.3)
Black, NH		#		34,273	38.2	(29.0-48.3)
Hispanic		#		18,226	31.1	(19.3-46.1)
Other, NH		#		5,830	13.1	(7.7-21.6)
Sex						
male	5,177	22.4	(13.3-35.3)	126,440	22.0	(18.8-25.7)
female	6,803	29.2	(20.5-39.9)	121,395	19.7	(17.2-22.5)
Age-adjusted <sup>&amp;</sup>		27.0	(19.9-35.6)		21.9	(19.7-24.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

# Percentage of adults with annual household income less than \$25,000 who are current smokers



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,145	35.7	(19.8-55.6)	97,449	31.1	(26.5-36.0)
Age						
18-24		#		11,645	24.5^	(13.0-41.3)
25-34		#		24,473	45.0^	(31.7-59.0)
35-44		#		11,451	33.5	(22.8-46.2)
45-64		#		38,840	41.2	(33.3-49.5)
65+		#		11,011	13.4	(8.4-20.7)
Race						
White, NH	3,742	46.3	(29.4-64.1)	67,100	28.5	(23.5-34.1)
Black, NH		#		22,273	50.8^	(37.9-63.6)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		49,706	34.0	(26.3-42.6)
female	1,639	34.2	(21.0-50.3)	47,743	28.5	(23.5-34.2)
Age-adjusted <sup>&amp;</sup>		48.9^	(35.7-62.3)		33.3	(28.6-38.3)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

### Percentage of adults aged 18-24 years who are current smokers



	G	<b>Genesee County</b>			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		25,309	14.9	(9.9-21.7)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		15,004	10.9	(6.7-17.3)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		17,008	15.9	(9.3-25.9)	
female		#		8,301	13.1	(7.0-23.0)	
Age-adjusted+,&							


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,841	79.3	(69.8-86.4)	196,724	83.1	(80.0-85.9)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,481	79.2	(69.4-86.5)	183,377	83.5	(80.2-86.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	7,841	79.3	(69.8-86.4)	196,724	83.1	(80.0-85.9)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Genesee County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		41,732	74.1	(66.1-80.8)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		37,146	74.6	(66.0-81.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		41,732	74.1	(66.1-80.8)	
Age-adjusted+,&							

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,020	74.9^	(62.3-84.3)	360,599	83.2	(79.9-86.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,174	74.0^	(60.9-83.9)	310,981	84.5	(81.0-87.4)
Black, NH		#		23,632	75.8^	(58.9-87.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	13,020	74.9^	(62.3-84.3)	360,599	83.2	(79.9-86.0)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Genesee County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		80,264	76.6	(70.1-82.1)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		58,042	76.8	(69.5-82.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		80,264	76.6	(70.1-82.1)	
Age-adjusted+,&							

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,327	62.9	(54.0-71.0)	314,570	69.7	(66.0-73.1)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	10,141	63.0	(54.3-71.0)	284,419	70.9	(67.3-74.2)
Black, NH		#		21,964	75.7	(60.5-86.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,163	63.2	(48.2-76.0)	143,396	67.7	(61.6-73.3)
female	6,164	62.6	(51.9-72.1)	171,173	71.4	(67.0-75.5)
Age-adjusted+,&						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,883	58.3^	(40.2-74.3)	64,446	57.0	(48.7-65.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,384	61.8^	(45.0-76.1)	56,021	60.7	(52.9-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		26,654	48.3^	(35.9-60.9)
female		#		37,792	65.3	(55.7-73.9)
Age-adjusted+,&						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

# Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	20,055	49.7	(40.8-58.7)	618,738	58.8	(55.6-61.9)
Age						
18-24		#		34,559	21.4	(15.2-29.4)
25-34		#		90,941	55.9	(48.1-63.4)
35-44		#		93,243	59.7	(52.1-66.9)
45-64	9,743	69.9	(60.2-78.1)	252,542	68.7	(64.6-72.6)
65+	5,684	75.1	(55.6-87.9)	141,522	73.1	(67.7-77.9)
Race						
White, NH	17,046	49.0	(40.8-57.2)	522,976	59.1	(55.6-62.5)
Black, NH		#		45,591	61.3^	(50.4-71.1)
Hispanic		#		33,895	59.7	(45.7-72.3)
Other, NH		#		16,276	44.7	(29.5-61.0)
Sex						
male	9,702	49.7	(34.4-65.1)	286,050	56.8	(51.6-61.9)
female	10,353	49.7	(40.4-59.2)	332,688	60.6	(56.8-64.2)
Age-adjusted <sup>&amp;</sup>		50.2	(42.6-57.8)		59.1	(56.3-61.8)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

# Percentage of adults with physician-diagnosed prediabetes




	Genesee County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,986	4.8	(3.0-7.5)	52,627	4.9	(3.9-6.1)
Age						
18-24		#			#	
25-34		#		7,276	4.3	(1.8-10.2)
35-44		#		5,652	3.5	(1.9-6.2)
45-64	971	6.8	(3.6-12.2)	19,280	5.1	(3.8-6.9)
65+	583	7.5	(3.6-15.1)	15,987	8.3	(5.9-11.4)
Race						
White, NH	1,986	5.6	(3.5-8.6)	46,288	5.1	(4.0-6.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,178	4.9	(3.3-7.0)
female	1,586	7.5	(4.4-12.4)	27,449	4.9	(3.8-6.2)
Age-adjusted <sup>&amp;</sup>		3.7	(2.3-5.8)		4.7	(3.7-5.9)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed high blood pressure



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,876	31.6	(25.6-38.4)	413,880	34.2	(31.6-36.8)
Age						
18-24		#		10,701	6.2	(3.5-10.8)
25-34		#		33,277	19.3	(13.5-26.8)
35-44		#		36,099	21.0	(15.2-28.3)
45-64	7,638	45.3	(36.6-54.3)	174,646	40.1	(36.0-44.3)
65+	4,550	46.7	(29.0-65.2)	155,613	62.7	(57.8-67.3)
Race						
White, NH	13,012	32.0	(26.1-38.6)	341,756	33.7	(31.1-36.5)
Black, NH		#		42,050	45.2	(35.9-54.8)
Hispanic		#		19,496	32.4	(19.3-49.0)
Other, NH		#		10,578	23.4	(10.1-45.3)
Sex						
male	7,362	31.5	(22.4-42.3)	209,209	35.8	(31.7-40.1)
female	7,514	31.7	(24.3-40.3)	204,672	32.6	(29.7-35.8)
Age-adjusted <sup>&amp;</sup>		30.8	(24.1-38.5)		31.6	(29.2-34.1)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,924	80.2^	(67.9-88.5)	319,214	77.2	(72.7-81.2)
Age						
18-24		#			#	
25-34		#		10,589	31.8^	(15.4-54.5)
35-44		#		15,924	44.1	(28.5-60.9)
45-64	6,502	85.1	(74.5-91.8)	140,590	80.5	(73.1-86.3)
65+	4,176	91.8	(75.5-97.6)	146,293	94.3	(90.8-96.5)
Race						
White, NH	10,060	77.3	(64.2-86.6)	275,448	80.7	(76.9-84.0)
Black, NH		#		33,258	79.1^	(66.1-88.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,749	78.1	(65.0-87.2)	148,316	71.0	(63.6-77.5)
female	6,175	82.2	(58.3-93.8)	170,898	83.6	(78.7-87.5)
Age-adjusted <sup>&amp;</sup>		68.2^	(53.9-79.8)		59.2	(52.6-65.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with current asthma\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,578	11.9	(7.7-17.8)	138,193	11.4	(9.9-13.2)
Age						
18-24		#		12,912	7.6	(4.8-12.0)
25-34		#		22,985	13.3	(9.1-18.9)
35-44		#		26,223	15.3	(11.2-20.6)
45-64	1,488	8.9	(5.0-15.4)	55,491	12.8	(10.1-16.1)
65+	596	6.2	(2.9-12.5)	20,540	8.3	(6.2-11.0)
Race						
White, NH	4,688	11.5	(7.4-17.7)	109,339	10.8	(9.2-12.6)
Black, NH		#		12,253	13.5	(8.2-21.4)
Hispanic		#		10,362	17.4^	(10.0-28.4)
Other, NH		#		6,238	13.8^	(6.7-26.3)
Sex						
male	1,989	8.5	(4.2-16.5)	46,098	7.9	(6.1-10.2)
female	3,589	15.2	(8.9-24.5)	92,095	14.7	(12.5-17.3)
Age-adjusted <sup>&amp;</sup>		14.2	(9.0-21.5)		12.0	(10.4-13.9)

<sup>\*</sup> Physician diagnosed asthma.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percent of adults with cholesterol checked\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	38,103	82.7	(73.7-89.1)	996,592	84.1	(81.1-86.7)
Age						
18-24		#		69,246	41.9^	(31.4-53.3)
25-34		#		120,610	73.5	(66.5-79.4)
35-44		#		147,897	89.7	(84.5-93.4)
45-64	15,670	92.8	(86.4-96.3)	403,910	93.3	(90.2-95.4)
65+	9,747	99.4	(96.5-99.9)	242,950	98.7	(97.6-99.3)
Race						
White, NH	32,493	81.8	(71.9-88.8)	848,158	85.5	(82.2-88.4)
Black, NH		#		71,883	78.5	(69.1-85.5)
Hispanic		#		47,340	79.8^	(68.7-87.7)
Other, NH		#		29,211	68.2	(46.7-84.0)
Sex						
male	18,445	79.0 <sup>^</sup>	(63.2-89.1)	465,998	81.5	(76.1-86.0)
female	19,658	86.5	(76.2-92.8)	530,594	86.4	(83.6-88.9)
Age-adjusted <sup>&amp;</sup>		82.7	(76.1-87.7)		83.2	(80.9-85.3)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

### Percentage of adults 18 years and older with elevated cholesterol\*



	Genesee County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,958	42.4	(34.8-50.3)	398,531	40.4	(37.6-43.3)
Age						
18-24		#		13,007	19.2^	(8.0-39.4)
25-34		#		21,955	18.3^	(10.3-30.3)
35-44		#		39,377	27.2	(20.2-35.4)
45-64	8,918	57.1	(48.2-65.6)	185,641	46.1	(41.9-50.4)
65+	4,293	44.6	(27.8-62.8)	133,691	55.9	(50.9-60.8)
Race						
White, NH	14,302	44.6	(38.0-51.4)	351,251	41.7	(38.7-44.9)
Black, NH		#		24,985	36.0^	(26.3-47.0)
Hispanic		#		12,979	27.4	(15.9-43.0)
Other, NH		#		9,315	34.2	(19.8-52.1)
Sex						
male	7,917	42.9	(30.3-56.6)	196,109	42.4	(38.0-47.0)
female	8,041	41.8	(33.8-50.3)	202,422	38.6	(35.1-42.3)
Age-adjusted <sup>&amp;</sup>		36.6	(28.7-45.3)		35.1	(31.6-38.7)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,398	17.4	(8.2-33.2)	65,957	10.3	(8.4-12.7)
Age						
18-24		#			#	
25-34		#		6,722	9.0^	(3.5-21.0)
35-44		#		3,602	5.2	(2.5-10.7)
45-64	1,601	14.5	(7.9-25.1)	23,932	9.2	(6.5-12.8)
65+	2,350	30.6	(8.9-66.6)	29,019	14.9	(11.2-19.4)
Race						
White, NH	2,015	9.4	(6.0-14.6)	53,929	10.0	(7.9-12.5)
Black, NH		#		7,467	15.6^	(8.4-27.0)
Hispanic		#			#	
Other, NH		#		3,596	19.2^	(6.3-45.6)
Sex						
male	3,382	28.2	(11.5-54.3)	29,830	10.2	(7.3-14.0)
female	1,015	7.7	(4.5-12.8)	36,128	10.4	(7.9-13.6)
Age-adjusted <sup>&amp;</sup>		12.6	(7.0-21.8)		9.0	(6.9-11.7)

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

## Percentage of adults with arthritis\*



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,506	28.7	(21.9-36.6)	320,398	26.4	(24.2-28.8)
Age						
18-24		#			#	
25-34		#		18,912	10.9	(5.5-20.4)
35-44		#		25,812	15.0	(11.1-20.1)
45-64	6,060	35.9	(27.9-44.8)	143,574	33.0	(29.4-36.8)
65+	6,167	62.8	(45.8-77.2)	126,586	51.1	(46.4-55.9)
Race						
White, NH	11,128	27.3	(22.2-33.1)	285,993	28.2	(25.7-30.8)
Black, NH		#		16,561	17.8	(11.8-26.0)
Hispanic		#		10,492	17.4^	(10.6-27.5)
Other, NH		#		7,352	16.4	(8.8-28.6)
Sex						
male	5,874	25.1	(14.1-40.6)	115,944	19.9	(17.1-22.9)
female	7,632	32.1	(25.4-39.7)	204,454	32.6	(29.4-35.9)
Age-adjusted <sup>&amp;</sup>		25.6	(21.0-30.7)		24.1	(22.0-26.3)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Ge	nesee Cou	nty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	40,909	90.0^	(79.6-95.4)	1,071,115	92.7	(90.9-94.1)
Age						
18-24		#		147,175	89.8	(80.7-94.9)
25-34		#		150,577	90.8	(85.7-94.2)
35-44		#		155,303	95.2	(92.2-97.0)
45-64	14,725	92.2	(85.3-96.0)	383,623	92.8	(90.2-94.7)
65+	7,110	74.9^	(40.3-93.0)	222,347	93.7	(90.4-96.0)
Race						
White, NH	36,523	92.9	(88.7-95.7)	916,932	94.4	(92.8-95.7)
Black, NH		#		69,802	81.6	(71.7-88.6)
Hispanic		#		47,547	82.9^	(69.3-91.2)
Other, NH		#		36,834	87.1	(74.3-94.0)
Sex						
male	20,018	87.6	(65.7-96.3)	520,960	93.1	(90.1-95.2)
female	20,890	92.4	(87.2-95.6)	550,155	92.3	(90.2-93.9)
Age-adjusted <sup>&amp;</sup>		91.3	(84.2-95.4)		92.7	(91.0-94.1)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Health and Safe Environment

#### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24	2,139	22.6^	(13.3-35.7)	60,568	25.3	(21.3-29.8)
25-34 35-44						
45-64 65+ <b>Race</b>						
White, NH Black, NH Hispanic Other, NH <b>Sex</b>	2,023	29.2 <sup>^</sup> # # #	(20.7-39.4)	56,868	25.4 # # #	(21.2-30.1)
male female Age-adjusted+,&	1,024 1,115	19.4 <sup>^</sup> 26.5 <sup>^</sup>	(7.6-41.3) (17.2-38.4)	29,073 31,495	28.5 22.9	(21.6-36.5) (18.4-28.1)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	G	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		24,648	40.9^	(31.5-51.0)	
Age <sup>+</sup>							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		23,554	41.6	(31.8-52.1)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		9,821	33.9^	(20.1-51.0)	
female		#		14,827	47.4	(35.8-59.2)	
Age-adjusted+,&							

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,308	32.5	(24.6-41.4)	142,965	35.7	(31.7-40.0)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,640	31.3	(23.3-40.6)	107,393	31.2	(27.5-35.1)
Black, NH		#		17,645	62.2	(45.9-76.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,577	33.0^	(22.3-45.9)	87,478	46.3	(39.7-53.1)
female	2,731	31.9^	(21.3-44.9)	55,487	26.3	(22.0-31.0)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

## Percentage of adults aged 18+ years with flu immunization in the past year\*



	Ge	nesee Cou	nty	Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	21,895	47.8	(40.0-55.8)	564,930	48.4	(45.4-51.3)	
Age							
18-24		#		43,594	26.5	(18.0-37.1)	
25-34		#		60,600	36.6	(28.5-45.5)	
35-44		#		65,045	39.6	(32.2-47.4)	
45-64	8,684	53.6	(44.5-62.5)	203,704	48.6	(44.4-52.8)	
65+	7,178	74.8	(59.1-86.0)	184,502	76.4	(72.3-80.1)	
Race							
White, NH	18,121	46.0	(38.9-53.2)	476,222	48.6	(45.4-51.8)	
Black, NH		#		39,547	46.9^	(37.0-57.0)	
Hispanic		#		33,195	57.1^	(43.1-70.0)	
Other, NH		#		15,967	35.9^	(22.2-52.4)	
Sex							
male	10,070	44.0^	(30.9-58.0)	254,448	45.0	(40.4-49.7)	
female	11,825	51.7	(42.7-60.6)	310,483	51.6	(48.0-55.1)	
Age-adjusted <sup>&amp;</sup>		43.5	(36.7-50.5)		46.3	(43.3-49.3)	

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with flu immunization in the past year\*



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,178	74.8^	(59.1-86.0)	184,502	76.4	(72.3-80.1)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,293	75.1	(66.0-82.5)	172,930	76.7	(72.4-80.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,894	72.9^	(44.4-90.1)	82,045	79.3	(72.5-84.8)
female	3,284	77.2	(66.7-85.2)	102,457	74.3	(68.8-79.0)
Age-adjusted+,&						

<sup>\*</sup> Includes flu shot or flu spray

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with pneumococcal immunization



	Genesee County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,136	56.0^	(33.1-76.6)	173,650	76.2	(72.0-80.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,020	75.8	(65.9-83.5)	165,973	78.1	(74.1-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,910	37.5	(15.1-66.9)	62,208	68.3	(60.3-75.3)
female	3,226	79.1^	(69.0-86.6)	111,442	81.5	(77.2-85.1)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



Genesee County

of
Est. # of
ts Percent 95% CI Adults Percent

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total		#		160,792	71.3	(65.3-76.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		133,550	73.5	(67.1-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		160,792	71.3	(65.3-76.6)
Age-adjusted+,&						


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,709	59.8^	(40.4-76.5)	187,734	74.7	(69.2-79.5)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,321	58.0^	(38.4-75.4)	145,709	73.3	(67.1-78.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	5,709	59.8	(40.4-76.5)	187,734	74.7	(69.2-79.5)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

#### Percentage of women aged 18-64 years with health care coverage



	Ge	nesee Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,316	80.3^	(67.8-88.8)	422,644	89.6	(86.8-91.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	14,597	80.5	(67.4-89.2)	355,498	89.9	(86.8-92.4)
Black, NH		#		34,857	89.5	(79.8-94.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	15,316	80.3	(67.8-88.8)	422,644	89.6	(86.8-91.8)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Genesee County			Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age⁺		#		118,151	52.1	(45.5-58.6)	
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		97,727	54.4	(47.0-61.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		118,151	52.1	(45.5-58.6)	
Age-adjusted+,&							


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month




	Genesee County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,412	9.5	(6.0-14.8)	131,217	11.0	(9.4-13.0)
Age						
18-24		#		21,607	12.7	(6.9-22.3)
25-34		#		22,212	13.2	(8.4-20.2)
35-44		#		25,931	15.4	(10.9-21.2)
45-64	1,739	10.5	(6.2-17.3)	44,951	10.5	(8.5-13.1)
65+	421	4.4	(2.1-9.1)	16,476	6.8	(5.0-9.2)
Race						
White, NH	3,958	9.8	(6.0-15.7)	108,718	10.9	(9.0-13.0)
Black, NH		#		14,244	15.8	(9.9-24.4)
Hispanic		#		5,382	9.6	(4.8-18.3)
Other, NH		#		2,874	6.5	(3.2-12.5)
Sex						
male		#		59,832	10.4	(7.9-13.6)
female	3,761	16.1	(10.1-24.7)	71,386	11.6	(9.5-14.0)
Age-adjusted <sup>&amp;</sup>		9.8	(6.2-15.3)		11.7	(9.9-13.9)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Promote Mental Health and Prevention Substance Abuse

## Percentage of adult binge drinking during the past month\*



	Genesee County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,267	16.1	(10.8-23.4)	205,623	17.6	(15.7-19.8)
Age						
18-24		#		43,355	25.9	(18.7-34.7)
25-34		#		42,241	25.2	(19.7-31.6)
35-44		#		38,381	23.2	(17.0-31.0)
45-64	2,003	12.4	(7.9-18.9)	67,364	16.2	(13.3-19.5)
65+		#		12,994	5.5	(3.7-8.1)
Race						
White, NH	7,011	18.1	(12.2-26.1)	175,202	17.9	(15.8-20.3)
Black, NH		#		21,921	25.3^	(17.1-35.7)
Hispanic		#		4,271	7.5	(3.4-15.7)
Other, NH		#		4,228	9.6	(4.7-18.5)
Sex						
male	3,726	16.5	(9.2-27.8)	127,670	22.7	(19.5-26.3)
female	3,541	15.8	(9.1-25.9)	77,952	12.9	(10.5-15.7)
Age-adjusted <sup>&amp;</sup>		16.9	(11.7-23.8)		18.8	(16.5-21.3)

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

#### Percentage of cigarette smoking among adults who report poor mental health



	Genesee County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,823	64.0^	(43.4-80.5)	49,115	38.3	(30.3-47.0)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		10,514	43.8	(27.4-61.8)	
45-64		#		16,205	36.3^	(26.8-47.1)	
65+		#		1,696	10.7	(4.0-25.6)	
Race							
White, NH		#		35,020	32.8	(24.4-42.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		25,581	43.6	(30.1-58.1)	
female		#		23,535	33.8	(25.1-43.8)	
Age-adjusted <sup>&amp;</sup>		57.3^	(40.5-72.7)		38.0	(31.2-45.2)	

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).