eBRFSS 2013-2014 Health Indicators: Hamilton

General Description	2
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on the second s	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening b	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas	ed on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ed on recent 29 30 31 32 33
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ed on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ed on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ed on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ed on recent 29 30 31 32 33 34 35 36 37
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with colesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	ed on recent 29 30 31 32 33 34 34 35 36 37 38
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults with arthritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity.	ed on recent 29 30 31 32 33 34 35 36 37 38 39 39 39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	ed on recent 29 30 31 32 33 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40 41
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.	ed on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years . Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication . Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with at heaver a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis . Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).	ed on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 42 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	ed on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 42 42 42 43
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years . Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication . Percentage of adults with current asthma Percent of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with athritis . Percentage of adults with athritis . Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ed on recent 29 30 31 32 33 34 35 36 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with aven taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years more for fall in the past 12 months. Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ed on recent 29 30 31 32 33 34 35 36 36 37 38 39 40 40 41 42 42 42 42 43 44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with consistent diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with holesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatits C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ed on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 41 42 42 42 42 43 44 45 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with guers with guers Percentage of adults aged 65+ years with guers the store for Hepatitis C (HCV). Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ years with guers Percentage of adults aged 65+ y	ed on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 43 44 44 45 46 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 44 45 46 46 47 48
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults with ohad a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with collesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults with anvertaken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 18+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years with health care coverage. Percenta	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults with had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with concentration Percentage of adults with the concentration Percentage of adults with the concentration Percentage of adults with the atter on class to learn how to manage their chronic disease or condition Percentage of adults with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults age	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 43 44 44 45 46 46 47 48 49 50
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults with hysician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with ave taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatits C (HCV). Percentage of adults aged 45+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care provider discussed pla	ed on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 40 41 42 42 42 43 44 42 42 43 44 45 46 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults with had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with concentration Percentage of adults with at east and course or class to learn how to manage their chronic disease or condition Percentage of adults who nave taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months.	ed on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 43 40 41 42 42 42 43 40 41 42 42 43 40 41 42 43 40 50 50 50 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



Hamilton County

North Country

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	326	8.1	(4.4-14.4)	28,018	11.4	(9.4-13.7)
Age			· · ·			. ,
18-24		#		4,414	11.9^	(5.7-23.4)
25-34		#		5,416	17.9	(11.0-27.7)
35-44		#		4,524	13.0	(8.2-20.0)
45-64	168	9.7^	(3.9-22.3)	10,765	11.6	(9.1-14.6)
65+		#		2,625	5.2	(3.1-8.7)
Race						
White, NH	173	4.7	(2.4-9.0)	25,274	11.8	(9.6-14.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,436	10.0^	(4.6-20.1)
Sex						
male		#		13,644	10.7	(7.7-14.7)
female	227	11.3^	(5.1-23.0)	14,374	12.1	(9.7-14.9)
Age-adjusted ^{&}		9.3	(5.1-16.4)		12.0	(9.8-14.6)


* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Hamilton Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	3,325	82.5	(73.9-88.7)	205,922	83.9	(80.8-86.6)
Age						
18-24		#		22,744	61.6	(47.4-74.2)
25-34		#		20,035	66.6	(57.8-74.3)
35-44		#		29,229	83.9	(77.7-88.7)
45-64	1,541	88.9	(80.7-93.8)	85,160	91.8	(89.1-93.9)
65+	1,143	96.1	(89.6-98.6)	47,824	96.1	(94.4-97.3)
Race						
White, NH	3,028	82.0	(72.9-88.6)	181,641	85.0	(82.2-87.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		12,078	84.6^	(68.5-93.3)
Sex						
male	1,614	79.9^	(65.0-89.5)	98,478	77.7	(72.4-82.3)
female	1,711	85.1	(76.4-91.0)	107,444	90.5	(87.9-92.5)
Age-adjusted ^{&}		78.7	(70.7-85.1)		82.3	(79.4-84.9)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	2,389	62.8	(53.9-70.8)	154,725	67.0	(63.8-70.0)
Age						
18-24		#		23,796	69.1 [^]	(54.4-80.7)
25-34		#		17,522	61.9	(52.6-70.4)
35-44		#		23,269	71.2	(63.6-77.7)
45-64	1,113	66.7^	(55.0-76.6)	60,242	68.6	(64.1-72.7)
65+	729	68.5	(58.6-77.0)	29,317	62.5	(57.8-67.0)
Race						
White, NH	2,183	63.0	(53.8-71.3)	134,170	66.5	(63.2-69.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,104	66.0^	(48.8-79.9)
Sex						
male	1,021	54.5	(42.3-66.1)	74,708	62.7	(57.5-67.7)
female	1,368	70.8^	(58.8-80.5)	80,018	71.5	(67.8-74.9)
Age-adjusted ^{&}		57.9^	(47.4-67.8)		67.0	(63.7-70.1)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



Hamilton County

North Country

	Est. # of	_		Est. # of	_	
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	840	21.4	(16.4-27.5)	60,646	25.2	(22.7-27.7)
Age						
18-24		#		3,275	9.0	(4.6-16.7)
25-34		#		5,204	17.7^	(10.7-27.8)
35-44		#		6,132	17.9	(12.9-24.2)
45-64	300	18.1	(11.3-27.5)	26,345	29.2	(25.4-33.2)
65+	410	35.4	(26.2-45.9)	19,465	39.5	(35.1-44.0)
Race						
White, NH	748	20.9	(16.0-26.8)	55,271	26.2	(23.7-28.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,669	28.2	(17.1-42.8)
Sex						
male	367	18.8	(12.6-27.1)	29,650	23.9	(20.3-27.8)
female	473	24.0	(16.6-33.3)	30,996	26.5	(23.4-29.9)
Age-adjusted ^{&}		17.4	(12.5-23.7)		23.7	(21.3-26.4)


* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Hamilton Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Hamilton County			North Country		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,423	86.4	(78.6-91.7)	165,949	85.6	(82.2-88.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,182	86.6	(78.4-92.0)	144,277	87.0	(84.2-89.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,771	77.5^	(56.1-90.3)
Sex						
male	1,015	79.6^	(65.8-88.8)	84,358	83.2	(77.5-87.7)
female	1,408	92.1	(82.1-96.7)	81,591	88.1	(84.6-91.0)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



. .

	Hamilton County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	1,777	62.6	(52.7-71.5)	127,809	65.9	(61.7-69.9)
_						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,588	62.2	(52.0-71.4)	110,971	67.0	(63.1-70.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		7,845	68.7^	(47.2-84.3)
Sex				,		, ,
male	751	57.3^	(41.7-71.6)	60,376	59.1	(52.7-65.3)
female	1,026	67.1^	(54.4-77.8)	67,432	73.4	(68.7-77.7)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

•••

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



Hamilton County

North Country

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	1,151	30.3	(23.3-38.3)	79,887	36.1	(32.9-39.6)
Age						
18-24		#		11,808	41.7	(26.6-58.5)
25-34		#		14,248	50.1	(40.4-59.8)
35-44		#		13,402	43.6	(35.8-51.7)
45-64	447	26.7^	(18.2-37.4)	31,270	36.3	(31.9-40.9)
65+	140	13.2	(8.5-20.1)	9,032	19.5	(15.9-23.5)
Race						
White, NH	1,026	29.6	(22.5-37.9)	69,765	36.2	(33.0-39.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,510	27.9^	(16.2-43.7)
Sex						
male	437	23.7^	(15.2-35.0)	39,358	34.5	(29.4-40.1)
female	714	36.4^	(26.3-47.8)	40,528	37.9	(33.9-42.0)
Age-adjusted ^{&}		41.3	(33.0-50.0)		38.2	(34.7-41.9)


* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	658	16.9	(11.2-24.6)	54,992	23.3	(20.4-26.4)
Age						
18-24		#		9,341	25.6	(15.1-40.0)
25-34		#		8,659	30.1^	(21.5-40.2)
35-44		#		11,252	34.3	(26.9-42.5)
45-64	202	11.8	(6.5-20.6)	20,526	23.0	(19.4-27.0)
65+	72	6.6	(3.4-12.5)	5,056	10.5	(7.7-14.1)
Race						
White, NH	545	15.3	(9.7-23.4)	46,859	22.7	(20.0-25.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,675	20.4^	(11.2-34.1)
Sex						
male	238	12.4	(6.4-22.7)	25,388	20.9	(16.6-25.9)
female	420	21.2	(12.6-33.3)	29,604	25.8	(22.3-29.7)
Age-adjusted ^{&}		25.2	(17.8-34.3)		25.0	(21.9-28.3)

1


* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



.. ..

	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	150	3.7	(2.0-7.0)	11,452	4.7	(3.7-5.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		1,574	4.5	(2.2-9.0)
45-64		#		4,871	5.3	(3.9-7.2)
65+		#		3,854	7.8	(5.2-11.5)
Race						
White, NH	117	3.2	(1.6-6.2)	10,405	4.9	(3.8-6.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		5,562	4.4	(3.0-6.4)
female		#		5,890	5.0	(3.6-6.8)
Age-adjusted ^{&}		4.3	(1.6-11.3)		4.6	(3.5-5.9)

& Percent is age-adjusted to the 2000 United States Population.


Rates with <10 in the numerator or <50 in the denominator are suppressed.

. .

•••

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



Hamilton County

North Country

	Est. # of	. .	050/ 01	Est. # of		050/ 01
г	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	379	10.0	(6.7-14.6)	31,544	13.1	(11.1-15.5)
Age						
18-24		#			#	
25-34		#		2,490	8.2	(4.2-15.4)
35-44		#		3,606	10.6	(6.8-16.0)
45-64	186	11.6	(6.6-19.9)	15,979	17.7	(13.8-22.4)
65+	135	12.0	(7.1-19.5)	8,242	17.4	(13.6-21.9)
Race						
White, NH	338	9.5	(6.3-14.1)	26,807	12.9	(11.0-15.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,627	25.6^	(11.2-48.3)
Sex						
male	140	7.3	(4.1-12.8)	14,649	11.8	(9.2-15.0)
female	239	12.7	(7.5-20.6)	16,896	14.6	(11.6-18.2)
Age-adjusted ^{&}		8.7	(4.9-15.1)		12.5	(10.5-14.7)


* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are obese*



Hamilton County

North Country

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	994	26.3	(19.5-34.6)	69,111	29.7	(26.9-32.6)
Age						
18-24		#		6,455	18.8^	(11.4-29.4)
25-34		#		7,572	26.2	(19.0-34.9)
35-44		#		12,036	36.6	(29.2-44.7)
45-64	319	19.8	(12.8-29.3)	30,053	34.0	(29.7-38.7)
65+	303	26.7	(19.0-36.2)	12,924	26.9	(23.1-31.0)
Race						
White, NH	991	28.4	(21.1-37.0)	59,501	28.8	(26.2-31.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,539	38.5^	(23.1-56.6)
Sex						
male	651	32.7	(22.2-45.4)	35,574	28.8	(24.9-32.9)
female	343	19.2	(12.6-28.1)	33,537	30.7	(26.9-34.8)
Age-adjusted ^{&}		25.9	(18.6-34.8)		30.0	(27.1-33.0)


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	195	21.1^	(11.8-34.8)	16,539	28.2	(23.6-33.3)
Age						
18-24		#			#	
25-34		#		1,941	22.4^	(10.9-40.5)
35-44		#			#	
45-64		#		5,921	30.9	(23.5-39.5)
65+		#		4,769	29.8	(23.6-36.8)
Race						
White, NH	195	25.0^	(14.4-39.8)	13,731	27.4	(22.7-32.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		6,267	24.1	(17.4-32.2)
female		#		10,272	31.5	(25.5-38.2)
Age-adjusted ^{&}		16.7^	(8.1-31.1)		29.7	(24.3-35.8)


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



Hamilton County	

North Country

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	257	32.4^	(20.8-46.6)	21,343	36.7	(31.9-41.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		9,126	35.7	(29.2-42.9)
65+	109	28.9^	(15.8-46.9)	6,663	36.4	(29.5-43.9)
Race						
White, NH	253	36.1^	(23.7-50.8)	18,789	35.6	(30.7-40.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		9,247	32.2	(25.5-39.7)
female		#		12,096	41.2	(34.8-47.9)
Age-adjusted ^{&}		28.2^	(15.6-45.4)		37.7	(30.8-45.1)


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults overweight or obese*



Hamilton County

North Country

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	2,334	61.8	(53.9-69.2)	150,027	64.4	(61.0-67.6)
Age						
18-24		#		14,473	42.2	(29.6-56.0)
25-34		#		17,264	59.8	(50.1-68.8)
35-44		#		24,149	73.4	(66.2-79.6)
45-64	920	57.1^	(45.3-68.2)	60,442	68.5	(63.4-73.1)
65+	684	60.4	(49.6-70.2)	33,445	69.5	(65.4-73.4)
Race						
White, NH	2,243	64.3	(56.6-71.4)	133,793	64.8	(61.5-68.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		6,822	57.9^	(40.1-73.9)
Sex						
male	1,365	68.7^	(57.5-78.0)	84,846	68.6	(63.4-73.4)
female	968	54.2	(43.3-64.8)	65,181	59.6	(55.4-63.7)
Age-adjusted ^{&}		66.4	(57.6-74.1)		64.8	(61.4-68.0)

1


* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	3,051	77.9	(71.0-83.4)	175,499	73.8	(70.8-76.5)
Age						
18-24		#		29,851	82.0^	(67.1-91.0)
25-34		#		23,329	81.0	(72.5-87.3)
35-44		#		24,720	73.2	(65.4-79.8)
45-64	1,233	72.2^	(60.0-81.9)	66,141	74.0	(69.8-77.8)
65+	834	75.5	(66.8-82.5)	30,956	63.7	(59.1-68.0)
Race						
White, NH	2,829	79.0	(72.4-84.5)	154,352	74.3	(71.5-76.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		9,362	71.3^	(54.5-83.7)
Sex						
male	1,501	78.0^	(67.3-86.0)	93,092	75.9	(71.2-80.0)
female	1,549	77.7	(68.5-84.8)	82,406	71.5	(67.7-75.0)
Age-adjusted ^{&}		81.7	(75.6-86.5)		74.4	(71.3-77.2)


* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	1,034	27.1	(19.5-36.4)	67,716	29.1	(25.7-32.7)
Age						
18-24		#		20,919	59.4^	(45.8-71.7)
25-34		#		11,575	40.6^	(31.2-50.8)
35-44		#		9,048	27.6	(21.3-34.9)
45-64	403	24.2	(15.6-35.4)	16,825	19.2	(15.8-23.1)
65+	144	13.5	(8.2-21.5)	9,134	19.3	(15.4-23.8)
Race						
White, NH	889	25.6	(17.8-35.4)	57,041	28.0	(24.7-31.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,928	23.8^	(13.4-38.7)
Sex						
male	532	28.4	(17.6-42.3)	46,475	38.9	(33.5-44.5)
female	502	25.9^	(16.3-38.7)	21,240	18.8	(15.5-22.5)
Age-adjusted ^{&}		35.0^	(25.5-45.8)		30.1	(27.1-33.4)


* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week




	Hamilton County			North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		12,105	5.2	(3.8-7.1)	
Age							
18-24		#		3,395	9.7	(4.7-18.8)	
25-34		#		3,148	11.1^	(5.5-21.2)	
35-44		#		1,831	5.6	(3.2-9.5)	
45-64		#		3,150	3.6	(2.1-6.0)	
65+		#		561	1.2	(0.6-2.3)	
Race							
White, NH		#		9,640	4.8	(3.4-6.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		9,610	8.1	(5.5-11.6)	
female		#		2,495	2.2	(1.5-3.4)	
Age-adjusted ^{&}		#			5.8	(4.2-7.9)	

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



Hamilton County	

North Country

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Г	Adults	reiteitt	3378 CI	Audits	Fercent	
Total	417	10.3	(6.8-15.4)	23,236	9.4	(8.1-10.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		1,072	3.1	(1.6-6.0)
45-64	225	13.0^	(6.7-23.5)	10,661	11.5	(9.1-14.3)
65+	175	14.6	(9.3-22.2)	10,593	21.1	(17.7-24.9)
Race						
White, NH	337	9.1	(6.1-13.3)	19,762	9.2	(7.9-10.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,930	13.4^	(7.1-24.0)
Sex						
male	213	10.5	(6.1-17.5)	12,352	9.7	(7.8-12.1)
female	204	10.1	(5.3-18.4)	10,884	9.1	(7.5-11.0)
Age-adjusted ^{&}		7.4	(4.7-11.4)		8.1	(7.0-9.4)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are current smokers



Hamilton County

North Country


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	750	19.0	(13.1-26.7)	51,412	21.4	(18.9-24.1)
Age						
18-24		#		7,759	21.1	(13.3-31.8)
25-34		#		9,359	32.0^	(23.4-42.1)
35-44		#		8,623	25.2	(19.0-32.6)
45-64	196	11.6	(6.5-19.9)	21,472	23.7	(20.0-27.8)
65+	80	7.0	(3.9-12.2)	4,028	8.3	(6.3-10.8)
Race						
White, NH	723	20.1	(13.8-28.3)	44,514	21.2	(18.6-24.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,652	20.3^	(11.5-33.2)
Sex						
male	304	15.5^	(8.7-26.0)	24,983	20.1	(16.4-24.4)
female	445	22.6^	(13.9-34.6)	26,429	22.7	(19.5-26.2)
Age-adjusted ^{&}		31.0	(23.2-40.0)		22.6	(19.9-25.6)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



.. ..

	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	161	17.2^	(9.0-30.3)	20,863	34.5	(29.0-40.4)
Age						
18-24		#			#	
25-34		#		3,373	38.1^	(21.7-57.9)
35-44		#			#	
45-64		#		9,634	49.1	(40.4-57.7)
65+		#		1,911	11.7	(7.6-17.5)
Race						
White, NH	156	19.7^	(10.4-34.2)	16,783	32.6	(26.9-38.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		7,341	28.5	(20.3-38.4)
female		#		13,522	38.9	(32.1-46.2)
Age-adjusted ^{&}		35.2^	(19.5-54.9)		38.6	(32.3-45.3)

& Percent is age-adjusted to the 2000 United States Population.


Rates with <10 in the numerator or <50 in the denominator are suppressed.

. .

•••

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Hamilton County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		7,759	21.1^	(13.3-31.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		6,162	20.5	(12.3-32.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		6,217	26.2	(14.8-42.1)
female		#		1,542	11.8^	(5.8-22.4)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



•••

	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44	835	88.1	(79.8-93.3)	36,651	79.7	(75.1-83.6)
45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex	632	86.4 # # #	(76.9-92.4)	32,120	79.1 # # #	(74.5-83.0)
male female Age-adjusted ^{+,&}	835	# 88.1	(79.8-93.3)	36,651	# 79.7	(75.1-83.6)

* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


Rates with <10 in the numerator or <50 in the denominator are suppressed.

. .

•••

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Hamilton County			North Country			
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		10,027	70.8	(61.5-78.6)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		8,429	71.3	(61.5-79.5)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		10,027	70.8	(61.5-78.6)	
Age-adjusted ^{+,&}							

* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines^{*}



	Hamilton County			North Country		
F	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	1,151	84.5	(75.1-90.8)	66,440	79.5	(73.7-84.3)
White, NH Black, NH Hispanic Other, NH Sex male female	920 1,151	82.2 [^] # # # 84.5	(71.5-89.4) (75.1-90.8)	60,761 66,440	83.0 # # # 79.5	(78.4-86.7) (73.7-84.3)
Age-adjusted ^{+,&}						

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Hamilton County			North Country			
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		18,029	79.7	(71.7-85.9)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		15,460	79.3	(70.4-86.1)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		18,029	79.7	(71.7-85.9)	
Age-adjusted ^{+,&}							

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines^{*}



	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,423	71.7	(62.8-79.2)	66,203	69.9	(65.1-74.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,175	67.7	(58.5-75.7)	58,021	71.0	(67.4-74.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	687	66.4	(53.0-77.7)	33,025	67.6	(59.7-74.6)
female	736	77.5^	(66.4-85.7)	33,179	72.3	(67.4-76.7)
Age-adjusted ^{+,&}						

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



	Hamilton County			North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24		#		14,192	59.6	(52.1-66.8)	
25-34 35-44 45-64							
65+ Race							
White, NH Black, NH Hispanic		# # #		12,204	59.4 # #	(51.4-66.9)	
Other, NH Sex male		#		5,411	# 54.2 [^]	(42.0-66.0)	
female ge-adjusted ^{+,&}		#		8,781	63.5	(54.3-71.8)	

Age-adjusted^{+,&}

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	2,182	63.4	(54.6-71.4)	118,562	54.9	(51.1-58.6)
Age						
18-24		#		9,729	28.2	(18.2-40.9)
25-34		#		12,071	41.2	(32.2-50.9)
35-44		#		15,058	45.5	(37.6-53.7)
45-64	963	67.1^	(54.5-77.7)	53,957	67.5	(62.4-72.3)
65+	764	80.2	(71.2-86.9)	27,414	71.5	(66.8-75.8)
Race						
White, NH	2,011	63.2	(54.2-71.4)	106,468	56.6	(52.9-60.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,889	40.8^	(22.0-62.7)
Sex						
male	1,121	66.1^	(53.3-76.9)	56,518	50.9	(45.3-56.6)
female	1,060	60.8^	(48.9-71.6)	62,044	59.0	(54.4-63.5)
Age-adjusted ^{&}		53.8^	(43.8-63.5)		53.5	(50.2-56.8)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



5.9

(4.6-7.5)

	На	milton Cou	nty	North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	190	5.3	(3.3-8.3)	13,102	6.0	(4.8-7.5)
Age 18-24		#			#	
25-34 35-44		# #			#	
45-64	65	4.3	(1.9-9.3)	5,532	6.9	(5.1-9.2)
65+ Race	110	11.0	(6.2-18.9)	4,811	12.5	(8.9-17.3)
White, NH Black, NH Hispanic Other, NH Sex	190	5.7 # # #	(3.6-9.0)	12,050	6.3 # # #	(5.0-7.9)
male female	114 76	6.4 4.2	(3.4-11.5) (2.0-8.7)	6,408 6,695	5.7 6.3	(4.1-7.8) (4.6-8.6)

(2.2-5.8)

& Percent is age-adjusted to the 2000 United States Population.


Age-adjusted[&]

Rates with <10 in the numerator or <50 in the denominator are suppressed.

3.6

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



Hamilton County

North Country


	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
I	Audits	Feitein	33% CI	Auuns	Fercent	3370 CI
Total	1,235	31.2	(25.4-37.7)	80,985	32.9	(30.1-35.9)
Age						
18-24		#			#	
25-34		#		5,394	17.8^	(10.0-29.7)
35-44		#		6,113	17.6	(12.8-23.6)
45-64	478	28.8	(20.5-38.7)	35,673	38.5	(34.1-43.1)
65+	663	55.5	(45.9-64.8)	31,079	62.1	(57.8-66.2)
Race						
White, NH	1,193	32.3	(26.2-39.0)	71,982	33.6	(30.8-36.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,627	32.1^	(19.7-47.7)
Sex						
male	702	34.7	(25.6-45.1)	44,134	34.7	(30.4-39.3)
female	533	27.5	(20.6-35.7)	36,851	31.0	(27.6-34.7)
Age-adjusted ^{&}		21.9	(17.2-27.4)		30.0	(27.3-32.8)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



Hamilton County

North Country


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	947	76.7^	(63.9-85.9)	61,682	76.3	(70.9-81.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,142	51.4^	(35.3-67.2)
45-64		#		27,315	76.6	(70.0-82.0)
65+	589	88.8^	(74.5-95.6)	29,298	94.4	(91.1-96.6)
Race						
White, NH	905	75.9^	(62.8-85.4)	55,009	76.6	(70.8-81.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	514	73.2^	(53.8-86.5)	31,730	72.1	(64.0-78.9)
female	433	81.3^	(66.4-90.5)	29,952	81.4	(74.2-87.0)
Age-adjusted ^{&}		51.2	(34.5-67.7)		55.4	(49.2-61.3)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with current asthma*



Hamilton County

North Country

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Г						
Total	475	11.9	(7.7-17.8)	30,846	12.6	(10.7-14.8)
Age						
18-24		#		4,764	12.9^	(6.8-23.2)
25-34		#		3,671	12.1^	(6.2-22.3)
35-44		#		4,602	13.3	(9.0-19.1)
45-64	219	12.7^	(6.7-22.9)	11,755	12.8	(10.2-15.9)
65+		#		5,923	11.8	(9.3-14.9)
Race						
White, NH	414	11.3	(7.1-17.5)	28,154	13.2	(11.1-15.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,056	7.3	(3.4-15.0)
Sex						
male	196	9.7^	(4.4-20.1)	11,063	8.7	(6.6-11.5)
female	278	14.1	(8.6-22.1)	19,783	16.7	(13.7-20.3)
Age-adjusted ^{&}		13.1	(7.9-21.0)		12.6	(10.5-15.1)


* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	3,416	85.6	(77.7-91.0)	192,776	79.7	(76.2-82.9)
Age						
18-24		#		12,967	36.8^	(24.9-50.5)
25-34		#		17,273	58.8	(48.9-68.1)
35-44		#		27,030	79.4	(71.6-85.4)
45-64	1,614	93.1	(83.8-97.2)	86,788	94.0	(91.3-95.8)
65+	1,183	98.8	(94.6-99.8)	47,750	96.4	(94.9-97.6)
Race						
White, NH	3,129	85.7	(77.2-91.3)	169,614	80.8	(77.4-83.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		10,761	74.8^	(56.0-87.4)
Sex						
male	1,792	88.6^	(78.0-94.4)	94,035	75.4	(69.5-80.4)
female	1,624	82.5	(69.6-90.7)	98,741	84.4	(80.6-87.6)
Age-adjusted ^{&}		73.8	(64.7-81.2)		77.4	(74.3-80.2)

T


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



Hamilton County

North Country

	Est. # of			Est. # of		
r	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	1,541	45.1	(37.5-53.0)	74,553	38.8	(35.8-42.0)
Age						
18-24		#			#	
25-34		#		3,314	19.2^	(9.9-34.0)
35-44		#		6,778	25.1	(18.4-33.2)
45-64	778	48.2^	(37.0-59.5)	35,468	41.0	(36.4-45.8)
65+	646	54.7	(45.0-64.1)	28,575	60.3	(55.8-64.7)
Race						
White, NH	1,330	42.5	(35.3-50.2)	67,637	40.0	(37.0-43.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,179	29.5^	(16.8-46.6)
Sex						
male	808	45.1^	(34.2-56.5)	39,982	42.7	(37.9-47.6)
female	733	45.2^	(34.8-56.0)	34,571	35.1	(31.4-39.0)
Age-adjusted ^{&}		31.7	(24.7-39.8)		31.7	(28.7-35.0)

T


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition^{*}



.. ..

	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	153	7.4	(4.0-13.4)	9,988	7.7	(6.0-9.7)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		5,290	9.3	(6.7-12.7)
65+	55	6.5	(3.1-13.2)	3,094	7.9	(5.2-12.0)
Race						
White, NH	153	7.9	(4.3-14.3)	8,517	7.3	(5.6-9.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		4,706	7.4	(5.0-10.9)
female	125	12.0^	(6.0-22.6)	5,283	7.9	(6.0-10.4)
Age-adjusted ^{&}		6.2	(2.5-14.5)		6.6	(5.0-8.6)

* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.


Rates with <10 in the numerator or <50 in the denominator are suppressed.

. .

•••

Prevent Chronic Diseases

Percentage of adults with arthritis*



Hamilton County

North Country

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
1	Auuits	Feiteilt	95% CI	Auuns	Fercent	95% CI
Total	1,260	31.2	(25.1-38.0)	73,148	29.8	(27.2-32.4)
Age						
18-24		#			#	
25-34		#		3,273	10.8	(5.6-20.0)
35-44		#		6,894	19.8	(14.5-26.4)
45-64	521	30.0^	(21.2-40.7)	35,034	37.9	(33.5-42.4)
65+	603	50.4	(40.7-60.0)	26,699	53.3	(48.8-57.7)
Race						
White, NH	1,205	32.6	(26.2-39.7)	65,059	30.4	(27.9-33.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,661	32.5	(20.0-48.1)
Sex						
male	624	30.9^	(22.2-41.2)	32,111	25.3	(21.7-29.3)
female	636	31.6	(23.9-40.4)	41,037	34.6	(31.2-38.1)
Age-adjusted ^{&}		23.8	(17.8-31.2)		27.1	(24.7-29.5)


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



Hamilton County

North Country

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	3,790	98.4	(96.5-99.3)	222,821	95.5	(94.3-96.4)
Age						
18-24		#		34,874	98.6	(95.5-99.6)
25-34		#		26,562	92.4	(86.7-95.7)
35-44		#		31,219	95.2	(90.2-97.7)
45-64	1,670	98.1	(93.7-99.4)	84,111	95.1	(92.9-96.6)
65+	1,026	97.2	(93.0-98.9)	45,338	96.4	(94.8-97.5)
Race						
White, NH	3,451	98.3	(96.2-99.2)	194,850	95.4	(94.1-96.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		11,350	92.4^	(80.5-97.3)
Sex						
male	1,872	98.6	(96.1-99.5)	116,192	97.1	(95.5-98.1)
female	1,918	98.2	(94.5-99.4)	106,629	93.8	(91.8-95.3)
Age-adjusted ^{&}		99.0	(97.7-99.5)		95.3	(93.8-96.4)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



•••

	Hamilton County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	393	36.5^	(26.9-47.4)	14,556	30.5	(26.4-35.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	338	33.2	(24.6-42.9)	13,203	29.9	(25.7-34.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	225	37.0^	(24.8-51.2)	7,014	30.6	(24.1-38.1)
female	168	35.9^	(21.5-53.4)	7,542	30.4	(25.7-35.7)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

•••

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



. .

	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	140	35.7^	(20.4-54.6)	5,938	40.8	(32.4-49.8)
Race White, NH Black, NH Hispanic Other, NH Sex male female	135	39.8 [^] # # # #	(24.1-57.9)	5,210 3,059 2,879	39.5 # # 43.6 [^] 38.2	(31.0-48.6) (29.9-58.4) (29.3-48.0)
Age-adjusted ^{+,&}						

* Falls that limited regular activities or lead to doctor visits.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

•••

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	724	44.0^	(33.3-55.2)	32,843	39.6	(34.6-44.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	683	46.6^	(35.9-57.6)	26,791	38.0	(33.9-42.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	383	47.6^	(32.0-63.8)	21,469	49.2	(41.4-57.0)
female	340	40.5^	(27.0-55.5)	11,374	29.0	(24.0-34.6)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year^{*}



Hamilton County

North Country

	Est. # of			Est. # of		
_	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	1,790	46.1	(38.5-53.9)	110,154	46.8	(43.5-50.1)
Age						
18-24		#		12,030	34.2	(23.1-47.3)
25-34		#		11,377	39.5	(30.4-49.4)
35-44		#		9,920	30.2	(23.6-37.7)
45-64	659	38.6^	(28.9-49.3)	40,255	45.2	(40.5-49.9)
65+	838	77.6	(68.4-84.6)	35,970	74.4	(70.0-78.3)
Race						
White, NH	1,609	45.4	(37.8-53.3)	100,613	48.8	(45.6-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		5,223	42.4^	(26.5-60.0)
Sex						
male	762	40.0^	(30.2-50.7)	47,885	39.6	(35.0-44.4)
female	1,027	52.0^	(41.4-62.5)	62,269	54.4	(50.2-58.7)
Age-adjusted ^{&}		43.1	(35.9-50.6)		44.4	(41.2-47.7)


1

* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 65+ years with flu immunization in the past year^{*}



	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	838	77.6	(68.4-84.6)	35,970	74.4	(70.0-78.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	789	76.9	(67.6-84.1)	33,589	75.0	(70.6-78.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	462	76.1^	(62.2-86.1)	17,159	73.6	(66.0-80.1)
female	375	79.4^	(67.6-87.6)	18,811	75.1	(70.2-79.4)
Age-adjusted ^{+,&}						

* Includes flu shot or flu spray


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	770	75.7^	(64.6-84.3)	34,235	73.7	(69.5-77.5)
White, NH Black, NH Hispanic Other, NH Sex male female	765 456 314	79.4 # # 79.8 [^] 70.5 [^]	(71.4-85.7) (67.6-88.2) (50.9-84.7)	31,731 15,735 18,500	73.7 # # # 70.0 77.3	(69.4-77.6) (62.7-76.4) (72.6-81.3)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34		#		32,535	73.7	(66.4-79.8)
35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex		# # #		28,511	72.7 # # #	(65.2-79.1)
male female Age-adjusted ^{+,&}		# #		32,535	# 73.7	(66.4-79.8)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Hamilton County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64		#		31,701	68.7	(60.8-75.7)
65+ Race White, NH Black, NH Hispanic Other, NH Sex		# # #		28,928	70.4 # # #	(62.6-77.2)
male female Age-adjusted ^{+,&}		# #		31,701	# 68.7	(60.8-75.7)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Hamilton County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	1,408	92.1	(82.1-96.7)	81,591	88.1	(84.6-91.0)
White, NH Black, NH Hispanic Other, NH Sex male female	1,198 1,408	93.1 [^] # # # 92.1	(82.9-97.4) (82.1-96.7)	71,891 81,591	88.3 # # # 88.1	(84.7-91.2) (84.6-91.0)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Hamilton County			North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		20,534	46.8	(38.5-55.2)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		18,718	48.1	(39.5-56.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		20,534	46.8	(38.5-55.2)	
Age-adjusted ^{+,&}							


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month




	Hamilton County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	180	4.6	(2.6-7.8)	26,594	10.9	(9.3-12.8)
Age						
18-24		#		4,035	10.9	(6.0-19.0)
25-34		#		4,055	13.4	(8.7-20.2)
35-44		#		3,975	11.6	(7.7-17.0)
45-64		#		11,488	12.6	(10.0-15.6)
65+	68	5.8	(2.8-11.6)	2,947	6.0	(4.0-8.8)
Race						
White, NH	147	4.1	(2.3-7.0)	22,928	10.8	(9.1-12.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,840	13.3^	(7.0-24.1)
Sex						
male		#		10,174	8.1	(6.0-10.9)
female	104	5.3	(2.5-10.9)	16,419	13.9	(11.5-16.7)
Age-adjusted ^{&}		4.9	(2.0-11.4)		11.2	(9.4-13.2)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



Hamilton County

North Country

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	631	17.1	(11.9-24.0)	40,850	17.5	(14.9-20.4)
Age						
18-24		#		12,835	37.0^	(25.1-50.6)
25-34		#		6,170	21.4	(15.7-28.6)
35-44		#		6,989	20.8	(15.0-28.1)
45-64	218	13.8	(7.7-23.5)	12,611	14.3	(11.6-17.6)
65+		#		2,218	4.6	(3.2-6.6)
Race						
White, NH	628	18.3	(12.7-25.5)	37,011	18.0	(15.2-21.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,005	15.5°	(7.9-28.0)
Sex						
male	399	21.4	(13.4-32.3)	29,018	24.4	(20.1-29.3)
female	232	12.8	(7.4-21.2)	11,832	10.3	(8.0-13.2)
Age-adjusted ^{&}		23.6	(16.1-33.1)		18.3	(15.8-21.1)

1


* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



...

•••

	Hamilton County			North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		10,221	39.1	(31.3-47.4)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64		#		5,474	47.7^	(36.5-59.0)	
65+		#			#		
Race							
White, NH		#		8,398	37.3	(29.3-46.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		3,234	32.7	(21.0-47.2)	
female		#		6,987	42.9	(33.5-52.8)	
Age-adjusted ^{&}		#			35.5	(28.1-43.8)	

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

•••

. .