eBRFSS 2013-2014 Health Indicators: Monroe

General Description	2
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily Percentage of adults who consume fast-food three or more times per week	
-	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on the second s	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening b	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas	ed on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ed on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ed on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ed on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	red on recent 29 30 31 32 33 34 34 35 36 37
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with collesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	red on recent 29 30 31 32 33 34 34 35 36 37 38
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults with arthritis. Promote a Healthy and Safe Environment	red on recent 29 30 31 32 33 34 34 35 36 37 38 39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with adults and older with elevated cholesterol Percentage of adults with atken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with collesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40 41
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with at verse a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults with at leaver or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 43
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication . Percentage of adults with current asthma Percent of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with athritis. Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	red on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with aventaken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year.	red on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 39 40 40 41 42 42 42 42 43 44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with consistent diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatits C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization. Promote Healthy Women, Infants, and Children	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 42 42 43 44 45 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with guers with guers the set one fall in the past 2 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization immunization	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 42 42 43 44 44 45 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults with colesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentag	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 41 42 42 42 42 43 44 44 45 46 46 47 48
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening base guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with collesterol checked Percentage of adults with collesterol checked Percentage of adults with none taken a course or class to learn how to manage their chronic disease or condition Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 18+ years with flu immunization. Percentage of adults aged 65+ years with flu immunization. Preventage of adults aged 65+ years with flu immunization. Percentage o	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 43 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults with had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with considered in the past three years Percentage of adults with considered in the percentage of adults with consider vith elevated cholesterol Percentage of adults with at a course or class to learn how to manage their chronic disease or condition Percentage of adults with at the accurse or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults aded 55+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with health care coverage <	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 43 44 44 45 46 46 47 48 49 50
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 43 44 42 42 43 44 42 42 43 44 45 46 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bas guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with collesterol diabetes Percentage of adults with collesterol hecked Percentage of adults with collesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who nonsider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with ful immunization in the past year Percentage of adults aged 65+ years with ful immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Percentage of adults aged 65+ years with health care coverage Percentage of adults aged 65+ years with pneumococcal immunization. <td>red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 43 40 41 42 42 43 40 41 42 42 43 40 41 42 43 40 50 50 50 50 50</td>	red on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 43 40 41 42 42 43 40 41 42 42 43 40 41 42 43 40 50 50 50 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



Monroe County

Finger Lakes

	monioe county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	65,846	11.3	(9.0-14.0)	105,514	10.5	(9.0-12.3)
Age						
18-24	10,175	12.0	(6.6-20.7)	18,069	13.6	(8.4-21.2)
25-34	15,359	15.9	(9.9-24.6)	23,656	15.2	(10.8-21.1)
35-44	11,283	12.8	(7.2-21.6)	18,598	12.5	(8.5-17.9)
45-64	22,601	11.4	(7.9-16.2)	35,930	10.1	(7.9-12.8)
65+	4,831	4.4	(2.2-8.5)	7,633	3.9	(2.5-6.1)
Race						
White, NH	49,823	11.1	(8.6-14.3)	78,405	9.9	(8.3-11.7)
Black, NH	8,409	14.3	(8.3-23.6)	11,314	14.5	(8.2-24.2)
Hispanic	4,257	14.5^	(6.6-28.9)	8,090	15.4	(9.2-24.8)
Other, NH		#		7,706	10.2^	(4.8-20.4)
Sex						
male	27,990	10.1	(7.2-14.0)	46,595	9.7	(7.5-12.3)
female	37,856	12.4	(9.2-16.4)	58,919	11.4	(9.3-13.9)
Age-adjusted ^{&}		11.4	(9.1-14.3)		11.0	(9.3-12.9)


* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



Monroe County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	523,496	90.1	(87.7-92.1)	891,951	89.5	(87.7-91.0)
Age						
18-24	65,128	78.3^	(66.2-86.9)	98,637	75.1	(65.5-82.8)
25-34	77,328	79.9	(72.0-86.0)	124,962	80.4	(74.7-85.1)
35-44	77,959	88.7	(79.9-93.9)	130,769	88.1	(82.8-91.9)
45-64	188,692	95.5	(92.2-97.4)	336,849	94.7	(92.7-96.1)
65+	108,672	99.5	(96.7-99.9)	190,189	97.8	(96.5-98.6)
Race						
White, NH	407,324	91.1	(88.5-93.1)	717,170	90.5	(88.8-92.0)
Black, NH	49,931	86.1	(76.6-92.2)	64,548	83.7	(73.7-90.4)
Hispanic	21,778	75.6^	(54.9-88.8)	40,023	77.2^	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
Sex						
male	237,392	85.9	(81.6-89.3)	407,470	84.7	(81.6-87.3)
female	286,104	94.0	(91.0-96.0)	484,481	94.0	(92.0-95.5)
Age-adjusted ^{&}		89.6	(86.9-91.9)		88.6	(86.7-90.4)


1

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



Monroe County

Finger Lakes


	monie county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	402,498	73.7	(68.7-78.2)	684,119	72.7	(69.7-75.6)
Age	-			-		
18-24	51,610	63.2	(44.8-78.5)	90,313	71.2^	(57.6-81.8)
25-34	55,882	62.1^	(48.3-74.2)	89,852	61.3	(52.1-69.7)
35-44	62,898	76.4^	(64.0-85.5)	107,877	77.2	(69.7-83.3)
45-64	145,926	79.9	(73.4-85.2)	254,354	76.5	(72.6-79.9)
65+	83,405	79.4	(70.1-86.4)	136,480	72.9	(67.8-77.5)
Race						
White, NH	330,258	78.2	(74.1-81.8)	562,395	74.8	(72.3-77.1)
Black, NH	32,212	64.1^	(52.5-74.3)	45,366	66.5	(56.6-75.2)
Hispanic	20,907	73.7^	(53.2-87.4)	38,236	76.0^	(62.5-85.8)
Other, NH		#		38,122	54.6^	(32.4-75.0)
Sex						
male	182,868	70.7	(63.4-77.0)	317,427	70.0	(65.6-74.1)
female	219,630	76.5	(69.1-82.5)	366,693	75.2	(70.9-79.1)
Age-adjusted ^{&}		73.7	(68.8-78.0)		72.6	(69.4-75.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



Monroe County

Finger Lakes

	monroe county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	138,980	24.3	(20.7-28.2)	248,993	25.3	(22.9-27.8)
Age						
18-24	6,514	7.7	(3.8-14.8)	13,165	9.9	(5.7-16.7)
25-34	13,202	13.9	(8.2-22.7)	24,795	16.2	(11.5-22.3)
35-44	16,291	19.2^	(11.5-30.4)	30,187	21.0	(15.4-28.0)
45-64	59,096	30.1	(23.9-37.0)	103,044	29.1	(25.3-33.2)
65+	41,378	39.2	(30.5-48.5)	74,769	39.3	(34.1-44.7)
Race						
White, NH	106,662	24.2	(20.4-28.5)	193,463	24.7	(22.3-27.3)
Black, NH	15,515	27.2	(18.5-38.1)	23,963	31.7^	(22.9-41.9)
Hispanic	7,282	26.1^	(14.5-42.5)	17,435	34.3^	(23.4-47.2)
Other, NH		#		14,132	18.8°	(9.4-34.1)
Sex						
male	56,803	20.9	(16.5-26.0)	112,778	23.7	(20.7-27.1)
female	82,177	27.4	(22.1-33.4)	136,215	26.7	(23.3-30.5)
Age-adjusted ^{&}		23.4	(20.0-27.1)		24.2	(22.0-26.7)


* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Monroe Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Monroe County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	420,104	90.1	(87.0-92.5)	694,148	87.8	(85.7-89.6)
White, NH Black, NH Hispanic Other, NH Sex male female	321,246 41,111 22,209 200,317 219,787	92.1 80.6 [^] 78.7 [^] # 86.8 93.3	(88.7-94.6) (70.3-87.9) (56.8-91.2) (81.5-90.8) (89.5-95.8)	546,972 54,874 37,833 54,469 329,824 364,324	89.1 83.7 76.4 [^] 88.5 [^] 84.5 91.0	(87.0-90.9) (75.1-89.8) (61.7-86.6) (75.0-95.2) (80.9-87.5) (88.6-93.0)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	295,336	63.2	(57.8-68.3)	501,658	63.5	(59.9-66.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	217,511	62.3	(56.8-67.4)	387,058	63.1	(59.7-66.4)
Black, NH	41,551	80.3^	(69.9-87.7)	52,686	79.2^	(68.3-87.1)
Hispanic	19,063	68.3^	(47.7-83.6)	32,661	66.3^	(51.9-78.3)
Other, NH		#		29,253	47.7^	(25.7-70.6)
Sex						
male	126,167	54.6	(46.9-62.1)	228,555	58.5	(53.4-63.5)
female	169,168	71.7	(64.7-77.8)	273,103	68.3	(63.6-72.6)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



Monroe County

Finger Lakes

	thom be county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	185,057	34.7	(30.2-39.5)	314,889	34.4	(31.5-37.4)
Age						
18-24	18,664	28.4	(17.1-43.2)	32,879	32.4	(22.8-43.7)
25-34	49,765	56.2	(44.7-67.0)	72,916	51.0	(42.6-59.4)
35-44	25,881	31.6^	(22.4-42.5)	49,765	35.8	(29.2-43.0)
45-64	60,659	32.2	(25.7-39.5)	111,638	33.0	(28.9-37.4)
65+	26,570	26.0^	(17.5-36.8)	42,474	23.1	(17.9-29.3)
Race						
White, NH	128,938	31.4	(27.1-36.1)	232,180	31.9	(29.2-34.7)
Black, NH	27,992	54.6^	(42.4-66.3)	34,856	49.6^	(39.3-60.0)
Hispanic	8,015	30.0^	(16.6-48.0)	18,970	38.4^	(26.4-51.9)
Other, NH		#		28,883	42.5	(23.1-64.4)
Sex						
male	80,943	32.2	(25.6-39.5)	141,970	32.0	(27.8-36.6)
female	104,114	37.0	(31.0-43.4)	172,920	36.6	(32.7-40.7)
Age-adjusted ^{&}		34.9	(30.6-39.4)		35.1	(32.2-38.2)


* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



Monroe County

Finger Lakes

	monioe county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	124,347	22.3	(18.5-26.5)	213,556	22.2	(19.7-24.8)
Age						
18-24	14,893	18.1°	(10.9-28.7)	27,370	21.4	(15.0-29.6)
25-34	34,261	37.2	(25.2-51.1)	52,899	35.3	(27.0-44.7)
35-44	19,946	23.9^	(15.8-34.4)	36,748	26.0	(20.2-32.8)
45-64	39,005	20.6	(15.4-26.9)	70,256	20.4	(17.2-24.1)
65+	13,757	13.0	(7.6-21.4)	23,573	12.4	(9.0-17.0)
Race						
White, NH	84,155	19.5	(16.1-23.6)	154,900	20.2	(18.0-22.7)
Black, NH	22,424	41.3^	(30.5-53.0)	27,276	37.2^	(28.1-47.4)
Hispanic	5,619	19.8^	(10.5-34.4)	14,323	28.0^	(18.4-40.2)
Other, NH		#		17,057	23.4	(9.5-47.1)
Sex						
male	60,212	22.8	(16.9-30.0)	97,708	21.1	(17.2-25.4)
female	64,136	21.8	(17.4-27.0)	115,848	23.2	(20.2-26.5)
Age-adjusted ^{&}		22.7	(19.1-26.9)		23.1	(20.6-25.9)


* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,624	3.0	(2.1-4.4)	35,254	3.5	(2.8-4.5)
Age 18-24		#			#	
25-34 35-44		# #			# #	
45-64	8,444	4.2	(2.4-7.3)	16,753	4.7	(3.4-6.4)
65+ Race	5,901	5.4	(3.0-9.6)	11,921	6.1	(4.4-8.5)
White, NH	12,067	2.7	(1.7-4.2)	23,699	3.0	(2.3-3.8)
Black, NH Hispanic		# #		4,892 4,142	6.3 7.9 [^]	(3.1-12.1) (3.2-18.0)
Other, NH Sex		#		2,522	3.4	(1.3-8.5)
male	8,689	3.1	(1.8-5.4)	19,535	4.1	(2.9-5.6)
female	8,935	2.9	(1.8-4.8)	15,719	3.1	(2.2-4.2)
Age-adjusted ^{&}		2.9	(2.0-4.2)		3.3	(2.6-4.3)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



Monroe County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	61,886	10.9	(8.5-13.8)	113,479	11.6	(10.0-13.5)
Age						
18-24		#		6,519	4.9	(1.9-12.4)
25-34	5,888	6.3	(3.1-12.2)	11,848	7.9	(5.0-12.3)
35-44	8,165	9.3	(4.3-19.1)	13,334	9.1	(5.5-14.7)
45-64	29,019	14.7	(10.2-20.8)	53,981	15.3	(12.4-18.8)
65+	13,023	13.0	(8.8-18.7)	26,922	14.7	(11.9-18.1)
Race						
White, NH	49,280	11.3	(8.5-14.8)	91,151	11.7	(10.0-13.8)
Black, NH	7,146	12.5	(6.7-22.2)	10,140	13.4	(8.2-21.4)
Hispanic	4,023	14.1^	(6.6-27.5)	8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
Sex						
male	29,918	10.9	(7.5-15.7)	53,813	11.3	(9.0-14.1)
female	31,968	10.8	(7.8-14.8)	59,667	11.9	(9.8-14.4)
Age-adjusted ^{&}		10.6	(8.2-13.5)		11.2	(9.6-13.0)


* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are obese*



Monroe County

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	132,439	24.1	(20.2-28.5)	254,425	27.0	(24.4-29.8)
Age						
18-24	10,329	12.7^	(5.9-25.0)	16,808	13.5	(7.9-22.1)
25-34	26,121	29.2^	(17.3-45.0)	43,074	29.7	(21.3-39.6)
35-44	22,426	26.1^	(17.4-37.2)	41,076	28.7	(22.4-36.0)
45-64	45,000	24.4	(18.8-31.0)	100,327	30.0	(26.3-34.1)
65+	27,728	26.7	(19.2-35.9)	51,798	27.9	(23.3-33.1)
Race						
White, NH	94,741	22.5	(18.7-26.8)	195,881	26.2	(23.8-28.8)
Black, NH	18,974	35.3^	(25.3-46.8)	25,307	34.7	(26.0-44.5)
Hispanic	8,785	30.2^	(16.0-49.6)	17,493	34.1^	(22.9-47.5)
Other, NH		#		15,744	22.5^	(8.5-47.8)
Sex						
male	72,119	26.2	(20.3-33.2)	131,663	27.7	(23.8-32.0)
female	60,320	21.9	(17.3-27.5)	122,762	26.3	(23.0-29.9)
Age-adjusted ^{&}		24.5	(20.5-29.0)		27.2	(24.5-30.1)

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with an annual household income less than \$25,000 who are obese*



Monroe County	

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	41,225	33.7^	(23.5-45.8)	83,889	36.9	(30.6-43.7)
Age						
18-24		#		5,671	17.5^	(7.9-34.3)
25-34		#		19,305	46.4	(25.9-68.2)
35-44		#		9,968	34.8^	(22.0-50.3)
45-64	10,769	30.4^	(18.0-46.7)	28,074	40.1	(31.3-49.6)
65+		#		20,012	37.5^	(28.1-48.0)
Race						
White, NH	23,762	32.2^	(22.2-44.0)	56,366	36.0	(30.2-42.2)
Black, NH	6,759	27.6^	(16.2-43.0)	10,712	30.8^	(20.0-44.3)
Hispanic		#			#	
Other, NH		#		10,722	55.3^	(20.0-85.9)
Sex						
male	21,054	32.0^	(16.7-52.5)	38,883	32.8^	(23.0-44.5)
female	20,171	35.7^	(24.7-48.4)	45,006	41.3	(34.4-48.7)
Age-adjusted ^{&}		31.1	(23.2-40.3)		36.7	(30.6-43.3)


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



Monroe County	

Finger Lakes

	Est. # of			Est. # of		
-	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	44,289	34.2	(26.6-42.6)	90,664	38.5	(33.5-43.7)
Age						
18-24		#			#	
25-34		#		7,827	35.1^	(21.1-52.2)
35-44		#		10,209	34.6^	(21.2-50.8)
45-64	22,069	40.3^	(28.5-53.4)	43,860	45.1	(37.3-53.1)
65+	13,232	34.3^	(20.5-51.4)	25,854	36.6	(28.1-46.1)
Race						
White, NH	32,172	32.4	(23.8-42.3)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	19,755	35.8^	(25.4-47.8)	40,686	36.9	(30.2-44.1)
female	24,534	33.0^	(22.9-44.9)	49,978	40.0	(32.9-47.5)
Age-adjusted ^{&}		30.6	(23.2-39.2)		35.8	(30.4-41.6)


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults overweight or obese*



Monroe County

Finger Lakes


			,		inger Luik	CJ
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	326,112	59.3	(54.4-64.1)	581,065	61.8	(58.6-64.8)
Age						
18-24	25,207	30.9^	(18.8-46.4)	41,425	33.2	(23.5-44.5)
25-34	51,922	58.1^	(46.8-68.7)	83,868	57.7	(49.6-65.5)
35-44	45,388	52.8^	(41.0-64.3)	83,850	58.6	(50.5-66.3)
45-64	132,357	71.7	(64.1-78.3)	241,793	72.4	(68.0-76.4)
65+	67,390	65.0	(55.6-73.4)	125,252	67.6	(62.1-72.6)
Race						
White, NH	257,195	61.1	(56.2-65.7)	471,523	63.1	(60.2-66.0)
Black, NH	36,286	67.5^	(55.1-77.8)	49,324	67.6^	(57.0-76.7)
Hispanic	17,750	61.0^	(38.3-79.8)	33,809	65.9^	(50.0-78.9)
Other, NH		#		26,409	37.8^	(20.1-59.5)
Sex						
male	186,502	67.9	(61.6-73.6)	329,186	69.4	(65.4-73.1)
female	139,610	50.8	(43.8-57.8)	251,879	54.0	(49.3-58.6)
Age-adjusted ^{&}		58.7	(54.1-63.2)		60.8	(57.7-63.8)

* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who participated in leisure time physical activity in the past 30 days*



Monroe County

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	411,083	73.1	(67.9-77.7)	703,242	72.6	(69.5-75.6)
Age						
18-24	56,178	67.6	(47.0-83.1)	97,421	75.5^	(60.0-86.3)
25-34	66,002	71.2^	(55.6-83.0)	106,989	71.1^	(60.7-79.7)
35-44	64,356	77.1^	(64.1-86.4)	105,857	74.8	(66.9-81.3)
45-64	146,503	76.4	(70.1-81.7)	256,126	73.8	(69.9-77.4)
65+	73,728	70.0	(60.0-78.4)	128,648	67.9	(62.3-73.0)
Race						
White, NH	343,261	79.0	(74.7-82.8)	588,978	76.4	(73.9-78.8)
Black, NH	39,837	73.4^	(63.0-81.7)	53,055	72.5	(63.6-79.9)
Hispanic	18,020	63.0^	(44.6-78.3)	33,495	65.3^	(52.7-76.0)
Other, NH		#		27,713	38.0^	(22.0-57.0)
Sex						
male	200,349	75.0	(67.8-81.1)	346,071	74.1	(69.7-78.0)
female	210,734	71.3	(63.8-77.9)	357,171	71.3	(66.6-75.6)
Age-adjusted ^{&}		73.4	(68.2-78.0)		72.7	(69.4-75.9)

* Any physical activities or exercises such as running or walking

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume one or more sugary drinks daily*



Monroe County

Finger Lakes


	inonioe county			Tinger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	120,436	21.8	(17.9-26.2)	214,679	22.5	(19.9-25.3)
Age						
18-24	32,562	39.9^	(24.4-57.7)	55,277	43.6^	(31.8-56.0)
25-34	21,495	23.5	(16.6-32.0)	35,087	23.6	(18.5-29.7)
35-44	16,388	19.8^	(12.5-29.9)	34,865	24.9	(19.2-31.6)
45-64	30,132	16.1	(11.3-22.5)	57,660	16.9	(13.8-20.6)
65+	19,060	18.1	(12.4-25.7)	30,644	16.3	(12.8-20.6)
Race						
White, NH	77,721	18.2	(14.8-22.1)	150,493	19.8	(17.6-22.2)
Black, NH	15,822	30.0^	(21.1-40.8)	22,275	31.3^	(22.6-41.4)
Hispanic	7,832	27.9^	(13.8-48.2)	15,272	30.5^	(19.3-44.5)
Other, NH		#		26,640	36.6^	(18.8-59.1)
Sex						
male	64,681	24.6	(19.8-30.1)	120,224	26.1	(22.7-29.8)
female	55,755	19.2	(13.6-26.5)	94,456	19.2	(15.4-23.6)
Age-adjusted ^{&}		21.7	(18.1-25.8)		23.2	(20.7-26.0)

* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume fast-food three or more times per week



	М	onroe Coui	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	35,847	6.6	(4.8-8.9)	58,515	6.2	(5.0-7.7)
Age						
18-24	9,442	11.5^	(5.5-22.5)	16,427	12.9	(7.6-20.9)
25-34	6,389	7.0	(3.6-13.4)	9,670	6.5	(3.9-10.9)
35-44		#		5,131	3.7	(2.0-6.7)
45-64	14,348	7.8	(4.7-12.9)	20,550	6.2	(4.2-8.9)
65+		#		6,737	3.6	(2.4-5.6)
Race						
White, NH	23,174	5.5	(3.8-7.9)	39,988	5.3	(4.1-6.8)
Black, NH	6,945	13.6^	(7.0-24.6)	7,235	10.4	(5.5-18.9)
Hispanic		#		6,059	12.1^	(5.1-25.9)
Other, NH		#		5,233	7.4^	(2.8-18.0)
Sex						

(7.2-14.7)

(1.7-5.8)

(4.7 - 8.6)

43,869

14,646

9.7

3.0

6.1

(7.5-12.5)

(2.0-4.5)

(4.9-7.6)

Age-adjusted[&]

female

male

& Percent is age-adjusted to the 2000 United States Population.

26,801

9,046

Rates with <10 in the numerator or <50 in the denominator are suppressed.


10.4

3.1

6.4

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



Monroe County

Finger Lakes

			i cy		Tinger Lak	
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	54,957	9.5	(7.5-11.8)	100,031	10.0	(8.7-11.5)
Age			. ,			. ,
18-24		#			#	
25-34	5,153	5.4	(2.5-11.2)	7,103	4.6	(2.5-8.4)
35-44		#		6,332	4.3	(2.4-7.6)
45-64	25,642	13.0	(9.1-18.2)	47,349	13.3	(10.8-16.3)
65+	19,816	18.0	(13.1-24.3)	38,439	19.6	(16.4-23.3)
Race						
White, NH	32,525	7.2	(5.5-9.5)	70,994	8.9	(7.7-10.3)
Black, NH	14,709	25.8^	(16.7-37.5)	17,328	22.6	(15.2-32.3)
Hispanic	4,199	14.8^	(7.1-28.3)	6,956	13.5	(8.0-21.9)
Other, NH		#		4,753	6.3	(2.5-15.0)
Sex						
male	27,688	10.1	(7.3-13.7)	50,941	10.6	(8.7-12.8)
female	27,270	8.9	(6.5-12.1)	49,090	9.5	(7.8-11.5)
Age-adjusted ^{&}		9.0	(7.2-11.2)		9.1	(8.0-10.5)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are current smokers



Monroe County


Finger Lakes

	monioe county					
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	82,910	14.5	(11.9-17.6)	170,861	17.4	(15.5-19.6)
Age			. ,			
18-24	13,133	15.5^	(8.6-26.3)	25,688	19.3	(12.8-28.2)
25-34	21,987	23.3	(16.5-31.9)	40,770	26.8	(21.3-33.1)
35-44	13,537	16.0^	(8.6-27.9)	27,819	19.5	(14.0-26.5)
45-64	28,584	14.6	(10.4-20.1)	61,479	17.5	(14.6-20.8)
65+	5,542	5.2	(2.6-10.1)	14,504	7.6	(5.5-10.5)
Race						
White, NH	64,845	14.8	(11.7-18.5)	134,960	17.4	(15.3-19.6)
Black, NH	13,262	23.1^	(15.2-33.5)	20,478	26.8^	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8°	(5.6-23.2)
Sex						
male	51,816	19.1	(14.8-24.4)	95,560	20.3	(17.2-23.8)
female	31,095	10.4	(7.6-14.0)	75,301	14.8	(12.6-17.4)
Age-adjusted ^{&}		15.0	(12.1-18.5)		18.2	(16.1-20.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with annual household income less than \$25,000 who are current smokers



Monroe	County	
WIDTH DE	County	

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	32,738	25.4	(18.7-33.5)	69,503	29.6	(24.7-34.9)
Age						
18-24		#		14,247	40.5	(26.5-56.2)
25-34	10,194	31.2^	(15.7-52.4)	16,608	37.7^	(22.9-55.2)
35-44		#		9,252	33.3^	(19.5-50.8)
45-64	10,216	27.5^	(15.8-43.4)	23,452	32.4	(24.6-41.5)
65+		#		5,766	10.6	(6.7-16.2)
Race						
White, NH	20,416	25.4^	(17.3-35.7)	48,760	29.6	(24.4-35.3)
Black, NH	9,190	37.1^	(23.5-53.2)	15,001	43.1^	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8^	(5.4-41.5)
Sex						
male	19,390	30.3^	(18.9-44.9)	36,273	31.2	(23.4-40.3)
female	13,349	20.5	(13.9-29.1)	33,230	27.9	(22.4-34.1)
Age-adjusted ^{&}		25.6	(18.1-34.9)		30.9	(25.5-36.9)


Ĩ

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	M	onroe Coui	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	13,133	15.5^	(8.6-26.3)	25,688	19.3	(12.8-28.2)
White, NH Black, NH Hispanic Other, NH Sex	10,424	20.4 [^] # #	(10.9-34.7)	18,243	21.5 # # #	(14.1-31.5)
male female Age-adjusted ^{+,&}	7,498	21.1 [^] #	(11.3-36.0)	13,906 11,783	22.2 [^] 16.8 [^]	(13.2-34.9) (8.6-30.1)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



. .

	Monroe County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64	93,132	83.8	(76.4-89.2)	156,901	82.4	(78.1-86.0)
65+ Race White, NH Black, NH Hispanic Other, NH Sex	80,358	85.4 # # #	(77.7-90.8)	136,370	83.2 # # #	(78.8-86.8)
male female Age-adjusted ^{+,&}	93,132	# 83.8	(76.4-89.2)	156,901	# 82.4	(78.1-86.0)

* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

- -

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines^{*}



	Monroe County			Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		32,858	75.7^	(65.5-83.6)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		24,468	77.6	(68.5-84.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		32,858	75.7^	(65.5-83.6)	
Age-adjusted ^{+,&}							

* Mammogram within past 2 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	167,861	86.6	(81.5-90.5)	287,036	83.6	(80.3-86.4)
Race White, NH Black, NH Hispanic Other, NH Sex male female	135,798 167,861	87.4 # # # 86.6	(81.4-91.6) (81.5-90.5)	236,785 23,521 12,743 287,036	84.1 86.1 [^] 79.7 [^] # 83.6	(80.7-87.0) (71.0-94.0) (63.4-89.9) (80.3-86.4)
Age-adjusted ^{+,&}						

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines^{*}



	M	onroe Coui	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34	31,232	75.5^	(63.3-84.6)	55,266	73.1	(65.6-79.5)
35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex		# # #		37,702	73.2 # # #	(64.7-80.2)
male female Age-adjusted ^{+,&}	31,232	# 75.5 [^]	(63.3-84.6)	55,266	# 73.1	(65.6-79.5)

* Pap test within past 3 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines^{*}



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	135,795	68.8	(62.0-74.8)	250,507	69.3	(65.3-73.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	117,475	70.0	(62.5-76.6)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8^	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4^	(30.2-72.2)
Sex						
male	57,710	68.2	(57.3-77.5)	116,224	69.1	(62.9-74.7)
female	78,085	69.2	(60.5-76.7)	134,284	69.5	(64.2-74.3)
Age-adjusted ^{+,&}						

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



	Monroe County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,469	70.3^	(56.6-81.2)	51,562	66.4	(59.0-73.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,257	72.7^	(55.5-85.0)	38,437	68.1	(60.3-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		21,576	64.5^	(53.7-74.1)
female		#		29,986	67.9^	(57.5-76.7)
Age-adjusted ^{+,&}						


* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



Monroe County


Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	275,226	54.3	(49.1-59.3)	473,695	54.6	(51.3-57.9)
Age						
18-24	13,449	16.7^	(9.7-27.3)	26,476	20.7	(14.1-29.4)
25-34	33,717	38.0^	(28.0-49.1)	60,826	42.3	(34.5-50.4)
35-44	42,630	54.4^	(42.2-66.0)	68,543	50.5	(42.7-58.3)
45-64	119,472	71.0	(63.2-77.8)	205,917	68.5	(63.9-72.9)
65+	62,494	73.2	(64.0-80.8)	106,367	71.4	(66.0-76.3)
Race						
White, NH	229,680	57.6	(52.7-62.4)	397,203	57.1	(54.1-60.2)
Black, NH	24,848	60.3^	(48.0-71.4)	32,135	55.7^	(44.5-66.3)
Hispanic	10,966	43.6^	(24.1-65.3)	21,736	48.1^	(33.4-63.1)
Other, NH		#		22,622	32.5^	(17.6-52.2)
Sex						
male	125,630	52.1	(44.9-59.3)	220,518	52.8	(48.1-57.4)
female	149,596	56.2	(48.8-63.3)	253,177	56.3	(51.5-61.0)
Age-adjusted ^{&}		54.7	(50.3-59.0)		54.1	(51.2-57.0)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed prediabetes




	M	onroe Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,703	5.9	(4.2-8.3)	49,926	5.6	(4.5-7.0)
Age						
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64	14,093	8.5	(5.3-13.2)	23,774	7.9	(5.9-10.5)
65+	9,333	10.9	(6.2-18.5)	15,665	10.3	(7.2-14.4)
Race						
White, NH	25,744	6.3	(4.3-9.1)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	15,382	6.3	(3.9-10.3)	25,274	6.0	(4.3-8.2)
female	15,321	5.6	(3.5-8.8)	24,651	5.3	(3.9-7.2)
Age-adjusted ^{&}		6.0	(4.3-8.3)		5.5	(4.4-6.9)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with physician-diagnosed high blood pressure



Monroe County


Finger Lakes

	mon de county			Tinger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	173,920	30.0	(26.3-33.9)	314,920	31.7	(29.2-34.2)
Age						
18-24		#		8,315	6.4	(3.1-12.6)
25-34	12,928	13.5	(8.7-20.6)	20,783	13.5	(9.7-18.4)
35-44	15,886	18.1	(11.2-27.8)	29,430	19.8	(14.6-26.2)
45-64	73,067	37.1	(30.6-44.2)	134,360	37.8	(33.7-42.1)
65+	63,500	58.4	(49.2-67.0)	118,288	60.8	(55.4-66.0)
Race						
White, NH	139,446	31.2	(27.2-35.5)	256,263	32.3	(29.8-34.9)
Black, NH	24,044	42.6^	(32.1-53.8)	32,880	44.2	(34.8-54.0)
Hispanic	5,801	19.8^	(10.3-34.5)	14,927	28.5^	(19.0-40.3)
Other, NH		#		10,850	14.4^	(7.9-25.0)
Sex						
male	83,467	30.4	(25.3-36.1)	158,361	33.0	(29.5-36.6)
female	90,453	29.6	(24.6-35.1)	156,559	30.4	(27.1-33.9)
Age-adjusted ^{&}		28.4	(25.2-31.9)		29.3	(27.1-31.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



Monroe County

Finger Lakes


_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	132,208	76.0	(69.5-81.5)	243,314	77.3	(73.4-80.8)
Age						
18-24		#			#	
25-34		#		5,688	27.4^	(15.6-43.5)
35-44		#		16,627	56.5^	(40.3-71.4)
45-64	59,893	82.0^	(71.0-89.4)	108,563	80.8	(74.8-85.7)
65+	57,655	90.8	(84.6-94.7)	108,613	91.9	(88.6-94.3)
Race						
White, NH	103,675	74.3	(66.7-80.7)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4^	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	58,196	69.7	(60.1-77.9)	113,745	71.9	(66.0-77.1)
female	74,011	81.8	(72.5-88.5)	129,569	82.8	(77.4-87.2)
Age-adjusted ^{&}		58.8	(51.3-66.0)		58.7	(53.6-63.6)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with current asthma*



Monroe County

Finger Lakes

	inom de county			Tinger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	59,394	10.3	(8.0-13.1)	112,310	11.3	(9.6-13.3)	
Age							
18-24	9,927	11.7	(5.7-22.3)	20,356	15.3	(8.9-25.2)	
25-34	11,460	12.0	(7.0-19.7)	20,425	13.3	(9.3-18.6)	
35-44	7,661	9.0^	(3.9-19.4)	13,324	9.1	(5.4-15.0)	
45-64	21,675	11.0	(7.2-16.4)	40,947	11.6	(9.0-14.7)	
65+	7,244	6.6	(3.9-10.9)	15,560	8.0	(5.9-10.6)	
Race							
White, NH	43,955	9.9	(7.4-13.1)	81,926	10.4	(8.7-12.4)	
Black, NH	9,006	15.8^	(8.7-26.8)	11,764	15.4	(9.3-24.3)	
Hispanic	3,752	12.8^	(6.0-25.1)	7,513	14.3	(8.6-23.0)	
Other, NH		#		11,106	14.8^	(6.3-30.8)	
Sex							
male	20,824	7.6	(4.9-11.6)	41,563	8.7	(6.6-11.3)	
female	38,571	12.7	(9.4-17.0)	70,747	13.8	(11.2-16.8)	
Age-adjusted ^{&}		10.1	(7.7-13.0)		11.2	(9.4-13.3)	


* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



Monroe County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	467,498	83.3	(78.4-87.2)	798,681	82.4	(79.3-85.0)
Age						
18-24	35,865	50.1^	(32.7-67.5)	49,911	42.6	(31.0-55.0)
25-34	58,860	63.8^	(50.0-75.7)	95,361	64.6	(55.3-72.9)
35-44	69,209	80.6^	(68.1-89.0)	117,490	80.4	(73.0-86.1)
45-64	190,705	97.0	(94.6-98.3)	336,574	95.0	(93.5-96.3)
65+	107,128	98.3	(95.8-99.4)	188,822	97.7	(96.4-98.5)
Race						
White, NH	366,689	85.2	(81.5-88.3)	646,121	83.9	(81.6-86.0)
Black, NH	46,550	84.1	(75.0-90.3)	59,974	80.5^	(70.4-87.8)
Hispanic	24,788	84.7^	(70.9-92.6)	42,285	84.3^	(74.0-91.0)
Other, NH		#		50,300	67.0^	(41.4-85.4)
Sex						
male	215,707	80.5	(73.2-86.2)	375,301	80.0	(75.5-83.8)
female	251,791	85.8	(78.7-90.8)	423,380	84.6	(80.3-88.1)
Age-adjusted ^{&}		81.5	(77.1-85.3)		80.0	(77.1-82.5)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



Monroe County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	172,179	37.1	(32.7-41.7)	300,637	37.9	(35.0-40.9)
Age						
18-24		#			#	
25-34	11,045	18.9^	(10.5-31.5)	17,828	18.8	(12.5-27.2)
35-44	17,599	25.4^	(16.3-37.3)	30,289	25.8	(19.3-33.5)
45-64	78,614	41.7	(34.5-49.2)	139,330	41.7	(37.3-46.4)
65+	56,409	52.7	(43.7-61.4)	102,175	54.6	(49.2-60.0)
Race						
White, NH	138,266	38.0	(33.3-43.0)	241,155	37.6	(34.7-40.6)
Black, NH	15,995	34.4^	(23.4-47.2)	23,513	39.5^	(29.4-50.5)
Hispanic	5,434	21.9^	(11.3-38.2)	15,023	35.5^	(23.3-50.0)
Other, NH		#		20,947	41.7	(24.0-61.8)
Sex						
male	85,923	40.1	(33.7-46.9)	151,064	40.6	(36.4-44.9)
female	86,255	34.4	(28.5-40.9)	149,573	35.6	(31.6-39.7)
Age-adjusted ^{&}		32.9	(27.8-38.5)		32.7	(29.1-36.6)


* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Monroe Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition^{*}



Monroe County	
	1

Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
[
Total	25,770	8.8	(6.1-12.7)	51,667	10.0	(7.8-12.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,726	6.8	(3.1-14.2)
45-64	14,585	12.6	(7.3-20.9)	26,449	12.7	(9.1-17.5)
65+	6,830	7.8	(4.3-13.7)	12,705	8.1	(5.8-11.2)
Race						
White, NH	17,005	7.3	(4.4-11.8)	34,619	8.2	(6.3-10.7)
Black, NH	4,838	14.2	(6.8-27.1)	6,746	15.1^	(8.2-26.3)
Hispanic		#			#	
Other, NH		#		8,215	31.5^	(12.6-59.6)
Sex						
male	12,825	9.4	(5.2-16.6)	23,976	9.8	(6.9-13.9)
female	12,946	8.3	(5.3-13.0)	27,691	10.2	(7.2-14.2)
Age-adjusted ^{&}		7.6	(5.0-11.2)		9.5	(6.8-13.3)


* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with arthritis*



Monroe County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	154,187	26.5	(22.8-30.6)	273,908	27.5	(25.1-30.0)
Age						
18-24		#			#	
25-34	4,216	4.4	(2.2-8.7)	11,753	7.6	(4.9-11.6)
35-44	17,614	20.0^	(12.0-31.4)	27,015	18.2	(12.9-25.1)
45-64	69,710	35.4	(28.5-42.9)	122,234	34.4	(30.2-38.9)
65+	59,820	54.9	(46.4-63.2)	107,901	55.4	(50.3-60.3)
Race						
White, NH	126,927	28.3	(24.2-32.8)	230,014	29.0	(26.4-31.7)
Black, NH	15,575	27.6^	(18.8-38.6)	21,965	28.9	(21.1-38.3)
Hispanic	4,156	14.2^	(7.2-26.0)	10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9^	(6.7-29.9)
Sex						
male	66,319	24.1	(19.0-30.0)	118,312	24.6	(21.3-28.2)
female	87,868	28.7	(23.5-34.6)	155,596	30.1	(26.7-33.8)
Age-adjusted ^{&}		25.2	(21.9-28.7)		25.3	(23.2-27.5)


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



Monroe County

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	526,108	94.2	(92.2-95.7)	897,106	93.4	(92.0-94.6)
Age						
18-24	74,953	90.8^	(80.7-95.9)	114,680	89.2	(81.1-94.1)
25-34	82,273	89.1	(82.7-93.3)	134,928	90.1	(85.9-93.2)
35-44	80,288	96.2	(90.9-98.5)	134,641	95.3	(92.3-97.2)
45-64	182,648	96.2	(92.8-98.0)	326,991	94.9	(93.0-96.3)
65+	100,660	95.9	(91.8-98.0)	176,297	94.4	(92.1-96.1)
Race						
White, NH	412,078	95.6	(93.4-97.1)	723,466	94.7	(93.4-95.8)
Black, NH	44,112	81.8^	(71.7-88.8)	58,381	80.4^	(70.2-87.8)
Hispanic	26,341	92.9	(84.1-97.0)	45,612	89.3	(79.9-94.6)
Other, NH		#		69,648	95.6	(90.2-98.0)
Sex						
male	252,131	95.2	(92.4-97.0)	435,275	93.9	(91.7-95.5)
female	273,977	93.4	(90.2-95.5)	461,832	92.9	(91.0-94.5)
Age-adjusted ^{&}		94.2	(92.1-95.7)		93.3	(91.9-94.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Monroe County			Finger Lakes		
F	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34	31,261	29.7	(22.0-38.7)	57,486	30.5	(25.8-35.7)
35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex	21,246	23.6 # # #	(17.7-30.6)	43,381	26.6 # # #	(22.9-30.7)
male female Age-adjusted ^{+,&}	13,809 17,452	32.3 [^] 27.8 [^]	(22.6-43.8) (17.4-41.4)	26,845 30,641	31.6 29.6	(25.8-38.1) (22.7-37.6)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	10,807	34.6^	(21.7-50.2)	19,362	33.9	(26.1-42.8)
White, NH Black, NH Hispanic Other, NH Sex male female	9,106	42.9 [^] # # #	(29.4-57.4)	16,678 8,530 10,832	38.8 # # 32.0 [^] 35.6 [^]	(31.4-46.7) (22.0-43.9) (24.2-49.0)
Age-adjusted ^{+,&}						


* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)




	Monroe County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	56,361	31.1	(24.9-38.0)	106,026	32.9	(28.9-37.2)
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	44,854	30.0	(23.2-37.8)	83,817	31.1	(26.9-35.6)
Black, NH		#		14,865	57.1^	(40.3-72.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	29,106	36.0^	(26.3-46.9)	56,263	36.6	(30.6-43.1)
female	27,255	27.2	(19.7-36.3)	49,763	29.6	(24.4-35.3)
Age-adjusted ^{+,&}						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 18+ years with flu immunization in the past year^{*}



Monroe County

Finger Lakes


	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	347,214	62.0	(57.3-66.5)	556,353	57.7	(54.7-60.6)
Age						
18-24	34,157	41.4^	(27.0-57.4)	52,329	40.8^	(30.1-52.4)
25-34	46,420	50.1^	(38.6-61.5)	65,604	43.6	(35.2-52.4)
35-44	46,559	55.8^	(43.7-67.3)	69,933	49.5	(41.8-57.1)
45-64	124,204	65.4	(58.2-72.0)	205,087	59.5	(55.2-63.7)
65+	92,617	87.7	(82.3-91.6)	157,801	83.2	(80.0-85.9)
Race						
White, NH	273,078	62.9	(58.2-67.4)	443,049	57.6	(54.7-60.4)
Black, NH	31,921	60.5^	(49.4-70.6)	40,970	57.1^	(47.0-66.7)
Hispanic	16,801	59.3^	(39.4-76.5)	30,516	59.7^	(46.2-71.9)
Other, NH		#		41,817	57.3^	(35.8-76.4)
Sex						
male	163,616	61.7	(55.3-67.8)	260,048	55.9	(51.8-60.0)
female	183,597	62.2	(55.2-68.8)	296,305	59.3	(54.9-63.5)
Age-adjusted ^{&}		61.2	(56.6-65.6)		56.0	(52.9-59.1)

* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 65+ years with flu immunization in the past year^{*}



. .

	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	92,617	87.7	(82.3-91.6)	157,801	83.2	(80.0-85.9)
25-34 35-44						
45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH	79,934	88.3 # # #	(83.0-92.2)	136,667	83.2 # # #	(80.1-85.9)
Sex male female	38,366 54,251	89.8 86.2	(82.3-94.4) (78.1-91.6)	72,669 85,131	85.0 81.7	(80.9-88.3) (76.8-85.8)
Age-adjusted ^{+,&}						

* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

- -

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	72,518	72.2	(62.3-80.2)	135,060	74.0	(68.5-78.8)
White, NH Black, NH Hispanic Other, NH Sex male	68,175 26,505	79.7 # # 65.1 [^] 77.0 [^]	(72.5-85.4) (51.9-76.3)	122,920 56,221	78.0 # # 68.3	(74.0-81.6) (61.1-74.7) (70.1.85.2)
female Age-adjusted ^{+,&}	46,013	//.0	(62.3-87.1)	78,839	78.7	(70.1-85.3)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Monroe County			Finger Lakes		
-	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	93,614	74.5^	(60.5-84.8)	158,478	76.1	(67.5-83.1)
25-34 35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex male	70,958	79.4^ # # #	(68.4-87.2)	120,797	78.0 # # #	(71.5-83.4)
female Age-adjusted ^{+,&}	93,614	74.5 [^]	(60.5-84.8)	158,478	76.1	(67.5-83.1)


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



. .

	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64	88,938	67.2^	(56.2-76.6)	135,013	61.9	(54.3-68.9)
65+ Race White, NH Black, NH Hispanic Other, NH Sex	62,169	67.6 [^] # #	(57.0-76.7)	99,001	61.6 # # #	(54.7-68.1)
male female Age-adjusted ^{+,&}	88,938	# 67.2 [^]	(56.2-76.6)	135,013	# 61.9	(54.3-68.9)

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


Rates with <10 in the numerator or <50 in the denominator are suppressed.

^ Highly variable rate (confidence interval with a half-width greater than 10).

- -

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24 25-34 35-44 45-64 65+ Race	219,787	93.3	(89.5-95.8)	364,324	91.0	(88.6-93.0)
White, NH Black, NH Hispanic Other, NH Sex male female	164,899 22,045 219,787	94.1 84.7 [^] # # 93.3	(89.3-96.8) (71.6-92.4) (89.5-95.8)	282,703 28,417 16,002 37,203 364,324	91.1 85.7 [°] 91.5 [°] 94.7 [°] # 91.0	(88.4-93.2) (74.1-92.6) (74.4-97.5) (84.6-98.3) (88.6-93.0)
Age-adjusted ^{+,&}						


& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



. .

	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	47,102	37.3^	(27.7-48.0)	89,890	43.1	(35.9-50.6)
25-34 35-44						
45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex	36,012	40.0 [^] # #	(29.6-51.3)	72,684	46.8 # # #	(39.7-54.0)
male female Age-adjusted ^{+,&}	47,102	# 37.3 [^]	(27.7-48.0)	89,890	# 43.1	(35.9-50.6)

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


Rates with <10 in the numerator or <50 in the denominator are suppressed.

^ Highly variable rate (confidence interval with a half-width greater than 10).

- -

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



Monroe County

Finger Lakes

	Est. # of			Est. # of		
	Adults	Percent	95% CI	Adults	Percent	95% CI
Total	63,174	11.1	(8.8-13.8)	120,784	12.3	(10.6-14.2)
Age						
18-24	7,973	9.5	(5.1-17.2)	18,248	13.9	(8.2-22.4)
25-34	13,297	14.0	(9.0-21.2)	21,945	14.4	(10.5-19.4)
35-44	9,790	11.4	(5.8-21.2)	17,847	12.2	(8.1-18.0)
45-64	26,372	13.5	(9.3-19.2)	50,391	14.4	(11.5-17.7)
65+	5,398	5.2	(2.6-9.9)	11,819	6.3	(4.5-8.7)
Race						
White, NH	47,642	10.9	(8.3-14.1)	90,447	11.6	(9.9-13.6)
Black, NH	10,090	17.6	(11.0-27.1)	12,561	16.5	(10.8-24.5)
Hispanic	4,004	14.3^	(6.8-27.7)	9,450	18.5^	(11.2-29.0)
Other, NH		#		8,325	11.1^	(4.0-27.3)
Sex						
male	27,114	10.1	(6.9-14.5)	49,351	10.4	(8.2-13.2)
female	36,060	12.0	(9.0-15.7)	71,433	14.1	(11.7-16.9)
Age-adjusted ^{&}		11.2	(8.8-14.1)		12.5	(10.7-14.5)


Í

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



Monroe County

Finger Lakes

	ineline county			i inger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	99,556	17.9	(14.7-21.5)	154,347	16.1	(14.1-18.4)
Age						
18-24	21,236	25.6^	(16.3-37.9)	32,152	24.8	(17.7-33.6)
25-34	26,444	28.6	(20.4-38.5)	37,099	24.8	(19.2-31.4)
35-44	19,857	23.8^	(14.4-36.7)	26,167	18.7	(12.6-26.7)
45-64	28,816	15.2	(10.3-21.9)	52,235	15.2	(12.0-19.1)
65+		#		5,899	3.2	(2.2-4.5)
Race						
White, NH	86,418	20.1	(16.4-24.5)	129,788	17.1	(14.7-19.6)
Black, NH	6,399	12.0	(6.9-20.1)	8,750	12.2	(7.4-19.5)
Hispanic	4,626	16.0^	(7.8-29.9)	10,236	19.8^	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
Sex						
male	63,665	24.1	(19.0-30.1)	99,542	21.7	(18.3-25.4)
female	35,891	12.2	(8.8-16.7)	54,805	11.0	(8.8-13.7)
Age-adjusted ^{&}		18.7	(15.2-22.7)		16.9	(14.6-19.5)


* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Monroe County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,234	30.7^	(20.4-43.4)	41,696	34.8	(27.8-42.5)
Age						
18-24		#			#	
25-34		#		10,400	48.1^	(33.0-63.5)
35-44		#		7,009	39.7^	(20.7-62.3)
45-64		#		19,075	38.1^	(27.3-50.2)
65+		#		740	6.3	(3.3-11.9)
Race						
White, NH	15,203	32.1^	(19.7-47.8)	32,992	36.8	(28.9-45.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		19,261	39.2^	(27.0-53.0)
female	8,302	23.2^	(14.0-35.9)	22,435	31.7	(24.4-40.1)
Age-adjusted ^{&}		28.3^	(18.4-40.8)		33.1	(26.5-40.5)

& Percent is age-adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.