# eBRFSS 2013-2014 Health Indicators: Oneida

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
guidelinesguidelinesguidelinesguidelinesguidelinesguidelinesguidelinesguidelinesguidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of	
guidelinesguidelines	
	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent293031
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 18+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with corrent asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percentage of adults with carbon der with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults with oave taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of women aged 18-44 years who had dental visit within the last year  Women aged 18-44 years who saw a doctor for a routine checkup within the last year  Women aged 18-44 years who saw a doctor for a routine checkup within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare -Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year  Women aged 18-64 years with health care coverage	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 18-64 years who had dental visit within the last year.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years whose health care coverage.  Percentage of women aged 18-64 years whose health care coverage.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with hysician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 45+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with penumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had bental visit within the last year.  Percentage of women aged 18-44 years who had bental visit within the last year.  Percentage of women aged 18-44 ye	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults with cholesterol checked.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months,  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children.  Percentage of women aged 18-44 years with had dental visit within the last year.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with bealth care coverage.  Percentage of women aged 18-64 years with oad dental visit within the last year.  Percentage of women aged 18-64 years whose health care coverage.  Percentage of women aged 18-64 years with oad dental visit within the last month.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with hysician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 45+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with penumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had bental visit within the last year.  Percentage of women aged 18-44 years who had bental visit within the last year.  Percentage of women aged 18-44 ye	recent

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

# Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



	0	neida Coun	ty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	20,047	11.0	(8.2-14.5)	82,640	10.3	(8.8-12.1)
Age						
18-24		#		17,357	14.5	(8.8-22.9)
25-34	3,489	14.0^	(7.1-25.6)	14,687	12.8	(8.7-18.3)
35-44		#		13,209	11.1	(7.7-15.6)
45-64	8,553	13.5	(8.6-20.6)	33,101	11.8	(9.6-14.4)
65+		#		3,151	2.0	(1.1-3.6)
Race						
White, NH	15,451	9.7	(7.0-13.1)	60,843	8.9	(7.6-10.4)
Black, NH		#		13,297	27.9^	(15.9-44.1)
Hispanic		#		5,887	19.8^	(10.4-34.5)
Other, NH		#			#	
Sex						
male	9,821	10.9	(7.3-16.0)	36,372	9.4	(7.5-11.7)
female	10,227	11.1	(7.3-16.5)	46,268	11.2	(9.0-14.0)
Age-adjusted <sup>&amp;</sup>		11.2	(8.3-15.0)		10.5	(8.9-12.3)

<sup>\*</sup> Among people needing to see a doctor in the past 12 months


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults who have a regular health care provider



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	156,838	85.4	(79.5-89.9)	678,119	84.8	(82.5-86.9)
Age						
18-24		#		77,821	64.9^	(54.5-74.0)
25-34	20,923	84.0^	(71.7-91.6)	88,097	76.7	(70.0-82.3)
35-44	23,668	88.0^	(76.3-94.3)	100,184	83.2	(75.3-88.9)
45-64	58,976	92.6	(87.2-95.9)	259,484	92.3	(90.2-93.9)
65+	36,530	93.3	(86.7-96.8)	143,879	93.9	(90.1-96.3)
Race						
White, NH	140,175	87.2	(81.6-91.3)	599,184	87.3	(85.0-89.3)
Black, NH		#		32,851	67.6^	(52.1-80.0)
Hispanic		#		19,132	64.4^	(47.8-78.1)
Other, NH		#		26,953	77.7^	(64.3-87.1)
Sex						
male	70,473	77.7	(67.2-85.5)	305,662	78.7	(74.7-82.3)
female	86,366	93.0	(89.4-95.5)	372,457	90.6	(88.2-92.5)
Age-adjusted <sup>&amp;</sup>		85.2	(80.5-88.8)		84.2	(81.8-86.3)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults who had a dentist visit within the past year



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	124,261	73.2	(68.3-77.7)	534,407	71.1	(68.6-73.5)
Age						
18-24		#		82,518	72.1	(63.5-79.4)
25-34	17,545	76.2^	(61.5-86.5)	74,301	70.2	(62.4-77.0)
35-44	15,970	70.8^	(53.9-83.4)	85,568	75.9	(69.3-81.5)
45-64	43,667	74.8	(67.3-81.0)	193,071	72.9	(69.3-76.2)
65+	26,291	69.7	(61.3-76.9)	93,810	63.8	(59.0-68.4)
Race						
White, NH	111,368	74.2	(69.1-78.7)	466,489	72.0	(69.5-74.4)
Black, NH		#		30,825	66.3^	(52.1-78.1)
Hispanic		#		16,448	63.6^	(48.0-76.7)
Other, NH		#		20,645	65.3^	(49.7-78.1)
Sex						
male	59,750	69.9	(62.3-76.6)	250,463	68.1	(64.4-71.7)
female	64,511	76.6	(69.9-82.2)	283,944	73.9	(70.6-77.0)
Age-adjusted <sup>&amp;</sup>		73.2	(67.8-78.0)		71.4	(68.8-73.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults living with a disability\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	45,763	25.3	(21.1-30.0)	201,979	25.7	(23.4-28.1)
Age						
18-24		#		15,357	13.0	(8.2-19.9)
25-34		#		16,610	14.9	(10.3-20.9)
35-44	8,758	34.3^	(20.7-51.2)	29,031	24.4	(18.4-31.5)
45-64	18,227	28.9	(22.3-36.6)	87,967	31.8	(28.1-35.6)
65+	11,769	30.4	(23.4-38.4)	51,609	34.0	(29.7-38.7)
Race						
White, NH	39,375	24.8	(20.5-29.7)	178,968	26.5	(24.1-29.1)
Black, NH		#		8,919	18.6^	(10.9-29.8)
Hispanic		#		9,726	32.7	(20.5-47.9)
Other, NH		#		4,366	12.7	(7.4-21.0)
Sex						
male	18,724	20.9	(15.6-27.5)	86,850	22.7	(19.6-26.0)
female	27,039	29.5	(23.6-36.2)	115,129	28.5	(25.3-31.9)
Age-adjusted <sup>&amp;</sup>		25.2	(20.8-30.2)		25.0	(22.8-27.4)

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults aged 18-64 years with healthcare coverage



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	124,865	90.5	(86.6-93.3)	548,937	87.4	(85.1-89.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	107,188	91.8	(88.0-94.5)	474,023	89.6	(87.4-91.4)
Black, NH		#		29,543	67.4^	(52.3-79.5)
Hispanic		#		21,208	77.9^	(62.8-88.0)
Other, NH		#		24,163	86.1	(71.6-93.9)
Sex						
male	63,787	90.0	(84.3-93.8)	252,448	82.6	(78.8-85.9)
female	61,078	91.0	(84.9-94.7)	296,489	91.9	(89.6-93.7)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	104,300	73.7	(67.1-79.3)	433,995	68.7	(65.5-71.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	87,863	73.0	(65.7-79.3)	359,569	67.5	(64.1-70.8)
Black, NH		#		36,143	81.4	(69.1-89.5)
Hispanic		#		19,995	73.4^	(58.8-84.2)
Other, NH		#		18,289	65.2	(48.2-79.1)
Sex						
male	50,969	68.4	(57.9-77.3)	191,802	61.5	(56.7-66.2)
female	53,331	79.5	(71.7-85.5)	242,193	75.6	(71.9-79.0)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults experiencing housing insecurity in the past 12 months\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	59,618	35.9	(30.3-41.8)	254,882	35.3	(32.5-38.1)
Age						
18-24		#		37,485	39.2	(28.9-50.6)
25-34	11,188	51.0^	(33.5-68.3)	41,048	41.2	(32.6-50.4)
35-44	7,699	35.0^	(22.9-49.4)	48,766	44.1	(36.4-52.1)
45-64	22,962	38.6	(31.0-46.7)	99,322	37.5	(33.6-41.5)
65+	7,625	20.7	(14.4-28.8)	25,648	17.7	(14.6-21.4)
Race						
White, NH	48,192	33.2	(27.5-39.4)	206,175	33.1	(30.3-36.2)
Black, NH		#		21,502	51.1	(36.2-65.9)
Hispanic		#		18,595	68.0^	(52.1-80.6)
Other, NH		#		8,609	27.5	(16.4-42.2)
Sex						
male	27,002	32.4	(23.9-42.2)	112,700	32.0	(27.9-36.5)
female	32,615	39.3	(32.7-46.4)	142,182	38.4	(34.6-42.2)
Age-adjusted <sup>&amp;</sup>		37.2	(31.4-43.3)		36.5	(33.4-39.6)

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults experiencing food insecurity in the past 12 months\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	43,184	24.7	(19.6-30.7)	184,140	23.9	(21.4-26.7)
Age						
18-24		#		37,047	31.9^	(22.9-42.3)
25-34	9,591	41.0^	(25.0-59.3)	35,326	32.8	(23.7-43.4)
35-44	8,613	37.3	(23.7-53.3)	33,267	29.0	(22.9-35.9)
45-64	14,538	23.8	(17.6-31.4)	64,611	23.8	(20.7-27.3)
65+	3,435	8.9	(5.3-14.6)	12,311	8.2	(6.0-11.0)
Race						
White, NH	35,799	23.3	(18.0-29.7)	145,175	22.0	(19.3-24.9)
Black, NH		#		21,475	46.1^	(31.5-61.3)
Hispanic		#		9,485	32.8^	(20.6-47.9)
Other, NH		#		8,006	24.8	(14.2-39.7)
Sex						
male	19,205	22.1	(14.4-32.3)	71,782	19.1	(15.8-23.0)
female	23,978	27.3	(21.3-34.3)	112,358	28.5	(24.7-32.6)
Age-adjusted <sup>&amp;</sup>		27.3	(21.8-33.6)		25.0	(22.2-27.9)

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

# Percentage of adults with poor self-reported health




	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,850	3.2	(2.1-5.0)	37,110	4.7	(3.7-5.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	2,892	4.6	(2.3-9.0)	20,709	7.4	(5.4-10.2)
65+	2,102	5.4	(2.9-9.7)	8,009	5.2	(3.9-7.0)
Race						
White, NH	5,596	3.5	(2.2-5.5)	31,424	4.6	(3.5-6.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,390	2.7	(1.4-4.9)	18,540	4.8	(3.3-6.9)
female	3,461	3.7	(2.0-6.8)	18,570	4.5	(3.3-6.1)
Age-adjusted <sup>&amp;</sup>		2.8	(1.8-4.3)		4.4	(3.4-5.7)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Improve Health Status and Reduce Health Disparities

## Percentage of adults who report 14 or more days of poor physical health\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	23,473	13.2	(10.0-17.1)	99,092	12.7	(11.1-14.5)
Age						
18-24		#		7,266	6.3	(3.7-10.4)
25-34		#		9,276	8.2	(5.0-13.2)
35-44	5,262	19.9^	(9.4-37.4)	13,032	10.9	(7.1-16.5)
45-64	11,272	18.1	(12.6-25.3)	47,772	17.4	(14.4-20.8)
65+	5,242	14.7	(9.8-21.5)	20,832	14.2	(11.6-17.4)
Race						
White, NH	20,012	12.8	(9.6-16.9)	86,267	12.9	(11.2-14.8)
Black, NH		#		3,917	8.5	(4.3-16.2)
Hispanic		#		6,628	22.9^	(12.6-37.9)
Other, NH		#		2,279	6.9	(3.5-13.3)
Sex						
male	8,737	9.9	(6.6-14.5)	39,487	10.4	(8.5-12.7)
female	14,735	16.4	(11.4-23.0)	59,604	14.9	(12.5-17.7)
Age-adjusted <sup>&amp;</sup>		13.3	(9.9-17.7)		12.3	(10.7-14.1)

<sup>\*</sup> Out of the past 30 days.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults who are obese\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	61,562	35.0	(29.5-41.0)	232,180	31.0	(28.3-33.7)
Age						
18-24		#		15,545	14.4	(7.9-24.9)
25-34	8,787	38.4	(22.3-57.6)	36,786	34.9^	(25.5-45.5)
35-44	11,797	46.6	(30.7-63.2)	39,745	34.8	(27.2-43.3)
45-64	21,404	34.5	(27.5-42.4)	94,910	35.5	(31.8-39.3)
65+	10,133	26.4	(19.7-34.5)	44,163	29.4	(25.1-34.1)
Race						
White, NH	50,521	32.9	(27.1-39.2)	199,420	31.0	(28.2-34.0)
Black, NH		#		13,119	27.7	(16.3-42.9)
Hispanic		#		15,166	55.4	(39.2-70.6)
Other, NH		#		4,476	13.7	(7.5-23.7)
Sex						
male	31,481	34.8	(26.3-44.5)	112,660	29.6	(25.9-33.5)
female	30,082	35.2	(28.3-42.8)	119,520	32.4	(28.6-36.4)
Age-adjusted <sup>&amp;</sup>		36.6	(30.6-42.9)		31.5	(28.5-34.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,167	37.9	(29.1-47.7)	68,476	34.6	(30.2-39.3)
Age						
18-24		#			#	
25-34		#		12,831	45.4^	(31.6-60.0)
35-44		#		9,132	34.1^	(22.1-48.6)
45-64	6,708	45.4	(30.0-61.7)	27,821	42.7	(34.9-51.0)
65+	2,610	22.4	(12.6-36.6)	15,200	32.8	(26.0-40.4)
Race						
White, NH	12,961	39.0^	(29.3-49.6)	53,173	35.0	(30.1-40.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	6,390	34.6	(21.7-50.3)	24,619	27.2	(21.4-33.8)
female	9,777	40.4^	(29.0-53.0)	43,857	41.0	(34.8-47.4)
Age-adjusted <sup>&amp;</sup>		39.8^	(29.9-50.8)		35.5	(30.8-40.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults living with a disability who are obese\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,408	53.8	(44.2-63.1)	90,164	46.0	(41.0-51.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		14,949	51.5	(36.4-66.3)
45-64	9,895	54.6	(39.7-68.8)	40,972	47.6	(40.3-55.0)
65+	6,019	51.7	(37.5-65.6)	23,313	46.4	(38.3-54.7)
Race						
White, NH	20,625	52.7	(42.5-62.7)	79,282	45.6	(40.4-51.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	9,039	48.3	(34.3-62.6)	34,300	39.8	(32.6-47.5)
female	15,369	57.6	(45.2-69.2)	55,865	50.8	(44.3-57.4)
Age-adjusted <sup>&amp;</sup>		52.4^	(41.6-63.0)		45.1	(39.6-50.8)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults overweight or obese\*



	0	neida Cour	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	121,520	69.1	(64.3-73.6)	491,602	65.6	(62.8-68.2)
Age						
18-24		#		40,117	37.3	(28.4-47.1)
25-34	15,793	69.1^	(53.0-81.6)	73,113	69.3	(61.5-76.1)
35-44	18,003	71.1	(57.2-81.9)	79,731	69.8	(62.5-76.3)
45-64	45,114	72.8	(65.4-79.1)	188,285	70.4	(66.3-74.1)
65+	27,383	71.4	(63.8-78.0)	107,465	71.6	(67.1-75.7)
Race						
White, NH	103,110	67.1	(61.9-71.9)	427,099	66.5	(63.7-69.1)
Black, NH		#		32,244	68.1^	(52.1-80.7)
Hispanic		#		19,919	72.8^	(54.0-85.9)
Other, NH		#		12,340	37.8	(24.7-52.9)
Sex						
male	66,355	73.4	(66.0-79.7)	273,320	71.7	(68.0-75.2)
female	55,165	64.5	(57.9-70.6)	218,282	59.2	(55.2-63.0)
Age-adjusted <sup>&amp;</sup>		69.1	(63.8-74.0)		66.0	(63.2-68.7)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	132,874	75.5	(70.9-79.6)	563,442	72.8	(70.3-75.2)
Age						
18-24		#		96,352	82.5	(73.4-89.0)
25-34	18,144	78.0^	(61.0-88.9)	82,776	76.0	(68.5-82.2)
35-44	16,785	72.7	(59.8-82.6)	78,437	68.2	(60.1-75.4)
45-64	48,046	77.0	(69.7-83.1)	196,782	72.0	(68.4-75.4)
65+	25,085	64.9	(56.2-72.8)	103,254	68.3	(63.9-72.4)
Race						
White, NH	119,354	77.1	(72.5-81.1)	490,619	73.8	(71.2-76.3)
Black, NH		#		32,621	70.0^	(56.7-80.6)
Hispanic		#		16,954	59.3^	(43.4-73.5)
Other, NH		#		23,247	68.6^	(52.7-81.0)
Sex						
male	68,429	77.5	(70.3-83.4)	278,507	73.9	(69.8-77.6)
female	64,446	73.5	(67.3-78.8)	284,934	71.8	(68.5-74.9)
Age-adjusted <sup>&amp;</sup>		75.8	(70.9-80.1)		72.6	(69.9-75.2)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	44,374	26.0	(20.8-32.0)	196,097	25.9	(23.4-28.5)
Age						
18-24		#		54,522	47.5	(37.4-57.9)
25-34	7,589	33.0^	(19.3-50.3)	32,193	30.1	(23.2-38.1)
35-44	5,782	25.3^	(15.6-38.3)	32,536	28.6	(22.5-35.6)
45-64	9,312	15.9	(11.0-22.6)	54,987	20.7	(17.6-24.2)
65+	6,564	17.2	(11.3-25.2)	21,285	14.4	(11.4-18.0)
Race						
White, NH	36,124	23.9	(18.8-29.9)	156,050	23.9	(21.5-26.5)
Black, NH		#		20,180	43.4	(28.7-59.4)
Hispanic		#		12,492	45.9^	(30.4-62.2)
Other, NH		#		7,376	23.0^	(12.7-38.0)
Sex						
male	28,792	33.7	(25.0-43.7)	113,761	30.8	(27.0-34.8)
female	15,583	18.3	(13.6-24.3)	82,336	21.2	(18.1-24.7)
Age-adjusted <sup>&amp;</sup>		26.7	(22.0-32.0)		26.5	(24.0-29.2)

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

## Percentage of adults who consume fast-food three or more times per week



	0	neida Coun	ty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,754	4.0	(2.6-6.2)	48,560	6.5	(4.7-8.8)
Age						
18-24		#		15,881	13.8	(8.3-22.3)
25-34		#		13,958	13.1	(5.8-27.2)
35-44		#		7,133	6.3	(3.8-10.1)
45-64	2,184	3.7	(1.8-7.5)	9,229	3.5	(2.4-5.1)
65+		#		2,357	1.6	(1.0-2.5)
Race						
White, NH	4,981	3.4	(2.0-5.5)	36,435	5.6	(3.9-8.1)
Black, NH		#		8,233	17.9^	(7.7-36.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,965	5.9	(3.5-9.8)	22,355	6.1	(4.7-7.8)
female		#		26,205	6.8	(4.0-11.4)
Age-adjusted <sup>&amp;</sup>		4.4	(2.8-7.1)		6.9	(4.9-9.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

# Percentage of adults with physician diagnosed diabetes\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,648	10.2	(7.7-13.2)	81,750	10.2	(8.8-11.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,759	4.8	(2.8-8.0)
45-64	7,900	12.4	(7.8-19.2)	40,265	14.3	(11.3-18.0)
65+	7,619	19.4	(14.0-26.2)	32,274	20.9	(17.7-24.4)
Race						
White, NH	15,469	9.6	(7.3-12.6)	69,888	10.2	(8.7-11.9)
Black, NH		#		4,062	8.3	(4.2-15.9)
Hispanic		#		4,507	15.2	(7.4-28.4)
Other, NH		#		3,293	9.5^	(3.7-22.2)
Sex						
male	8,361	9.2	(6.2-13.5)	37,190	9.6	(8.0-11.5)
female	10,287	11.1	(7.6-15.8)	44,560	10.8	(8.7-13.4)
Age-adjusted <sup>&amp;</sup>		9.1	(6.9-12.0)		9.2	(8.0-10.6)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

## Percentage of adults who are current smokers



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	39,622	22.0	(17.4-27.4)	173,163	22.2	(19.9-24.8)
Age						
18-24		#		34,340	29.1	(20.8-39.1)
25-34	6,735	27.3^	(13.6-47.4)	24,697	22.4	(16.1-30.1)
35-44	8,197	32.1	(17.2-51.8)	33,920	28.8	(22.1-36.4)
45-64	15,622	25.1	(19.1-32.2)	65,132	23.7	(20.4-27.4)
65+	3,046	7.9	(4.6-13.0)	14,610	9.7	(7.3-12.8)
Race						
White, NH	34,204	21.7	(16.9-27.4)	144,674	21.6	(19.2-24.3)
Black, NH		#		15,388	32.3	(19.6-48.3)
Hispanic		#		6,576	22.1^	(12.3-36.5)
Other, NH		#		6,525	19.5^	(10.9-32.4)
Sex						
male	20,280	22.6	(16.4-30.3)	87,995	23.2	(19.8-27.0)
female	19,342	21.4	(15.1-29.5)	85,169	21.3	(18.1-24.8)
Age-adjusted <sup>&amp;</sup>		23.7	(18.3-30.0)		22.9	(20.4-25.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

# Percentage of adults with annual household income less than \$25,000 who are current smokers



	O	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,710	29.3	(21.4-38.8)	68,906	34.1	(29.5-39.1)
Age						
18-24		#		12,033	37.4	(24.5-52.4)
25-34		#		9,539	32.2	(20.4-46.9)
35-44		#		14,256	55.9^	(40.8-69.9)
45-64	5,865	39.2	(25.0-55.4)	27,331	41.2	(33.4-49.4)
65+		#		5,747	12.4	(8.2-18.3)
Race						
White, NH	8,921	26.4	(18.6-36.0)	51,709	33.4	(28.3-38.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	6,126	32.9	(20.4-48.2)	34,818	38.1	(30.6-46.3)
female	6,584	26.7	(17.0-39.2)	34,089	30.8	(25.4-36.9)
Age-adjusted <sup>&amp;</sup>		31.0	(23.0-40.3)		37.4	(32.4-42.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

# Percentage of adults aged 18-24 years who are current smokers



	O	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		34,340	29.1	(20.8-39.1)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		26,085	28.5	(19.8-39.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		18,851	30.1	(19.3-43.7)	
female		#		15,488	28.1	(16.5-43.4)	
Age-adjusted+,&							

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,925	88.4	(81.6-93.0)	128,239	85.8	(82.2-88.8)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	29,417	90.7	(84.9-94.4)	114,469	87.3	(84.1-90.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	30,925	88.4	(81.6-93.0)	128,239	85.8	(82.2-88.8)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		31,053	78.2	(68.2-85.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		25,811	81.7	(73.3-87.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		31,053	78.2	(68.2-85.7)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	52,525	83.8	(76.0-89.4)	245,988	85.8	(82.7-88.5)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	47,673	86.2	(79.0-91.3)	212,616	86.5	(83.4-89.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	52,525	83.8	(76.0-89.4)	245,988	85.8	(82.7-88.5)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,261	74.9^	(54.7-88.0)	60,764	84.3	(77.8-89.2)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		46,184	83.2	(75.7-88.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	11,261	74.9^	(54.7-88.0)	60,764	84.3	(77.8-89.2)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	45,610	72.6	(65.2-79.0)	210,614	73.7	(70.3-76.7)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	42,801	73.0	(65.3-79.5)	189,141	73.3	(69.9-76.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	20,823	74.1	(62.0-83.4)	98,872	72.8	(67.8-77.4)
female	24,786	71.5	(61.8-79.5)	111,742	74.4	(69.9-78.4)
Age-adjusted+,&						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,747	60.2^	(44.3-74.2)	47,228	67.1	(59.9-73.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,108	59.6	(42.3-74.7)	38,073	66.9	(59.2-73.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		17,975	59.1^	(47.6-69.8)
female		#		29,254	73.2	(64.0-80.7)
Age-adjusted+,&						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

## Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	87,945	54.9	(48.7-60.9)	380,054	55.2	(52.0-58.3)
Age						
18-24		#		28,776	24.2	(17.6-32.3)
25-34	11,260	46.8^	(30.6-63.7)	46,551	42.4	(34.1-51.2)
35-44	15,054	62.1	(45.4-76.3)	62,705	58.1	(50.4-65.4)
45-64	35,442	65.4	(57.3-72.6)	154,905	67.4	(63.5-71.0)
65+	20,317	69.3	(60.2-77.2)	82,449	72.3	(66.6-77.3)
Race						
White, NH	82,711	58.7	(52.4-64.7)	343,623	58.2	(54.9-61.4)
Black, NH		#		16,147	36.4	(23.1-52.1)
Hispanic		#		11,146	44.2^	(28.5-61.2)
Other, NH		#		9,138	31.4	(19.1-47.0)
Sex						
male	40,275	50.4	(41.1-59.8)	175,727	52.4	(48.1-56.7)
female	47,670	59.3	(51.7-66.4)	204,327	57.8	(53.1-62.2)
Age-adjusted <sup>&amp;</sup>		55.7	(50.0-61.2)		56.0	(53.2-58.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

# Percentage of adults with physician-diagnosed prediabetes




	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	4,944	3.0	(1.9-4.7)	27,859	3.9	(3.1-4.9)
18-24		#			#	
25-34 35-44		#		3,689	# 3.3	(1.8-5.7)
45-64	2,600	4.8	(2.5-8.9)	12,324	5.2	(3.6-7.3)
65+ <b>Race</b>	1,295	4.1	(2.2-7.6)	7,468	6.3	(4.5-8.7)
White, NH Black, NH	4,324	3.0 #	(1.9-4.7)	24,742	4.1 #	(3.2-5.1)
Hispanic Other, NH <b>Sex</b>		# #			#	
male female	2,321 2,623	2.8 3.2	(1.5-5.2) (1.7-6.1)	13,397 14,462	3.8 4.0	(2.7-5.4) (3.0-5.4)
Age-adjusted <sup>&amp;</sup>		2.8	(1.7-4.6)		4.0	(3.1-5.0)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### Prevent Chronic Diseases

## Percentage of adults with physician-diagnosed high blood pressure



	Oneida County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	63,236	34.5	(29.4-39.9)	246,672	30.9	(28.5-33.3)
Age						
18-24		#		8,206	6.8	(2.8-15.8)
25-34		#		12,808	11.2	(7.7-16.0)
35-44	5,287	19.6^	(8.1-40.5)	23,198	19.2	(13.7-26.3)
45-64	24,366	38.3	(31.1-46.0)	112,074	39.9	(36.1-43.8)
65+	24,734	63.2	(54.7-71.0)	86,174	56.0	(51.1-60.7)
Race						
White, NH	58,444	36.4	(31.0-42.1)	218,414	31.8	(29.3-34.4)
Black, NH		#		13,814	28.4^	(18.5-40.8)
Hispanic		#		6,447	21.7	(13.0-34.0)
Other, NH		#		7,997	23.7	(13.9-37.3)
Sex						
male	31,144	34.3	(26.6-42.9)	123,566	31.9	(28.5-35.4)
female	32,092	34.6	(28.4-41.4)	123,106	29.9	(26.8-33.3)
Age-adjusted <sup>&amp;</sup>		31.0	(25.7-36.7)		28.6	(26.4-30.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

## Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	49,753	78.7^	(67.0-87.0)	191,045	77.6	(73.1-81.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		11,677	50.3^	(32.7-67.9)
45-64	19,710	80.9^	(68.6-89.1)	88,520	79.1	(72.7-84.3)
65+	23,015	93.0	(86.0-96.7)	80,813	94.1	(91.2-96.1)
Race						
White, NH	47,179	80.7	(67.9-89.2)	171,648	78.7	(73.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	22,773	73.1	(52.7-86.9)	91,238	73.9	(66.7-80.1)
female	26,980	84.1	(74.6-90.5)	99,807	81.2	(75.7-85.8)
Age-adjusted <sup>&amp;</sup>		65.2	(53.5-75.3)		59.7	(52.7-66.4)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with current asthma\*



	Oneida County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	21,270	11.7	(7.7-17.3)	89,417	11.3	(9.5-13.4)
Age						
18-24		#		20,846	17.5	(10.7-27.4)
25-34		#		10,529	9.3	(5.3-15.8)
35-44		#		17,793	15.0	(10.2-21.5)
45-64	4,420	7.0	(4.4-11.1)	28,901	10.4	(8.4-12.9)
65+	2,382	6.1	(3.1-11.7)	10,467	6.8	(5.1-9.1)
Race						
White, NH	18,886	11.8	(7.6-18.0)	72,841	10.7	(8.9-12.8)
Black, NH		#		8,396	17.8^	(7.6-36.0)
Hispanic		#		5,616	19.1^	(9.9-33.6)
Other, NH		#		2,565	7.4	(3.6-14.6)
Sex						
male	10,007	11.1	(5.0-22.8)	32,206	8.4	(6.1-11.6)
female	11,264	12.2	(8.5-17.3)	57,211	14.0	(11.5-17.0)
Age-adjusted <sup>&amp;</sup>		12.1	(8.1-17.6)		11.5	(9.6-13.7)

<sup>\*</sup> Physician diagnosed asthma.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percent of adults with cholesterol checked\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	148,917	82.5	(76.3-87.3)	642,971	82.8	(80.1-85.2)
Age						
18-24		#		46,812	41.9^	(32.2-52.4)
25-34	16,718	68.8^	(51.8-81.9)	74,666	68.3	(60.3-75.4)
35-44	24,537	91.2	(81.4-96.1)	104,016	87.0	(81.8-90.9)
45-64	58,737	92.8	(87.3-96.0)	261,309	95.0	(93.3-96.4)
65+	37,347	98.0	(90.6-99.6)	148,817	98.0	(95.9-99.0)
Race						
White, NH	136,193	86.4	(80.6-90.6)	571,682	85.9	(83.2-88.3)
Black, NH		#		29,234	60.3^	(44.9-73.8)
Hispanic		#		18,035	60.7	(43.9-75.3)
Other, NH		#		24,020	72.5^	(56.9-84.0)
Sex						
male	69,123	77.6^	(66.7-85.6)	299,643	79.8	(75.8-83.3)
female	79,794	87.3	(81.3-91.6)	343,328	85.5	(81.6-88.8)
Age-adjusted <sup>&amp;</sup>		81.7	(77.2-85.5)		82.1	(79.7-84.2)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

# Percentage of adults 18 years and older with elevated cholesterol\*



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	59,887	40.6	(35.3-46.2)	247,651	38.9	(36.0-41.8)
Age						
18-24		#		6,696	14.3	(7.3-26.1)
25-34		#		17,442	23.4^	(14.6-35.3)
35-44	7,497	30.9^	(16.5-50.3)	32,399	31.3	(23.3-40.6)
45-64	28,841	50.0	(41.9-58.0)	115,697	44.7	(40.6-48.8)
65+	17,697	47.7	(39.4-56.2)	73,480	50.2	(45.4-55.1)
Race						
White, NH	55,593	41.2	(35.6-47.1)	223,293	39.4	(36.5-42.5)
Black, NH		#		8,429	29.1^	(14.5-49.7)
Hispanic		#			#	
Other, NH		#		8,310	34.6	(19.2-54.1)
Sex						
male	29,165	42.7	(34.6-51.2)	127,334	42.8	(38.4-47.3)
female	30,722	38.8	(31.9-46.3)	120,317	35.4	(31.7-39.3)
Age-adjusted <sup>&amp;</sup>		36.2	(30.0-42.8)		34.9	(31.7-38.3)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	0	neida Coun	ity	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,906	11.6	(7.7-17.0)	37,703	8.9	(7.3-10.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,799	11.4^	(5.4-22.7)
45-64	4,464	12.6	(7.3-20.7)	14,257	8.4	(6.3-10.9)
65+	3,665	11.7	(7.4-18.0)	12,654	10.7	(8.2-13.9)
Race						
White, NH	10,635	11.6	(7.6-17.5)	32,738	8.9	(7.2-10.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,291	8.5	(5.0-14.3)	14,855	7.4	(5.6-9.9)
female	7,615	14.5	(8.4-23.8)	22,848	10.3	(7.9-13.3)
Age-adjusted <sup>&amp;</sup>		12.2	(7.1-20.4)		8.7	(6.6-11.4)

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with arthritis\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	52,436	28.6	(24.4-33.3)	234,937	29.4	(27.1-31.8)
Age						
18-24		#			#	
25-34		#		12,694	11.0	(6.3-18.6)
35-44	6,559	24.4	(12.5-42.1)	24,442	20.3	(14.6-27.4)
45-64	22,192	35.1	(28.2-42.7)	111,733	39.9	(36.0-43.9)
65+	18,150	46.2	(38.2-54.4)	79,738	51.7	(46.9-56.5)
Race						
White, NH	46,761	29.2	(24.7-34.1)	207,132	30.2	(27.8-32.7)
Black, NH		#		10,134	20.9^	(11.2-35.6)
Hispanic		#		9,074	30.5	(18.8-45.5)
Other, NH		#		8,597	24.9^	(14.6-39.1)
Sex						
male	19,276	21.3	(16.2-27.5)	94,368	24.3	(21.3-27.7)
female	33,160	35.7	(29.6-42.3)	140,569	34.2	(30.9-37.7)
Age-adjusted <sup>&amp;</sup>		26.7	(22.5-31.5)		27.6	(25.4-30.0)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	155,185	90.1	(85.4-93.4)	686,255	90.0	(88.0-91.7)
Age						
18-24		#		97,478	84.7	(75.2-91.0)
25-34	15,538	68.6	(46.7-84.5)	91,278	85.7	(78.0-91.0)
35-44	20,434	89.5	(74.6-96.1)	104,240	91.4	(86.5-94.6)
45-64	55,755	93.2	(87.5-96.4)	247,654	92.0	(89.6-93.8)
65+	36,122	94.1	(88.7-97.0)	138,296	93.0	(89.8-95.2)
Race						
White, NH	138,440	91.3	(86.5-94.5)	603,475	92.1	(90.2-93.7)
Black, NH		#		36,386	78.0^	(64.3-87.5)
Hispanic		#		22,200	76.8^	(58.5-88.6)
Other, NH		#		24,194	76.4	(60.3-87.4)
Sex						
male	77,383	89.8	(81.0-94.8)	333,237	89.9	(86.4-92.5)
female	77,801	90.4	(85.2-94.0)	353,017	90.2	(87.7-92.2)
Age-adjusted <sup>&amp;</sup>		88.3	(83.0-92.2)		89.9	(87.8-91.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Health and Safe Environment

#### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,640	32.9	(25.4-41.4)	43,813	29.1	(25.3-33.2)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,404	32.9	(25.4-41.5)	41,256	29.4	(25.5-33.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,882	33.1	(20.6-48.6)	16,907	24.4	(19.2-30.4)
female	7,758	32.7	(24.0-42.8)	26,906	33.1	(28.0-38.7)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	0	neida Coun	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race	5,489	43.7^	(29.7-58.9)	15,308	35.0	(28.3-42.4)
White, NH Black, NH Hispanic Other, NH <b>Sex</b> male female	5,355	43.5 <sup>^</sup> # # # #	(29.3-58.9)	14,325 5,175 10,133	34.8 # # # 30.6 <sup>^</sup> 37.8	(27.9-42.4) (20.8-42.5) (29.1-47.3)
Age-adjusted+,&						

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	0	neida Cour	ity	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,827	33.0	(25.9-41.0)	84,368	33.6	(29.9-37.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,426	32.6	(25.3-41.0)	74,836	33.0	(29.2-37.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	8,703	31.2	(21.6-42.8)	40,311	33.3	(28.1-38.9)
female	9,124	35.0^	(25.3-46.0)	44,057	33.9	(28.8-39.4)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

## Percentage of adults aged 18+ years with flu immunization in the past year\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	80,330	46.1	(40.8-51.5)	377,085	49.1	(46.2-51.9)
Age						
18-24		#		36,542	31.4	(22.3-42.3)
25-34	9,972	43.3	(27.3-60.9)	37,892	35.3	(27.9-43.5)
35-44	9,564	41.9^	(28.4-56.7)	46,129	40.3	(32.8-48.2)
45-64	27,711	45.4	(37.9-53.2)	138,266	51.0	(47.1-55.0)
65+	25,345	65.6	(56.6-73.5)	115,003	76.1	(72.1-79.7)
Race						
White, NH	70,664	46.2	(40.8-51.8)	336,711	51.0	(48.0-53.9)
Black, NH		#		11,183	24.0^	(14.5-37.0)
Hispanic		#		13,658	47.2	(32.2-62.8)
Other, NH		#		15,532	48.0^	(32.3-64.0)
Sex						
male	30,468	35.2	(27.9-43.2)	160,998	43.0	(39.1-46.9)
female	49,861	57.0	(50.4-63.3)	216,087	54.9	(50.8-58.9)
Age-adjusted <sup>&amp;</sup>		45.4	(40.0-51.0)		47.6	(44.7-50.5)

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with flu immunization in the past year\*



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,345	65.6	(56.6-73.5)	115,003	76.1	(72.1-79.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	24,656	65.3	(56.2-73.4)	107,314	76.3	(72.1-79.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	8,895	60.0	(44.3-73.9)	54,341	78.0	(71.3-83.5)
female	16,450	69.1	(58.4-78.1)	60,663	74.5	(69.4-79.1)
Age-adjusted+,&						

<sup>\*</sup> Includes flu shot or flu spray

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with pneumococcal immunization



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,410	66.7	(57.7-74.7)	111,504	76.7	(72.7-80.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	24,702	66.5	(57.2-74.6)	105,550	78.0	(74.1-81.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	8,793	59.9^	(44.1-73.9)	50,740	75.0	(68.2-80.7)
female	16,617	71.1	(60.2-80.0)	60,765	78.2	(73.3-82.5)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Promote Healthy Women, Infants, and Children

#### Percentage of women aged 18-44 years who had dental visit within the last year



	0	neida Coun	ity	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,324	75.4^	(61.2-85.6)	126,109	77.4	(71.5-82.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	20,367	73.1	(57.3-84.6)	103,652	77.4	(70.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	24,324	75.4	(61.2-85.6)	126,109	77.4	(71.5-82.4)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,539	78.6^	(66.2-87.3)	125,925	72.6	(66.6-77.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	24,245	76.0^	(62.3-85.8)	100,555	70.7	(63.9-76.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	28,539	78.6	(66.2-87.3)	125,925	72.6	(66.6-77.9)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

## Percentage of women aged 18-64 years with health care coverage



	0	neida Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	61,078	91.0	(84.9-94.7)	296,489	91.9	(89.6-93.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	55,189	92.4	(87.0-95.6)	254,032	92.9	(90.8-94.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	61,078	91.0	(84.9-94.7)	296,489	91.9	(89.6-93.7)
Age-adjusted+,&						


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Oneida County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,120	52.6^	(39.5-65.4)	80,608	50.2	(42.3-58.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	14,312	50.9^	(36.9-64.7)	65,622	48.9	(40.5-57.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		# .			#	
female	17,120	52.6	(39.5-65.4)	80,608	50.2	(42.3-58.0)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month



	Oneida County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	23,503	13.0	(9.5-17.5)	108,500	13.9	(11.9-16.1)
Age						
18-24		#		20,377	17.4	(10.6-27.1)
25-34	5,309	22.1	(9.6-43.2)	18,720	16.4	(11.3-23.2)
35-44	4,743	17.6^	(7.7-35.3)	20,735	17.5	(12.2-24.4)
45-64	7,822	12.4	(8.3-18.3)	39,286	14.3	(11.5-17.7)
65+	2,754	7.1	(3.9-12.8)	8,787	5.9	(4.3-8.2)
Race						
White, NH	21,212	13.4	(9.6-18.3)	95,871	14.2	(12.2-16.6)
Black, NH		#		6,460	13.9^	(5.0-33.1)
Hispanic		#			#	
Other, NH		#		1,888	5.9	(2.6-12.9)
Sex						
male	7,952	8.9	(4.7-16.2)	41,014	10.7	(8.2-14.0)
female	15,551	16.9	(11.8-23.4)	67,486	16.9	(14.0-20.2)
Age-adjusted <sup>&amp;</sup>		14.2	(10.1-19.7)		14.3	(12.3-16.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

## Percentage of adult binge drinking during the past month\*



	Oneida County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,115	15.1	(11.7-19.2)	133,104	17.5	(15.5-19.7)
<b>Age</b> 18-24		#		31,378	27.5	(20.0-36.6)
25-34 35-44	5,869 2,939	26.4 <sup>^</sup> 13.0 <sup>^</sup>	(14.5-43.2) (6.6-23.8)	29,508 20,611	28.2 18.4	(21.7-35.8) (13.5-24.6)
45-64	10,199	16.3	(11.1-23.2)	43,871	16.2	(13.4-19.4)
65+ <b>Race</b>		#		7,576	5.1	(3.3-7.6)
White, NH Black, NH	21,575	14.2 #	(10.8-18.6)	114,597 8,623	17.5 19.6^	(15.5-19.8) (11.0-32.5)
Hispanic		#			#	
Other, NH <b>Sex</b>		#		5,248	15.6^	(7.4-29.9)
male female	17,179 8,936	20.1 10.2	(14.6-27.0) (6.5-15.5)	85,764 47,341	23.5 12.0	(20.2-27.1) (9.9-14.5)
Age-adjusted <sup>&amp;</sup>	8,930	16.0	(12.2-20.7)	47,341	18.4	(16.3-20.8)

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

#### Percentage of cigarette smoking among adults who report poor mental health



	O	neida Coun	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,109	52.0^	(35.8-67.8)	50,537	47.9	(39.3-56.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		10,440	50.3^	(31.9-68.7)
45-64		#		14,946	38.9^	(27.4-51.7)
65+		#		1,202	14.7	(7.0-28.3)
Race						
White, NH	10,425	49.6	(32.4-67.0)	42,564	45.5	(36.8-54.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		18,392	45.6	(31.0-60.9)
female	8,120	52.9^	(34.6-70.5)	32,145	49.3^	(39.1-59.5)
Age-adjusted <sup>&amp;</sup>		49.5^	(36.5-62.6)		43.8	(36.8-51.1)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).