eBRFSS 2013-2014 Health Indicators: Onondaga

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults with annual nouseriold income less than \$25,000 who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
	on recent
	27
guidelines	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on	28 recent
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines	28 recent 29
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	28 recent 29 30
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	28 recent 29 30
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	28 recent293031
guidelines	28 recent29303132
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percent of adults with cholesterol checked	28 recent293031323334
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	28 recent393132333435
guidelines	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	
guidelines	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	
guidelines	28 recent2930313435363939404142
guidelines	28 recent293031323435363939404242
guidelines	28 recent293031343536393940424243
guidelines	28 recent2930313234353639394041424242
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with corrent asthma Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	
guidelines	28 recent29303133343536393940414242424445
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with colesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults wad consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with percentage of immunization and the past year. Percentage of adults aged 65+ years with percentage of immunization Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year.	28 recent293031343536373839404242424242444546
guidelines. Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	28 recent29303134353637383940414242444545
guidelines. Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percent of adults with corrent asthma. Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment. Percentage of adults woo consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who say a doctor for a routine checkup within the last year. Percentage of women aged 18-44 years who say a doctor for a routine checkup within the last year. Percentage of women aged 18-44 years who say had control or outine checkup within the last year.	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults swith arthritis. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within	

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	One	ondaga Co	unty	Central NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	35,916	9.9	(7.8-12.5)	82,640	10.3	(8.8-12.1)	
Age							
18-24	8,982	17.2	(9.3-29.8)	17,357	14.5	(8.8-22.9)	
25-34	5,480	9.3	(5.1-16.5)	14,687	12.8	(8.7-18.3)	
35-44	6,193	11.9	(6.6-20.5)	13,209	11.1	(7.7-15.6)	
45-64	13,806	10.9	(7.7-15.2)	33,101	11.8	(9.6-14.4)	
65+		#		3,151	2.0	(1.1-3.6)	
Race							
White, NH	24,179	8.0	(6.1-10.5)	60,843	8.9	(7.6-10.4)	
Black, NH	7,900	26.1^	(14.4-42.6)	13,297	27.9^	(15.9-44.1)	
Hispanic		#		5,887	19.8^	(10.4-34.5)	
Other, NH		#			#		
Sex							
male	15,467	9.0	(6.2-13.0)	36,372	9.4	(7.5-11.7)	
female	20,449	10.7	(7.8-14.5)	46,268	11.2	(9.0-14.0)	
-adjusted ^{&}		10.1	(7.8-12.8)		10.5	(8.9-12.3)	

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	309,158	85.3	(81.6-88.4)	678,119	84.8	(82.5-86.9)
Age						
18-24	35,250	67.7	(51.9-80.2)	77,821	64.9^	(54.5-74.0)
25-34	45,548	77.6^	(67.3-85.3)	88,097	76.7	(70.0-82.3)
35-44	41,850	79.0^	(62.6-89.4)	100,184	83.2	(75.3-88.9)
45-64	119,609	94.1	(91.0-96.2)	259,484	92.3	(90.2-93.9)
65+	63,262	93.8	(84.6-97.6)	143,879	93.9	(90.1-96.3)
Race						
White, NH	266,784	89.0	(85.1-92.0)	599,184	87.3	(85.0-89.3)
Black, NH	19,589	62.8	(45.9-77.0)	32,851	67.6^	(52.1-80.0)
Hispanic		#		19,132	64.4^	(47.8-78.1)
Other, NH		#		26,953	77.7^	(64.3-87.1)
Sex						
male	135,476	78.7	(72.2-84.0)	305,662	78.7	(74.7-82.3)
female	173,681	91.4	(87.8-93.9)	372,457	90.6	(88.2-92.5)
Age-adjusted ^{&}		84.3	(80.2-87.7)		84.2	(81.8-86.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	247,286	73.1	(69.0-76.9)	534,407	71.1	(68.6-73.5)
Age						
18-24	36,498	74.1	(60.9-84.1)	82,518	72.1	(63.5-79.4)
25-34	38,223	71.6^	(59.6-81.1)	74,301	70.2	(62.4-77.0)
35-44	39,182	77.1	(66.1-85.4)	85,568	75.9	(69.3-81.5)
45-64	90,346	76.5	(70.3-81.7)	193,071	72.9	(69.3-76.2)
65+	42,054	65.1	(55.9-73.2)	93,810	63.8	(59.0-68.4)
Race						
White, NH	209,019	74.4	(70.0-78.3)	466,489	72.0	(69.5-74.4)
Black, NH	17,772	59.5	(42.2-74.7)	30,825	66.3^	(52.1-78.1)
Hispanic		#		16,448	63.6^	(48.0-76.7)
Other, NH		#		20,645	65.3^	(49.7-78.1)
Sex						
male	116,662	71.6	(65.4-77.1)	250,463	68.1	(64.4-71.7)
female	130,624	74.5	(68.9-79.4)	283,944	73.9	(70.6-77.0)
Age-adjusted ^{&}		73.5	(69.3-77.3)		71.4	(68.8-73.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	94,002	26.4	(22.6-30.6)	201,979	25.7	(23.4-28.1)
Age						
18-24	7,414	14.2	(7.5-25.4)	15,357	13.0	(8.2-19.9)
25-34	6,145	10.9	(6.0-18.9)	16,610	14.9	(10.3-20.9)
35-44	13,463	25.4	(15.9-38.1)	29,031	24.4	(18.4-31.5)
45-64	41,881	33.8	(27.4-40.8)	87,967	31.8	(28.1-35.6)
65+	24,439	36.4	(28.4-45.3)	51,609	34.0	(29.7-38.7)
Race						
White, NH	82,093	27.9	(23.6-32.7)	178,968	26.5	(24.1-29.1)
Black, NH	5,995	19.2	(9.8-34.2)	8,919	18.6^	(10.9-29.8)
Hispanic		#		9,726	32.7	(20.5-47.9)
Other, NH		#		4,366	12.7	(7.4-21.0)
Sex						
male	40,081	23.4	(18.2-29.6)	86,850	22.7	(19.6-26.0)
female	53,922	29.2	(23.8-35.1)	115,129	28.5	(25.3-31.9)
Age-adjusted ^{&}		25.7	(22.0-29.8)		25.0	(22.8-27.4)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	249,417	86.2	(82.2-89.4)	548,937	87.4	(85.1-89.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	211,212	89.8	(85.7-92.8)	474,023	89.6	(87.4-91.4)
Black, NH		#		29,543	67.4^	(52.3-79.5)
Hispanic		#		21,208	77.9^	(62.8-88.0)
Other, NH		#		24,163	86.1	(71.6-93.9)
Sex						
male	106,935	79.2	(72.0-85.0)	252,448	82.6	(78.8-85.9)
female	142,482	92.3	(88.5-94.9)	296,489	91.9	(89.6-93.7)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	196,567	68.4	(63.2-73.1)	433,995	68.7	(65.5-71.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	156,437	67.0	(61.1-72.4)	359,569	67.5	(64.1-70.8)
Black, NH		#		36,143	81.4^	(69.1-89.5)
Hispanic		#		19,995	73.4^	(58.8-84.2)
Other, NH		#		18,289	65.2	(48.2-79.1)
Sex						
male	80,273	58.9	(51.1-66.3)	191,802	61.5	(56.7-66.2)
female	116,293	76.8	(70.8-81.9)	242,193	75.6	(71.9-79.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	109,675	33.3	(28.7-38.2)	254,882	35.3	(32.5-38.1)
Age						
18-24	16,885	38.8	(23.6-56.6)	37,485	39.2	(28.9-50.6)
25-34	15,759	31.4	(20.7-44.5)	41,048	41.2	(32.6-50.4)
35-44	23,979	46.9^	(33.6-60.6)	48,766	44.1	(36.4-52.1)
45-64	42,351	35.8	(29.1-43.1)	99,322	37.5	(33.6-41.5)
65+	8,999	14.3	(9.5-21.0)	25,648	17.7	(14.6-21.4)
Race						
White, NH	80,710	29.7	(24.8-35.1)	206,175	33.1	(30.3-36.2)
Black, NH	17,569	60.6	(41.4-77.1)	21,502	51.1	(36.2-65.9)
Hispanic		#		18,595	68.0^	(52.1-80.6)
Other, NH		#		8,609	27.5	(16.4-42.2)
Sex						
male	49,801	31.6	(24.7-39.3)	112,700	32.0	(27.9-36.5)
female	59,874	34.9	(28.9-41.5)	142,182	38.4	(34.6-42.2)
Age-adjusted ^{&}		34.2	(29.4-39.3)		36.5	(33.4-39.6)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	82,633	23.7	(19.5-28.5)	184,140	23.9	(21.4-26.7)
Age						
18-24	18,475	36.5	(23.0-52.4)	37,047	31.9^	(22.9-42.3)
25-34	16,032	29.3^	(15.3-48.6)	35,326	32.8	(23.7-43.4)
35-44	14,191	27.3^	(17.9-39.4)	33,267	29.0	(22.9-35.9)
45-64	28,172	23.2	(18.1-29.3)	64,611	23.8	(20.7-27.3)
65+	5,400	8.1	(4.6-14.0)	12,311	8.2	(6.0-11.0)
Race						
White, NH	59,103	20.4	(15.9-25.8)	145,175	22.0	(19.3-24.9)
Black, NH	15,903	53.2	(36.0-69.7)	21,475	46.1	(31.5-61.3)
Hispanic		#		9,485	32.8	(20.6-47.9)
Other, NH		#		8,006	24.8	(14.2-39.7)
Sex						
male	29,826	17.8	(13.0-23.8)	71,782	19.1	(15.8-23.0)
female	52,807	29.2	(22.8-36.6)	112,358	28.5	(24.7-32.6)
Age-adjusted ^{&}		24.4	(19.9-29.4)		25.0	(22.2-27.9)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Ond	ondaga Cou	inty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,683	5.2	(3.4-7.8)	37,110	4.7	(3.7-5.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	11,744	9.3	(5.6-15.2)	20,709	7.4	(5.4-10.2)
65+	2,491	3.7	(1.9-6.9)	8,009	5.2	(3.9-7.0)
Race						
White, NH	15,025	5.0	(3.1-8.1)	31,424	4.6	(3.5-6.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	11,212	6.6	(3.8-11.3)	18,540	4.8	(3.3-6.9)
female	7,471	3.9	(2.1-7.1)	18,570	4.5	(3.3-6.1)
Age-adjusted ^{&}		5.0	(3.1-7.8)		4.4	(3.4-5.7)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	One	ondaga Co	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	39,911	11.3	(8.8-14.3)	99,092	12.7	(11.1-14.5)
Age						
18-24	4,423	9.0	(4.5-17.2)	7,266	6.3	(3.7-10.4)
25-34		#		9,276	8.2	(5.0-13.2)
35-44		#		13,032	10.9	(7.1-16.5)
45-64	20,958	16.7	(11.7-23.3)	47,772	17.4	(14.4-20.8)
65+	7,555	11.5	(7.6-17.0)	20,832	14.2	(11.6-17.4)
Race						
White, NH	33,036	11.2	(8.5-14.6)	86,267	12.9	(11.2-14.8)
Black, NH		#		3,917	8.5	(4.3-16.2)
Hispanic		#		6,628	22.9^	(12.6-37.9)
Other, NH		#		2,279	6.9	(3.5-13.3)
Sex						
male	15,251	9.1	(6.2-12.9)	39,487	10.4	(8.5-12.7)
female	24,660	13.3	(9.6-18.1)	59,604	14.9	(12.5-17.7)
Age-adjusted ^{&}		10.6	(8.3-13.4)		12.3	(10.7-14.1)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Onondaga Prevent Chronic Diseases

Percentage of adults who are obese*



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	94,763	28.2	(23.9-33.0)	232,180	31.0	(28.3-33.7)
Age						
18-24		#		15,545	14.4	(7.9-24.9)
25-34	14,976	27.9^	(13.9-48.1)	36,786	34.9^	(25.5-45.5)
35-44	14,863	29.3^	(17.7-44.5)	39,745	34.8	(27.2-43.3)
45-64	42,281	35.3	(29.0-42.2)	94,910	35.5	(31.8-39.3)
65+	19,182	28.9	(21.1-38.2)	44,163	29.4	(25.1-34.1)
Race						
White, NH	80,931	29.2	(24.3-34.5)	199,420	31.0	(28.2-34.0)
Black, NH	7,059	23.2	(12.7-38.4)	13,119	27.7	(16.3-42.9)
Hispanic		#		15,166	55.4^	(39.2-70.6)
Other, NH		#		4,476	13.7	(7.5-23.7)
Sex						
male	41,541	24.7	(19.6-30.6)	112,660	29.6	(25.9-33.5)
female	53,223	31.7	(25.2-39.1)	119,520	32.4	(28.6-36.4)
Age-adjusted ^{&}		27.9	(23.2-33.1)		31.5	(28.5-34.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,353	33.7	(26.6-41.7)	68,476	34.6	(30.2-39.3)
Age						
18-24		#			#	
25-34		#		12,831	45.4^	(31.6-60.0)
35-44		#		9,132	34.1	(22.1-48.6)
45-64	13,235	47.9^	(33.7-62.5)	27,821	42.7	(34.9-51.0)
65+	7,203	40.5	(27.1-55.6)	15,200	32.8	(26.0-40.4)
Race						
White, NH	20,712	34.8	(26.4-44.3)	53,173	35.0	(30.1-40.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	8,082	23.3	(14.6-35.2)	24,619	27.2	(21.4-33.8)
female	20,271	40.9^	(31.4-51.2)	43,857	41.0	(34.8-47.4)
Age-adjusted ^{&}		33.9	(26.6-42.1)		35.5	(30.8-40.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	38,721	42.3	(34.2-50.8)	90,164	46.0	(41.0-51.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		14,949	51.5	(36.4-66.3)
45-64	19,747	47.9	(35.5-60.5)	40,972	47.6	(40.3-55.0)
65+	10,647	44.9^	(30.6-60.1)	23,313	46.4	(38.3-54.7)
Race						
White, NH	34,112	42.5	(33.7-51.7)	79,282	45.6	(40.4-51.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	13,832	34.6	(23.1-48.2)	34,300	39.8	(32.6-47.5)
female	24,888	48.2	(37.7-58.9)	55,865	50.8	(44.3-57.4)
Age-adjusted ^{&}		38.7	(30.5-47.6)		45.1	(39.6-50.8)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	211,636	63.0	(58.3-67.4)	491,602	65.6	(62.8-68.2)
Age						
18-24	13,577	31.0	(20.4-44.1)	40,117	37.3	(28.4-47.1)
25-34	34,918	65.1	(52.1-76.3)	73,113	69.3	(61.5-76.1)
35-44	35,369	69.8^	(56.2-80.6)	79,731	69.8	(62.5-76.3)
45-64	79,364	66.3	(58.8-73.0)	188,285	70.4	(66.3-74.1)
65+	47,341	71.2	(62.6-78.6)	107,465	71.6	(67.1-75.7)
Race						
White, NH	178,002	64.1	(59.1-68.8)	427,099	66.5	(63.7-69.1)
Black, NH	20,619	67.7	(51.3-80.7)	32,244	68.1^	(52.1-80.7)
Hispanic		#		19,919	72.8^	(54.0-85.9)
Other, NH		#		12,340	37.8	(24.7-52.9)
Sex						
male	115,350	68.6	(62.1-74.3)	273,320	71.7	(68.0-75.2)
female	96,285	57.4	(50.7-63.9)	218,282	59.2	(55.2-63.0)
Age-adjusted ^{&}		63.1	(58.4-67.6)		66.0	(63.2-68.7)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	258,757	73.8	(69.3-77.8)	563,442	72.8	(70.3-75.2)
Age						
18-24	41,303	81.5	(64.8-91.3)	96,352	82.5	(73.4-89.0)
25-34	44,464	79.3^	(68.4-87.2)	82,776	76.0	(68.5-82.2)
35-44	34,106	65.5	(50.3-78.1)	78,437	68.2	(60.1-75.4)
45-64	88,108	72.2	(65.5-78.0)	196,782	72.0	(68.4-75.4)
65+	48,912	73.5	(65.8-79.9)	103,254	68.3	(63.9-72.4)
Race						
White, NH	218,821	75.3	(70.4-79.7)	490,619	73.8	(71.2-76.3)
Black, NH	20,967	70.2	(54.7-82.1)	32,621	70.0^	(56.7-80.6)
Hispanic		#		16,954	59.3^	(43.4-73.5)
Other, NH		#		23,247	68.6	(52.7-81.0)
Sex						
male	125,905	75.0	(67.6-81.1)	278,507	73.9	(69.8-77.6)
female	132,852	72.7	(66.8-77.8)	284,934	71.8	(68.5-74.9)
Age-adjusted ^{&}		73.4	(68.7-77.7)		72.6	(69.9-75.2)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	83,733	24.5	(20.9-28.5)	196,097	25.9	(23.4-28.5)
Age						
18-24	19,070	38.5	(25.2-53.8)	54,522	47.5	(37.4-57.9)
25-34	13,389	24.6	(16.1-35.6)	32,193	30.1	(23.2-38.1)
35-44	15,471	30.2	(19.8-43.2)	32,536	28.6	(22.5-35.6)
45-64	27,432	23.0	(17.6-29.6)	54,987	20.7	(17.6-24.2)
65+	8,370	12.9	(8.3-19.7)	21,285	14.4	(11.4-18.0)
Race						
White, NH	64,668	22.8	(19.1-27.0)	156,050	23.9	(21.5-26.5)
Black, NH	12,403	41.5	(26.2-58.6)	20,180	43.4	(28.7-59.4)
Hispanic		#		12,492	45.9^	(30.4-62.2)
Other, NH		#		7,376	23.0	(12.7-38.0)
Sex						
male	46,456	28.2	(22.8-34.4)	113,761	30.8	(27.0-34.8)
female	37,277	21.0	(16.6-26.2)	82,336	21.2	(18.1-24.7)
Age-adjusted ^{&}		25.2	(21.3-29.5)		26.5	(24.0-29.2)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	One	ondaga Cou	ınty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,792	7.6	(4.6-12.2)	48,560	6.5	(4.7-8.8)
Age						
18-24	7,214	14.6	(8.2-24.7)	15,881	13.8	(8.3-22.3)
25-34	10,696	19.7	(7.1-44.0)	13,958	13.1	(5.8-27.2)
35-44		#		7,133	6.3	(3.8-10.1)
45-64	4,708	4.0	(2.1-7.4)	9,229	3.5	(2.4-5.1)
65+		#		2,357	1.6	(1.0-2.5)
Race						
White, NH	19,709	7.0	(3.7-12.7)	36,435	5.6	(3.9-8.1)
Black, NH		#		8,233	17.9^	(7.7-36.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	10,282	6.3	(4.1-9.5)	22,355	6.1	(4.7-7.8)
female	15,510	8.8	(4.0-18.1)	26,205	6.8	(4.0-11.4)
Age-adjusted ^{&}		7.9	(4.9-12.6)		6.9	(4.9-9.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	35,056	9.7	(7.3-12.6)	81,750	10.2	(8.8-11.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,759	4.8	(2.8-8.0)
45-64	18,223	14.3	(9.3-21.5)	40,265	14.3	(11.3-18.0)
65+	14,162	20.7	(15.3-27.4)	32,274	20.9	(17.7-24.4)
Race						
White, NH	29,621	9.9	(7.2-13.3)	69,888	10.2	(8.7-11.9)
Black, NH		#		4,062	8.3	(4.2-15.9)
Hispanic		#		4,507	15.2^	(7.4-28.4)
Other, NH		#		3,293	9.5^	(3.7-22.2)
Sex						
male	14,018	8.1	(5.8-11.3)	37,190	9.6	(8.0-11.5)
female	21,038	11.0	(7.4-16.1)	44,560	10.8	(8.7-13.4)
Age-adjusted ^{&}		8.6	(6.6-11.1)		9.2	(8.0-10.6)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	71,467	20.3	(16.8-24.3)	173,163	22.2	(19.9-24.8)
Age						
18-24	11,580	22.2	(12.1-37.3)	34,340	29.1	(20.8-39.1)
25-34	9,576	17.1	(10.4-26.9)	24,697	22.4	(16.1-30.1)
35-44	16,151	31.2	(20.7-44.1)	33,920	28.8	(22.1-36.4)
45-64	26,718	21.7	(16.0-28.8)	65,132	23.7	(20.4-27.4)
65+	7,441	11.3	(7.0-17.7)	14,610	9.7	(7.3-12.8)
Race						
White, NH	58,638	20.1	(16.3-24.6)	144,674	21.6	(19.2-24.3)
Black, NH	9,265	30.1	(17.4-46.9)	15,388	32.3^	(19.6-48.3)
Hispanic		#		6,576	22.1^	(12.3-36.5)
Other, NH		#		6,525	19.5	(10.9-32.4)
Sex						
male	34,888	20.7	(15.5-27.0)	87,995	23.2	(19.8-27.0)
female	36,578	20.0	(15.5-25.3)	85,169	21.3	(18.1-24.8)
Age-adjusted ^{&}		21.3	(17.5-25.5)		22.9	(20.4-25.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,192	37.3	(29.5-45.8)	68,906	34.1	(29.5-39.1)
Age						
18-24		#		12,033	37.4	(24.5-52.4)
25-34		#		9,539	32.2	(20.4-46.9)
35-44		#		14,256	55.9^	(40.8-69.9)
45-64	11,131	39.4	(25.9-54.7)	27,331	41.2	(33.4-49.4)
65+		#		5,747	12.4	(8.2-18.3)
Race						
White, NH	22,520	37.2	(28.2-47.2)	51,709	33.4	(28.3-38.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	13,245	37.4	(24.4-52.6)	34,818	38.1	(30.6-46.3)
female	18,946	37.2	(28.2-47.2)	34,089	30.8	(25.4-36.9)
Age-adjusted ^{&}		42.2	(34.4-50.4)		37.4	(32.4-42.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	One	ondaga Cou	ınty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,580	22.2^	(12.1-37.3)	34,340	29.1	(20.8-39.1)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	9,841	25.1	(12.4-44.3)	26,085	28.5	(19.8-39.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		18,851	30.1	(19.3-43.7)
female		#		15,488	28.1	(16.5-43.4)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	59,488	87.9	(80.6-92.7)	128,239	85.8	(82.2-88.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	50,544	90.0	(83.3-94.2)	114,469	87.3	(84.1-90.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	59,488	87.9	(80.6-92.7)	128,239	85.8	(82.2-88.8)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	On	ondaga Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		31,053	78.2	(68.2-85.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		25,811	81.7	(73.3-87.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		31,053	78.2	(68.2-85.7)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	111,946	87.4	(82.5-91.0)	245,988	85.8	(82.7-88.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	93,037	88.1	(82.9-91.8)	212,616	86.5	(83.4-89.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	111,946	87.4	(82.5-91.0)	245,988	85.8	(82.7-88.5)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,659	87.2	(77.3-93.1)	60,764	84.3	(77.8-89.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	19,679	82.3	(69.6-90.5)	46,184	83.2	(75.7-88.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	28,659	87.2	(77.3-93.1)	60,764	84.3	(77.8-89.2)
Age-adjusted+,&						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	97,589	75.3	(69.5-80.4)	210,614	73.7	(70.3-76.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	84,482	75.1	(68.8-80.5)	189,141	73.3	(69.9-76.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	44,924	74.5	(65.5-81.7)	98,872	72.8	(67.8-77.4)
female	52,664	76.1	(67.9-82.7)	111,742	74.4	(69.9-78.4)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	19,634	69.1^	(56.0-79.7)	47,228	67.1	(59.9-73.5)
25-34 35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex	15,061	70.6 [^] # # #	(55.8-82.0)	38,073	66.9 # # #	(59.2-73.8)
male female Age-adjusted+,&	13,898	# 73.4 [^]	(57.8-84.7)	17,975 29,254	59.1 [^] 73.2	(47.6-69.8) (64.0-80.7)

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Onondaga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	163,412	52.6	(47.4-57.7)	380,054	55.2	(52.0-58.3)
Age						
18-24	11,168	21.6	(13.1-33.6)	28,776	24.2	(17.6-32.3)
25-34	19,691	35.2	(23.6-48.8)	46,551	42.4	(34.1-51.2)
35-44	24,061	52.0^	(39.5-64.3)	62,705	58.1	(50.4-65.4)
45-64	69,942	68.2	(61.5-74.2)	154,905	67.4	(63.5-71.0)
65+	37,012	72.7	(61.0-81.8)	82,449	72.3	(66.6-77.3)
Race						
White, NH	142,533	55.9	(50.1-61.6)	343,623	58.2	(54.9-61.4)
Black, NH		#		16,147	36.4	(23.1-52.1)
Hispanic		#		11,146	44.2^	(28.5-61.2)
Other, NH		#		9,138	31.4	(19.1-47.0)
Sex						
male	75,424	50.9	(44.3-57.6)	175,727	52.4	(48.1-56.7)
female	87,988	54.1	(46.2-61.8)	204,327	57.8	(53.1-62.2)
Age-adjusted ^{&}		53.4	(48.8-58.0)		56.0	(53.2-58.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Ond	ondaga Cou	ınty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,312	2.9	(1.8-4.5)	27,859	3.9	(3.1-4.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,689	3.3	(1.8-5.7)
45-64	5,003	4.6	(2.3-9.2)	12,324	5.2	(3.6-7.3)
65+	3,005	5.7	(2.9-10.9)	7,468	6.3	(4.5-8.7)
Race						
White, NH	7,629	2.8	(1.7-4.8)	24,742	4.1	(3.2-5.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,790	3.0	(1.5-6.1)	13,397	3.8	(2.7-5.4)
female	4,522	2.7	(1.5-4.8)	14,462	4.0	(3.0-5.4)
Age-adjusted ^{&}		2.8	(1.8-4.3)		4.0	(3.1-5.0)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	97,664	27.0	(23.3-31.0)	246,672	30.9	(28.5-33.3)
Age						
18-24		#		8,206	6.8	(2.8-15.8)
25-34	6,119	10.6	(6.1-17.8)	12,808	11.2	(7.7-16.0)
35-44	8,569	16.2	(8.5-28.7)	23,198	19.2	(13.7-26.3)
45-64	46,225	36.4	(29.9-43.5)	112,074	39.9	(36.1-43.8)
65+	33,097	48.6	(40.1-57.3)	86,174	56.0	(51.1-60.7)
Race						
White, NH	80,038	26.7	(22.7-31.0)	218,414	31.8	(29.3-34.4)
Black, NH	10,288	33.0^	(20.3-48.8)	13,814	28.4^	(18.5-40.8)
Hispanic		#		6,447	21.7	(13.0-34.0)
Other, NH		#		7,997	23.7	(13.9-37.3)
Sex						
male	47,568	27.7	(22.7-33.4)	123,566	31.9	(28.5-35.4)
female	50,096	26.3	(21.4-31.9)	123,106	29.9	(26.8-33.3)
Age-adjusted ^{&}		25.1	(21.7-28.8)		28.6	(26.4-30.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Ond	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	73,678	75.6	(67.3-82.4)	191,045	77.6	(73.1-81.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		11,677	50.3^	(32.7-67.9)
45-64	35,778	77.4	(63.6-87.0)	88,520	79.1	(72.7-84.3)
65+	31,260	95.1	(88.0-98.1)	80,813	94.1	(91.2-96.1)
Race						
White, NH	61,133	76.4	(66.9-83.8)	171,648	78.7	(73.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	35,039	73.7	(61.3-83.1)	91,238	73.9	(66.7-80.1)
female	38,639	77.5	(65.6-86.1)	99,807	81.2	(75.7-85.8)
Age-adjusted ^{&}		54.9^	(44.7-64.7)		59.7	(52.7-66.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	36,721	10.3	(8.0-13.2)	89,417	11.3	(9.5-13.4)
Age						
18-24	6,202	12.1	(6.5-21.3)	20,846	17.5	(10.7-27.4)
25-34		#		10,529	9.3	(5.3-15.8)
35-44	8,346	16.3^	(8.4-29.2)	17,793	15.0	(10.2-21.5)
45-64	13,907	11.2	(7.6-16.2)	28,901	10.4	(8.4-12.9)
65+	3,945	5.9	(3.3-10.1)	10,467	6.8	(5.1-9.1)
Race						
White, NH	27,324	9.3	(6.9-12.3)	72,841	10.7	(8.9-12.8)
Black, NH		#		8,396	17.8^	(7.6-36.0)
Hispanic		#		5,616	19.1^	(9.9-33.6)
Other, NH		#		2,565	7.4	(3.6-14.6)
Sex						
male	13,337	8.0	(5.1-12.2)	32,206	8.4	(6.1-11.6)
female	23,384	12.4	(9.1-16.6)	57,211	14.0	(11.5-17.0)
Age-adjusted ^{&}		10.6	(8.0-13.9)		11.5	(9.6-13.7)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	288,580	82.3	(77.9-86.1)	642,971	82.8	(80.1-85.2)
Age						
18-24	17,067	35.6	(22.3-51.6)	46,812	41.9^	(32.2-52.4)
25-34	40,090	72.0^	(60.2-81.4)	74,666	68.3	(60.3-75.4)
35-44	44,960	86.5	(76.6-92.7)	104,016	87.0	(81.8-90.9)
45-64	117,836	95.3	(92.4-97.1)	261,309	95.0	(93.3-96.4)
65+	66,150	98.3	(93.1-99.6)	148,817	98.0	(95.9-99.0)
Race						
White, NH	248,325	86.2	(81.2-90.0)	571,682	85.9	(83.2-88.3)
Black, NH	18,154	58.5	(41.5-73.6)	29,234	60.3^	(44.9-73.8)
Hispanic		#		18,035	60.7^	(43.9-75.3)
Other, NH		#		24,020	72.5	(56.9-84.0)
Sex						
male	129,567	79.4	(73.9-84.1)	299,643	79.8	(75.8-83.3)
female	159,013	84.9	(77.3-90.2)	343,328	85.5	(81.6-88.8)
Age-adjusted ^{&}		81.9	(78.4-85.0)		82.1	(79.7-84.2)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Ond	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	107,860	37.8	(32.8-43.1)	247,651	38.9	(36.0-41.8)
Age						
18-24		#		6,696	14.3	(7.3-26.1)
25-34	9,435	23.5	(11.6-42.0)	17,442	23.4	(14.6-35.3)
35-44	13,775	30.6	(17.5-48.0)	32,399	31.3	(23.3-40.6)
45-64	49,901	42.8	(35.6-50.3)	115,697	44.7	(40.6-48.8)
65+	32,678	50.8	(41.8-59.7)	73,480	50.2	(45.4-55.1)
Race						
White, NH	92,827	37.8	(32.6-43.4)	223,293	39.4	(36.5-42.5)
Black, NH		#		8,429	29.1^	(14.5-49.7)
Hispanic		#			#	
Other, NH		#		8,310	34.6	(19.2-54.1)
Sex						
male	56,854	44.1	(36.3-52.2)	127,334	42.8	(38.4-47.3)
female	51,006	32.6	(26.4-39.4)	120,317	35.4	(31.7-39.3)
Age-adjusted ^{&}		33.5	(28.4-39.1)		34.9	(31.7-38.3)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	One	ondaga Cou	ınty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,816	8.4	(6.0-11.6)	37,703	8.9	(7.3-10.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,799	11.4^	(5.4-22.7)
45-64	4,719	6.2	(3.7-10.1)	14,257	8.4	(6.3-10.9)
65+	5,579	11.5	(7.1-18.1)	12,654	10.7	(8.2-13.9)
Race						
White, NH	11,657	7.9	(5.4-11.4)	32,738	8.9	(7.2-10.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	6,218	7.6	(4.5-12.6)	14,855	7.4	(5.6-9.9)
female	8,598	9.1	(5.8-13.8)	22,848	10.3	(7.9-13.3)
Age-adjusted ^{&}		8.7	(5.6-13.2)		8.7	(6.6-11.4)

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with arthritis*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	111,187	30.7	(26.7-35.0)	234,937	29.4	(27.1-31.8)
Age						
18-24		#			#	
25-34		#		12,694	11.0	(6.3-18.6)
35-44	10,821	20.4	(11.8-32.9)	24,442	20.3	(14.6-27.4)
45-64	54,843	43.4	(36.6-50.6)	111,733	39.9	(36.0-43.9)
65+	37,202	54.6	(45.5-63.4)	79,738	51.7	(46.9-56.5)
Race						
White, NH	95,106	31.7	(27.4-36.4)	207,132	30.2	(27.8-32.7)
Black, NH	8,915	28.6	(14.9-47.8)	10,134	20.9^	(11.2-35.6)
Hispanic		#		9,074	30.5	(18.8-45.5)
Other, NH		#		8,597	24.9^	(14.6-39.1)
Sex						
male	42,841	24.9	(19.7-31.0)	94,368	24.3	(21.3-27.7)
female	68,346	36.0	(30.2-42.2)	140,569	34.2	(30.9-37.7)
Age-adjusted ^{&}		28.9	(25.2-33.0)		27.6	(25.4-30.0)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	One	ondaga Cou	unty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	310,949	89.7	(86.4-92.3)	686,255	90.0	(88.0-91.7)
Age						
18-24	40,746	80.4	(63.9-90.5)	97,478	84.7	(75.2-91.0)
25-34	48,552	89.2	(80.2-94.4)	91,278	85.7	(78.0-91.0)
35-44	47,060	90.7	(82.0-95.4)	104,240	91.4	(86.5-94.6)
45-64	112,549	92.9	(88.9-95.5)	247,654	92.0	(89.6-93.8)
65+	59,133	90.8	(83.9-94.9)	138,296	93.0	(89.8-95.2)
Race						
White, NH	266,297	92.6	(89.2-95.0)	603,475	92.1	(90.2-93.7)
Black, NH	22,511	75.3^	(58.6-86.8)	36,386	78.0^	(64.3-87.5)
Hispanic		#		22,200	76.8^	(58.5-88.6)
Other, NH		#		24,194	76.4^	(60.3-87.4)
Sex						
male	149,235	89.4	(83.5-93.4)	333,237	89.9	(86.4-92.5)
female	161,713	90.0	(86.1-92.9)	353,017	90.2	(87.7-92.2)
Age-adjusted ^{&}		89.8	(86.5-92.3)		89.9	(87.8-91.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,208	24.4	(18.4-31.5)	43,813	29.1	(25.3-33.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	15,279	25.5	(19.3-33.0)	41,256	29.4	(25.5-33.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,058	15.9	(9.7-25.0)	16,907	24.4	(19.2-30.4)
female	11,150	32.1	(23.1-42.8)	26,906	33.1	(28.0-38.7)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,526	34.1^	(22.6-47.8)	15,308	35.0	(28.3-42.4)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,149	33.7	(22.0-47.9)	14,325	34.8	(27.9-42.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		5,175	30.6	(20.8-42.5)
female		#		10,133	37.8	(29.1-47.3)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	39,537	35.3	(28.8-42.5)	84,368	33.6	(29.9-37.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	33,724	34.5	(27.6-42.1)	74,836	33.0	(29.2-37.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	17,317	34.6	(25.3-45.3)	40,311	33.3	(28.1-38.9)
female	22,220	35.9	(27.3-45.6)	44,057	33.9	(28.8-39.4)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	182,428	52.4	(47.5-57.2)	377,085	49.1	(46.2-51.9)
Age						
18-24	18,055	35.9	(20.4-54.9)	36,542	31.4	(22.3-42.3)
25-34	18,420	33.6	(23.2-45.9)	37,892	35.3	(27.9-43.5)
35-44	22,718	43.8	(30.7-57.7)	46,129	40.3	(32.8-48.2)
45-64	67,596	55.8	(48.6-62.8)	138,266	51.0	(47.1-55.0)
65+	54,544	81.9	(75.2-87.2)	115,003	76.1	(72.1-79.7)
Race						
White, NH	160,657	55.6	(50.3-60.8)	336,711	51.0	(48.0-53.9)
Black, NH	7,543	25.2	(14.1-41.0)	11,183	24.0^	(14.5-37.0)
Hispanic		#		13,658	47.2^	(32.2-62.8)
Other, NH		#		15,532	48.0^	(32.3-64.0)
Sex						
male	79,881	47.5	(41.1-54.1)	160,998	43.0	(39.1-46.9)
female	102,547	57.0	(49.7-64.0)	216,087	54.9	(50.8-58.9)
Age-adjusted ^{&}		51.0	(46.1-55.9)		47.6	(44.7-50.5)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	54,544	81.9	(75.2-87.2)	115,003	76.1	(72.1-79.7)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	49,263	82.1	(75.0-87.6)	107,314	76.3	(72.1-79.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	26,993	84.7	(73.1-91.9)	54,341	78.0	(71.3-83.5)
female	27,551	79.4	(70.5-86.2)	60,663	74.5	(69.4-79.1)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	52,996	84.2	(77.6-89.1)	111,504	76.7	(72.7-80.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	49,113	87.1	(81.6-91.2)	105,550	78.0	(74.1-81.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	25,194	82.4	(71.1-90.0)	50,740	75.0	(68.2-80.7)
female	27,803	85.8	(77.6-91.3)	60,765	78.2	(73.3-82.5)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	57,478	79.0	(69.8-86.0)	126,109	77.4	(71.5-82.4)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	47,422	81.7	(72.1-88.6)	103,652	77.4	(70.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	57,478	79.0	(69.8-86.0)	126,109	77.4	(71.5-82.4)
Age-adjusted ^{+,&}						


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	One	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	58,511	74.0	(64.0-81.9)	125,925	72.6	(66.6-77.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	46,903	75.3^	(64.1-83.9)	100,555	70.7	(63.9-76.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	58,511	74.0	(64.0-81.9)	125,925	72.6	(66.6-77.9)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Ond	ondaga Cou	unty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	142,482	92.3	(88.5-94.9)	296,489	91.9	(89.6-93.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	118,917	94.4	(90.9-96.7)	254,032	92.9	(90.8-94.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	142,482	92.3	(88.5-94.9)	296,489	91.9	(89.6-93.7)
Age-adjusted+,&						


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	36,877	50.7	(36.8-64.5)	80,608	50.2	(42.3-58.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	27,937	48.0^	(32.2-64.3)	65,622	48.9	(40.5-57.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		# .			#	
female	36,877	50.7	(36.8-64.5)	80,608	50.2	(42.3-58.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Onondaga County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	54,003	15.3	(12.2-19.1)	108,500	13.9	(11.9-16.1)
Age						
18-24	9,323	18.2	(8.8-34.1)	20,377	17.4	(10.6-27.1)
25-34	7,353	12.5	(7.4-20.5)	18,720	16.4	(11.3-23.2)
35-44	10,637	20.8^	(11.9-34.0)	20,735	17.5	(12.2-24.4)
45-64	22,213	17.9	(12.7-24.6)	39,286	14.3	(11.5-17.7)
65+	4,070	6.4	(3.7-10.8)	8,787	5.9	(4.3-8.2)
Race						
White, NH	48,521	16.5	(12.9-20.9)	95,871	14.2	(12.2-16.6)
Black, NH		#		6,460	13.9^	(5.0-33.1)
Hispanic		#			#	
Other, NH		#		1,888	5.9	(2.6-12.9)
Sex						
male	22,935	13.6	(9.1-19.7)	41,014	10.7	(8.2-14.0)
female	31,067	16.9	(12.7-22.2)	67,486	16.9	(14.0-20.2)
Age-adjusted ^{&}		15.6	(12.3-19.6)		14.3	(12.3-16.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Onondaga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	63,530	18.5	(15.3-22.1)	133,104	17.5	(15.5-19.7)
Age						
18-24	14,287	28.5	(16.9-43.9)	31,378	27.5	(20.0-36.6)
25-34	15,619	29.4^	(20.1-41.0)	29,508	28.2	(21.7-35.8)
35-44	7,452	14.7	(8.3-24.7)	20,611	18.4	(13.5-24.6)
45-64	21,448	17.8	(13.1-23.6)	43,871	16.2	(13.4-19.4)
65+	4,724	7.1	(3.9-12.8)	7,576	5.1	(3.3-7.6)
Race						
White, NH	54,512	19.1	(15.6-23.0)	114,597	17.5	(15.5-19.8)
Black, NH		#		8,623	19.6^	(11.0-32.5)
Hispanic		#			#	
Other, NH		#		5,248	15.6	(7.4-29.9)
Sex						
male	39,593	24.4	(19.3-30.5)	85,764	23.5	(20.2-27.1)
female	23,937	13.2	(9.8-17.4)	47,341	12.0	(9.9-14.5)
Age-adjusted ^{&}		18.8	(15.5-22.6)		18.4	(16.3-20.8)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Onondaga County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,925	44.5^	(32.0-57.8)	50,537	47.9	(39.3-56.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		10,440	50.3^	(31.9-68.7)
45-64	7,906	36.5	(19.7-57.4)	14,946	38.9^	(27.4-51.7)
65+		#		1,202	14.7	(7.0-28.3)
Race						
White, NH	20,270	43.6	(30.2-58.0)	42,564	45.5	(36.8-54.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		18,392	45.6	(31.0-60.9)
female	13,591	46.6	(31.9-61.9)	32,145	49.3^	(39.1-59.5)
Age-adjusted ^{&}		42.2	(31.6-53.6)		43.8	(36.8-51.1)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).