eBRFSS 2013-2014 Health Indicators: Oswego

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults with annual nousehold income less than \$25,000 who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on receivable as	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
	recent
	27
guidelines	
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines	28 cent
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines	28 cent 29
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	28 ecent 29 30
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	28 ecent 29 30
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	28 ecent 30 31
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	28 ecent 30 31 32
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	28 ecent 30 31 32 33
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	28 ecent30 31 32 33
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	28 ccent29313134343534
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	28 ecent 29303132333435363637
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	28 ecent 29303132333435363637
guidelines	28 ccent293031323435343536373839
guidelines	28 ccent39 ccent30313234353435373839393939
guidelines	28 ccent39 ccent30313234353435373839393939
guidelines	28 ecent293132343534353637383939
guidelines	28 ecent293132343534
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	28 ecent293132343534
guidelines	28 ccent 2930313234353639393940414242
guidelines	28 ccent 2930313234353637393940424242
guidelines	28 ccent 293031323435363739394042424242424344
guidelines	28 ccent 29303132343536393939404242424242
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	28 ccent 2930313234353637393940414242424243444546
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year.	28 cent 293031323435363739394041424242424445464646464646464646
guidelines. Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	28 cent 293031323435363734353434353434343434343442424242424445454647
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	28 cent 293031323435363738394041424242444545464748
guidelines. Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	28 cent 29303132343536373435343434344242424445464646474849
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults the system and older with elevated cholesterol. Percentage of adults the holesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years with health care coverage. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years	28 cent 2930313234353637343434343434424242444546464647484950
guidelines Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with consider the levated cholesterol. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Pervent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 18-4 years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years whose health care provider discussed planning a healthy pregnancy	28 cent 293031333435363734344242444546464748495050

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Os	wego Cour	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,848	10.4	(6.9-15.4)	82,640	10.3	(8.8-12.1)
Age						
18-24		#		17,357	14.5	(8.8-22.9)
25-34		#		14,687	12.8	(8.7-18.3)
35-44		#		13,209	11.1	(7.7-15.6)
45-64	3,770	10.9	(6.8-17.0)	33,101	11.8	(9.6-14.4)
65+		#		3,151	2.0	(1.1-3.6)
Race						
White, NH	9,821	10.8	(7.2-15.9)	60,843	8.9	(7.6-10.4)
Black, NH		#		13,297	27.9^	(15.9-44.1)
Hispanic		#		5,887	19.8^	(10.4-34.5)
Other, NH		#			#	
Sex						
male	5,025	10.8	(5.6-19.5)	36,372	9.4	(7.5-11.7)
female	4,823	10.1	(5.9-16.7)	46,268	11.2	(9.0-14.0)
Age-adjusted ^{&}		12.1	(8.1-17.7)		10.5	(8.9-12.3)

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Oswego County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	76,125	80.4	(73.7-85.8)	678,119	84.8	(82.5-86.9)
Age						
18-24		#		77,821	64.9^	(54.5-74.0)
25-34		#		88,097	76.7	(70.0-82.3)
35-44	11,714	81.1	(67.3-89.9)	100,184	83.2	(75.3-88.9)
45-64	31,300	90.4	(83.4-94.6)	259,484	92.3	(90.2-93.9)
65+	15,490	95.1	(90.5-97.5)	143,879	93.9	(90.1-96.3)
Race						
White, NH	73,300	80.8	(73.9-86.2)	599,184	87.3	(85.0-89.3)
Black, NH		#		32,851	67.6	(52.1-80.0)
Hispanic		#		19,132	64.4	(47.8-78.1)
Other, NH		#		26,953	77.7	(64.3-87.1)
Sex						
male	34,820	74.1	(63.1-82.7)	305,662	78.7	(74.7-82.3)
female	41,305	86.7	(78.8-92.0)	372,457	90.6	(88.2-92.5)
Age-adjusted ^{&}		80.5	(74.3-85.6)		84.2	(81.8-86.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	58,180	64.8	(58.2-70.9)	534,407	71.1	(68.6-73.5)
Age						
18-24		#		82,518	72.1	(63.5-79.4)
25-34		#		74,301	70.2	(62.4-77.0)
35-44	10,904	78.9^	(62.4-89.4)	85,568	75.9	(69.3-81.5)
45-64	21,463	63.1	(54.4-71.0)	193,071	72.9	(69.3-76.2)
65+	9,194	60.9^	(49.9-71.0)	93,810	63.8	(59.0-68.4)
Race						
White, NH	56,801	66.1	(59.3-72.3)	466,489	72.0	(69.5-74.4)
Black, NH		#		30,825	66.3^	(52.1-78.1)
Hispanic		#		16,448	63.6^	(48.0-76.7)
Other, NH		#		20,645	65.3^	(49.7-78.1)
Sex						
male	26,257	60.1	(50.0-69.4)	250,463	68.1	(64.4-71.7)
female	31,923	69.2	(60.3-77.0)	283,944	73.9	(70.6-77.0)
Age-adjusted ^{&}		65.4	(58.4-71.8)		71.4	(68.8-73.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,089	26.3	(21.3-32.0)	201,979	25.7	(23.4-28.1)
Age						
18-24		#		15,357	13.0	(8.2-19.9)
25-34		#		16,610	14.9	(10.3-20.9)
35-44	3,370	23.6	(13.0-39.0)	29,031	24.4	(18.4-31.5)
45-64	11,783	34.0	(26.7-42.2)	87,967	31.8	(28.1-35.6)
65+	5,256	33.4	(24.8-43.2)	51,609	34.0	(29.7-38.7)
Race						
White, NH	23,083	26.3	(21.2-32.1)	178,968	26.5	(24.1-29.1)
Black, NH		#		8,919	18.6	(10.9-29.8)
Hispanic		#		9,726	32.7	(20.5-47.9)
Other, NH		#		4,366	12.7	(7.4-21.0)
Sex						
male	9,222	20.7	(15.0-27.8)	86,850	22.7	(19.6-26.0)
female	14,867	31.5	(24.1-40.1)	115,129	28.5	(25.3-31.9)
Age-adjusted ^{&}		25.4	(20.7-30.8)		25.0	(22.8-27.4)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	66,071	87.2	(80.9-91.6)	548,937	87.4	(85.1-89.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	63,234	87.1	(80.6-91.6)	474,023	89.6	(87.4-91.4)
Black, NH		#		29,543	67.4^	(52.3-79.5)
Hispanic		#		21,208	77.9^	(62.8-88.0)
Other, NH		#		24,163	86.1	(71.6-93.9)
Sex						
male	30,435	81.6	(70.3-89.3)	252,448	82.6	(78.8-85.9)
female	35,637	92.6	(87.1-95.9)	296,489	91.9	(89.6-93.7)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	49,300	63.4	(55.2-70.9)	433,995	68.7	(65.5-71.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	47,162	63.2	(54.8-70.9)	359,569	67.5	(64.1-70.8)
Black, NH		#		36,143	81.4	(69.1-89.5)
Hispanic		#		19,995	73.4^	(58.8-84.2)
Other, NH		#		18,289	65.2	(48.2-79.1)
Sex						
male	24,016	61.7	(48.9-73.0)	191,802	61.5	(56.7-66.2)
female	25,283	65.1	(54.5-74.4)	242,193	75.6	(71.9-79.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Os	swego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,081	39.3	(33.0-46.0)	254,882	35.3	(32.5-38.1)
Age						
18-24		#		37,485	39.2	(28.9-50.6)
25-34		#		41,048	41.2	(32.6-50.4)
35-44	6,201	48.0^	(32.4-63.9)	48,766	44.1	(36.4-52.1)
45-64	13,710	41.0	(32.7-49.9)	99,322	37.5	(33.6-41.5)
65+	2,101	14.0	(8.3-22.6)	25,648	17.7	(14.6-21.4)
Race						
White, NH	31,644	40.4	(33.9-47.2)	206,175	33.1	(30.3-36.2)
Black, NH		#		21,502	51.1^	(36.2-65.9)
Hispanic		#		18,595	68.0^	(52.1-80.6)
Other, NH		#		8,609	27.5	(16.4-42.2)
Sex						
male	11,909	31.6	(22.8-41.9)	112,700	32.0	(27.9-36.5)
female	20,172	46.0	(37.5-54.8)	142,182	38.4	(34.6-42.2)
Age-adjusted ^{&}		41.8	(35.2-48.7)		36.5	(33.4-39.6)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Os	swego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,159	27.7	(22.1-34.1)	184,140	23.9	(21.4-26.7)
Age						
18-24		#		37,047	31.9^	(22.9-42.3)
25-34		#		35,326	32.8	(23.7-43.4)
35-44	4,075	29.0^	(17.4-44.1)	33,267	29.0	(22.9-35.9)
45-64	10,263	30.0	(22.5-38.9)	64,611	23.8	(20.7-27.3)
65+		#		12,311	8.2	(6.0-11.0)
Race						
White, NH	23,671	27.2	(21.4-33.8)	145,175	22.0	(19.3-24.9)
Black, NH		#		21,475	46.1	(31.5-61.3)
Hispanic		#		9,485	32.8^	(20.6-47.9)
Other, NH		#		8,006	24.8	(14.2-39.7)
Sex						
male	11,528	26.1	(17.5-37.0)	71,782	19.1	(15.8-23.0)
female	13,631	29.1	(22.2-37.2)	112,358	28.5	(24.7-32.6)
Age-adjusted ^{&}		30.1	(24.5-36.4)		25.0	(22.2-27.9)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Oswego County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,701	5.0	(3.3-7.5)	37,110	4.7	(3.7-5.9)
Age 18-24		#			#	
25-34 35-44		# #			# #	
45-64	2,656	7.7	(4.5-12.9)	20,709	7.4	(5.4-10.2)
65+ Race	1,270	7.8	(4.3-14.0)	8,009	5.2	(3.9-7.0)
White, NH Black, NH	4,567	5.1 #	(3.3-7.7)	31,424	4.6 #	(3.5-6.0)
Hispanic		#			#	
Other, NH Sex		#			#	
male female	2,385 2,316	5.1 4.9	(2.9-8.9) (2.6-8.9)	18,540 18,570	4.8 4.5	(3.3-6.9) (3.3-6.1)
Age-adjusted ^{&}	, -	4.6	(2.9-7.1)	,	4.4	(3.4-5.7)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Os	swego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,880	16.1	(12.1-21.0)	99,092	12.7	(11.1-14.5)
Age						
18-24		#		7,266	6.3	(3.7-10.4)
25-34		#		9,276	8.2	(5.0-13.2)
35-44		#		13,032	10.9	(7.1-16.5)
45-64	6,687	20.1	(14.2-27.7)	47,772	17.4	(14.4-20.8)
65+	2,617	16.4	(9.7-26.3)	20,832	14.2	(11.6-17.4)
Race						
White, NH	14,356	16.2	(12.2-21.3)	86,267	12.9	(11.2-14.8)
Black, NH		#		3,917	8.5	(4.3-16.2)
Hispanic		#		6,628	22.9^	(12.6-37.9)
Other, NH		#		2,279	6.9	(3.5-13.3)
Sex						
male	5,757	12.4	(8.0-18.6)	39,487	10.4	(8.5-12.7)
female	9,123	19.9	(13.8-27.7)	59,604	14.9	(12.5-17.7)
Age-adjusted ^{&}		16.5	(12.1-22.1)		12.3	(10.7-14.1)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are obese*



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,447	32.2	(26.5-38.4)	232,180	31.0	(28.3-33.7)
Age						
18-24		#		15,545	14.4^	(7.9-24.9)
25-34		#		36,786	34.9^	(25.5-45.5)
35-44	5,311	37.7	(23.9-53.8)	39,745	34.8	(27.2-43.3)
45-64	12,201	37.2	(29.5-45.6)	94,910	35.5	(31.8-39.3)
65+	5,087	32.7	(24.1-42.6)	44,163	29.4	(25.1-34.1)
Race						
White, NH	26,680	31.6	(25.8-38.0)	199,420	31.0	(28.2-34.0)
Black, NH		#		13,119	27.7	(16.3-42.9)
Hispanic		#		15,166	55.4^	(39.2-70.6)
Other, NH		#		4,476	13.7	(7.5-23.7)
Sex						
male	12,470	27.9	(20.1-37.2)	112,660	29.6	(25.9-33.5)
female	15,977	36.6	(28.9-45.0)	119,520	32.4	(28.6-36.4)
Age-adjusted ^{&}		33.8	(27.6-40.6)		31.5	(28.5-34.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Os	wego Cou	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,436	29.4^	(20.3-40.5)	68,476	34.6	(30.2-39.3)
Age						
18-24		#			#	
25-34		#		12,831	45.4^	(31.6-60.0)
35-44		#		9,132	34.1	(22.1-48.6)
45-64	3,230	31.3	(19.6-46.1)	27,821	42.7	(34.9-51.0)
65+	1,347	23.6	(13.0-39.0)	15,200	32.8	(26.0-40.4)
Race						
White, NH	7,019	26.9	(18.0-38.2)	53,173	35.0	(30.1-40.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,461	20.3	(11.6-33.2)	24,619	27.2	(21.4-33.8)
female	4,975	42.6	(27.7-58.9)	43,857	41.0	(34.8-47.4)
Age-adjusted ^{&}		28.6^	(19.7-39.5)		35.5	(30.8-40.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Os	wego Cou	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,273	39.5^	(29.5-50.4)	90,164	46.0	(41.0-51.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		14,949	51.5	(36.4-66.3)
45-64	4,991	43.7	(30.7-57.5)	40,972	47.6	(40.3-55.0)
65+	2,167	43.3	(27.3-60.7)	23,313	46.4	(38.3-54.7)
Race						
White, NH	8,973	39.9^	(29.7-51.0)	79,282	45.6	(40.4-51.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,897	32.0^	(20.4-46.3)	34,300	39.8	(32.6-47.5)
female	6,376	44.2^	(29.6-59.9)	55,865	50.8	(44.3-57.4)
Age-adjusted ^{&}		38.6^	(28.3-50.1)		45.1	(39.6-50.8)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	64,545	73.0	(66.9-78.3)	491,602	65.6	(62.8-68.2)
Age						
18-24		#		40,117	37.3	(28.4-47.1)
25-34		#		73,113	69.3	(61.5-76.1)
35-44	10,599	75.2	(61.4-85.3)	79,731	69.8	(62.5-76.3)
45-64	26,060	79.5	(72.3-85.2)	188,285	70.4	(66.3-74.1)
65+	11,477	73.7	(62.8-82.4)	107,465	71.6	(67.1-75.7)
Race						
White, NH	61,331	72.6	(66.2-78.1)	427,099	66.5	(63.7-69.1)
Black, NH		#		32,244	68.1	(52.1-80.7)
Hispanic		#		19,919	72.8^	(54.0-85.9)
Other, NH		#		12,340	37.8	(24.7-52.9)
Sex						
male	36,168	80.8	(73.0-86.8)	273,320	71.7	(68.0-75.2)
female	28,377	64.9	(55.9-73.0)	218,282	59.2	(55.2-63.0)
Age-adjusted ^{&}		74.4	(68.7-79.4)		66.0	(63.2-68.7)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	64,257	70.8	(64.6-76.3)	563,442	72.8	(70.3-75.2)
Age						
18-24		#		96,352	82.5	(73.4-89.0)
25-34		#		82,776	76.0	(68.5-82.2)
35-44	11,374	80.9^	(66.3-90.1)	78,437	68.2	(60.1-75.4)
45-64	22,764	66.7	(58.2-74.2)	196,782	72.0	(68.4-75.4)
65+	10,480	67.5	(57.8-75.9)	103,254	68.3	(63.9-72.4)
Race						
White, NH	60,838	70.0	(63.6-75.7)	490,619	73.8	(71.2-76.3)
Black, NH		#		32,621	70.0^	(56.7-80.6)
Hispanic		#		16,954	59.3^	(43.4-73.5)
Other, NH		#		23,247	68.6^	(52.7-81.0)
Sex						
male	32,549	73.6	(63.0-82.1)	278,507	73.9	(69.8-77.6)
female	31,708	68.1	(60.2-75.1)	284,934	71.8	(68.5-74.9)
Age-adjusted ^{&}		70.1	(63.7-75.8)		72.6	(69.9-75.2)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Os	wego Cou	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	28,756	31.8	(25.6-38.8)	196,097	25.9	(23.4-28.5)
Age						
18-24		#		54,522	47.5	(37.4-57.9)
25-34		#		32,193	30.1	(23.2-38.1)
35-44	3,980	28.3^	(16.2-44.6)	32,536	28.6	(22.5-35.6)
45-64	8,687	25.5	(18.1-34.7)	54,987	20.7	(17.6-24.2)
65+	2,888	18.9^	(11.4-29.7)	21,285	14.4	(11.4-18.0)
Race						
White, NH	26,745	30.9	(24.6-38.1)	156,050	23.9	(21.5-26.5)
Black, NH		#		20,180	43.4	(28.7-59.4)
Hispanic		#		12,492	45.9^	(30.4-62.2)
Other, NH		#		7,376	23.0^	(12.7-38.0)
Sex						
male	18,198	41.5	(31.6-52.1)	113,761	30.8	(27.0-34.8)
female	10,559	22.7	(15.9-31.4)	82,336	21.2	(18.1-24.7)
Age-adjusted ^{&}		30.7	(24.6-37.5)		26.5	(24.0-29.2)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Os	wego Cour	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,583	5.1	(2.8-9.1)	48,560	6.5	(4.7-8.8)
Age						
18-24		#		15,881	13.8	(8.3-22.3)
25-34		#		13,958	13.1	(5.8-27.2)
35-44		#		7,133	6.3	(3.8-10.1)
45-64		#		9,229	3.5	(2.4-5.1)
65+		#		2,357	1.6	(1.0-2.5)
Race						
White, NH	4,225	4.9	(2.6-9.0)	36,435	5.6	(3.9-8.1)
Black, NH		#		8,233	17.9^	(7.7-36.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,342	7.7	(4.2-13.6)	22,355	6.1	(4.7-7.8)
female		#		26,205	6.8	(4.0-11.4)
Age-adjusted ^{&}		6.2	(3.1-11.8)		6.9	(4.9-9.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,818	9.3	(6.9-12.5)	81,750	10.2	(8.8-11.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,759	4.8	(2.8-8.0)
45-64	4,551	13.2	(8.5-20.0)	40,265	14.3	(11.3-18.0)
65+	2,940	17.9	(12.3-25.3)	32,274	20.9	(17.7-24.4)
Race						
White, NH	8,520	9.4	(6.9-12.7)	69,888	10.2	(8.7-11.9)
Black, NH		#		4,062	8.3	(4.2-15.9)
Hispanic		#		4,507	15.2^	(7.4-28.4)
Other, NH		#		3,293	9.5^	(3.7-22.2)
Sex						
male	4,946	10.5	(6.8-15.9)	37,190	9.6	(8.0-11.5)
female	3,871	8.1	(5.3-12.2)	44,560	10.8	(8.7-13.4)
Age-adjusted ^{&}		9.0	(6.6-12.1)		9.2	(8.0-10.6)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	25,456	28.0	(22.1-34.8)	173,163	22.2	(19.9-24.8)
Age						
18-24		#		34,340	29.1	(20.8-39.1)
25-34		#		24,697	22.4	(16.1-30.1)
35-44	3,450	24.1	(13.9-38.5)	33,920	28.8	(22.1-36.4)
45-64	11,020	32.2	(24.8-40.7)	65,132	23.7	(20.4-27.4)
65+	1,624	10.3	(5.1-19.8)	14,610	9.7	(7.3-12.8)
Race						
White, NH	23,539	27.1	(21.0-34.1)	144,674	21.6	(19.2-24.3)
Black, NH		#		15,388	32.3^	(19.6-48.3)
Hispanic		#		6,576	22.1^	(12.3-36.5)
Other, NH		#		6,525	19.5^	(10.9-32.4)
Sex						
male	12,775	29.1	(20.1-40.0)	87,995	23.2	(19.8-27.0)
female	12,681	27.0	(19.6-36.0)	85,169	21.3	(18.1-24.8)
Age-adjusted ^{&}		26.3	(20.3-33.3)		22.9	(20.4-25.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Os	wego Cou	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,588	42.8^	(31.0-55.4)	68,906	34.1	(29.5-39.1)
Age						
18-24		#		12,033	37.4	(24.5-52.4)
25-34		#		9,539	32.2	(20.4-46.9)
35-44		#		14,256	55.9^	(40.8-69.9)
45-64	4,775	45.7	(30.5-61.8)	27,331	41.2	(33.4-49.4)
65+		#		5,747	12.4	(8.2-18.3)
Race						
White, NH	10,718	40.0^	(27.7-53.7)	51,709	33.4	(28.3-38.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	8,210	48.0^	(31.4-65.1)	34,818	38.1	(30.6-46.3)
female	4,379	35.5	(22.4-51.4)	34,089	30.8	(25.4-36.9)
Age-adjusted ^{&}		45.7	(33.8-58.1)		37.4	(32.4-42.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Oswego County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺		#		34,340	29.1	(20.8-39.1)
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		26,085	28.5	(19.8-39.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		18,851	30.1^	(19.3-43.7)
female		#		15,488	28.1	(16.5-43.4)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Os	swego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,919	78.5	(69.8-85.2)	128,239	85.8	(82.2-88.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,763	77.3	(68.3-84.4)	114,469	87.3	(84.1-90.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	13,919	78.5	(69.8-85.2)	128,239	85.8	(82.2-88.8)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		31,053	78.2	(68.2-85.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		25,811	81.7	(73.3-87.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		31,053	78.2	(68.2-85.7)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Os	wego Coui	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	31,593	87.0^	(75.7-93.5)	245,988	85.8	(82.7-88.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	30,190	86.6	(74.9-93.4)	212,616	86.5	(83.4-89.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		# .			#	
female	31,593	87.0^	(75.7-93.5)	245,988	85.8	(82.7-88.5)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Oswego County			Central NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24 25-34		#		60,764	84.3	(77.8-89.2)	
35-44 45-64 65+ Race							
White, NH Black, NH Hispanic Other, NH Sex		# # # #		46,184	83.2 # # #	(75.7-88.7)	
male female Age-adjusted+,&		# #		60,764	# 84.3	(77.8-89.2)	

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	26,530	74.2	(66.9-80.4)	210,614	73.7	(70.3-76.7)
25-34 35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex	24,968	73.4 # # #	(65.9-79.8)	189,141	73.3 # # #	(69.9-76.5)
male female Age-adjusted+,&	13,306 13,224	73.8 [^] 74.6	(62.3-82.8) (65.1-82.3)	98,872 111,742	72.8 74.4	(67.8-77.4) (69.9-78.4)

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,428	71.0^	(55.4-82.9)	47,228	67.1	(59.9-73.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,168	67.1	(51.0-80.0)	38,073	66.9	(59.2-73.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		17,975	59.1^	(47.6-69.8)
female		#		29,254	73.2	(64.0-80.7)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Oswego County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	54,889	65.6	(58.2-72.4)	380,054	55.2	(52.0-58.3)
Age						
18-24		#		28,776	24.2	(17.6-32.3)
25-34		#		46,551	42.4	(34.1-51.2)
35-44	9,363	70.1^	(54.8-81.9)	62,705	58.1	(50.4-65.4)
45-64	21,571	74.1	(65.5-81.2)	154,905	67.4	(63.5-71.0)
65+	10,511	83.8	(74.5-90.2)	82,449	72.3	(66.6-77.3)
Race						
White, NH	52,344	65.4	(57.7-72.3)	343,623	58.2	(54.9-61.4)
Black, NH		#		16,147	36.4^	(23.1-52.1)
Hispanic		#		11,146	44.2^	(28.5-61.2)
Other, NH		#		9,138	31.4	(19.1-47.0)
Sex						
male	26,064	63.7	(51.4-74.5)	175,727	52.4	(48.1-56.7)
female	28,826	67.4	(58.7-75.1)	204,327	57.8	(53.1-62.2)
Age-adjusted ^{&}		65.8	(59.2-71.8)		56.0	(53.2-58.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,399	7.5	(4.8-11.5)	27,859	3.9	(3.1-4.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,689	3.3	(1.8-5.7)
45-64	2,683	8.9	(4.7-16.2)	12,324	5.2	(3.6-7.3)
65+	1,303	9.9^	(4.6-20.0)	7,468	6.3	(4.5-8.7)
Race						
White, NH	6,354	7.8	(5.0-11.9)	24,742	4.1	(3.2-5.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,969	7.1	(3.5-14.0)	13,397	3.8	(2.7-5.4)
female	3,430	7.9	(4.6-13.2)	14,462	4.0	(3.0-5.4)
Age-adjusted ^{&}		8.4	(5.3-13.1)		4.0	(3.1-5.0)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	29,614	31.3	(26.3-36.9)	246,672	30.9	(28.5-33.3)
Age				I		
18-24		#		8,206	6.8	(2.8-15.8)
25-34		#		12,808	11.2	(7.7-16.0)
35-44	3,082	21.3^	(10.9-37.5)	23,198	19.2	(13.7-26.3)
45-64	14,482	41.8	(33.8-50.3)	112,074	39.9	(36.1-43.8)
65+	10,463	64.0	(54.4-72.6)	86,174	56.0	(51.1-60.7)
Race				l		
White, NH	28,548	31.5	(26.3-37.2)	218,414	31.8	(29.3-34.4)
Black, NH		#		13,814	28.4^	(18.5-40.8)
Hispanic		#		6,447	21.7	(13.0-34.0)
Other, NH		#		7,997	23.7	(13.9-37.3)
Sex				İ		
male	13,660	29.1	(21.8-37.5)	123,566	31.9	(28.5-35.4)
female	15,955	33.6	(27.1-40.8)	123,106	29.9	(26.8-33.3)
Age-adjusted ^{&}		30.3	(26.0-35.0)	1	28.6	(26.4-30.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,537	83.2	(75.9-88.6)	191,045	77.6	(73.1-81.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		11,677	50.3^	(32.7-67.9)
45-64	11,759	81.2	(69.8-89.0)	88,520	79.1	(72.7-84.3)
65+	9,733	93.7	(87.2-97.0)	80,813	94.1	(91.2-96.1)
Race						
White, NH	23,604	83.0	(75.6-88.5)	171,648	78.7	(73.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	11,637	85.7	(75.0-92.3)	91,238	73.9	(66.7-80.1)
female	12,900	81.0^	(70.3-88.5)	99,807	81.2	(75.7-85.8)
Age-adjusted ^{&}		74.1	(65.3-81.3)		59.7	(52.7-66.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,021	12.7	(9.0-17.8)	89,417	11.3	(9.5-13.4)
Age						
18-24		#		20,846	17.5	(10.7-27.4)
25-34		#		10,529	9.3	(5.3-15.8)
35-44		#		17,793	15.0	(10.2-21.5)
45-64	5,041	14.6	(9.8-21.2)	28,901	10.4	(8.4-12.9)
65+	1,601	9.8	(5.6-16.4)	10,467	6.8	(5.1-9.1)
Race						
White, NH	11,857	13.1	(9.2-18.3)	72,841	10.7	(8.9-12.8)
Black, NH		#		8,396	17.8^	(7.6-36.0)
Hispanic		#		5,616	19.1	(9.9-33.6)
Other, NH		#		2,565	7.4	(3.6-14.6)
Sex						
male	2,953	6.3	(3.7-10.6)	32,206	8.4	(6.1-11.6)
female	9,068	19.0	(12.6-27.7)	57,211	14.0	(11.5-17.0)
Age-adjusted ^{&}		12.5	(9.0-17.2)		11.5	(9.6-13.7)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	80,086	86.5	(79.8-91.2)	642,971	82.8	(80.1-85.2)
Age						
18-24		#		46,812	41.9^	(32.2-52.4)
25-34		#		74,666	68.3	(60.3-75.4)
35-44	12,602	88.1^	(71.4-95.6)	104,016	87.0	(81.8-90.9)
45-64	33,696	97.9	(94.6-99.2)	261,309	95.0	(93.3-96.4)
65+	15,760	96.8	(91.1-98.9)	148,817	98.0	(95.9-99.0)
Race						
White, NH	76,952	86.7	(79.8-91.5)	571,682	85.9	(83.2-88.3)
Black, NH		#		29,234	60.3^	(44.9-73.8)
Hispanic		#		18,035	60.7^	(43.9-75.3)
Other, NH		#		24,020	72.5	(56.9-84.0)
Sex						
male	37,950	82.1	(70.4-89.8)	299,643	79.8	(75.8-83.3)
female	42,136	90.8	(83.4-95.1)	343,328	85.5	(81.6-88.8)
Age-adjusted ^{&}		84.4	(77.9-89.2)		82.1	(79.7-84.2)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,380	38.1	(32.0-44.6)	247,651	38.9	(36.0-41.8)
Age						
18-24		#		6,696	14.3^	(7.3-26.1)
25-34		#		17,442	23.4	(14.6-35.3)
35-44	3,475	27.8^	(16.5-42.9)	32,399	31.3	(23.3-40.6)
45-64	14,757	43.8	(35.6-52.3)	115,697	44.7	(40.6-48.8)
65+	8,158	52.6	(42.5-62.5)	73,480	50.2	(45.4-55.1)
Race						
White, NH	29,977	39.1	(32.8-45.8)	223,293	39.4	(36.5-42.5)
Black, NH		#		8,429	29.1^	(14.5-49.7)
Hispanic		#			#	
Other, NH		#		8,310	34.6	(19.2-54.1)
Sex						
male	15,142	40.1	(30.4-50.6)	127,334	42.8	(38.4-47.3)
female	15,237	36.3	(29.0-44.3)	120,317	35.4	(31.7-39.3)
Age-adjusted ^{&}		34.2	(28.3-40.6)		34.9	(31.7-38.3)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Os	swego Cour	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,522	8.2	(5.3-12.5)	37,703	8.9	(7.3-10.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,799	11.4	(5.4-22.7)
45-64	1,878	7.8	(4.2-13.9)	14,257	8.4	(6.3-10.9)
65+	1,386	10.5	(5.2-20.1)	12,654	10.7	(8.2-13.9)
Race						
White, NH	4,132	7.8	(5.0-11.9)	32,738	8.9	(7.2-10.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,032	8.3	(4.4-15.2)	14,855	7.4	(5.6-9.9)
female	2,490	8.1	(4.4-14.4)	22,848	10.3	(7.9-13.3)
Age-adjusted ^{&}		8.0	(4.6-13.3)		8.7	(6.6-11.4)

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,886	28.5	(23.5-34.1)	234,937	29.4	(27.1-31.8)
Age						
18-24		#			#	
25-34		#		12,694	11.0	(6.3-18.6)
35-44	3,367	23.3	(12.4-39.6)	24,442	20.3	(14.6-27.4)
45-64	13,826	39.9	(31.9-48.5)	111,733	39.9	(36.0-43.9)
65+	7,698	47.1	(37.5-56.9)	79,738	51.7	(46.9-56.5)
Race						
White, NH	25,798	28.5	(23.4-34.3)	207,132	30.2	(27.8-32.7)
Black, NH		#		10,134	20.9^	(11.2-35.6)
Hispanic		#		9,074	30.5	(18.8-45.5)
Other, NH		#		8,597	24.9^	(14.6-39.1)
Sex						
male	10,602	22.7	(16.3-30.8)	94,368	24.3	(21.3-27.7)
female	16,283	34.2	(27.2-41.9)	140,569	34.2	(30.9-37.7)
Age-adjusted ^{&}		28.3	(23.2-34.0)		27.6	(25.4-30.0)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	81,029	89.5	(83.9-93.3)	686,255	90.0	(88.0-91.7)
Age						
18-24		#		97,478	84.7	(75.2-91.0)
25-34		#		91,278	85.7	(78.0-91.0)
35-44	13,043	92.7	(82.7-97.2)	104,240	91.4	(86.5-94.6)
45-64	29,431	86.2	(77.6-91.8)	247,654	92.0	(89.6-93.8)
65+	14,798	96.4	(90.6-98.7)	138,296	93.0	(89.8-95.2)
Race						
White, NH	78,082	90.1	(84.4-93.8)	603,475	92.1	(90.2-93.7)
Black, NH		#		36,386	78.0^	(64.3-87.5)
Hispanic		#		22,200	76.8^	(58.5-88.6)
Other, NH		#		24,194	76.4	(60.3-87.4)
Sex						
male	39,253	89.4	(78.0-95.3)	333,237	89.9	(86.4-92.5)
female	41,776	89.5	(84.0-93.3)	353,017	90.2	(87.7-92.2)
Age-adjusted ^{&}		90.6	(86.0-93.8)		89.9	(87.8-91.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,213	33.4^	(24.4-43.8)	43,813	29.1	(25.3-33.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,581	30.7	(22.1-40.9)	41,256	29.4	(25.5-33.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,466	32.6	(19.6-49.0)	16,907	24.4	(19.2-30.4)
female	2,747	34.2	(22.9-47.7)	26,906	33.1	(28.0-38.7)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	0	swego Coun	ty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		15,308	35.0	(28.3-42.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		14,325	34.8	(27.9-42.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		5,175	30.6	(20.8-42.5)
female		#		10,133	37.8	(29.1-47.3)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,240	31.5	(24.3-39.7)	84,368	33.6	(29.9-37.5)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	9,363	29.9	(22.9-38.0)	74,836	33.0	(29.2-37.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,419	33.0^	(22.7-45.3)	40,311	33.3	(28.1-38.9)
female	4,822	29.9^	(20.2-41.7)	44,057	33.9	(28.8-39.4)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Os	wego Cou	nty	Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	41,313	45.4	(39.2-51.8)	377,085	49.1	(46.2-51.9)
Age						
18-24		#		36,542	31.4	(22.3-42.3)
25-34		#		37,892	35.3	(27.9-43.5)
35-44	4,979	35.4	(22.2-51.3)	46,129	40.3	(32.8-48.2)
45-64	16,288	47.6	(39.4-56.1)	138,266	51.0	(47.1-55.0)
65+	12,234	78.1	(68.6-85.3)	115,003	76.1	(72.1-79.7)
Race						
White, NH	39,714	45.6	(39.2-52.1)	336,711	51.0	(48.0-53.9)
Black, NH		#		11,183	24.0^	(14.5-37.0)
Hispanic		#		13,658	47.2	(32.2-62.8)
Other, NH		#		15,532	48.0^	(32.3-64.0)
Sex						
male	17,343	39.3	(30.6-48.8)	160,998	43.0	(39.1-46.9)
female	23,970	51.2	(42.9-59.5)	216,087	54.9	(50.8-58.9)
Age-adjusted ^{&}		44.5	(38.5-50.5)		47.6	(44.7-50.5)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Os	swego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,234	78.1	(68.6-85.3)	115,003	76.1	(72.1-79.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,081	80.6	(71.8-87.1)	107,314	76.3	(72.1-79.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,894	77.2^	(60.0-88.4)	54,341	78.0	(71.3-83.5)
female	6,340	78.9^	(68.5-86.5)	60,663	74.5	(69.4-79.1)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,565	76.6	(66.7-84.2)	111,504	76.7	(72.7-80.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	11,412	79.1	(69.9-86.1)	105,550	78.0	(74.1-81.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,696	78.0 [^]	(60.4-89.1)	50,740	75.0	(68.2-80.7)
female	5,869	75.3^	(63.8-84.1)	60,765	78.2	(73.3-82.5)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,741	74.0^	(56.4-86.2)	126,109	77.4	(71.5-82.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	15,253	73.3^	(55.5-85.8)	103,652	77.4	(70.8-82.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	15,741	74.0^	(56.4-86.2)	126,109	77.4	(71.5-82.4)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Os	wego Coui	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,531	61.5	(45.6-75.2)	125,925	72.6	(66.6-77.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	13,042	60.6	(44.5-74.6)	100,555	70.7	(63.9-76.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	13,531	61.5	(45.6-75.2)	125,925	72.6	(66.6-77.9)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Os	wego Cou	nty	Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	35,637	92.6	(87.1-95.9)	296,489	91.9	(89.6-93.7)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	34,164	92.3	(86.5-95.7)	254,032	92.9	(90.8-94.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	35,637	92.6	(87.1-95.9)	296,489	91.9	(89.6-93.7)
Age-adjusted ^{+,&}						


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Oswego County			Central NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,546	44.3^	(30.8-58.7)	80,608	50.2	(42.3-58.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	9,167	43.5	(30.0-58.2)	65,622	48.9	(40.5-57.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	9,546	44.3	(30.8-58.7)	80,608	50.2	(42.3-58.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Oswego County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,209	13.1	(8.9-18.8)	108,500	13.9	(11.9-16.1)
Age						
18-24		#		20,377	17.4	(10.6-27.1)
25-34		#		18,720	16.4	(11.3-23.2)
35-44	2,942	20.4	(10.0-37.1)	20,735	17.5	(12.2-24.4)
45-64	3,235	9.6	(5.5-16.3)	39,286	14.3	(11.5-17.7)
65+		#		8,787	5.9	(4.3-8.2)
Race						
White, NH	12,099	13.5	(9.2-19.4)	95,871	14.2	(12.2-16.6)
Black, NH		#		6,460	13.9^	(5.0-33.1)
Hispanic		#			#	
Other, NH		#		1,888	5.9	(2.6-12.9)
Sex						
male	4,656	10.0^	(4.6-20.2)	41,014	10.7	(8.2-14.0)
female	7,553	16.1	(10.8-23.4)	67,486	16.9	(14.0-20.2)
Age-adjusted ^{&}		13.4	(9.4-18.8)		14.3	(12.3-16.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Oswego County			Central NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,372	22.1	(16.9-28.4)	133,104	17.5	(15.5-19.7)
Age						
18-24		#		31,378	27.5	(20.0-36.6)
25-34		#		29,508	28.2	(21.7-35.8)
35-44	4,415	31.3	(18.5-47.6)	20,611	18.4	(13.5-24.6)
45-64	6,261	19.0	(12.5-27.8)	43,871	16.2	(13.4-19.4)
65+		#		7,576	5.1	(3.3-7.6)
Race						
White, NH	18,832	22.3	(17.0-28.7)	114,597	17.5	(15.5-19.8)
Black, NH		#		8,623	19.6^	(11.0-32.5)
Hispanic		#			#	
Other, NH		#		5,248	15.6	(7.4-29.9)
Sex						
male	12,094	29.1	(20.5-39.5)	85,764	23.5	(20.2-27.1)
female	7,279	15.7	(10.2-23.5)	47,341	12.0	(9.9-14.5)
Age-adjusted ^{&}		25.0	(19.4-31.7)		18.4	(16.3-20.8)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Oswego County			Central NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	6,832	56.0^	(36.6-73.7)	50,537	47.9	(39.3-56.5)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		10,440	50.3^	(31.9-68.7)	
45-64		#		14,946	38.9^	(27.4-51.7)	
65+		#		1,202	14.7	(7.0-28.3)	
Race							
White, NH	6,832	56.5	(36.9-74.2)	42,564	45.5	(36.8-54.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		18,392	45.6^	(31.0-60.9)	
female		#		32,145	49.3^	(39.1-59.5)	
Age-adjusted ^{&}		42.4^	(29.1-56.8)		43.8	(36.8-51.1)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).