eBRFSS 2013-2014 Health Indicators: Seneca

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	8
Percentage of adults experiencing housing insecurity in the past 12 months	9
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	15
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening ba	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening because of the second of the seco	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening bases in the color of the	
guidelines	
Percentage of adults who had a test for high blood sugar or diabetes within the past three years	
Percentage of adults with physician-diagnosed prediabetes	
Percentage of adults with physician-diagnosed high blood pressure	
Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	33
Percentage of adults with current asthma	
Percent of adults with cholesterol checked	
Percentage of adults 18 years and older with elevated cholesterol	
Percentage of adults with arthritis	
· · · · · · · · · · · · · · · · · · ·	
Promote a Healthy and Safe EnvironmentPromote a Healthy and Safe EnvironmentPercentage of adults who consider their neighborhood suitable for walking and physical activity	
Percentage of adults aged 65+ years with at least one fall in the past 12 months	
Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	
Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	
Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	
Percentage of adults aged 18+ years with flu immunization in the past year	
Percentage of adults aged 65+ years with flu immunization in the past year	
Percentage of adults aged 65+ years with nu minimization in the past year.	
Promote Healthy Women, Infants, and Children	
Percentage of women aged 18-44 years who had dental visit within the last year	
Women aged 18-44 years who saw a doctor for a routine checkup within the last year	
Percentage of women aged 18-64 years with health care coverage	
Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy	
Promote Mental Health and Prevention Substance Abuse	
Percentage of adults with poor mental health for 14 or more days in the last month	
T CHOCHEGE OF AWARD WITH POOR INCIDENT NEUTRICITY IT OF THOSE BUYS III THE 1831 HIGHER AMAREM AND A	
	50
Percentage of adult binge drinking during the past month	50 51

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Seneca County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,309	8.3	(4.8-13.8)	105,514	10.5	(9.0-12.3)
Age						
18-24		#		18,069	13.6	(8.4-21.2)
25-34		#		23,656	15.2	(10.8-21.1)
35-44		#		18,598	12.5	(8.5-17.9)
45-64	823	8.3	(4.6-14.6)	35,930	10.1	(7.9-12.8)
65+		#		7,633	3.9	(2.5-6.1)
Race						
White, NH	2,067	8.7	(4.9-15.0)	78,405	9.9	(8.3-11.7)
Black, NH		#		11,314	14.5	(8.2-24.2)
Hispanic		#		8,090	15.4	(9.2-24.8)
Other, NH		#		7,706	10.2^	(4.8-20.4)
Sex						
male	1,279	8.7	(3.7-19.1)	46,595	9.7	(7.5-12.3)
female	1,030	7.8	(4.3-13.7)	58,919	11.4	(9.3-13.9)
Age-adjusted ^{&}		9.3	(5.6-15.2)		11.0	(9.3-12.9)

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	23,845	84.9^	(72.4-92.4)	891,951	89.5	(87.7-91.0)
Age						
18-24		#		98,637	75.1	(65.5-82.8)
25-34		#		124,962	80.4	(74.7-85.1)
35-44		#		130,769	88.1	(82.8-91.9)
45-64	9,225	92.6	(84.8-96.5)	336,849	94.7	(92.7-96.1)
65+	5,645	97.5	(94.6-98.9)	190,189	97.8	(96.5-98.6)
Race						
White, NH	21,019	88.1	(80.2-93.2)	717,170	90.5	(88.8-92.0)
Black, NH		#		64,548	83.7	(73.7-90.4)
Hispanic		#		40,023	77.2	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
Sex						
male	11,201	75.6^	(56.1-88.3)	407,470	84.7	(81.6-87.3)
female	12,643	95.4	(88.9-98.1)	484,481	94.0	(92.0-95.5)
Age-adjusted ^{&}		84.3	(76.0-90.1)		88.6	(86.7-90.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Se	eneca Cour	nty	Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	17,099	67.7	(59.7-74.8)	684,119	72.7	(69.7-75.6)	
Age							
18-24		#		90,313	71.2	(57.6-81.8)	
25-34		#		89,852	61.3	(52.1-69.7)	
35-44		#		107,877	77.2	(69.7-83.3)	
45-64	6,616	68.5	(59.1-76.6)	254,354	76.5	(72.6-79.9)	
65+	3,680	66.0	(56.7-74.1)	136,480	72.9	(67.8-77.5)	
Race							
White, NH	14,352	64.8	(57.0-71.8)	562,395	74.8	(72.3-77.1)	
Black, NH		#		45,366	66.5	(56.6-75.2)	
Hispanic		#		38,236	76.0^	(62.5-85.8)	
Other, NH		#		38,122	54.6	(32.4-75.0)	
Sex							
male	9,069	65.2^	(52.5-76.0)	317,427	70.0	(65.6-74.1)	
female	8,030	70.8	(61.5-78.7)	366,693	75.2	(70.9-79.1)	
e-adjusted ^{&}		66.6	(58.5-73.9)		72.6	(69.4-75.5)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,674	31.4	(23.2-40.9)	248,993	25.3	(22.9-27.8)
Age						
18-24		#		13,165	9.9	(5.7-16.7)
25-34		#		24,795	16.2	(11.5-22.3)
35-44		#		30,187	21.0	(15.4-28.0)
45-64	3,267	33.4	(25.3-42.7)	103,044	29.1	(25.3-33.2)
65+	2,531	44.5	(35.3-54.1)	74,769	39.3	(34.1-44.7)
Race						
White, NH	6,549	28.0	(22.6-34.2)	193,463	24.7	(22.3-27.3)
Black, NH		#		23,963	31.7	(22.9-41.9)
Hispanic		#		17,435	34.3^	(23.4-47.2)
Other, NH		#		14,132	18.8^	(9.4-34.1)
Sex						
male	5,445	37.2	(24.4-52.1)	112,778	23.7	(20.7-27.1)
female	3,229	24.9	(17.7-33.7)	136,215	26.7	(23.3-30.5)
Age-adjusted ^{&}		30.8	(23.7-39.0)		24.2	(22.0-26.7)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,359	69.5^	(56.1-80.2)	694,148	87.8	(85.7-89.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	13,308	73.2	(63.1-81.4)	546,972	89.1	(87.0-90.9)
Black, NH		#		54,874	83.7	(75.1-89.8)
Hispanic		#		37,833	76.4^	(61.7-86.6)
Other, NH		#		54,469	88.5^	(75.0-95.2)
Sex						
male	7,252	61.5	(42.8-77.4)	329,824	84.5	(80.9-87.5)
female	7,107	80.1	(66.8-88.9)	364,324	91.0	(88.6-93.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,335	55.1^	(44.1-65.6)	501,658	63.5	(59.9-66.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	10,322	57.1	(47.6-66.0)	387,058	63.1	(59.7-66.4)
Black, NH		#		52,686	79.2^	(68.3-87.1)
Hispanic		#		32,661	66.3^	(51.9-78.3)
Other, NH		#		29,253	47.7	(25.7-70.6)
Sex						
male	5,647	47.9^	(33.0-63.2)	228,555	58.5	(53.4-63.5)
female	5,688	64.7	(52.0-75.6)	273,103	68.3	(63.6-72.6)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,532	37.4	(27.4-48.5)	314,889	34.4	(31.5-37.4)
Age						
18-24		#		32,879	32.4	(22.8-43.7)
25-34		#		72,916	51.0	(42.6-59.4)
35-44		#		49,765	35.8	(29.2-43.0)
45-64	3,070	32.8	(24.6-42.1)	111,638	33.0	(28.9-37.4)
65+	774	14.0	(8.9-21.4)	42,474	23.1	(17.9-29.3)
Race						
White, NH	6,360	29.9	(23.0-37.7)	232,180	31.9	(29.2-34.7)
Black, NH		#		34,856	49.6^	(39.3-60.0)
Hispanic		#		18,970	38.4^	(26.4-51.9)
Other, NH		#		28,883	42.5	(23.1-64.4)
Sex						
male	4,592	33.1	(19.5-50.4)	141,970	32.0	(27.8-36.6)
female	4,940	42.4	(29.2-56.7)	172,920	36.6	(32.7-40.7)
Age-adjusted ^{&}		35.8	(29.3-42.9)		35.1	(32.2-38.2)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Seneca County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,474	20.3	(14.5-27.8)	213,556	22.2	(19.7-24.8)
Age						
18-24		#		27,370	21.4	(15.0-29.6)
25-34		#		52,899	35.3	(27.0-44.7)
35-44		#		36,748	26.0	(20.2-32.8)
45-64	2,212	22.7	(15.9-31.3)	70,256	20.4	(17.2-24.1)
65+	511	9.0	(5.0-15.7)	23,573	12.4	(9.0-17.0)
Race						
White, NH	4,879	21.5	(15.3-29.2)	154,900	20.2	(18.0-22.7)
Black, NH		#		27,276	37.2	(28.1-47.4)
Hispanic		#		14,323	28.0^	(18.4-40.2)
Other, NH		#		17,057	23.4	(9.5-47.1)
Sex						
male	2,426	16.8	(9.3-28.5)	97,708	21.1	(17.2-25.4)
female	3,048	24.4	(16.4-34.7)	115,848	23.2	(20.2-26.5)
Age-adjusted ^{&}		21.5	(14.8-30.1)		23.1	(20.6-25.9)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	619	2.2	(1.2-4.0)	35,254	3.5	(2.8-4.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		16,753	4.7	(3.4-6.4)
65+	321	5.6	(2.6-11.6)	11,921	6.1	(4.4-8.5)
Race						
White, NH	520	2.2	(1.2-4.2)	23,699	3.0	(2.3-3.8)
Black, NH		#		4,892	6.3	(3.1-12.1)
Hispanic		#		4,142	7.9^	(3.2-18.0)
Other, NH		#		2,522	3.4	(1.3-8.5)
Sex						
male	445	3.1	(1.5-6.0)	19,535	4.1	(2.9-5.6)
female		#		15,719	3.1	(2.2-4.2)
Age-adjusted ^{&}		1.9	(1.0-3.3)		3.3	(2.6-4.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Seneca County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,440	12.4	(9.1-16.8)	113,479	11.6	(10.0-13.5)
Age						
18-24		#		6,519	4.9	(1.9-12.4)
25-34		#		11,848	7.9	(5.0-12.3)
35-44		#		13,334	9.1	(5.5-14.7)
45-64	2,138	21.7	(15.3-29.8)	53,981	15.3	(12.4-18.8)
65+	966	17.2	(10.7-26.4)	26,922	14.7	(11.9-18.1)
Race						
White, NH	2,894	12.4	(9.1-16.6)	91,151	11.7	(10.0-13.8)
Black, NH		#		10,140	13.4	(8.2-21.4)
Hispanic		#		8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
Sex						
male	1,585	10.9	(7.0-16.7)	53,813	11.3	(9.0-14.1)
female	1,855	14.1	(9.1-21.3)	59,667	11.9	(9.8-14.4)
Age-adjusted ^{&}		11.8	(8.5-16.0)		11.2	(9.6-13.0)


^{*} Out of the past 30 days.

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are obese*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,948	26.9	(21.0-33.8)	254,425	27.0	(24.4-29.8)
Age						
18-24		#		16,808	13.5	(7.9-22.1)
25-34		#		43,074	29.7	(21.3-39.6)
35-44		#		41,076	28.7	(22.4-36.0)
45-64	3,313	34.2	(25.9-43.6)	100,327	30.0	(26.3-34.1)
65+	1,791	32.7	(24.6-42.0)	51,798	27.9	(23.3-33.1)
Race						
White, NH	6,514	30.1	(24.2-36.8)	195,881	26.2	(23.8-28.8)
Black, NH		#		25,307	34.7	(26.0-44.5)
Hispanic		#		17,493	34.1^	(22.9-47.5)
Other, NH		#		15,744	22.5	(8.5-47.8)
Sex						
male	4,257	29.4	(20.7-40.0)	131,663	27.7	(23.8-32.0)
female	2,691	23.6	(16.5-32.7)	122,762	26.3	(23.0-29.9)
Age-adjusted ^{&}		28.9	(23.1-35.6)		27.2	(24.5-30.1)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Se	eneca Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,654	26.8^	(17.5-38.7)	83,889	36.9	(30.6-43.7)
Age						
18-24		#		5,671	17.5	(7.9-34.3)
25-34		#		19,305	46.4	(25.9-68.2)
35-44		#		9,968	34.8^	(22.0-50.3)
45-64		#		28,074	40.1	(31.3-49.6)
65+	603	28.8	(16.2-45.9)	20,012	37.5	(28.1-48.0)
Race						
White, NH	1,545	27.5	(17.6-40.1)	56,366	36.0	(30.2-42.2)
Black, NH		#		10,712	30.8^	(20.0-44.3)
Hispanic		#			#	
Other, NH		#		10,722	55.3^	(20.0-85.9)
Sex						
male		#		38,883	32.8	(23.0-44.5)
female	1,072	33.4	(20.7-49.1)	45,006	41.3	(34.4-48.7)
Age-adjusted ^{&}		31.5	(17.8-49.4)		36.7	(30.6-43.3)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Se	eneca Coun	ity	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,820	44.6^	(29.0-61.2)	90,664	38.5	(33.5-43.7)
Age						
18-24		#			#	
25-34		#		7,827	35.1	(21.1-52.2)
35-44		#		10,209	34.6	(21.2-50.8)
45-64	1,705	53.0	(36.9-68.5)	43,860	45.1	(37.3-53.1)
65+	1,119	45.2 [^]	(30.4-60.9)	25,854	36.6	(28.1-46.1)
Race						
White, NH	3,579	55.5	(44.4-66.1)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,045	37.8	(19.1-61.1)	40,686	36.9	(30.2-44.1)
female	1,775	56.1	(41.0-70.2)	49,978	40.0	(32.9-47.5)
Age-adjusted ^{&}		44.1	(34.7-54.0)		35.8	(30.4-41.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Se	eneca Coun	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	15,223	58.9^	(48.3-68.7)	581,065	61.8	(58.6-64.8)
18-24		#		41,425	33.2	(23.5-44.5)
25-34 35-44		# #		83,868 83,850	57.7 58.6	(49.6-65.5) (50.5-66.3)
45-64	7,082	73.2	(64.2-80.5)	241,793	72.4	(68.0-76.4)
65+ Race	3,814	69.7	(60.7-77.4)	125,252	67.6	(62.1-72.6)
White, NH	14,372	66.5	(58.6-73.5)	471,523	63.1	(60.2-66.0)
Black, NH Hispanic		# #		49,324 33,809	67.6 [^] 65.9 [^]	(57.0-76.7) (50.0-78.9)
Other, NH		#		26,409	37.8 [^]	(20.1-59.5)
Sex male	9,199	63.6 [^]	(47.7-77.1)	329,186	69.4	(65.4-73.1)
female	6,023	52.9^	(39.3-66.1)	251,879	54.0	(49.3-58.6)
Age-adjusted ^{&}		61.7	(54.0-68.9)		60.8	(57.7-63.8)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Seneca County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	21,057	77.0	(70.5-82.5)	703,242	72.6	(69.5-75.6)	
Age							
18-24		#		97,421	75.5	(60.0-86.3)	
25-34		#		106,989	71.1	(60.7-79.7)	
35-44		#		105,857	74.8	(66.9-81.3)	
45-64	7,345	75.2	(66.3-82.3)	256,126	73.8	(69.9-77.4)	
65+	3,608	63.5	(54.5-71.6)	128,648	67.9	(62.3-73.0)	
Race							
White, NH	17,352	74.8	(68.3-80.4)	588,978	76.4	(73.9-78.8)	
Black, NH		#		53,055	72.5	(63.6-79.9)	
Hispanic		#		33,495	65.3^	(52.7-76.0)	
Other, NH		#		27,713	38.0^	(22.0-57.0)	
Sex							
male	11,336	77.7	(67.4-85.4)	346,071	74.1	(69.7-78.0)	
female	9,721	76.3	(67.5-83.2)	357,171	71.3	(66.6-75.6)	
Age-adjusted ^{&}		76.4	(69.3-82.3)		72.7	(69.4-75.9)	

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Se	eneca Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,404	16.5	(11.3-23.5)	214,679	22.5	(19.9-25.3)
Age						
18-24		#		55,277	43.6	(31.8-56.0)
25-34		#		35,087	23.6	(18.5-29.7)
35-44		#		34,865	24.9	(19.2-31.6)
45-64	1,641	16.7	(11.0-24.5)	57,660	16.9	(13.8-20.6)
65+	666	11.8	(7.5-18.1)	30,644	16.3	(12.8-20.6)
Race						
White, NH	4,072	18.1	(12.4-25.6)	150,493	19.8	(17.6-22.2)
Black, NH		#		22,275	31.3^	(22.6-41.4)
Hispanic		#		15,272	30.5	(19.3-44.5)
Other, NH		#		26,640	36.6^	(18.8-59.1)
Sex						
male	2,687	19.0^	(11.0-30.8)	120,224	26.1	(22.7-29.8)
female	1,718	13.7	(8.2-22.0)	94,456	19.2	(15.4-23.6)
Age-adjusted ^{&}		15.3	(10.4-22.0)		23.2	(20.7-26.0)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Se	eneca Coun	ty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,207	4.5	(2.4-8.4)	58,515	6.2	(5.0-7.7)
Age						
18-24		#		16,427	12.9	(7.6-20.9)
25-34		#		9,670	6.5	(3.9-10.9)
35-44		#		5,131	3.7	(2.0-6.7)
45-64	590	6.1	(2.9-12.5)	20,550	6.2	(4.2-8.9)
65+		#		6,737	3.6	(2.4-5.6)
Race						
White, NH	1,154	5.1	(2.7-9.6)	39,988	5.3	(4.1-6.8)
Black, NH		#		7,235	10.4	(5.5-18.9)
Hispanic		#		6,059	12.1^	(5.1-25.9)
Other, NH		#		5,233	7.4^	(2.8-18.0)
Sex						
male	576	4.1	(1.8-8.7)	43,869	9.7	(7.5-12.5)
female	631	5.0	(1.8-13.1)	14,646	3.0	(2.0-4.5)
Age-adjusted ^{&}		4.1	(2.1-7.7)		6.1	(4.9-7.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Se	eneca Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,875	10.3	(7.3-14.3)	100,031	10.0	(8.7-11.5)
Age						
18-24		#			#	
25-34		#		7,103	4.6	(2.5-8.4)
35-44		#		6,332	4.3	(2.4-7.6)
45-64	1,303	13.1	(8.4-19.9)	47,349	13.3	(10.8-16.3)
65+	1,286	22.4	(14.8-32.5)	38,439	19.6	(16.4-23.3)
Race						
White, NH	2,394	10.1	(7.2-13.9)	70,994	8.9	(7.7-10.3)
Black, NH		#		17,328	22.6	(15.2-32.3)
Hispanic		#		6,956	13.5	(8.0-21.9)
Other, NH		#		4,753	6.3	(2.5-15.0)
Sex						
male	1,719	11.6	(7.2-18.3)	50,941	10.6	(8.7-12.8)
female	1,157	8.7	(5.4-14.0)	49,090	9.5	(7.8-11.5)
Age-adjusted ^{&}		9.8	(7.0-13.7)		9.1	(8.0-10.5)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Se	eneca Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,769	13.7	(9.3-19.7)	170,861	17.4	(15.5-19.6)
Age						
18-24		#		25,688	19.3	(12.8-28.2)
25-34		#		40,770	26.8	(21.3-33.1)
35-44		#		27,819	19.5	(14.0-26.5)
45-64	1,657	16.8	(10.9-24.8)	61,479	17.5	(14.6-20.8)
65+	442	7.8	(4.5-13.3)	14,504	7.6	(5.5-10.5)
Race						
White, NH	3,577	15.4	(10.6-21.9)	134,960	17.4	(15.3-19.6)
Black, NH		#		20,478	26.8^	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8	(5.6-23.2)
Sex						
male	2,014	14.0^	(7.7-24.0)	95,560	20.3	(17.2-23.8)
female	1,755	13.5	(8.3-21.0)	75,301	14.8	(12.6-17.4)
Age-adjusted ^{&}		14.7	(10.1-20.9)		18.2	(16.1-20.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Se	eneca Coun	ity	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,611	24.4^	(12.9-41.4)	69,503	29.6	(24.7-34.9)
Age						
18-24		#		14,247	40.5	(26.5-56.2)
25-34		#		16,608	37.7	(22.9-55.2)
35-44		#		9,252	33.3^	(19.5-50.8)
45-64		#		23,452	32.4	(24.6-41.5)
65+		#		5,766	10.6	(6.7-16.2)
Race						
White, NH	1,481	24.5	(12.4-42.7)	48,760	29.6	(24.4-35.3)
Black, NH		#		15,001	43.1	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8	(5.4-41.5)
Sex						
male		#		36,273	31.2	(23.4-40.3)
female	565	15.4	(8.0-27.7)	33,230	27.9	(22.4-34.1)
Age-adjusted ^{&}		42.7	(30.1-56.4)		30.9	(25.5-36.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	S	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		25,688	19.3	(12.8-28.2)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		18,243	21.5	(14.1-31.5)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		13,906	22.2	(13.2-34.9)	
female		#		11,783	16.8^	(8.6-30.1)	
Age-adjusted+,&							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Se	eneca Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,857	78.7	(66.5-87.3)	156,901	82.4	(78.1-86.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,524	78.2	(65.4-87.1)	136,370	83.2	(78.8-86.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	3,857	78.7	(66.5-87.3)	156,901	82.4	(78.1-86.0)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Seneca County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24		#		32,858	75.7^	(65.5-83.6)	
25-34 35-44 45-64							
65+ Race							
White, NH Black, NH Hispanic		# # #		24,468	77.6 # #	(68.5-84.7)	
Other, NH Sex male		#			#		
female Age-adjusted+,&		#		32,858	75.7 [^]	(65.5-83.6)	

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,434	73.9^	(61.4-83.5)	287,036	83.6	(80.3-86.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,488	70.7	(57.4-81.3)	236,785	84.1	(80.7-87.0)
Black, NH		#		23,521	86.1^	(71.0-94.0)
Hispanic		#		12,743	79.7	(63.4-89.9)
Other, NH		#			#	
Sex						
male		#			#	
female	6,434	73.9^	(61.4-83.5)	287,036	83.6	(80.3-86.4)
Age-adjusted+,&						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Seneca County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		55,266	73.1	(65.6-79.5)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		37,702	73.2	(64.7-80.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		55,266	73.1	(65.6-79.5)	
Age-adjusted+,&							

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,404	70.1	(61.8-77.3)	250,507	69.3	(65.3-73.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,078	70.8	(62.5-78.0)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8^	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4	(30.2-72.2)
Sex						
male	3,912	68.9	(56.7-78.9)	116,224	69.1	(62.9-74.7)
female	3,492	71.6	(59.7-81.1)	134,284	69.5	(64.2-74.3)
Age-adjusted ^{+,&}						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	1,664	65.1^	(50.2-77.5)	51,562	66.4	(59.0-73.2)
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,566	63.7	(48.6-76.5)	38,437	68.1	(60.3-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		21,576	64.5	(53.7-74.1)
female		#		29,986	67.9^	(57.5-76.7)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,153	49.6	(39.7-59.5)	473,695	54.6	(51.3-57.9)
Age						
18-24		#		26,476	20.7	(14.1-29.4)
25-34		#		60,826	42.3	(34.5-50.4)
35-44		#		68,543	50.5	(42.7-58.3)
45-64	5,151	60.8	(50.4-70.3)	205,917	68.5	(63.9-72.9)
65+	3,176	72.6	(63.6-80.1)	106,367	71.4	(66.0-76.3)
Race						
White, NH	10,090	48.5	(40.6-56.5)	397,203	57.1	(54.1-60.2)
Black, NH		#		32,135	55.7^	(44.5-66.3)
Hispanic		#		21,736	48.1	(33.4-63.1)
Other, NH		#		22,622	32.5	(17.6-52.2)
Sex						
male	5,869	46.4	(32.0-61.5)	220,518	52.8	(48.1-57.4)
female	6,284	53.0^	(39.3-66.3)	253,177	56.3	(51.5-61.0)
Age-adjusted ^{&}		50.3	(41.4-59.1)		54.1	(51.2-57.0)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,132	4.5	(2.9-7.0)	49,926	5.6	(4.5-7.0)
Age						
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64	645	7.5	(4.4-12.7)	23,774	7.9	(5.9-10.5)
65+	393	9.0	(4.7-16.4)	15,665	10.3	(7.2-14.4)
Race						
White, NH	1,132	5.3	(3.5-8.1)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,274	6.0	(4.3-8.2)
female	768	6.4	(3.7-10.9)	24,651	5.3	(3.9-7.2)
Age-adjusted ^{&}		4.5	(2.8-7.2)		5.5	(4.4-6.9)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,329	29.9	(24.0-36.7)	314,920	31.7	(29.2-34.2)
Age						
18-24		#		8,315	6.4	(3.1-12.6)
25-34		#		20,783	13.5	(9.7-18.4)
35-44		#		29,430	19.8	(14.6-26.2)
45-64	3,278	33.0	(25.5-41.5)	134,360	37.8	(33.7-42.1)
65+	3,519	62.5	(53.9-70.4)	118,288	60.8	(55.4-66.0)
Race						
White, NH	7,471	31.5	(25.9-37.6)	256,263	32.3	(29.8-34.9)
Black, NH		#		32,880	44.2	(34.8-54.0)
Hispanic		#		14,927	28.5	(19.0-40.3)
Other, NH		#		10,850	14.4^	(7.9-25.0)
Sex						
male	4,433	30.1	(21.7-40.0)	158,361	33.0	(29.5-36.6)
female	3,896	29.8	(21.8-39.2)	156,559	30.4	(27.1-33.9)
Age-adjusted ^{&}		29.4	(24.3-35.1)		29.3	(27.1-31.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,686	80.4	(70.7-87.4)	243,314	77.3	(73.4-80.8)
Age						
18-24		#			#	
25-34		#		5,688	27.4	(15.6-43.5)
35-44		#		16,627	56.5	(40.3-71.4)
45-64	2,371	72.3	(57.8-83.3)	108,563	80.8	(74.8-85.7)
65+	3,358	95.8	(91.1-98.1)	108,613	91.9	(88.6-94.3)
Race						
White, NH	6,014	80.6	(70.4-88.0)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,335	75.2	(61.6-85.2)	113,745	71.9	(66.0-77.1)
female	3,351	86.3^	(70.6-94.3)	129,569	82.8	(77.4-87.2)
Age-adjusted ^{&}		60.0	(52.2-67.3)		58.7	(53.6-63.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,756	10.0	(6.3-15.3)	112,310	11.3	(9.6-13.3)
Age						
18-24		#		20,356	15.3	(8.9-25.2)
25-34		#		20,425	13.3	(9.3-18.6)
35-44		#		13,324	9.1	(5.4-15.0)
45-64	1,088	11.0	(7.0-16.9)	40,947	11.6	(9.0-14.7)
65+	451	8.0	(3.8-16.1)	15,560	8.0	(5.9-10.6)
Race						
White, NH	2,535	10.8	(6.8-16.7)	81,926	10.4	(8.7-12.4)
Black, NH		#		11,764	15.4	(9.3-24.3)
Hispanic		#		7,513	14.3	(8.6-23.0)
Other, NH		#		11,106	14.8^	(6.3-30.8)
Sex						
male	943	6.5	(2.4-16.7)	41,563	8.7	(6.6-11.3)
female	1,813	13.7	(8.7-21.1)	70,747	13.8	(11.2-16.8)
Age-adjusted ^{&}		10.5	(6.7-16.2)		11.2	(9.4-13.3)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,899	72.6^	(61.5-81.5)	798,681	82.4	(79.3-85.0)
Age						
18-24		#		49,911	42.6	(31.0-55.0)
25-34		#		95,361	64.6	(55.3-72.9)
35-44		#		117,490	80.4	(73.0-86.1)
45-64	9,208	92.4	(85.0-96.3)	336,574	95.0	(93.5-96.3)
65+	5,424	96.8	(92.0-98.7)	188,822	97.7	(96.4-98.5)
Race						
White, NH	17,390	75.0	(66.3-82.1)	646,121	83.9	(81.6-86.0)
Black, NH		#		59,974	80.5^	(70.4-87.8)
Hispanic		#		42,285	84.3^	(74.0-91.0)
Other, NH		#		50,300	67.0^	(41.4-85.4)
Sex						
male	9,939	68.0^	(50.8-81.4)	375,301	80.0	(75.5-83.8)
female	9,960	77.8^	(65.7-86.5)	423,380	84.6	(80.3-88.1)
Age-adjusted ^{&}		67.4	(59.6-74.3)		80.0	(77.1-82.5)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Seneca County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,447	43.6	(34.8-52.7)	300,637	37.9	(35.0-40.9)
Age						
18-24		#			#	
25-34		#		17,828	18.8	(12.5-27.2)
35-44		#		30,289	25.8	(19.3-33.5)
45-64	3,241	35.9	(27.7-45.0)	139,330	41.7	(37.3-46.4)
65+	3,130	58.9	(49.3-68.0)	102,175	54.6	(49.2-60.0)
Race						
White, NH	6,578	39.0	(32.6-45.7)	241,155	37.6	(34.7-40.6)
Black, NH		#		23,513	39.5^	(29.4-50.5)
Hispanic		#		15,023	35.5	(23.3-50.0)
Other, NH		#		20,947	41.7	(24.0-61.8)
Sex						
male	3,767	39.3	(30.3-49.2)	151,064	40.6	(36.4-44.9)
female	4,680	47.7	(34.0-61.7)	149,573	35.6	(31.6-39.7)
Age-adjusted ^{&}		32.4	(24.5-41.5)		32.7	(29.1-36.6)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Se	eneca Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,018	7.5	(4.6-12.0)	51,667	10.0	(7.8-12.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,726	6.8	(3.1-14.2)
45-64		#		26,449	12.7	(9.1-17.5)
65+	361	7.9	(4.4-13.7)	12,705	8.1	(5.8-11.2)
Race						
White, NH	944	7.5	(4.5-12.2)	34,619	8.2	(6.3-10.7)
Black, NH		#		6,746	15.1^	(8.2-26.3)
Hispanic		#			#	
Other, NH		#		8,215	31.5	(12.6-59.6)
Sex						
male	630	9.2	(4.7-17.3)	23,976	9.8	(6.9-13.9)
female	388	5.8	(3.0-11.0)	27,691	10.2	(7.2-14.2)
Age-adjusted ^{&}		6.8	(3.6-12.4)		9.5	(6.8-13.3)

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Se	eneca Cour	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,297	26.1	(20.6-32.5)	273,908	27.5	(25.1-30.0)
Age						
18-24		#			#	
25-34		#		11,753	7.6	(4.9-11.6)
35-44		#		27,015	18.2	(12.9-25.1)
45-64	2,842	28.5	(21.4-36.9)	122,234	34.4	(30.2-38.9)
65+	2,964	51.2	(42.1-60.2)	107,901	55.4	(50.3-60.3)
Race						
White, NH	6,823	28.8	(23.4-34.9)	230,014	29.0	(26.4-31.7)
Black, NH		#		21,965	28.9	(21.1-38.3)
Hispanic		#		10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9^	(6.7-29.9)
Sex						
male	3,523	24.0	(16.8-33.2)	118,312	24.6	(21.3-28.2)
female	3,773	28.5	(20.7-37.7)	155,596	30.1	(26.7-33.8)
Age-adjusted ^{&}		26.3	(21.1-32.2)		25.3	(23.2-27.5)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Se	eneca Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,208	88.7^	(75.5-95.3)	897,106	93.4	(92.0-94.6)
Age						
18-24		#		114,680	89.2	(81.1-94.1)
25-34		#		134,928	90.1	(85.9-93.2)
35-44		#		134,641	95.3	(92.3-97.2)
45-64	9,435	95.6	(91.0-97.9)	326,991	94.9	(93.0-96.3)
65+	5,392	96.5	(93.6-98.1)	176,297	94.4	(92.1-96.1)
Race						
White, NH	21,443	93.0	(88.1-96.0)	723,466	94.7	(93.4-95.8)
Black, NH		#		58,381	80.4^	(70.2-87.8)
Hispanic		#		45,612	89.3	(79.9-94.6)
Other, NH		#		69,648	95.6	(90.2-98.0)
Sex						
male	12,376	85.0^	(61.1-95.4)	435,275	93.9	(91.7-95.5)
female	11,832	92.9	(86.0-96.6)	461,832	92.9	(91.0-94.5)
Age-adjusted ^{&}		88.4	(80.0-93.5)		93.3	(91.9-94.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Se	eneca Coun	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,399	42.2	(33.4-51.6)	57,486	30.5	(25.8-35.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,239	44.1	(35.4-53.2)	43,381	26.6	(22.9-30.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,108	38.5	(26.2-52.4)	26,845	31.6	(25.8-38.1)
female	1,291	46.1	(34.2-58.4)	30,641	29.6	(22.7-37.6)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Se	eneca Coun	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	864	37.3	(24.5-52.1)	19,362	33.9	(26.1-42.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	703	32.6	(21.1-46.8)	16,678	38.8	(31.4-46.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		8,530	32.0^	(22.0-43.9)
female	638	52.8	(33.7-71.2)	10,832	35.6	(24.2-49.0)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Se	eneca Coun	ity	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	3,134	35.5	(27.2-44.9)	106,026	32.9	(28.9-37.2)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	2,737	33.0	(24.9-42.4)	83,817	31.1	(26.9-35.6)	
Black, NH		#		14,865	57.1	(40.3-72.4)	
Hispanic		#			#		
Other, NH		#			#		
Sex							
male	1,862	37.1	(25.9-50.0)	56,263	36.6	(30.6-43.1)	
female	1,272	33.4	(22.2-46.8)	49,763	29.6	(24.4-35.3)	
Age-adjusted+,&							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Se	eneca Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,788	43.0	(34.3-52.1)	556,353	57.7	(54.7-60.6)
Age						
18-24		#		52,329	40.8	(30.1-52.4)
25-34		#		65,604	43.6	(35.2-52.4)
35-44		#		69,933	49.5	(41.8-57.1)
45-64	4,157	42.1	(33.6-51.1)	205,087	59.5	(55.2-63.7)
65+	4,157	73.2	(64.7-80.3)	157,801	83.2	(80.0-85.9)
Race						
White, NH	9,519	41.0	(34.4-48.0)	443,049	57.6	(54.7-60.4)
Black, NH		#		40,970	57.1	(47.0-66.7)
Hispanic		#		30,516	59.7^	(46.2-71.9)
Other, NH		#		41,817	57.3	(35.8-76.4)
Sex						
male	5,653	38.7	(25.9-53.2)	260,048	55.9	(51.8-60.0)
female	6,135	47.8^	(36.1-59.8)	296,305	59.3	(54.9-63.5)
Age-adjusted ^{&}		41.3	(33.3-49.7)		56.0	(52.9-59.1)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Se	eneca Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,157	73.2	(64.7-80.3)	157,801	83.2	(80.0-85.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,677	72.4	(64.2-79.4)	136,667	83.2	(80.1-85.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,055	71.4	(58.4-81.5)	72,669	85.0	(80.9-88.3)
female	2,102	75.0^	(63.2-84.0)	85,131	81.7	(76.8-85.8)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Se	eneca Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,350	77.4	(69.2-83.9)	135,060	74.0	(68.5-78.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,803	75.8	(67.3-82.6)	122,920	78.0	(74.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,067	73.0^	(59.9-83.1)	56,221	68.3	(61.1-74.7)
female	2,283	81.8	(71.3-89.1)	78,839	78.7	(70.1-85.3)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Seneca County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		158,478	76.1	(67.5-83.1)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		120,797	78.0	(71.5-83.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		158,478	76.1	(67.5-83.1)	
Age-adjusted+,&							


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



Seneca County Finger Lakes Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI # **Total** 135,013 61.9 (54.3-68.9)Age⁺ 18-24 25-34 35-44 45-64 65+ Race White, NH # 99,001 61.6 (54.7-68.1)Black, NH # Hispanic # Other, NH # Sex male female 135,013 (54.3-68.9) 61.9 Age-adjusted+,&


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Se	eneca Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,107	80.1^	(66.8-88.9)	364,324	91.0	(88.6-93.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,161	77.7	(63.4-87.5)	282,703	91.1	(88.4-93.2)
Black, NH		#		28,417	85.7	(74.1-92.6)
Hispanic		#		16,002	91.5	(74.4-97.5)
Other, NH		#		37,203	94.7^	(84.6-98.3)
Sex						
male		#			#	
female	7,107	80.1	(66.8-88.9)	364,324	91.0	(88.6-93.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Seneca County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24		#		89,890	43.1	(35.9-50.6)
25-34 35-44 45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex male		# # # #		72,684	46.8 # # #	(39.7-54.0)
female Age-adjusted+,&		#		89,890	43.1	(35.9-50.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Se	eneca Coun	ty	Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	3,694	13.6^	(6.7-25.5)	120,784	12.3	(10.6-14.2)	
Age							
18-24		#		18,248	13.9	(8.2-22.4)	
25-34		#		21,945	14.4	(10.5-19.4)	
35-44		#		17,847	12.2	(8.1-18.0)	
45-64	1,454	14.9	(9.9-21.8)	50,391	14.4	(11.5-17.7)	
65+	212	3.7	(1.8-7.6)	11,819	6.3	(4.5-8.7)	
Race							
White, NH	2,161	9.3	(6.4-13.4)	90,447	11.6	(9.9-13.6)	
Black, NH		#		12,561	16.5	(10.8-24.5)	
Hispanic		#		9,450	18.5^	(11.2-29.0)	
Other, NH		#		8,325	11.1	(4.0-27.3)	
Sex							
male	2,484	17.3^	(6.4-39.3)	49,351	10.4	(8.2-13.2)	
female	1,210	9.4	(5.7-15.2)	71,433	14.1	(11.7-16.9)	
e-adjusted ^{&}		12.6	(7.7-19.9)		12.5	(10.7-14.5)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,932	18.6^	(10.8-30.0)	154,347	16.1	(14.1-18.4)
Age						
18-24		#		32,152	24.8	(17.7-33.6)
25-34		#		37,099	24.8	(19.2-31.4)
35-44		#		26,167	18.7	(12.6-26.7)
45-64	1,334	13.6	(8.2-21.8)	52,235	15.2	(12.0-19.1)
65+		#		5,899	3.2	(2.2-4.5)
Race						
White, NH	3,233	14.4	(9.9-20.6)	129,788	17.1	(14.7-19.6)
Black, NH		#		8,750	12.2	(7.4-19.5)
Hispanic		#		10,236	19.8^	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
Sex						
male	3,356	24.5	(12.1-43.5)	99,542	21.7	(18.3-25.4)
female	1,575	12.3	(6.4-22.1)	54,805	11.0	(8.8-13.7)
Age-adjusted ^{&}		20.1	(14.2-27.6)		16.9	(14.6-19.5)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Seneca County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		41,696	34.8	(27.8-42.5)
Age						
18-24		#			#	
25-34		#		10,400	48.1	(33.0-63.5)
35-44		#		7,009	39.7	(20.7-62.3)
45-64		#		19,075	38.1^	(27.3-50.2)
65+		#		740	6.3	(3.3-11.9)
Race						
White, NH		#		32,992	36.8	(28.9-45.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		19,261	39.2	(27.0-53.0)
female		#		22,435	31.7	(24.4-40.1)
Age-adjusted ^{&}		#			33.1	(26.5-40.5)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).