eBRFSS 2013-2014 Health Indicators: Sullivan

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast canonics and the second process of the second proc	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical ca	
guidelines	27
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal canc	er screening based on recent
guidelines	
Percentage of adults who had a test for high blood sugar or diabetes within the past three years	30
Percentage of adults with physician-diagnosed prediabetes	
Percentage of adults with physician-diagnosed high blood pressure	
Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	
Percentage of adults with current asthma	
Percent of adults with cholesterol checked	
Percentage of adults 18 years and older with elevated cholesterol	
Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	
Percentage of adults with arthritis	
Promote a Healthy and Safe Environment	
Percentage of adults who consider their neighborhood suitable for walking and physical activity	
Percentage of adults aged 65+ years with at least one fall in the past 12 months	
Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	
Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	
Percentage of adults aged 18+ years with flu immunization in the past year	
Percentage of adults aged 65+ years with nu infindinzation in the past year	
Promote Healthy Women, Infants, and Children	
Percentage of women aged 18-44 years who had dental visit within the last year	
Women aged 18-44 years who saw a doctor for a routine checkup within the last year	
Percentage of women aged 18-64 years with health care coverage	
Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy	
Promote Mental Health and Prevention Substance Abuse	
Percentage of adults with poor mental health for 14 or more days in the last month	
Percentage of adult binge drinking during the past month	
Percentage of adult bringe drinking during the past month	51

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Su	ıllivan Cour	nty	Mid-Hudson			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	5,906	9.9	(6.4-14.9)	213,559	12.2	(10.6-14.0)	
Age							
18-24		#		24,867	11.5	(7.1-18.1)	
25-34		#		61,074	24.2	(18.8-30.5)	
35-44		#		39,130	13.1	(9.3-18.1)	
45-64	2,868	12.4	(7.9-19.0)	77,812	12.4	(9.9-15.4)	
65+		#		9,983	3.0	(1.9-4.7)	
Race							
White, NH	5,236	11.2	(7.1-17.4)	103,329	8.6	(7.2-10.4)	
Black, NH		#		26,096	18.1	(11.5-27.3)	
Hispanic		#		66,211	24.8	(19.6-30.8)	
Other, NH		#		17,924	12.2	(6.3-22.5)	
Sex							
male	2,964	9.7	(5.3-17.1)	96,035	11.3	(9.2-13.8)	
female	2,942	10.1	(5.4-18.0)	117,524	13.0	(10.7-15.7)	
e-adjusted ^{&}		10.1	(6.4-15.6)		13.0	(11.3-14.9)	

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	52,394	88.0	(83.2-91.6)	1,451,055	82.9	(80.7-84.8)
Age						
18-24		#		152,841	71.5	(61.4-79.9)
25-34		#		165,892	65.9	(59.4-71.9)
35-44		#		241,482	80.1	(74.3-84.9)
45-64	19,768	86.8	(79.4-91.9)	551,367	88.0	(84.6-90.7)
65+	11,224	92.8	(86.9-96.2)	316,008	95.3	(93.1-96.8)
Race						
White, NH	40,288	87.5	(82.1-91.4)	1,040,292	87.1	(85.0-88.9)
Black, NH		#		115,973	80.8^	(69.9-88.4)
Hispanic		#		170,342	64.2	(57.6-70.3)
Other, NH		#		124,448	84.5	(72.0-92.0)
Sex						
male	26,331	86.9	(79.2-92.1)	644,852	76.2	(72.7-79.4)
female	26,063	89.2	(82.6-93.5)	806,202	89.1	(86.6-91.2)
Age-adjusted ^{&}		87.5	(81.8-91.6)		81.4	(79.0-83.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	31,591	56.7	(48.4-64.5)	1,139,691	70.9	(67.9-73.7)
Age						
18-24		#		131,816	67.8	(52.3-80.1)
25-34		#		136,576	60.4	(52.4-67.8)
35-44		#		183,147	67.0	(59.6-73.7)
45-64	13,992	70.4	(61.3-78.2)	443,396	76.3	(72.7-79.6)
65+	5,344	45.3 [^]	(35.0-55.9)	226,410	72.9	(68.0-77.4)
Race						
White, NH	25,787	59.7	(51.0-67.8)	823,255	73.9	(70.4-77.1)
Black, NH		#		87,005	71.4^	(60.9-80.0)
Hispanic		#		148,094	61.7	(54.5-68.4)
Other, NH		#		81,338	61.4	(46.7-74.2)
Sex						
male	15,865	55.9 [^]	(43.5-67.6)	535,676	67.9	(64.1-71.4)
female	15,726	57.5	(46.8-67.5)	604,015	73.7	(68.9-78.0)
Age-adjusted ^{&}		55.6	(46.8-64.1)		69.7	(66.5-72.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,626	21.5	(16.8-27.2)	316,204	18.3	(16.4-20.4)
Age						
18-24		#		20,509	9.8	(4.5-20.4)
25-34		#		26,979	10.9	(8.0-14.8)
35-44		#		31,573	10.6	(7.3-15.1)
45-64	5,841	26.3	(19.2-34.9)	115,741	18.7	(16.0-21.7)
65+	5,197	43.5	(32.7-55.0)	118,713	35.9	(30.8-41.4)
Race						
White, NH	10,211	22.4	(17.5-28.3)	236,848	20.1	(17.8-22.6)
Black, NH		#		34,013	24.6^	(16.3-35.2)
Hispanic		#		33,088	12.5	(9.4-16.6)
Other, NH		#		12,256	8.4^	(3.4-18.9)
Sex						
male	6,596	21.8	(15.4-30.0)	148,029	17.7	(14.9-20.8)
female	6,030	21.3	(15.0-29.3)	168,176	18.9	(16.3-21.7)
Age-adjusted ^{&}		18.6	(14.9-23.0)		17.3	(15.5-19.3)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	39,586	84.1	(76.5-89.6)	1,163,325	83.7	(81.3-85.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	31,006	86.7	(80.1-91.3)	824,649	91.2	(89.0-93.0)
Black, NH		#		96,166	80.2	(70.4-87.3)
Hispanic		#		144,031	57.3	(50.2-64.1)
Other, NH		#		98,479	85.7	(72.5-93.2)
Sex						
male	20,513	83.3	(74.0-89.8)	537,373	79.5	(75.9-82.8)
female	19,073	85.0	(71.1-92.9)	625,952	87.6	(84.3-90.3)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	31,916	68.0^	(58.0-76.6)	946,537	68.0	(65.0-70.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	22,786	63.9^	(53.0-73.6)	633,497	69.9	(66.5-73.1)
Black, NH		#		86,583	72.1^	(59.9-81.8)
Hispanic		#		155,522	62.6	(55.4-69.2)
Other, NH		#		70,935	60.8^	(45.1-74.5)
Sex						
male	16,159	65.4	(51.2-77.3)	416,747	61.6	(57.2-65.8)
female	15,758	71.0^	(56.2-82.3)	529,790	74.1	(69.9-77.9)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Su	ıllivan Cou	nty	Mid-Hudson			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	26,189	49.2	(41.3-57.1)	602,090	38.3	(35.7-41.1)	
Age 18-24		#		47,801	27.1^	(18.1-38.6)	
25-34		#		120,409	53.6	(46.0-61.0)	
35-44		#		138,372	51.7	(44.2-59.1)	
45-64	9,005	45.4	(36.1-55.1)	228,594	39.5	(35.6-43.5)	
65+	3,219	28.3^	(20.0-38.4)	60,912	20.1	(16.7-23.9)	
Race							
White, NH	19,569	48.2	(40.1-56.5)	356,007	32.7	(29.9-35.6)	
Black, NH		#		65,977	55.1^	(44.2-65.5)	
Hispanic		#		140,652	58.4	(51.5-64.9)	
Other, NH		#		39,454	32.6	(21.6-45.8)	
Sex							
male	12,452	46.9^	(35.0-59.3)	269,919	35.7	(32.0-39.6)	
female	13,738	51.3	(41.4-61.2)	332,171	40.8	(36.9-44.8)	
e-adjusted ^{&}		52.7	(44.5-60.7)		39.8	(37.1-42.7)	

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,617	26.0	(19.6-33.6)	373,183	22.5	(20.4-24.7)
Age						
18-24		#		37,365	18.6	(12.3-27.1)
25-34		#		79,141	33.6	(27.4-40.5)
35-44		#		77,591	27.4	(21.7-33.9)
45-64	5,236	26.4	(18.6-36.0)	144,699	24.5	(21.2-28.1)
65+	1,884	15.9	(10.0-24.4)	32,669	10.1	(7.6-13.4)
Race						
White, NH	10,176	23.4	(17.5-30.4)	203,220	17.9	(15.9-20.0)
Black, NH		#		45,801	34.7	(24.9-46.1)
Hispanic		#		101,414	40.9	(34.4-47.7)
Other, NH		#		22,749	16.3	(9.2-27.3)
Sex						
male	7,323	25.6	(16.0-38.3)	170,155	21.2	(18.1-24.6)
female	7,294	26.5	(19.2-35.4)	203,028	23.8	(20.9-26.9)
Age-adjusted ^{&}		27.1	(20.1-35.5)		23.6	(21.3-26.0)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,805	4.7	(2.9-7.5)	68,725	4.0	(3.0-5.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	1,998	8.7	(4.8-15.3)	33,526	5.4	(4.0-7.3)
65+		#		20,130	6.1	(4.0-9.2)
Race						
White, NH	1,933	4.2	(2.6-6.8)	50,681	4.3	(3.1-5.9)
Black, NH		#		6,815	4.8	(2.6-8.8)
Hispanic		#		10,516	4.0	(2.3-6.9)
Other, NH		#			#	
Sex						
male	1,947	6.4	(3.5-11.6)	38,582	4.6	(3.0-6.9)
female		#		30,143	3.4	(2.5-4.5)
Age-adjusted ^{&}		3.8	(2.4-5.9)		3.7	(2.8-4.8)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,621	13.0	(8.8-18.9)	162,326	9.5	(8.2-10.9)
Age						
18-24		#			#	
25-34		#		15,549	6.2	(4.0-9.6)
35-44		#		18,750	6.4	(4.3-9.5)
45-64	3,232	14.5	(9.3-21.8)	67,042	10.9	(8.9-13.2)
65+	2,282	20.1	(13.2-29.4)	53,182	16.6	(12.9-21.1)
Race						
White, NH	6,691	14.9	(9.8-21.9)	118,834	10.1	(8.6-12.0)
Black, NH		#		12,030	8.5	(4.7-14.8)
Hispanic		#		27,070	10.6	(7.6-14.6)
Other, NH		#			#	
Sex						
male	3,738	12.4	(8.0-18.9)	73,642	8.8	(7.2-10.8)
female	3,883	13.7	(7.2-24.6)	88,684	10.0	(8.2-12.3)
Age-adjusted ^{&}		12.6	(7.8-19.6)		9.1	(7.8-10.5)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are obese*



	Su	llivan Cou	nty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,160	28.3	(22.1-35.3)	394,367	23.9	(21.7-26.4)
Age						
18-24		#		27,624	13.3	(7.9-21.5)
25-34		#		54,511	23.8	(18.3-30.3)
35-44		#		81,440	30.5	(24.1-37.7)
45-64	7,622	34.3	(26.2-43.4)	162,725	26.9	(23.2-30.8)
65+	2,641	22.0	(14.8-31.3)	67,255	21.1	(17.5-25.3)
Race						
White, NH	13,277	29.5	(22.4-37.7)	255,550	22.7	(20.3-25.4)
Black, NH		#		52,966	38.1^	(28.5-48.7)
Hispanic		#		75,211	30.9	(24.5-38.1)
Other, NH		#		10,640	7.6	(3.5-15.6)
Sex						
male	9,911	32.4	(22.8-43.8)	215,927	26.1	(22.9-29.6)
female	6,249	23.5	(17.0-31.4)	178,440	21.8	(18.7-25.2)
Age-adjusted ^{&}		27.7	(21.0-35.5)		24.4	(22.0-26.9)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,307	36.9^	(26.5-48.8)	87,170	28.5	(23.8-33.8)
Age						
18-24		#		6,365	16.0^	(8.8-27.4)
25-34		#		22,492	34.8^	(23.0-48.7)
35-44		#		16,901	28.8^	(17.0-44.4)
45-64		#		30,816	37.0	(28.5-46.4)
65+	1,322	33.9	(20.4-50.6)	10,596	18.8	(13.0-26.5)
Race						
White, NH	4,201	41.3	(29.1-54.7)	41,272	27.3	(21.8-33.7)
Black, NH		#		12,594	34.1	(19.9-51.9)
Hispanic		#		30,888	29.6^	(20.6-40.6)
Other, NH		#			#	
Sex						
male	3,254	41.6	(26.1-58.9)	34,047	25.1	(18.9-32.5)
female	2,053	31.4	(19.2-46.8)	53,123	31.2	(24.5-38.9)
Age-adjusted ^{&}		32.8^	(22.9-44.4)		29.0	(24.3-34.2)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,771	31.2	(21.7-42.6)	100,917	33.2	(28.1-38.7)
Age						
18-24		#			#	
25-34		#		9,015	34.7	(20.5-52.1)
35-44		#			#	
45-64		#		45,176	40.6	(33.0-48.8)
65+	1,240	23.9	(13.0-39.8)	26,632	23.1	(17.2-30.4)
Race						
White, NH	3,055	31.0^	(21.2-42.9)	68,712	30.3	(25.1-36.1)
Black, NH		#			#	
Hispanic		#		12,074	36.6^	(23.8-51.7)
Other, NH		#			#	
Sex						
male		#		48,667	33.2	(25.6-41.8)
female	1,581	28.3	(16.3-44.5)	52,250	33.2	(26.7-40.4)
Age-adjusted ^{&}		51.5	(41.8-61.0)		36.4	(29.6-43.7)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	37,065	64.8	(57.5-71.4)	1,013,509	61.6	(58.6-64.4)
Age						
18-24		#		78,608	37.8	(27.7-49.0)
25-34		#		134,836	58.9	(51.3-66.2)
35-44		#		182,614	68.3	(61.9-74.2)
45-64	15,934	71.7	(63.4-78.8)	416,662	68.8	(64.9-72.4)
65+	8,463	70.3^	(58.5-80.0)	193,474	60.7	(55.0-66.2)
Race						
White, NH	29,253	64.9	(57.0-72.0)	654,729	58.3	(54.8-61.7)
Black, NH		#		98,751	71.0^	(60.2-79.9)
Hispanic		#		181,418	74.5	(68.3-79.8)
Other, NH		#		78,610	55.9^	(41.8-69.1)
Sex						
male	22,717	74.3^	(64.0-82.5)	594,678	71.9	(68.1-75.4)
female	14,348	53.8	(44.3-63.1)	418,831	51.1	(46.8-55.4)
Age-adjusted ^{&}		63.0	(54.4-70.8)		61.5	(58.7-64.3)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Su	Ilivan Cou	nty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	41,404	73.1	(66.8-78.6)	1,271,442	75.8	(73.3-78.0)
Age						
18-24		#		175,327	86.7	(79.0-91.8)
25-34		#		173,350	72.0	(65.5-77.7)
35-44		#		217,887	75.1	(67.5-81.4)
45-64	14,288	70.5	(61.4-78.2)	461,861	77.3	(73.6-80.7)
65+	6,258	52.7	(41.7-63.4)	222,803	68.7	(63.9-73.1)
Race						
White, NH	31,503	71.8	(65.1-77.6)	896,103	78.1	(75.4-80.5)
Black, NH		#		91,903	69.6^	(59.5-78.1)
Hispanic		#		167,526	65.4	(58.5-71.7)
Other, NH		#		115,910	81.7	(68.5-90.1)
Sex						
male	21,196	73.8	(64.2-81.5)	624,724	76.8	(73.5-79.8)
female	20,208	72.4	(63.8-79.7)	646,717	74.8	(71.2-78.1)
Age-adjusted ^{&}		75.1	(69.1-80.2)		75.6	(73.1-78.0)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Su	llivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,187	25.6	(19.0-33.5)	328,184	20.1	(18.0-22.4)
Age						
18-24		#		59,915	30.5	(21.4-41.5)
25-34		#		72,301	31.4	(25.3-38.1)
35-44		#		66,352	23.7	(18.1-30.4)
45-64	4,787	24.1	(16.2-34.2)	91,651	15.7	(12.9-18.8)
65+	1,263	10.7	(5.9-18.5)	34,297	10.9	(8.2-14.4)
Race						
White, NH	11,866	27.4	(19.9-36.5)	179,864	16.0	(13.8-18.4)
Black, NH		#		44,636	35.8^	(26.3-46.5)
Hispanic		#		83,157	34.3	(28.1-41.2)
Other, NH		#		20,526	15.1^	(8.3-25.9)
Sex						
male	9,868	35.1	(24.3-47.8)	201,838	25.5	(22.3-29.1)
female	4,319	15.8	(10.0-24.0)	126,346	15.0	(12.5-18.0)
Age-adjusted ^{&}		27.2	(20.7-34.8)		21.4	(19.1-23.9)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Sullivan County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,767	5.0	(1.9-12.3)	94,313	5.8	(4.6-7.3)
Age						
18-24		#		18,550	9.4	(4.8-17.6)
25-34		#		22,619	9.8	(6.4-14.6)
35-44		#		25,563	9.2	(5.4-15.3)
45-64		#		22,019	3.8	(2.6-5.4)
65+		#		4,862	1.6	(0.8-3.1)
Race						
White, NH		#		47,954	4.3	(3.3-5.5)
Black, NH		#		17,766	14.1^	(6.6-27.5)
Hispanic		#		23,510	9.8	(6.2-15.2)
Other, NH		#			#	
Sex						
male		#		75,751	9.6	(7.3-12.6)
female		#		18,562	2.2	(1.6-3.1)
Age-adjusted ^{&}		5.8	(2.2-14.8)		6.4	(5.0-8.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Su	ıllivan Coui	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,909	11.5	(7.2-18.0)	150,887	8.6	(7.3-10.1)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		14,160	4.7	(2.4-9.1)
45-64	2,449	10.6	(6.4-16.9)	62,032	9.9	(7.7-12.6)
65+	2,639	21.8	(14.9-30.8)	68,925	20.7	(16.7-25.4)
Race						
White, NH	4,587	9.9	(7.0-13.8)	89,474	7.5	(6.2-8.9)
Black, NH		#		19,890	13.7	(8.9-20.7)
Hispanic		#		17,031	6.4	(4.0-9.9)
Other, NH		#		24,492	16.3^	(9.0-27.9)
Sex						
male	4,519	14.7	(7.4-27.3)	88,046	10.3	(8.2-12.9)
female	2,390	8.1	(5.2-12.5)	62,840	6.9	(5.5-8.7)
Age-adjusted ^{&}		10.6	(6.1-17.8)		7.8	(6.7-9.2)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Su	Ilivan Cou	nty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,102	24.5	(18.6-31.4)	239,102	14.1	(12.4-15.9)
Age						
18-24		#		32,350	15.8	(9.2-25.9)
25-34		#		43,314	17.8	(13.5-23.0)
35-44		#		44,821	15.3	(11.0-20.9)
45-64	6,128	28.9	(21.1-38.2)	96,435	15.9	(13.5-18.8)
65+	1,451	12.1	(6.6-21.2)	20,862	6.3	(4.5-8.8)
Race						
White, NH	11,001	24.7	(18.1-32.6)	164,788	14.1	(12.1-16.4)
Black, NH		#		25,127	18.9	(12.0-28.4)
Hispanic		#		41,932	16.1	(11.8-21.6)
Other, NH		#		7,254	5.1	(2.4-10.6)
Sex						
male	6,779	23.0	(15.4-33.0)	144,979	17.6	(14.7-20.9)
female	7,324	26.0^	(17.9-36.2)	94,123	10.7	(9.0-12.7)
Age-adjusted ^{&}		24.8	(18.3-32.9)		14.5	(12.6-16.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,139	30.3^	(20.2-42.7)	73,745	23.0	(19.2-27.3)
Age						
18-24		#		7,392	18.1	(9.7-31.1)
25-34		#		17,890	25.6^	(17.0-36.7)
35-44		#		13,112	20.9^	(13.1-31.7)
45-64		#		27,097	31.4	(24.0-39.9)
65+		#		8,253	14.3	(8.6-22.7)
Race						
White, NH	2,589	26.7	(16.6-40.0)	45,290	28.9	(23.5-35.0)
Black, NH		#		10,881	31.9^	(18.4-49.2)
Hispanic		#		15,364	13.5	(8.8-20.1)
Other, NH		#			#	
Sex						
male	2,688	37.5	(22.2-55.7)	35,712	25.4	(19.7-32.0)
female	1,451	22.4	(11.3-39.6)	38,032	21.2	(16.3-27.0)
Age-adjusted ^{&}		31.1	(19.0-46.6)		23.4	(19.7-27.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	S	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		32,350	15.8^	(9.2-25.9)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		23,087	16.1	(8.0-29.9)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		24,040	23.7	(12.6-40.1)	
female		#		8,310	8.1	(3.7-16.6)	
Age-adjusted+,&							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Su	ıllivan Coui	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,554	68.6	(58.7-77.1)	246,457	80.4	(76.2-84.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,121	68.6	(57.7-77.7)	184,023	79.1	(74.7-82.9)
Black, NH		#		14,839	87.4^	(74.9-94.2)
Hispanic		#		22,718	86.1	(66.9-95.0)
Other, NH		#			#	
Sex						
male		#			#	
female	7,554	68.6	(58.7-77.1)	246,457	80.4	(76.2-84.0)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Sullivan County			Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		34,867	67.2	(56.2-76.7)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		16,177	51.0	(38.1-63.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		34,867	67.2	(56.2-76.7)	
Age-adjusted+,&							

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,687	80.1^	(66.6-89.1)	496,976	82.6	(79.1-85.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,392	87.3	(79.0-92.7)	343,119	83.5	(79.5-86.9)
Black, NH		#		30,763	74.4^	(58.2-85.9)
Hispanic		#		75,619	82.0	(73.0-88.4)
Other, NH		#			#	
Sex						
male		#			#	
female	15,687	80.1	(66.6-89.1)	496,976	82.6	(79.1-85.6)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Sullivan County			Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24		#		96,878	76.7	(68.6-83.2)	
25-34 35-44 45-64 65+ Race							
White, NH Black, NH		# #		42,290	71.4 [^] #	(59.7-80.7)	
Hispanic Other, NH Sex		# #		37,467	79.7 [^] #	(64.2-89.6)	
male female Age-adjusted+,&		# #		96,878	# 76.7	(68.6-83.2)	

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24	14,980	65.1	(57.4-72.1)	420,117	69.1	(65.4-72.7)
25-34 35-44 45-64 65+						
Race White, NH Black, NH Hispanic Other, NH Sex	12,073	64.4 # # #	(56.6-71.5)	316,982 33,596 28,956	70.6 76.4 [^] 55.1 [^] #	(66.9-74.0) (64.2-85.4) (42.7-66.9)
male female Age-adjusted+,&	8,192 6,789	70.2 [^] 59.9	(58.0-80.0) (50.2-68.9)	203,820 216,297	67.7 70.6	(61.6-73.2) (65.9-74.9)

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,902	49.2^	(34.8-63.6)	47,995	52.6	(44.2-60.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,307	51.9^	(36.5-66.9)	29,963	53.0	(43.3-62.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		18,246	47.1	(34.9-59.7)
female		#		29,749	56.6	(45.7-66.9)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Sullivan County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	29,661	56.8	(48.7-64.6)	907,749	58.5	(55.6-61.4)
Age						
18-24		#		74,996	36.8	(24.7-50.8)
25-34		#		111,134	46.0	(38.9-53.2)
35-44		#		149,552	53.4	(46.1-60.5)
45-64	12,870	62.2	(52.0-71.4)	369,306	66.9	(62.5-71.0)
65+	5,951	65.4	(50.6-77.8)	183,286	73.5	(66.9-79.3)
Race						
White, NH	23,705	57.2	(48.6-65.5)	647,286	61.0	(57.7-64.2)
Black, NH		#		83,150	67.2^	(56.4-76.5)
Hispanic		#		117,732	48.8	(41.7-55.9)
Other, NH		#		59,581	47.5^	(33.4-62.0)
Sex						
male	14,712	57.4	(45.1-68.9)	378,659	51.5	(47.3-55.6)
female	14,949	56.2	(45.7-66.2)	529,090	64.9	(60.9-68.7)
Age-adjusted ^{&}		55.5	(46.9-63.8)		57.4	(54.2-60.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,422	4.6	(2.7-7.8)	68,671	4.3	(3.5-5.3)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		10,994	3.9	(2.2-6.8)
45-64		#		26,630	4.8	(3.6-6.4)
65+		#		21,581	8.3	(5.9-11.4)
Race						
White, NH	2,138	5.2	(3.0-8.8)	48,336	4.4	(3.5-5.6)
Black, NH		#		6,075	4.9	(2.5-9.5)
Hispanic		#		9,695	3.9	(2.1-7.1)
Other, NH		#			#	
Sex						
male	1,694	6.6	(3.3-12.6)	31,186	4.1	(3.0-5.6)
female		#		37,484	4.5	(3.4-5.9)
Age-adjusted ^{&}		4.2	(2.5-7.0)		4.3	(3.5-5.3)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,879	33.2	(26.8-40.2)	485,160	27.6	(25.4-29.9)
Age						
18-24		#		14,115	6.5	(3.1-13.3)
25-34		#		19,179	7.6	(4.9-11.6)
35-44		#		50,528	16.7	(12.1-22.6)
45-64	8,756	38.0	(29.7-47.0)	203,210	32.5	(28.9-36.3)
65+	7,481	61.7	(50.4-71.9)	191,521	57.5	(52.1-62.8)
Race						
White, NH	16,304	35.1	(28.0-42.9)	339,577	28.4	(25.9-31.1)
Black, NH		#		57,952	40.0	(30.9-50.0)
Hispanic		#		53,138	20.0	(15.5-25.4)
Other, NH		#		34,492	23.0^	(14.2-35.0)
Sex						
male	11,628	37.9 [^]	(27.8-49.2)	258,468	30.5	(27.2-33.9)
female	8,251	28.2	(21.6-35.8)	226,692	25.0	(22.1-28.1)
Age-adjusted ^{&}		29.7	(23.2-37.2)		25.4	(23.4-27.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Sullivan County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,059	75.8^	(60.3-86.5)	379,361	78.2	(74.1-81.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		25,439	50.3^	(33.7-66.9)
45-64	7,477	85.4	(74.9-92.0)	167,173	82.3	(77.5-86.3)
65+	6,352	84.9^	(71.6-92.6)	174,121	91.0	(86.7-93.9)
Race						
White, NH	12,169	74.6^	(56.5-86.9)	269,044	79.3	(74.9-83.1)
Black, NH		#		48,852	84.3	(70.9-92.2)
Hispanic		#		31,347	59.0^	(44.8-71.9)
Other, NH		#			#	
Sex						
male	8,010	68.9^	(46.1-85.1)	187,107	72.4	(66.1-78.0)
female	7,050	85.4	(75.9-91.6)	192,253	84.9	(80.0-88.8)
Age-adjusted ^{&}		64.5	(55.7-72.5)		57.4	(51.8-62.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,179	8.7	(6.0-12.3)	141,569	8.1	(6.7-9.7)
Age						
18-24		#		30,738	14.2	(8.2-23.4)
25-34		#		15,451	6.2	(4.0-9.5)
35-44		#		24,864	8.2	(4.6-14.1)
45-64	2,093	9.0	(5.3-15.1)	43,139	6.9	(5.4-8.8)
65+	1,346	11.2	(6.8-18.1)	24,959	7.5	(5.4-10.5)
Race						
White, NH	3,898	8.4	(5.6-12.5)	104,334	8.8	(7.1-10.8)
Black, NH		#		11,950	8.3	(4.5-14.7)
Hispanic		#		19,703	7.4	(4.1-13.1)
Other, NH		#		5,582	3.7	(1.5-8.8)
Sex						
male		#		56,381	6.6	(4.9-9.0)
female	3,903	13.3	(8.8-19.5)	85,187	9.4	(7.5-11.9)
Age-adjusted ^{&}		8.2	(5.5-12.1)		8.1	(6.6-9.9)


^{*} Physician diagnosed asthma.

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	49,756	84.4	(76.3-90.1)	1,487,921	86.1	(83.5-88.4)
Age						
18-24		#		119,554	58.8	(45.3-71.2)
25-34		#		166,373	68.6	(62.0-74.5)
35-44		#		264,626	88.1	(83.0-91.8)
45-64	21,560	94.3	(89.4-97.0)	589,697	94.4	(92.6-95.8)
65+	11,604	96.9	(93.0-98.7)	323,941	97.5	(96.0-98.5)
Race						
White, NH	39,643	86.5	(77.6-92.2)	1,037,098	88.5	(84.9-91.4)
Black, NH		#		118,223	82.3	(72.7-89.1)
Hispanic		#		203,261	77.3	(72.0-81.8)
Other, NH		#		129,338	86.1	(75.7-92.5)
Sex						
male	25,577	85.1	(71.7-92.8)	717,767	85.9	(83.0-88.4)
female	24,179	83.6	(72.6-90.7)	770,154	86.3	(81.7-89.8)
Age-adjusted ^{&}		80.9	(72.6-87.1)		84.3	(81.8-86.5)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,288	37.2	(30.8-44.1)	563,809	38.0	(35.3-40.8)
Age						
18-24		#		25,949	21.7	(12.2-35.6)
25-34		#		21,044	12.6	(8.6-18.2)
35-44		#		75,762	28.6	(22.3-35.9)
45-64	9,094	42.7	(33.9-52.0)	250,204	42.6	(38.4-46.9)
65+	7,288	64.8	(52.7-75.2)	181,331	56.2	(50.9-61.5)
Race						
White, NH	15,264	39.0	(32.1-46.3)	404,347	39.1	(36.2-42.2)
Black, NH		#		36,973	31.3	(22.1-42.2)
Hispanic		#		71,505	35.2	(27.8-43.3)
Other, NH		#		50,985	39.5^	(25.9-54.9)
Sex						
male	9,398	37.4	(27.9-48.0)	314,812	44.0	(39.8-48.2)
female	8,889	37.1	(29.1-45.8)	248,997	32.4	(29.0-36.1)
Age-adjusted ^{&}		28.6	(23.8-34.1)		33.7	(31.0-36.5)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Su	llivan Cour	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,138	9.4	(4.9-17.3)	66,257	8.6	(6.9-10.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		8,782	9.1^	(3.7-20.7)
45-64	1,627	13.2	(6.4-25.1)	28,181	9.2	(6.8-12.3)
65+		#		21,893	8.7	(6.4-11.7)
Race						
White, NH	2,267	8.7	(3.8-18.4)	39,723	7.1	(5.6-8.8)
Black, NH		#		11,297	15.3^	(8.5-26.1)
Hispanic		#		6,859	7.7	(4.3-13.2)
Other, NH		#			#	
Sex						
male	2,259	12.6	(5.5-26.2)	32,849	8.9	(6.3-12.4)
female		#		33,408	8.2	(6.3-10.7)
Age-adjusted ^{&}		10.7	(4.6-22.8)		8.5	(6.2-11.4)

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Su	llivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,916	29.9	(23.9-36.8)	392,756	22.4	(20.4-24.5)
Age						
18-24		#			#	
25-34		#		23,161	9.2	(6.0-13.7)
35-44		#		42,145	13.9	(9.7-19.7)
45-64	6,746	29.4	(22.0-37.9)	161,955	25.8	(22.6-29.3)
65+	6,596	54.4	(43.5-64.9)	152,353	46.1	(40.9-51.4)
Race						
White, NH	15,029	32.4	(25.8-39.7)	308,405	25.9	(23.4-28.4)
Black, NH		#		32,099	22.3	(15.1-31.6)
Hispanic		#		39,612	14.8	(10.6-20.4)
Other, NH		#		12,641	8.4	(4.1-16.3)
Sex						
male	7,416	24.3	(17.2-33.1)	150,162	17.7	(15.1-20.5)
female	10,500	35.8	(26.9-45.9)	242,594	26.9	(23.9-30.0)
Age-adjusted ^{&}		27.7	(21.2-35.4)		20.8	(18.9-22.8)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Su	ıllivan Coui	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	45,783	83.9	(76.5-89.2)	1,515,249	92.1	(90.6-93.4)
Age						
18-24		#		178,853	89.6	(81.8-94.3)
25-34		#		208,949	88.8	(83.8-92.4)
35-44		#		256,978	90.8	(86.0-94.1)
45-64	17,447	87.4	(77.6-93.3)	547,100	93.1	(91.1-94.6)
65+	9,395	90.6	(84.4-94.5)	301,481	95.1	(92.7-96.8)
Race						
White, NH	35,264	82.5	(73.6-88.8)	1,040,740	92.0	(90.3-93.5)
Black, NH		#		119,401	92.0	(82.5-96.5)
Hispanic		#		223,577	90.8	(86.2-94.0)
Other, NH		#		131,532	95.0	(89.1-97.8)
Sex						
male	24,528	88.1	(77.3-94.2)	739,528	92.8	(90.5-94.6)
female	21,256	79.4^	(68.2-87.4)	775,721	91.4	(89.3-93.1)
Age-adjusted ^{&}		82.1	(74.6-87.8)		91.7	(90.0-93.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,318	30.6	(22.5-40.1)	92,763	28.8	(24.5-33.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,023	31.4	(22.8-41.4)	78,574	30.9	(26.8-35.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,873	35.9 [^]	(22.5-51.8)	42,914	26.7	(20.8-33.4)
female	1,445	25.6	(17.0-36.7)	49,849	31.0	(25.1-37.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Si	ullivan Coun	ty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		37,075	40.2	(32.0-49.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		31,264	40.1	(32.4-48.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		15,850	37.2	(26.8-48.9)
female		#		21,225	42.9^	(31.1-55.6)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Su	Ilivan Cou	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,730	44.6	(35.4-54.1)	182,322	34.0	(30.2-38.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	6,096	38.6	(29.9-48.2)	129,928	33.3	(29.4-37.5)
Black, NH		#		20,470	47.9^	(32.1-64.1)
Hispanic		#		17,315	30.3	(20.9-41.7)
Other, NH		#			#	
Sex						
male	5,156	48.2	(34.3-62.4)	101,973	39.5	(33.7-45.6)
female	3,574	40.2	(29.5-51.9)	80,348	28.9	(24.2-34.2)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Su	ıllivan Couı	nty	Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	21,254	38.2	(31.6-45.3)	785,113	47.3	(44.5-50.1)	
Age							
18-24		#		67,071	33.5	(21.3-48.4)	
25-34		#		70,650	30.0	(24.1-36.6)	
35-44		#		103,925	36.5	(29.9-43.7)	
45-64	8,427	43.1	(33.8-53.0)	284,102	47.9	(43.8-52.0)	
65+	7,839	66.3	(56.1-75.2)	245,927	75.9	(71.4-79.8)	
Race							
White, NH	16,751	38.9	(31.9-46.3)	580,946	50.9	(47.6-54.1)	
Black, NH		#		48,599	36.9^	(27.8-47.1)	
Hispanic		#		81,517	32.9	(27.3-39.0)	
Other, NH		#		74,051	53.4	(39.5-66.8)	
Sex							
male	10,502	37.4	(27.7-48.3)	341,699	42.4	(38.6-46.2)	
female	10,752	39.1	(30.6-48.3)	443,414	51.9	(47.8-56.1)	
Age-adjusted ^{&}		35.2	(29.4-41.5)		45.0	(42.1-48.0)	

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Su	ıllivan Cour	nty	Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	7,839	66.3^	(56.1-75.2)	245,927	75.9	(71.4-79.8)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	6,362	64.3	(54.2-73.3)	191,919	75.0	(70.8-78.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male	3,709	67.9	(50.8-81.3)	123,697	76.4	(70.0-81.8)	
female	4,130	65.0	(52.0-76.0)	122,230	75.4	(68.9-80.8)	
Age-adjusted+,&							

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Su	llivan Cour	nty	Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	6,956	61.8^	(51.1-71.5)	201,874	65.6	(60.6-70.2)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	5,489	58.8	(48.5-68.5)	160,758	65.7	(61.2-70.0)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		96,066	63.4	(56.0-70.3)	
female	3,956	64.0^	(50.6-75.5)	105,807	67.7	(60.8-73.9)	
Age-adjusted ^{+,&}							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



Sullivan County Mid-Hudson Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI # 239,158 (59.1-77.4) **Total** 69.0 Age⁺ 18-24 25-34 35-44 45-64 65+ Race White, NH # 166,583 74.4 (59.9-84.9)Black, NH Hispanic 35,664 54.9 (39.1-69.8)Other, NH # Sex male female # 239,158 (59.1-77.4) 69.0 Age-adjusted+,&

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	S	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		274,898	70.6	(63.9-76.5)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		184,761	75.1	(68.1-81.0)	
Black, NH		#			#		
Hispanic		#		49,811	64.5^	(49.3-77.3)	
Other, NH		#			#		
Sex							
male		#			#		
female		#		274,898	70.6	(63.9-76.5)	
Age-adjusted+,&							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Su	llivan Cour	nty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,073	85.0^	(71.1-92.9)	625,952	87.6	(84.3-90.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	14,550	88.6	(77.3-94.7)	444,204	92.0	(88.6-94.4)
Black, NH		#		47,362	84.1^	(69.6-92.5)
Hispanic		#		73,041	66.7	(55.3-76.5)
Other, NH		#		61,345	93.6	(77.8-98.4)
Sex						
male		#			#	
female	19,073	85.0^	(71.1-92.9)	625,952	87.6	(84.3-90.3)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Si	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		153,496	44.1	(35.9-52.5)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		108,432	47.8	(37.2-58.6)	
Black, NH		#			#		
Hispanic		#		26,231	41.1	(27.4-56.4)	
Other, NH		#			#		
Sex							
male		#			#		
female		#		153,496	44.1	(35.9-52.5)	
Age-adjusted+,&							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Sullivan County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,868	10.0	(6.6-15.0)	185,388	10.8	(8.6-13.4)
Age						
18-24		#		46,733	22.3	(11.0-39.9)
25-34		#		19,988	8.2	(5.7-11.6)
35-44		#		31,122	10.5	(6.8-16.0)
45-64	2,211	9.7	(5.8-15.8)	62,904	10.2	(8.3-12.4)
65+	908	8.0	(4.2-14.6)	22,310	6.9	(4.9-9.6)
Race						
White, NH	5,109	11.2	(7.1-17.3)	131,314	11.2	(8.4-14.7)
Black, NH		#		16,197	11.7	(6.2-21.0)
Hispanic		#		29,751	11.4	(7.8-16.2)
Other, NH		#			#	
Sex						
male	1,782	5.9	(2.5-13.3)	79,572	9.6	(7.3-12.4)
female	4,086	14.3	(8.9-22.2)	105,816	11.9	(8.6-16.4)
Age-adjusted ^{&}		10.0	(6.2-15.9)		10.9	(8.8-13.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Sullivan County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,402	13.1	(8.9-19.0)	243,431	14.8	(12.4-17.5)
Age						
18-24		#		67,414	34.0^	(21.6-49.0)
25-34		#		46,125	19.5	(15.0-25.0)
35-44		#		53,410	18.9	(13.7-25.4)
45-64	2,840	13.9	(7.8-23.3)	66,917	11.4	(9.3-14.0)
65+	846	7.3	(3.8-13.5)	8,774	2.7	(1.7-4.3)
Race						
White, NH	5,434	12.5	(7.9-19.2)	183,442	16.2	(13.2-19.9)
Black, NH		#		7,464	5.9	(3.1-10.9)
Hispanic		#		43,796	17.5	(12.7-23.7)
Other, NH		#		8,729	6.2	(2.8-12.8)
Sex						
male	5,269	18.2	(11.3-27.9)	155,554	19.7	(16.8-22.9)
female	2,133	7.8	(3.7-15.4)	87,877	10.3	(6.8-15.2)
Age-adjusted ^{&}		13.7	(9.0-20.2)		16.0	(13.6-18.6)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Sullivan County			Mid-Hudson			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		51,755	28.7^	(20.0-39.4)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64		#		19,510	31.2	(22.7-41.2)	
65+		#			#		
Race							
White, NH		#		36,925	28.4^	(18.3-41.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		33,440	44.0^	(30.0-59.0)	
female		#		18,314	17.6	(10.9-27.2)	
Age-adjusted ^{&}		#			29.7	(22.4-38.2)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).