eBRFSS 2013-2014 Health Indicators: Tug Hill Seaway

General Description	
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily Percentage of adults who consume fast-food three or more times per week	
-	
Percentage of adults with physician-diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening between the second se	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b	ased on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines	ased on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	based on recent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes	ased on recent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ased on recent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ased on recent 29 30 31 32 33
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ased on recent 29 30 31 32 33
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ased on recent 29 30 31 32 33 34
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ased on recent 29 30 31 32 33 34 34 35
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ased on recent 29 30 31 32 33 34 34 35 36
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	ased on recent 29 30 31 32 33 34 35 36 37
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ased on recent 29 30 31 32 33 34 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults who aged 65+ years with at least one fall in the past 12 months	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. percent that resulted in injury	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 39 40 40
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months Pervent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	ased on recent 29 30 31 32 33 34 35 36 37 38 39 40 40 41 42 42 42 43
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with attritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	ased on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 39 40 40 41 42 42 43 44
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with colesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Percentage of adults with arthritis Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	ased on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 39 40 40 41 41 42 42 42 42 43 44
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with colesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percent HIV/STDS, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization	ased on recent 29 30 31 32 33 34 34 35 36 36 37 38 39 40 40 41 42 42 42 42 42 43 44 45 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of a	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 43 44 44 45 46 46
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with physician-diagnosed high blood pressure medication Percentage of adults with current asthma Percentage of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months . Among adults aged 65+ years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pheumococcal immunization Percentage of adults aged 65	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 41 41 42 42 42 42 42 43 44 44 45 46 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with hysician-diagnosed high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with nave taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with peumococcal immunization Percentage of adults aged 65+ years with peumococcal immunization Percentage of adults aged 65+ years with peumococcal immunization Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage	ased on recent 29 30 31 32 33 34 34 35 36 37 38 39 39 40 40 41 42 42 42 42 42 42 42 43 44 44 45 46 46 47
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42 42 42 43 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42 42 43 44 45 46 46 47 48 49 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 41 42 42 43 44 45 46 46 46 47 48 49 50 50
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening b guidelines	ased on recent 29 30 31 32 33 34 35 36 37 38 39 39 40 41 42 42 42 42 43 44 45 46 46 46 47 48 49 50 50 50 51

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



		Tug Hill S	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	18,757	9.4	7.2	12.2	1,994,210	13.1	11.2	15.3
Age								
18-24	4,330	13.8^	6.8	26.2	281,654	14.1^	7.5	25.1
25-34	3,525	8.7	4.0	17.8	537,866	19.7	14.2	26.6
35-44	3,830	13.1	7.5	22.0	423,154	17.0	12.3	23.0
45-64	6,151	9.8	6.8	14.1	596,074	11.9	9.8	14.3
65+	858	2.5	1.4	4.4	139,733	5.1	3.0	8.4
Race								
White, NH	16,183	9.8	7.5	12.8	959,531	10.5	8.7	12.7
Black, NH		#			335,184	15.5	10.0	23.4
Hispanic		#			465,114	18.4	14.5	23.0
Other, NH		#			234,381	16.3^	7.3	32.6
Sex								
Male	10,320	10.0	6.7	14.7	890,677	12.3	9.6	15.5
Female	8,436	8.7	6.1	12.3	1,103,533	13.8	11.2	16.9
Age-adjusted ^{&}		9.6	7.3	12.5		13.6	11.6	15.8


* Among people needing to see a doctor in the past 12 months

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Tug Hill Seaway Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider




		Tug Hill S	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	165,898	83.3	79.6	86.5	12,905,860	84.9	83.1	86.6
Age								
18-24	23,573	75.2^	60.1	85.9	1,486,954	76.3	69.8	81.8
25-34	31,889	78.6^	66.7	87.0	1,983,479	72.3	66.1	77.7
35-44	21,113	73.7^	62.6	82.5	2,091,488	84.7	79.6	88.7
45-64	55,313	88.0	83.2	91.6	4,450,345	88.6	85.5	91.1
65+	32,822	95.8	92.8	97.5	2,640,269	96.0	94.7	97.1
Race								
White, NH	134,836	82.0	78.1	85.3	7,996,007	88.0	86.6	89.3
Black, NH		#			1,926,090	89.0	83.6	92.7
Hispanic		#			1,725,153	68.6	61.2	75.1
Other, NH		#			1,258,610	87.9	79.9	93.0
Sex								
Male	82,280	80.5	74.7	85.2	5,804,831	80.1	77.1	82.8
Female	83,617	86.3	81.1	90.2	7,101,029	89.3	87.0	91.3
Age-adjusted ^{&}		82.8	79.0	86.1		84.5	82.5	86.2

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Tug Hill Seaway Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year




		Tug Hill S	Seaway		Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	126,072	65.2	60.4	69.7	9,774,786	69.5	66.9	72.0
Age	- / -				-, ,			_
18-24	20,645	66.1^	45.9	81.7	1,100,494	62.2^	51.0	72.2
25-34	29,213	73.2^	60.1	83.2	1,624,123	65.1	57.7	71.8
35-44	17,582	62.6^	51.1	72.9	1,687,707	71.9	65.2	77.8
45-64	39,258	65.1	59.0	70.7	3,421,923	72.6	69.3	75.7
65+	18,885	57.8	51.6	63.7	1,743,883	69.8	66.0	73.4
Race								
White, NH	100,111	63.1	58.8	67.1	6,152,109	72.4	70.1	74.6
Black, NH		#			1,309,282	66.6	57.4	74.7
Hispanic		#			1,435,933	62.9	55.3	70.0
Other, NH		#			877,462	66.5^	52.1	78.4
Sex								
Male	66,013	65.9	59.1	72.0	4,591,800	67.3	63.4	71.1
Female	60,059	64.5	57.3	71.0	5,182,986	71.6	68.1	74.8
Age-adjusted ^{&}		64.9	60.4	69.2		69.3	66.6	71.8

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability^{*}



		Tug Hill S	Seaway		Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	51,117	26.1	21.6	31.1	3,111,131	20.8	19.1	22.7
Age	,				, ,			
18-24		#			119,872	6.1	4.3	8.5
25-34	10,730	26.6^	12.7	47.6	426,647	16.0	10.8	23.2
35-44	5,540	19.2^	11.5	30.2	294,471	12.2	9.7	15.3
45-64	19,618	32.5	27.2	38.3	1,195,176	24.2	21.6	27.1
65+	12,664	37.3	31.8	43.1	989,611	36.8	33.1	40.6
Race								
White, NH	41,444	25.5	22.1	29.2	2,187,495	24.4	22.4	26.6
Black, NH		#			332,469	15.8	11.9	20.7
Hispanic		#			420,342	17.0	12.7	22.5
Other, NH		#			170,824	12.3	7.7	19.1
Sex								
Male	29,021	28.6	21.4	37.0	1,349,486	18.9	16.3	21.9
Female	22,096	23.4	18.9	28.5	1,761,645	22.6	20.4	24.9
Age-adjusted ^{&}		26.1	21.9	30.8		19.9	18.3	21.6


* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Tug Hill Seaway Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



		Tug Hill	Seaway		Statewide			
F	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	141,791	87.4	83.6	90.4	10,275,389	85.2	82.8	87.3
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	112,009	86.5	82.5	89.7	6,192,415	90.1	88.8	91.3
Black, NH		#			1,606,586	87.9	82.0	92.1
Hispanic		#			1,626,540	73.2	66.2	79.2
Other, NH		#			849,849	74.5^	56.8	86.6
Sex								
Male	73,377	86.8	81.1	90.9	4,924,290	83.2	79.9	86.0
Female	68,414	88.2	82.6	92.1	5,351,099	87.2	83.4	90.2
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



		Tug Hill	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	116,297	71.3	66.1	76.0	8,622,736	70.9	68.1	73.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	87,887	67.8	62.6	72.5	4,721,851	68.7	65.8	71.4
Black, NH		#			1,477,782	80.8	73.1	86.6
Hispanic		#			1,583,308	71.1	63.6	77.6
Other, NH		#			839,795	68.4^	53.1	80.5
Sex								
Male	57,416	67.0	59.1	74.0	3,938,722	65.6	61.4	69.6
Female	58,882	76.1	69.4	81.8	4,684,014	76.0	72.3	79.4
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



		Tug Hill	Seaway		Statewide			
F	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	66,115	37.2	32.1	42.6	5,967,540	43.4	40.8	46.1
Age								
18-24		#			487,620	30.7^	21.3	42.0
25-34	19,381	52.6 [^]	37.0	67.8	1,403,277	57.7	50.8	64.3
35-44	11,144	41.9^	31.6	53.0	1,180,494	50.7	43.4	57.9
45-64	18,762	31.5	26.3	37.1	2,100,265	44.9	41.4	48.4
65+	7,945	25.2	20.0	31.3	688,870	27.8	23.8	32.1
Race								
White, NH	54,102	36.4	32.3	40.7	3,030,019	36.7	34.3	39.2
Black, NH		#			1,078,432	55.5	46.2	64.3
Hispanic		#			1,268,822	57.3	49.7	64.6
Other, NH		#			590,266	44.6^	31.2	58.9
Sex								
Male	32,678	35.5	27.6	44.3	2,630,128	40.1	36.1	44.2
Female	33,437	39.1	33.1	45.5	3,337,412	46.5	43.0	50.0
Age-adjusted ^{&}		37.4	32.7	42.4		43.7	41.0	46.5


* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



		Tug Hill	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	47,257	24.1	19.6	29.4	4,211,702	29.0	26.6	31.5
Age								
18-24	4,176	13.3^	7.1	23.6	339,128	17.9	13.5	23.3
25-34	16,776	41.9^	26.8	58.6	1,154,171	44.8	37.7	52.1
35-44	8,348	29.3^	20.4	40.1	786,490	33.0	26.3	40.4
45-64	13,967	22.7	18.2	28.0	1,464,969	30.3	26.9	33.9
65+	3,947	11.9	8.4	16.6	405,259	15.6	12.5	19.3
Race								
White, NH	36,694	22.8	19.4	26.6	1,998,541	22.9	20.6	25.4
Black, NH		#			765,155	37.2	29.3	45.7
Hispanic		#			1,031,787	43.4	36.2	50.8
Other, NH		#			416,220	30.4^	20.2	42.9
Sex								
Male	25,681	25.4	18.0	34.6	1,903,904	27.4	23.6	31.5
Female	21,577	22.8	18.5	27.8	2,307,798	30.5	27.5	33.6
Age-adjusted ^{&}		24.6	20.7	29.0		29.4	27.1	31.9


* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Tug Hill Seaway Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




		Tug Hill	Seaway			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	8,570	4.3	3.2	5.7	680,314	4.5	3.7	5.4
Age								
18-24		#			20,778	1.0	0.5	2.3
25-34		#			38,067	1.4	0.8	2.5
35-44		#			58,460	2.4	1.5	3.9
45-64	4,140	6.6	4.5	9.6	300,529	6.1	4.5	8.1
65+	3,087	9.1	6.1	13.3	248,637	9.1	6.9	12.0
Race								
White, NH	8,512	5.2	3.9	6.9	365,138	4.0	3.5	4.7
Black, NH		#			58,105	2.7	1.6	4.7
Hispanic		#			213,536	8.4	5.3	13.2
Other, NH		#			43,535	3.0	1.4	6.4
Sex								
Male	4,252	4.2	2.7	6.3	298,899	4.1	3.1	5.5
Female	4,319	4.5	3.0	6.6	381,415	4.8	3.9	6.0
A = = = = 1 ¹ = = + = = 1 ⁸			2.2	5.0		4.2	2.6	F 4
Age-adjusted ^{&}		4.4	3.2	5.9		4.3	3.6	5.1

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



		Tug Hill S	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
r	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	23,709	12.4	10.2	15.0	1,717,941	11.8	10.5	13.1
Age								
18-24		#			59,108	3.1	1.9	5.1
25-34	3,650	10.1	5.6	17.6	184,980	7.0	4.8	10.0
35-44	2,936	10.5^	5.0	20.7	176,691	7.2	5.2	9.9
45-64	9,386	15.2	11.5	19.8	763,670	15.8	13.5	18.5
65+	6,361	19.5	14.9	25.1	491,091	19.1	16.1	22.5
Race								
White, NH	21,615	13.4	11.0	16.2	1,043,432	11.8	10.7	13.0
Black, NH		#			188,315	9.3	6.3	13.5
Hispanic		#			372,059	16.0	11.5	21.9
Other, NH		#			114,135	8.1	4.7	13.7
Sex								
Male	11,719	12.3	9.1	16.3	722,008	10.3	8.7	12.3
Female	11,990	12.6	9.6	16.2	995,933	13.0	11.3	14.9
Age-adjusted ^{&}		12.5	10.2	15.2		11.3	10.1	12.5


* Out of the past 30 days.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults who are obese*




		Tug Hill S	Seaway			State	wide	
	Est. # of	-	Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	59,714	32.3	28.2	36.7	3,527,077	24.9	23.0	26.9
Age								
18-24	5,244	17.5^	8.4	32.8	318,556	17.8	11.7	26.0
25-34	15,666	47.1^	34.9	59.5	509,101	20.8	16.8	25.4
35-44	7,664	28.3^	19.7	38.9	573,976	24.7	20.0	30.1
45-64	21,525	35.9	30.3	41.8	1,452,755	30.5	27.5	33.7
65+	9,264	27.6	22.7	33.0	615,010	23.4	20.1	27.0
Race								
White, NH	53,993	34.6	30.6	38.9	2,139,878	25.0	23.2	26.9
Black, NH		#			638,079	30.7	24.2	38.1
Hispanic		#			622,984	28.0	21.8	35.1
Other, NH		#			126,136	9.6	6.3	14.4
Sex								
Male	34,846	35.6	29.7	42.0	1,782,686	25.3	22.5	28.3
Female	24,869	28.5	23.4	34.2	1,744,390	24.5	22.0	27.1
Age-adjusted ^{&}		32.5	28.6	36.6		24.6	22.7	26.6

* Obesity defined as a Body Mass Index (BMI) >= 30. BMI is calculated based on weight and height.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with an annual household income less than \$25,000 who are obese*




		Tug Hill S	Seaway			State	wide	
	Est. # of	_	Lower	Upper	Est. # of	. .	Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	18,259	34.8	27.1	43.3	1,029,079	28.7	24.7	33.0
Age								
18-24		#			88,578	21.3^	10.0	39.7
25-34		#			177,054	26.6^	17.0	39.0
35-44		#			165,333	28.8^	19.5	40.3
45-64	5,551	33.3^	22.8	45.8	386,736	34.8	28.0	42.1
65+	3,694	30.1	22.3	39.3	190,291	24.4	18.8	31.1
Race								
White, NH	17,234	40.4	32.2	49.2	500,787	30.3	25.6	35.4
Black, NH		#			165,021	25.3^	16.7	36.3
Hispanic		#			287,948	30.1^	21.1	41.0
Other, NH		#			75,322	23.1^	12.4	39.0
Sex								
Male	10,132	37.1^	25.8	50.0	386,764	23.8	18.1	30.5
Female	8,128	32.2	23.0	43.1	642,314	32.7	27.6	38.3
Age-adjusted ^{&}		34.1	27.5	41.4		28.5	24.3	33.0

* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults living with a disability who are obese*



		Tug Hill	Seaway			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	18,780	42.5	35.2	50.1	1,093,091	36.9	32.7	41.3
Age								
18-24		#			18,440	16.5^	9.8	26.5
25-34		#			122,752	31.0^	16.7	50.1
35-44		#			109,843	39.7^	30.4	49.8
45-64	8,051	42.2^	32.3	52.7	535,031	45.9	39.5	52.5
65+	4,228	34.2	26.0	43.4	283,502	30.3	25.2	36.1
Race								
White, NH	17,258	44.0	36.7	51.7	698,173	33.3	29.0	37.8
Black, NH		#			188,077	58.3^	44.8	70.6
Hispanic		#			170,166	46.0^	30.4	62.5
Other, NH		#			36,674	21.7^	12.1	35.9
Sex								
Male	9,396	38.4^	28.1	49.9	430,886	32.6	26.2	39.7
Female	9,385	47.5	38.0	57.2	662,205	40.4	35.1	45.8
Age-adjusted ^{&}		39.4	31.6	47.8		35.4	31.0	40.0


* Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults overweight or obese*




		Tug Hill S	Seaway			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	121,643	65.7	60.7	70.4	8,631,360	60.9	58.4	63.3
Age								
18-24	10,139	33.9^	20.5	50.5	656,771	36.6	28.8	45.2
25-34	25,413	76.3^	65.1	84.8	1,528,245	62.4	55.9	68.4
35-44	17,232	63.7^	52.3	73.7	1,362,541	58.6	50.8	66.0
45-64	45,015	75.0	69.3	80.0	3,335,153	70.0	66.8	73.1
65+	23,112	68.8	63.0	74.1	1,632,723	62.1	58.1	65.9
Race								
White, NH	106,346	68.2	63.9	72.2	5,260,942	61.5	59.3	63.5
Black, NH		#			1,520,031	73.1	63.8	80.7
Hispanic		#			1,346,413	60.5	52.9	67.5
Other, NH		#			503,974	38.4^	28.1	49.9
Sex								
Male	71,264	72.8	66.6	78.2	4,736,847	67.1	63.2	70.8
Female	50,380	57.7	50.0	65.1	3,894,512	54.7	51.4	57.9
Age-adjusted ^{&}		66.4	62.3	70.3		60.5	57.9	63.0

* Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who participated in leisure time physical activity in the past 30 days^{*}




		Tug Hill S	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	141,616	72.0	66.8	76.6	10,681,161	72.8	70.6	74.9
Age								
18-24	25,424	81.1^	64.0	91.2	1,601,630	84.1	78.5	88.5
25-34	29,940	74.7^	53.1	88.5	1,900,064	73.1	67.1	78.4
35-44	21,774	75.7^	65.2	83.7	1,722,858	71.5	63.8	78.1
45-64	43,457	70.3	64.5	75.5	3,443,881	70.8	67.5	73.8
65+	20,676	61.6	55.6	67.3	1,840,519	69.5	66.1	72.7
Race								
White, NH	116,008	71.6	67.6	75.3	6,662,678	75.8	74.0	77.4
Black, NH		#			1,525,317	73.8	66.8	79.7
Hispanic		#			1,507,430	62.4	55.4	68.9
Other, NH		#			985,735	70.6^	56.9	81.3
Sex								
Male	71,557	70.6	61.9	78.0	5,439,883	77.3	74.6	79.8
Female	70,059	73.5	68.0	78.3	5,241,278	68.6	65.3	71.7
Age-adjusted ^{&}		72.2	67.3	76.6		72.9	70.5	75.1

* Any physical activities or exercises such as running or walking

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume one or more sugary drinks daily*




		Tug Hill S	Seaway			State	wide	
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
[
Total	63,293	32.7	27.4	38.5	3,402,766	23.8	21.5	26.3
Age								
18-24	14,944	48.5^	30.9	66.5	670,630	36.9	28.0	46.7
25-34	19,800	49.6^	34.7	64.6	733,289	28.9	22.5	36.4
35-44	12,524	44.3^	33.7	55.4	769,136	32.4	25.4	40.3
45-64	10,300	17.1	13.1	21.9	839,390	17.6	15.0	20.5
65+	5,481	16.6	12.1	22.4	348,734	13.7	11.1	16.9
Race								
White, NH	45,635	28.7	24.6	33.2	1,754,487	20.4	18.3	22.8
Black, NH		#			671,592	33.6	25.4	43.0
Hispanic		#			700,337	29.8	23.7	36.8
Other, NH		#			276,350	20.4^	10.6	35.5
Sex								
Male	38,945	39.0	31.2	47.3	1,782,648	26.0	22.5	29.8
Female	24,348	26.0	19.7	33.5	1,620,118	21.8	18.7	25.3
Age-adjusted ^{&}		32.9	28.4	37.8		24.7	22.2	27.4

* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who consume fast-food three or more times per week




		Tug Hill S	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	12,921	6.7	4.5	10.0	817,815	5.8	4.8	6.9
Age								
18-24		#			172,464	9.7	6.9	13.6
25-34		#			252,437	10.0	6.9	14.2
35-44		#			106,397	4.5	3.2	6.3
45-64	3,521	5.9	3.4	10.1	234,582	5.0	3.3	7.4
65+	1,283	4.0	2.1	7.3	47,255	1.9	1.3	2.7
Race								
White, NH	11,944	7.6	5.0	11.3	433,016	5.1	4.4	5.9
Black, NH		#			122,943	6.2	4.1	9.3
Hispanic		#			219,779	9.6	5.6	16.0
Other, NH		#			42,077	3.2	1.8	5.5
Sex								
Male	9,263	9.3	5.9	14.5	560,514	8.2	6.6	10.3
Female	3,658	4.0	1.6	9.2	257,301	3.5	2.6	4.8
Age-adjusted ^{&}		6.3	4.3	9.1		5.9	4.9	7.0

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed diabetes*




		Tug Hill	Seaway			State	wide	
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	20,276	10.2	8.3	12.4	1,456,783	9.5	8.4	10.8
Age								
18-24		#			8,338	0.4	0.2	0.8
25-34		#			58,319	2.1	0.8	5.5
35-44		#			111,205	4.5	2.5	7.7
45-64	8,231	13.1	10.1	16.8	714,501	14.2	11.9	16.9
65+	8,650	25.2	20.2	30.9	525,500	19.1	16.3	22.2
Race								
White, NH	18,618	11.3	9.3	13.7	781,028	8.6	7.6	9.6
Black, NH		#			250,921	11.6	8.2	16.2
Hispanic		#			296,635	11.6	7.7	17.0
Other, NH		#			128,200	8.9	5.4	14.4
Sex								
Male	10,477	10.2	7.4	13.8	795,054	10.9	9.0	13.1
Female	9,799	10.1	7.8	13.0	661,729	8.3	7.0	9.7
Age-adjusted ^{&}		10.0	8.3	12.0		8.9	7.9	10.1

* As diagnosed by a health professional.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who are current smokers




		Tug Hill S	Seaway			State	wide	
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	39,735	20.2	16.7	24.2	2,311,528	15.6	14.0	17.4
Age								
18-24	8,005	25.7^	13.9	42.6	254,033	13.0	9.8	17.0
25-34	8,331	20.7^	12.7	31.8	524,783	19.7	14.3	26.7
35-44	8,447	29.5^	20.4	40.8	427,187	17.6	13.3	23.0
45-64	11,760	18.9	14.6	24.2	937,977	19.2	16.7	22.1
65+	3,023	9.0	6.1	13.1	149,820	5.7	4.7	6.8
Race								
White, NH	34,300	21.2	17.6	25.3	1,598,923	18.1	16.0	20.3
Black, NH		#			314,837	15.0	10.0	21.7
Hispanic		#			303,908	12.4	8.8	17.1
Other, NH		#			93,860	6.7	4.3	10.3
Sex								
Male	22,900	22.6	17.3	29.0	1,331,531	18.8	15.9	22.1
Female	16,835	17.6	13.6	22.6	979,997	12.7	11.1	14.4
Age-adjusted ^{&}		20.8	17.3	24.8		15.9	14.1	17.7

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with annual household income less than \$25,000 who are current smokers




		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	13,777	23.9	17.0	32.6	910,061	23.6	19.2	28.7
Age								
18-24		#			84,893	16.1	9.8	25.4
25-34		#			254,993	32.7^	18.8	50.6
35-44		#			141,275	24.5	15.5	36.5
45-64	4,736	28.0^	17.0	42.4	354,621	31.5	24.7	39.1
65+	1,098	9.0	4.7	16.4	63,044	7.9	5.6	11.0
Race								
White, NH	10,304	23.9	17.2	32.2	562,213	32.6	25.7	40.3
Black, NH		#			187,054	28.1^	17.8	41.4
Hispanic		#			119,918	11.3	7.1	17.6
Other, NH		#			40,876	10.0	5.0	19.2
Sex								
Male	9,217	28.9^	17.7	43.3	507,987	30.0	21.9	39.5
Female	4,560	17.7	11.0	27.3	402,073	18.6	14.7	23.3
Age-adjusted ^{&}		29.0	21.9	37.2		24.2	20.0	28.9

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers




		Tug Hill	Seaway			State	wide	
	Est. # of	. .	Lower	Upper	Est. # of	. .	Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	8,005	25.7^	13.9	42.6	254,033	13.0	9.8	17.0
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	7,560	34.9^	20.1	53.4	188,030	19.4	14.8	25.2
Black, NH		#			21,086	6.1	2.8	13.1
Hispanic		#			33,121	9.8^	4.6	19.9
Other, NH		#			11,797	3.8	1.4	10.0
Sex								
Male		#			153,298	15.5	10.7	21.8
Female		#			100,736	10.4	6.6	16.0
Age-adjusted ^{+,&}								

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines^{*}



		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	24,874	78.1	71.7	83.4	2,225,651	80.9	77.7	83.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	22,475	77.5	71.3	82.6	1,417,374	79.0	75.9	81.8
Black, NH		#			347,690	87.0^	73.4	94.3
Hispanic		#			309,667	83.8^	70.9	91.6
Other, NH		#			150,920	79.7^	61.2	90.7
Sex								
Male		#				#		
Female	24,874	78.1	71.7	83.4	2,225,651	80.9	77.7	83.7
Age-adjusted ^{+,&}								


* Mammogram within past 2 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines^{*}



		Tug Hill Seaway				StatewideEst. # ofLowerUpperAdultsPercent95% limit95% limit554,88076.769.682.6		
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit		Percent		
Total Age⁺	6,822	69.6^	53.4	82.0	554,880	76.7	69.6	82.6
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	4,804	63.0^	49.5	74.7	232,138	66.5	57.9	74.1
Black, NH		#			139,053	95.4	89.6	98.1
Hispanic		#			134,524	82.0^	61.8	92.7
Other, NH		#			49,165	76.3^	44.1	93.0
Sex								
Male		#				#		
Female	6,822	69.6^	53.4	82.0	554,880	76.7	69.6	82.6
Age-adjusted ^{+,&}								


* Mammogram within past 2 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines^{*}



		Tug Hill	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	52,368	75.8	66.6	83.1	4,362,995	80.6	75.7	84.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	43,981	77.2	70.8	82.5	2,640,598	84.5	82.2	86.6
Black, NH		#			711,417	84.5^	72.6	91.8
Hispanic		#			684,308	78.0^	66.2	86.6
Other, NH		#			326,671	57.1^	31.0	79.8
Sex								
Male		#				#		
Female	52,368	75.8	66.6	83.1	4,362,995	80.6	75.7	84.7
Age-adjusted ^{+,&}								


* Pap test within past 3 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines^{*}



		Tug Hill Seaway				Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	
Total Age⁺	12,715	74.4^	60.8	84.4	1,068,153	75.3^	63.2	84.4	
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	9,415	70.7^	56.6	81.7	433,489	74.8	68.6	80.2	
Black, NH		#			283,693	93.7	87.8	96.8	
Hispanic		#			292,551	77.4^	61.6	88.0	
Other, NH		#			58,419	36.7^	8.5	78.5	
Sex									
Male		#				#			
Female	12,715	74.4^	60.8	84.4	1,068,153	75.3^	63.2	84.4	
Age-adjusted ^{+,&}									

* Pap test within past 3 years.


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



		Tug Hill	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	44,151	66.2	60.3	71.6	3,471,945	69.3	66.3	72.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	40,417	66.5	61.5	71.2	2,335,990	70.4	67.9	72.7
Black, NH		#			514,345	69.6^	57.5	79.4
Hispanic		#			416,087	70.6^	58.4	80.4
Other, NH		#			205,524	57.4^	39.9	73.2
Sex								
Male	22,707	66.3	58.7	73.2	1,545,645	66.8	62.1	71.2
Female	21,443	66.0	56.8	74.2	1,926,301	71.5	67.5	75.2
Age-adjusted ^{+,&}								

* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines^{*}



		Tug Hill :	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	10,963	60.6^	46.4	73.1	736,005	61.4	54.7	67.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	8,925	63.4	54.0	71.8	345,064	57.6	51.4	63.7
Black, NH		#			155,775	60.0^	38.7	78.0
Hispanic		#			187,721	75.1^	60.9	85.4
Other, NH		#			47,444	52.8^	29.9	74.5
Sex								
Male	5,943	75.3^	62.5	84.8	253,900	51.4^	41.0	61.6
Female	5,020	49.2^	31.5	67.0	482,104	68.5	60.2	75.7
Age-adjusted ^{+,&}								


* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults who had a test for high blood sugar or diabetes within the past three years




		Tug Hill S	Seaway		Statewide			
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	100,406	57.7	52.1	63.1	7,849,939	58.7	56.0	61.5
Age								
18-24	9,640	31.2^	16.4	51.0	503,420	26.8	20.2	34.6
25-34	24,202	64.3^	50.4	76.2	1,337,915	51.0	44.1	57.9
35-44	11,363	41.8^	31.7	52.7	1,475,455	63.3	56.2	69.9
45-64	35,594	67.4	61.0	73.2	2,822,324	68.0	64.3	71.4
65+	18,919	77.9	72.2	82.6	1,541,702	71.4	66.8	75.6
Race								
White, NH	80,591	57.4	52.5	62.1	4,823,563	61.0	58.6	63.4
Black, NH		#			1,240,630	65.1	55.4	73.7
Hispanic		#			1,203,330	53.5	46.1	60.8
Other, NH		#			582,416	44.7^	31.9	58.2
Sex								
Male	48,443	54.2	46.2	62.1	3,534,063	56.3	52.1	60.4
Female	51,962	61.3	53.5	68.6	4,315,875	60.9	57.2	64.5
Age-adjusted ^{&}		58.3	53.7	62.9		59.1	56.6	61.6

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




		Tug Hill	Seaway		Statewide			
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	5,948	3.3	2.3	4.7	783,799	5.8	4.6	7.2
Age								
18-24		#			57,540	2.9	0.7	10.7
25-34		#			43,246	1.6	1.0	2.7
35-44		#			198,127	8.5	4.4	16.0
45-64	1,837	3.4	2.0	5.7	283,693	6.7	5.3	8.5
65+	2,135	8.5	5.4	13.1	171,261	7.8	6.2	9.9
Race								
White, NH	5,121	3.5	2.6	4.9	489,253	6.0	4.8	7.4
Black, NH		#			96,242	5.2	2.9	9.2
Hispanic		#			81,294	3.6	1.8	7.2
Other, NH		#			117,011	8.9^	3.2	22.3
Sex								
Male	1,761	1.9	1.1	3.4	377,968	5.9	4.1	8.5
Female	4,187	4.8	3.1	7.4	405,832	5.6	4.3	7.3
Age-adjusted ^{&}		3.7	2.6	5.1		5.9	4.6	7.5

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure




		Tug Hill S	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	64,468	32.3	27.8	37.2	4,323,615	28.3	26.5	30.3
Age								
18-24	4,212	13.4^	6.4	26.0	103,520	5.2	3.3	8.0
25-34	9,689	23.8^	10.2	46.2	299,126	10.9	7.8	15.0
35-44	6,274	21.7^	14.1	31.8	470,752	18.9	14.1	24.8
45-64	22,975	36.5	31.2	42.3	1,715,223	34.1	31.2	37.2
65+	20,853	60.9	54.8	66.7	1,654,516	60.4	56.5	64.2
Race								
White, NH	55,282	33.6	30.1	37.3	2,701,979	29.7	28.0	31.4
Black, NH		#			740,669	34.2	27.2	42.0
Hispanic		#			609,542	23.8	18.7	29.9
Other, NH		#			271,424	18.9	12.7	27.1
Sex								
Male	39,069	38.2	30.8	46.1	2,116,294	29.0	26.2	32.1
Female	25,399	26.1	22.0	30.8	2,207,320	27.7	25.3	30.2
Age-adjusted ^{&}		32.1	27.8	36.8		27.3	25.6	29.1

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication




		Tug Hill S	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	50,279	78.0	70.2	84.2	3,243,246	75.2	71.5	78.5
Age								
18-24		#			8,688	8.4	3.9	17.4
25-34		#			96,762	32.4^	18.9	49.5
35-44		#			186,971	39.7^	26.7	54.3
45-64	20,550	89.4	84.1	93.1	1,395,152	81.6	77.8	84.9
65+	19,501	93.5	88.8	96.3	1,497,501	90.8	86.9	93.6
Race								
White, NH	44,412	80.3	74.4	85.1	2,081,796	77.4	74.1	80.3
Black, NH		#			552,688	74.6^	60.0	85.3
Hispanic		#			420,934	69.1^	56.3	79.5
Other, NH		#			187,828	69.2^	50.8	83.0
Sex								
Male	27,531	70.5^	57.9	80.5	1,525,386	72.2	66.5	77.2
Female	22,749	89.6	84.2	93.2	1,717,859	78.1	73.2	82.4
Age-adjusted ^{&}		67.7^	57.3	76.6		55.6	51.1	60.0

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with current asthma*



		Tug Hill S	Seaway		Statewide			
F	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	22,749	11.5	8.4	15.5	1,520,940	10.0	8.9	11.3
Age								
18-24		#			170,340	8.6	6.2	11.8
25-34	3,200	7.9	4.0	15.0	322,447	11.7	8.2	16.4
35-44	4,896	16.9^	9.7	27.7	240,590	9.7	7.1	13.0
45-64	7,590	12.1	8.7	16.5	551,257	11.1	9.3	13.3
65+	3,117	9.2	6.2	13.4	222,952	8.1	6.5	10.1
Race								
White, NH	16,002	9.8	7.7	12.3	946,198	10.4	9.1	11.9
Black, NH		#			199,011	9.2	6.5	12.9
Hispanic		#			283,809	11.3	7.9	16.0
Other, NH		#			91,921	6.4	4.0	10.0
Sex								
Male	9,164	9.0	6.2	12.9	504,039	7.0	5.6	8.6
Female	13,585	14.0	8.9	21.4	1,016,901	12.8	11.1	14.8
Age-adjusted ^{&}		12.0	9.0	15.8		10.1	8.9	11.4


* Physician diagnosed asthma.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percent of adults with cholesterol checked*




		Tug Hill S	Seaway		Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	147,720	76.6	71.4	81.1	12,572,076	84.2	81.7	86.3
Age								
18-24	6,753	25.5^	14.3	41.4	891,216	49.0	39.4	58.6
25-34	26,580	66.9^	53.1	78.3	1,896,541	71.3	63.9	77.7
35-44	22,882	79.0^	68.2	86.8	2,197,539	88.9	85.0	91.8
45-64	57,695	92.3	88.1	95.1	4,694,424	93.8	91.2	95.6
65+	32,527	96.2	92.8	98.1	2,641,873	97.2	95.8	98.2
Race								
White, NH	127,670	79.5	74.9	83.5	7,746,530	87.0	84.7	89.0
Black, NH		#			1,730,762	81.9	73.0	88.3
Hispanic		#			1,923,116	77.3	70.1	83.1
Other, NH		#			1,171,667	81.9^	67.3	90.8
Sex								
Male	75,368	75.5	68.5	81.5	5,864,748	82.0	78.2	85.2
Female	72,352	77.8	69.7	84.2	6,707,327	86.2	82.9	88.9
Age-adjusted ^{&}		76.8	72.8	80.4		83.4	81.2	85.4

* As diagnosed by a health professional.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Percentage of adults 18 years and older with elevated cholesterol*



		Tug Hill S	Seaway		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	55,600	37.7	33.2	42.5	4,711,105	37.7	35.4	40.1
Age								
18-24		#			124,288	14.0	8.0	23.2
25-34	5,091	19.2^	8.9	36.4	435,898	23.0	16.9	30.5
35-44	4,842	21.2^	13.0	32.5	620,994	28.3	22.0	35.6
45-64	27,236	47.4	41.1	53.8	2,009,889	43.1	39.8	46.4
65+	16,514	51.1	45.0	57.2	1,439,336	55.4	51.3	59.4
Race								
White, NH	51,192	40.2	36.1	44.5	3,102,928	40.3	38.2	42.4
Black, NH		#			561,511	33.1	25.6	41.6
Hispanic		#			727,074	37.8	30.7	45.5
Other, NH		#			319,592	27.3^	18.7	38.1
Sex								
Male	30,281	40.3	32.8	48.4	2,369,080	40.5	37.0	44.3
Female	25,319	35.1	30.2	40.2	2,342,025	35.2	32.4	38.2
Age-adjusted ^{&}		34.2	28.9	40.0		34.5	32.1	37.0


* As diagnosed by a health professional.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Tug Hill Seaway Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition^{*}



		Tug Hill S	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	10,075	9.2	6.8	12.3	713,905	10.2	8.5	12.2
Age								
18-24		#			11,969	2.9	1.4	6.1
25-34		#			137,115	17.9^	9.2	31.8
35-44		#			51,465	6.0	3.8	9.2
45-64	3,873	9.9	6.5	14.8	282,601	10.2	8.0	13.0
65+	3,423	12.3	8.7	17.1	208,847	10.1	8.0	12.7
Race								
White, NH	8,184	8.9	6.8	11.5	398,657	8.8	7.0	11.1
Black, NH		#			143,698	14.2	9.5	20.7
Hispanic		#			92,991	8.7	4.5	16.4
Other, NH		#			78,559	19.0^	10.4	32.2
Sex								
Male	4,637	7.8	5.0	11.8	324,668	10.2	7.7	13.4
Female	5,437	10.9	7.2	16.1	389,237	10.2	8.0	12.9
Age-adjusted ^{&}		9.1	6.3	13.1		9.7	7.7	12.3

* Courses for high blood pressure, arthritis, or diabetes.


& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Tug Hill Seaway Prevent Chronic Diseases

Frevent chi onic Diseases

Percentage of adults with arthritis*



		Tug Hill S	Seaway			State	wide	
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	58,935	29.5	25.9	33.5	3,491,206	22.9	21.3	24.6
Age								
18-24		#			40,067	2.0	1.1	3.6
25-34	4,945	12.2	6.9	20.7	228,246	8.3	5.9	11.7
35-44	6,901	23.7	15.3	34.6	323,152	12.9	9.4	17.5
45-64	23,290	37.0	31.5	43.0	1,465,151	29.2	26.5	32.1
65+	20,670	60.3	54.3	66.0	1,353,867	49.3	45.4	53.2
Race								
White, NH	54,762	33.3	29.7	37.2	2,474,787	27.2	25.6	28.9
Black, NH		#			400,524	18.5	13.4	24.9
Hispanic		#			460,563	18.0	13.6	23.4
Other, NH		#			155,331	10.8	7.2	15.8
Sex								
Male	28,639	27.9	22.6	33.9	1,258,898	17.3	15.2	19.6
Female	30,296	31.3	26.3	36.7	2,232,309	28.0	25.7	30.4
Age-adjusted ^{&}		30.0	26.7	33.5		21.8	20.3	23.3


* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity




		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	183,414	94.6	92.3	96.2	13,107,891	91.3	89.8	92.6
Age								
18-24	29,562	96.0	87.2	98.8	1,641,319	87.9	80.9	92.5
25-34	38,726	96.7	90.8	98.8	2,218,379	86.6	80.9	90.8
35-44	26,518	93.6	85.9	97.2	2,218,331	93.4	90.6	95.4
45-64	56,679	92.7	87.7	95.8	4,372,743	92.2	90.1	93.9
65+	30,828	94.9	91.4	97.0	2,447,810	94.7	92.7	96.1
Race								
White, NH	150,939	94.8	92.6	96.4	8,055,698	93.1	91.7	94.3
Black, NH		#			1,798,763	89.3	83.3	93.4
Hispanic		#			1,963,304	84.3	78.2	89.0
Other, NH		#			1,290,125	94.0	88.9	96.9
Sex								
Male	95,152	94.7	91.0	97.0	6,375,291	92.5	90.3	94.3
Female	88,262	94.4	91.4	96.4	6,732,600	90.1	87.9	91.9
Age-adjusted ^{&}		94.4	92.2	96.1		91.3	89.8	92.6

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



		Tug Hill	Seaway			State	wide	Upper 95% limit 34.5 34.5 38.1 59.7 45.0 35.7 36.2	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	12,620	38.0	32.3	44.1	802,383	30.8	27.3	34.5	
Age⁺									
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	11,720	37.2	31.5	43.2	600,059	31.3	28.3	34.5	
Black, NH		#			61,485	22.9^	12.6	38.1	
Hispanic		#			96,513	39.1^	21.8	59.7	
Other, NH		#			44,326	25.2^	12.2	45.0	
Sex									
Male	6,220	40.7	31.9	50.0	324,764	30.4	25.5	35.7	
Female	6,400	35.8	28.4	43.9	477,619	31.1	26.4	36.2	
Age-adjusted ^{+,&}									


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote a Healthy and Safe Environments

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury^{*}



		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	5,188	41.1^	31.6	51.3	304,376	38.3	32.2	44.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	4,494	38.3^	29.0	48.6	223,708	37.6	32.1	43.4
Black, NH		#			33,030	53.7^	28.5	77.2
Hispanic		#			31,933	34.1^	11.7	66.8
Other, NH		#			15,705	35.4^	12.0	68.8
Sex								
Male	1,618	26.0^	15.1	40.9	103,371	32.2	24.1	41.5
Female	3,570	55.8^	42.1	68.7	201,005	42.5	33.9	51.5
Age-adjusted ^{+,&}								


* Falls that limited regular activities or lead to doctor visits.

& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	18,590	33.4	27.1	40.3	1,662,747	37.3	34.0	40.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	14,189	28.2	23.4	33.6	957,863	33.7	31.0	36.4
Black, NH		#			347,642	52.3^	40.1	64.2
Hispanic		#			270,194	44.2^	31.2	58.1
Other, NH		#			87,049	26.2^	15.7	40.4
Sex								
Male	10,861	38.1	29.9	47.2	929,342	43.4	38.2	48.7
Female	7,728	28.4^	19.2	39.8	733,405	31.7	27.6	36.1
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



		Tug Hill S	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
r	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	85,569	43.8	38.9	48.7	6,798,706	46.7	44.3	49.2
Age								
18-24	10,446	33.3^	18.3	52.7	600,414	31.7	23.4	41.5
25-34	15,071	37.6^	25.1	52.0	907,897	35.3	29.0	42.1
35-44	8,308	29.3^	20.3	40.2	981,422	41.1	33.9	48.6
45-64	27,076	44.3	38.3	50.4	2,282,268	47.4	44.1	50.8
65+	24,084	71.8	66.0	77.0	1,895,586	72.1	67.9	75.9
Race								
White, NH	69,611	43.3	39.3	47.4	4,296,522	49.3	47.1	51.5
Black, NH		#			718,122	35.0	27.6	43.3
Hispanic		#			971,941	40.8	34.1	47.8
Other, NH		#			812,120	58.5^	45.1	70.7
Sex								
Male	44,505	44.1	37.2	51.2	3,045,064	43.8	40.1	47.5
Female	41,063	43.4	36.8	50.2	3,753,643	49.5	46.2	52.8
Age-adjusted ^{&}		43.1	38.6	47.6		46.0	43.4	48.6


* Includes flu shot or flu spray

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



		Tug Hill	Seaway			State	Lower Upper 95% limit 95% limit 67.9 75.9 73.9 79.6 23.8 55.5 47.8 84.3 51.4 89.7		
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	24,084	71.8	66.0	77.0	1,895,586	72.1	67.9	75.9	
Age ⁺									
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	22,895	71.8	65.9	77.0	1,484,360	76.9	73.9	79.6	
Black, NH		#			103,016	38.4^	23.8	55.5	
Hispanic		#			170,589	69.0^	47.8	84.3	
Other, NH		#			137,621	75.2^	51.4	89.7	
Sex									
Male	12,604	80.6	72.9	86.6	802,715	73.9	67.7	79.3	
Female	11,480	64.1	55.8	71.6	1,092,871	70.8	65.0	76.0	
Age-adjusted ^{+,&}									

* Includes flu shot or flu spray


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



		Tug Hill	Seaway			1,303,462 71.4 68.1 74.4 123,843 48.9° 30.2 67.8 104,466 45.7° 27.5 65.3		
-	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit		Percent		
Total	23,094	70.5	64.7	75.7	1,617,276	65.1	60.7	69.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	22,136	71.2	65.5	76.3	1,303,462	71.4	68.1	74.4
Black, NH		#			123,843	48.9^	30.2	67.8
Hispanic		#			104,466	45.7^	27.5	65.3
Other, NH		#			85 <i>,</i> 505	48.1^	27.7	69.2
Sex								
Male	10,214	67.9	58.9	75.8	631,549	62.4	56.7	67.7
Female	12,881	72.7	65.0	79.3	985,727	66.9	60.5	72.7
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



		Tug Hill	Seaway			State	wide	Upper 95% limit 76.5 78.3 89.5 74.4 86.8 76.5	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	29,302	63.8^	50.3	75.5	2,268,176	70.7	64.0	76.5	
Age⁺									
18-24									
25-34									
35-44									
45-64									
65+									
Race									
White, NH	20,566	62.5^	50.8	72.9	1,155,302	73.5	68.1	78.3	
Black, NH		#			426,771	78.8^	61.7	89.5	
Hispanic		#			412,421	62.2^	48.3	74.4	
Other, NH		#			273,683	63.0^	30.7	86.8	
Sex									
Male		#				#			
Female	29,302	63.8^	50.3	75.5	2,268,176	70.7	64.0	76.5	
Age-adjusted ^{+,&}									


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	34,941	74.2^	63.8	82.5	2,615,375	72.5	66.5	77.8
Age ⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	22,853	67.5^	56.3	77.0	1,220,281	70.1	65.1	74.6
Black, NH		#			512,270	83.8^	68.8	92.4
Hispanic		#			606,739	76.3^	64.1	85.3
Other, NH		#			276,085	60.1^	30.5	83.8
Sex								
Male		#				#		
Female	34,941	74.2^	63.8	82.5	2,615,375	72.5	66.5	77.8
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



		Tug Hill	Seaway			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	68,414	88.2	82.6	92.1	5,351,099	87.2	83.4	90.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	53,239	86.2	79.7	90.8	3,178,979	91.6	90.0	93.0
Black, NH		#			916,108	93.3	88.7	96.1
Hispanic		#			807,553	76.0	66.5	83.5
Other, NH		#			448,460	71.8^	43.3	89.5
Sex								
Male		#				#		
Female	68,414	88.2	82.6	92.1	5,351,099	87.2	83.4	90.2
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Tug Hill Seaway				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	22,720	49.9^	37.4	62.5	1,268,971	39.3	33.7	45.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	17,601	54.2^	42.9	65.0	723,302	45.9	41.1	50.9
Black, NH		#			291,237	53.7^	35.5	71.0
Hispanic		#			192,904	28.5^	19.0	40.3
Other, NH		#			61,528	14.1^	6.5	27.9
Sex								
Male		#				#		
Female	22,720	49.9^	37.4	62.5	1,268,971	39.3	33.7	45.2
Age-adjusted ^{+,&}								


& Percent is age adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month




	Tug Hill Seaway				Statewide			
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	23,080	11.7	7.4	18.0	1,672,677	11.3	9.7	13.0
Age								
18-24		#			186,862	9.5	6.7	13.1
25-34	7,047	17.3^	5.3	43.7	418,716	15.7	10.2	23.4
35-44	2,371	8.3	4.3	15.5	259,463	10.5	7.0	15.4
45-64	4,855	7.8	5.5	11.0	587,164	12.1	10.3	14.2
65+	2,920	8.8	5.4	14.0	175,961	6.7	4.9	9.0
Race								
White, NH	13,943	8.6	6.3	11.5	1,072,012	12.0	10.2	14.2
Black, NH		#			237,227	11.2	7.0	17.5
Hispanic		#			264,437	11.0	7.1	16.6
Other, NH		#			99,001	7.0	3.9	12.2
Sex								
Male	9,832	9.7^	4.1	21.3	734,315	10.4	7.9	13.5
Female	13,248	13.9	8.5	21.9	938,362	12.1	10.2	14.2
Age-adjusted ^{&}		11.2	7.5	16.5		11.1	9.6	13.0

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Tug Hill Seaway				Statewide			
	Est. # of	- .	Lower	Upper	Est. # of	- .	Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	46,288	24.4	20.5	28.7	2,413,447	16.9	14.9	19.1
Age								
18-24	8,729	27.8^	15.8	44.2	515,466	27.1	19.4	36.6
25-34	15,445	43.6^	32.1	55.9	633,963	25.0	18.9	32.3
35-44	6,812	24.4	16.2	35.0	509,131	22.6	17.2	29.1
45-64	12,635	20.9	16.3	26.3	656,578	13.7	11.7	16.0
65+	2,667	8.0	4.9	12.8	86,636	3.4	2.7	4.2
Race								
White, NH	37,144	23.3	19.7	27.4	1,649,594	19.1	17.0	21.5
Black, NH		#			324,364	16.3^	9.4	26.8
Hispanic		#			277,966	11.6	7.7	17.1
Other, NH		#			161,523	12.4	6.8	21.7
Sex								
Male	29,829	31.1	25.3	37.6	1,567,117	22.8	19.3	26.8
Female	16,460	17.5	13.0	23.2	846,330	11.4	9.6	13.4
Age-adjusted ^{&}		24.5	20.8	28.6		17.7	15.6	20.0


* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Tug Hill Seaway				Statewide			
	Est. # of	Deveent	Lower	Upper	Est. # of	Democrat	Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	6,154	26.8^	13.6	45.9	519,245	31.8	24.1	40.6
Age								
18-24		#			64,468	35.6^	22.4	51.5
25-34		#			192,926	47.3^	24.8	70.8
35-44		#			70,340	27.6^	16.6	42.1
45-64	1,605	33.7^	20.4	50.2	177,977	31.2	24.0	39.5
65+		#			13,368	7.7	4.1	13.9
Race								
White, NH	5,143	37.1^	22.6	54.4	423,246	39.9^	29.9	50.7
Black, NH		#			33,694	14.4^	7.7	25.3
Hispanic		#			45,968	18.1^	9.4	31.9
Other, NH		#			16,336	19.6^	9.4	36.5
Sex								
Male		#			272,857	38.4^	24.1	55.0
Female	4,386	33.3^	15.4	57.9	246,388	26.7	20.7	33.8
Age-adjusted ^{&}		31.0^	21.1	42.9		29.9	24.1	36.4

& Percent is age adjusted to the 2000 United States Population.

Rates with <10 in the numerator or <50 in the denominator are suppressed.