# eBRFSS 2013-2014 Health Indicators: Warren

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	15
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on r	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on	
	27
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines	28 ecent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ecent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ecent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ecent29303132
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	28 ecent3930313233
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	28 eccent3031323334
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked	28 ecent303132333435
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	28 ecent303132333435
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	28 ecent29303132343534353637
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis	28 ecent303132333435363738
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment	28 ecent30313233343536373839
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity	28 ecent30313233343536373839
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.	28 ecent3031323334353637383939
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ecent303132333435363738393940
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percentage of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.	28 ecent30313233343536373839394041
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with colrected taking high blood pressure medication  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).	28 ecent2930313233343536373939404242
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percentage of adults with cholesterol checked  Percentage of adults with have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 18+ years with flu immunization in the past year.	28 ecent29303132333435363939404142424243
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults with cholesterol checked  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year	28 ecent293031323334353637393940414242424344
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with hysician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year	28 ecent2930313233343536373940414242424445
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year	28 ecent293031323334353637383940414242424243444546
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 ecent293031323334353637383940414242424244454646
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with colorecter as thing high blood pressure medication.  Percentage of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 47-89 years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year.  Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	28 ecent293031323334353637383940414242424244454647
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with current asthma  Percentage of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Preventage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of women aged 18-44 years who had dental visit within the last year  Women aged 18-44 years who saw a doctor for a routine checkup within the last year.  Percentage of women aged 18-64 years with health care coverage.	28 ecent2930313233343536373839404142424445464748
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of women, Infants, and Children  Percentage of women aged 18-44 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.	28 ecent303132333435363738394041424244454646474849
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults with cholesterol checked with elevated cholesterol.  Percentage of adults with arthritis  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-44 years with health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.	28 ecent3031323334353637383940414242444546464647484950
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percentage of adults with cholesterol checked.  Percentage of adults with cholesterol checked.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of w	28 ecent2930313233343536373839404142454645464748495050
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on reguidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults with cholesterol checked with elevated cholesterol.  Percentage of adults with arthritis  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year  Percentage of women aged 18-44 years with health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.  Percentage of women aged 18-44 years whose health care coverage.	28 ecent293031323334353637383940414244454646474849505050505051

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults who did not receive medical care because of cost\*



	W	arren Cour	nty	North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	4,206	8.0	(5.2-12.0)	28,018	11.4	(9.4-13.7)	
Age							
18-24		#		4,414	11.9^	(5.7-23.4)	
25-34		#		5,416	17.9	(11.0-27.7)	
35-44		#		4,524	13.0	(8.2-20.0)	
45-64	2,009	9.2	(5.4-15.2)	10,765	11.6	(9.1-14.6)	
65+		#		2,625	5.2	(3.1-8.7)	
Race							
White, NH	4,206	9.6	(6.3-14.3)	25,274	11.8	(9.6-14.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#		1,436	10.0^	(4.6-20.1)	
Sex							
male		#		13,644	10.7	(7.7-14.7)	
female	2,824	10.4	(6.6-15.9)	14,374	12.1	(9.7-14.9)	
-adjusted <sup>&amp;</sup>		7.9	(5.0-12.2)		12.0	(9.8-14.6)	

<sup>\*</sup> Among people needing to see a doctor in the past 12 months


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults who have a regular health care provider



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	46,247	88.3	(82.8-92.2)	205,922	83.9	(80.8-86.6)
Age						
18-24		#		22,744	61.6	(47.4-74.2)
25-34		#		20,035	66.6	(57.8-74.3)
35-44		#		29,229	83.9	(77.7-88.7)
45-64	20,939	95.7	(91.4-97.9)	85,160	91.8	(89.1-93.9)
65+	11,494	97.2	(92.9-98.9)	47,824	96.1	(94.4-97.3)
Race						
White, NH	38,439	88.4	(83.4-92.1)	181,641	85.0	(82.2-87.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		12,078	84.6	(68.5-93.3)
Sex						
male	20,863	82.9^	(72.5-89.9)	98,478	77.7	(72.4-82.3)
female	25,384	93.3	(88.7-96.2)	107,444	90.5	(87.9-92.5)
Age-adjusted <sup>&amp;</sup>		85.1	(78.8-89.7)		82.3	(79.4-84.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

# Percentage of adults who had a dentist visit within the past year



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	35,193	73.4	(67.0-78.9)	154,725	67.0	(63.8-70.0)
Age						
18-24		#		23,796	69.1	(54.4-80.7)
25-34		#		17,522	61.9	(52.6-70.4)
35-44		#		23,269	71.2	(63.6-77.7)
45-64	15,090	75.1	(64.7-83.2)	60,242	68.6	(64.1-72.7)
65+	7,116	62.5	(50.2-73.4)	29,317	62.5	(57.8-67.0)
Race						
White, NH	29,927	72.3	(66.1-77.9)	134,170	66.5	(63.2-69.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,104	66.0^	(48.8-79.9)
Sex						
male	15,951	68.9^	(58.0-78.1)	74,708	62.7	(57.5-67.7)
female	19,242	77.6	(70.2-83.6)	80,018	71.5	(67.8-74.9)
Age-adjusted <sup>&amp;</sup>		74.3	(67.8-79.8)		67.0	(63.7-70.1)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults living with a disability\*



	W	arren Coui	nty	North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	13,210	26.1	(20.8-32.0)	60,646	25.2	(22.7-27.7)	
18-24		#		3,275	9.0	(4.6-16.7)	
25-34		#		5,204	17.7	(10.7-27.8)	
35-44		#		6,132	17.9	(12.9-24.2)	
45-64	5,915	28.7	(20.4-38.7)	26,345	29.2	(25.4-33.2)	
65+	4,281	36.2	(25.8-48.0)	19,465	39.5	(35.1-44.0)	
Race							
White, NH	12,212	28.4	(23.1-34.5)	55,271	26.2	(23.7-28.9)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#		3,669	28.2	(17.1-42.8)	
Sex							
male	6,520	26.3	(18.4-36.1)	29,650	23.9	(20.3-27.8)	
female	6,690	25.8	(19.5-33.3)	30,996	26.5	(23.4-29.9)	
e-adjusted <sup>&amp;</sup>		23.9	(18.8-29.8)		23.7	(21.3-26.4)	

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults aged 18-64 years with healthcare coverage



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	35,999	89.8	(83.6-93.9)	165,949	85.6	(82.2-88.4)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	28,801	90.4	(85.5-93.7)	144,277	87.0	(84.2-89.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		8,771	77.5	(56.1-90.3)
Sex						
male	17,502	89.2	(77.0-95.3)	84,358	83.2	(77.5-87.7)
female	18,497	90.4	(83.8-94.5)	81,591	88.1	(84.6-91.0)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,833	66.7^	(56.4-75.6)	127,809	65.9	(61.7-69.9)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	23,196	72.6	(65.3-78.9)	110,971	67.0	(63.1-70.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		7,845	68.7	(47.2-84.3)
Sex						
male	10,993	55.8	(40.7-69.9)	60,376	59.1	(52.7-65.3)
female	15,840	77.1	(66.5-85.1)	67,432	73.4	(68.7-77.7)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults experiencing housing insecurity in the past 12 months\*



	W	arren Cou	nty	North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	15,770	33.9	(27.4-40.9)	79,887	36.1	(32.9-39.6)	
18-24		#		11,808	41.7	(26.6-58.5)	
25-34		#		14,248	50.1	(40.4-59.8)	
35-44		#		13,402	43.6	(35.8-51.7)	
45-64	7,213	37.3^	(26.9-49.1)	31,270	36.3	(31.9-40.9)	
65+	2,168	18.9^	(11.1-30.2)	9,032	19.5	(15.9-23.5)	
Race							
White, NH	14,675	36.4	(30.2-43.2)	69,765	36.2	(33.0-39.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#		3,510	27.9^	(16.2-43.7)	
Sex							
male	7,473	32.7	(23.2-43.9)	39,358	34.5	(29.4-40.1)	
female	8,296	34.9	(26.9-43.9)	40,528	37.9	(33.9-42.0)	
e-adjusted <sup>&amp;</sup>		36.9	(29.9-44.5)		38.2	(34.7-41.9)	

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults experiencing food insecurity in the past 12 months\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,805	21.8	(16.3-28.6)	54,992	23.3	(20.4-26.4)
Age						
18-24		#		9,341	25.6	(15.1-40.0)
25-34		#		8,659	30.1	(21.5-40.2)
35-44		#		11,252	34.3	(26.9-42.5)
45-64	4,789	23.7	(16.0-33.6)	20,526	23.0	(19.4-27.0)
65+	1,541	13.2	(6.3-25.6)	5,056	10.5	(7.7-14.1)
Race						
White, NH	9,648	22.9	(17.4-29.6)	46,859	22.7	(20.0-25.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,675	20.4	(11.2-34.1)
Sex						
male	3,793	15.6	(9.6-24.3)	25,388	20.9	(16.6-25.9)
female	7,012	27.8	(19.7-37.8)	29,604	25.8	(22.3-29.7)
Age-adjusted <sup>&amp;</sup>		22.4	(16.3-30.0)		25.0	(21.9-28.3)

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults with poor self-reported health




	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,268	6.3	(3.6-10.7)	11,452	4.7	(3.7-5.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		1,574	4.5	(2.2-9.0)
45-64	1,391	6.4	(3.3-12.3)	4,871	5.3	(3.9-7.2)
65+		#		3,854	7.8	(5.2-11.5)
Race						
White, NH	3,075	7.1	(4.0-12.2)	10,405	4.9	(3.8-6.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,672	6.7	(2.9-14.5)	5,562	4.4	(3.0-6.4)
female	1,596	5.9	(2.8-11.9)	5,890	5.0	(3.6-6.8)
Age-adjusted <sup>&amp;</sup>		5.5	(3.0-10.0)		4.6	(3.5-5.9)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults who report 14 or more days of poor physical health\*



	Warren County				North Coun	itry
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,230	14.0	(9.8-19.7)	31,544	13.1	(11.1-15.5)
Age						
18-24		#			#	
25-34		#		2,490	8.2	(4.2-15.4)
35-44		#		3,606	10.6	(6.8-16.0)
45-64	2,623	12.3	(7.2-20.2)	15,979	17.7	(13.8-22.4)
65+	2,271	19.3	(10.2-33.5)	8,242	17.4	(13.6-21.9)
Race						
White, NH	6,996	16.4	(11.6-22.7)	26,807	12.9	(11.0-15.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		3,627	25.6^	(11.2-48.3)
Sex						
male	3,920	15.8	(9.1-25.9)	14,649	11.8	(9.2-15.0)
female	3,310	12.4	(7.9-19.0)	16,896	14.6	(11.6-18.2)
Age-adjusted <sup>&amp;</sup>		14.3	(9.8-20.5)		12.5	(10.5-14.7)

<sup>\*</sup> Out of the past 30 days.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults who are obese\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,424	30.5	(24.0-37.9)	69,111	29.7	(26.9-32.6)
Age						
18-24		#		6,455	18.8^	(11.4-29.4)
25-34		#		7,572	26.2	(19.0-34.9)
35-44		#		12,036	36.6	(29.2-44.7)
45-64	7,384	34.3^	(23.4-47.1)	30,053	34.0	(29.7-38.7)
65+	3,251	27.8	(18.8-39.0)	12,924	26.9	(23.1-31.0)
Race						
White, NH	12,094	28.9	(23.1-35.4)	59,501	28.8	(26.2-31.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,539	38.5	(23.1-56.6)
Sex						
male	6,346	25.2	(17.6-34.7)	35,574	28.8	(24.9-32.9)
female	9,078	35.7	(26.1-46.6)	33,537	30.7	(26.9-34.8)
Age-adjusted <sup>&amp;</sup>		30.5	(23.4-38.7)		30.0	(27.1-33.0)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,708	28.3^	(18.6-40.5)	16,539	28.2	(23.6-33.3)
Age						
18-24		#			#	
25-34		#		1,941	22.4^	(10.9-40.5)
35-44		#			#	
45-64		#		5,921	30.9	(23.5-39.5)
65+		#		4,769	29.8	(23.6-36.8)
Race						
White, NH	2,501	30.9^	(21.0-43.0)	13,731	27.4	(22.7-32.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		6,267	24.1	(17.4-32.2)
female	2,030	34.4	(22.1-49.2)	10,272	31.5	(25.5-38.2)
Age-adjusted <sup>&amp;</sup>		29.4^	(18.8-42.9)		29.7	(24.3-35.8)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults living with a disability who are obese\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,576	43.1	(32.1-54.9)	21,343	36.7	(31.9-41.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	2,624	44.9^	(30.3-60.4)	9,126	35.7	(29.2-42.9)
65+		#		6,663	36.4	(29.5-43.9)
Race						
White, NH	4,633	38.8	(28.0-50.9)	18,789	35.6	(30.7-40.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,851	44.2	(28.0-61.8)	9,247	32.2	(25.5-39.7)
female	2,725	42.0^	(28.0-57.5)	12,096	41.2	(34.8-47.9)
Age-adjusted <sup>&amp;</sup>		49.1^	(35.1-63.2)		37.7	(30.8-45.1)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults overweight or obese\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,459	64.2	(56.0-71.6)	150,027	64.4	(61.0-67.6)
Age						
18-24		#		14,473	42.2	(29.6-56.0)
25-34		#		17,264	59.8	(50.1-68.8)
35-44		#		24,149	73.4	(66.2-79.6)
45-64	13,974	64.9^	(49.8-77.5)	60,442	68.5	(63.4-73.1)
65+	9,360	79.9	(72.3-85.9)	33,445	69.5	(65.4-73.4)
Race						
White, NH	28,333	67.6	(61.3-73.4)	133,793	64.8	(61.5-68.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		6,822	57.9^	(40.1-73.9)
Sex						
male	16,049	63.8	(50.0-75.7)	84,846	68.6	(63.4-73.4)
female	16,410	64.5	(55.5-72.7)	65,181	59.6	(55.4-63.7)
Age-adjusted <sup>&amp;</sup>		62.0	(53.7-69.6)		64.8	(61.4-68.0)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	38,284	77.1	(71.3-82.1)	175,499	73.8	(70.8-76.5)
Age						
18-24		#		29,851	82.0^	(67.1-91.0)
25-34		#		23,329	81.0	(72.5-87.3)
35-44		#		24,720	73.2	(65.4-79.8)
45-64	14,277	70.8^	(59.9-79.7)	66,141	74.0	(69.8-77.8)
65+	8,271	71.2	(59.7-80.4)	30,956	63.7	(59.1-68.0)
Race						
White, NH	32,049	75.9	(70.0-80.9)	154,352	74.3	(71.5-76.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		9,362	71.3	(54.5-83.7)
Sex						
male	18,913	77.8	(68.2-85.1)	93,092	75.9	(71.2-80.0)
female	19,371	76.5	(69.2-82.6)	82,406	71.5	(67.7-75.0)
Age-adjusted <sup>&amp;</sup>		80.1	(74.8-84.6)		74.4	(71.3-77.2)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Prevent Chronic Diseases

#### Percentage of adults who consume one or more sugary drinks daily\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,061	23.1	(17.7-29.5)	67,716	29.1	(25.7-32.7)
Age						
18-24		#		20,919	59.4^	(45.8-71.7)
25-34		#		11,575	40.6	(31.2-50.8)
35-44		#		9,048	27.6	(21.3-34.9)
45-64	3,602	18.2	(11.8-27.0)	16,825	19.2	(15.8-23.1)
65+	1,963	17.0^	(9.2-29.3)	9,134	19.3	(15.4-23.8)
Race						
White, NH	9,478	22.9	(17.6-29.2)	57,041	28.0	(24.7-31.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,928	23.8	(13.4-38.7)
Sex						
male	6,747	29.3	(20.5-39.9)	46,475	38.9	(33.5-44.5)
female	4,314	17.3	(11.3-25.7)	21,240	18.8	(15.5-22.5)
Age-adjusted <sup>&amp;</sup>		25.6	(19.6-32.8)		30.1	(27.1-33.4)

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults who consume fast-food three or more times per week



#### **Warren County North Country** Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI **Total** 2,118 4.4 (2.3-8.2)12,105 5.2 (3.8-7.1)Age 18-24 # 3,395 9.7 (4.7-18.8)25-34 3,148 11.1 (5.5-21.2)# 35-44 # 1,831 5.6 (3.2-9.5)45-64 # 3,150 3.6 (2.1-6.0)65+ (0.6-2.3)# 561 1.2 Race White, NH 1,599 3.9 (2.2-6.7)9,640 4.8 (3.4-6.6)Black, NH # # Hispanic # # Other, NH # # Sex male # 9,610 8.1 (5.5-11.6)female # 2,495 2.2 (1.5-3.4)Age-adjusted<sup>&</sup> 4.8 (2.4-9.5)5.8 (4.2-7.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with physician diagnosed diabetes\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,490	8.5	(5.9-12.2)	23,236	9.4	(8.1-10.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		1,072	3.1	(1.6-6.0)
45-64	1,653	7.6	(3.9-14.2)	10,661	11.5	(9.1-14.3)
65+	2,276	18.8	(11.9-28.5)	10,593	21.1	(17.7-24.9)
Race						
White, NH	3,995	9.1	(6.3-13.1)	19,762	9.2	(7.9-10.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,930	13.4^	(7.1-24.0)
Sex						
male	2,549	10.0	(5.8-16.8)	12,352	9.7	(7.8-12.1)
female	1,940	7.1	(4.4-11.2)	10,884	9.1	(7.5-11.0)
Age-adjusted <sup>&amp;</sup>		7.4	(5.0-10.7)		8.1	(7.0-9.4)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults who are current smokers



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	9,357	18.7	(14.4-24.0)	51,412	21.4	(18.9-24.1)
18-24		#		7,759	21.1^	(13.3-31.8)
25-34 35-44		# #		9,359 8,623	32.0 <sup>^</sup> 25.2	(23.4-42.1) (19.0-32.6)
45-64	5,065	24.8	(17.0-34.7)	21,472	23.7	(20.0-27.8)
65+ <b>Race</b>	967	8.4	(4.5-15.0)	4,028	8.3	(6.3-10.8)
White, NH Black, NH	8,197	19.4 #	(14.9-24.7)	44,514	21.2 #	(18.6-24.0)
Hispanic		#			#	
Other, NH <b>Sex</b>		#		2,652	20.3^	(11.5-33.2)
male female	4,506 4,850	18.4 19.1	(12.2-26.7) (13.4-26.3)	24,983 26,429	20.1 22.7	(16.4-24.4) (19.5-26.2)
Age-adjusted <sup>&amp;</sup>		18.8	(14.1-24.8)		22.6	(19.9-25.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## **Prevent Chronic Diseases**

## Percentage of adults with annual household income less than \$25,000 who are current smokers



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,575	35.4	(24.2-48.4)	20,863	34.5	(29.0-40.4)
Age						
18-24		#			#	
25-34		#		3,373	38.1	(21.7-57.9)
35-44		#			#	
45-64		#		9,634	49.1	(40.4-57.7)
65+		#		1,911	11.7	(7.6-17.5)
Race						
White, NH	2,937	35.1	(24.3-47.6)	16,783	32.6	(26.9-38.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		7,341	28.5	(20.3-38.4)
female	2,958	45.5	(31.9-59.9)	13,522	38.9	(32.1-46.2)
Age-adjusted <sup>&amp;</sup>		34.0^	(23.2-46.6)		38.6	(32.3-45.3)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults aged 18-24 years who are current smokers



**North Country Warren County** Est. # of Est. # of **Adults Adults** Percent 95% CI Percent 95% CI **Total** # 7,759 21.1 (13.3-31.8)Age<sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race White, NH 20.5 # 6,162 (12.3-32.3)Black, NH # Hispanic # Other, NH # Sex male 6,217 26.2 (14.8-42.1)female # 1,542 11.8 (5.8-22.4)Age-adjusted+,&

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,736	78.3^	(67.9-86.0)	36,651	79.7	(75.1-83.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,276	79.4^	(69.0-87.0)	32,120	79.1	(74.5-83.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	7,736	78.3	(67.9-86.0)	36,651	79.7	(75.1-83.6)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Warren County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		10,027	70.8	(61.5-78.6)	
Age <sup>+</sup>							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		8,429	71.3	(61.5-79.5)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		10,027	70.8	(61.5-78.6)	
Age-adjusted+,&							

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

## **Prevent Chronic Diseases**

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,436	86.6	(79.4-91.6)	66,440	79.5	(73.7-84.3)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	12,577	86.1	(78.5-91.3)	60,761	83.0	(78.4-86.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	14,436	86.6	(79.4-91.6)	66,440	79.5	(73.7-84.3)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Warren County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age <sup>+</sup> 18-24		#		18,029	79.7	(71.7-85.9)	
25-34 35-44 45-64							
65+ <b>Race</b>							
White, NH Black, NH Hispanic Other, NH <b>Sex</b>		# # #		15,460	79.3 # # #	(70.4-86.1)	
male female Age-adjusted+,&		#		18,029	# 79.7	(71.7-85.9)	

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24	15,129	67.0 <sup>^</sup>	(52.6-78.7)	66,203	69.9	(65.1-74.2)
25-34 35-44 45-64 65+						
Race White, NH Black, NH Hispanic Other, NH Sex	14,214	74.2 # # #	(66.5-80.6)	58,021	71.0 # # #	(67.4-74.3)
male female Age-adjusted+,&	7,298 7,831	58.4 <sup>^</sup> 77.6	(37.4-76.8) (68.1-84.8)	33,025 33,179	67.6 72.3	(59.7-74.6) (67.4-76.7)

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Warren County			North Country			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	3,255	74.6^	(59.8-85.3)	14,192	59.6	(52.1-66.8)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		12,204	59.4	(51.4-66.9)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		5,411	54.2	(42.0-66.0)	
female		#		8,781	63.5	(54.3-71.8)	
Age-adjusted+,&							

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

## **Prevent Chronic Diseases**

## Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	27,625	59.9	(51.8-67.4)	118,562	54.9	(51.1-58.6)
Age						
18-24		#		9,729	28.2	(18.2-40.9)
25-34		#		12,071	41.2	(32.2-50.9)
35-44		#		15,058	45.5	(37.6-53.7)
45-64	13,194	67.0^	(53.4-78.3)	53,957	67.5	(62.4-72.3)
65+	6,939	75.1	(63.2-84.1)	27,414	71.5	(66.8-75.8)
Race						
White, NH	23,923	63.4	(56.7-69.7)	106,468	56.6	(52.9-60.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,889	40.8^	(22.0-62.7)
Sex						
male	12,922	58.0^	(45.6-69.5)	56,518	50.9	(45.3-56.6)
female	14,703	61.6	(51.0-71.2)	62,044	59.0	(54.4-63.5)
Age-adjusted <sup>&amp;</sup>		56.6	(48.6-64.1)		53.5	(50.2-56.8)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with physician-diagnosed prediabetes



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,668	5.6	(3.2-9.8)	13,102	6.0	(4.8-7.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	949	4.8	(2.2-9.9)	5,532	6.9	(5.1-9.2)
65+	1,252	12.9^	(5.3-28.4)	4,811	12.5	(8.9-17.3)
Race						
White, NH	2,463	6.3	(3.5-11.0)	12,050	6.3	(5.0-7.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		6,408	5.7	(4.1-7.8)
female	1,492	6.0	(3.2-11.1)	6,695	6.3	(4.6-8.6)
Age-adjusted <sup>&amp;</sup>		5.3	(2.9-9.4)		5.9	(4.6-7.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with physician-diagnosed high blood pressure



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,882	30.3	(24.6-36.6)	80,985	32.9	(30.1-35.9)
Age						
18-24		#			#	
25-34		#		5,394	17.8	(10.0-29.7)
35-44		#		6,113	17.6	(12.8-23.6)
45-64	7,112	32.7	(23.5-43.6)	35,673	38.5	(34.1-43.1)
65+	7,402	61.3	(51.2-70.5)	31,079	62.1	(57.8-66.2)
Race						
White, NH	15,012	34.4	(28.6-40.7)	71,982	33.6	(30.8-36.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,627	32.1	(19.7-47.7)
Sex						
male	8,649	34.0	(25.0-44.4)	44,134	34.7	(30.4-39.3)
female	7,234	26.7	(20.2-34.5)	36,851	31.0	(27.6-34.7)
Age-adjusted <sup>&amp;</sup>		24.5	(20.0-29.7)		30.0	(27.3-32.8)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## **Prevent Chronic Diseases**

#### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,294	83.7	(74.9-89.9)	61,682	76.3	(70.9-81.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		3,142	51.4	(35.3-67.2)
45-64	5,210	73.3	(58.4-84.2)	27,315	76.6	(70.0-82.0)
65+	7,099	95.9^	(81.4-99.2)	29,298	94.4	(91.1-96.6)
Race						
White, NH	12,815	85.4	(76.6-91.2)	55,009	76.6	(70.8-81.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	7,102	82.1	(69.4-90.3)	31,730	72.1	(64.0-78.9)
female	6,192	85.6	(71.3-93.4)	29,952	81.4	(74.2-87.0)
Age-adjusted <sup>&amp;</sup>		72.8^	(60.5-82.3)		55.4	(49.2-61.3)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with current asthma\*



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,281	10.2	(7.1-14.4)	30,846	12.6	(10.7-14.8)
Age						
18-24		#		4,764	12.9^	(6.8-23.2)
25-34		#		3,671	12.1	(6.2-22.3)
35-44		#		4,602	13.3	(9.0-19.1)
45-64	1,725	8.1	(4.6-14.1)	11,755	12.8	(10.2-15.9)
65+	1,368	11.4	(6.6-19.0)	5,923	11.8	(9.3-14.9)
Race						
White, NH	4,592	10.7	(7.5-15.0)	28,154	13.2	(11.1-15.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		1,056	7.3	(3.4-15.0)
Sex						
male	1,637	6.5	(3.3-12.3)	11,063	8.7	(6.6-11.5)
female	3,644	13.6	(8.9-20.2)	19,783	16.7	(13.7-20.3)
Age-adjusted <sup>&amp;</sup>		10.7	(7.1-15.8)		12.6	(10.5-15.1)

<sup>\*</sup> Physician diagnosed asthma.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percent of adults with cholesterol checked\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	45,119	87.5	(81.8-91.6)	192,776	79.7	(76.2-82.9)
Age						
18-24		#		12,967	36.8	(24.9-50.5)
25-34		#		17,273	58.8	(48.9-68.1)
35-44		#		27,030	79.4	(71.6-85.4)
45-64	20,936	95.6	(90.9-98.0)	86,788	94.0	(91.3-95.8)
65+	11,287	97.9	(93.0-99.4)	47,750	96.4	(94.9-97.6)
Race						
White, NH	37,680	88.4	(83.5-91.9)	169,614	80.8	(77.4-83.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		10,761	74.8^	(56.0-87.4)
Sex						
male	21,019	83.0^	(72.4-90.0)	94,035	75.4	(69.5-80.4)
female	24,100	91.9	(86.5-95.3)	98,741	84.4	(80.6-87.6)
Age-adjusted <sup>&amp;</sup>		84.7	(78.7-89.3)		77.4	(74.3-80.2)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## **Prevent Chronic Diseases**

# Percentage of adults 18 years and older with elevated cholesterol\*



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	14,818	33.0	(26.8-39.8)	74,553	38.8	(35.8-42.0)
18-24		#			#	
25-34 35-44		# #		3,314 6,778	19.2 <sup>^</sup> 25.1	(9.9-34.0) (18.4-33.2)
45-64	7,280	35.0^	(25.0-46.4)	35,468	41.0	(36.4-45.8)
65+ <b>Race</b>	6,276	55.8	(44.8-66.3)	28,575	60.3	(55.8-64.7)
White, NH Black, NH	13,922	37.1 #	(31.0-43.7)	67,637	40.0 #	(37.0-43.1)
Hispanic Other, NH <b>Sex</b>		# #		3,179	# 29.5 <sup>^</sup>	(16.8-46.6)
male female	7,177 7,641	34.1 <sup>^</sup> 31.9	(24.5-45.4) (24.4-40.5)	39,982 34,571	42.7 35.1	(37.9-47.6) (31.4-39.0)
Age-adjusted <sup>&amp;</sup>		25.3	(20.5-30.8)		31.7	(28.7-35.0)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,370	8.9	(4.7-16.3)	9,988	7.7	(6.0-9.7)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		5,290	9.3	(6.7-12.7)
65+		#		3,094	7.9	(5.2-12.0)
Race						
White, NH	2,109	8.6	(4.3-16.6)	8,517	7.3	(5.6-9.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,968	15.7	(7.5-29.7)	4,706	7.4	(5.0-10.9)
female		#		5,283	7.9	(6.0-10.4)
Age-adjusted <sup>&amp;</sup>		5.8	(3.1-10.5)		6.6	(5.0-8.6)

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

#### Percentage of adults with arthritis\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,824	31.9	(26.2-38.2)	73,148	29.8	(27.2-32.4)
Age						
18-24		#			#	
25-34		#		3,273	10.8	(5.6-20.0)
35-44		#		6,894	19.8	(14.5-26.4)
45-64	7,829	35.8	(26.0-46.9)	35,034	37.9	(33.5-42.4)
65+	6,952	57.6 <sup>^</sup>	(47.0-67.4)	26,699	53.3	(48.8-57.7)
Race						
White, NH	15,264	34.9	(29.3-40.9)	65,059	30.4	(27.9-33.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		4,661	32.5	(20.0-48.1)
Sex						
male	7,201	28.3	(20.0-38.4)	32,111	25.3	(21.7-29.3)
female	9,623	35.3	(28.0-43.4)	41,037	34.6	(31.2-38.1)
Age-adjusted <sup>&amp;</sup>		26.7	(21.9-32.0)		27.1	(24.7-29.5)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	W	arren Cour	nty	North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	46,904	96.5	(93.2-98.3)	222,821	95.5	(94.3-96.4)
Age						
18-24		#		34,874	98.6	(95.5-99.6)
25-34		#		26,562	92.4	(86.7-95.7)
35-44		#		31,219	95.2	(90.2-97.7)
45-64	19,569	97.4	(91.1-99.3)	84,111	95.1	(92.9-96.6)
65+	11,294	97.4	(93.5-99.0)	45,338	96.4	(94.8-97.5)
Race						
White, NH	40,963	97.5	(95.0-98.8)	194,850	95.4	(94.1-96.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		11,350	92.4^	(80.5-97.3)
Sex						
male	22,382	96.4	(89.0-98.9)	116,192	97.1	(95.5-98.1)
female	24,523	96.7	(93.0-98.5)	106,629	93.8	(91.8-95.3)
Age-adjusted <sup>&amp;</sup>		96.3	(91.8-98.3)		95.3	(93.8-96.4)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Health and Safe Environment

#### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,384	29.5^	(20.0-41.1)	14,556	30.5	(26.4-35.0)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,224	29.4	(19.7-41.4)	13,203	29.9	(25.7-34.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,506	28.4	(13.4-50.4)	7,014	30.6	(24.1-38.1)
female	1,878	30.4	(20.4-42.7)	7,542	30.4	(25.7-35.7)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		5,938	40.8	(32.4-49.8)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		5,210	39.5	(31.0-48.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		3,059	43.6	(29.9-58.4)
female		#		2,879	38.2	(29.3-48.0)
Age-adjusted+,&						

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,331	42.4^	(29.3-56.7)	32,843	39.6	(34.6-44.9)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,920	36.3	(27.6-45.9)	26,791	38.0	(33.9-42.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,515	47.5	(28.0-67.8)	21,469	49.2	(41.4-57.0)
female	2,816	35.0	(24.2-47.5)	11,374	29.0	(24.0-34.6)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 18+ years with flu immunization in the past year\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,001	53.3	(45.8-60.8)	110,154	46.8	(43.5-50.1)
Age						
18-24		#		12,030	34.2	(23.1-47.3)
25-34		#		11,377	39.5	(30.4-49.4)
35-44		#		9,920	30.2	(23.6-37.7)
45-64	10,589	52.5	(39.5-65.2)	40,255	45.2	(40.5-49.9)
65+	8,572	73.4	(61.1-83.0)	35,970	74.4	(70.0-78.3)
Race						
White, NH	24,150	57.3	(50.6-63.6)	100,613	48.8	(45.6-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		5,223	42.4	(26.5-60.0)
Sex						
male	10,829	46.3	(35.2-57.8)	47,885	39.6	(35.0-44.4)
female	15,172	59.8	(50.6-68.4)	62,269	54.4	(50.2-58.7)
Age-adjusted <sup>&amp;</sup>		49.2	(41.4-57.0)		44.4	(41.2-47.7)

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with flu immunization in the past year\*



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,572	73.4^	(61.1-83.0)	35,970	74.4	(70.0-78.3)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,962	72.0^	(59.2-81.9)	33,589	75.0	(70.6-78.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,566	66.0^	(44.1-82.7)	17,159	73.6	(66.0-80.1)
female	5,006	79.9^	(69.7-87.3)	18,811	75.1	(70.2-79.4)
Age-adjusted+,&						

<sup>\*</sup> Includes flu shot or flu spray

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with pneumococcal immunization



	Warren County			North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,943	74.3	(64.3-82.2)	34,235	73.7	(69.5-77.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,493	73.1	(62.9-81.4)	31,731	73.7	(69.4-77.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,752	74.9^	(56.6-87.2)	15,735	70.0	(62.7-76.4)
female	4,191	73.7	(62.7-82.4)	18,500	77.3	(72.6-81.3)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

# Percentage of women aged 18-44 years who had dental visit within the last year



**Warren County North Country** Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI **Total** # 32,535 73.7 (66.4-79.8)Age<sup>+</sup> 18-24 25-34 35-44 45-64 65+ Race White, NH # 28,511 72.7 (65.2-79.1)Black, NH # Hispanic # Other, NH # Sex male female 32,535 73.7 (66.4-79.8)Age-adjusted+,&


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	W	arren Cour	nty	North Country		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,285	71.6^	(54.0-84.4)	31,701	68.7	(60.8-75.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,189	78.7	(64.3-88.4)	28,928	70.4	(62.6-77.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	7,285	71.6	(54.0-84.4)	31,701	68.7	(60.8-75.7)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

### Percentage of women aged 18-64 years with health care coverage



	W	arren Coui	nty	North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	18,497	90.4	(83.8-94.5)	81,591	88.1	(84.6-91.0)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	15,390	88.7	(81.2-93.5)	71,891	88.3	(84.7-91.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female	18,497	90.4	(83.8-94.5)	81,591	88.1	(84.6-91.0)	
-adjusted <sup>+,&amp;</sup>							


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Warren County			North Country			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age <sup>+</sup> 18-24		#		20,534	46.8	(38.5-55.2)	
25-34 35-44 45-64 65+ <b>Race</b>							
White, NH Black, NH Hispanic Other, NH Sex male		# # # #		18,718	48.1 # # #	(39.5-56.7)	
female  Age-adjusted+,&		#		20,534	# 46.8	(38.5-55.2)	


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month



#### **Warren County North Country** Est. # of Est. # of **Adults Adults Percent** 95% CI **Percent** 95% CI **Total** 6,031 11.5 (8.0-16.2)26,594 10.9 (9.3-12.8)Age 18-24 # 4,035 10.9 (6.0-19.0)25-34 # 4,055 (8.7-20.2)13.4 35-44 3,975 (7.7-17.0)# 11.6 45-64 3,226 14.8 (8.8-23.7)11,488 12.6 (10.0-15.6)65+ # 2,947 6.0 (4.0-8.8)Race White, NH 5,424 12.5 (8.7-17.5) 22,928 10.8 (9.1-12.8)Black, NH # # Hispanic # # Other, NH # 1,840 13.3 (7.0-24.1)Sex male 1,944 7.7 (3.9-14.5)10,174 8.1 (6.0-10.9)female 4,087 16,419 15.1 (9.9-22.3)13.9 (11.5-16.7)Age-adjusted<sup>&</sup> 12.1 (8.2-17.4)11.2 (9.4-13.2)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

### Percentage of adult binge drinking during the past month\*



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,544	15.4	(11.4-20.5)	40,850	17.5	(14.9-20.4)
Age						
18-24		#		12,835	37.0^	(25.1-50.6)
25-34		#		6,170	21.4	(15.7-28.6)
35-44		#		6,989	20.8	(15.0-28.1)
45-64	3,036	15.3	(9.4-24.0)	12,611	14.3	(11.6-17.6)
65+		#		2,218	4.6	(3.2-6.6)
Race						
White, NH	6,530	15.8	(11.9-20.8)	37,011	18.0	(15.2-21.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#		2,005	15.5	(7.9-28.0)
Sex						
male	5,278	22.2	(15.0-31.6)	29,018	24.4	(20.1-29.3)
female	2,267	9.0	(5.6-14.1)	11,832	10.3	(8.0-13.2)
Age-adjusted <sup>&amp;</sup>		18.2	(13.4-24.2)		18.3	(15.8-21.1)

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

#### Percentage of cigarette smoking among adults who report poor mental health



	Warren County			North Country		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		10,221	39.1	(31.3-47.4)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		5,474	47.7	(36.5-59.0)
65+		#			#	
Race						
White, NH		#		8,398	37.3	(29.3-46.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		3,234	32.7	(21.0-47.2)
female		#		6,987	42.9	(33.5-52.8)
Age-adjusted <sup>&amp;</sup>		#			35.5	(28.1-43.8)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).