# eBRFSS 2013-2014 Health Indicators: Wayne

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on	
guidelinesguidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of	
GIIINEINES	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines	28 recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 recent293031
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	28 recent29303132
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked	28 recent293031323334
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with colesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 47-68 years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children.  Percentage of women aged 18-44 years who had dental visit within the last year	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with colesterol checked.  Percentage of adults with cholesterol checked.  Percentage of adults with nave taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 18+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with colorected with elevated high blood pressure medication.  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year.  Women aged 18-64 years who saw a doctor for a routine checkup within the last year.  Women aged 18-64 years who saw a doctor for a routine checkup within the last year.  Percentage of women aged 18-64 years with health care coverage	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years whose health care coverage.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with care accurse or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis.  Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years who had dental visit within the last year. Percentage of women aged 18-64 years who had dental visit within the last year.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults with cholesterol checked.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years with had dental visit within the last year.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with health care coverage.  Percentage of women aged 18-64 years with oak dental visit within the last year.  Percentage of women aged 18-64 years with saw hose health care coverage.  Percentage of women aged 18-64 years with saw adoctor for a routine checkup within the last year.  Percentage of women aged 18-64 years with oak dental visit within the last year.  Percentage of women aged 18-64 years with health	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with care accurse or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis.  Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of adults aged 65+ years with pneumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years who had dental visit within the last year. Percentage of women aged 18-64 years who had dental visit within the last year.	

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

## Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



	W	ayne Coun	ty	Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	5,671	7.9	(4.7-12.9)	105,514	10.5	(9.0-12.3)	
Age							
18-24		#		18,069	13.6	(8.4-21.2)	
25-34		#		23,656	15.2	(10.8-21.1)	
35-44		#		18,598	12.5	(8.5-17.9)	
45-64	1,835	6.4	(3.5-11.2)	35,930	10.1	(7.9-12.8)	
65+		#		7,633	3.9	(2.5-6.1)	
Race							
White, NH	5,318	8.3	(4.9-13.7)	78,405	9.9	(8.3-11.7)	
Black, NH		#		11,314	14.5	(8.2-24.2)	
Hispanic		#		8,090	15.4	(9.2-24.8)	
Other, NH		#		7,706	10.2^	(4.8-20.4)	
Sex							
male	2,480	7.0^	(2.6-17.6)	46,595	9.7	(7.5-12.3)	
female	3,192	8.8	(5.4-14.1)	58,919	11.4	(9.3-13.9)	
e-adjusted <sup>&amp;</sup>		9.0	(5.2-15.1)		11.0	(9.3-12.9)	

<sup>\*</sup> Among people needing to see a doctor in the past 12 months


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults who have a regular health care provider



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	59,070	82.8	(73.5-89.3)	891,951	89.5	(87.7-91.0)
Age						
18-24		#		98,637	75.1	(65.5-82.8)
25-34		#		124,962	80.4	(74.7-85.1)
35-44		#		130,769	88.1	(82.8-91.9)
45-64	26,438	92.0^	(78.2-97.4)	336,849	94.7	(92.7-96.1)
65+	13,013	91.1	(77.0-96.9)	190,189	97.8	(96.5-98.6)
Race						
White, NH	53,937	84.4	(74.7-90.8)	717,170	90.5	(88.8-92.0)
Black, NH		#		64,548	83.7	(73.7-90.4)
Hispanic		#		40,023	77.2^	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
Sex						
male	27,020	77.1	(64.2-86.4)	407,470	84.7	(81.6-87.3)
female	32,050	88.3^	(72.4-95.6)	484,481	94.0	(92.0-95.5)
Age-adjusted <sup>&amp;</sup>		79.7	(70.0-86.8)		88.6	(86.7-90.4)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults who had a dentist visit within the past year



	Wayne County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	48,656	73.3	(66.0-79.5)	684,119	72.7	(69.7-75.6)
Age						
18-24		#		90,313	71.2	(57.6-81.8)
25-34		#		89,852	61.3	(52.1-69.7)
35-44		#		107,877	77.2	(69.7-83.3)
45-64	21,478	77.9	(68.0-85.3)	254,354	76.5	(72.6-79.9)
65+	8,844	63.8	(51.3-74.8)	136,480	72.9	(67.8-77.5)
Race						
White, NH	44,823	74.8	(67.3-81.1)	562,395	74.8	(72.3-77.1)
Black, NH		#		45,366	66.5	(56.6-75.2)
Hispanic		#		38,236	76.0^	(62.5-85.8)
Other, NH		#		38,122	54.6	(32.4-75.0)
Sex						
male	23,712	70.8	(59.0-80.3)	317,427	70.0	(65.6-74.1)
female	24,944	75.9	(66.8-83.1)	366,693	75.2	(70.9-79.1)
Age-adjusted <sup>&amp;</sup>		73.7	(66.9-79.4)		72.6	(69.4-75.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults living with a disability\*



	W	ayne Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,493	23.3	(18.1-29.5)	248,993	25.3	(22.9-27.8)
Age						
18-24		#		13,165	9.9	(5.7-16.7)
25-34		#		24,795	16.2	(11.5-22.3)
35-44		#		30,187	21.0	(15.4-28.0)
45-64	5,443	19.0	(12.8-27.2)	103,044	29.1	(25.3-33.2)
65+	6,072	42.5	(32.5-53.1)	74,769	39.3	(34.1-44.7)
Race						
White, NH	15,161	23.7	(18.3-30.2)	193,463	24.7	(22.3-27.3)
Black, NH		#		23,963	31.7	(22.9-41.9)
Hispanic		#		17,435	34.3^	(23.4-47.2)
Other, NH		#		14,132	18.8	(9.4-34.1)
Sex						
male	8,301	23.8	(16.1-33.7)	112,778	23.7	(20.7-27.1)
female	8,192	22.8	(16.2-31.1)	136,215	26.7	(23.3-30.5)
Age-adjusted <sup>&amp;</sup>		23.0	(17.2-30.0)		24.2	(22.0-26.7)

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults aged 18-64 years with healthcare coverage



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	51,420	90.4	(82.6-94.9)	694,148	87.8	(85.7-89.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	48,652	93.4	(87.9-96.5)	546,972	89.1	(87.0-90.9)
Black, NH		#		54,874	83.7	(75.1-89.8)
Hispanic		#		37,833	76.4	(61.7-86.6)
Other, NH		#		54,469	88.5	(75.0-95.2)
Sex						
male	23,752	86.3	(72.4-93.9)	329,824	84.5	(80.9-87.5)
female	27,668	94.2	(85.1-97.9)	364,324	91.0	(88.6-93.0)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	33,324	58.6	(49.0-67.6)	501,658	63.5	(59.9-66.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	30,630	58.8	(49.1-67.9)	387,058	63.1	(59.7-66.4)
Black, NH		#		52,686	79.2^	(68.3-87.1)
Hispanic		#		32,661	66.3^	(51.9-78.3)
Other, NH		#		29,253	47.7	(25.7-70.6)
Sex						
male	15,234	55.4	(42.0-68.0)	228,555	58.5	(53.4-63.5)
female	18,090	61.6	(47.8-73.7)	273,103	68.3	(63.6-72.6)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months\*



	W	ayne Coun	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,521	29.9	(23.2-37.6)	314,889	34.4	(31.5-37.4)
Age						
18-24		#		32,879	32.4	(22.8-43.7)
25-34		#		72,916	51.0	(42.6-59.4)
35-44		#		49,765	35.8	(29.2-43.0)
45-64	8,446	30.9	(20.8-43.2)	111,638	33.0	(28.9-37.4)
65+	3,543	25.4	(16.6-36.6)	42,474	23.1	(17.9-29.3)
Race						
White, NH	16,804	28.6	(22.1-36.1)	232,180	31.9	(29.2-34.7)
Black, NH		#		34,856	49.6^	(39.3-60.0)
Hispanic		#		18,970	38.4^	(26.4-51.9)
Other, NH		#		28,883	42.5	(23.1-64.4)
Sex						
male	8,640	26.0^	(16.2-38.8)	141,970	32.0	(27.8-36.6)
female	10,880	34.0	(25.7-43.5)	172,920	36.6	(32.7-40.7)
Age-adjusted <sup>&amp;</sup>		30.1	(23.4-37.8)		35.1	(32.2-38.2)

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months\*



	W	ayne Cour	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,944	19.3	(13.5-26.8)	213,556	22.2	(19.7-24.8)
Age						
18-24		#		27,370	21.4	(15.0-29.6)
25-34		#		52,899	35.3	(27.0-44.7)
35-44		#		36,748	26.0	(20.2-32.8)
45-64	3,051	11.0	(6.9-17.1)	70,256	20.4	(17.2-24.1)
65+	2,706	19.0^	(11.1-30.6)	23,573	12.4	(9.0-17.0)
Race						
White, NH	11,934	19.7	(13.6-27.7)	154,900	20.2	(18.0-22.7)
Black, NH		#		27,276	37.2	(28.1-47.4)
Hispanic		#		14,323	28.0^	(18.4-40.2)
Other, NH		#		17,057	23.4	(9.5-47.1)
Sex						
male	3,934	11.6	(5.6-22.4)	97,708	21.1	(17.2-25.4)
female	9,010	27.2	(18.4-38.2)	115,848	23.2	(20.2-26.5)
Age-adjusted <sup>&amp;</sup>		21.6	(15.9-28.7)		23.1	(20.6-25.9)

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

### Percentage of adults with poor self-reported health



	W	/ayne Coun	ty	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,062	2.9	(1.4-6.0)	35,254	3.5	(2.8-4.5)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64		#		16,753	4.7	(3.4-6.4)	
65+		#		11,921	6.1	(4.4-8.5)	
Race							
White, NH	1,152	1.8	(0.9-3.4)	23,699	3.0	(2.3-3.8)	
Black, NH		#		4,892	6.3	(3.1-12.1)	
Hispanic		#		4,142	7.9^	(3.2-18.0)	
Other, NH		#		2,522	3.4	(1.3-8.5)	
Sex							
male		#		19,535	4.1	(2.9-5.6)	
female	697	1.9	(1.0-3.9)	15,719	3.1	(2.2-4.2)	
e-adjusted <sup>&amp;</sup>		2.5	(1.2-5.0)		3.3	(2.6-4.3)	


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health\*



	W	ayne Cour	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,356	10.5	(7.6-14.3)	113,479	11.6	(10.0-13.5)
Age						
18-24		#		6,519	4.9	(1.9-12.4)
25-34		#		11,848	7.9	(5.0-12.3)
35-44		#		13,334	9.1	(5.5-14.7)
45-64	3,441	12.4	(7.8-19.1)	53,981	15.3	(12.4-18.8)
65+	2,403	17.1	(10.6-26.4)	26,922	14.7	(11.9-18.1)
Race						
White, NH	6,832	10.8	(7.8-14.8)	91,151	11.7	(10.0-13.8)
Black, NH		#		10,140	13.4	(8.2-21.4)
Hispanic		#		8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
Sex						
male	2,806	8.0	(4.7-13.1)	53,813	11.3	(9.0-14.1)
female	4,550	13.1	(8.7-19.3)	59,667	11.9	(9.8-14.4)
Age-adjusted <sup>&amp;</sup>		9.5	(6.8-13.2)		11.2	(9.6-13.0)


<sup>\*</sup> Out of the past 30 days.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### **Prevent Chronic Diseases**

### Percentage of adults who are obese\*



	W	ayne Coun	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,081	35.5	(28.6-43.0)	254,425	27.0	(24.4-29.8)
Age						
18-24		#		16,808	13.5	(7.9-22.1)
25-34		#		43,074	29.7	(21.3-39.6)
35-44		#		41,076	28.7	(22.4-36.0)
45-64	8,381	30.9	(21.9-41.5)	100,327	30.0	(26.3-34.1)
65+	4,998	36.3 <sup>^</sup>	(26.1-47.9)	51,798	27.9	(23.3-33.1)
Race						
White, NH	21,370	35.3	(28.2-43.1)	195,881	26.2	(23.8-28.8)
Black, NH		#		25,307	34.7	(26.0-44.5)
Hispanic		#		17,493	34.1	(22.9-47.5)
Other, NH		#		15,744	22.5	(8.5-47.8)
Sex						
male	9,623	27.7	(19.4-37.8)	131,663	27.7	(23.8-32.0)
female	14,458	43.7	(33.6-54.4)	122,762	26.3	(23.0-29.9)
Age-adjusted <sup>&amp;</sup>		36.8	(29.5-44.8)		27.2	(24.5-30.1)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	W	ayne Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,945	46.0^	(29.0-64.0)	83,889	36.9	(30.6-43.7)
Age						
18-24		#		5,671	17.5	(7.9-34.3)
25-34		#		19,305	46.4	(25.9-68.2)
35-44		#		9,968	34.8^	(22.0-50.3)
45-64		#		28,074	40.1	(31.3-49.6)
65+	1,758	36.6	(20.7-56.2)	20,012	37.5	(28.1-48.0)
Race						
White, NH	6,649	50.6	(31.8-69.1)	56,366	36.0	(30.2-42.2)
Black, NH		#		10,712	30.8^	(20.0-44.3)
Hispanic		#			#	
Other, NH		#		10,722	55.3	(20.0-85.9)
Sex						
male		#		38,883	32.8	(23.0-44.5)
female	5,409	61.5	(37.7-80.9)	45,006	41.3	(34.4-48.7)
Age-adjusted <sup>&amp;</sup>		42.9^	(28.6-58.5)		36.7	(30.6-43.3)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults living with a disability who are obese\*



	W	ayne Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,538	40.3^	(28.5-53.5)	90,664	38.5	(33.5-43.7)
Age						
18-24		#			#	
25-34		#		7,827	35.1	(21.1-52.2)
35-44		#		10,209	34.6	(21.2-50.8)
45-64		#		43,860	45.1	(37.3-53.1)
65+	2,027	34.6	(21.0-51.3)	25,854	36.6	(28.1-46.1)
Race						
White, NH	6,116	40.9^	(28.7-54.3)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,824	22.3	(11.8-38.1)	40,686	36.9	(30.2-44.1)
female	4,714	58.8	(43.3-72.7)	49,978	40.0	(32.9-47.5)
Age-adjusted <sup>&amp;</sup>		39.5^	(28.6-51.5)		35.8	(30.4-41.6)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percentage of adults overweight or obese\*



	W	ayne Cour	ity	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	47,276	69.7	(61.7-76.7)	581,065	61.8	(58.6-64.8)
Age						
18-24		#		41,425	33.2	(23.5-44.5)
25-34		#		83,868	57.7	(49.6-65.5)
35-44		#		83,850	58.6	(50.5-66.3)
45-64	19,375	71.4	(60.6-80.1)	241,793	72.4	(68.0-76.4)
65+	10,181	73.9^	(63.1-82.5)	125,252	67.6	(62.1-72.6)
Race						
White, NH	42,076	69.5	(61.3-76.6)	471,523	63.1	(60.2-66.0)
Black, NH		#		49,324	67.6^	(57.0-76.7)
Hispanic		#		33,809	65.9^	(50.0-78.9)
Other, NH		#		26,409	37.8	(20.1-59.5)
Sex						
male	24,534	70.6	(58.2-80.5)	329,186	69.4	(65.4-73.1)
female	22,742	68.8	(58.0-77.8)	251,879	54.0	(49.3-58.6)
Age-adjusted <sup>&amp;</sup>		69.7	(61.3-77.0)		60.8	(57.7-63.8)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	48,882	72.6	(65.9-78.4)	703,242	72.6	(69.5-75.6)
Age						
18-24		#		97,421	75.5	(60.0-86.3)
25-34		#		106,989	71.1	(60.7-79.7)
35-44		#		105,857	74.8	(66.9-81.3)
45-64	19,604	70.1^	(58.5-79.5)	256,126	73.8	(69.9-77.4)
65+	8,362	59.1	(48.6-68.8)	128,648	67.9	(62.3-73.0)
Race						
White, NH	45,338	74.7	(68.5-79.9)	588,978	76.4	(73.9-78.8)
Black, NH		#		53,055	72.5	(63.6-79.9)
Hispanic		#		33,495	65.3	(52.7-76.0)
Other, NH		#		27,713	38.0^	(22.0-57.0)
Sex						
male	24,867	73.0^	(62.4-81.6)	346,071	74.1	(69.7-78.0)
female	24,014	72.2	(63.5-79.5)	357,171	71.3	(66.6-75.6)
Age-adjusted <sup>&amp;</sup>		74.8	(68.5-80.2)		72.7	(69.4-75.9)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



	W	ayne Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,350	20.1	(14.9-26.7)	214,679	22.5	(19.9-25.3)
Age						
18-24		#		55,277	43.6	(31.8-56.0)
25-34		#		35,087	23.6	(18.5-29.7)
35-44		#		34,865	24.9	(19.2-31.6)
45-64	5,285	19.1	(11.1-30.9)	57,660	16.9	(13.8-20.6)
65+	2,077	15.0	(9.2-23.3)	30,644	16.3	(12.8-20.6)
Race						
White, NH	12,291	20.5	(15.1-27.3)	150,493	19.8	(17.6-22.2)
Black, NH		#		22,275	31.3^	(22.6-41.4)
Hispanic		#		15,272	30.5^	(19.3-44.5)
Other, NH		#		26,640	36.6^	(18.8-59.1)
Sex						
male	7,127	21.3	(13.6-31.6)	120,224	26.1	(22.7-29.8)
female	6,222	19.0	(12.3-28.0)	94,456	19.2	(15.4-23.6)
Age-adjusted <sup>&amp;</sup>		21.3	(15.4-28.8)		23.2	(20.7-26.0)

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percentage of adults who consume fast-food three or more times per week



	Wayne County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,013	6.1	(2.9-12.3)	58,515	6.2	(5.0-7.7)
Age						
18-24		#		16,427	12.9	(7.6-20.9)
25-34		#		9,670	6.5	(3.9-10.9)
35-44		#		5,131	3.7	(2.0-6.7)
45-64		#		20,550	6.2	(4.2-8.9)
65+		#		6,737	3.6	(2.4-5.6)
Race						
White, NH	4,013	6.7	(3.2-13.5)	39,988	5.3	(4.1-6.8)
Black, NH		#		7,235	10.4	(5.5-18.9)
Hispanic		#		6,059	12.1^	(5.1-25.9)
Other, NH		#		5,233	7.4^	(2.8-18.0)
Sex						
male	3,053	9.1	(3.6-21.1)	43,869	9.7	(7.5-12.5)
female		#		14,646	3.0	(2.0-4.5)
Age-adjusted <sup>&amp;</sup>		7.2	(3.2-15.2)		6.1	(4.9-7.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent Chronic Diseases

## Percentage of adults with physician diagnosed diabetes\*



	W	ayne Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,619	7.9	(5.6-10.9)	100,031	10.0	(8.7-11.5)
Age						
18-24		#			#	
25-34		#		7,103	4.6	(2.5-8.4)
35-44		#		6,332	4.3	(2.4-7.6)
45-64	2,597	9.0	(5.5-14.4)	47,349	13.3	(10.8-16.3)
65+	2,812	19.6	(12.8-28.9)	38,439	19.6	(16.4-23.3)
Race						
White, NH	5,533	8.6	(6.2-11.9)	70,994	8.9	(7.7-10.3)
Black, NH		#		17,328	22.6	(15.2-32.3)
Hispanic		#		6,956	13.5	(8.0-21.9)
Other, NH		#		4,753	6.3	(2.5-15.0)
Sex						
male	2,791	7.9	(4.7-13.0)	50,941	10.6	(8.7-12.8)
female	2,828	7.8	(5.1-11.8)	49,090	9.5	(7.8-11.5)
Age-adjusted <sup>&amp;</sup>		6.4	(4.7-8.8)		9.1	(8.0-10.5)


<sup>\*</sup> As diagnosed by a health professional.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### **Prevent Chronic Diseases**

### Percentage of adults who are current smokers



	W	ayne Cour	nty	Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,170	24.5	(17.7-33.0)	170,861	17.4	(15.5-19.6)
Age						
18-24		#		25,688	19.3	(12.8-28.2)
25-34		#		40,770	26.8	(21.3-33.1)
35-44		#		27,819	19.5	(14.0-26.5)
45-64	4,833	17.0	(10.8-25.6)	61,479	17.5	(14.6-20.8)
65+	1,719	12.1	(7.8-18.4)	14,504	7.6	(5.5-10.5)
Race						
White, NH	16,458	25.9	(18.6-34.9)	134,960	17.4	(15.3-19.6)
Black, NH		#		20,478	26.8^	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8^	(5.6-23.2)
Sex						
male	7,930	22.8	(14.2-34.4)	95,560	20.3	(17.2-23.8)
female	9,240	26.2	(16.4-39.1)	75,301	14.8	(12.6-17.4)
Age-adjusted <sup>&amp;</sup>		27.5	(19.9-36.6)		18.2	(16.1-20.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

## Percentage of adults with annual household income less than \$25,000 who are current smokers



	W	ayne Coun	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,240	31.2	(15.3-53.2)	69,503	29.6	(24.7-34.9)
Age						
18-24		#		14,247	40.5	(26.5-56.2)
25-34		#		16,608	37.7	(22.9-55.2)
35-44		#		9,252	33.3^	(19.5-50.8)
45-64		#		23,452	32.4	(24.6-41.5)
65+	560	11.2	(5.2-22.4)	5,766	10.6	(6.7-16.2)
Race						
White, NH	4,801	35.8	(17.5-59.3)	48,760	29.6	(24.4-35.3)
Black, NH		#		15,001	43.1	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8^	(5.4-41.5)
Sex						
male		#		36,273	31.2	(23.4-40.3)
female	3,876	44.3^	(19.9-71.8)	33,230	27.9	(22.4-34.1)
Age-adjusted <sup>&amp;</sup>		35.4^	(22.1-51.4)		30.9	(25.5-36.9)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percentage of adults aged 18-24 years who are current smokers



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24		#		25,688	19.3	(12.8-28.2)
25-34 35-44 45-64 65+						
Race White, NH Black, NH Hispanic Other, NH		# # #		18,243	21.5 # # #	(14.1-31.5)
Sex male female Age-adjusted+,&		# #		13,906 11,783	22.2 <sup>^</sup> 16.8 <sup>^</sup>	(13.2-34.9) (8.6-30.1)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	W	ayne Coun	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,137	84.7	(76.0-90.7)	156,901	82.4	(78.1-86.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	11,266	83.7	(74.6-90.0)	136,370	83.2	(78.8-86.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	12,137	84.7	(76.0-90.7)	156,901	82.4	(78.1-86.0)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Mammogram within past 2 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		32,858	75.7^	(65.5-83.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		24,468	77.6	(68.5-84.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		32,858	75.7	(65.5-83.6)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	Wayne County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	19,805	83.1	(73.1-89.9)	287,036	83.6	(80.3-86.4)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	18,818	83.7	(73.5-90.4)	236,785	84.1	(80.7-87.0)	
Black, NH		#		23,521	86.1	(71.0-94.0)	
Hispanic		#		12,743	79.7^	(63.4-89.9)	
Other, NH		#			#		
Sex							
male		#			#		
female	19,805	83.1	(73.1-89.9)	287,036	83.6	(80.3-86.4)	
Age-adjusted+,&							

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		55,266	73.1	(65.6-79.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		37,702	73.2	(64.7-80.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		55,266	73.1	(65.6-79.5)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,209	64.3^	(53.9-73.4)	250,507	69.3	(65.3-73.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	16,648	64.3	(55.0-72.7)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8^	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4	(30.2-72.2)
Sex						
male	8,919	61.1	(44.4-75.4)	116,224	69.1	(62.9-74.7)
female	10,290	67.4	(55.2-77.6)	134,284	69.5	(64.2-74.3)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	W	ayne Coun	ity	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age <sup>+</sup> 18-24	3,562	50.0^	(28.0-72.1)	51,562	66.4	(59.0-73.2)	
25-34 35-44 45-64 65+ <b>Race</b>							
White, NH Black, NH Hispanic Other, NH <b>Sex</b>	3,039	56.6 <sup>^</sup> # # #	(35.6-75.6)	38,437	68.1 # # #	(60.3-74.9)	
male female Age-adjusted+,&		# #		21,576 29,986	64.5 <sup>^</sup> 67.9 <sup>^</sup>	(53.7-74.1) (57.5-76.7)	

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	37,209	59.5	(51.1-67.4)	473,695	54.6	(51.3-57.9)
Age						
18-24		#		26,476	20.7	(14.1-29.4)
25-34		#		60,826	42.3	(34.5-50.4)
35-44		#		68,543	50.5	(42.7-58.3)
45-64	16,593	66.2	(55.1-75.7)	205,917	68.5	(63.9-72.9)
65+	7,485	68.3	(55.4-78.9)	106,367	71.4	(66.0-76.3)
Race						
White, NH	32,291	58.5	(49.8-66.7)	397,203	57.1	(54.1-60.2)
Black, NH		#		32,135	55.7	(44.5-66.3)
Hispanic		#		21,736	48.1	(33.4-63.1)
Other, NH		#		22,622	32.5	(17.6-52.2)
Sex						
male	16,322	52.5	(40.4-64.3)	220,518	52.8	(48.1-57.4)
female	20,888	66.5	(55.6-75.9)	253,177	56.3	(51.5-61.0)
Age-adjusted <sup>&amp;</sup>		57.2	(48.6-65.4)		54.1	(51.2-57.0)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent Chronic Diseases

## Percentage of adults with physician-diagnosed prediabetes




	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,974	3.1	(1.9-4.8)	49,926	5.6	(4.5-7.0)
Age						
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64		#		23,774	7.9	(5.9-10.5)
65+	961	8.5	(4.7-14.8)	15,665	10.3	(7.2-14.4)
Race						
White, NH	1,906	3.3	(2.1-5.3)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,274	6.0	(4.3-8.2)
female	1,341	4.1	(2.4-6.9)	24,651	5.3	(3.9-7.2)
Age-adjusted <sup>&amp;</sup>		3.1	(1.9-4.9)		5.5	(4.4-6.9)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed high blood pressure



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	21,718	30.4	(24.6-36.9)	314,920	31.7	(29.2-34.2)
Age						
18-24		#		8,315	6.4	(3.1-12.6)
25-34		#		20,783	13.5	(9.7-18.4)
35-44		#		29,430	19.8	(14.6-26.2)
45-64	8,833	30.6	(22.7-39.8)	134,360	37.8	(33.7-42.1)
65+	9,646	67.2	(58.0-75.3)	118,288	60.8	(55.4-66.0)
Race						
White, NH	18,550	29.0	(23.4-35.3)	256,263	32.3	(29.8-34.9)
Black, NH		#		32,880	44.2	(34.8-54.0)
Hispanic		#		14,927	28.5	(19.0-40.3)
Other, NH		#		10,850	14.4	(7.9-25.0)
Sex						
male	10,928	30.9	(22.5-40.7)	158,361	33.0	(29.5-36.6)
female	10,790	30.0	(22.4-38.8)	156,559	30.4	(27.1-33.9)
Age-adjusted <sup>&amp;</sup>		26.5	(21.7-31.9)		29.3	(27.1-31.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Wayne County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	16,621	76.7^	(64.8-85.4)	243,314	77.3	(73.4-80.8)
Age						
18-24		#			#	
25-34		#		5,688	27.4	(15.6-43.5)
35-44		#		16,627	56.5	(40.3-71.4)
45-64	6,614	74.9^	(59.1-86.0)	108,563	80.8	(74.8-85.7)
65+	9,034	94.0	(87.8-97.2)	108,613	91.9	(88.6-94.3)
Race						
White, NH	13,956	75.4	(62.9-84.7)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4^	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	7,841	72.0^	(53.1-85.4)	113,745	71.9	(66.0-77.1)
female	8,779	81.4	(66.6-90.5)	129,569	82.8	(77.4-87.2)
Age-adjusted <sup>&amp;</sup>		54.1	(42.9-64.8)		58.7	(53.6-63.6)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percentage of adults with current asthma\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,963	11.2	(6.7-18.2)	112,310	11.3	(9.6-13.3)
Age						
18-24		#		20,356	15.3	(8.9-25.2)
25-34		#		20,425	13.3	(9.3-18.6)
35-44		#		13,324	9.1	(5.4-15.0)
45-64	2,553	8.9	(4.9-15.6)	40,947	11.6	(9.0-14.7)
65+	1,436	10.0	(5.1-18.7)	15,560	8.0	(5.9-10.6)
Race						
White, NH	7,382	11.6	(6.7-19.3)	81,926	10.4	(8.7-12.4)
Black, NH		#		11,764	15.4	(9.3-24.3)
Hispanic		#		7,513	14.3	(8.6-23.0)
Other, NH		#		11,106	14.8^	(6.3-30.8)
Sex						
male	2,956	8.4	(3.8-17.5)	41,563	8.7	(6.6-11.3)
female	5,007	14.0^	(7.2-25.6)	70,747	13.8	(11.2-16.8)
Age-adjusted <sup>&amp;</sup>		11.5	(6.8-19.0)		11.2	(9.4-13.3)

<sup>\*</sup> Physician diagnosed asthma.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percent of adults with cholesterol checked\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	58,633	83.1	(75.4-88.8)	798,681	82.4	(79.3-85.0)
Age						
18-24		#		49,911	42.6	(31.0-55.0)
25-34		#		95,361	64.6	(55.3-72.9)
35-44		#		117,490	80.4	(73.0-86.1)
45-64	24,993	86.9	(76.9-93.0)	336,574	95.0	(93.5-96.3)
65+	13,470	98.3	(90.1-99.7)	188,822	97.7	(96.4-98.5)
Race						
White, NH	52,215	82.7	(74.5-88.7)	646,121	83.9	(81.6-86.0)
Black, NH		#		59,974	80.5^	(70.4-87.8)
Hispanic		#		42,285	84.3^	(74.0-91.0)
Other, NH		#		50,300	67.0^	(41.4-85.4)
Sex						
male	29,401	84.0^	(73.7-90.8)	375,301	80.0	(75.5-83.8)
female	29,233	82.3^	(69.7-90.3)	423,380	84.6	(80.3-88.1)
Age-adjusted <sup>&amp;</sup>		81.2	(73.0-87.4)		80.0	(77.1-82.5)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent Chronic Diseases

### Percentage of adults 18 years and older with elevated cholesterol\*



	Wayne County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,028	37.6	(30.4-45.4)	300,637	37.9	(35.0-40.9)
Age						
18-24		#			#	
25-34		#		17,828	18.8	(12.5-27.2)
35-44		#		30,289	25.8	(19.3-33.5)
45-64	10,979	43.9	(33.1-55.3)	139,330	41.7	(37.3-46.4)
65+	8,350	62.2	(51.4-71.9)	102,175	54.6	(49.2-60.0)
Race						
White, NH	17,584	33.7	(27.1-41.0)	241,155	37.6	(34.7-40.6)
Black, NH		#		23,513	39.5	(29.4-50.5)
Hispanic		#		15,023	35.5	(23.3-50.0)
Other, NH		#		20,947	41.7	(24.0-61.8)
Sex						
male	11,034	37.6 <sup>^</sup>	(26.7-49.9)	151,064	40.6	(36.4-44.9)
female	10,994	37.6	(28.7-47.4)	149,573	35.6	(31.6-39.7)
Age-adjusted <sup>&amp;</sup>		30.7	(24.9-37.1)		32.7	(29.1-36.6)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	W	ayne Coun	ty	Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	3,668	10.7	(6.2-18.0)	51,667	10.0	(7.8-12.8)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		3,726	6.8	(3.1-14.2)	
45-64	2,050	16.0^	(8.6-27.8)	26,449	12.7	(9.1-17.5)	
65+	773	6.3	(3.5-11.1)	12,705	8.1	(5.8-11.2)	
Race							
White, NH	3,037	9.8	(5.3-17.4)	34,619	8.2	(6.3-10.7)	
Black, NH		#		6,746	15.1^	(8.2-26.3)	
Hispanic		#			#		
Other, NH		#		8,215	31.5	(12.6-59.6)	
Sex							
male		#		23,976	9.8	(6.9-13.9)	
female	2,495	13.2	(7.7-21.9)	27,691	10.2	(7.2-14.2)	
Age-adjusted <sup>&amp;</sup>		11.1	(4.6-24.3)		9.5	(6.8-13.3)	

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

### Percentage of adults with arthritis\*



	W	ayne Cour	nty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,012	25.4	(20.4-31.0)	273,908	27.5	(25.1-30.0)
Age						
18-24		#			#	
25-34		#		11,753	7.6	(4.9-11.6)
35-44		#		27,015	18.2	(12.9-25.1)
45-64	7,134	24.7	(18.2-32.7)	122,234	34.4	(30.2-38.9)
65+	8,932	62.1	(51.6-71.6)	107,901	55.4	(50.3-60.3)
Race						
White, NH	16,060	25.2	(20.3-30.9)	230,014	29.0	(26.4-31.7)
Black, NH		#		21,965	28.9	(21.1-38.3)
Hispanic		#		10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9^	(6.7-29.9)
Sex						
male	7,574	21.6	(14.9-30.3)	118,312	24.6	(21.3-28.2)
female	10,438	29.0	(22.3-36.7)	155,596	30.1	(26.7-33.8)
Age-adjusted <sup>&amp;</sup>		22.1	(17.5-27.4)		25.3	(23.2-27.5)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $<sup>^{\</sup>updayscript{A}}$  Highly variable rate (confidence interval with a half-width greater than 10).

### Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Wayne County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	61,759	92.3	(87.6-95.4)	897,106	93.4	(92.0-94.6)	
Age							
18-24		#		114,680	89.2	(81.1-94.1)	
25-34		#		134,928	90.1	(85.9-93.2)	
35-44		#		134,641	95.3	(92.3-97.2)	
45-64	26,535	95.4	(87.2-98.5)	326,991	94.9	(93.0-96.3)	
65+	11,730	84.1	(70.3-92.2)	176,297	94.4	(92.1-96.1)	
Race							
White, NH	56,191	93.2	(88.6-96.0)	723,466	94.7	(93.4-95.8)	
Black, NH		#		58,381	80.4^	(70.2-87.8)	
Hispanic		#		45,612	89.3	(79.9-94.6)	
Other, NH		#		69,648	95.6	(90.2-98.0)	
Sex							
male	31,454	92.7	(84.7-96.7)	435,275	93.9	(91.7-95.5)	
female	30,305	91.9	(85.2-95.8)	461,832	92.9	(91.0-94.5)	
Age-adjusted <sup>&amp;</sup>		92.5	(88.0-95.5)		93.3	(91.9-94.5)	


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote a Health and Safe Environment

### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	W	ayne Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,874	34.6	(24.9-45.8)	57,486	30.5	(25.8-35.7)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,748	32.7	(24.4-42.4)	43,381	26.6	(22.9-30.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,484	33.7	(19.1-52.4)	26,845	31.6	(25.8-38.1)
female	2,390	35.5	(24.9-47.8)	30,641	29.6	(22.7-37.6)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	W	ayne Coun	ity	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	1,293	26.6^	(14.1-44.6)	19,362	33.9	(26.1-42.8)	
Age <sup>+</sup>							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	1,054	28.3^	(15.0-46.8)	16,678	38.8	(31.4-46.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		8,530	32.0	(22.0-43.9)	
female		#		10,832	35.6	(24.2-49.0)	
Age-adjusted <sup>+,&amp;</sup>							

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	W	ayne Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b> <b>Age</b> ⁺ 18-24	7,200	28.2^	(19.8-38.4)	106,026	32.9	(28.9-37.2)
25-34 35-44 45-64 65+ <b>Race</b>						
White, NH Black, NH Hispanic Other, NH <b>Sex</b>	6,124	29.6 # # #	(21.3-39.6)	83,817 14,865	31.1 57.1 <sup>^</sup> # #	(26.9-35.6) (40.3-72.4)
male female Age-adjusted+,&	3,413 3,787	25.7 <sup>^</sup> 30.8 <sup>^</sup>	(13.9-42.5) (20.7-43.2)	56,263 49,763	36.6 29.6	(30.6-43.1) (24.4-35.3)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 18+ years with flu immunization in the past year\*



	Wayne County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	38,200	57.0	(49.3-64.3)	556,353	57.7	(54.7-60.6)
Age						
18-24		#		52,329	40.8	(30.1-52.4)
25-34		#		65,604	43.6	(35.2-52.4)
35-44		#		69,933	49.5	(41.8-57.1)
45-64	15,882	57.1	(46.4-67.2)	205,087	59.5	(55.2-63.7)
65+	11,950	84.1	(76.7-89.5)	157,801	83.2	(80.0-85.9)
Race						
White, NH	33,086	54.7	(47.1-62.2)	443,049	57.6	(54.7-60.4)
Black, NH		#		40,970	57.1	(47.0-66.7)
Hispanic		#		30,516	59.7^	(46.2-71.9)
Other, NH		#		41,817	57.3	(35.8-76.4)
Sex						
male	18,263	53.8	(42.3-64.9)	260,048	55.9	(51.8-60.0)
female	19,938	60.2^	(50.1-69.5)	296,305	59.3	(54.9-63.5)
Age-adjusted <sup>&amp;</sup>		53.9	(46.6-61.0)		56.0	(52.9-59.1)

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with flu immunization in the past year\*



	W	ayne Coun	ity	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age <sup>+</sup> 18-24 25-34	11,950	84.1	(76.7-89.5)	157,801	83.2	(80.0-85.9)	
35-44 45-64 65+ <b>Race</b>							
White, NH Black, NH Hispanic Other, NH <b>Sex</b>	9,724	84.1 # # #	(76.9-89.4)	136,667	83.2 # # #	(80.1-85.9)	
male female Age-adjusted+,&	6,266 5,684	83.8 <sup>^</sup> 84.5 <sup>^</sup>	(71.9-91.2) (74.3-91.1)	72,669 85,131	85.0 81.7	(80.9-88.3) (76.8-85.8)	

<sup>\*</sup> Includes flu shot or flu spray

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

#### Percentage of adults aged 65+ years with pneumococcal immunization



	W	ayne Coun	ity	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,767	84.3	(77.0-89.5)	135,060	74.0	(68.5-78.8)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	9,463	83.6	(76.0-89.1)	122,920	78.0	(74.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	5,516	76.2	(62.3-86.1)	56,221	68.3	(61.1-74.7)
female	6,251	92.9	(87.9-96.0)	78,839	78.7	(70.1-85.3)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		158,478	76.1	(67.5-83.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		120,797	78.0	(71.5-83.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		158,478	76.1	(67.5-83.1)
Age-adjusted+,&						


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	v	Vayne Count	ty	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		135,013	61.9	(54.3-68.9)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		99,001	61.6	(54.7-68.1)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		135,013	61.9	(54.3-68.9)	
Age-adjusted+,&							


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

### Promote Healthy Women, Infants, and Children

#### Percentage of women aged 18-64 years with health care coverage



	W	ayne Coun	ity	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	27,668	94.2	(85.1-97.9)	364,324	91.0	(88.6-93.0)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	26,775	96.6	(91.6-98.7)	282,703	91.1	(88.4-93.2)	
Black, NH		#		28,417	85.7^	(74.1-92.6)	
Hispanic		#		16,002	91.5^	(74.4-97.5)	
Other, NH		#		37,203	94.7^	(84.6-98.3)	
Sex							
male		#			#		
female	27,668	94.2	(85.1-97.9)	364,324	91.0	(88.6-93.0)	
Age-adjusted+,&							

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Wayne County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		89,890	43.1	(35.9-50.6)	
Age <sup>+</sup>							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		72,684	46.8	(39.7-54.0)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		89,890	43.1	(35.9-50.6)	
Age-adjusted+,&							


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month



	Wayne County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,473	10.6	(7.4-15.1)	120,784	12.3	(10.6-14.2)
Age						
18-24		#		18,248	13.9	(8.2-22.4)
25-34		#		21,945	14.4	(10.5-19.4)
35-44		#		17,847	12.2	(8.1-18.0)
45-64	2,814	10.1	(5.3-18.6)	50,391	14.4	(11.5-17.7)
65+	1,068	7.6	(3.6-15.1)	11,819	6.3	(4.5-8.7)
Race						
White, NH	6,950	10.9	(7.5-15.7)	90,447	11.6	(9.9-13.6)
Black, NH		#		12,561	16.5	(10.8-24.5)
Hispanic		#		9,450	18.5^	(11.2-29.0)
Other, NH		#		8,325	11.1^	(4.0-27.3)
Sex						
male	2,444	7.0	(3.4-13.7)	49,351	10.4	(8.2-13.2)
female	5,030	14.3	(9.4-21.2)	71,433	14.1	(11.7-16.9)
Age-adjusted <sup>&amp;</sup>		11.1	(7.5-16.0)		12.5	(10.7-14.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

### Percentage of adult binge drinking during the past month\*



	Wayne County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,009	13.1	(9.0-18.9)	154,347	16.1	(14.1-18.4)
Age						
18-24		#		32,152	24.8	(17.7-33.6)
25-34		#		37,099	24.8	(19.2-31.4)
35-44		#		26,167	18.7	(12.6-26.7)
45-64	5,458	19.9^	(11.7-31.9)	52,235	15.2	(12.0-19.1)
65+	789	5.6	(2.8-11.0)	5,899	3.2	(2.2-4.5)
Race						
White, NH	6,887	11.1	(7.8-15.7)	129,788	17.1	(14.7-19.6)
Black, NH		#		8,750	12.2	(7.4-19.5)
Hispanic		#		10,236	19.8^	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
Sex						
male	5,438	16.3	(9.9-25.7)	99,542	21.7	(18.3-25.4)
female	3,572	10.2	(5.5-17.9)	54,805	11.0	(8.8-13.7)
Age-adjusted <sup>&amp;</sup>		12.5	(8.7-17.5)		16.9	(14.6-19.5)

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote Mental Health and Prevention Substance Abuse

#### Percentage of cigarette smoking among adults who report poor mental health



	Wayne County			Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		41,696	34.8	(27.8-42.5)	
Age							
18-24		#			#		
25-34		#		10,400	48.1	(33.0-63.5)	
35-44		#		7,009	39.7	(20.7-62.3)	
45-64		#		19,075	38.1^	(27.3-50.2)	
65+		#		740	6.3	(3.3-11.9)	
Race							
White, NH		#		32,992	36.8	(28.9-45.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		19,261	39.2	(27.0-53.0)	
female		#		22,435	31.7	(24.4-40.1)	
Age-adjusted <sup>&amp;</sup>		#			33.1	(26.5-40.5)	

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).