# eBRFSS 2013-2014 Health Indicators: Westchester

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on receiving breast cancer screening breast	
guidelinesguidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening	
guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 sed on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines	28 sed on recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 sed on recent29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 sed on recent293031
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults aged 65+ years with at least one fall in the past 12 months	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma.  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults with cholesterol checked  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults aged 65+ years with at least one fall in the past 12 months  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 18+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percentage of adults with cholesterol checked  Percentage of adults swith average or class to learn how to manage their chronic disease or condition  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis  Promote a Healthy and Safe Environment  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes.  Percentage of adults with physician-diagnosed high blood pressure.  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with corrent asthma.  Percent of adults with cholesterol checked.  Percentage of adults 18 years and older with elevated cholesterol.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment.  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year  Percentage of adults aged 65+ years with plu immunization in the past year	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with hysician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with current asthma  Percent of adults with current asthma  Percentage of adults with aleast on class to learn how to manage their chronic disease or condition  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition  Percentage of adults with arthritis.  Promote a Healthy and Safe Environment  Percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of adults aged 65+ years with flu immunization in the past year  Percentage of women aged 18-44 years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year.  Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines  Percentage of adults who had a test for high blood sugar or diabetes within the past three years  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication  Percentage of adults with cholesterol checked  Percentage of adults with cholesterol checked.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition percentage of adults who consider their neighborhood suitable for walking and physical activity.  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.  Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 48+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children  Percentage of women aged 18-44 years who had dental visit within the last year.  Women aged 18-44 years who saw a doctor for a routine checkup within the last year.  Percentage of women aged 18-64 years with health care coverage.	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with colesterol checked Percentage of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization.  Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Women aged 18-44 years who saw a doctor for a routine checkup within the last year Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care provider discussed planning a healthy pregnancy	28 sed on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 43 44 45 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Percentage of adults aged 65+ years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had control of a routine checkup within the last year.  Percentage of women aged 18-44 years who had control of a routine checkup within the last year.  Percentage of women aged 18-44 years who had control of a routine provider discussed planning a healthy pregnancy.	28 sed on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults with an accurse or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults work consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with preumococcal immunization.  Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years who had dental visit within the last year. Percentage of women aged 18-64 years who had dental visit within the last year. Percentage of women aged 18-64 years who save a doctor for a routine checkup within the last year. Percentage of women aged 18-64 years whose heal	28 sed on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 43 44 45 46 46 47 48 49
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines  Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening ba guidelines.  Percentage of adults who had a test for high blood sugar or diabetes within the past three years.  Percentage of adults with physician-diagnosed prediabetes  Percentage of adults with physician-diagnosed high blood pressure  Percentage of adults with diagnosed high blood pressure taking high blood pressure medication.  Percentage of adults with current asthma  Percent of adults with cholesterol checked  Percentage of adults 18 years and older with elevated cholesterol  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.  Percentage of adults who consider their neighborhood suitable for walking and physical activity  Percentage of adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months.  Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.  Percentage of adults aged 65+ years reporting ever tested for Hepatitis C (HCV).  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of adults aged 65+ years with flu immunization in the past year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had dental visit within the last year.  Percentage of women aged 18-44 years who had control of a routine checkup within the last year.  Percentage of women aged 18-44 years who had control of a routine checkup within the last year.  Percentage of women aged 18-44 years who had control of a routine provider discussed planning a healthy pregnancy.	28 sed on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 42 43 44 45 46 46 47 48 49

#### General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

#### **Reported Health Indicators**

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

#### **Data Collection Methodology, Sampling and Weighting**

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.

Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

#### **Limitations of Data Use:**

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

## Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*

**Westchester County** 


27.5

#

11.3

12.3

12.8



Mid-Hudson

24.8

12.2

11.3

13.0

13.0

(19.6-30.8)

(6.3-22.5)

(9.2-13.8)

(10.7-15.7)

(11.3-14.9)

#### Est. # of Est. # of **Adults** 95% CI Adults **Percent** 95% CI Percent **Total** 87,182 11.8 (9.2-15.1)213,559 12.2 (10.6-14.0)Age 24,867 18-24 # 11.5 (7.1-18.1)25-34 35,986 32.8 61,074 (18.8-30.5)(22.9-44.4)24.2 13,282 35-44 39,130 10.3 (5.5-18.3)13.1 (9.3-18.1)45-64 33,387 13.0 (8.5-19.4)77,812 12.4 (9.9-15.4)65+ 9,983 # 3.0 (1.9-4.7)Race White, NH 29,169 6.6 (4.3-10.0)103,329 8.6 (7.2-10.4)Black, NH 17,160 22.7 (12.6-37.6)26,096 18.1 (11.5-27.3)

66,211

17,924

96,035

117,524

(19.6-37.2)

(7.9-15.9)

(8.6-17.3)

(10.1-16.0)

39,392

39,411

47,770

Hispanic

**Sex** male

female

Age-adjusted<sup>&</sup>

Other, NH

<sup>\*</sup> Among people needing to see a doctor in the past 12 months


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults who have a regular health care provider



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	607,425	83.0	(79.2-86.2)	1,451,055	82.9	(80.7-84.8)
Age						
18-24	63,912	77.6	(60.6-88.7)	152,841	71.5	(61.4-79.9)
25-34	76,678	70.1	(59.3-79.1)	165,892	65.9	(59.4-71.9)
35-44	96,825	76.2	(65.1-84.6)	241,482	80.1	(74.3-84.9)
45-64	219,937	86.0	(78.4-91.2)	551,367	88.0	(84.6-90.7)
65+	139,361	96.0	(91.7-98.2)	316,008	95.3	(93.1-96.8)
Race						
White, NH	393,300	89.1	(85.0-92.2)	1,040,292	87.1	(85.0-88.9)
Black, NH	65,900	86.7	(76.2-93.0)	115,973	80.8	(69.9-88.4)
Hispanic	89,411	62.9	(52.9-71.9)	170,342	64.2	(57.6-70.3)
Other, NH		#		124,448	84.5	(72.0-92.0)
Sex						
male	258,025	75.0	(68.9-80.3)	644,852	76.2	(72.7-79.4)
female	349,401	90.0	(85.0-93.5)	806,202	89.1	(86.6-91.2)
Age-adjusted <sup>&amp;</sup>		81.6	(77.4-85.1)		81.4	(79.0-83.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

#### Percentage of adults who had a dentist visit within the past year



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	477,146	72.0	(65.8-77.5)	1,139,691	70.9	(67.9-73.7)
Age						
18-24	46,265	60.2	(31.0-83.7)	131,816	67.8^	(52.3-80.1)
25-34	55,305	57.3^	(42.9-70.5)	136,576	60.4	(52.4-67.8)
35-44	76,891	67.4	(54.1-78.4)	183,147	67.0	(59.6-73.7)
45-64	183,648	79.8	(72.8-85.3)	443,396	76.3	(72.7-79.6)
65+	106,262	79.0^	(68.6-86.7)	226,410	72.9	(68.0-77.4)
Race						
White, NH	318,373	78.0	(69.1-84.9)	823,255	73.9	(70.4-77.1)
Black, NH	39,061	65.7	(51.0-77.8)	87,005	71.4^	(60.9-80.0)
Hispanic	78,487	60.8^	(49.9-70.7)	148,094	61.7	(54.5-68.4)
Other, NH		#		81,338	61.4	(46.7-74.2)
Sex						
male	232,544	71.7	(65.1-77.4)	535,676	67.9	(64.1-71.4)
female	244,602	72.4	(61.6-81.1)	604,015	73.7	(68.9-78.0)
e-adjusted <sup>&amp;</sup>		70.3	(64.1-75.8)		69.7	(66.5-72.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

## Percentage of adults living with a disability\*



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	129,166	17.9	(14.3-22.0)	316,204	18.3	(16.4-20.4)
Age						
18-24		#		20,509	9.8^	(4.5-20.4)
25-34	9,307	8.8	(5.0-15.1)	26,979	10.9	(8.0-14.8)
35-44	9,557	7.5	(3.9-13.9)	31,573	10.6	(7.3-15.1)
45-64	39,552	15.7	(11.2-21.6)	115,741	18.7	(16.0-21.7)
65+	55,056	37.8	(27.9-48.8)	118,713	35.9	(30.8-41.4)
Race						
White, NH	85,348	19.5	(14.9-25.1)	236,848	20.1	(17.8-22.6)
Black, NH	21,257	29.4	(17.5-45.0)	34,013	24.6	(16.3-35.2)
Hispanic	15,125	10.7	(6.7-16.8)	33,088	12.5	(9.4-16.6)
Other, NH		#		12,256	8.4^	(3.4-18.9)
Sex						
male	63,233	18.4	(13.4-24.8)	148,029	17.7	(14.9-20.8)
female	65,934	17.3	(12.7-23.1)	168,176	18.9	(16.3-21.7)
Age-adjusted <sup>&amp;</sup>		16.6	(13.4-20.5)		17.3	(15.5-19.3)

<sup>\*</sup> Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

#### Percentage of adults aged 18-64 years with healthcare coverage



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	472,011	82.1	(77.5-85.8)	1,163,325	83.7	(81.3-85.8)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	304,375	92.9	(88.3-95.9)	824,649	91.2	(89.0-93.0)
Black, NH	49,440	81.3	(67.4-90.2)	96,166	80.2	(70.4-87.3)
Hispanic	74,557	54.9^	(44.3-65.1)	144,031	57.3	(50.2-64.1)
Other, NH		#		98,479	85.7	(72.5-93.2)
Sex						
male	211,289	77.4	(71.0-82.7)	537,373	79.5	(75.9-82.8)
female	260,722	86.2	(79.4-91.0)	625,952	87.6	(84.3-90.3)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

## Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	396,981	69.3	(63.6-74.4)	946,537	68.0	(65.0-70.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	244,887	75.2	(68.5-80.8)	633,497	69.9	(66.5-73.1)
Black, NH	45,508	75.5	(61.3-85.7)	86,583	72.1	(59.9-81.8)
Hispanic	80,762	60.1	(49.3-70.0)	155,522	62.6	(55.4-69.2)
Other, NH		#		70,935	60.8^	(45.1-74.5)
Sex						
male	165,347	60.5	(52.9-67.7)	416,747	61.6	(57.2-65.8)
female	231,633	77.2	(68.7-83.9)	529,790	74.1	(69.9-77.9)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months\*



	Wes	tchester Co	ounty	Mid-Hudson			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	225,173	34.5	(29.9-39.5)	602,090	38.3	(35.7-41.1)	
Age							
18-24	15,697	21.2	(9.3-41.5)	47,801	27.1	(18.1-38.6)	
25-34	46,684	48.9^	(36.0-62.0)	120,409	53.6	(46.0-61.0)	
35-44	54,618	48.3^	(34.8-62.0)	138,372	51.7	(44.2-59.1)	
45-64	86,431	37.5	(30.4-45.3)	228,594	39.5	(35.6-43.5)	
65+	16,757	13.0	(8.2-19.8)	60,912	20.1	(16.7-23.9)	
Race							
White, NH	105,221	26.1	(21.0-32.0)	356,007	32.7	(29.9-35.6)	
Black, NH	30,173	47.6	(33.2-62.3)	65,977	55.1^	(44.2-65.5)	
Hispanic	82,374	63.6^	(53.5-72.6)	140,652	58.4	(51.5-64.9)	
Other, NH		#		39,454	32.6	(21.6-45.8)	
Sex							
male	99,450	32.2	(26.3-38.9)	269,919	35.7	(32.0-39.6)	
female	125,723	36.6	(29.5-44.3)	332,171	40.8	(36.9-44.8)	
e-adjusted <sup>&amp;</sup>		35.7	(30.9-40.8)		39.8	(37.1-42.7)	

<sup>\*</sup> Worried or stressed about having enough money to pay for rent or mortgage.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months\*



	Wes	tchester Co	ounty	Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	133,210	19.6	(16.2-23.5)	373,183	22.5	(20.4-24.7)	
Age							
18-24		#		37,365	18.6	(12.3-27.1)	
25-34	32,332	33.1	(22.5-45.6)	79,141	33.6	(27.4-40.5)	
35-44	22,587	19.3^	(11.4-30.7)	77,591	27.4	(21.7-33.9)	
45-64	60,445	25.7	(19.7-32.7)	144,699	24.5	(21.2-28.1)	
65+	11,798	8.4	(4.4-15.6)	32,669	10.1	(7.6-13.4)	
Race							
White, NH	54,333	13.1	(9.8-17.3)	203,220	17.9	(15.9-20.0)	
Black, NH	19,556	29.6	(17.8-44.8)	45,801	34.7	(24.9-46.1)	
Hispanic	54,142	41.4	(31.5-51.9)	101,414	40.9	(34.4-47.7)	
Other, NH		#		22,749	16.3^	(9.2-27.3)	
Sex							
male	67,733	20.6	(15.7-26.6)	170,155	21.2	(18.1-24.6)	
female	65,477	18.7	(14.2-24.2)	203,028	23.8	(20.9-26.9)	
-adjusted <sup>&amp;</sup>		20.4	(16.9-24.4)		23.6	(21.3-26.0)	

<sup>\*</sup> Worried or stressed about having enough money to buy nutritious meals.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Improve Health Status and Reduce Health Disparities

# Percentage of adults with poor self-reported health




	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	31,603	4.4	(2.6-7.2)	68,725	4.0	(3.0-5.2)
18-24		#			#	
25-34 35-44		# #			# #	
45-64	12,548	5.0	(2.8-8.6)	33,526	5.4	(4.0-7.3)
65+ <b>Race</b>		#		20,130	6.1	(4.0-9.2)
White, NH	22,046	5.1	(2.6-9.8)	50,681	4.3	(3.1-5.9)
Black, NH		#		6,815	4.8	(2.6-8.8)
Hispanic		#		10,516	4.0	(2.3-6.9)
Other, NH <b>Sex</b>		#			#	
male	21,375	6.3	(3.2-12.1)	38,582	4.6	(3.0-6.9)
female	10,228	2.7	(1.3-5.2)	30,143	3.4	(2.5-4.5)
Age-adjusted <sup>&amp;</sup>		4.2	(2.4-7.2)		3.7	(2.8-4.8)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Improve Health Status and Reduce Health Disparities

## Percentage of adults who report 14 or more days of poor physical health\*



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	66,195	9.2	(6.9-12.3)	162,326	9.5	(8.2-10.9)
Age						
18-24		#			#	
25-34		#		15,549	6.2	(4.0-9.6)
35-44		#		18,750	6.4	(4.3-9.5)
45-64	22,997	9.0	(5.9-13.5)	67,042	10.9	(8.9-13.2)
65+	26,812	19.2	(12.1-29.1)	53,182	16.6	(12.9-21.1)
Race						
White, NH	40,765	9.4	(6.4-13.6)	118,834	10.1	(8.6-12.0)
Black, NH		#		12,030	8.5	(4.7-14.8)
Hispanic	14,877	11.0	(6.8-17.3)	27,070	10.6	(7.6-14.6)
Other, NH		#			#	
Sex						
male	30,334	8.9	(6.1-12.9)	73,642	8.8	(7.2-10.8)
female	35,861	9.5	(6.1-14.5)	88,684	10.0	(8.2-12.3)
Age-adjusted <sup>&amp;</sup>		8.7	(6.5-11.6)		9.1	(7.8-10.5)


<sup>\*</sup> Out of the past 30 days.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# **Westchester**Prevent Chronic Diseases

#### Percentage of adults who are obese\*



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	141,310	20.6	(16.8-24.9)	394,367	23.9	(21.7-26.4)
Age						
18-24		#		27,624	13.3	(7.9-21.5)
25-34	18,548	18.1	(10.4-29.6)	54,511	23.8	(18.3-30.3)
35-44	33,584	30.9	(19.7-44.9)	81,440	30.5	(24.1-37.7)
45-64	61,899	24.7	(18.4-32.3)	162,725	26.9	(23.2-30.8)
65+	23,113	16.8	(11.2-24.4)	67,255	21.1	(17.5-25.3)
Race						
White, NH	73,823	17.8	(13.6-22.9)	255,550	22.7	(20.3-25.4)
Black, NH	29,236	39.7	(26.6-54.5)	52,966	38.1	(28.5-48.7)
Hispanic	36,789	28.1	(18.7-40.0)	75,211	30.9	(24.5-38.1)
Other, NH		#		10,640	7.6	(3.5-15.6)
Sex						
male	77,282	23.1	(17.8-29.3)	215,927	26.1	(22.9-29.6)
female	64,029	18.2	(13.2-24.5)	178,440	21.8	(18.7-25.2)
Age-adjusted <sup>&amp;</sup>		21.0	(17.2-25.4)		24.4	(22.0-26.9)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

Percentage of adults with an annual household income less than \$25,000 who are obese\*



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	29,593	23.3	(15.7-33.1)	87,170	28.5	(23.8-33.8)
Age						
18-24		#		6,365	16.0^	(8.8-27.4)
25-34		#		22,492	34.8^	(23.0-48.7)
35-44		#		16,901	28.8^	(17.0-44.4)
45-64		#		30,816	37.0	(28.5-46.4)
65+		#		10,596	18.8	(13.0-26.5)
Race						
White, NH	8,589	22.6	(12.2-38.0)	41,272	27.3	(21.8-33.7)
Black, NH		#		12,594	34.1	(19.9-51.9)
Hispanic	15,304	23.7	(12.6-40.1)	30,888	29.6^	(20.6-40.6)
Other, NH		#			#	
Sex						
male	14,019	24.0^	(13.9-38.3)	34,047	25.1	(18.9-32.5)
female	15,574	22.6	(12.6-37.1)	53,123	31.2	(24.5-38.9)
Age-adjusted <sup>&amp;</sup>		22.9	(15.9-31.8)		29.0	(24.3-34.2)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

#### Percentage of adults living with a disability who are obese\*



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	33,245	26.7	(18.8-36.4)	100,917	33.2	(28.1-38.7)
Age						
18-24		#			#	
25-34		#		9,015	34.7	(20.5-52.1)
35-44		#			#	
45-64		#		45,176	40.6	(33.0-48.8)
65+		#		26,632	23.1	(17.2-30.4)
Race						
White, NH	18,716	22.7	(14.4-33.9)	68,712	30.3	(25.1-36.1)
Black, NH		#			#	
Hispanic		#		12,074	36.6	(23.8-51.7)
Other, NH		#			#	
Sex						
male	13,584	21.5	(12.1-35.1)	48,667	33.2	(25.6-41.8)
female	19,661	32.0^	(20.3-46.4)	52,250	33.2	(26.7-40.4)
Age-adjusted <sup>&amp;</sup>		32.7	(23.3-43.6)		36.4	(29.6-43.7)

<sup>\*</sup> Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults overweight or obese\*



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	398,924	58.1	(52.3-63.6)	1,013,509	61.6	(58.6-64.4)
Age						
18-24	19,798	25.0^	(12.3-44.4)	78,608	37.8	(27.7-49.0)
25-34	53,744	52.5	(39.6-65.1)	134,836	58.9	(51.3-66.2)
35-44	76,667	70.6^	(58.1-80.6)	182,614	68.3	(61.9-74.2)
45-64	172,109	68.8	(61.2-75.5)	416,662	68.8	(64.9-72.4)
65+	75,341	54.7	(43.3-65.6)	193,474	60.7	(55.0-66.2)
Race						
White, NH	213,648	51.5	(44.3-58.7)	654,729	58.3	(54.8-61.7)
Black, NH	53,811	73.1	(58.6-84.0)	98,751	71.0^	(60.2-79.9)
Hispanic	93,883	71.8	(62.1-79.9)	181,418	74.5	(68.3-79.8)
Other, NH		#		78,610	55.9^	(41.8-69.1)
Sex						
male	229,989	68.7	(61.3-75.2)	594,678	71.9	(68.1-75.4)
female	168,935	48.0	(39.7-56.3)	418,831	51.1	(46.8-55.4)
Age-adjusted <sup>&amp;</sup>		58.2	(53.2-63.0)		61.5	(58.7-64.3)

<sup>\*</sup> Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



	Westchester County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	544,268	78.5	(73.8-82.6)	1,271,442	75.8	(73.3-78.0)
Age						
18-24	74,898	94.5	(87.0-97.8)	175,327	86.7	(79.0-91.8)
25-34	79,031	77.2^	(66.1-85.5)	173,350	72.0	(65.5-77.7)
35-44	89,169	72.9^	(57.3-84.4)	217,887	75.1	(67.5-81.4)
45-64	187,271	78.7	(70.5-85.0)	461,861	77.3	(73.6-80.7)
65+	103,596	73.4	(64.0-81.1)	222,803	68.7	(63.9-73.1)
Race						
White, NH	349,460	83.4	(77.6-87.9)	896,103	78.1	(75.4-80.5)
Black, NH	51,762	78.2	(65.3-87.2)	91,903	69.6	(59.5-78.1)
Hispanic	86,223	62.0^	(51.3-71.7)	167,526	65.4	(58.5-71.7)
Other, NH		#		115,910	81.7^	(68.5-90.1)
Sex						
male	264,522	79.1	(73.0-84.1)	624,724	76.8	(73.5-79.8)
female	279,747	78.0	(70.5-84.0)	646,717	74.8	(71.2-78.1)
Age-adjusted <sup>&amp;</sup>		78.3	(73.6-82.4)		75.6	(73.1-78.0)

<sup>\*</sup> Any physical activities or exercises such as running or walking


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



	Wes	tchester Co	ounty	Mid-Hudson			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	115,419	17.2	(13.9-21.0)	328,184	20.1	(18.0-22.4)	
Age							
18-24	12,594	16.4	(7.9-31.0)	59,915	30.5	(21.4-41.5)	
25-34	25,637	26.3^	(17.1-38.2)	72,301	31.4	(25.3-38.1)	
35-44	25,207	21.3	(12.7-33.6)	66,352	23.7	(18.1-30.4)	
45-64	35,832	15.4	(10.6-21.9)	91,651	15.7	(12.9-18.8)	
65+	14,934	10.9	(6.2-18.7)	34,297	10.9	(8.2-14.4)	
Race							
White, NH	47,735	11.5	(8.1-16.2)	179,864	16.0	(13.8-18.4)	
Black, NH	20,263	32.5	(20.6-47.4)	44,636	35.8^	(26.3-46.5)	
Hispanic	43,848	34.0^	(25.0-44.2)	83,157	34.3	(28.1-41.2)	
Other, NH		#		20,526	15.1^	(8.3-25.9)	
Sex							
male	79,470	24.7	(19.4-30.8)	201,838	25.5	(22.3-29.1)	
female	35,949	10.3	(6.9-15.1)	126,346	15.0	(12.5-18.0)	
e-adjusted <sup>&amp;</sup>		18.1	(14.6-22.2)		21.4	(19.1-23.9)	

<sup>\*</sup> Sugary drinks include regular soda, and sugar-sweetened drinks.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

## Percentage of adults who consume fast-food three or more times per week



	Wes	tchester Co	ounty	Mid-Hudson			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	36,134	5.4	(3.7-7.8)	94,313	5.8	(4.6-7.3)	
18-24		#		18,550	9.4	(4.8-17.6)	
25-34	9,245	9.5	(5.3-16.5)	22,619	9.8	(6.4-14.6)	
35-44		#		25,563	9.2	(5.4-15.3)	
45-64	7,896	3.4	(1.7-6.8)	22,019	3.8	(2.6-5.4)	
65+		#		4,862	1.6	(0.8-3.1)	
Race							
White, NH	16,892	4.1	(2.6-6.5)	47,954	4.3	(3.3-5.5)	
Black, NH		#		17,766	14.1^	(6.6-27.5)	
Hispanic	11,563	8.9	(4.2-17.8)	23,510	9.8	(6.2-15.2)	
Other, NH		#			#		
Sex							
male	29,066	9.0	(5.8-13.7)	75,751	9.6	(7.3-12.6)	
female	7,068	2.0	(1.1-3.7)	18,562	2.2	(1.6-3.1)	ļ
e-adjusted <sup>&amp;</sup>		6.1	(4.1-8.9)		6.4	(5.0-8.2)	


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with physician diagnosed diabetes\*



#### **Westchester County** Mid-Hudson Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI **Total** 50,008 6.8 (4.9 - 9.3)150,887 8.6 (7.3-10.1)Age 18-24 # # 25-34 # # 35-44 # 14,160 (2.4-9.1)4.7 45-64 17,813 6.9 (4.2-11.2)62,032 9.9 (7.7-12.6)65+ 29,123 (12.9-29.5)68,925 (16.7-25.4)19.9 20.7 Race White, NH 20,964 4.7 (3.2-7.1)89,474 7.5 (6.2-8.9)Black, NH 13,433 17.7 (9.9-29.5)19,890 13.7 (8.9-20.7)Hispanic 17,031 (4.0-9.9)# 6.4 Other, NH # 24,492 16.3 (9.0-27.9)Sex male 25,738 7.4 (4.6-11.7)88,046 10.3 (8.2-12.9)female 24,270 6.3 (4.0-9.6)62,840 6.9 (5.5-8.7)Age-adjusted<sup>&</sup> 6.0 (4.4-8.1)7.8 (6.7-9.2)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults who are current smokers



# Westchester County

#### Mid-Hudson

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Г	Adults	Percent	33% CI	Addits	Percent	95% CI
Total	83,515	11.7	(9.0-15.2)	239,102	14.1	(12.4-15.9)
Age						
18-24		#		32,350	15.8	(9.2-25.9)
25-34	14,579	14.0	(8.1-23.0)	43,314	17.8	(13.5-23.0)
35-44	18,297	14.4	(7.7-25.4)	44,821	15.3	(11.0-20.9)
45-64	33,555	13.8	(9.8-19.0)	96,435	15.9	(13.5-18.8)
65+		#		20,862	6.3	(4.5-8.8)
Race						
White, NH	47,030	10.8	(7.4-15.5)	164,788	14.1	(12.1-16.4)
Black, NH	13,363	19.9^	(11.2-32.8)	25,127	18.9	(12.0-28.4)
Hispanic	21,557	15.3	(9.4-23.9)	41,932	16.1	(11.8-21.6)
Other, NH		#		7,254	5.1	(2.4-10.6)
Sex						
male	55,368	16.3	(11.6-22.5)	144,979	17.6	(14.7-20.9)
female	28,146	7.6	(5.2-10.9)	94,123	10.7	(9.0-12.7)
Age-adjusted <sup>&amp;</sup>		12.2	(9.2-16.0)		14.5	(12.6-16.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with annual household income less than \$25,000 who are current smokers



#### **Westchester County** Mid-Hudson Est. # of Est. # of **Adults** Percent 95% CI **Adults Percent** 95% CI **Total** 25,520 19.0 (13.3-26.5)73,745 23.0 (19.2-27.3)Age 18.1 18-24 # 7,392 (9.7-31.1)25-34 17,890 25.6 (17.0-36.7)# 35-44 # 20.9 (13.1-31.7)13,112 45-64 # 27,097 31.4 (24.0-39.9)65+ # 8,253 14.3 (8.6-22.7)Race White, NH 10,717 27.8 (16.5-42.9)45,290 28.9 (23.5-35.0)Black, NH # 10,881 31.9 (18.4-49.2)Hispanic 12.2 15,364 13.5 8,724 (6.5-21.8)(8.8-20.1)Other, NH # # Sex male 13,180 21.1 (13.0-32.4)35,712 25.4 (19.7-32.0)female 12,339 17.2 (9.9-28.1)38,032 21.2 (16.3-27.0)Age-adjusted<sup>&</sup> 19.7 (14.0-26.9)23.4 (19.7-27.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

## Percentage of adults aged 18-24 years who are current smokers



	Wes	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		32,350	15.8^	(9.2-25.9)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		23,087	16.1	(8.0-29.9)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		24,040	23.7	(12.6-40.1)	
female		#		8,310	8.1	(3.7-16.6)	
Age-adjusted+,&							

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	111,029	84.5	(75.5-90.6)	246,457	80.4	(76.2-84.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	76,980	84.3	(74.8-90.6)	184,023	79.1	(74.7-82.9)
Black, NH		#		14,839	87.4^	(74.9-94.2)
Hispanic		#		22,718	86.1	(66.9-95.0)
Other, NH		#			#	
Sex						
male		#			#	
female	111,029	84.5	(75.5-90.6)	246,457	80.4	(76.2-84.0)
Age-adjusted+,&						

<sup>\*</sup> Mammogram within past 2 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Wes	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		34,867	67.2^	(56.2-76.7)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		16,177	51.0	(38.1-63.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		34,867	67.2	(56.2-76.7)	
Age-adjusted+,&							

<sup>\*</sup> Mammogram within past 2 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# **Prevent Chronic Diseases**

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	196,182	81.1	(73.5-86.9)	496,976	82.6	(79.1-85.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	122,271	83.2	(73.2-90.0)	343,119	83.5	(79.5-86.9)
Black, NH		#		30,763	74.4^	(58.2-85.9)
Hispanic	44,585	84.5	(69.7-92.8)	75,619	82.0	(73.0-88.4)
Other, NH		#			#	
Sex						
male		#			#	
female	196,182	81.1	(73.5-86.9)	496,976	82.6	(79.1-85.6)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	37,966	74.4^	(57.1-86.4)	96,878	76.7	(68.6-83.2)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		42,290	71.4	(59.7-80.7)
Black, NH		#			#	
Hispanic		#		37,467	79.7^	(64.2-89.6)
Other, NH		#			#	
Sex						
male		#			#	
female	37,966	74.4	(57.1-86.4)	96,878	76.7	(68.6-83.2)
Age-adjusted+,&						

<sup>\*</sup> Pap test within past 3 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age <sup>+</sup> 18-24 25-34	178,823	72.1	(64.5-78.6)	420,117	69.1	(65.4-72.7)
35-44 45-64 65+ <b>Race</b>						
White, NH Black, NH Hispanic Other, NH <b>Sex</b>	117,626	73.4 # # #	(65.7-80.0)	316,982 33,596 28,956	70.6 76.4 <sup>^</sup> 55.1 <sup>^</sup> #	(66.9-74.0) (64.2-85.4) (42.7-66.9)
male female Age-adjusted+,&	84,647 94,176	72.0 <sup>^</sup> 72.1	(59.4-81.9) (62.5-80.1)	203,820 216,297	67.7 70.6	(61.6-73.2) (65.9-74.9)

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Westchester County			Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	19,275	53.3^	(37.4-68.6)	47,995	52.6	(44.2-60.8)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		29,963	53.0	(43.3-62.6)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		18,246	47.1	(34.9-59.7)	
female		#		29,749	56.6	(45.7-66.9)	
Age-adjusted+,&							

<sup>\*</sup> Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

## Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Westchester County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	391,097	59.1	(53.6-64.4)	907,749	58.5	(55.6-61.4)
Age						
18-24	32,497	43.3	(19.4-70.8)	74,996	36.8	(24.7-50.8)
25-34	50,370	47.5	(35.3-60.1)	111,134	46.0	(38.9-53.2)
35-44	65,617	52.7	(39.7-65.4)	149,552	53.4	(46.1-60.5)
45-64	153,722	65.1	(56.4-72.8)	369,306	66.9	(62.5-71.0)
65+	79,676	73.6	(58.8-84.5)	183,286	73.5	(66.9-79.3)
Race						
White, NH	259,226	64.7	(57.9-70.9)	647,286	61.0	(57.7-64.2)
Black, NH	41,889	68.2	(53.8-79.8)	83,150	67.2^	(56.4-76.5)
Hispanic	61,905	46.0^	(35.9-56.5)	117,732	48.8	(41.7-55.9)
Other, NH		#		59,581	47.5	(33.4-62.0)
Sex						
male	157,065	50.5	(43.1-57.9)	378,659	51.5	(47.3-55.6)
female	234,032	66.8	(59.1-73.6)	529,090	64.9	(60.9-68.7)
Age-adjusted <sup>&amp;</sup>		57.8	(51.7-63.7)		57.4	(54.2-60.4)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with physician-diagnosed prediabetes




#### **Westchester County** Mid-Hudson Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI 17,608 **Total** 2.6 (1.6-4.1)68,671 4.3 (3.5-5.3)Age 18-24 # # 25-34 # # 35-44 # 10,994 3.9 (2.2-6.8)45-64 # 26,630 4.8 (3.6-6.4)65+ 21,581 (5.9-11.4)# 8.3 Race White, NH (1.6-5.0)11,838 2.8 48,336 4.4 (3.5-5.6)Black, NH # 6,075 4.9 (2.5-9.5)Hispanic # 9,695 3.9 (2.1-7.1)Other, NH # # Sex male 8,654 2.7 (1.5-5.0)31,186 4.1 (3.0-5.6)female 8,954 37,484 4.5 2.5 (1.2-5.0)(3.4-5.9)Age-adjusted<sup>&</sup> 2.6 (1.6-4.2)4.3 (3.5-5.3)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

## Percentage of adults with physician-diagnosed high blood pressure



	Westchester County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	185,960	25.3	(21.4-29.6)	485,160	27.6	(25.4-29.9)
Age						
18-24		#		14,115	6.5	(3.1-13.3)
25-34		#		19,179	7.6	(4.9-11.6)
35-44	17,688	13.8	(7.2-24.9)	50,528	16.7	(12.1-22.6)
45-64	71,713	28.0	(21.9-35.0)	203,210	32.5	(28.9-36.3)
65+	86,926	59.5	(48.3-69.8)	191,521	57.5	(52.1-62.8)
Race						
White, NH	113,551	25.7	(20.9-31.2)	339,577	28.4	(25.9-31.1)
Black, NH	34,587	45.5	(32.0-59.7)	57,952	40.0	(30.9-50.0)
Hispanic	24,592	17.3	(11.3-25.6)	53,138	20.0	(15.5-25.4)
Other, NH		#		34,492	23.0	(14.2-35.0)
Sex						
male	94,559	27.3	(21.8-33.5)	258,468	30.5	(27.2-33.9)
female	91,401	23.5	(18.4-29.6)	226,692	25.0	(22.1-28.1)
Age-adjusted <sup>&amp;</sup>		23.0	(19.7-26.6)		25.4	(23.4-27.5)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

## Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	147,853	79.5	(71.8-85.5)	379,361	78.2	(74.1-81.8)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		25,439	50.3^	(33.7-66.9)
45-64	60,615	84.5	(74.5-91.1)	167,173	82.3	(77.5-86.3)
65+	78,366	90.2	(80.8-95.2)	174,121	91.0	(86.7-93.9)
Race						
White, NH	93,180	82.1	(72.8-88.6)	269,044	79.3	(74.9-83.1)
Black, NH		#		48,852	84.3	(70.9-92.2)
Hispanic		#		31,347	59.0^	(44.8-71.9)
Other, NH		#			#	
Sex						
male	70,361	74.4^	(62.9-83.3)	187,107	72.4	(66.1-78.0)
female	77,492	84.8^	(73.6-91.8)	192,253	84.9	(80.0-88.8)
Age-adjusted <sup>&amp;</sup>		53.3^	(42.6-63.7)		57.4	(51.8-62.7)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### **Prevent Chronic Diseases**

#### Percentage of adults with current asthma\*



#### **Westchester County** Mid-Hudson Est. # of Est. # of **Adults** Adults **Percent** 95% CI **Percent** 95% CI 7.9 **Total** 57,816 (5.4-11.4) 141,569 8.1 (6.7-9.7)Age 18-24 # 30,738 14.2 (8.2-23.4)25-34 # 15,451 6.2 (4.0-9.5)35-44 # 8.2 (4.6-14.1)24,864 45-64 16,319 6.4 (3.8-10.4)43,139 6.9 (5.4-8.8)65+ 7,003 (2.5-9.2)7.5 4.8 24,959 (5.4-10.5)Race White, NH 45,095 10.2 (6.7-15.3) 104,334 8.8 (7.1-10.8)Black, NH # 11,950 8.3 (4.5-14.7)Hispanic # 19,703 (4.1-13.1)7.4 Other, NH # 5,582 3.7 (1.5-8.8)Sex male 23,273 6.7 (3.7-11.9)56,381 6.6 (4.9 - 9.0)female 34,544 9.4 9.0 (5.5-14.3)85,187 (7.5-11.9)Age-adjusted<sup>&</sup> 8.2 (5.4-12.2)8.1 (6.6-9.9)


<sup>\*</sup> Physician diagnosed asthma.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

#### **Prevent Chronic Diseases**

#### Percent of adults with cholesterol checked\*



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	640,475	88.1	(82.5-92.0)	1,487,921	86.1	(83.5-88.4)
Age						
18-24	46,310	58.4	(30.9-81.5)	119,554	58.8	(45.3-71.2)
25-34	77,281	72.9^	(62.4-81.3)	166,373	68.6	(62.0-74.5)
35-44	119,754	92.6	(86.1-96.3)	264,626	88.1	(83.0-91.8)
45-64	243,915	95.6	(92.7-97.4)	589,697	94.4	(92.6-95.8)
65+	142,751	98.3	(94.8-99.4)	323,941	97.5	(96.0-98.5)
Race						
White, NH	392,596	89.9^	(79.6-95.3)	1,037,098	88.5	(84.9-91.4)
Black, NH	62,662	83.6	(72.9-90.7)	118,223	82.3	(72.7-89.1)
Hispanic	111,922	79.3	(72.0-85.1)	203,261	77.3	(72.0-81.8)
Other, NH		#		129,338	86.1^	(75.7-92.5)
Sex						
male	304,934	88.6	(84.7-91.6)	717,767	85.9	(83.0-88.4)
female	335,540	87.6^	(76.7-93.9)	770,154	86.3	(81.7-89.8)
Age-adjusted <sup>&amp;</sup>		86.5	(81.7-90.1)		84.3	(81.8-86.5)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Prevent Chronic Diseases

# Percentage of adults 18 years and older with elevated cholesterol\*



	Westchester County			Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	243,964	38.1	(33.1-43.5)	563,809	38.0	(35.3-40.8)
Age						
18-24		#		25,949	21.7	(12.2-35.6)
25-34	7,876	10.2	(5.1-19.4)	21,044	12.6	(8.6-18.2)
35-44	38,995	32.6	(21.1-46.6)	75,762	28.6	(22.3-35.9)
45-64	100,468	41.3	(33.6-49.5)	250,204	42.6	(38.4-46.9)
65+	82,269	57.6 <sup>^</sup>	(47.1-67.6)	181,331	56.2	(50.9-61.5)
Race						
White, NH	150,551	38.4	(32.6-44.6)	404,347	39.1	(36.2-42.2)
Black, NH	23,752	37.9	(23.8-54.5)	36,973	31.3^	(22.1-42.2)
Hispanic	40,457	36.1	(25.3-48.7)	71,505	35.2	(27.8-43.3)
Other, NH		#		50,985	39.5^	(25.9-54.9)
Sex						
male	139,051	45.7	(38.1-53.5)	314,812	44.0	(39.8-48.2)
female	104,913	31.3	(25.1-38.2)	248,997	32.4	(29.0-36.1)
Age-adjusted <sup>&amp;</sup>		34.2	(29.4-39.3)		33.7	(31.0-36.5)

<sup>\*</sup> As diagnosed by a health professional.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	Wes	tchester Co	ounty	Mid-Hudson				
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI		
Total	21,592	7.2	(4.9-10.7)	66,257	8.6	(6.9-10.6)		
Age								
18-24		#			#			
25-34		#			#			
35-44		#		8,782	9.1^	(3.7-20.7)		
45-64	9,625	9.1	(5.2-15.6)	28,181	9.2	(6.8-12.3)		
65+	8,537	7.7	(4.3-13.4)	21,893	8.7	(6.4-11.7)		
Race								
White, NH	9,476	5.0	(3.0-8.4)	39,723	7.1	(5.6-8.8)		
Black, NH		#		11,297	15.3^	(8.5-26.1)		
Hispanic		#		6,859	7.7	(4.3-13.2)		
Other, NH		#			#			
Sex								
male	6,876	4.9	(2.5-9.6)	32,849	8.9	(6.3-12.4)		
female	14,716	9.3	(5.6-14.8)	33,408	8.2	(6.3-10.7)		
e-adjusted <sup>&amp;</sup>		7.7	(3.9-14.6)		8.5	(6.2-11.4)		

<sup>\*</sup> Courses for high blood pressure, arthritis, or diabetes.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### **Prevent Chronic Diseases**

### Percentage of adults with arthritis\*



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	154,512	21.1	(17.4-25.3)	392,756	22.4	(20.4-24.5)
Age						
18-24		#			#	
25-34		#		23,161	9.2	(6.0-13.7)
35-44	20,013	15.6^	(7.8-28.5)	42,145	13.9	(9.7-19.7)
45-64	59,340	23.1	(17.6-29.8)	161,955	25.8	(22.6-29.3)
65+	62,730	43.7	(33.6-54.4)	152,353	46.1	(40.9-51.4)
Race						
White, NH	107,585	24.4	(19.6-30.0)	308,405	25.9	(23.4-28.4)
Black, NH	20,778	27.7	(16.2-43.0)	32,099	22.3	(15.1-31.6)
Hispanic	20,141	14.1	(7.9-23.8)	39,612	14.8	(10.6-20.4)
Other, NH		#		12,641	8.4	(4.1-16.3)
Sex						
male	61,835	17.8	(13.2-23.5)	150,162	17.7	(15.1-20.5)
female	92,677	24.1	(18.7-30.3)	242,594	26.9	(23.9-30.0)
Age-adjusted <sup>&amp;</sup>		19.7	(16.2-23.7)		20.8	(18.9-22.8)

<sup>\*</sup> Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity




	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	647,844	95.1	(93.2-96.5)	1,515,249	92.1	(90.6-93.4)
Age						
18-24	76,470	96.9	(89.4-99.2)	178,853	89.6	(81.8-94.3)
25-34	90,942	92.9	(86.2-96.4)	208,949	88.8	(83.8-92.4)
35-44	111,109	93.9	(87.6-97.1)	256,978	90.8	(86.0-94.1)
45-64	223,895	94.7	(90.9-96.9)	547,100	93.1	(91.1-94.6)
65+	135,126	97.2	(91.7-99.1)	301,481	95.1	(92.7-96.8)
Race						
White, NH	399,830	95.9	(93.5-97.4)	1,040,740	92.0	(90.3-93.5)
Black, NH	63,873	96.6	(90.5-98.8)	119,401	92.0	(82.5-96.5)
Hispanic	118,440	90.3	(83.5-94.5)	223,577	90.8	(86.2-94.0)
Other, NH		#		131,532	95.0	(89.1-97.8)
Sex						
male	309,876	94.2	(91.0-96.2)	739,528	92.8	(90.5-94.6)
female	337,968	96.1	(93.3-97.7)	775,721	91.4	(89.3-93.1)
Age-adjusted <sup>&amp;</sup>		94.9	(92.9-96.4)		91.7	(90.0-93.1)

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Promote a Health and Safe Environment

### Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	42,085	29.9	(21.7-39.5)	92,763	28.8	(24.5-33.6)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	32,228	33.1	(24.6-42.8)	78,574	30.9	(26.8-35.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	19,394	27.3	(16.8-41.1)	42,914	26.7	(20.8-33.4)
female	22,691	32.5	(21.3-46.1)	49,849	31.0	(25.1-37.6)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

### Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	15,093	35.9^	(21.7-53.0)	37,075	40.2	(32.0-49.0)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		31,264	40.1	(32.4-48.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		15,850	37.2	(26.8-48.9)
female		#		21,225	42.9^	(31.1-55.6)
Age-adjusted+,&						

<sup>\*</sup> Falls that limited regular activities or lead to doctor visits.

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Westchester County			Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	70,514	33.5	(26.3-41.6)	182,322	34.0	(30.2-38.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	40,565	29.8	(22.4-38.4)	129,928	33.3	(29.4-37.5)
Black, NH		#		20,470	47.9^	(32.1-64.1)
Hispanic		#		17,315	30.3^	(20.9-41.7)
Other, NH		#			#	
Sex						
male	37,814	41.0^	(29.2-53.9)	101,973	39.5	(33.7-45.6)
female	32,699	27.7	(19.1-38.2)	80,348	28.9	(24.2-34.2)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

# Percentage of adults aged 18+ years with flu immunization in the past year\*



	Wes	tchester Co	ounty	Mid-Hudson		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	355,965	52.0	(46.6-57.5)	785,113	47.3	(44.5-50.1)
Age						
18-24	42,287	53.6	(30.2-75.5)	67,071	33.5	(21.3-48.4)
25-34	29,407	29.9^	(20.6-41.3)	70,650	30.0	(24.1-36.6)
35-44	41,254	34.9	(23.1-48.8)	103,925	36.5	(29.9-43.7)
45-64	127,436	53.8	(45.7-61.7)	284,102	47.9	(43.8-52.0)
65+	109,417	77.3	(68.0-84.6)	245,927	75.9	(71.4-79.8)
Race						
White, NH	253,776	60.5	(53.6-67.1)	580,946	50.9	(47.6-54.1)
Black, NH	27,979	42.3	(28.8-57.1)	48,599	36.9^	(27.8-47.1)
Hispanic	38,093	28.9	(21.3-37.8)	81,517	32.9	(27.3-39.0)
Other, NH		#		74,051	53.4	(39.5-66.8)
Sex						
male	152,196	46.0	(39.0-53.1)	341,699	42.4	(38.6-46.2)
female	203,769	57.7	(49.5-65.6)	443,414	51.9	(47.8-56.1)
Age-adjusted <sup>&amp;</sup>		49.3	(43.8-54.7)		45.0	(42.1-48.0)

<sup>\*</sup> Includes flu shot or flu spray


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 65+ years with flu immunization in the past year\*



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	109,417	77.3	(68.0-84.6)	245,927	75.9	(71.4-79.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	74,684	76.2	(66.8-83.6)	191,919	75.0	(70.8-78.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	57,212	80.5	(67.7-89.1)	123,697	76.4	(70.0-81.8)
female	52,205	74.2	(60.2-84.5)	122,230	75.4	(68.9-80.8)
Age-adjusted <sup>+,&amp;</sup>						

<sup>\*</sup> Includes flu shot or flu spray

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 65+ years with pneumococcal immunization



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	95,400	71.8	(62.1-79.7)	201,874	65.6	(60.6-70.2)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	64,997	69.0	(59.4-77.3)	160,758	65.7	(61.2-70.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	48,346	74.1	(60.8-84.0)	96,066	63.4	(56.0-70.3)
female	47,054	69.5	(55.4-80.7)	105,807	67.7	(60.8-73.9)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

### Percentage of women aged 18-44 years who had dental visit within the last year



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	84,148	60.9^	(40.8-77.8)	239,158	69.0	(59.1-77.4)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	53,400	68.6	(33.3-90.5)	166,583	74.4^	(59.9-84.9)
Black, NH		#			#	
Hispanic		#		35,664	54.9	(39.1-69.8)
Other, NH		#			#	
Sex						
male		#			#	
female	84,148	60.9^	(40.8-77.8)	239,158	69.0	(59.1-77.4)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	118,410	74.2^	(60.0-84.6)	274,898	70.6	(63.9-76.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	76,950	86.9^	(74.8-93.7)	184,761	75.1	(68.1-81.0)
Black, NH		#			#	
Hispanic		#		49,811	64.5	(49.3-77.3)
Other, NH		#			#	
Sex						
male		#			#	
female	118,410	74.2	(60.0-84.6)	274,898	70.6	(63.9-76.5)
Age-adjusted <sup>+,&amp;</sup>						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

### Percentage of women aged 18-64 years with health care coverage



	Wes	tchester Co	ounty	Mid-Hudson		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	260,722	86.2	(79.4-91.0)	625,952	87.6	(84.3-90.3)
Age <sup>+</sup>						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	165,070	90.0	(81.7-94.7)	444,204	92.0	(88.6-94.4)
Black, NH		#		47,362	84.1	(69.6-92.5)
Hispanic	43,680	68.6	(50.4-82.5)	73,041	66.7	(55.3-76.5)
Other, NH		#		61,345	93.6	(77.8-98.4)
Sex						
male		#			#	
female	260,722	86.2	(79.4-91.0)	625,952	87.6	(84.3-90.3)
Age-adjusted+,&						

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Westchester County			Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	66,161	46.4^	(30.1-63.4)	153,496	44.1	(35.9-52.5)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	45,077	54.9^	(32.2-75.8)	108,432	47.8^	(37.2-58.6)	
Black, NH		#			#		
Hispanic		#		26,231	41.1^	(27.4-56.4)	
Other, NH		#			#		
Sex							
male		#			#		
female	66,161	46.4	(30.1-63.4)	153,496	44.1	(35.9-52.5)	
Age-adjusted <sup>+,&amp;</sup>							

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.


<sup>+</sup> Age-adjusted and age specific percent not generated for health indicators with age range limits.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

#### Promote Mental Health and Prevention Substance Abuse

#### Percentage of adults with poor mental health for 14 or more days in the last month



#### **Westchester County** Mid-Hudson Est. # of Est. # of **Adults** Adults Percent 95% CI **Percent** 95% CI **Total** 73,836 10.3 (6.2-16.7)185,388 10.8 (8.6-13.4)Age 18-24 22.3 (11.0-39.9)# 46,733 25-34 19,988 8.2 (5.7-11.6)6,987 6.9 (3.6-12.5)35-44 31,122 10.5 # (6.8-16.0)45-64 14,502 5.7 (3.6-8.8)62,904 10.2 (8.3-12.4)65+ 10,252 7.3 (3.7-13.6)(4.9 - 9.6)22,310 6.9 Race 12.1 11.2 White, NH 51,855 (6.1-22.5)131,314 (8.4-14.7)Black, NH 16,197 11.7 (6.2-21.0)Hispanic 8.9 29,751 (7.8-16.2)12,391 (4.6-16.4)11.4 Other, NH # # Sex male 27,170 8.1 (4.5-14.1)79,572 9.6 (7.3-12.4)female 46,667 12.3 105,816 (6.0-23.7)(8.6-16.4)11.9 Age-adjusted<sup>&</sup> 10.9 (7.2-16.0)10.9 (8.8-13.4)


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

# Percentage of adult binge drinking during the past month\*



	Westchester County			Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	106,971	15.8	(11.1-22.0)	243,431	14.8	(12.4-17.5)	
Age							
18-24	36,575	46.2	(22.7-71.6)	67,414	34.0^	(21.6-49.0)	
25-34	19,837	20.1	(13.0-29.7)	46,125	19.5	(15.0-25.0)	
35-44	31,894	27.0^	(16.5-40.9)	53,410	18.9	(13.7-25.4)	
45-64	16,024	6.9	(4.3-11.1)	66,917	11.4	(9.3-14.0)	
65+		#		8,774	2.7	(1.7-4.3)	
Race							
White, NH	72,222	17.6	(10.9-27.2)	183,442	16.2	(13.2-19.9)	
Black, NH		#		7,464	5.9	(3.1-10.9)	
Hispanic	25,458	18.8	(11.5-29.2)	43,796	17.5	(12.7-23.7)	
Other, NH		#		8,729	6.2	(2.8-12.8)	
Sex							
male	63,906	19.8	(14.6-26.2)	155,554	19.7	(16.8-22.9)	
female	43,066	12.2	(5.6-24.6)	87,877	10.3	(6.8-15.2)	
Age-adjusted <sup>&amp;</sup>		17.9	(13.7-23.2)		16.0	(13.6-18.6)	

 $<sup>\</sup>ensuremath{^{*}}$  Men who have five or more drinks , women having four or more drinks on one occasion


<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Promote Mental Health and Prevention Substance Abuse

### Percentage of cigarette smoking among adults who report poor mental health



	Westchester County			Mid-Hudson			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	17,517	24.2^	(9.8-48.2)	51,755	28.7^	(20.0-39.4)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#			#		
45-64		#		19,510	31.2	(22.7-41.2)	
65+		#			#		
Race							
White, NH		#		36,925	28.4	(18.3-41.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		33,440	44.0^	(30.0-59.0)	
female		#		18,314	17.6	(10.9-27.2)	
Age-adjusted <sup>&amp;</sup>		28.6^	(16.1-45.6)		29.7	(22.4-38.2)	

<sup>&</sup>amp; Percent is age-adjusted to the 2000 United States Population.

<sup>#</sup> Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).