eBRFSS 2013-2014 Health Indicators: Western NY

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician-diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults with annual nousehold income less than \$25,000 who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on receiving an account of the second secon	
guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based or	
	/
guidelines	20
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure	ecent 29 30 31
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication	ecent 30 31 32
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	ecent 29 31 32 33
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked.	ecent 29 31 32 34 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol.	ecent 29 30 31 32 34 35 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.	ecent 29 30 31 32 33 34 35 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis.	ecent2930313233343535373738
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults with ohave taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Women aged 18-44 years who saw a doctor for a routine checkup within the last year.	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with collesterol checked. Percentage of adults with atheritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults suith arthritis. Percentage of adults suith aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with all least one fall in the past 12 months. Percentage of adults aged 65+ years with all least one fall in the past 12 months. Percentage of adults aged 65+ years with all least one fall in the past year percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years with health care coverage. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	ecent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with collesterol checked. Percentage of adults with atheritis. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults suith arthritis. Percentage of adults suith aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Percentage of adults aged 65+ years with all least one fall in the past 12 months. Percentage of adults aged 65+ years with all least one fall in the past 12 months. Percentage of adults aged 65+ years with all least one fall in the past year percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years with health care coverage. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health	ecent

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than $\pm 10\%$ are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



		Weste	rn NY			State	13.1 11.2 15.3 14.1 [^] 7.5 25.1			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper		
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit		
Total	111,076	9.2	7.7	10.8	1,994,210	13.1	11.2	15.3		
Age										
18-24	16,858	9.8	4.9	18.5	281,654	14.1^	7.5	25.1		
25-34	25,019	14.6	9.8	21.3	537,866	19.7	14.2	26.6		
35-44	18,404	10.7	7.7	14.7	423,154	17.0	12.3	23.0		
45-64	44,281	10.2	8.2	12.5	596,074	11.9	9.8	14.3		
65+	6,309	2.5	1.5	4.1	139,733	5.1	3.0	8.4		
Race										
White, NH	88,308	8.7	7.2	10.6	959,531	10.5	8.7	12.7		
Black, NH	12,547	13.6	8.4	21.3	335,184	15.5	10.0	23.4		
Hispanic	7,904	13.2	7.5	22.4	465,114	18.4	14.5	23.0		
Other, NH	2,317	5.1	2.5	10.1	234,381	16.3^	7.3	32.6		
Sex										
Male	54,343	9.3	7.0	12.3	890,677	12.3	9.6	15.5		
Female	56,733	9.1	7.5	10.9	1,103,533	13.8	11.2	16.9		
Age-adjusted ^{&}		9.8	8.2	11.6		13.6	11.6	15.8		


^{*} Among people needing to see a doctor in the past 12 months

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider




		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	1,066,548	88.1	86.1	89.9	12,905,860	84.9	83.1	86.6
Age								
18-24	127,756	74.5^	64.0	82.7	1,486,954	76.3	69.8	81.8
25-34	142,488	82.2	76.7	86.6	1,983,479	72.3	66.1	77.7
35-44	148,338	86.9	81.1	91.1	2,091,488	84.7	79.6	88.7
45-64	394,413	91.1	88.5	93.1	4,450,345	88.6	85.5	91.1
65+	240,905	96.8	95.0	98.0	2,640,269	96.0	94.7	97.1
Race								
White, NH	910,266	89.8	87.7	91.6	7,996,007	88.0	86.6	89.3
Black, NH	72,546	78.8	69.0	86.2	1,926,090	89.0	83.6	92.7
Hispanic	46,457	77.2^	64.9	86.2	1,725,153	68.6	61.2	75.1
Other, NH	37,279	83.4^	71.6	90.9	1,258,610	87.9	79.9	93.0
Sex								
Male	480,509	82.2	78.5	85.4	5,804,831	80.1	77.1	82.8
Female	586,040	93.6	91.9	95.0	7,101,029	89.3	87.0	91.3
Age-adjusted ^{&}		87.4	85.2	89.2		84.5	82.5	86.2

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year




		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
r	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	815,757	72.0	69.5	74.4	9,774,786	69.5	66.9	72.0
Age								
18-24	111,937	72.2	62.3	80.3	1,100,494	62.2	51.0	72.2
25-34	104,276	65.3	57.4	72.5	1,624,123	65.1	57.7	71.8
35-44	116,739	73.5	66.6	79.5	1,687,707	71.9	65.2	77.8
45-64	302,588	73.5	69.9	76.8	3,421,923	72.6	69.3	75.7
65+	169,803	72.1	67.5	76.3	1,743,883	69.8	66.0	73.4
Race								
White, NH	696,981	73.0	70.4	75.5	6,152,109	72.4	70.1	74.6
Black, NH	48,534	62.2^	51.5	71.9	1,309,282	66.6	57.4	74.7
Hispanic	39,253	69.8^	56.2	80.6	1,435,933	62.9	55.3	70.0
Other, NH	30,989	69.9^	54.2	82.0	877,462	66.5	52.1	78.4
Sex								
Male	385,171	70.1	66.0	74.0	4,591,800	67.3	63.4	71.1
Female	430,585	73.8	70.7	76.6	5,182,986	71.6	68.1	74.8
Age-adjusted ^{&}		71.6	68.9	74.2		69.3	66.6	71.8

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	300,934	25.0	22.8	27.4	3,111,131	20.8	19.1	22.7
Age								
18-24	21,109	12.4	7.0	21.1	119,872	6.1	4.3	8.5
25-34	32,454	19.0	13.1	26.6	426,647	16.0	10.8	23.2
35-44	32,720	19.3	14.1	25.9	294,471	12.2	9.7	15.3
45-64	123,509	28.7	25.1	32.5	1,195,176	24.2	21.6	27.1
65+	89,167	36.1	31.7	40.7	989,611	36.8	33.1	40.6
Race								
White, NH	259,812	25.8	23.3	28.5	2,187,495	24.4	22.4	26.6
Black, NH	19,801	22.0	15.4	30.5	332,469	15.8	11.9	20.7
Hispanic	12,927	21.7	13.6	32.9	420,342	17.0	12.7	22.5
Other, NH	8,395	18.7^	10.7	30.6	170,824	12.3	7.7	19.1
Sex								
Male	141,203	24.3	20.8	28.3	1,349,486	18.9	16.3	21.9
Female	159,731	25.7	22.9	28.7	1,761,645	22.6	20.4	24.9
Age-adjusted ^{&}		24.0	21.7	26.5		19.9	18.3	21.6


^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



		Weste	rn NY			State	wide	
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	823,035	87.2	84.7	89.3	10,275,389	85.2	82.8	87.3
Race								
White, NH	674,524	88.0	85.2	90.3	6,192,415	90.1	88.8	91.3
Black, NH	68,376	82.4	73.1	89.0	1,606,586	87.9	82.0	92.1
Hispanic	46,078	79.4^	66.7	88.1	1,626,540	73.2	66.2	79.2
Other, NH Sex	34,057	93.3	84.4	97.3	849,849	74.5^	56.8	86.6
Male	400,391	84.8	80.5	88.3	4,924,290	83.2	79.9	86.0
Female	422,644	89.6	86.8	91.8	5,351,099	87.2	83.4	90.2
Age-adjusted+,&								


[&]amp; Percent is age adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	713,093	75.2	72.3	77.9	8,622,736	70.9	68.1	73.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	580,918	75.4	72.2	78.3	4,721,851	68.7	65.8	71.4
Black, NH	66,769	80.1^	70.0	87.4	1,477,782	80.8	73.1	86.6
Hispanic	43,398	75.9^	63.1	85.3	1,583,308	71.1	63.6	77.6
Other, NH	22,009	58.8^	38.3	76.7	839,795	68.4^	53.1	80.5
Sex								
Male	332,817	70.2	65.5	74.6	3,938,722	65.6	61.4	69.6
Female	380,276	80.1	76.7	83.0	4,684,014	76.0	72.3	79.4
Age-adjusted+,&								


[&]amp; Percent is age adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	362,546	32.8	30.1	35.6	5,967,540	43.4	40.8	46.1
Age								
18-24	41,076	29.1^	20.6	39.4	487,620	30.7	21.3	42.0
25-34	73,260	46.0	37.8	54.5	1,403,277	57.7	50.8	64.3
35-44	58,390	37.4	30.9	44.4	1,180,494	50.7	43.4	57.9
45-64	141,359	35.2	31.1	39.4	2,100,265	44.9	41.4	48.4
65+	46,422	19.6	15.9	23.9	688,870	27.8	23.8	32.1
Race								
White, NH	275,138	29.5	26.8	32.4	3,030,019	36.7	34.3	39.2
Black, NH	44,647	53.4^	42.9	63.5	1,078,432	55.5	46.2	64.3
Hispanic	22,006	46.5	33.0	60.5	1,268,822	57.3	49.7	64.6
Other, NH	20,755	47.6^	30.8	64.9	590,266	44.6^	31.2	58.9
Sex								
Male	160,510	29.9	25.8	34.3	2,630,128	40.1	36.1	44.2
Female	202,036	35.5	32.0	39.1	3,337,412	46.5	43.0	50.0
Age-adjusted ^{&}		34.2	31.4	37.1		43.7	41.0	46.5


^{*} Worried or stressed about having enough money to pay for rent or mortgage.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



		Weste	rn NY			State	wide	
	Est. # of	_	Lower	Upper	Est. # of	_	Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	246,116	21.0	18.7	23.5	4,211,702	29.0	26.6	31.5
Age								
18-24	38,217	23.4	16.1	32.7	339,128	17.9	13.5	23.3
25-34	51,496	30.6	22.8	39.5	1,154,171	44.8	37.7	52.1
35-44	38,805	23.7	18.4	29.9	786,490	33.0	26.3	40.4
45-64	90,979	21.7	18.3	25.6	1,464,969	30.3	26.9	33.9
65+	25,712	10.6	8.0	13.9	405,259	15.6	12.5	19.3
Race								
White, NH	181,689	18.5	16.2	21.1	1,998,541	22.9	20.6	25.4
Black, NH	29,550	34.3^	25.4	44.3	765,155	37.2	29.3	45.7
Hispanic	18,344	31.8	21.1	44.9	1,031,787	43.4	36.2	50.8
Other, NH	16,533	36.8^	21.0	55.9	416,220	30.4^	20.2	42.9
Sex								
Male	113,695	20.0	16.3	24.2	1,903,904	27.4	23.6	31.5
Female	132,421	22.0	19.4	24.9	2,307,798	30.5	27.5	33.6
Age-adjusted ^{&}		22.1	19.6	24.8		29.4	27.1	31.9


^{*} Worried or stressed about having enough money to buy nutritious meals.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	59,362	4.9	3.9	6.2	680,314	4.5	3.7	5.4
Age								
18-24		#			20,778	1.0	0.5	2.3
25-34		#			38,067	1.4	0.8	2.5
35-44	5,973	3.5	2.0	6.0	58,460	2.4	1.5	3.9
45-64	30,602	7.1	5.1	9.6	300,529	6.1	4.5	8.1
65+	17,350	7.0	4.8	10.2	248,637	9.1	6.9	12.0
Race								
White, NH	49,277	4.9	3.8	6.3	365,138	4.0	3.5	4.7
Black, NH	5,176	5.6	2.6	11.7	58,105	2.7	1.6	4.7
Hispanic		#			213,536	8.4	5.3	13.2
Other, NH		#			43,535	3.0	1.4	6.4
Sex								
Male	27,901	4.8	3.3	6.9	298,899	4.1	3.1	5.5
Female	31,461	5.0	3.7	6.8	381,415	4.8	3.9	6.0
Age-adjusted ^{&}		4.6	3.6	5.8		4.3	3.6	5.1

[&]amp; Percent is age adjusted to the 2000 United States Population.

 $[\]mbox{\# Rates with $<$10}$ in the numerator or $\mbox{<}50$ in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	159,607	13.5	11.8	15.3	1,717,941	11.8	10.5	13.1
Age								
18-24	9,020	5.3	2.7	10.2	59,108	3.1	1.9	5.1
25-34	13,051	7.7	4.2	13.4	184,980	7.0	4.8	10.0
35-44	21,720	12.9	8.6	18.8	176,691	7.2	5.2	9.9
45-64	75,885	17.9	15.0	21.4	763,670	15.8	13.5	18.5
65+	38,971	16.3	12.9	20.3	491,091	19.1	16.1	22.5
Race								
White, NH	131,797	13.3	11.4	15.3	1,043,432	11.8	10.7	13.0
Black, NH	16,150	17.8	11.6	26.3	188,315	9.3	6.3	13.5
Hispanic	5,447	9.6	4.9	17.8	372,059	16.0	11.5	21.9
Other, NH	6,214	14.1^	7.2	25.8	114,135	8.1	4.7	13.7
Sex								
Male	63,069	11.0	8.7	13.7	722,008	10.3	8.7	12.3
Female	96,538	15.8	13.4	18.5	995,933	13.0	11.3	14.9
Age-adjusted ^{&}		13.0	11.3	15.0		11.3	10.1	12.5


^{*} Out of the past 30 days.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Western NY Prevent Chronic Diseases

Percentage of adults who are obese*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	344,412	30.2	27.7	32.8	3,527,077	24.9	23.0	26.9
Age								
18-24	28,877	17.2	11.7	24.7	318,556	17.8	11.7	26.0
25-34	46,414	28.9	21.7	37.5	509,101	20.8	16.8	25.4
35-44	61,451	38.4	31.3	46.1	573,976	24.7	20.0	30.1
45-64	146,722	36.2	32.3	40.2	1,452,755	30.5	27.5	33.7
65+	60,875	25.7	21.5	30.3	615,010	23.4	20.1	27.0
Race								
White, NH	272,632	28.4	25.7	31.2	2,139,878	25.0	23.2	26.9
Black, NH	40,228	46.7^	36.9	56.8	638,079	30.7	24.2	38.1
Hispanic	20,797	37.4	25.4	51.1	622,984	28.0	21.8	35.1
Other, NH	10,754	28.3^	16.6	44.0	126,136	9.6	6.3	14.4
Sex								
Male	178,617	31.1	27.3	35.2	1,782,686	25.3	22.5	28.3
Female	165,795	29.2	26.1	32.5	1,744,390	24.5	22.0	27.1
Age-adjusted ^{&}		31.1	28.5	33.9		24.6	22.7	26.6


^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	104,583	35.5	30.9	40.3	1,029,079	28.7	24.7	33.0
Age								
18-24	8,384	18.0^	8.9	33.0	88,578	21.3	10.0	39.7
25-34	16,598	35.7	24.1	49.2	177,054	26.6^	17.0	39.0
35-44	19,177	61.3^	48.2	73.0	165,333	28.8^	19.5	40.3
45-64	38,181	43.0	35.8	50.5	386,736	34.8	28.0	42.1
65+	22,243	27.3	20.7	35.1	190,291	24.4	18.8	31.1
Race								
White, NH	74,570	33.0	28.0	38.4	500,787	30.3	25.6	35.4
Black, NH	15,662	38.9^	26.9	52.4	165,021	25.3^	16.7	36.3
Hispanic		#			287,948	30.1	21.1	41.0
Other, NH		#			75,322	23.1	12.4	39.0
Sex								
Male	44,600	31.5	24.9	39.0	386,764	23.8	18.1	30.5
Female	59,983	39.1	33.3	45.2	642,314	32.7	27.6	38.3
Age-adjusted ^{&}		39.8	35.2	44.6		28.5	24.3	33.0

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	128,816	44.6	39.4	49.8	1,093,091	36.9	32.7	41.3
Age								
18-24		#			18,440	16.5	9.8	26.5
25-34	14,398	45.5^	26.9	65.4	122,752	31.0^	16.7	50.1
35-44	18,864	60.6^	43.0	75.9	109,843	39.7	30.4	49.8
45-64	59,485	50.7	43.2	58.2	535,031	45.9	39.5	52.5
65+	30,693	35.4	28.3	43.1	283,502	30.3	25.2	36.1
Race								
White, NH	107,458	43.1	37.5	48.8	698,173	33.3	29.0	37.8
Black, NH		#			188,077	58.3^	44.8	70.6
Hispanic		#			170,166	46.0^	30.4	62.5
Other, NH		#			36,674	21.7	12.1	35.9
Sex								
Male	61,413	43.8	35.7	52.3	430,886	32.6	26.2	39.7
Female	67,402	45.2	39.0	51.7	662,205	40.4	35.1	45.8
Age-adjusted ^{&}		46.0	39.6	52.6		35.4	31.0	40.0

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Western NY Prevent Chronic Diseases

Percentage of adults overweight or obese*



		Weste	rn NY			State	wide	mit 95% limit 3.4 63.3 3.8 45.2 3.9 68.4 3.8 66.0 3.8 73.1 3.1 65.9 3.3 63.5 3.8 80.7 3.9 67.5 3.1 49.9 3.2 70.8	
	Est. # of		Lower	Upper	Est. # of		Lower		
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	722,740	63.3	60.2	66.3	8,631,360	60.9	58.4	63.3	
Age									
18-24	62,859	37.5	28.0	48.1	656,771	36.6	28.8	45.2	
25-34	99,799	62.2	54.6	69.4	1,528,245	62.4	55.9	68.4	
35-44	108,030	67.5	59.7	74.4	1,362,541	58.6	50.8	66.0	
45-64	288,771	71.2	67.0	75.0	3,335,153	70.0	66.8	73.1	
65+	158,839	67.0	62.2	71.4	1,632,723	62.1	58.1	65.9	
Race									
White, NH	598,637	62.3	58.9	65.6	5,260,942	61.5	59.3	63.5	
Black, NH	68,129	79.2	70.8	85.6	1,520,031	73.1	63.8	80.7	
Hispanic	38,608	69.4^	53.9	81.4	1,346,413	60.5	52.9	67.5	
Other, NH	17,366	45.8^	31.3	61.0	503,974	38.4^	28.1	49.9	
Sex									
Male	393,334	68.6	63.5	73.3	4,736,847	67.1	63.2	70.8	
Female	329,405	58.1	54.3	61.8	3,894,512	54.7	51.4	57.9	
Age-adjusted ^{&}		63.7	60.8	66.5		60.5	57.9	63.0	


^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



		Weste	rn NY			State	wide	Jower Upper 95% limit 95% limit 70.6 74.9 78.5 88.5 67.1 78.4 63.8 78.1 67.5 73.8 66.1 72.7			
	Est. # of	Downsont	Lower	Upper	Est. # of	Danasat					
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% IIMIT	95% IIMIT			
Total	877,451	74.4	72.0	76.6	10,681,161	72.8	70.6	74.9			
Age											
18-24	133,667	80.7	72.8	86.7	1,601,630	84.1	78.5	88.5			
25-34	131,249	77.7	70.8	83.4	1,900,064	73.1	67.1	78.4			
35-44	125,180	75.1	68.8	80.5	1,722,858	71.5	63.8	78.1			
45-64	307,351	72.9	69.1	76.4	3,443,881	70.8	67.5	73.8			
65+	171,171	70.2	65.6	74.4	1,840,519	69.5	66.1	72.7			
Race											
White, NH	756,817	76.5	74.1	78.7	6,662,678	75.8	74.0	77.4			
Black, NH	50,618	58.2	48.0	67.8	1,525,317	73.8	66.8	79.7			
Hispanic	37,543	64.1	49.9	76.2	1,507,430	62.4	55.4	68.9			
Other, NH	32,474	72.6^	56.3	84.5	985,735	70.6^	56.9	81.3			
Sex											
Male	439,933	77.0	73.4	80.2	5,439,883	77.3	74.6	79.8			
Female	437,519	72.0	68.8	74.9	5,241,278	68.6	65.3	71.7			
Age-adjusted ^{&}		74.8	72.4	77.0		72.9	70.5	75.1			


^{*} Any physical activities or exercises such as running or walking

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	301,463	26.2	23.3	29.3	3,402,766	23.8	21.5	26.3
Age								
18-24	75,402	45.9 [^]	34.2	58.1	670,630	36.9	28.0	46.7
25-34	55,078	34.3	27.2	42.1	733,289	28.9	22.5	36.4
35-44	44,593	27.4	21.4	34.3	769,136	32.4	25.4	40.3
45-64	95,213	23.0	19.4	27.0	839,390	17.6	15.0	20.5
65+	28,279	11.9	9.4	15.1	348,734	13.7	11.1	16.9
Race								
White, NH	228,879	23.6	20.6	27.0	1,754,487	20.4	18.3	22.8
Black, NH	38,316	47.1^	36.9	57.6	671,592	33.6	25.4	43.0
Hispanic	23,181	39.9^	26.4	55.1	700,337	29.8	23.7	36.8
Other, NH	11,087	25.0^	14.1	40.4	276,350	20.4	10.6	35.5
Sex								
Male	189,430	34.0	29.1	39.3	1,782,648	26.0	22.5	29.8
Female	112,033	18.9	16.3	21.7	1,620,118	21.8	18.7	25.3
Age-adjusted ^{&}		27.1	24.3	30.0		24.7	22.2	27.4


^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



		Weste	rn NY			State	wide	95% limit 8 6.9 9 13.6 9 14.2 2 6.3 3 7.4 3 2.7 4 5.9 1 9.3 6 16.0 8 5.5 6 10.3	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	77,073	6.7	5.5	8.3	817,815	5.8	4.8	6.9	
Age									
18-24	14,257	8.8	5.2	14.3	172,464	9.7	6.9	13.6	
25-34	14,510	9.0	5.3	14.9	252,437	10.0	6.9	14.2	
35-44	20,808	12.8	8.0	19.9	106,397	4.5	3.2	6.3	
45-64	19,934	4.8	3.5	6.8	234,582	5.0	3.3	7.4	
65+	7,263	3.1	1.8	5.2	47,255	1.9	1.3	2.7	
Race									
White, NH	56,907	5.9	4.6	7.5	433,016	5.1	4.4	5.9	
Black, NH	12,107	15.3	8.8	25.1	122,943	6.2	4.1	9.3	
Hispanic		#			219,779	9.6	5.6	16.0	
Other, NH	3,483	7.9^	2.7	21.0	42,077	3.2	1.8	5.5	
Sex									
Male	50,457	9.2	7.0	11.8	560,514	8.2	6.6	10.3	
Female	26,616	4.5	3.1	6.5	257,301	3.5	2.6	4.8	
Age-adjusted ^{&}		7.6	6.0	9.5		5.9	4.9	7.0	


[&]amp; Percent is age adjusted to the 2000 United States Population.

 $[\]mbox{\# Rates with $<$10}$ in the numerator or $\mbox{<}50$ in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed diabetes*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	118,414	9.7	8.3	11.4	1,456,783	9.5	8.4	10.8
Age								
18-24		#			8,338	0.4	0.2	0.8
25-34	4,633	2.7	1.1	6.2	58,319	2.1	0.8	5.5
35-44	8,125	4.7	2.8	7.8	111,205	4.5	2.5	7.7
45-64	52,043	11.9	9.1	15.5	714,501	14.2	11.9	16.9
65+	48,493	19.5	16.1	23.4	525,500	19.1	16.3	22.2
Race								
White, NH	92,279	9.1	7.7	10.6	781,028	8.6	7.6	9.6
Black, NH	16,081	17.4	11.2	26.0	250,921	11.6	8.2	16.2
Hispanic	2,951	4.9	2.2	10.7	296,635	11.6	7.7	17.0
Other, NH	7,104	15.7^	4.4	43.0	128,200	8.9	5.4	14.4
Sex								
Male	58,629	10.0	7.8	12.8	795,054	10.9	9.0	13.1
Female	59,785	9.5	7.9	11.5	661,729	8.3	7.0	9.7
Age-adjusted ^{&}		8.7	7.5	10.1		8.9	7.9	10.1

^{*} As diagnosed by a health professional.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Western NY Prevent Chronic Diseases

Percentage of adults who are current smokers




		Weste	rn NY			State	wide	Lower D5% limit Upper 95% limit 14.0 17.4 9.8 17.0 14.3 26.7 13.3 23.0 16.7 22.1 4.7 6.8 16.0 20.3 10.0 21.7 8.8 17.1 4.3 10.3 15.9 22.1 11.1 14.4	
	Est. # of Adults	Donoont	Lower 95% limit	Upper 95% limit	Est. # of Adults	Davaant			
Г	Addits	Percent	95% IIIIIIL	33% IIIIIIL	Adults	Percent	33% IIIIIIL	95% IIIIIL	
Total	247,835	20.8	18.8	23.0	2,311,528	15.6	14.0	17.4	
Age									
18-24	25,309	14.9	9.9	21.7	254,033	13.0	9.8	17.0	
25-34	56,094	32.7	25.8	40.4	524,783	19.7	14.3	26.7	
35-44	38,389	22.9	18.1	28.6	427,187	17.6	13.3	23.0	
45-64	107,073	25.2	21.7	29.1	937,977	19.2	16.7	22.1	
65+	20,570	8.4	6.2	11.3	149,820	5.7	4.7	6.8	
Race									
White, NH	189,505	19.0	16.9	21.3	1,598,923	18.1	16.0	20.3	
Black, NH	34,273	38.2^	29.0	48.3	314,837	15.0	10.0	21.7	
Hispanic	18,226	31.1	19.3	46.1	303,908	12.4	8.8	17.1	
Other, NH	5,830	13.1	7.7	21.6	93,860	6.7	4.3	10.3	
Sex									
Male	126,440	22.0	18.8	25.7	1,331,531	18.8	15.9	22.1	
Female	121,395	19.7	17.2	22.5	979,997	12.7	11.1	14.4	
Age-adjusted ^{&}		21.9	19.7	24.2		15.9	14.1	17.7	

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



		Weste	rn NY			State	23.6 19.2 28.7 16.1 9.8 25.4 12.7 18.8 50.6 14.5 15.5 36.5 15.5 24.7 39.1		
	Est. # of		Lower	Upper	Est. # of		Lower	Upper	
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit	
Total	97,449	31.1	26.5	36.0	910,061	23.6	19.2	28.7	
Age									
18-24	11,645	24.5^	13.0	41.3	84,893	16.1	9.8	25.4	
25-34	24,473	45.0^	31.7	59.0	254,993	32.7	18.8	50.6	
35-44	11,451	33.5^	22.8	46.2	141,275	24.5	15.5	36.5	
45-64	38,840	41.2	33.3	49.5	354,621	31.5	24.7	39.1	
65+	11,011	13.4	8.4	20.7	63,044	7.9	5.6	11.0	
Race									
White, NH	67,100	28.5	23.5	34.1	562,213	32.6	25.7	40.3	
Black, NH	22,273	50.8^	37.9	63.6	187,054	28.1^	17.8	41.4	
Hispanic		#			119,918	11.3	7.1	17.6	
Other, NH		#			40,876	10.0	5.0	19.2	
Sex									
Male	49,706	34.0	26.3	42.6	507,987	30.0	21.9	39.5	
Female	47,743	28.5	23.5	34.2	402,073	18.6	14.7	23.3	
Age-adjusted ^{&}		33.3	28.6	38.3		24.2	20.0	28.9	


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	25,309	14.9	9.9	21.7	254,033	13.0	9.8	17.0
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	15,004	10.9	6.7	17.3	188,030	19.4	14.8	25.2
Black, NH		#			21,086	6.1	2.8	13.1
Hispanic		#			33,121	9.8^	4.6	19.9
Other, NH		#			11,797	3.8	1.4	10.0
Sex								
Male	17,008	15.9	9.3	25.9	153,298	15.5	10.7	21.8
Female	8,301	13.1	7.0	23.0	100,736	10.4	6.6	16.0
Age-adjusted ^{+,&}								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	196,724	83.1	80.0	85.9	2,225,651	80.9	77.7	83.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	183,377	83.5	80.2	86.3	1,417,374	79.0	75.9	81.8
Black, NH		#			347,690	87.0^	73.4	94.3
Hispanic		#			309,667	83.8	70.9	91.6
Other, NH		#			150,920	79.7	61.2	90.7
Sex								
Male		#				#		
Female	196,724	83.1	80.0	85.9	2,225,651	80.9	77.7	83.7
Age-adjusted+,&								

^{*} Mammogram within past 2 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	41,732	74.1	66.1	80.8	554,880	76.7	69.6	82.6
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	37,146	74.6	66.0	81.6	232,138	66.5	57.9	74.1
Black, NH		#			139,053	95.4	89.6	98.1
Hispanic		#			134,524	82.0^	61.8	92.7
Other, NH		#			49,165	76.3^	44.1	93.0
Sex								
Male		#				#		
Female	41,732	74.1	66.1	80.8	554,880	76.7	69.6	82.6
Age-adjusted+,&								

^{*} Mammogram within past 2 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}uplambda}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
r	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	360,599	83.2	79.9	86.0	4,362,995	80.6	75.7	84.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	310,981	84.5	81.0	87.4	2,640,598	84.5	82.2	86.6
Black, NH	23,632	75.8^	58.9	87.3	711,417	84.5^	72.6	91.8
Hispanic		#			684,308	78.0 [^]	66.2	86.6
Other, NH		#			326,671	57.1	31.0	79.8
Sex								
Male		#				#		
Female	360,599	83.2	79.9	86.0	4,362,995	80.6	75.7	84.7
Age-adjusted+,&								

^{*} Pap test within past 3 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Western NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	80,264	76.6	70.1	82.1	1,068,153	75.3^	63.2	84.4
Age ⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	58,042	76.8	69.5	82.8	433,489	74.8	68.6	80.2
Black, NH		#			283,693	93.7	87.8	96.8
Hispanic		#			292,551	77.4^	61.6	88.0
Other, NH		#			58,419	36.7	8.5	78.5
Sex								
Male		#				#		
Female	80,264	76.6	70.1	82.1	1,068,153	75.3^	63.2	84.4
Age-adjusted+,&								

^{*} Pap test within past 3 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}uplambda}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	314,570	69.7	66.0	73.1	3,471,945	69.3	66.3	72.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	284,419	70.9	67.3	74.2	2,335,990	70.4	67.9	72.7
Black, NH	21,964	75.7	60.5	86.3	514,345	69.6^	57.5	79.4
Hispanic		#			416,087	70.6^	58.4	80.4
Other, NH		#			205,524	57.4	39.9	73.2
Sex								
Male	143,396	67.7	61.6	73.3	1,545,645	66.8	62.1	71.2
Female	171,173	71.4	67.0	75.5	1,926,301	71.5	67.5	75.2
Age-adjusted+,&								

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	64,446	57.0	48.7	65.0	736,005	61.4	54.7	67.7
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	56,021	60.7	52.9	68.1	345,064	57.6	51.4	63.7
Black, NH		#			155,775	60.0^	38.7	78.0
Hispanic		#			187,721	75.1^	60.9	85.4
Other, NH		#			47,444	52.8^	29.9	74.5
Sex								
Male	26,654	48.3^	35.9	60.9	253,900	51.4	41.0	61.6
Female	37,792	65.3	55.7	73.9	482,104	68.5	60.2	75.7
Age-adjusted+,&								

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}uplambda}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years




		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	618,738	58.8	55.6	61.9	7,849,939	58.7	56.0	61.5
Age								
18-24	34,559	21.4	15.2	29.4	503,420	26.8	20.2	34.6
25-34	90,941	55.9	48.1	63.4	1,337,915	51.0	44.1	57.9
35-44	93,243	59.7	52.1	66.9	1,475,455	63.3	56.2	69.9
45-64	252,542	68.7	64.6	72.6	2,822,324	68.0	64.3	71.4
65+	141,522	73.1	67.7	77.9	1,541,702	71.4	66.8	75.6
Race								
White, NH	522,976	59.1	55.6	62.5	4,823,563	61.0	58.6	63.4
Black, NH	45,591	61.3^	50.4	71.1	1,240,630	65.1	55.4	73.7
Hispanic	33,895	59.7	45.7	72.3	1,203,330	53.5	46.1	60.8
Other, NH	16,276	44.7^	29.5	61.0	582,416	44.7^	31.9	58.2
Sex								
Male	286,050	56.8	51.6	61.9	3,534,063	56.3	52.1	60.4
Female	332,688	60.6	56.8	64.2	4,315,875	60.9	57.2	64.5
Age-adjusted ^{&}		59.1	56.3	61.8		59.1	56.6	61.6

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	52,627	4.9	3.9	6.1	783,799	5.8	4.6	7.2
Age								
18-24		#			57,540	2.9	0.7	10.7
25-34	7,276	4.3	1.8	10.2	43,246	1.6	1.0	2.7
35-44	5,652	3.5	1.9	6.2	198,127	8.5	4.4	16.0
45-64	19,280	5.1	3.8	6.9	283,693	6.7	5.3	8.5
65+	15,987	8.3	5.9	11.4	171,261	7.8	6.2	9.9
Race								
White, NH	46,288	5.1	4.0	6.4	489,253	6.0	4.8	7.4
Black, NH		#			96,242	5.2	2.9	9.2
Hispanic		#			81,294	3.6	1.8	7.2
Other, NH		#			117,011	8.9^	3.2	22.3
Sex								
Male	25,178	4.9	3.3	7.0	377,968	5.9	4.1	8.5
Female	27,449	4.9	3.8	6.2	405,832	5.6	4.3	7.3
Age-adjusted ^{&}		4.7	3.7	5.9		5.9	4.6	7.5


[&]amp; Percent is age adjusted to the 2000 United States Population.

 $[\]mbox{\# Rates with $<$10}$ in the numerator or $\mbox{<}50$ in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure




		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	413,880	34.2	31.6	36.8	4,323,615	28.3	26.5	30.3
Age								
18-24	10,701	6.2	3.5	10.8	103,520	5.2	3.3	8.0
25-34	33,277	19.3	13.5	26.8	299,126	10.9	7.8	15.0
35-44	36,099	21.0	15.2	28.3	470,752	18.9	14.1	24.8
45-64	174,646	40.1	36.0	44.3	1,715,223	34.1	31.2	37.2
65+	155,613	62.7	57.8	67.3	1,654,516	60.4	56.5	64.2
Race								
White, NH	341,756	33.7	31.1	36.5	2,701,979	29.7	28.0	31.4
Black, NH	42,050	45.2	35.9	54.8	740,669	34.2	27.2	42.0
Hispanic	19,496	32.4	19.3	49.0	609,542	23.8	18.7	29.9
Other, NH	10,578	23.4^	10.1	45.3	271,424	18.9	12.7	27.1
Sex								
Male	209,209	35.8	31.7	40.1	2,116,294	29.0	26.2	32.1
Female	204,672	32.6	29.7	35.8	2,207,320	27.7	25.3	30.2
Age-adjusted ^{&}		31.6	29.2	34.1		27.3	25.6	29.1

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



		Weste	rn NY		Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	319,214	77.2	72.7	81.2	3,243,246	75.2	71.5	78.5
Age								
18-24		#			8,688	8.4	3.9	17.4
25-34	10,589	31.8^	15.4	54.5	96,762	32.4	18.9	49.5
35-44	15,924	44.1^	28.5	60.9	186,971	39.7	26.7	54.3
45-64	140,590	80.5	73.1	86.3	1,395,152	81.6	77.8	84.9
65+	146,293	94.3	90.8	96.5	1,497,501	90.8	86.9	93.6
Race								
White, NH	275,448	80.7	76.9	84.0	2,081,796	77.4	74.1	80.3
Black, NH	33,258	79.1^	66.1	88.0	552,688	74.6^	60.0	85.3
Hispanic		#			420,934	69.1^	56.3	79.5
Other, NH		#			187,828	69.2^	50.8	83.0
Sex								
Male	148,316	71.0	63.6	77.5	1,525,386	72.2	66.5	77.2
Female	170,898	83.6	78.7	87.5	1,717,859	78.1	73.2	82.4
Age-adjusted ^{&}		59.2	52.6	65.6		55.6	51.1	60.0


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Western NY Prevent Chronic Diseases

Percentage of adults with current asthma*



		Weste	rn NY		Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total Age	138,193	11.4	9.9	13.2	1,520,940	10.0	8.9	11.3
18-24	12,912	7.6	4.8	12.0	170,340	8.6	6.2	11.8
25-34	22,985	13.3	9.1	18.9	322,447	11.7	8.2	16.4
35-44	26,223	15.3	11.2	20.6	240,590	9.7	7.1	13.0
45-64	55,491	12.8	10.1	16.1	551,257	11.1	9.3	13.3
65+	20,540	8.3	6.2	11.0	222,952	8.1	6.5	10.1
Race								
White, NH	109,339	10.8	9.2	12.6	946,198	10.4	9.1	11.9
Black, NH	12,253	13.5	8.2	21.4	199,011	9.2	6.5	12.9
Hispanic	10,362	17.4	10.0	28.4	283,809	11.3	7.9	16.0
Other, NH	6,238	13.8^	6.7	26.3	91,921	6.4	4.0	10.0
Sex								
Male	46,098	7.9	6.1	10.2	504,039	7.0	5.6	8.6
Female	92,095	14.7	12.5	17.3	1,016,901	12.8	11.1	14.8
Age-adjusted ^{&}		12.0	10.4	13.9		10.1	8.9	11.4


^{*} Physician diagnosed asthma.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Western NY				Statewide			
	Est. # of	Davaant	Lower	Upper	Est. # of	Davaant	Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	996,592	84.1	81.1	86.7	12,572,076	84.2	81.7	86.3
Age								
18-24	69,246	41.9^	31.4	53.3	891,216	49.0	39.4	58.6
25-34	120,610	73.5	66.5	79.4	1,896,541	71.3	63.9	77.7
35-44	147,897	89.7	84.5	93.4	2,197,539	88.9	85.0	91.8
45-64	403,910	93.3	90.2	95.4	4,694,424	93.8	91.2	95.6
65+	242,950	98.7	97.6	99.3	2,641,873	97.2	95.8	98.2
Race								
White, NH	848,158	85.5	82.2	88.4	7,746,530	87.0	84.7	89.0
Black, NH	71,883	78.5	69.1	85.5	1,730,762	81.9	73.0	88.3
Hispanic	47,340	79.8^	68.7	87.7	1,923,116	77.3	70.1	83.1
Other, NH	29,211	68.2^	46.7	84.0	1,171,667	81.9^	67.3	90.8
Sex								
Male	465,998	81.5	76.1	86.0	5,864,748	82.0	78.2	85.2
Female	530,594	86.4	83.6	88.9	6,707,327	86.2	82.9	88.9
Age-adjusted ^{&}		83.2	80.9	85.3		83.4	81.2	85.4


^{*} As diagnosed by a health professional.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Western NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	398,531	40.4	37.6	43.3	4,711,105	37.7	35.4	40.1
Age								
18-24	13,007	19.2^	8.0	39.4	124,288	14.0	8.0	23.2
25-34	21,955	18.3^	10.3	30.3	435,898	23.0	16.9	30.5
35-44	39,377	27.2	20.2	35.4	620,994	28.3	22.0	35.6
45-64	185,641	46.1	41.9	50.4	2,009,889	43.1	39.8	46.4
65+	133,691	55.9	50.9	60.8	1,439,336	55.4	51.3	59.4
Race								
White, NH	351,251	41.7	38.7	44.9	3,102,928	40.3	38.2	42.4
Black, NH	24,985	36.0^	26.3	47.0	561,511	33.1	25.6	41.6
Hispanic	12,979	27.4	15.9	43.0	727,074	37.8	30.7	45.5
Other, NH	9,315	34.2^	19.8	52.1	319,592	27.3^	18.7	38.1
Sex								
Male	196,109	42.4	38.0	47.0	2,369,080	40.5	37.0	44.3
Female	202,422	38.6	35.1	42.3	2,342,025	35.2	32.4	38.2
Age-adjusted ^{&}		35.1	31.6	38.7		34.5	32.1	37.0


^{*} As diagnosed by a health professional.

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	65,957	10.3	8.4	12.7	713,905	10.2	8.5	12.2
Age								
18-24		#			11,969	2.9	1.4	6.1
25-34	6,722	9.0^	3.5	21.0	137,115	17.9^	9.2	31.8
35-44	3,602	5.2	2.5	10.7	51,465	6.0	3.8	9.2
45-64	23,932	9.2	6.5	12.8	282,601	10.2	8.0	13.0
65+	29,019	14.9	11.2	19.4	208,847	10.1	8.0	12.7
Race								
White, NH	53,929	10.0	7.9	12.5	398,657	8.8	7.0	11.1
Black, NH	7,467	15.6^	8.4	27.0	143,698	14.2	9.5	20.7
Hispanic		#			92,991	8.7	4.5	16.4
Other, NH	3,596	19.2^	6.3	45.6	78,559	19.0^	10.4	32.2
Sex								
Male	29,830	10.2	7.3	14.0	324,668	10.2	7.7	13.4
Female	36,128	10.4	7.9	13.6	389,237	10.2	8.0	12.9
Age-adjusted ^{&}		9.0	6.9	11.7		9.7	7.7	12.3

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Western NY Prevent Chronic Diseases

Percentage of adults with arthritis*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
_	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	320,398	26.4	24.2	28.8	3,491,206	22.9	21.3	24.6
Age								
18-24		#			40,067	2.0	1.1	3.6
25-34	18,912	10.9	5.5	20.4	228,246	8.3	5.9	11.7
35-44	25,812	15.0	11.1	20.1	323,152	12.9	9.4	17.5
45-64	143,574	33.0	29.4	36.8	1,465,151	29.2	26.5	32.1
65+	126,586	51.1	46.4	55.9	1,353,867	49.3	45.4	53.2
Race								
White, NH	285,993	28.2	25.7	30.8	2,474,787	27.2	25.6	28.9
Black, NH	16,561	17.8	11.8	26.0	400,524	18.5	13.4	24.9
Hispanic	10,492	17.4	10.6	27.5	460,563	18.0	13.6	23.4
Other, NH	7,352	16.4^	8.8	28.6	155,331	10.8	7.2	15.8
Sex								
Male	115,944	19.9	17.1	22.9	1,258,898	17.3	15.2	19.6
Female	204,454	32.6	29.4	35.9	2,232,309	28.0	25.7	30.4
Age-adjusted ^{&}		24.1	22.0	26.3		21.8	20.3	23.3

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity




		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	1,071,115	92.7	90.9	94.1	13,107,891	91.3	89.8	92.6
Age								
18-24	147,175	89.8	80.7	94.9	1,641,319	87.9	80.9	92.5
25-34	150,577	90.8	85.7	94.2	2,218,379	86.6	80.9	90.8
35-44	155,303	95.2	92.2	97.0	2,218,331	93.4	90.6	95.4
45-64	383,623	92.8	90.2	94.7	4,372,743	92.2	90.1	93.9
65+	222,347	93.7	90.4	96.0	2,447,810	94.7	92.7	96.1
Race								
White, NH	916,932	94.4	92.8	95.7	8,055,698	93.1	91.7	94.3
Black, NH	69,802	81.6	71.7	88.6	1,798,763	89.3	83.3	93.4
Hispanic	47,547	82.9^	69.3	91.2	1,963,304	84.3	78.2	89.0
Other, NH	36,834	87.1^	74.3	94.0	1,290,125	94.0	88.9	96.9
Sex								
Male	520,960	93.1	90.1	95.2	6,375,291	92.5	90.3	94.3
Female	550,155	92.3	90.2	93.9	6,732,600	90.1	87.9	91.9
Age-adjusted ^{&}		92.7	91.0	94.1		91.3	89.8	92.6

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



		Weste	rn NY		Statewide Est. # of			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	60,568	25.3	21.3	29.8	802,383	30.8	27.3	34.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	56,868	25.4	21.2	30.1	600,059	31.3	28.3	34.5
Black, NH		#			61,485	22.9^	12.6	38.1
Hispanic		#			96,513	39.1^	21.8	59.7
Other, NH		#			44,326	25.2	12.2	45.0
Sex								
Male	29,073	28.5	21.6	36.5	324,764	30.4	25.5	35.7
Female	31,495	22.9	18.4	28.1	477,619	31.1	26.4	36.2
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environments

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



		Weste	rn NY		Statewide Lower Upper			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	24,648	40.9^	31.5	51.0	304,376	38.3	32.2	44.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	23,554	41.6^	31.8	52.1	223,708	37.6	32.1	43.4
Black, NH		#			33,030	53.7	28.5	77.2
Hispanic		#			31,933	34.1	11.7	66.8
Other, NH		#			15,705	35.4^	12.0	68.8
Sex								
Male	9,821	33.9^	20.1	51.0	103,371	32.2	24.1	41.5
Female	14,827	47.4^	35.8	59.2	201,005	42.5	33.9	51.5
Age-adjusted+,&								

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	142,965	35.7	31.7	40.0	1,662,747	37.3	34.0	40.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	107,393	31.2	27.5	35.1	957,863	33.7	31.0	36.4
Black, NH	17,645	62.2^	45.9	76.2	347,642	52.3^	40.1	64.2
Hispanic		#			270,194	44.2	31.2	58.1
Other, NH		#			87,049	26.2^	15.7	40.4
Sex								
Male	87,478	46.3	39.7	53.1	929,342	43.4	38.2	48.7
Female	55,487	26.3	22.0	31.0	733,405	31.7	27.6	36.1
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	564,930	48.4	45.4	51.3	6,798,706	46.7	44.3	49.2
Age								
18-24	43,594	26.5^	18.0	37.1	600,414	31.7	23.4	41.5
25-34	60,600	36.6	28.5	45.5	907,897	35.3	29.0	42.1
35-44	65,045	39.6	32.2	47.4	981,422	41.1	33.9	48.6
45-64	203,704	48.6	44.4	52.8	2,282,268	47.4	44.1	50.8
65+	184,502	76.4	72.3	80.1	1,895,586	72.1	67.9	75.9
Race								
White, NH	476,222	48.6	45.4	51.8	4,296,522	49.3	47.1	51.5
Black, NH	39,547	46.9^	37.0	57.0	718,122	35.0	27.6	43.3
Hispanic	33,195	57.1	43.1	70.0	971,941	40.8	34.1	47.8
Other, NH	15,967	35.9^	22.2	52.4	812,120	58.5	45.1	70.7
Sex								
Male	254,448	45.0	40.4	49.7	3,045,064	43.8	40.1	47.5
Female	310,483	51.6	48.0	55.1	3,753,643	49.5	46.2	52.8
Age-adjusted ^{&}		46.3	43.3	49.3		46.0	43.4	48.6


^{*} Includes flu shot or flu spray

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	184,502	76.4	72.3	80.1	1,895,586	72.1	67.9	75.9
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	172,930	76.7	72.4	80.5	1,484,360	76.9	73.9	79.6
Black, NH		#			103,016	38.4^	23.8	55.5
Hispanic		#			170,589	69.0^	47.8	84.3
Other, NH		#			137,621	75.2^	51.4	89.7
Sex								
Male	82,045	79.3	72.5	84.8	802,715	73.9	67.7	79.3
Female	102,457	74.3	68.8	79.0	1,092,871	70.8	65.0	76.0
Age-adjusted+,&								

^{*} Includes flu shot or flu spray

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
Г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	173,650	76.2	72.0	80.0	1,617,276	65.1	60.7	69.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	165,973	78.1	74.1	81.6	1,303,462	71.4	68.1	74.4
Black, NH		#			123,843	48.9^	30.2	67.8
Hispanic		#			104,466	45.7	27.5	65.3
Other, NH		#			85,505	48.1^	27.7	69.2
Sex								
Male	62,208	68.3	60.3	75.3	631,549	62.4	56.7	67.7
Female	111,442	81.5	77.2	85.1	985,727	66.9	60.5	72.7
Age-adjusted ^{+,&}								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	160,792	71.3	65.3	76.6	2,268,176	70.7	64.0	76.5
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	133,550	73.5	67.1	79.1	1,155,302	73.5	68.1	78.3
Black, NH		#			426,771	78.8^	61.7	89.5
Hispanic		#			412,421	62.2	48.3	74.4
Other, NH		#			273,683	63.0 [^]	30.7	86.8
Sex								
Male		#				#		
Female	160,792	71.3	65.3	76.6	2,268,176	70.7	64.0	76.5
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



		Weste	rn NY			State	wide	
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	187,734	74.7	69.2	79.5	2,615,375	72.5	66.5	77.8
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	145,709	73.3	67.1	78.8	1,220,281	70.1	65.1	74.6
Black, NH		#			512,270	83.8^	68.8	92.4
Hispanic		#			606,739	76.3	64.1	85.3
Other, NH		#			276,085	60.1^	30.5	83.8
Sex								
Male		#				#		
Female	187,734	74.7	69.2	79.5	2,615,375	72.5	66.5	77.8
Age-adjusted ^{+,&}								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



		Weste	rn NY			State	wide	
_	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total Age ⁺ 18-24 25-34 35-44 45-64 65+	422,644	89.6	86.8	91.8	5,351,099	87.2	83.4	90.2
Race								
White, NH	355,498	89.9	86.8	92.4	3,178,979	91.6	90.0	93.0
Black, NH	34,857	89.5	79.8	94.9	916,108	93.3	88.7	96.1
Hispanic		#			807,553	76.0	66.5	83.5
Other, NH		#			448,460	71.8^	43.3	89.5
Sex								
Male		#				#		
Female	422,644	89.6	86.8	91.8	5,351,099	87.2	83.4	90.2
Age-adjusted+,&	, -				, , , , , , , ,			

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Western NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
F	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	118,151	52.1	45.5	58.6	1,268,971	39.3	33.7	45.2
Age⁺								
18-24								
25-34								
35-44								
45-64								
65+								
Race								
White, NH	97,727	54.4	47.0	61.6	723,302	45.9	41.1	50.9
Black, NH		#			291,237	53.7	35.5	71.0
Hispanic		#			192,904	28.5	19.0	40.3
Other, NH		#			61,528	14.1^	6.5	27.9
Sex								
Male		#				#		
Female	118,151	52.1	45.5	58.6	1,268,971	39.3	33.7	45.2
Age-adjusted+,&								

[&]amp; Percent is age adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month




	Western NY				Statewide			
	Est. # of		Lower	Upper	Est. # of	_	Lower	Upper
г	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	131,217	11.0	9.4	13.0	1,672,677	11.3	9.7	13.0
Age								
18-24	21,607	12.7	6.9	22.3	186,862	9.5	6.7	13.1
25-34	22,212	13.2	8.4	20.2	418,716	15.7	10.2	23.4
35-44	25,931	15.4	10.9	21.2	259,463	10.5	7.0	15.4
45-64	44,951	10.5	8.5	13.1	587,164	12.1	10.3	14.2
65+	16,476	6.8	5.0	9.2	175,961	6.7	4.9	9.0
Race								
White, NH	108,718	10.9	9.0	13.0	1,072,012	12.0	10.2	14.2
Black, NH	14,244	15.8	9.9	24.4	237,227	11.2	7.0	17.5
Hispanic	5,382	9.6	4.8	18.3	264,437	11.0	7.1	16.6
Other, NH	2,874	6.5	3.2	12.5	99,001	7.0	3.9	12.2
Sex								
Male	59,832	10.4	7.9	13.6	734,315	10.4	7.9	13.5
Female	71,386	11.6	9.5	14.0	938,362	12.1	10.2	14.2
Age-adjusted ^{&}		11.7	9.9	13.9		11.1	9.6	13.0

[&]amp; Percent is age adjusted to the 2000 United States Population.

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Western NY				Statewide			
	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit	Est. # of Adults	Percent	Lower 95% limit	Upper 95% limit
Total	205,623	17.6	15.7	19.8	2,413,447	16.9	14.9	19.1
Age 18-24	43,355	25.9	18.7	34.7	515,466	27.1	19.4	36.6
25-34	42,241	25.2	19.7	31.6	633,963	25.0	18.9	32.3
35-44	38,381	23.2	17.0	31.0	509,131	22.6	17.2	29.1
45-64	67,364	16.2	13.3	19.5	656,578	13.7	11.7	16.0
65+	12,994	5.5	3.7	8.1	86,636	3.4	2.7	4.2
Race								
White, NH	175,202	17.9	15.8	20.3	1,649,594	19.1	17.0	21.5
Black, NH	21,921	25.3^	17.1	35.7	324,364	16.3^	9.4	26.8
Hispanic	4,271	7.5	3.4	15.7	277,966	11.6	7.7	17.1
Other, NH	4,228	9.6	4.7	18.5	161,523	12.4	6.8	21.7
Sex								
Male	127,670	22.7	19.5	26.3	1,567,117	22.8	19.3	26.8
Female	77,952	12.9	10.5	15.7	846,330	11.4	9.6	13.4
		40.0	46.5			47.7	45.6	20.5
Age-adjusted ^{&}		18.8	16.5	21.3		17.7	15.6	20.0


 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion

[&]amp; Percent is age adjusted to the 2000 United States Population.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Western NY				Statewide			
	Est. # of		Lower	Upper	Est. # of		Lower	Upper
-	Adults	Percent	95% limit	95% limit	Adults	Percent	95% limit	95% limit
Total	49,115	38.3	30.3	47.0	519,245	31.8	24.1	40.6
Age								
18-24		#			64,468	35.6^	22.4	51.5
25-34		#			192,926	47.3^	24.8	70.8
35-44	10,514	43.8^	27.4	61.8	70,340	27.6^	16.6	42.1
45-64	16,205	36.3^	26.8	47.1	177,977	31.2	24.0	39.5
65+	1,696	10.7^	4.0	25.6	13,368	7.7	4.1	13.9
Race								
White, NH	35,020	32.8	24.4	42.4	423,246	39.9^	29.9	50.7
Black, NH		#			33,694	14.4^	7.7	25.3
Hispanic		#			45,968	18.1	9.4	31.9
Other, NH		#			16,336	19.6^	9.4	36.5
Sex								
Male	25,581	43.6^	30.1	58.1	272,857	38.4^	24.1	55.0
Female	23,535	33.8	25.1	43.8	246,388	26.7	20.7	33.8
Age-adjusted ^{&}		38.0	31.2	45.2		29.9	24.1	36.4

[&]amp; Percent is age adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).