eBRFSS 2013-2014 Health Indicators: Wyoming

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	6
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on	
guidelinesguidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on	
guidelinesguidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	/X
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent 29
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent 29 30
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent 29 30 31
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent 29 30 31
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent 29 30 31 32
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent29313233
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	ecent293132333435
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent29313233343536
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	ecent 29 30 31 32 34 35 36 37 38
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	ecent
Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with ho have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Percentage of adults with arthritis. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with plu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization.	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization Percentage of women aged 18-44 years who had dental visit within the last year Percentage of women aged 18-44 years who had dental visit within the last year Women aged 18-44 years who saw a doctor for a routine checkup within the last year	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on riguidelines	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with uith giagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with in immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year. Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year. Percentage of women aged 18-64 years who health care provider discussed planning a healthy pregnancy.	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults als years and older with elevated cholesterol. Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Women aged 18-44 years who saw a doctor for a routine checkup within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy Percentage of adults with poor mental health for 14 or more days i	ecent
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on r guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with uith giagnosed high blood pressure taking high blood pressure medication Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 65+ years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with in immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year. Percentage of women aged 18-44 years who saw a doctor for a routine checkup within the last year. Percentage of women aged 18-64 years who health care provider discussed planning a healthy pregnancy.	ecent

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Wyoming Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Wy	oming Cou	inty	Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age	2,435	7.3	(4.2-12.2)	111,076	9.2	(7.7-10.8)	
18-24		#		16,858	9.8	(4.9-18.5)	
25-34		#		25,019	14.6	(9.8-21.3)	
35-44		#		18,404	10.7	(7.7-14.7)	
45-64	975	8.0	(3.9-15.5)	44,281	10.2	(8.2-12.5)	
65+		#		6,309	2.5	(1.5-4.1)	
Race							
White, NH	2,380	7.5	(4.3-12.7)	88,308	8.7	(7.2-10.6)	
Black, NH		#		12,547	13.6	(8.4-21.3)	
Hispanic		#		7,904	13.2	(7.5-22.4)	
Other, NH		#		2,317	5.1	(2.5-10.1)	
Sex							
male		#		54,343	9.3	(7.0-12.3)	
female	1,549	10.4	(5.3-19.4)	56,733	9.1	(7.5-10.9)	
e-adjusted ^{&}		7.9	(4.4-13.6)		9.8	(8.2-11.6)	


^{*} Among people needing to see a doctor in the past 12 months

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	31,469	93.9	(89.8-96.4)	1,066,548	88.1	(86.1-89.9)
Age						
18-24		#		127,756	74.5	(64.0-82.7)
25-34		#		142,488	82.2	(76.7-86.6)
35-44		#		148,338	86.9	(81.1-91.1)
45-64	11,379	93.8	(86.0-97.3)	394,413	91.1	(88.5-93.1)
65+	5,929	97.7	(91.9-99.4)	240,905	96.8	(95.0-98.0)
Race						
White, NH	30,029	94.9	(91.2-97.1)	910,266	89.8	(87.7-91.6)
Black, NH		#		72,546	78.8	(69.0-86.2)
Hispanic		#		46,457	77.2^	(64.9-86.2)
Other, NH		#		37,279	83.4^	(71.6-90.9)
Sex						
male	17,130	91.7	(84.7-95.7)	480,509	82.2	(78.5-85.4)
female	14,339	96.6	(91.7-98.6)	586,040	93.6	(91.9-95.0)
Age-adjusted ^{&}		93.6	(89.0-96.3)		87.4	(85.2-89.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	22,461	70.8	(62.8-77.6)	815,757	72.0	(69.5-74.4)
Age						
18-24		#		111,937	72.2	(62.3-80.3)
25-34		#		104,276	65.3	(57.4-72.5)
35-44		#		116,739	73.5	(66.6-79.5)
45-64	8,516	71.7	(60.9-80.4)	302,588	73.5	(69.9-76.8)
65+	3,806	65.1	(55.4-73.7)	169,803	72.1	(67.5-76.3)
Race						
White, NH	22,039	73.1	(65.3-79.7)	696,981	73.0	(70.4-75.5)
Black, NH		#		48,534	62.2^	(51.5-71.9)
Hispanic		#		39,253	69.8^	(56.2-80.6)
Other, NH		#		30,989	69.9^	(54.2-82.0)
Sex						
male	13,573	75.7	(65.0-83.9)	385,171	70.1	(66.0-74.0)
female	8,888	64.4	(53.5-73.9)	430,585	73.8	(70.7-76.6)
Age-adjusted ^{&}		69.2	(61.3-76.1)		71.6	(68.9-74.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Wy	oming Cou	ınty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,227	21.7	(16.2-28.4)	300,934	25.0	(22.8-27.4)
Age						
18-24		#		21,109	12.4	(7.0-21.1)
25-34		#		32,454	19.0	(13.1-26.6)
35-44		#		32,720	19.3	(14.1-25.9)
45-64	3,344	27.5	(19.3-37.7)	123,509	28.7	(25.1-32.5)
65+	1,875	31.3	(23.6-40.2)	89,167	36.1	(31.7-40.7)
Race						
White, NH	6,492	20.6	(15.3-27.2)	259,812	25.8	(23.3-28.5)
Black, NH		#		19,801	22.0	(15.4-30.5)
Hispanic		#		12,927	21.7	(13.6-32.9)
Other, NH		#		8,395	18.7	(10.7-30.6)
Sex						
male	2,447	13.1	(8.4-19.9)	141,203	24.3	(20.8-28.3)
female	4,780	32.5	(23.5-42.9)	159,731	25.7	(22.9-28.7)
Age-adjusted ^{&}		21.1	(15.7-27.8)		24.0	(21.7-26.5)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,873	91.9	(86.5-95.2)	823,035	87.2	(84.7-89.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	23,385	92.4	(86.9-95.7)	674,524	88.0	(85.2-90.3)
Black, NH		#		68,376	82.4	(73.1-89.0)
Hispanic		#		46,078	79.4^	(66.7-88.1)
Other, NH		#		34,057	93.3	(84.4-97.3)
Sex						
male	14,268	92.8	(86.2-96.4)	400,391	84.8	(80.5-88.3)
female	10,605	90.7	(80.3-95.9)	422,644	89.6	(86.8-91.8)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,349	65.3^	(55.1-74.3)	713,093	75.2	(72.3-77.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	15,878	64.0^	(53.3-73.5)	580,918	75.4	(72.2-78.3)
Black, NH		#		66,769	80.1^	(70.0-87.4)
Hispanic		#		43,398	75.9^	(63.1-85.3)
Other, NH		#		22,009	58.8	(38.3-76.7)
Sex						
male	9,008	59.0^	(43.3-73.0)	332,817	70.2	(65.5-74.6)
female	8,341	74.0^	(62.9-82.6)	380,276	80.1	(76.7-83.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,456	30.7	(23.8-38.6)	362,546	32.8	(30.1-35.6)
Age						
18-24		#		41,076	29.1	(20.6-39.4)
25-34		#		73,260	46.0	(37.8-54.5)
35-44		#		58,390	37.4	(30.9-44.4)
45-64	3,478	29.8	(21.7-39.3)	141,359	35.2	(31.1-39.4)
65+	1,531	26.5	(18.7-36.0)	46,422	19.6	(15.9-23.9)
Race						
White, NH	8,873	30.3	(23.4-38.3)	275,138	29.5	(26.8-32.4)
Black, NH		#		44,647	53.4	(42.9-63.5)
Hispanic		#		22,006	46.5^	(33.0-60.5)
Other, NH		#		20,755	47.6	(30.8-64.9)
Sex						
male	4,078	23.8	(15.8-34.1)	160,510	29.9	(25.8-34.3)
female	5,377	39.4^	(29.7-50.0)	202,036	35.5	(32.0-39.1)
Age-adjusted ^{&}		32.6	(25.6-40.4)		34.2	(31.4-37.1)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,660	17.3	(12.0-24.2)	246,116	21.0	(18.7-23.5)
Age						
18-24		#		38,217	23.4	(16.1-32.7)
25-34		#		51,496	30.6	(22.8-39.5)
35-44		#		38,805	23.7	(18.4-29.9)
45-64	1,484	12.4	(7.4-19.9)	90,979	21.7	(18.3-25.6)
65+	515	8.7	(4.8-15.0)	25,712	10.6	(8.0-13.9)
Race						
White, NH	5,077	16.3	(11.1-23.1)	181,689	18.5	(16.2-21.1)
Black, NH		#		29,550	34.3^	(25.4-44.3)
Hispanic		#		18,344	31.8^	(21.1-44.9)
Other, NH		#		16,533	36.8^	(21.0-55.9)
Sex						
male	2,289	12.5	(6.7-22.3)	113,695	20.0	(16.3-24.2)
female	3,371	23.2	(15.3-33.6)	132,421	22.0	(19.4-24.9)
Age-adjusted ^{&}		19.7	(13.9-27.2)		22.1	(19.6-24.8)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health




	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,766	5.3	(2.7-10.1)	59,362	4.9	(3.9-6.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		5,973	3.5	(2.0-6.0)
45-64	1,172	9.6	(4.6-18.9)	30,602	7.1	(5.1-9.6)
65+		#		17,350	7.0	(4.8-10.2)
Race						
White, NH	1,485	4.7	(2.3-9.4)	49,277	4.9	(3.8-6.3)
Black, NH		#		5,176	5.6	(2.6-11.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		27,901	4.8	(3.3-6.9)
female	996	6.7	(2.5-16.5)	31,461	5.0	(3.7-6.8)
Age-adjusted ^{&}		5.0	(2.4-10.1)		4.6	(3.6-5.8)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Wy	oming Cou	ınty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,662	14.0	(9.3-20.6)	159,607	13.5	(11.8-15.3)
Age						
18-24		#		9,020	5.3	(2.7-10.2)
25-34		#		13,051	7.7	(4.2-13.4)
35-44		#		21,720	12.9	(8.6-18.8)
45-64	2,916	24.0^	(15.4-35.3)	75,885	17.9	(15.0-21.4)
65+	480	8.4	(4.4-15.5)	38,971	16.3	(12.9-20.3)
Race						
White, NH	3,624	11.6	(7.4-17.6)	131,797	13.3	(11.4-15.3)
Black, NH		#		16,150	17.8	(11.6-26.3)
Hispanic		#		5,447	9.6	(4.9-17.8)
Other, NH		#		6,214	14.1^	(7.2-25.8)
Sex						
male	1,905	10.3	(5.4-18.9)	63,069	11.0	(8.7-13.7)
female	2,757	18.6	(11.2-29.3)	96,538	15.8	(13.4-18.5)
Age-adjusted ^{&}		13.4	(9.1-19.4)		13.0	(11.3-15.0)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Wyoming Prevent Chronic Diseases

Percentage of adults who are obese*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,791	28.0	(21.5-35.5)	344,412	30.2	(27.7-32.8)
Age						
18-24		#		28,877	17.2	(11.7-24.7)
25-34		#		46,414	28.9	(21.7-37.5)
35-44		#		61,451	38.4	(31.3-46.1)
45-64	3,908	33.9	(25.5-43.4)	146,722	36.2	(32.3-40.2)
65+	1,514	25.9	(19.0-34.2)	60,875	25.7	(21.5-30.3)
Race						
White, NH	8,002	27.1	(20.7-34.6)	272,632	28.4	(25.7-31.2)
Black, NH		#		40,228	46.7^	(36.9-56.8)
Hispanic		#		20,797	37.4	(25.4-51.1)
Other, NH		#		10,754	28.3	(16.6-44.0)
Sex						
male	4,131	22.7	(15.3-32.3)	178,617	31.1	(27.3-35.2)
female	4,660	35.2	(25.7-46.1)	165,795	29.2	(26.1-32.5)
Age-adjusted ^{&}		29.3	(22.6-37.1)		31.1	(28.5-33.9)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Wy	oming Cou	inty	Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,629	30.9^	(18.5-47.0)	104,583	35.5	(30.9-40.3)	
Age							
18-24		#		8,384	18.0^	(8.9-33.0)	
25-34		#		16,598	35.7	(24.1-49.2)	
35-44		#		19,177	61.3^	(48.2-73.0)	
45-64		#		38,181	43.0	(35.8-50.5)	
65+	607	25.7	(15.0-40.4)	22,243	27.3	(20.7-35.1)	
Race							
White, NH	2,140	28.0^	(15.9-44.4)	74,570	33.0	(28.0-38.4)	
Black, NH		#		15,662	38.9^	(26.9-52.4)	
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		44,600	31.5	(24.9-39.0)	
female	1,902	47.1	(28.0-67.1)	59,983	39.1	(33.3-45.2)	
ge-adjusted ^{&}		38.1^	(28.0-49.5)		39.8	(35.2-44.6)	

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,570	51.8^	(36.8-66.5)	128,816	44.6	(39.4-49.8)
Age						
18-24		#			#	
25-34		#		14,398	45.5	(26.9-65.4)
35-44		#		18,864	60.6	(43.0-75.9)
45-64		#		59,485	50.7	(43.2-58.2)
65+	621	35.9 [^]	(22.7-51.5)	30,693	35.4	(28.3-43.1)
Race						
White, NH	3,289	53.4	(38.5-67.8)	107,458	43.1	(37.5-48.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		61,413	43.8	(35.7-52.3)
female	2,538	57.1	(37.0-75.1)	67,402	45.2	(39.0-51.7)
Age-adjusted ^{&}		67.3	(58.5-75.0)		46.0	(39.6-52.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,694	62.6^	(52.5-71.7)	722,740	63.3	(60.2-66.3)
Age						
18-24		#		62,859	37.5	(28.0-48.1)
25-34		#		99,799	62.2	(54.6-69.4)
35-44		#		108,030	67.5	(59.7-74.4)
45-64	8,389	72.7	(64.1-79.9)	288,771	71.2	(67.0-75.0)
65+	4,281	73.1	(64.6-80.2)	158,839	67.0	(62.2-71.4)
Race						
White, NH	17,943	60.7	(50.4-70.1)	598,637	62.3	(58.9-65.6)
Black, NH		#		68,129	79.2	(70.8-85.6)
Hispanic		#		38,608	69.4^	(53.9-81.4)
Other, NH		#		17,366	45.8	(31.3-61.0)
Sex						
male	11,124	61.1	(45.5-74.7)	393,334	68.6	(63.5-73.3)
female	8,569	64.8	(55.0-73.4)	329,405	58.1	(54.3-61.8)
Age-adjusted ^{&}		64.5	(58.0-70.5)		63.7	(60.8-66.5)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	24,502	74.4	(67.3-80.4)	877,451	74.4	(72.0-76.6)
Age						
18-24		#		133,667	80.7	(72.8-86.7)
25-34		#		131,249	77.7	(70.8-83.4)
35-44		#		125,180	75.1	(68.8-80.5)
45-64	8,907	74.1	(64.4-82.0)	307,351	72.9	(69.1-76.4)
65+	3,893	64.4	(55.2-72.7)	171,171	70.2	(65.6-74.4)
Race						
White, NH	23,286	74.3	(67.1-80.4)	756,817	76.5	(74.1-78.7)
Black, NH		#		50,618	58.2	(48.0-67.8)
Hispanic		#		37,543	64.1	(49.9-76.2)
Other, NH		#		32,474	72.6	(56.3-84.5)
Sex						
male	13,812	75.6 [^]	(65.3-83.5)	439,933	77.0	(73.4-80.2)
female	10,690	73.0^	(62.8-81.2)	437,519	72.0	(68.8-74.9)
Age-adjusted ^{&}		74.1	(66.7-80.3)		74.8	(72.4-77.0)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Wy	oming Cou	ınty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,333	25.8	(19.2-33.6)	301,463	26.2	(23.3-29.3)
Age						
18-24		#		75,402	45.9^	(34.2-58.1)
25-34		#		55,078	34.3	(27.2-42.1)
35-44		#		44,593	27.4	(21.4-34.3)
45-64	2,795	23.8	(16.1-33.6)	95,213	23.0	(19.4-27.0)
65+	1,062	17.9^	(10.9-28.0)	28,279	11.9	(9.4-15.1)
Race						
White, NH	7,447	24.2	(17.8-32.1)	228,879	23.6	(20.6-27.0)
Black, NH		#		38,316	47.1	(36.9-57.6)
Hispanic		#		23,181	39.9^	(26.4-55.1)
Other, NH		#		11,087	25.0^	(14.1-40.4)
Sex						
male	4,434	24.8	(16.1-36.1)	189,430	34.0	(29.1-39.3)
female	3,899	27.0^	(18.0-38.3)	112,033	18.9	(16.3-21.7)
Age-adjusted ^{&}		27.1	(20.1-35.6)		27.1	(24.3-30.0)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Wy	oming Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,359	4.2	(1.8-9.6)	77,073	6.7	(5.5-8.3)
Age						
18-24		#		14,257	8.8	(5.2-14.3)
25-34		#		14,510	9.0	(5.3-14.9)
35-44		#		20,808	12.8	(8.0-19.9)
45-64		#		19,934	4.8	(3.5-6.8)
65+		#		7,263	3.1	(1.8-5.2)
Race						
White, NH	1,359	4.4	(1.9-10.1)	56,907	5.9	(4.6-7.5)
Black, NH		#		12,107	15.3	(8.8-25.1)
Hispanic		#			#	
Other, NH		#		3,483	7.9^	(2.7-21.0)
Sex						
male	644	3.6	(1.6-7.9)	50,457	9.2	(7.0-11.8)
female		#		26,616	4.5	(3.1-6.5)
Age-adjusted ^{&}		4.7	(1.8-11.6)		7.6	(6.0-9.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Wy	oming Cou	inty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,767	8.2	(5.2-12.8)	118,414	9.7	(8.3-11.4)
Age						
18-24		#			#	
25-34		#		4,633	2.7	(1.1-6.2)
35-44		#		8,125	4.7	(2.8-7.8)
45-64	921	7.5	(4.2-13.0)	52,043	11.9	(9.1-15.5)
65+	1,188	19.5	(13.4-27.7)	48,493	19.5	(16.1-23.4)
Race						
White, NH	2,767	8.7	(5.5-13.6)	92,279	9.1	(7.7-10.6)
Black, NH		#		16,081	17.4	(11.2-26.0)
Hispanic		#		2,951	4.9	(2.2-10.7)
Other, NH		#		7,104	15.7	(4.4-43.0)
Sex						
male	1,244	6.7	(3.9-11.2)	58,629	10.0	(7.8-12.8)
female	1,522	10.2	(5.0-19.5)	59,785	9.5	(7.9-11.5)
Age-adjusted ^{&}		8.0	(4.6-13.3)		8.7	(7.5-10.1)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Wy	oming Cou	ınty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,196	21.6	(16.0-28.4)	247,835	20.8	(18.8-23.0)
Age						
18-24		#		25,309	14.9	(9.9-21.7)
25-34		#		56,094	32.7	(25.8-40.4)
35-44		#		38,389	22.9	(18.1-28.6)
45-64	2,870	23.7	(16.3-33.3)	107,073	25.2	(21.7-29.1)
65+	644	10.7	(5.7-19.3)	20,570	8.4	(6.2-11.3)
Race						
White, NH	6,406	20.3	(15.0-27.1)	189,505	19.0	(16.9-21.3)
Black, NH		#		34,273	38.2	(29.0-48.3)
Hispanic		#		18,226	31.1	(19.3-46.1)
Other, NH		#		5,830	13.1	(7.7-21.6)
Sex						
male	3,243	17.4	(11.3-25.9)	126,440	22.0	(18.8-25.7)
female	3,953	26.9^	(18.2-37.7)	121,395	19.7	(17.2-22.5)
Age-adjusted ^{&}		22.6	(16.8-29.8)		21.9	(19.7-24.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,096	35.0^	(21.4-51.5)	97,449	31.1	(26.5-36.0)
Age						
18-24		#		11,645	24.5	(13.0-41.3)
25-34		#		24,473	45.0^	(31.7-59.0)
35-44		#		11,451	33.5	(22.8-46.2)
45-64		#		38,840	41.2	(33.3-49.5)
65+	432	18.2	(7.8-36.9)	11,011	13.4	(8.4-20.7)
Race						
White, NH	2,607	32.7	(19.0-50.0)	67,100	28.5	(23.5-34.1)
Black, NH		#		22,273	50.8^	(37.9-63.6)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		49,706	34.0	(26.3-42.6)
female	2,337	53.3^	(34.8-70.9)	47,743	28.5	(23.5-34.2)
Age-adjusted ^{&}		39.7	(26.7-54.3)		33.3	(28.6-38.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age ⁺ 18-24		#		25,309	14.9	(9.9-21.7)
25-34 35-44						
45-64 65+ Race						
White, NH Black, NH Hispanic Other, NH Sex		# # #		15,004	10.9 # # #	(6.7-17.3)
male female Age-adjusted+,&		# #		17,008 8,301	15.9 13.1	(9.3-25.9) (7.0-23.0)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,767	74.4^	(63.4-83.0)	196,724	83.1	(80.0-85.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,107	71.5	(60.5-80.4)	183,377	83.5	(80.2-86.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	4,767	74.4	(63.4-83.0)	196,724	83.1	(80.0-85.9)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		41,732	74.1	(66.1-80.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		37,146	74.6	(66.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		41,732	74.1	(66.1-80.8)
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,337	85.6	(78.0-90.9)	360,599	83.2	(79.9-86.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	8,469	84.3	(76.2-90.0)	310,981	84.5	(81.0-87.4)
Black, NH		#		23,632	75.8^	(58.9-87.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	9,337	85.6	(78.0-90.9)	360,599	83.2	(79.9-86.0)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Wyoming County			Western NY			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		80,264	76.6	(70.1-82.1)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		58,042	76.8	(69.5-82.8)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		80,264	76.6	(70.1-82.1)	
Age-adjusted+,&							

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,932	59.7	(50.7-68.1)	314,570	69.7	(66.0-73.1)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,576	60.3	(51.8-68.3)	284,419	70.9	(67.3-74.2)
Black, NH		#		21,964	75.7	(60.5-86.3)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	4,404	64.9^	(50.9-76.6)	143,396	67.7	(61.6-73.3)
female	3,528	54.3	(42.7-65.5)	171,173	71.4	(67.0-75.5)
Age-adjusted ^{+,&}						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,030	60.0^	(42.2-75.5)	64,446	57.0	(48.7-65.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,674	55.3^	(38.0-71.5)	56,021	60.7	(52.9-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		26,654	48.3	(35.9-60.9)
female		#		37,792	65.3	(55.7-73.9)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	19,717	64.8	(55.9-72.7)	618,738	58.8	(55.6-61.9)
Age						
18-24		#		34,559	21.4	(15.2-29.4)
25-34		#		90,941	55.9	(48.1-63.4)
35-44		#		93,243	59.7	(52.1-66.9)
45-64	7,175	64.0	(53.7-73.2)	252,542	68.7	(64.6-72.6)
65+	3,318	72.5	(62.1-80.9)	141,522	73.1	(67.7-77.9)
Race						
White, NH	18,449	64.6	(55.4-72.7)	522,976	59.1	(55.6-62.5)
Black, NH		#		45,591	61.3^	(50.4-71.1)
Hispanic		#		33,895	59.7^	(45.7-72.3)
Other, NH		#		16,276	44.7	(29.5-61.0)
Sex						
male	11,320	65.5	(51.8-77.1)	286,050	56.8	(51.6-61.9)
female	8,397	63.8	(53.4-73.0)	332,688	60.6	(56.8-64.2)
Age-adjusted ^{&}		65.1	(56.3-73.0)		59.1	(56.3-61.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes



	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,364	7.8	(4.6-12.7)	52,627	4.9	(3.9-6.1)
Age						
18-24		#			#	
25-34		#		7,276	4.3	(1.8-10.2)
35-44		#		5,652	3.5	(1.9-6.2)
45-64	914	8.1	(3.9-16.4)	19,280	5.1	(3.8-6.9)
65+	510	10.9	(6.3-18.1)	15,987	8.3	(5.9-11.4)
Race						
White, NH	2,083	7.3	(4.3-12.1)	46,288	5.1	(4.0-6.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	972	5.6	(2.9-10.4)	25,178	4.9	(3.3-7.0)
female	1,391	10.7	(5.2-20.8)	27,449	4.9	(3.8-6.2)
Age-adjusted ^{&}		8.0	(4.7-13.2)		4.7	(3.7-5.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,502	31.2	(25.0-38.2)	413,880	34.2	(31.6-36.8)
Age						
18-24		#		10,701	6.2	(3.5-10.8)
25-34		#		33,277	19.3	(13.5-26.8)
35-44		#		36,099	21.0	(15.2-28.3)
45-64	5,291	43.2	(34.1-52.9)	174,646	40.1	(36.0-44.3)
65+	3,436	56.7	(47.5-65.5)	155,613	62.7	(57.8-67.3)
Race						
White, NH	9,540	30.1	(24.1-36.8)	341,756	33.7	(31.1-36.5)
Black, NH		#		42,050	45.2	(35.9-54.8)
Hispanic		#		19,496	32.4	(19.3-49.0)
Other, NH		#		10,578	23.4	(10.1-45.3)
Sex						
male	5,690	30.4	(21.6-40.9)	209,209	35.8	(31.7-40.1)
female	4,812	32.2	(24.6-40.9)	204,672	32.6	(29.7-35.8)
Age-adjusted ^{&}		29.1	(24.2-34.5)		31.6	(29.2-34.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,626	72.6^	(60.7-82.0)	319,214	77.2	(72.7-81.2)
Age						
18-24		#			#	
25-34		#		10,589	31.8^	(15.4-54.5)
35-44		#		15,924	44.1	(28.5-60.9)
45-64	3,934	74.4^	(56.1-86.8)	140,590	80.5	(73.1-86.3)
65+	2,949	85.8	(69.6-94.1)	146,293	94.3	(90.8-96.5)
Race						
White, NH	7,042	73.8^	(62.5-82.7)	275,448	80.7	(76.9-84.0)
Black, NH		#		33,258	79.1^	(66.1-88.0)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	3,817	67.1	(50.7-80.2)	148,316	71.0	(63.6-77.5)
female	3,809	79.2^	(60.5-90.4)	170,898	83.6	(78.7-87.5)
Age-adjusted ^{&}		60.7	(45.3-74.2)		59.2	(52.6-65.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,236	12.7	(8.1-19.4)	138,193	11.4	(9.9-13.2)
Age						
18-24		#		12,912	7.6	(4.8-12.0)
25-34		#		22,985	13.3	(9.1-18.9)
35-44		#		26,223	15.3	(11.2-20.6)
45-64	1,182	9.8	(5.2-17.5)	55,491	12.8	(10.1-16.1)
65+	341	5.6	(2.8-11.0)	20,540	8.3	(6.2-11.0)
Race						
White, NH	4,160	13.2	(8.4-20.2)	109,339	10.8	(9.2-12.6)
Black, NH		#		12,253	13.5	(8.2-21.4)
Hispanic		#		10,362	17.4^	(10.0-28.4)
Other, NH		#		6,238	13.8	(6.7-26.3)
Sex						
male	1,534	8.3	(3.9-16.9)	46,098	7.9	(6.1-10.2)
female	2,701	18.3^	(10.7-29.3)	92,095	14.7	(12.5-17.3)
Age-adjusted ^{&}		14.6	(9.5-21.9)		12.0	(10.4-13.9)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	26,718	81.4	(70.4-88.9)	996,592	84.1	(81.1-86.7)
Age						
18-24		#		69,246	41.9^	(31.4-53.3)
25-34		#		120,610	73.5	(66.5-79.4)
35-44		#		147,897	89.7	(84.5-93.4)
45-64	11,532	94.2	(88.8-97.1)	403,910	93.3	(90.2-95.4)
65+	5,996	99.2	(97.4-99.7)	242,950	98.7	(97.6-99.3)
Race						
White, NH	25,148	81.2	(69.7-89.1)	848,158	85.5	(82.2-88.4)
Black, NH		#		71,883	78.5	(69.1-85.5)
Hispanic		#		47,340	79.8^	(68.7-87.7)
Other, NH		#		29,211	68.2	(46.7-84.0)
Sex						
male	14,031	76.2	(58.6-87.9)	465,998	81.5	(76.1-86.0)
female	12,688	88.0	(79.1-93.4)	530,594	86.4	(83.6-88.9)
Age-adjusted ^{&}		79.1	(69.7-86.1)		83.2	(80.9-85.3)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,706	40.4	(33.0-48.2)	398,531	40.4	(37.6-43.3)
Age						
18-24		#		13,007	19.2^	(8.0-39.4)
25-34		#		21,955	18.3^	(10.3-30.3)
35-44		#		39,377	27.2	(20.2-35.4)
45-64	5,210	45.6	(36.0-55.4)	185,641	46.1	(41.9-50.4)
65+	3,179	53.8	(44.3-63.1)	133,691	55.9	(50.9-60.8)
Race						
White, NH	10,046	40.3	(32.8-48.2)	351,251	41.7	(38.7-44.9)
Black, NH		#		24,985	36.0^	(26.3-47.0)
Hispanic		#		12,979	27.4	(15.9-43.0)
Other, NH		#		9,315	34.2	(19.8-52.1)
Sex						
male	4,684	33.5	(23.9-44.6)	196,109	42.4	(38.0-47.0)
female	6,022	48.1	(38.2-58.0)	202,422	38.6	(35.1-42.3)
Age-adjusted ^{&}		34.8	(28.4-41.7)		35.1	(31.6-38.7)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Wy	oming Cou	nty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,509	8.4	(4.9-14.1)	65,957	10.3	(8.4-12.7)
Age						
18-24		#			#	
25-34		#		6,722	9.0^	(3.5-21.0)
35-44		#		3,602	5.2	(2.5-10.7)
45-64		#		23,932	9.2	(6.5-12.8)
65+	675	14.5	(8.5-23.5)	29,019	14.9	(11.2-19.4)
Race						
White, NH	1,228	7.4	(4.5-12.0)	53,929	10.0	(7.9-12.5)
Black, NH		#		7,467	15.6^	(8.4-27.0)
Hispanic		#			#	
Other, NH		#		3,596	19.2^	(6.3-45.6)
Sex						
male		#		29,830	10.2	(7.3-14.0)
female	913	9.7	(4.6-19.1)	36,128	10.4	(7.9-13.6)
Age-adjusted ^{&}		6.2	(3.6-10.5)		9.0	(6.9-11.7)

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Wyoming Prevent Chronic Diseases

Percentage of adults with arthritis*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	9,578	28.5	(22.4-35.5)	320,398	26.4	(24.2-28.8)
Age						
18-24		#			#	
25-34		#		18,912	10.9	(5.5-20.4)
35-44		#		25,812	15.0	(11.1-20.1)
45-64	4,529	37.0	(27.9-47.2)	143,574	33.0	(29.4-36.8)
65+	2,955	48.8	(39.7-58.0)	126,586	51.1	(46.4-55.9)
Race						
White, NH	8,635	27.2	(21.3-34.1)	285,993	28.2	(25.7-30.8)
Black, NH		#		16,561	17.8	(11.8-26.0)
Hispanic		#		10,492	17.4^	(10.6-27.5)
Other, NH		#		7,352	16.4^	(8.8-28.6)
Sex						
male	3,900	20.9	(14.1-29.7)	115,944	19.9	(17.1-22.9)
female	5,677	38.1	(29.3-47.7)	204,454	32.6	(29.4-35.9)
Age-adjusted ^{&}		27.4	(22.2-33.3)		24.1	(22.0-26.3)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Wy	oming Cou	ınty	Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	30,808	96.3	(94.1-97.7)	1,071,115	92.7	(90.9-94.1)
Age						
18-24		#		147,175	89.8	(80.7-94.9)
25-34		#		150,577	90.8	(85.7-94.2)
35-44		#		155,303	95.2	(92.2-97.0)
45-64	11,351	96.4	(92.9-98.2)	383,623	92.8	(90.2-94.7)
65+	5,565	95.1	(90.5-97.5)	222,347	93.7	(90.4-96.0)
Race						
White, NH	29,263	96.1	(93.8-97.6)	916,932	94.4	(92.8-95.7)
Black, NH		#		69,802	81.6	(71.7-88.6)
Hispanic		#		47,547	82.9^	(69.3-91.2)
Other, NH		#		36,834	87.1	(74.3-94.0)
Sex						
male	17,776	98.0	(94.6-99.3)	520,960	93.1	(90.1-95.2)
female	13,032	94.0	(90.2-96.5)	550,155	92.3	(90.2-93.9)
Age-adjusted ^{&}		96.4	(94.1-97.9)		92.7	(91.0-94.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,607	27.0	(19.8-35.6)	60,568	25.3	(21.3-29.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,607	27.3	(20.1-36.1)	56,868	25.4	(21.2-30.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	674	21.5	(12.2-35.0)	29,073	28.5	(21.6-36.5)
female	934	33.1	(23.4-44.5)	31,495	22.9	(18.4-28.1)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	653	41.0^	(25.9-58.0)	24,648	40.9^	(31.5-51.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	653	41.0^	(25.9-58.0)	23,554	41.6	(31.8-52.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		9,821	33.9^	(20.1-51.0)
female		#		14,827	47.4	(35.8-59.2)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,656	32.0	(23.6-41.7)	142,965	35.7	(31.7-40.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,356	32.0	(23.9-41.4)	107,393	31.2	(27.5-35.1)
Black, NH		#		17,645	62.2^	(45.9-76.2)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,277	36.0 [^]	(23.9-50.3)	87,478	46.3	(39.7-53.1)
female	1,379	27.0^	(17.2-39.8)	55,487	26.3	(22.0-31.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	14,027	42.6	(34.9-50.6)	564,930	48.4	(45.4-51.3)
Age						
18-24		#		43,594	26.5	(18.0-37.1)
25-34		#		60,600	36.6	(28.5-45.5)
35-44		#		65,045	39.6	(32.2-47.4)
45-64	4,106	34.2	(26.5-42.8)	203,704	48.6	(44.4-52.8)
65+	4,936	81.6	(73.9-87.5)	184,502	76.4	(72.3-80.1)
Race						
White, NH	13,441	42.9	(35.0-51.1)	476,222	48.6	(45.4-51.8)
Black, NH		#		39,547	46.9^	(37.0-57.0)
Hispanic		#		33,195	57.1	(43.1-70.0)
Other, NH		#		15,967	35.9	(22.2-52.4)
Sex						
male	6,219	34.0	(24.2-45.4)	254,448	45.0	(40.4-49.7)
female	7,808	53.3	(43.8-62.6)	310,483	51.6	(48.0-55.1)
Age-adjusted ^{&}		43.6	(36.9-50.6)		46.3	(43.3-49.3)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Wy	oming Cou	inty	Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,936	81.6	(73.9-87.5)	184,502	76.4	(72.3-80.1)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,861	82.1	(74.2-87.9)	172,930	76.7	(72.4-80.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,638	83.0^	(69.9-91.1)	82,045	79.3	(72.5-84.8)
female	2,298	80.2	(70.5-87.3)	102,457	74.3	(68.8-79.0)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,553	77.4	(68.9-84.1)	173,650	76.2	(72.0-80.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,506	78.2	(69.9-84.7)	165,973	78.1	(74.1-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,174	70.5	(56.5-81.5)	62,208	68.3	(60.3-75.3)
female	2,379	85.0	(75.9-91.0)	111,442	81.5	(77.2-85.1)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		160,792	71.3	(65.3-76.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		133,550	73.5	(67.1-79.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		160,792	71.3	(65.3-76.6)
Age-adjusted+,&						


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



Wyoming County Western NY Est. # of Est. # of **Adults Adults** Percent 95% CI **Percent** 95% CI **Total** # 187,734 74.7 (69.2-79.5)Age⁺ 18-24 25-34 35-44 45-64 65+ Race White, NH # 145,709 73.3 (67.1-78.8)Black, NH # Hispanic # Other, NH # Sex male female 187,734 74.7 (69.2-79.5)Age-adjusted+,&


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	10,605	90.7^	(80.3-95.9)	422,644	89.6	(86.8-91.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	9,944	92.4^	(81.5-97.1)	355,498	89.9	(86.8-92.4)
Black, NH		#		34,857	89.5	(79.8-94.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	10,605	90.7	(80.3-95.9)	422,644	89.6	(86.8-91.8)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Wyoming County			Western NY		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		118,151	52.1	(45.5-58.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		97,727	54.4	(47.0-61.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		118,151	52.1	(45.5-58.6)
Age-adjusted+,&						


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,467	7.5	(4.4-12.7)	131,217	11.0	(9.4-13.0)
Age						
18-24		#		21,607	12.7	(6.9-22.3)
25-34		#		22,212	13.2	(8.4-20.2)
35-44		#		25,931	15.4	(10.9-21.2)
45-64	1,387	11.9	(7.1-19.1)	44,951	10.5	(8.5-13.1)
65+		#		16,476	6.8	(5.0-9.2)
Race						
White, NH	2,467	7.9	(4.6-13.3)	108,718	10.9	(9.0-13.0)
Black, NH		#		14,244	15.8	(9.9-24.4)
Hispanic		#		5,382	9.6	(4.8-18.3)
Other, NH		#		2,874	6.5	(3.2-12.5)
Sex						
male	853	4.6	(2.1-9.9)	59,832	10.4	(7.9-13.6)
female	1,614	11.3	(5.6-21.5)	71,386	11.6	(9.5-14.0)
Age-adjusted ^{&}		7.7	(4.2-13.6)		11.7	(9.9-13.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Wyoming County			Western NY		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	6,494	20.1^	(12.6-30.6)	205,623	17.6	(15.7-19.8)
Age						
18-24		#		43,355	25.9	(18.7-34.7)
25-34		#		42,241	25.2	(19.7-31.6)
35-44		#		38,381	23.2	(17.0-31.0)
45-64	2,293	19.8	(13.3-28.5)	67,364	16.2	(13.3-19.5)
65+		#		12,994	5.5	(3.7-8.1)
Race						
White, NH	6,494	21.2	(13.3-31.9)	175,202	17.9	(15.8-20.3)
Black, NH		#		21,921	25.3^	(17.1-35.7)
Hispanic		#		4,271	7.5	(3.4-15.7)
Other, NH		#		4,228	9.6	(4.7-18.5)
Sex						
male	4,939	27.6	(15.5-44.1)	127,670	22.7	(19.5-26.3)
female	1,555	10.8	(6.2-18.3)	77,952	12.9	(10.5-15.7)
Age-adjusted ^{&}		20.6	(13.6-30.0)		18.8	(16.5-21.3)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Wyoming County			Western NY			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		49,115	38.3	(30.3-47.0)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		10,514	43.8^	(27.4-61.8)	
45-64		#		16,205	36.3^	(26.8-47.1)	
65+		#		1,696	10.7^	(4.0-25.6)	
Race							
White, NH		#		35,020	32.8	(24.4-42.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		25,581	43.6	(30.1-58.1)	
female		#		23,535	33.8	(25.1-43.8)	
Age-adjusted ^{&}		#			38.0	(31.2-45.2)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).