eBRFSS 2013-2014 Health Indicators: Yates

General Description	2
Improve Health Status and Reduce Health Disparities	3
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	
Percentage of adults living with a disability	
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on guidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based of	
guidelinesguidelines	
	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent 30 31 32
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with corrent asthma Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked. Percentage of adults with average and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Percentage of women aged 18-44 years who had dental visit within the last year	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 48+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year Women aged 18-44 years who saw a doctor for a routine checkup within the last year Percentage of women aged 18-64 years with health care coverage	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with current asthma Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with health care coverage.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure. Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with atheriation with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with penumococcal immunization. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentag	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with health care coverage. Percentage of women aged 18-64 years with bealth care coverage. Percentage of women aged 18-64 years with bealth care coverage. Percentage of women aged 18-64 years whose health care coverage. Percentage of adults with poor mental health for 14 or more days in the last month.	recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure. Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults with atheriation with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with penumococcal immunization. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentag	recent

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	822	4.3	(2.6-6.9)	105,514	10.5	(9.0-12.3)
Age						
18-24		#		18,069	13.6	(8.4-21.2)
25-34		#		23,656	15.2	(10.8-21.1)
35-44		#		18,598	12.5	(8.5-17.9)
45-64	500	7.4	(3.8-13.7)	35,930	10.1	(7.9-12.8)
65+		#		7,633	3.9	(2.5-6.1)
Race						
White, NH	822	4.6	(2.8-7.5)	78,405	9.9	(8.3-11.7)
Black, NH		#		11,314	14.5	(8.2-24.2)
Hispanic		#		8,090	15.4	(9.2-24.8)
Other, NH		#		7,706	10.2^	(4.8-20.4)
Sex						
male		#		46,595	9.7	(7.5-12.3)
female	451	4.5	(2.4-8.2)	58,919	11.4	(9.3-13.9)
Age-adjusted ^{&}		4.0	(2.4-6.7)		11.0	(9.3-12.9)

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,020	93.0	(88.0-96.0)	891,951	89.5	(87.7-91.0)
Age						
18-24		#		98,637	75.1	(65.5-82.8)
25-34		#		124,962	80.4	(74.7-85.1)
35-44		#		130,769	88.1	(82.8-91.9)
45-64	6,375	94.2	(88.6-97.2)	336,849	94.7	(92.7-96.1)
65+	4,302	97.6	(88.2-99.6)	190,189	97.8	(96.5-98.6)
Race						
White, NH	16,567	93.0	(87.6-96.1)	717,170	90.5	(88.8-92.0)
Black, NH		#		64,548	83.7	(73.7-90.4)
Hispanic		#		40,023	77.2	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
Sex						
male	8,477	91.8	(82.1-96.4)	407,470	84.7	(81.6-87.3)
female	9,543	94.1	(88.4-97.1)	484,481	94.0	(92.0-95.5)
Age-adjusted ^{&}		91.8	(85.9-95.4)		88.6	(86.7-90.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,387	66.8	(59.7-73.3)	684,119	72.7	(69.7-75.6)
Age						
18-24		#		90,313	71.2	(57.6-81.8)
25-34		#		89,852	61.3	(52.1-69.7)
35-44		#		107,877	77.2	(69.7-83.3)
45-64	4,763	74.7	(65.5-82.0)	254,354	76.5	(72.6-79.9)
65+	2,728	66.4	(55.7-75.6)	136,480	72.9	(67.8-77.5)
Race						
White, NH	11,239	66.0	(58.5-72.7)	562,395	74.8	(72.3-77.1)
Black, NH		#		45,366	66.5	(56.6-75.2)
Hispanic		#		38,236	76.0^	(62.5-85.8)
Other, NH		#		38,122	54.6	(32.4-75.0)
Sex						
male	5,534	61.1	(49.3-71.7)	317,427	70.0	(65.6-74.1)
female	6,854	72.4	(64.6-79.0)	366,693	75.2	(70.9-79.1)
Age-adjusted ^{&}		65.7	(58.5-72.2)		72.6	(69.4-75.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,250	22.3	(17.4-28.2)	248,993	25.3	(22.9-27.8)
Age						
18-24		#		13,165	9.9	(5.7-16.7)
25-34		#		24,795	16.2	(11.5-22.3)
35-44		#		30,187	21.0	(15.4-28.0)
45-64	2,144	31.9^	(22.4-43.1)	103,044	29.1	(25.3-33.2)
65+	1,326	30.3	(22.0-40.2)	74,769	39.3	(34.1-44.7)
Race						
White, NH	3,804	21.8	(17.0-27.5)	193,463	24.7	(22.3-27.3)
Black, NH		#		23,963	31.7	(22.9-41.9)
Hispanic		#		17,435	34.3^	(23.4-47.2)
Other, NH		#		14,132	18.8^	(9.4-34.1)
Sex						
male	1,900	21.1	(14.2-30.1)	112,778	23.7	(20.7-27.1)
female	2,350	23.4	(16.9-31.5)	136,215	26.7	(23.3-30.5)
Age-adjusted ^{&}		20.2	(15.6-25.8)		24.2	(22.0-26.7)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,804	52.6	(44.3-60.8)	694,148	87.8	(85.7-89.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,317	52.7	(44.3-61.0)	546,972	89.1	(87.0-90.9)
Black, NH		#		54,874	83.7	(75.1-89.8)
Hispanic		#		37,833	76.4^	(61.7-86.6)
Other, NH		#		54,469	88.5^	(75.0-95.2)
Sex						
male	3,192	44.7	(32.7-57.5)	329,824	84.5	(80.9-87.5)
female	4,612	59.9^	(49.2-69.8)	364,324	91.0	(88.6-93.0)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,602	51.8	(43.4-60.0)	501,658	63.5	(59.9-66.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	7,209	52.5	(44.0-60.9)	387,058	63.1	(59.7-66.4)
Black, NH		#		52,686	79.2^	(68.3-87.1)
Hispanic		#		32,661	66.3^	(51.9-78.3)
Other, NH		#		29,253	47.7	(25.7-70.6)
Sex						
male	3,220	45.5	(33.0-58.6)	228,555	58.5	(53.4-63.5)
female	4,381	57.6 [^]	(47.2-67.3)	273,103	68.3	(63.6-72.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,020	28.5	(22.8-34.9)	314,889	34.4	(31.5-37.4)
Age						
18-24		#		32,879	32.4	(22.8-43.7)
25-34		#		72,916	51.0	(42.6-59.4)
35-44		#		49,765	35.8	(29.2-43.0)
45-64	2,123	32.2	(23.4-42.5)	111,638	33.0	(28.9-37.4)
65+	718	18.5	(11.5-28.4)	42,474	23.1	(17.9-29.3)
Race						
White, NH	4,741	29.5	(23.7-36.1)	232,180	31.9	(29.2-34.7)
Black, NH		#		34,856	49.6^	(39.3-60.0)
Hispanic		#		18,970	38.4^	(26.4-51.9)
Other, NH		#		28,883	42.5	(23.1-64.4)
Sex						
male	2,444	28.0^	(19.5-38.4)	141,970	32.0	(27.8-36.6)
female	2,576	29.0	(22.1-36.9)	172,920	36.6	(32.7-40.7)
Age-adjusted ^{&}		30.6	(24.4-37.6)		35.1	(32.2-38.2)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,652	14.1	(10.4-18.8)	213,556	22.2	(19.7-24.8)
Age						
18-24		#		27,370	21.4	(15.0-29.6)
25-34		#		52,899	35.3	(27.0-44.7)
35-44		#		36,748	26.0	(20.2-32.8)
45-64	1,164	17.5	(11.0-26.6)	70,256	20.4	(17.2-24.1)
65+	529	12.9	(7.2-21.9)	23,573	12.4	(9.0-17.0)
Race						
White, NH	2,432	14.0	(10.3-18.8)	154,900	20.2	(18.0-22.7)
Black, NH		#		27,276	37.2	(28.1-47.4)
Hispanic		#		14,323	28.0^	(18.4-40.2)
Other, NH		#		17,057	23.4	(9.5-47.1)
Sex						
male	1,202	13.2	(7.8-21.3)	97,708	21.1	(17.2-25.4)
female	1,451	14.9	(10.5-20.8)	115,848	23.2	(20.2-26.5)
Age-adjusted ^{&}		14.4	(10.6-19.3)		23.1	(20.6-25.9)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	667	3.5	(1.9-6.2)	35,254	3.5	(2.8-4.5)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		16,753	4.7	(3.4-6.4)
65+		#		11,921	6.1	(4.4-8.5)
Race						
White, NH	514	2.9	(1.5-5.6)	23,699	3.0	(2.3-3.8)
Black, NH		#		4,892	6.3	(3.1-12.1)
Hispanic		#		4,142	7.9^	(3.2-18.0)
Other, NH		#		2,522	3.4	(1.3-8.5)
Sex						
male		#		19,535	4.1	(2.9-5.6)
female		#		15,719	3.1	(2.2-4.2)
Age-adjusted ^{&}		3.1	(1.7-5.6)		3.3	(2.6-4.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Y	ates Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,935	10.1	(6.7-15.0)	113,479	11.6	(10.0-13.5)
Age						
18-24		#		6,519	4.9	(1.9-12.4)
25-34		#		11,848	7.9	(5.0-12.3)
35-44		#		13,334	9.1	(5.5-14.7)
45-64	1,245	18.5	(10.7-30.2)	53,981	15.3	(12.4-18.8)
65+	481	11.1	(6.2-19.1)	26,922	14.7	(11.9-18.1)
Race						
White, NH	1,516	8.6	(5.8-12.7)	91,151	11.7	(10.0-13.8)
Black, NH		#		10,140	13.4	(8.2-21.4)
Hispanic		#		8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
Sex						
male	605	6.6	(3.6-11.7)	53,813	11.3	(9.0-14.1)
female	1,329	13.4	(7.9-21.7)	59,667	11.9	(9.8-14.4)
Age-adjusted ^{&}		8.8	(6.0-12.7)		11.2	(9.6-13.0)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are obese*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,480	30.2	(24.3-36.9)	254,425	27.0	(24.4-29.8)
Age						
18-24		#		16,808	13.5	(7.9-22.1)
25-34		#		43,074	29.7	(21.3-39.6)
35-44		#		41,076	28.7	(22.4-36.0)
45-64	2,218	33.4	(24.5-43.8)	100,327	30.0	(26.3-34.1)
65+	1,154	29.0^	(20.6-39.1)	51,798	27.9	(23.3-33.1)
Race						
White, NH	5,310	31.1	(24.9-37.9)	195,881	26.2	(23.8-28.8)
Black, NH		#		25,307	34.7	(26.0-44.5)
Hispanic		#		17,493	34.1	(22.9-47.5)
Other, NH		#		15,744	22.5	(8.5-47.8)
Sex						
male	2,690	30.9	(22.1-41.2)	131,663	27.7	(23.8-32.0)
female	2,790	29.7	(22.0-38.6)	122,762	26.3	(23.0-29.9)
Age-adjusted ^{&}		31.9	(25.4-39.1)		27.2	(24.5-30.1)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Y	ates Count	ty	Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	1,695	35.3^	(25.0-47.3)	83,889	36.9	(30.6-43.7)	
Age							
18-24		#		5,671	17.5	(7.9-34.3)	
25-34		#		19,305	46.4	(25.9-68.2)	
35-44		#		9,968	34.8^	(22.0-50.3)	
45-64		#		28,074	40.1	(31.3-49.6)	
65+	639	44.3	(27.8-62.2)	20,012	37.5	(28.1-48.0)	
Race							
White, NH	1,524	34.7	(24.0-47.2)	56,366	36.0	(30.2-42.2)	
Black, NH		#		10,712	30.8^	(20.0-44.3)	
Hispanic		#			#		
Other, NH		#		10,722	55.3^	(20.0-85.9)	
Sex							
male		#		38,883	32.8	(23.0-44.5)	
female	815	33.6	(21.3-48.6)	45,006	41.3	(34.4-48.7)	
Age-adjusted ^{&}		33.8^	(21.7-48.4)		36.7	(30.6-43.3)	

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,912	45.4^	(32.4-59.0)	90,664	38.5	(33.5-43.7)
Age						
18-24		#			#	
25-34		#		7,827	35.1	(21.1-52.2)
35-44		#		10,209	34.6	(21.2-50.8)
45-64		#		43,860	45.1	(37.3-53.1)
65+		#		25,854	36.6	(28.1-46.1)
Race						
White, NH	1,760	46.4	(33.6-59.7)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		40,686	36.9	(30.2-44.1)
female	797	34.4	(19.7-52.8)	49,978	40.0	(32.9-47.5)
Age-adjusted ^{&}		44.3^	(29.8-59.9)		35.8	(30.4-41.6)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	11,109	61.3	(54.2-67.9)	581,065	61.8	(58.6-64.8)
Age						
18-24		#		41,425	33.2	(23.5-44.5)
25-34		#		83,868	57.7	(49.6-65.5)
35-44		#		83,850	58.6	(50.5-66.3)
45-64	4,091	61.7	(51.6-70.9)	241,793	72.4	(68.0-76.4)
65+	2,540	63.7	(54.2-72.3)	125,252	67.6	(62.1-72.6)
Race						
White, NH	10,580	61.9	(54.7-68.7)	471,523	63.1	(60.2-66.0)
Black, NH		#		49,324	67.6	(57.0-76.7)
Hispanic		#		33,809	65.9^	(50.0-78.9)
Other, NH		#		26,409	37.8	(20.1-59.5)
Sex						
male	5,332	61.1	(49.6-71.6)	329,186	69.4	(65.4-73.1)
female	5,777	61.4	(52.7-69.4)	251,879	54.0	(49.3-58.6)
Age-adjusted ^{&}		62.7	(55.0-69.8)		60.8	(57.7-63.8)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Y	ates Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	12,077	63.8	(56.8-70.3)	703,242	72.6	(69.5-75.6)
Age						
18-24		#		97,421	75.5	(60.0-86.3)
25-34		#		106,989	71.1	(60.7-79.7)
35-44		#		105,857	74.8	(66.9-81.3)
45-64	4,364	65.0	(54.5-74.3)	256,126	73.8	(69.9-77.4)
65+	2,682	64.3	(53.5-73.9)	128,648	67.9	(62.3-73.0)
Race						
White, NH	10,705	61.6	(54.4-68.4)	588,978	76.4	(73.9-78.8)
Black, NH		#		53,055	72.5	(63.6-79.9)
Hispanic		#		33,495	65.3^	(52.7-76.0)
Other, NH		#		27,713	38.0^	(22.0-57.0)
Sex						
male	5,077	56.0	(44.6-66.8)	346,071	74.1	(69.7-78.0)
female	7,000	71.0	(63.0-77.8)	357,171	71.3	(66.6-75.6)
Age-adjusted ^{&}		62.6	(55.2-69.4)		72.7	(69.4-75.9)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Υ	ates Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,818	15.2	(10.7-21.1)	214,679	22.5	(19.9-25.3)
Age						
18-24		#		55,277	43.6	(31.8-56.0)
25-34		#		35,087	23.6	(18.5-29.7)
35-44		#		34,865	24.9	(19.2-31.6)
45-64	742	11.4	(6.8-18.6)	57,660	16.9	(13.8-20.6)
65+	945	23.0	(12.8-37.8)	30,644	16.3	(12.8-20.6)
Race						
White, NH	2,176	12.8	(9.0-17.8)	150,493	19.8	(17.6-22.2)
Black, NH		#		22,275	31.3^	(22.6-41.4)
Hispanic		#		15,272	30.5^	(19.3-44.5)
Other, NH		#		26,640	36.6^	(18.8-59.1)
Sex						
male	1,900	20.9^	(13.0-31.9)	120,224	26.1	(22.7-29.8)
female	918	9.7	(6.4-14.4)	94,456	19.2	(15.4-23.6)
Age-adjusted ^{&}		15.3	(10.7-21.4)		23.2	(20.7-26.0)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	١	ates Count	ty	Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	912	4.9	(2.2-10.5)	58,515	6.2	(5.0-7.7)	
Age							
18-24		#		16,427	12.9	(7.6-20.9)	
25-34		#		9,670	6.5	(3.9-10.9)	
35-44		#		5,131	3.7	(2.0-6.7)	
45-64		#		20,550	6.2	(4.2-8.9)	
65+		#		6,737	3.6	(2.4-5.6)	
Race							
White, NH	533	3.1	(1.3-7.1)	39,988	5.3	(4.1-6.8)	
Black, NH		#		7,235	10.4	(5.5-18.9)	
Hispanic		#		6,059	12.1^	(5.1-25.9)	
Other, NH		#		5,233	7.4^	(2.8-18.0)	
Sex							
male		#		43,869	9.7	(7.5-12.5)	
female		#		14,646	3.0	(2.0-4.5)	
e-adjusted ^{&}		4.6	(2.3-8.9)		6.1	(4.9-7.6)	


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Y	ates Coun	ty	Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	2,552	13.2	(9.2-18.4)	100,031	10.0	(8.7-11.5)	
Age							
18-24		#			#		
25-34		#		7,103	4.6	(2.5-8.4)	
35-44		#		6,332	4.3	(2.4-7.6)	
45-64	1,466	21.6	(13.4-32.9)	47,349	13.3	(10.8-16.3)	
65+	825	18.7	(11.9-28.1)	38,439	19.6	(16.4-23.3)	
Race							
White, NH	2,195	12.3	(8.8-17.0)	70,994	8.9	(7.7-10.3)	
Black, NH		#		17,328	22.6	(15.2-32.3)	
Hispanic		#		6,956	13.5	(8.0-21.9)	
Other, NH		#		4,753	6.3	(2.5-15.0)	
Sex							
male	1,221	13.2	(8.2-20.5)	50,941	10.6	(8.7-12.8)	
female	1,332	13.1	(7.7-21.4)	49,090	9.5	(7.8-11.5)	
Age-adjusted ^{&}		11.1	(8.0-15.3)		9.1	(8.0-10.5)	

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Y	ates Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,660	13.8	(10.2-18.6)	170,861	17.4	(15.5-19.6)
Age						
18-24		#		25,688	19.3	(12.8-28.2)
25-34		#		40,770	26.8	(21.3-33.1)
35-44		#		27,819	19.5	(14.0-26.5)
45-64	1,754	25.9^	(17.8-36.1)	61,479	17.5	(14.6-20.8)
65+	286	6.6	(3.4-12.5)	14,504	7.6	(5.5-10.5)
Race						
White, NH	2,588	14.7	(10.8-19.6)	134,960	17.4	(15.3-19.6)
Black, NH		#		20,478	26.8^	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8	(5.6-23.2)
Sex						
male	815	8.8	(4.7-15.9)	95,560	20.3	(17.2-23.8)
female	1,845	18.4	(13.1-25.4)	75,301	14.8	(12.6-17.4)
Age-adjusted ^{&}		13.3	(9.7-18.0)		18.2	(16.1-20.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Y	ates Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,464	28.9^	(19.0-41.5)	69,503	29.6	(24.7-34.9)
Age						
18-24		#		14,247	40.5	(26.5-56.2)
25-34		#		16,608	37.7	(22.9-55.2)
35-44		#		9,252	33.3^	(19.5-50.8)
45-64		#		23,452	32.4	(24.6-41.5)
65+		#		5,766	10.6	(6.7-16.2)
Race						
White, NH	1,400	32.3	(21.4-45.4)	48,760	29.6	(24.4-35.3)
Black, NH		#		15,001	43.1	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8^	(5.4-41.5)
Sex						
male		#		36,273	31.2	(23.4-40.3)
female	938	38.7	(25.1-54.4)	33,230	27.9	(22.4-34.1)
Age-adjusted ^{&}		31.0^	(18.6-47.0)		30.9	(25.5-36.9)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		25,688	19.3	(12.8-28.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		18,243	21.5	(14.1-31.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		13,906	22.2	(13.2-34.9)
female		#		11,783	16.8^	(8.6-30.1)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,290	75.5^	(61.8-85.5)	156,901	82.4	(78.1-86.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	3,191	81.8	(72.3-88.5)	136,370	83.2	(78.8-86.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	3,290	75.5	(61.8-85.5)	156,901	82.4	(78.1-86.0)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Yates County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		32,858	75.7^	(65.5-83.6)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		24,468	77.6	(68.5-84.7)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		32,858	75.7	(65.5-83.6)	
Age-adjusted+,&							

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Yates County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	4,188	58.5^	(47.6-68.6)	287,036	83.6	(80.3-86.4)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH	4,044	59.8^	(49.2-69.6)	236,785	84.1	(80.7-87.0)	
Black, NH		#		23,521	86.1	(71.0-94.0)	
Hispanic		#		12,743	79.7	(63.4-89.9)	
Other, NH		#			#		
Sex							
male		#			#		
female	4,188	58.5	(47.6-68.6)	287,036	83.6	(80.3-86.4)	
Age-adjusted ^{+,&}							

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Yates County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		55,266	73.1	(65.6-79.5)	
Age ⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#		37,702	73.2	(64.7-80.2)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#		55,266	73.1	(65.6-79.5)	
Age-adjusted+,&							

^{*} Pap test within past 3 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,219	70.8^	(60.6-79.3)	250,507	69.3	(65.3-73.0)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	5,022	73.7	(64.2-81.4)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8^	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4	(30.2-72.2)
Sex						
male	2,302	74.9^	(59.3-85.9)	116,224	69.1	(62.9-74.7)
female	2,917	67.9^	(54.2-79.2)	134,284	69.5	(64.2-74.3)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,313	62.6^	(46.0-76.7)	51,562	66.4	(59.0-73.2)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,313	65.4	(48.5-79.1)	38,437	68.1	(60.3-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		21,576	64.5	(53.7-74.1)
female		#		29,986	67.9	(57.5-76.7)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	8,098	48.8	(41.5-56.1)	473,695	54.6	(51.3-57.9)
Age						
18-24		#		26,476	20.7	(14.1-29.4)
25-34		#		60,826	42.3	(34.5-50.4)
35-44		#		68,543	50.5	(42.7-58.3)
45-64	3,319	62.7	(51.7-72.4)	205,917	68.5	(63.9-72.9)
65+	2,568	75.7	(65.3-83.7)	106,367	71.4	(66.0-76.3)
Race						
White, NH	7,561	48.9	(41.5-56.3)	397,203	57.1	(54.1-60.2)
Black, NH		#		32,135	55.7^	(44.5-66.3)
Hispanic		#		21,736	48.1	(33.4-63.1)
Other, NH		#		22,622	32.5	(17.6-52.2)
Sex						
male	3,381	42.8	(31.7-54.7)	220,518	52.8	(48.1-57.4)
female	4,717	54.3	(45.4-62.9)	253,177	56.3	(51.5-61.0)
Age-adjusted ^{&}		49.5	(42.9-56.2)		54.1	(51.2-57.0)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	820	4.9	(2.5-9.5)	49,926	5.6	(4.5-7.0)
Age						
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64		#		23,774	7.9	(5.9-10.5)
65+	212	6.1	(3.1-11.9)	15,665	10.3	(7.2-14.4)
Race						
White, NH	802	5.2	(2.6-10.1)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		25,274	6.0	(4.3-8.2)
female	630	7.3	(3.3-15.5)	24,651	5.3	(3.9-7.2)
Age-adjusted ^{&}		4.7	(2.6-8.5)		5.5	(4.4-6.9)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,520	28.6	(23.5-34.2)	314,920	31.7	(29.2-34.2)
Age						
18-24		#		8,315	6.4	(3.1-12.6)
25-34		#		20,783	13.5	(9.7-18.4)
35-44		#		29,430	19.8	(14.6-26.2)
45-64	2,671	39.4	(30.2-49.4)	134,360	37.8	(33.7-42.1)
65+	2,435	55.6	(44.2-66.3)	118,288	60.8	(55.4-66.0)
Race						
White, NH	5,389	30.3	(25.0-36.3)	256,263	32.3	(29.8-34.9)
Black, NH		#		32,880	44.2	(34.8-54.0)
Hispanic		#		14,927	28.5^	(19.0-40.3)
Other, NH		#		10,850	14.4^	(7.9-25.0)
Sex						
male	2,700	29.3	(21.5-38.4)	158,361	33.0	(29.5-36.6)
female	2,819	27.9	(21.6-35.3)	156,559	30.4	(27.1-33.9)
Age-adjusted ^{&}		24.3	(20.4-28.7)		29.3	(27.1-31.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,722	86.0	(76.4-92.1)	243,314	77.3	(73.4-80.8)
Age						
18-24		#			#	
25-34		#		5,688	27.4	(15.6-43.5)
35-44		#		16,627	56.5^	(40.3-71.4)
45-64	2,348	87.9^	(68.2-96.1)	108,563	80.8	(74.8-85.7)
65+	2,066	85.8	(73.8-92.8)	108,613	91.9	(88.6-94.3)
Race						
White, NH	4,722	88.1	(78.3-93.8)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	2,304	85.3 [^]	(66.7-94.4)	113,745	71.9	(66.0-77.1)
female	2,418	86.6	(76.5-92.7)	129,569	82.8	(77.4-87.2)
Age-adjusted ^{&}		65.0^	(52.9-75.5)		58.7	(53.6-63.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,394	7.2	(4.9-10.4)	112,310	11.3	(9.6-13.3)
Age						
18-24		#		20,356	15.3	(8.9-25.2)
25-34		#		20,425	13.3	(9.3-18.6)
35-44		#		13,324	9.1	(5.4-15.0)
45-64	792	11.7	(6.9-19.0)	40,947	11.6	(9.0-14.7)
65+	300	6.8	(3.8-12.0)	15,560	8.0	(5.9-10.6)
Race						
White, NH	1,204	6.7	(4.6-9.9)	81,926	10.4	(8.7-12.4)
Black, NH		#		11,764	15.4	(9.3-24.3)
Hispanic		#		7,513	14.3	(8.6-23.0)
Other, NH		#		11,106	14.8^	(6.3-30.8)
Sex						
male		#		41,563	8.7	(6.6-11.3)
female	1,227	12.1	(8.1-17.7)	70,747	13.8	(11.2-16.8)
Age-adjusted ^{&}		6.8	(4.6-10.1)		11.2	(9.4-13.3)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	13,265	69.4	(62.0-76.0)	798,681	82.4	(79.3-85.0)
Age						
18-24		#		49,911	42.6	(31.0-55.0)
25-34		#		95,361	64.6	(55.3-72.9)
35-44		#		117,490	80.4	(73.0-86.1)
45-64	6,247	92.1	(84.4-96.2)	336,574	95.0	(93.5-96.3)
65+	4,213	96.3	(90.8-98.6)	188,822	97.7	(96.4-98.5)
Race						
White, NH	12,211	69.6	(62.0-76.3)	646,121	83.9	(81.6-86.0)
Black, NH		#		59,974	80.5^	(70.4-87.8)
Hispanic		#		42,285	84.3^	(74.0-91.0)
Other, NH		#		50,300	67.0^	(41.4-85.4)
Sex						
male	6,127	67.8	(55.5-78.0)	375,301	80.0	(75.5-83.8)
female	7,138	70.9	(61.8-78.7)	423,380	84.6	(80.3-88.1)
Age-adjusted ^{&}		66.0	(59.2-72.2)		80.0	(77.1-82.5)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,838	37.4	(30.9-44.3)	300,637	37.9	(35.0-40.9)
Age						
18-24		#			#	
25-34		#		17,828	18.8	(12.5-27.2)
35-44		#		30,289	25.8	(19.3-33.5)
45-64	2,216	36.5	(27.4-46.7)	139,330	41.7	(37.3-46.4)
65+	2,121	51.6	(40.2-62.9)	102,175	54.6	(49.2-60.0)
Race						
White, NH	4,683	39.4	(32.7-46.4)	241,155	37.6	(34.7-40.6)
Black, NH		#		23,513	39.5^	(29.4-50.5)
Hispanic		#		15,023	35.5	(23.3-50.0)
Other, NH		#		20,947	41.7	(24.0-61.8)
Sex						
male	1,869	31.7	(22.4-42.8)	151,064	40.6	(36.4-44.9)
female	2,969	42.1	(33.9-50.7)	149,573	35.6	(31.6-39.7)
Age-adjusted ^{&}		28.2	(22.4-34.8)		32.7	(29.1-36.6)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Yates County			Finger Lakes			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total	891	10.1	(6.5-15.3)	51,667	10.0	(7.8-12.8)	
Age							
18-24		#			#		
25-34		#			#		
35-44		#		3,726	6.8	(3.1-14.2)	
45-64	365	9.1	(4.6-17.3)	26,449	12.7	(9.1-17.5)	
65+	419	13.6	(7.2-24.1)	12,705	8.1	(5.8-11.2)	
Race							
White, NH	851	10.5	(6.7-16.0)	34,619	8.2	(6.3-10.7)	
Black, NH		#		6,746	15.1^	(8.2-26.3)	
Hispanic		#			#		
Other, NH		#		8,215	31.5	(12.6-59.6)	
Sex							
male	413	10.8	(5.5-20.0)	23,976	9.8	(6.9-13.9)	
female	478	9.6	(5.3-16.6)	27,691	10.2	(7.2-14.2)	
Age-adjusted ^{&}		7.2	(4.2-12.1)		9.5	(6.8-13.3)	

^{*} Courses for high blood pressure, arthritis, or diabetes.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	5,574	28.8	(23.7-34.6)	273,908	27.5	(25.1-30.0)
Age						
18-24		#			#	
25-34		#		11,753	7.6	(4.9-11.6)
35-44		#		27,015	18.2	(12.9-25.1)
45-64	2,461	36.7	(27.5-46.9)	122,234	34.4	(30.2-38.9)
65+	2,278	51.7	(40.9-62.3)	107,901	55.4	(50.3-60.3)
Race						
White, NH	5,379	30.3	(24.9-36.3)	230,014	29.0	(26.4-31.7)
Black, NH		#		21,965	28.9	(21.1-38.3)
Hispanic		#		10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9^	(6.7-29.9)
Sex						
male	2,027	22.0	(15.3-30.5)	118,312	24.6	(21.3-28.2)
female	3,547	35.1	(27.9-42.9)	155,596	30.1	(26.7-33.8)
Age-adjusted ^{&}		25.9	(21.1-31.3)		25.3	(23.2-27.5)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Y	ates Coun	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	18,156	96.9	(93.6-98.5)	897,106	93.4	(92.0-94.6)
Age						
18-24		#		114,680	89.2	(81.1-94.1)
25-34		#		134,928	90.1	(85.9-93.2)
35-44		#		134,641	95.3	(92.3-97.2)
45-64	6,564	98.6	(95.4-99.6)	326,991	94.9	(93.0-96.3)
65+	3,879	94.7	(86.4-98.1)	176,297	94.4	(92.1-96.1)
Race						
White, NH	16,750	97.1	(93.8-98.7)	723,466	94.7	(93.4-95.8)
Black, NH		#		58,381	80.4	(70.2-87.8)
Hispanic		#		45,612	89.3	(79.9-94.6)
Other, NH		#		69,648	95.6	(90.2-98.0)
Sex						
male	8,981	98.3	(95.2-99.4)	435,275	93.9	(91.7-95.5)
female	9,175	95.5	(89.3-98.2)	461,832	92.9	(91.0-94.5)
Age-adjusted ^{&}		96.4	(91.9-98.4)		93.3	(91.9-94.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age⁺	1,500	36.7^	(27.2-47.5)	57,486	30.5	(25.8-35.7)
18-24						
25-34 35-44						
45-64						
65+						
Race						
White, NH	1,313	37.8	(28.9-47.6)	43,381	26.6	(22.9-30.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	642	31.8	(18.2-49.3)	26,845	31.6	(25.8-38.1)
female	858	41.6	(30.3-53.9)	30,641	29.6	(22.7-37.6)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	575	38.4^	(24.7-54.1)	19,362	33.9	(26.1-42.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	487	37.1	(24.0-52.5)	16,678	38.8	(31.4-46.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		8,530	32.0^	(22.0-43.9)
female		#		10,832	35.6	(24.2-49.0)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,176	35.7	(26.6-45.8)	106,026	32.9	(28.9-37.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,909	33.3	(25.3-42.3)	83,817	31.1	(26.9-35.6)
Black, NH		#		14,865	57.1	(40.3-72.4)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,162	46.0^	(32.1-60.6)	56,263	36.6	(30.6-43.1)
female	1,014	28.4	(17.1-43.1)	49,763	29.6	(24.4-35.3)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.


[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Yates

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	7,860	41.7	(35.3-48.4)	556,353	57.7	(54.7-60.6)
Age						
18-24		#		52,329	40.8^	(30.1-52.4)
25-34		#		65,604	43.6	(35.2-52.4)
35-44		#		69,933	49.5	(41.8-57.1)
45-64	3,518	52.9	(42.8-62.7)	205,087	59.5	(55.2-63.7)
65+	3,295	80.2	(70.2-87.4)	157,801	83.2	(80.0-85.9)
Race						
White, NH	7,082	40.8	(34.6-47.4)	443,049	57.6	(54.7-60.4)
Black, NH		#		40,970	57.1^	(47.0-66.7)
Hispanic		#		30,516	59.7^	(46.2-71.9)
Other, NH		#		41,817	57.3^	(35.8-76.4)
Sex						
male	3,152	34.5	(25.4-44.9)	260,048	55.9	(51.8-60.0)
female	4,708	48.4	(40.1-56.9)	296,305	59.3	(54.9-63.5)
Age-adjusted ^{&}		37.1	(32.1-42.3)		56.0	(52.9-59.1)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,295	80.2	(70.2-87.4)	157,801	83.2	(80.0-85.9)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,874	82.0	(73.4-88.3)	136,667	83.2	(80.1-85.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,534	76.0 [^]	(58.6-87.6)	72,669	85.0	(80.9-88.3)
female	1,761	84.2	(72.5-91.5)	85,131	81.7	(76.8-85.8)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	3,245	79.8^	(69.5-87.3)	135,060	74.0	(68.5-78.8)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,824	81.7	(72.5-88.3)	122,920	78.0	(74.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	1,480	75.0^	(56.8-87.3)	56,221	68.3	(61.1-74.7)
female	1,765	84.4	(72.4-91.8)	78,839	78.7	(70.1-85.3)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	2,654	72.8^	(56.9-84.4)	158,478	76.1	(67.5-83.1)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	2,636	73.2	(57.1-84.9)	120,797	78.0	(71.5-83.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	2,654	72.8	(56.9-84.4)	158,478	76.1	(67.5-83.1)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,598	44.1	(29.2-60.2)	135,013	61.9	(54.3-68.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,571	43.9	(28.9-60.2)	99,001	61.6	(54.7-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	1,598	44.1	(29.2-60.2)	135,013	61.9	(54.3-68.9)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Y	ates Count	ty	Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	4,612	59.9^	(49.2-69.8)	364,324	91.0	(88.6-93.0)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	4,396	60.9^	(50.3-70.6)	282,703	91.1	(88.4-93.2)
Black, NH		#		28,417	85.7^	(74.1-92.6)
Hispanic		#		16,002	91.5^	(74.4-97.5)
Other, NH		#		37,203	94.7	(84.6-98.3)
Sex						
male		#			#	
female	4,612	59.9^	(49.2-69.8)	364,324	91.0	(88.6-93.0)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,661	46.0^	(30.6-62.2)	89,890	43.1	(35.9-50.6)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	1,634	45.8^	(30.3-62.2)	72,684	46.8	(39.7-54.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	1,661	46.0^	(30.6-62.2)	89,890	43.1	(35.9-50.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Yates County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,759	9.2	(6.1-13.5)	120,784	12.3	(10.6-14.2)
Age						
18-24		#		18,248	13.9	(8.2-22.4)
25-34		#		21,945	14.4	(10.5-19.4)
35-44		#		17,847	12.2	(8.1-18.0)
45-64	1,089	16.2	(9.4-26.3)	50,391	14.4	(11.5-17.7)
65+	447	10.3	(5.3-19.1)	11,819	6.3	(4.5-8.7)
Race						
White, NH	1,607	9.1	(6.0-13.7)	90,447	11.6	(9.9-13.6)
Black, NH		#		12,561	16.5	(10.8-24.5)
Hispanic		#		9,450	18.5^	(11.2-29.0)
Other, NH		#		8,325	11.1	(4.0-27.3)
Sex						
male	749	8.1	(4.2-15.2)	49,351	10.4	(8.2-13.2)
female	1,010	10.1	(6.1-16.3)	71,433	14.1	(11.7-16.9)
Age-adjusted ^{&}		8.3	(5.7-12.0)		12.5	(10.7-14.5)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Yates County			Finger Lakes		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	1,549	8.3	(5.5-12.3)	154,347	16.1	(14.1-18.4)
Age						
18-24		#		32,152	24.8	(17.7-33.6)
25-34		#		37,099	24.8	(19.2-31.4)
35-44		#		26,167	18.7	(12.6-26.7)
45-64	651	9.9	(5.8-16.4)	52,235	15.2	(12.0-19.1)
65+		#		5,899	3.2	(2.2-4.5)
Race						
White, NH	1,522	8.8	(5.8-13.1)	129,788	17.1	(14.7-19.6)
Black, NH		#		8,750	12.2	(7.4-19.5)
Hispanic		#		10,236	19.8^	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
Sex						
male	973	10.8	(6.2-18.3)	99,542	21.7	(18.3-25.4)
female	576	5.9	(3.2-10.7)	54,805	11.0	(8.8-13.7)
Age-adjusted ^{&}		8.5	(5.6-12.8)		16.9	(14.6-19.5)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Yates County			Finger Lakes			
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		41,696	34.8	(27.8-42.5)	
Age							
18-24		#			#		
25-34		#		10,400	48.1	(33.0-63.5)	
35-44		#		7,009	39.7	(20.7-62.3)	
45-64		#		19,075	38.1^	(27.3-50.2)	
65+		#		740	6.3	(3.3-11.9)	
Race							
White, NH		#		32,992	36.8	(28.9-45.4)	
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#		19,261	39.2	(27.0-53.0)	
female		#		22,435	31.7	(24.4-40.1)	
Age-adjusted ^{&}		#			33.1	(26.5-40.5)	

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).